

SUBJECT INDEX

- N*-Acetyl group distribution in partially deacetylated chitins, 167
- Aldose peracetates, synthesis of 1,2-*trans*-per-*O*-acetyl-D-glycosyl chlorides by reaction with thionyl chloride–acetic acid of 1,2-*trans*-, 297
- 3-*O*-(Alkyl-branched acyl)-2-deoxy-2-[(3*R*)-3-hydroxytetradecanamido]-4-*O*-phosphono-D-glucose derivatives related to bacterial lipid A, synthesis, 303
- 2-Amino-2,6-dideoxy-D-glucose (D-quinovosamine) isolated from the cell walls of the alkaliphilic *Bacillus* sp. Y-25, identification by ¹H NMR spectroscopy, 173
- 2-Amino sugars, stereospecific synthesis of 1,2-*cis*-glycosides of, C7
- AM1 molecular orbital study of α-D-glycopyranose and β-maltose, an.; Evaluation and implications, 53
- 2,3-Anhydro-α- and -β-L-erythrofuranoside, synthesis of methyl, 291
- Anhydro derivatives of neuraminic acid, formation upon treatment of a new sialic acid-containing polysaccharide with anhydrous hydrogen fluoride, C11
- 1,6-Anhydro-D-glucopyranose framework, electrophile-mediated cyclization on, 119
- O-Antigen polysaccharide, structural studies of the *Vibrio fluvialis* M-940, 181
- Azide, the reaction of methyl 5-thio-3-*O*-toluene-*p*-sulfonyl-α-D-glucopyranoside and its triacetate with sodium, 287
- Bacillus* sp. Y-25, identification by ¹H NMR spectroscopy of 2-amino-2,6-dideoxy-D-glucose isolated from the cell walls of the alkaliphilic, 173
- 1,2,4-Benzenetriol, hydrothermal formation from 5-hydroxymethyl-2-furaldehyde and D-fructose, 131
- Bola-amphiphile, molecular and crystal structure of *N*-[8-(D-gluconamido)octyl]-D-gluconamide, 11
- Carbohydrate specificity of the lectin of *Ficus cunia*, purification, characterisation and, 247
- Carrageenans, the systems of, from cystocarpic and tetrasporic stages of *Iridaea undulosa*: fractionation with potassium chloride and methylation analysis of the fractions, 217
- Chemical synthesis of a comb-shaped branched stereoregular polysaccharide, 4-*O*-α-D-mannopyranosyl-(1 → 6)-α-D-mannopyranan, 161
- Chitins, partially deacetylated, *N*-acetyl group distribution in, 167
- Crystal and molecular structure of 1-phenyl-(1,2-dideoxy-α-D-glucofurano)[2,1-*d*]imidazolidine-2-selone, 265
- Crystal and molecular structures of 1,2,3,4,5,6,7,8-octa-*O*-acetyl-L-threo-L-*altro*- and -L-threo-L-*galacto*-octitol, 21
- Crystal and molecular structure of the bola-amphiphile *N*-[8-(D-gluconamido)octyl]-D-gluconamide, 11
- Cyclization on the 1,6-anhydro-D-glucopyranose framework, electrophile-mediated, 119
- Deacetylated chitins, partially, *N*-acetyl group distribution in, 167
- 3-Deoxy-D-*erythro*-hex-2-ulonic acid 6-phosphate (KDPG) microbial synthesis, 153
- 1-Deoxythiomannojirimycin, enantiospecific synthesis from a derivative of D-glucose, 109
- Dextranucrase from *Streptomyces sanguis* in acceptor-dependent reactions, formation of α-(1 → 6), α-(1 → 3), and α-(1 → 2) glycosidic linkages by, 191

- (*R*)-1,6-Dioxaspiro[4.5]decane, enantiospecific synthesis from a derivative of D-fructose, 281
- Electrophile-mediated cyclization on the 1,6-anhydro-D-glucopyranose framework, 119
- Enantiospecific synthesis of (*R*)-1,6-dioxaspiro[4.5]decane from a derivative of D-fructose, 281
- Enantiospecific synthesis of 1-deoxythiomannojirimycin from a derivative of D-glucose, 109
- Erythrofuranoside, synthesis of methyl 2,3-anhydro- α - and - β -L-, 291
- Exopolysaccharide of *Pseudomonas marginalis* strain ATCC 10844, structure of the acidic, 271
- Ficus cunia*, purification, characterisation, and carbohydrate specificity of the lectin of, 247
- D-Fructose, enantiospecific synthesis of (*R*)-1,6-dioxaspiro[4.5]decane from a derivative of, 281
- β -L-Fucopyranosyl phosphate, synthesis of, 69
- α -Fucosylation by 2,3,4-tri-*O*-benzoyl- α -L-fucopyranosyl bromide under Helferich conditions, 77
- Fungus *Neocallimastix frontalis*, purification and characterisation of a β -D-xylosidase from the anaerobic rumen, 229
- 2-Furaldehyde, hydrothermal formation of 1,2,4-benzenetriol from D-fructose and 5-hydroxymethyl-, 131
- GD₂, stereocontrolled synthesis of, C1
- GDP- β -L-fucose, synthesis of, 69
- D-Gluconamide, molecular and crystal structure of the bola-amphiphile *N*-[8-D-gluconamido]octyl-, 11
- D-Glucose, enantiospecific synthesis of 1-deoxythiomannojirimycin from a derivative of, 109
- α -D-Glucopyranose and β -maltose, an AM1 molecular orbital study of: Evaluation and implications, 53
- Glycosides of 2-amino sugars, stereospecific synthesis of 1,2-*cis*-, C7
- Glycosyl donor for the synthesis of 1,2-*trans*-linked saccharides, use of 2-pyridyl 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy-1-thio- β -D-glucopyranoside, 277
- Glycosyl hydrogenphosphonates, the stepwise synthesis of oligo(glycosyl phosphates) via, 91
- Glycosyl chlorides, synthesis of some 1,2-*trans*-per-*O*-acetyl-D-, by reaction of 1,2-*trans*-aldose peracetates with thionyl chloride–acetic acid, 297
- Glycosylation with 2,3,4-tri-*O*-benzoyl- α -L-fucopyranosyl bromide under Helferich conditions, 77
- Guanosine-diphosphate- β -L-fucopyranose, synthesis of, 69
- Guava (*Psidium guajava* L.), reexamination of composition and physico-chemical characteristics of water-soluble pectic substances from, 315
- Helferich conditions for α -fucosylation using 2,3,4-tri-*O*-benzoyl- α -L-fucopyranosyl bromide, 77
- Hot-water-soluble components of starches, characterisation of, 203
- HPLC, improved gram-quantity isolation of malto-oligosaccharides by preparative, 1
- Hyaluronan, a detailed ¹H and ¹³C NMR study of a repeating disaccharide of: the effects of temperature and counterion type, 29
- Hydrothermal formation of 1,2,4-benzenetriol from 5-hydroxymethyl-2-furaldehyde and D-fructose, 131
- Imidazolidine-2-selone, crystal and molecular structure of 1-phenyl-(1,2-dideoxy- α -D-glucofurano)[2,1-*d*]-, 265
- Lectin of *Ficus cunia*, purification, characterisation and carbohydrate specificity, 247
- Lipid A, synthesis of 3-*O*-(alkyl-branched acyl)-2-deoxy-2-[(2*R*)-3-hydroxytetradecanamido]-4-*O*-phosphono-D-glucose derivatives related to bacterial lipid A, 303
- Malto-oligosaccharides, improved gram-quantity isolation of, by preparative HPLC, 1
- β -Maltose and α -D-glycopyranose, an AM1 molecular orbital study of: Evaluation and implications, 53
- Mannopyranosyl-(1 \rightarrow 6)- α -D-mannopyranan, chemical synthesis of a comb-shaped branched stereoregular polysaccharide, 4-*O*- α -D-, 161
- Methyl 5-thio-3-*O*-toluene-*p*-sulfonyl- α -D-glucopyranoside and its triacetate, the reaction of sodium azide with, 287
- Methyl 2,3-anhydro- α - and - β -L-erythrofuranoside, synthesis of, 291
- Microbial synthesis of KDPG, 153
- Molecular and crystal structures of 1,2,3,4,5,6,7,8-octa-*O*-acetyl-1-*threo*-1-*altro*- and -1-*threo*-L-*galacto*-octitol, 21
- Molecular orbital study, an AM1, of α -D-glycopyranose and β -maltose: Evaluation and implications, 53

- Neuraminic acid, formation of anhydro derivatives upon treatment of a new sialic acid-containing polysaccharide with anhydrous hydrogen fluoride, C11
- NMR, ^1H and ^{13}C , a detailed study of a repeating disaccharide of hyaluronan: the effects of temperature and counterion type, 29
- O-Antigen polysaccharide, structural studies of the *Vibrio fluvialis* M-940, 181
- Octitol, crystal and molecular structures of 1,2,3,4,5-, 6,7,8-octa-*O*-acetyl-*L*-threo-*L*-altro- and -*L*-threo-*L*-galacto-, 21
- Oligo(glycosyl phosphates), stepwise synthesis via glycosyl hydrogenphosphonates, 91
- Pectic substances from guava (*Psidium guajava* L.) reexamination of composition and physico-chemical characteristics of water-soluble, 315
- 1-Phenyl-(1,2-dideoxy- α -*D*-glucofuran)[2,1-*d*]imidazolidine-2-selone, crystal and molecular structure, 265
- Phosphomannan from *Hansenula capsulata* Y-1842, chemical synthesis of oligomeric fragments of the extracellular, and from the capsular antigen of *Escherichia coli* K51, 91
- Polysaccharide, structural studies of the *Vibrio fluvialis* M-940 O-antigen, 181
- Polysaccharide, 4-*O*- α -*D*-mannopyranosyl-(1 \rightarrow 6)- α -*D*-mannopyranan, chemical synthesis of a comb-shaped branched stereoregular, 161
- 2-Pyridyl 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy-1-thio- β -*D*-glucopyranoside, use as a glycosyl donor for the synthesis of 1,2-*trans*-linked saccharides, 277
- Pyrrolidine, (2*S*,3*R*,4*R*,5*S*)-3,4-dihydroxy-2,5-bis(hydroxymethyl)-, a new practical synthesis of, 311
- D*-Quinovosamine (2-amino-2,6-dideoxy-*D*-glucose) isolated from the cell walls of the alkaliphilic *Bacillus* sp. Y-25, identification by ^1H NMR spectroscopy, 173
- Rumen fungus *Neocallimastix frontalis*, purification and characterisation of an α -*D*-xylosidase from the anaerobic, 229
- Sialic acid-containing O-specific polysaccharide of *Salmonella arizonae* O21, structural study of a new, and formation of anhydro derivatives of neuraminic acid upon treatment with anhydrous hydrogen fluoride, C11
- Starches, characterisation of hot-water-soluble components of, 203
- Stereospecific synthesis of 1,2-*cis*-glycosides of 2-amino sugars, C7
- Structure of the acidic expolysaccharide of *Pseudomonas marginalis* strain ATCC 10844, 271
- Syntheses of tetra- and penta-saccharide substructures of trestatin A, 141
- Synthesis, stereocontrolled, of GD₂, C1
- 1-Thio- β -*D*-glucopyranoside, use of 2-pyridyl 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy-, as a glycosyl donor for the synthesis of 1,2-*trans*-linked saccharides, 277
- Thionyl chloride-acetic acid, synthesis of 1,2-*trans*-per-*O*-acetyl-*D*-glycosyl chlorides by reaction of 1,2-*trans*-aldose peracetates with, 297
- 5-Thio-3-*O*-toluene-*p*-sulfonyl- α -*D*-glucopyranoside and its triacetate, the reaction of sodium azide with methyl, 287
- Trestatin A tetra- and penta-saccharide substructures of, 141
- Triflic anhydride as promoter in the syntheses of linked tetra- and penta-saccharide substructures of trestatin A, 141
- Vibrio fluvialis* M-940 O antigen polysaccharide, structural studies, 181
- Water-soluble pectic substances from guava (*Psidium guajava* L.), reexamination of composition and physico-chemical characteristics of, 315
- β -*D*-Xylosidase from the anaerobic rumen fungus *Neocallimastix frontalis*, purification and characterisation, 229