



ELSEVIER

Carbohydrate Research 263 (1994) C11–C13

CARBOHYDRATE  
RESEARCH

## SUBJECT INDEX

- Acetalation of D-xylose, preparation of 1,2-O-isopropylidene- $\alpha$ -D-xylofuranose, 61
- N-Acetylneuraminic acid, 3-fluoro-, inhibition of bacterial and viral sialidases by, 167
- Allyl-Kdo, crystal and molecular structure, 35
- Allyl O-(sodium 3-deoxy- $\alpha$ -D-manno-2-octulopyranosylonate)-(2  $\rightarrow$  8)-O-(sodium 3-deoxy- $\alpha$ -D-manno-2-octulopyranosidonate)-monohydrate, crystal and molecular structure, 35
- 1,6-Anhydro- $\beta$ -D-glucopyranose, a  $^{13}\text{C}$  NMR relaxation study in dimethyl sulfoxide, 13
- O-Antigen, 327
- O-Antigen polysaccharide, structural studies of the *Escherichia coli* O90, 209
- Anti-ulcer pectic polysaccharide from leaves of *Panax ginseng* C.A. Meyer, characterisation, 89
- Antithrombin, 271
- Blighia welwitschii*, structure of a new glycosylated triterpene from the fruit of, 79
- Cations, complexation of trivalent lanthanide, by sugars and alditol in water, chromatography-calorimetry comparison, 25
- Chemical N- and O-sulfation, 271
- $^{13}\text{C}$  NMR relaxation study, 1,6-anhydro- $\beta$ -D-glucopyranose in dimethyl sulfoxide, 13
- Coagulant polysaccharide fraction from *Strychnos potatorum* seeds, composition, 103
- Complexation of trivalent lanthanide cations, by sugar and alditols in water, chromatography-calorimetry comparison, 25
- Conformational and NMR studies of methyl  $\alpha$ -D-mannopyranoside monophosphates, 173
- Conformational transitions, 197
- Cryptoporus volvatus*, an antitumor, branched (1  $\rightarrow$  3)- $\beta$ -D-glucan from a water extract of fruiting bodies of, 111
- Crystal structure of *neo*-inositol, the unusually stable, 149
- Cyclohexylidene acetals of  $\alpha,\alpha'$ -trehalose, synthesis, 43
- De-N-acetyl GM<sub>2</sub>, total synthesis of a modified ganglioside, 181
- Decycling maltodextrinase of *Flavobacterium* sp., transglycosylation with malto-oligosaccharides and cyclodextrins, 123
- Decycling maltodextrinase of *Flavobacterium* sp., action pattern on potato starch, 137
- 1-(2,3-Dideoxy-6-O-diethoxyphosphoryl-D-glycero-hex-2-enopyranosyl-4-ulose)thymine  $\alpha$  and  $\beta$  anomers, synthesis and molecular modelling, 309
- 6-Deoxyheptulosurono-7,4-lactones, use of sugar  $\beta$ -ketoesters as intermediates in the synthesis of, 303
- Dimethyl sulfoxide solution, the composition of reducing sugars in, 1
- Driselase, 285
- E. coli* K5 polysaccharide, 271
- Enteric bacteria, 327
- Escherichia coli* O6:K2:H1, O6:K13:H1, and O6:K54:H10, structural comparison of the O6-specific polysaccharides, 217
- Escherichia coli* O90 O-antigen polysaccharide, structural studies, 209
- Ferulic acid esterases from *A. niger*, degradation of feruloylated oligosaccharides from sugar-beet pulp and wheat bran, 257
- Feruloylated oligosaccharides from cell walls of sugar-beet pulp, isolation and purification, 227
- Feruloylated oligosaccharides from sugar-beet pulp and wheat bran, degradation by ferulic acid esterases from *A. niger*, 257

- Feruloylated oligosaccharides from sugar-beet pulp, structure identification by NMR spectroscopy, 243
- Galactan and galactomannan components of the coagulant polysaccharide fraction from *Strychnos potatorum* seeds, 103
- $\alpha$ -D-Galactopyranosyl-linked oligosaccharides, synthesis of, containing the Gal $\alpha$   $\rightarrow$  Gal $\beta$   $\rightarrow$  GlcNAc sequence employing methyl 2,3,4,6-tetra-*O*-(4-methoxybenzyl)-1-thio- $\beta$ -D-galactopyranoside as an efficient glycosyl donor, 67
- Ganglioside, de-*N*-acetyl GH<sub>2</sub>, total synthesis of a modified, 181
- $\beta$ -D-Glucan, an antitumor, branched (1  $\rightarrow$  3), from a water extract of fruiting bodies of *Cryptoporus volvatus*, 111
- Glycolipid antigens, synthesis of a tri-*O*-cyclohexylidene- $\alpha$ , $\alpha'$ -trehalose 2-palmitate as an intermediate for the synthesis of 2,3-di-*O*-acyl- $\alpha$ , $\alpha'$ -trehalose, 43
- $\beta$ -D-Glucosidase, 285
- Glycosylated triterpene from the fruit of *Blighia welwitschii*, structural elucidation, 79
- Heptulosurono-7,4-lactones, use of sugar  $\beta$ -ketoesters as intermediates in the synthesis of 6-deoxy, 303
- Isoprimeverose, 285
- 1,2-*O*-Isopropylidene- $\alpha$ -D-xylofuranose, a one-pot synthesis, 61
- Lactulose trihydrate, solubility of, 163
- Lanthanide cations, complexation of trivalent, by sugars and alditols in water, chromatography-calorimetry comparison, 25
- Le<sup>x</sup> pentaosyl ceramide, total synthesis of sulfated, C1
- Lipopolysaccharide, 327
- Malto- and cyclomalto-oligosaccharides, transglycosylation reaction catalysed by the decycling maltodextrinase of *Flavobacterium* sp., 123
- Maltodextrinase of *Flavobacterium* sp., action pattern on potato starch of the decycling, 137
- $\alpha$ -D-Mannopyranoside monophosphates, synthesis, NMR, and conformational studies of methyl, 173
- Methyl  $\beta$ -lactosides, convenient synthetic approach towards C-3 modified, 295
- Methyl-2,3,4,6-tetra-*O*-(4-methoxybenzyl)-1-thio- $\beta$ -D-galactopyranoside, as an efficient glycosyl donor, synthesis of  $\alpha$ -D-galactopyranosyl-linked, containing the Gal $\alpha$   $\rightarrow$  Gal $\beta$   $\rightarrow$  GlcNAc sequence, employing, 67
- Monosaccharides, overall motion in solution, <sup>13</sup>C NMR relaxation of 1,6-anhydro- $\beta$ -D-glucopyranose in dimethyl sulfoxide, 13
- neo-Inositol, the unusually stable crystal structure of, 149
- NMR spectroscopic identification of feruloylated oligosaccharides from sugar-beet pulp, 243
- NMR spectroscopy, 327
- Nucleotides, synthesis and molecular modelling of unsaturated ketohexose, 309
- Oligosaccharide, synthesis of  $\alpha$ -D-galactopyranosyl-linked, containing the Gal $\alpha$   $\rightarrow$  Gal $\beta$   $\rightarrow$  GlcNAc sequence employing methyl 2,3,4,6-tetra-*O*-(4-methoxybenzyl)-1-thio- $\beta$ -D-galactopyranoside as an efficient glycosyl donor, 67
- Oligosaccharides from cell walls of sugar-beet pulp, isolation and purification of feruloylated, 227
- Panax ginseng* C.A. Meyer, characterisation of an anti-ulcer pectic polysaccharide from leaves of, 89
- Pectic polysaccharide from leaves of *Panax ginseng* C.A. Meyer, characterisation of an anti-ulcer, 89
- Phosphates, synthesis, NMR, and conformational studies of methyl  $\alpha$ -D-mannopyranoside mono-, 173
- Polysaccharide fraction from *Strychnos potatorum* seeds, composition of the coagulant, 103
- Polysaccharide from *Escherichia coli* O90, structural studies of the O-antigenic, 209
- Polysaccharides from *E. coli* O6 : K2 : H1, O6 : K13 : H1, and O6 : K54 : H10, structural comparison of the O6-specific, 217
- Potato starch, action pattern of the decycling maltodextrinase of *Flavobacterium* sp., 137
- Reducing sugars, the composition of, in dimethyl sulfoxide solution, 1
- Rosa* xyloglucan, 285
- Saponin of *Blighia welwitschii*, structural elucidation by NMR spectroscopy of an acetylated, 79
- Sialidases, bacterial and viral, inhibition by 3-fluoro-*N*-acetylneuraminic acid, 167
- <sup>29</sup>Si NMR in the structural analysis of trimethylsilylated glycosides, 155

- Sodium hyaluronate and oligomers, FTIR studies in amorphous solid phase and in aqueous solution, 315
- Solubility of lactulose trihydrate, 163
- O6-Specific polysaccharides from *E. coli* O6:K2:H1, O6:K13:H1, and O6:K54:H10, structural comparison, 217
- Sugar-beet pulp and wheat bran, degradation of feruloylated oligosaccharides by ferulic acid esterases from *A. niger*, 257
- Sugar-beet pulp, isolation and purification of feruloylated oligosaccharides from cell walls of, 227
- Sugar-beet pulp, structure identification by NMR spectroscopy of feruloylated oligosaccharides, 243
- Sugar  $\beta$ -ketoesters as intermediates in the synthesis of 6-deoxyheptulosurono-7,4-lactones, 303
- Sulfaminoheparosansulfates, 271
- Synthesis of C-3 modified methyl  $\beta$ -D-lactosides, 295
- Synthesis of sulfated Le<sup>x</sup> pentaosyl ceramide, total, C1
- Transglycosylation reaction with malto-oligosaccharides and cyclodextrins, catalysed by the decycling maltodextrinase of *Flavobacterium* sp., 123
- $\alpha,\alpha$ -Trehalose 2-palmitate, synthesis of 4,6:2',3':4',6'-tri-*O*-cyclohexylidene-, as an intermediate for the synthesis of mycobacterial 2,3-di-*O*-acyl- $\alpha,\alpha'$ -trehalose antigens, 43
- Trimethylsilylated glycosides of <sup>29</sup>Si NMR, 155
- Unsaturated ketohexose nucleotides, synthesis and molecular modelling, 309
- Xanthan, 197
- Xanthomonas campestris*, 197
- D-Xylofuranose, a one-pot synthesis of 1,2-*O*-isopropylidene- $\alpha$ -, 61