

CONTENTS

Regular papers

Studies on molecular weights of polysaccharides of <i>Auricularia auricula-judae</i> L. Zhang, L. Yang, Q. Ding and X. Chen (Wuhan, China)	1
Synthesis and conformational analysis of the plant hormone (auxin) related 2-(indol-3-yl)ethyl and 2-phenylethyl β -D-xylopyranosides and their 2,3,4-tri- <i>O</i> -acetyl derivatives S. Tomić (Zagreb, Croatia), B.P. van Eijck (Utrecht, The Netherlands), B. Kojić-Prodić (Zagreb, Croatia), J. Kroon (Utrecht, The Netherlands), V. Magnus, B. Nigović, G. Laćan, N. Ilić (Zagreb, Croatia), H. Duddeck (Hannover, Germany) and M. Hiegemann (Bochum, Germany)	11
Structure determination of galacto-oligosaccharides by pyridylation and NMR spectroscopy K. Kimura, K. Matsumoto, C. Ishihara, K. Harada and A. Miyagi (Tokyo, Japan)	33
Synthesis, characterization, and reverse-micellar studies of some <i>N</i> -substituted derivatives of 6-amino-6-deoxy-1,2- <i>O</i> -isopropylidene-D-glucose L. Sharma and S. Singh (Amritsar, India)	43
Synthesis of a thio analogue of <i>n</i> -propyl kojibioside, a potential glucosidase inhibitor J.S. Andrews and B.M. Pinto (Burnaby, Canada)	51
<i>Notes</i>	
The Resolution of oligosaccharides by high pH anion exchange chromatography J.M. McGuire, M.A. Elliott, H.G. Elliott and K.D. Smith (Glasgow, UK)	63
A new synthesis of sucrose 6'-phosphate K.B. Kim and E.J. Behrman (Columbus, OH, USA)	71
Synthesis of (3' <i>R</i>)-3'-deoxy-3'- <i>C</i> -nitromethylthymidine Y. Takahashi, Y. Honda and T. Tsuchiya (Kawasaki, Japan)	77
Synthesis of a partially protected 1D-6- <i>O</i> -(2-azido-2-deoxy- α -D-glucopyranosyl)- <i>myo</i> -inositol: a useful precursor of glycosylphosphatidylinositols and related compounds S. Cottaz, J.S. Brimacombe and M.A.J. Ferguson (Dundee, UK)	85
A novel synthesis of L-fucose from D-galactose S. Sarbajna, S.K. Das and N. Roy (Calcutta, India)	93
Identification of <i>N</i> -acetylglucosamine and 4- <i>O</i> -[1-carboxyethyl]mannose in the exopolysaccharide from <i>Cyanospira capsulata</i> D. Garozzo, G. Impallomeni, E. Spina, L. Sturiale (Catania, Italy), A. Cesàro and P. Cescutti (Trieste, Italy)	97

Gel-to-sol transition of ^{13}C -labeled (1 $\rightarrow$ 3)- β -D-glucan, ^{13}C -SSG, assessed by ^{13}C nuclear magnetic resonance (^{13}C -NMR) spectroscopy M. Suda, N. Ohno, Y. Adachi and T. Yadomae (Tokyo, Japan)	107
<i>Preliminary communication</i>	
Binding of Maillard products to proteins: formation of pyrrole carbimines J. Nissl, M. Pischetsrieder (München, Germany), E. Klein (Stuttgart, Germany) and T. Severin (München, Germany).	C1
<i>Announcement</i>	C7
<i>Regular papers</i>	
Circular dichroism of the O-specific polysaccharide of <i>Vibrio cholerae</i> O1 and some related derivatives S. Bystrický, S.C. Szu, M. Gotoh and P. Kováč (Bethesda, MD, USA)	115
Enzymatic synthesis of mannobioses and mannotrioses by reverse hydrolysis using α -mannosidase from <i>Aspergillus niger</i> K. Ajisaka, I. Matsuo, M. Isomura, H. Fujimoto, M. Shirakabe and M. Okawa (Odawara, Japan) . .	123
Utility of non-covalent complexes in the matrix-assisted laser desorption ionization mass spectrometry of heparin-derived oligosaccharides P. Juhasz and K. Biemann (Cambridge, MA, USA).	131
Bromination of regenerated chitin with <i>N</i> -bromosuccinimide and triphenylphosphine under homogeneous conditions in lithium bromide- <i>N,N</i> -dimethylacetamide H. Tseng, K. Furuhashi and M. Sakamoto (Tokyo, Japan)	149
Preparation of α - and β -dienyl glycosides used as dienes in aqueous Diels-Alder reactions. Influence of the carbohydrate moiety on the thermodynamics of the reaction A. Lubineau, H. Bienaymé and Y. Queneau (Orsay, France)	163
Synthesis of photolabile mono- and di-valent α -D-mannoside-6-phosphates as chemically modifying probes for mannose-6-phosphate-receptors J. Lehmann, F. Schweizer and U.P. Weitzel (Freiburg, Germany)	181
Structure of an acidic microcapsular glycan from the reference strain (C.D.C. 866-57) for <i>Serratia marcescens</i> serogroup O1 A. Johansson, G. Widmalm (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden) and S.G. Wilkinson (Hull, UK)	191
<i>Notes</i>	
Synthesis of 4-epi-2-deoxy-2- H_{eq} - <i>N</i> -acetylneuraminic acid and 2,4-dideoxy-2- H_{eq} - <i>N</i> -acetylneuraminic acid B.P. Bandgar (Maharashtra, India) and E. Zbiral (Vienna, Austria)	201
Synthesis of substituted 2,6-dioxabicyclo[3.1.1]heptanes:1,3-anhydro-2,4-di- <i>O</i> -benzyl-6-deoxy- β -L-talopyranose Z. Gan and F. Kong (Beijing, China)	211
Crystal-solution structural equivalence of methyl 3,6-anhydropyranosides S.E. Schafer, E.S. Stevens (Binghamton, NY, USA) and M.K. Dowd (New Orleans, LA, USA) . . .	217

Characterisation of the endo-polygalacturonase-resistant region of the pectin from <i>Bupleurum falcatum</i> L.—a polysaccharide with an active function in clearance of immune complexes T. Matsumoto, M. Hirano, H. Kiyohara and H. Yamada (Tokyo, Japan).	221
<i>Preliminary communications</i>	
Total synthesis of sulfated Le ^a pentaosyl ceramide A. Endo, M. Iida, S. Fujita, M. Numata, M. Sugimoto and S. Nunomura (Saitama).	C9
A total synthesis of glycononaosyl ceramide with a sialyl dimeric Le ^x sequence M. Iida, A. Endo, S. Fujita, M. Numata, Y. Matsuzaki, M. Sugimoto, S. Nunomura and T. Ogawa (Saitama, Japan)	C15
<i>Book reviews</i>	C21
<i>Author index</i>	C25
<i>Keyword index</i>	C27
<i>Contents</i>	C31