

## Subject index

### $\beta$ -(1 $\rightarrow$ 2)-*N*-Acetylglucosaminyltransferase II

Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant  $\beta$ -(1  $\rightarrow$  2)-*N*-acetylglucosaminyltransferase II 221

### *N*-Acetylglucosaminyltransferase II

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor–Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

### *N*-Acetylglucosaminyltransferases

Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant  $\beta$ -(1  $\rightarrow$  2)-*N*-acetylglucosaminyltransferase II 221

### Acidic exopolysaccharide structure

The structure of the acidic exopolysaccharide produced by *Pseudomonas* “gingeri” strain Pf9 371

### Acylation

Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215

### Acylglycoside

Crystal structures of methyl 6-*O*-acyl- $\alpha$ -D-galactopyranosides 9

### Affinity chromatography

Isolation and characterization of a new  $\beta$ -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193

### Alditols

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

### Aldono-1,4-lactones

$\beta$ -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

### 5-Alkyl- and 5-halo-pyrimidines

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- $\beta$ -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

### *Alteromonas*

Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147

### Amylopectin

Structural analysis of starch from normal and *shx* (shrunken endosperm) barley (*Hordeum vulgare* L.) 361

### Amylose

Structural analysis of starch from normal and *shx* (shrunken endosperm) barley (*Hordeum vulgare* L.) 361

### 2',3'-Anhydronucleosides

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- $\beta$ -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

### Antibiotics

Stereoselective synthesis of L-vancosamine methyl  $\beta$ -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83

### Antibody

Characterization of a monoclonal antibody that recognizes an arabinosylated (1  $\rightarrow$  6)- $\beta$ -D-galactan epitope in plant complex carbohydrates 295

### O-Antigen

The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201

Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285

### Antigenic determinant

Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-*O*-methyl- $\alpha$ -D-mannopyranoside, the methyl  $\alpha$ -glycoside of the terminal unit, and presumed

- antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
- Apple  
Different populations of pectic hairy regions occur in apple cell walls 343
- Arabinogalactan  
Characterization of a monoclonal antibody that recognizes an arabinosylated (1 → 6)- $\beta$ -D-galactan epitope in plant complex carbohydrates 295
- Average solution conformation  
Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
- 5'-Azido-5'-deoxyxylonucleosides  
Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- $\beta$ -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95
- Bacterial polysaccharides  
The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Bacteroides fragilis*  
Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
- Barley  
Structural analysis of starch from normal and *shx* (shrunken endosperm) barley (*Hordeum vulgare* L.) 361
- Branched-chain amino sugars  
Stereoselective synthesis of L-vancosamine methyl  $\beta$ -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83
- Calcium  
Chain conformation in concentrated pectic gels: evidence from  $^{13}\text{C}$  NMR 131
- Capsular polysaccharide  
Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
- Carafate  
Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
- Carbohydrate-binding protein  
Isolation and characterization of a new  $\beta$ -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193
- Cationic starch  
Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309
- Cellobiose phosphorylase  
Synthesis and structural analysis of disaccharides of 4-*O*- $\beta$ -D-glucopyranosyl-D-glucosamine and 4-*O*- $\beta$ -glucopyranosyl-2-deoxy-D-glucose 67
- Cellvibrio gilvus*  
Synthesis and structural analysis of disaccharides of 4-*O*- $\beta$ -D-glucopyranosyl-D-glucosamine and 4-*O*- $\beta$ -glucopyranosyl-2-deoxy-D-glucose 67
- Chaetopterus variopedatus*  
Isolation and characterization of a new  $\beta$ -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193
- $^{13}\text{C}$ -labeling  
Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
- $^{13}\text{C}$  NMR  
Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-( $\beta$ -D-galactopyranosyl)-(1 → 3)-2-acetamido-2-deoxy- $\alpha$ -D-galactopyranoside as potential compounds for sulfotransferases 231
- $^{13}\text{C}$  NMR of pentaantennary glycan  
Complete assignments of  $^{13}\text{C}$  NMR resonances to all the carbon atoms of the trimannosido-di-*N*-acetylchitobiosyl structure in a pentaantennary decasaccharide glycopeptide 185
- Conformation  
Chain conformation in concentrated pectic gels: evidence from  $^{13}\text{C}$  NMR 131  
Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- $\alpha$ -L-arabinopyranose 259  
The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- Crystal structure  
Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- $\beta$ -cyclodextrin) 73
- Cyclodehydration  
Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421
- $\beta$ -Cyclodextrin  
Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- $\beta$ -cyclodextrin) 73
- Cyclodextrins  
Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1

## 3',5'-Diazido-3',5'-dideoxyribonucleosides

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- $\beta$ -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

## Dihedral angles

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

Dimethyl- $\beta$ -cyclodextrin

Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- $\beta$ -cyclodextrin) 73

## 2,6-Dioxabicyclo[3.1.1]heptanes

Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- $\alpha$ -L-arabinopyranose 259

## 2,7-Dioxabicyclo[4.1.0]heptanes

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-*O*-benzyl- $\alpha$ -D-fucopyranose 413

## 2D NMR

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

## Egg-box form

Chain conformation in concentrated pectic gels: evidence from  $^{13}\text{C}$  NMR 131

 $\beta$ -Elimination

$\beta$ -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

## Enzymic degradation

Different populations of pectic hairy regions occur in apple cell walls 343

## Epitope

Characterization of a monoclonal antibody that recognizes an arabinosylated (1  $\rightarrow$  6)- $\beta$ -D-galactan epitope in plant complex carbohydrates 295

## EPR spectroscopy

Spin-labelled glycolipid analogues: D-glucose series 245

## Exocellular polysaccharide

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

## Extraction

Different populations of pectic hairy regions occur in apple cell walls 343

## FAB mass spectroscopy

Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-( $\beta$ -D-galactopyranosyl)-(1  $\rightarrow$  3)-2-acetamido-2-deoxy- $\alpha$ -D-galactopyranoside as potential compounds for sulfotransferases 231

## Ferrier's carbocyclization

Synthesis of 1D-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3-cyclohexanetriol and its incorporation into a pseudo-disaccharide 33

## Ferulate polysaccharide esters

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

## Fibroblast growth factor

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

(1  $\rightarrow$  6)- $\beta$ -D-Galactan

Characterization of a monoclonal antibody that recognizes an arabinosylated (1  $\rightarrow$  6)- $\beta$ -D-galactan epitope in plant complex carbohydrates 295

## Galacturonan

Chain conformation in concentrated pectic gels: evidence from  $^{13}\text{C}$  NMR 131

Structure of the repeating units in the rhamno-galacturonic backbone of apple, beet and citrus pectins 155

## Gal-specific lectin

Isolation and characterization of a new  $\beta$ -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193

## GCOSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

## GDQF-COSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

4-*O*- $\beta$ -D-Glucopyranosyl-2-deoxy-D-glucose

Synthesis and structural analysis of disaccharides of 4-*O*- $\beta$ -D-glucopyranosyl-D-glucosamine and 4-*O*- $\beta$ -glucopyranosyl-2-deoxy-D-glucose 67

4-*O*- $\beta$ -D-Glucopyranosyl-D-glucosamine

Synthesis and structural analysis of disaccharides of 4-*O*- $\beta$ -D-glucopyranosyl-D-glucosamine and 4-*O*- $\beta$ -glucopyranosyl-2-deoxy-D-glucose 67

**Glucosyltransferase inactivation**

Inactivation of two D-glucosyltransferases from Serotype c *Streptococcus mutans* 103220T by 1,2-epoxy-3-( $\alpha$ -D-glucopyranosyl)propane 433

**N-Glycan substrates**

Synthesis of pentasaccharide analogues of the N-glycan substrates of N-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant  $\beta$ -(1  $\rightarrow$  2)-N-acetylglucosaminyltransferase II 221

**N-Glycopeptide biosynthesis**

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der N-Acetylglucosaminyltransferase II 403

**Glycosaminoglycans**

Carbohydrates with relevance to the structure of glycosaminoglycans: The crystal structures of 2-deoxy-2-(sulfoamino)- $\alpha$ -D-glucopyranose sodium salt dihydrate, 2-amino-2-deoxy- $\alpha$ , $\beta$ -D-glucopyranose 3-(hydrogen sulfate) monohydrate, and 2-amino-2-deoxy- $\alpha$ -D-glucopyranose 6-(hydrogen sulfate) monohydrate 49

**Glycosidase inhibitor**

Synthesis of 1D-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3- cyclohexanetriol and its incorporation into a pseudo-disaccharide 33

**Glycosides**

Spin-labelled glycolipid analogues: D-glucose series 245

**Glycosidic coupling reaction**

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-O-benzyl- $\alpha$ -D-fucopyranose 413

**Glycosurfactant**

Crystal structures of methyl 6-O-acyl- $\alpha$ -D-galactopyranosides 9

**Glycosylation**

Synthesis and reactions of 1-(5-azido-5-deoxy-3-O-p-toluenesulfonyl- $\beta$ -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

**Gradient-enhanced COSY**

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

**Gradient-enhanced double-quantum filtered COSY**

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

**Gradient-enhanced TOCSY**

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

**GTOCSY**

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

 **$^1H$  and  $^{13}C$  NMR**

Structure of the repeating units in the rhamno-galacturonic backbone of apple, beet and citrus pectins 155

***Helix lucorum***

Purification and characterization of a  $\beta$ -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207

**HMBC**

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

**Hydrogen bonding**

Crystal structure of anhydrous heptakis-(2,6-di-O-methyl)cyclomaltoheptaose (dimethyl- $\beta$ -cyclodextrin) 73

**Iminium salts**

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

**Karplus equation**

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

**Ketodeoxyaldonic acids**

$\beta$ -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

***Lactobacillus helveticus* TN-4**

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

***Lactobacillus helveticus* TY1-2**

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

**Lignin-ferulate cross-links**

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

**Lipases**

Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors

- in transesterification to carbohydrates in an organic medium 215
- Lipopolysaccharide
    - The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
    - Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285
  - Liquid-crystal properties
    - Liquid-crystal properties of octyl 6'-O-alkylmelibiosides 25
  - $\beta$ -Mannanase
    - Purification and characterization of a  $\beta$ -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207
  - $\alpha$ -D-Mannopyranoside, methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-O-methyl
    - Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-O-methyl- $\alpha$ -D-mannopyranoside, the methyl  $\alpha$ -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
  - Mannose
    - Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381
  - Modified tetrasaccharide substrates
    - Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der N-Acetylglucosaminyltransferase II 403
  - Monoclonal
    - Characterization of a monoclonal antibody that recognizes an arabinosylated (1  $\rightarrow$  6)- $\beta$ -D-galactan epitope in plant complex carbohydrates 295
  - Mucin fragments
    - Synthetic mucin fragments: synthesis of O-sulfo and O-methyl derivatives of allyl O-( $\beta$ -D-galactopyranosyl)-(1  $\rightarrow$  3)-2-acetamido-2-deoxy- $\alpha$ -D-galactopyranoside as potential compounds for sulfotransferases 231
  - Mushroom pathogen
    - The structure of the acidic exopolysaccharide produced by *Pseudomonas* "gingeri" strain Pf9 371
  - Mutant
    - Structural analysis of starch from normal and shx (shrunklen endosperm) barley (*Hordeum vulgare* L.) 361
  - Neoglycolipids
    - Spin-labelled glycolipid analogues: D-glucose series 245
  - NMR
    - Synthesis and structural analysis of disaccharides of 4-O- $\beta$ -D-glucopyranosyl-D-glucosamine and 4-O- $\beta$ -glucopyranosyl-2-deoxy-D-glucose 67
    - Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
    - Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
  - NMR spectroscopy
    - Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
    - The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
    - Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
  - N-7 nucleoside
    - The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
  - NOE
    - The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
  - Nonionic surfactant
    - Crystal structures of methyl 6-O-acyl- $\alpha$ -D-galactopyranosides 9
  - Octyl 6'-O-alkylmelibiosides
    - Liquid-crystal properties of octyl 6'-O-alkylmelibiosides 25
  - Oligosaccharide
    - Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
  - Organocerium reagents
    - Stereoselective synthesis of L-vancosamine methyl  $\beta$ -glycoside by addition of an organocerium reagent to O-benzyloxime ethers 83
  - Oxime ethers
    - Stereoselective synthesis of L-vancosamine methyl  $\beta$ -glycoside by addition of an organocerium reagent to O-benzyloxime ethers 83
  - Pectin
    - Chain conformation in concentrated pectic gels: evidence from  $^{13}\text{C}$  NMR 131

- Structure of the repeating units in the rhamnogalacturonic backbone of apple, beet and citrus pectins 155
- Different populations of pectic hairy regions occur in apple cell walls 343
- Pentasaccharide analogues**
- Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant  $\beta$ -(1  $\rightarrow$  2)-*N*-acetylglucosaminyltransferase II 221
- Polysaccharide**
- Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
- O-Polysaccharide**
- Synthesis and crystal structure of methyl 4,6-di-deoxy-4-(3-deoxy-L-glycero-tetramido)- 2-O-methyl- $\alpha$ -D-mannopyranoside, the methyl  $\alpha$ -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
- Polysaccharide derivatives**
- Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309
- Preparative column chromatography**
- Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1
- Proteases**
- Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215
- Proteus**
- The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Pseudo-aminosugar**
- Synthesis of 1D-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3-cyclohexanetriol and its incorporation into a pseudo-disaccharide 33
- Pseudomonas "gingeri" strain Pf9**
- The structure of the acidic exopolysaccharide produced by *Pseudomonas* "gingeri" strain Pf9 371
- Regioselective chlorination**
- Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421
- Rhamnogalacturonan**
- Structure of the repeating units in the rhamnogalacturonic backbone of apple, beet and citrus pectins 155
- Rhamnogalacturonase**
- Different populations of pectic hairy regions occur in apple cell walls 343
- Rhamnose**
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381
- Rhizobium tropici** CIAT899
- Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285
- Ryegrass lignins**
- Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
- Selective**
- Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215
- Semi-empirical**
- The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- Serotype c *Streptococcus mutans***
- Inactivation of two D-glucosyltransferases from Serotype c *Streptococcus mutans* 103220T by 1,2-epoxy-3-( $\alpha$ -D-glucopyranosyl)propane 433
- Small vicinal coupling constants**
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381
- Snail**
- Purification and characterization of a  $\beta$ -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207
- Soluble starch synthase**
- Structural analysis of starch from normal and *shx* (shrunkened endosperm) barley (*Hordeum vulgare* L.) 361
- Spin labels**
- Spin-labelled glycolipid analogues: D-glucose series 245
- Spin-spin coupling**
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small  $^3J$  381

**Substitution pattern**

Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309

**Sucralfate**

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

**Sucrose octasulfate**

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

**Sulfotransferases**

Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-( $\beta$ -D-galactopyranosyl)-(1  $\rightarrow$  3)-2-acetamido-2-deoxy- $\alpha$ -D-galactopyranoside as potential compounds for sulfotransferases 231

**Synthesis**

$\beta$ -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-*glycero*-tetronamido)- 2-*O*-methyl- $\alpha$ -D-mannopyranoside, the methyl  $\alpha$ -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117

Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- $\alpha$ -L-arabinopyranose 259

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-*O*-benzyl- $\alpha$ -D-fucopyranose 413

**Thin-layer chromatography**

Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1

**1-Thioglycosides**

Synthesis of 1-thioglycosides 179

**Transferase inhibitor**

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

**Trichloracetimidate glycosylation**

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

**Trimannosyl-di-*N*-acetylchitobiosyl structure**

Complete assignments of  $^{13}\text{C}$  NMR resonances to all the carbon atoms of the trimannosido-di-*N*-acetylchitobiosyl structure in a pentaantennary deca-saccharide glycopeptide 185

**Unprotected pentitols**

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

**Vancosamine**

Stereoselective synthesis of L-vancosamine methyl  $\beta$ -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83

***Vibrio cholerae* O:1, serotype Ogawa**

Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-*glycero*-tetronamido)- 2-*O*-methyl- $\alpha$ -D-mannopyranoside, the methyl  $\alpha$ -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117

**Viehe-Janousek's salt**

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

**Vilsmeier-Haack's salt**

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

**X-ray**

Crystal structures of methyl 6-*O*-acyl- $\alpha$ -D-galactopyranosides 9

**X-ray crystal structures**

Carbohydrates with relevance to the structure of glycosaminoglycans: The crystal structures of 2-deoxy-2-(sulfoamino)- $\alpha$ -D-glucopyranose sodium salt dihydrate, 2-amino-2-deoxy- $\alpha$ , $\beta$ -D-glucopyranose 3-(hydrogen sulfate) monohydrate, and 2-amino-2-deoxy- $\alpha$ -D-glucopyranose 6-(hydrogen sulfate) monohydrate 49

**X-ray structure**

The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275