

Subject index

2-Acetamido-2-deoxy-D-galactose

The β -D-GalpNAc-(1 \rightarrow 3)-D-Galp linkage through the oxazoline glycosylation method 437

N-Acetylglucosaminyltransferases I and II

Synthesis of uridine-5-propylamine derivatives and their use in affinity chromatography of *N*-acetylglucosaminyltransferases I and II 321

N-Acetylglucosamine

Synthesis and ^1H NMR characterization of the six isomeric mono-*O*-sulfates of 8-methoxycarbonyloct-1-yl *O*- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside 347

Affinity chromatography

Synthesis of uridine-5-propylamine derivatives and their use in affinity chromatography of *N*-acetylglucosaminyltransferases I and II 321

Aglycon transfer

Intermolecular aglycon transfer of ethyl 1-thiorhamnopiranosides under Koenigs–Knorr and Helferich glycosylation conditions 417

AIDS viruses

Synthesis of curdlan sulfates having inhibitory effects in vitro against AIDS viruses HIV-1 and HIV-2 425

Alpha-amylase

Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endoglycanases: porcine pancreatic alpha-amylase as model enzyme 43

Amikacin

Synthesis of 5-deoxy-5-epifluoro derivatives of arbekacin, amikacin, and 1-*N*-[(*S*)-4-amino-2-hydroxybutanoyl]tobramycin (study on structure — toxicity relationships) 75

1-*N*-[(*S*)-4-Amino-2-hydroxybutanoyl]tobramycin

Synthesis of 5-deoxy-5-epifluoro derivatives of arbekacin, amikacin, and 1-*N*-[(*S*)-4-amino-2-hydroxybutanoyl]tobramycin (study on structure — toxicity relationships) 75

Anticoagulant activity

Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401

Antileukemia testing, in vivo

Versatile intermediates in the selective modification of the amino function of 2-amino-2-deoxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control 99

Arbekacin

Synthesis of 5-deoxy-5-epifluoro derivatives of arbekacin, amikacin, and 1-*N*-[(*S*)-4-amino-2-hydroxybutanoyl]tobramycin (study on structure — toxicity relationships) 75

Auricularia auricula-judae

Conformational change of the β -D-glucan of *Auricularia auricula-judae* in water–dimethyl sulfoxide mixtures 443

Basic substrate analogues

Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endoglycanases: porcine pancreatic alpha-amylase as model enzyme 43

Bi-fluorescence-labeled lactoside

A bi-fluorescence-labeled substrate for ceramide glycanase based on fluorescence energy transfer 31

Carrageenan

Carrageenans from the tetrasporic stages of *Gigartina clavifera* and *Gigartina alveata* (Gigartineae, Rhodophyta) 155

Cationic anchoring group

Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endoglycanases: porcine pancreatic alpha-amylase as model enzyme 43

- ¹³C CP/MAS NMR spectroscopy
Solid-state NMR studies on the structure of starch granules 387
- Cellulase
Structural analysis of cyclamen seed xyloglucan oligosaccharides using cellulase digestion and spectroscopic methods 167
- Ceramide glycanase
A bi-fluorescence-labeled substrate for ceramide glycanase based on fluorescence energy transfer 31
- Chair
Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219
- Chondroitin sulfate
Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401
- Competitive inhibition
Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endoglycanases: porcine pancreatic α -amylase as model enzyme 43
Enzymic glycosylation of (\pm) -(3,5/4,6)-3,6-diazido-4,5-dihydroxycyclohexene. A way to prepare stereochemically pure and enzyme resistant, basic pseudo-disaccharides as competitive enzyme inhibitors 199
Support of a cyclic versus acyclic intermediate in enzymatic glycoside cleavage: 1,3-(*R*)-*O*-benzylidene-D-threitol is a competitive inhibitor but not a substrate of β -D-galactosidase 215
- Conformational analysis
Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219
- Conformational change
Conformational change of the β -D-glucan of *Auricularia auricula-judae* in water-dimethyl sulfoxide mixtures 443
- Conformational search
Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1
- CP-MAS ¹³C NMR
Structural analysis of cyclamen seed xyloglucan oligosaccharides using cellulase digestion and spectroscopic methods 167
- Curdlan sulfates
Synthesis of curdlan sulfates having inhibitory effects in vitro against AIDS viruses HIV-1 and HIV-2 425
- Cyclic acetals
Support of a cyclic versus acyclic intermediate in enzymatic glycoside cleavage: 1,3-(*R*)-*O*-benzylidene-D-threitol is a competitive inhibitor but not a substrate of β -D-galactosidase 215
- Cyclodextrin
A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267
- Dermatan sulfate
Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401
- Diazirines
Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57
- E.C. 2.4.1.151
Methyl 3-amino-3-deoxy- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside: an inhibitor of UDP-D-galactose: β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose (1 \rightarrow 3)- α -D-galactopyranosyltransferase 91
- Elastase inhibition
Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401
- Enolization
Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy 253
- Enzyme inhibitor
Methyl 3-amino-3-deoxy- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside: an inhibitor of UDP-D-galactose: β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose (1 \rightarrow 3)- α -D-galactopyranosyltransferase 91
- Erythrocytes
Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57
- Ethyl β -lactoside
Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1
- Exopolysaccharide structure
The structure of the exopolysaccharide produced by *Lactobacillus helveticus* 766 137

Fluorescence energy transfer

A bi-fluorescence-labeled substrate for ceramide glycanase based on fluorescence energy transfer 31

Fluorogenic substrate

Synthesis of 4-methylcoumarin-7-yl β -D-galactofuranoside, a fluorogenic substrate for galactofuranosidase 209

Formic acid

The formation of 2-furaldehyde and formic acid from pentoses in slightly acidic deuterium oxide studied by ^1H NMR spectroscopy 309

FTIR spectroscopy

Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy 253

2-Furaldehyde

The formation of 2-furaldehyde and formic acid from pentoses in slightly acidic deuterium oxide studied by ^1H NMR spectroscopy 309

Galactan, sulfated

Carrageenans from the tetrasporic stages of *Gigartina clavifera* and *Gigartina alveata* (Gigartinales, Rhodophyta) 155

Galactofuranosidase

Synthesis of 4-methylcoumarin-7-yl β -D-galactofuranoside, a fluorogenic substrate for galactofuranosidase 209

 β -D-Galactosidase

Enzymic glycosylation of (\pm) -(3,5/4,6)-3,6-diazido-4,5-dihydroxycyclohexene. A way to prepare stereochemically pure and enzyme resistant, basic pseudo-disaccharides as competitive enzyme inhibitors 199

 α -(1 \rightarrow 3)-Galactosyltransferase

Methyl 3-amino-3-deoxy- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside: an inhibitor of UDP-D-galactose: β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose (1 \rightarrow 3)- α -D-galactopyranosyltransferase 91

Gigartina alveata

Carrageenans from the tetrasporic stages of *Gigartina clavifera* and *Gigartina alveata* (Gigartinales, Rhodophyta) 155

Gigartina clavifera

Carrageenans from the tetrasporic stages of *Gigartina clavifera* and *Gigartina alveata* (Gigartinales, Rhodophyta) 155

Globo-H

The β -D-Gal pNAc-(1 \rightarrow 3)-D-Gal p linkage through the oxazoline glycosylation method 437

 β -D-Glucan

Conformational change of the β -D-glucan of *Auricularia auricula-judae* in water-dimethyl sulfoxide mixtures 443

Glucose

Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219

Glucosylthioceramide

Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β -thioglycosidic bonds that are resistant to enzymatic degradation 289

Glycolipids, labeled

Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β -thioglycosidic bonds that are resistant to enzymatic degradation 289

Glycopeptidolipids

Structural definition of the glycopeptidolipids and the pyruvylated, glycosylated acyltrehalose from *Mycobacterium butyricum* 449

Glycosidases

Support of a cyclic versus acyclic intermediate in enzymatic glycoside cleavage: 1,3-(*R*)-*O*-benzylidene-D-threitol is a competitive inhibitor but not a substrate of β -D-galactosidase 215

Glycoside cleavage

Support of a cyclic versus acyclic intermediate in enzymatic glycoside cleavage: 1,3-(*R*)-*O*-benzylidene-D-threitol is a competitive inhibitor but not a substrate of β -D-galactosidase 215

Glycosylation

Intermolecular aglycon transfer of ethyl 1-thiorhamnopyranosides under Koenigs-Knorr and Helferich glycosylation conditions 417
The β -D-Gal pNAc-(1 \rightarrow 3)-D-Gal p linkage through the oxazoline glycosylation method 437

 ^1H and ^{13}C NMR

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Helferich

Intermolecular aglycon transfer of ethyl 1-thiorhamnopyranosides under Koenigs-Knorr and Helferich glycosylation conditions 417

Heparan sulfate

Isolation and characterization of heparan sulfate from crude porcine intestinal mucosal peptidoglycan heparin 183

Heparin

Isolation and characterization of heparan sulfate from crude porcine intestinal mucosal peptidoglycan heparin 183

Hexose transport system

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57

¹H NMR

Synthesis and ¹H NMR characterization of the six isomeric mono-O-sulfates of 8-methoxycarbonyloct-1-yl O-β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-β-D-glucopyranoside 347

Intramolecular complex

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Irreversible blocking

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57

Koenigs-Knorr

Intermolecular aglycon transfer of ethyl 1-thiorhamnopyransides under Koenigs-Knorr and Helferich glycosylation conditions 417

Lactic acid bacteria

Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1 117

The structure of the exopolysaccharide produced by *Lactobacillus helveticus* 766 137

Lactobacillus helveticus

The structure of the exopolysaccharide produced by *Lactobacillus helveticus* 766 137

Lactobacillus sake

Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1 117

Lactosylthioceramide

Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β-thioglycosidic bonds that are resistant to enzymatic degradation 289

β-Linkage

The β-D-GalpNAc-(1 → 3)-D-Galp linkage through the oxazoline glycosylation method 437

Mannopyranoside

Molecular and crystal structure of methyl 2,3,4-tri-O-acetyl-β-D-xylopyranosyl-(1 → 2)-3-O-

benzyl-4,6-O-benzylidene-α-D-mannopyranoside 409

D-Mannose, 2-acetamido-2-deoxy

Versatile intermediates in the selective modification of the amino function of 2-amino-2-deoxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control 99

D-Mannose, 2-amino-2-deoxy-

Versatile intermediates in the selective modification of the amino function of 2-amino-2-deoxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control 99

Membrane modifiers

Versatile intermediates in the selective modification of the amino function of 2-amino-2-deoxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control 99

Membrane proteins

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57

Methyl α-D-galactoside

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1

Methyl 3-amino-3-deoxy-β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-β-D-glucopyranoside

Methyl 3-amino-3-deoxy-β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-β-D-glucopyranoside: an inhibitor of UDP-D-galactose:β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucose (1 → 3)-α-D-galactopyranosyltransferase 91

Methyl β-D-galactoside

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1

4-Methylcoumarin-7-yl β-D-galactofuranoside

Synthesis of 4-methylcoumarin-7-yl β-D-galactofuranoside, a fluorogenic substrate for galactofuranosidase 209

MM3

Relative stability of alternative chair forms and hydroxymethyl conformations of β-D-glucopyranose 219

Molecular dynamics

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Molecular mechanics

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1

Molecular modeling

Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219

Molecular orbital theory

Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219

Mycobacterium butyricum

Structural definition of the glycopeptidolipids and the pyruvylated, glycosylated acyltrehalose from *Mycobacterium butyricum* 449

4-*epi*-Neuraminic acid, 4-acetamido-*N*-acetyl-4-deoxy-

Synthesis of methyl 4-acetamido-*N*-acetyl-4-deoxy- α - and β -4-*epi*-neuraminic acids 337

Neuraminic acid, *N*-acetyl-

Synthesis of methyl 4-acetamido-*N*-acetyl-4-deoxy- α - and β -4-*epi*-neuraminic acids 337

NMR

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1

nOe restraints

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Optical rotation

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search 1

Oversulfated galactosaminoglycans

Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401

Oxazoline

The β -D-Gal pNAc-(1 \rightarrow 3)-D-Gal p linkage through the oxazoline glycosylation method 437

Pentose

The formation of 2-furaldehyde and formic acid from pentoses in slightly acidic deuterium oxide studied by ^1H NMR spectroscopy 309

Peptidoglycan

Isolation and characterization of heparan sulfate from crude porcine intestinal mucosal peptidoglycan heparan 183

Phosphoglycerol

Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1 117

Photoaffinity labelling

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57

Polysaccharide

Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1 117

Pseudo-disaccharides

Enzymic glycosylation of (\pm) -(3,5/4,6)-3,6-diazo-4,5-dihydroxycyclohexene. A way to prepare stereochemically pure and enzyme resistant, basic pseudo-disaccharides as competitive enzyme inhibitors 199

Pyruvylated, glycosylated acyltrehalose

Structural definition of the glycopeptidolipids and the pyruvylated, glycosylated acyltrehalose from *Mycobacterium butyricum* 449

Quantum mechanics

Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219

Radiolabelling

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes 57

Rhamnopyranosides

Intermolecular aglycon transfer of ethyl 1-thiorhamnopyranosides under Koenigs-Knorr and Helferich glycosylation conditions 417

Ring currents

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Ring puckering

Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219

Self-inclusion

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267

Sialic acid

Versatile intermediates in the selective modification of the amino function of 2-amino-2-de-

- oxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control 99
- Simulation in waterbox
A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling 267
- Solvation
Relative stability of alternative chair forms and hydroxymethyl conformations of β -D-glucopyranose 219
- Spacer-modified oligosaccharide
Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endoglycanases: porcine pancreatic α -amylase as model enzyme 43
- Starch granules
Solid-state NMR studies on the structure of starch granules 387
- Stereospecific glycosylation
Enzymic glycosylation of (\pm) -(3,5/4,6)-3,6-diazo-4,5-dihydroxycyclohexene. A way to prepare stereochemically pure and enzyme resistant, basic pseudo-disaccharides as competitive enzyme inhibitors 199
- Structural analysis
Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1 117
Structural definition of the glycopeptidolipids and the pyruvylated, glycosylated acyltrehalose from *Mycobacterium butyricum* 449
- Structure, solid-state
Solid-state NMR studies on the structure of starch granules 387
- Sugars, carbonyl
Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy 253
- Sugars, enediol forms
Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy 253
- Sugars, reducing
Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy 253
- Sulfated oligosaccharides
Synthesis and ^1H NMR characterization of the six isomeric mono-*O*-sulfates of 8-methoxycarbonyloct-1-yl *O*- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside 347
- Sulfation
Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans 401
- Thioglycolipids
Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β -thioglycosidic bonds that are resistant to enzymatic degradation 289
- Thioglycoside
Intermolecular aglycon transfer of ethyl 1-thiorhamnopyransides under Koenigs-Knorr and Helferich glycosylation conditions 417
- Thioglycosides
Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β -thioglycosidic bonds that are resistant to enzymatic degradation 289
- UDP-D-Galactose: β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose (1 \rightarrow 3)- α -D-galactopyranosyltransferase
Methyl 3-amino-3-deoxy- β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy- β -D-glucopyranoside: an inhibitor of UDP-D-galactose: β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucose (1 \rightarrow 3)- α -D-galactopyranosyltransferase 91
- Uridine-5-propylamine derivatives
Synthesis of uridine-5-propylamine derivatives and their use in affinity chromatography of *N*-acetylglucosaminyltransferases I and II 321
- X-ray crystal structure
Molecular and crystal structure of methyl 2,3,4-tri-*O*-acetyl- β -D-xylopyranosyl-(1 \rightarrow 2)-3-*O*-benzyl-4,6-*O*-benzylidene- α -D-mannopyranoside 409
- Xyloglucan
Structural analysis of cyclamen seed xyloglucan oligosaccharides using cellulase digestion and spectroscopic methods 167
- Xylopyranoside
Molecular and crystal structure of methyl 2,3,4-tri-*O*-acetyl- β -D-xylopyranosyl-(1 \rightarrow 2)-3-*O*-benzyl-4,6-*O*-benzylidene- α -D-mannopyranoside 409
- Xylosyl
Molecular and crystal structure of methyl 2,3,4-tri-*O*-acetyl- β -D-xylopyranosyl-(1 \rightarrow 2)-3-*O*-benzyl-4,6-*O*-benzylidene- α -D-mannopyranoside 409