



Carbohydrate Research 315 (1999) 363-367

Subject Index of Volume 315

Absorption spectroscopy

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

5-Acetamido-2,6-anhydro-3,5-dideoxy-D-*glycero*-D-*galacto*-non-2-enonic acid

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

5-Acetamido-2,6-anhydro-9-glutaramido-3,5,9-trideoxy-D-*glycero*-D-*galacto*-non-2-enonic acid

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

AFM

A ^{13}C CP/MAS NMR spectroscopy and AFM study of the structure of GlucagelTM, a gelling $\beta\text{-glucan}$ from barley 169 Imaging an alginate polymer gel matrix using atomic force microscopy 330

Aldonic and uronic acids

Kinetics of the degradative oxidation of sugar-type ligands catalyzed by copper(II) ions 319

Alginate

Imaging an alginate polymer gel matrix using atomic force microscopy 330

Alpha amylase

Structure of dicarboxyl malto-oligomers isolated from hypochlorite-oxidised potato starch studied by ¹H and ¹³C NMR spectroscopy 286

Aluminium salts

Selective dehydration of glucose to hydroxymethylfurfural and a one-pot synthesis of a 4-acetylbutyrolactone from glucose and trioxane in solutions of aluminium salts 268

1-Amino-2,5-anhydro-1-deoxy-D-mannitol

An easy stereospecific synthesis of 1-amino-2,5-anhydro-1-deoxy-D-mannitol and arylamino derivatives 339

α-Aminoisobutyric acid

Crystal structure of a fully protected β -O-galactosylated tripeptide 334

3-Aminopropyl spacer

Synthesis and NMR assignments of galactosylgloboside and its $\beta\text{-D-GalNAc-}(1\to 4)\text{-}\alpha\text{-D-Gal-linked}$ positional isomer in a conjugatable form 251

Amylose

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

2,5-Anhydro-1-arylamino-1-deoxy-D-mannitol derivatives

An easy stereospecific synthesis of 1-amino-2,5-anhydro-1-deoxy-D-mannitol and arylamino derivatives 339

2,5-Anhydro-3-deoxy-D-ribo-hexonic acid

Improved preparation and synthetic uses of 3-deoxy-D-arabino-hexonolactone: an efficient synthesis of *Leptosphaerin* 192

Anthracycline glycons

A concise synthesis of methyl 2,6-dideoxy-2-fluoro- β -L-talopyranoside 187

Anti-HIV activity

Synthesis of sulfated oligosaccharide glycosides having high anti-HIV activity and the relationship between activity and chemical structure 234

Autocatalytic

New iodination of cellulose in phosphoric acid 350

Bacterial polysaccharide

Structural determination of the exopolysaccharide of *Pseudoal-teromonas* strain HYD 721 isolated from a deep-sea hydrothermal vent 273

Bacterial α -(2 \rightarrow 6)-sialyltransferase

Enzymatic synthesis of Kdn oligosaccharides by a bacterial α -(2 \rightarrow 6)-sialyltransferase 137

Barley

A ^{13}C CP/MAS NMR spectroscopy and AFM study of the structure of GlucageITM, a gelling β -glucan from barley 169 Rheological studies of barley $(1\rightarrow 3)(1\rightarrow 4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

Barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -D-glucan

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: investigation of the viscoelastic flow behaviour in the sol-state 293

B/E constant linked scan FABMS

Isolation and characterization of new limonoid glycosides from Citrus unshiu peels 142

Calciun

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

Capillary electrophoresis

Kinetics of the degradative oxidation of sugar-type ligands catalyzed by copper(II) ions 319

α-C-Arabinosides

Synthesis of *C*-(D-glycopyranosyl)ethylamines and *C*-(D-glycofuranosyl)methylamines as potential glycosidase inhibitors 106

Carbohydrate percolation

Hydration of glucose in the rubbery and glassy states studied by molecular dynamics simulation 63

Carbohydrates

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

C-Disaccharide

Synthesis of a 'direct-linked' C-disaccharide from a pyranulose glycoside 98

Cellulose

New iodination of cellulose in phosphoric acid 350

C-Glucosyl aldehyde

Synthesis of *C*-(D-glycopyranosyl)ethylamines and *C*-(D-glycofuranosyl)methylamines as potential glycosidase inhibitors 106

Chemical depolymerization

Stability studies of chondroitin sulfate 345

Chondroitin

Stability studies of chondroitin sulfate 345

Citrus unshiu

Isolation and characterization of new limonoid glycosides from Citrus unshiu peels 142

CMP-β-D-Kdn

Enzymatic synthesis of Kdn oligosaccharides by a bacterial α -(2 \rightarrow 6)-sialyltransferase 137

13C NMR

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

Configurational inversion

A concise synthesis of methyl 2,6-dideoxy-2-fluoro- β -L-talopyranoside 187

Conformational analysis

Conformational analysis of an α -galactosyl trisaccharide epitope involved in hyperacute rejection upon xenotransplantation 76 Conformational analysis of maltoside heteroanalogues using high-quality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

Copper(II)-gluconate complexes

Kinetics of the degradative oxidation of sugar-type ligands catalyzed by copper(II) ions 319

CP/MAS NMR

A ^{13}C CP/MAS NMR spectroscopy and AFM study of the structure of GlucagelTM, a gelling $\beta\text{-glucan}$ from barley 169

β-Cyclodextrin

Crystal structure of heptakis(2,6-di-*O*-methyl)-β-cyclodextrin dihydrate: a water molecule in an apolar cavity 199

Degradative oxidation

Kinetics of the degradative oxidation of sugar-type ligands catalyzed by copper(II) ions 319

Dehydration

Selective dehydration of glucose to hydroxymethylfurfural and a one-pot synthesis of a 4-acetylbutyrolactone from glucose and trioxane in solutions of aluminium salts 268

3-Deoxy-D-arabino-hexono-lactone

Improved preparation and synthetic uses of 3-deoxy-D-arabino-hexonolactone: an efficient synthesis of *Leptosphaerin* 192

3-Deoxy-D-arabino-hexose

Improved preparation and synthetic uses of 3-deoxy-D-*arabino*-hexonolactone: an efficient synthesis of *Leptosphaerin* 192

β -D-Gal-(1 \rightarrow 3)- β -D-GalNPhth synthon

Synthesis and NMR assignments of galactosylgloboside and its β -D-GalNAc- $(1 \rightarrow 4)$ - α -D-Gal-linked positional isomer in a conjugatable form 251

$\beta\text{-}\mathrm{D}\text{-}GalNAc\text{-}(1\to 3/4)\text{-}\alpha\text{-}\mathrm{D}\text{-}Gal$

Synthesis and NMR assignments of galactosylgloboside and its $\beta\text{-D-GalNAc-}(1\to 4)-\alpha\text{-D-Gal-linked}$ positional isomer in a conjugatable form 251

$(1 \rightarrow 3)(1 \rightarrow 4)$ - β -D-glucan

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

D-Glucono-1,5-lactone

Improved preparation and synthetic uses of 3-deoxy-D-arabinohexonolactone: an efficient synthesis of *Leptosphaerin* 192

2,6-Dideoxy-2-fluoro-L-talose

A concise synthesis of methyl 2,6-dideoxy-2-fluoro- β -L-talopyranoside 187

Dimethylated β -cyclodextrin

Crystal structure of heptakis(2,6-di-O-methyl)- β -cyclodextrin dihydrate: a water molecule in an apolar cavity 199

Direct-linked C-disaccharide

Synthesis of a 'direct-linked' C-disaccharide from a pyranulose glycoside 98

α-D-Mannofuranoside

Synthesis of C-(D-glycopyranosyl)ethylamines and C-(D-glycofuranosyl)methylamines as potential glycosidase inhibitors 106

Dynamics

NMR study of the rotational dynamics of linear homopolysaccharides in dilute solutions as a function of linkage position and stereochemistry 16

Elicitor-active D-glucohexatose

A highly convergent and effective synthesis of the phytoalexin elicitor hexasaccharide 117

Fnamine

Improved preparation and synthetic uses of 3-deoxy-D-*arabino*-hexonolactone: an efficient synthesis of *Leptosphaerin* 192

Enzymatic synthesis

Enzymatic synthesis of Kdn oligosaccharides by a bacterial α -(2 \rightarrow 6)-sialyltransferase 137

Erythrosin B

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

ESMS

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

ESMS/MS

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Ester

New iodination of cellulose in phosphoric acid 350

Exopolysaccharide

Structural determination of the acidic exopolysaccharide produced by a *Pseudomonas* sp. strain 1.15 159

Extracellular polymers

Imaging an alginate polymer gel matrix using atomic force microscopy 330

Flexibility of glycosidic linkages

Conformational analysis of maltoside heteroanalogues using highquality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

Flow irregularities

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: investigation of the viscoelastic flow behaviour in the sol-state 293

Fluorescence spectroscopy

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

Fluoro sugars

A concise synthesis of methyl 2,6-dideoxy-2-fluoro- β -L-talopyranoside 187

α-Galactosyl epitopes

Conformational analysis of an α -galactosyl trisaccharide epitope involved in hyperacute rejection upon xenotransplantation 76

Galactosylgloboside

Synthesis and NMR assignments of galactosylgloboside and its $\beta\text{-D-GalNAc-}(1\to 4)-\alpha\text{-D-Gal-linked}$ positional isomer in a conjugatable form 251

GC-MS

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Gelation

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

Glass transitions in carbohydrates

Hydration of glucose in the rubbery and glassy states studied by molecular dynamics simulation 63

GlucagelTM

A ^{13}C CP/MAS NMR spectroscopy and AFM study of the structure of Glucagel $^{TM}\!$, a gelling β -glucan from barley 169

β-Glucan

A 13 C CP/MAS NMR spectroscopy and AFM study of the structure of GlucagelTM, a gelling β -glucan from barley 169

Glucoamylase

Structure of dicarboxyl malto-oligomers isolated from hypochlorite-oxidised potato starch studied by $^1\mathrm{H}$ and $^{13}\mathrm{C}$ NMR spectroscopy 286

Glucose

Selective dehydration of glucose to hydroxymethylfurfural and a one-pot synthesis of a 4-acetylbutyrolactone from glucose and trioxane in solutions of aluminium salts 268

Glucose hydration

Hydration of glucose in the rubbery and glassy states studied by molecular dynamics simulation 63

Glucosidase inhibitors

Conformational analysis of maltoside heteroanalogues using highquality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

Glycogen phosphorylase b

Chemoenzymatic preparation of 2-chloro-4-nitrophenyl β-maltooligosaccharide glycosides using glycogen phosphorylase b 180

A simple synthesis of 8-(methoxycarbonyl)octyl 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoside and derivatives and their use in the preparation of neoglycoconjugates 148

Glycopeptides

Crystal structure of a fully protected β -O-galactosylated tripeptide 334

Glycosaminoglycans

Stability studies of chondroitin sulfate 345

Glycosidase inhibitor

Synthesis of *C*-(D-glycopyranosyl)ethylamines and *C*-(D-glycofuranosyl)methylamines as potential glycosidase inhibitors 106

Glycosylation

A highly efficient and convergent synthesis of a hexasaccharide, a dimer of the repeating unit of the antigen O2 polysaccharide of *Stenotrophomonas maltophilia* 128

Heterocycle, glucosylated

Synthesis of glucosylated 1,2,3-triazole derivatives 262

Heteroxylar

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

¹H NMR

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

HPAEC-PAD

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

HPAED-PAD

Structure of dicarboxyl malto-oligomers isolated from hypochlorite-oxidised potato starch studied by ¹H and ¹³C NMR spectroscopy 286

Hydrogen bonding

Crystal structure of heptakis(2,6-di-O-methyl)-β-cyclodextrin dihydrate: a water molecule in an apolar cavity 199

Hydrogen bonds

The manifestation of hydrogen bonding in the IR spectra of DL-threitol and erythritol (300-20 K) 89

Hydrophobicity

Synthesis of sulfated oligosaccharide glycosides having high anti-HIV activity and the relationship between activity and chemical structure 234

Hydrothermal vent

Structural determination of the exopolysaccharide of *Pseudoal-teromonas* strain HYD 721 isolated from a deep-sea hydrothermal vent 273

Inclusion complexes

Crystal structure of heptakis(2,6-di-O-methyl)- β -cyclodextrin dihydrate: a water molecule in an apolar cavity 199

Iodination

New iodination of cellulose in phosphoric acid 350

IR spectroscopy

The manifestation of hydrogen bonding in the IR spectra of DL-threitol and erythritol (300-20 K) 89

Kinetics

Kinetics and mechanism of the oxidation of some aldoses, amino sugars and methylated sugars by tris(pyridine-2-carboxylato)manganese(III) in weakly acidic medium 70

Kinetics of the degradative oxidation of sugar-type ligands catalyzed by copper(II) ions 319

Laminara-oligosaccharides

Synthesis of sulfated oligosaccharide glycosides having high anti-HIV activity and the relationship between activity and chemical structure 234

Leptosphaer in

Improved preparation and synthetic uses of 3-deoxy-D-*arabino*-hexonolactone: an efficient synthesis of *Leptosphaerin* 192

Lewis²

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

Lichenar

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

Limonoid glycosides

Isolation and characterization of new limonoid glycosides from Citrus unshiu peels 142

Linkage analysis

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

Maltooligosaccharide series

Chemoenzymatic preparation of 2-chloro-4-nitrophenyl β -maltooligosaccharide glycosides using glycogen phosphorylase b 180 Maltose heteroanalogues

Conformational analysis of maltoside heteroanalogues using highquality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

Manganese

Kinetics and mechanism of the oxidation of some aldoses, amino sugars and methylated sugars by tris(pyridine-2-carboxylato)manganese(III) in weakly acidic medium 70

Mannotrioside

A simple synthesis of 8-(methoxycarbonyl)octyl 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoside and derivatives and their use in the preparation of neoglycoconjugates 148

Mass spectrometry

Structural determination of the acidic exopolysaccharide produced by a *Pseudomonas* sp. strain 1.15 159

Methylation

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Methyl nomilinate 17-O-β-D-glucopyranoside

Isolation and characterization of new limonoid glycosides from Citrus unshiu peels 142

Molecular dynamics simulation of hydration

Hydration of glucose in the rubbery and glassy states studied by molecular dynamics simulation 63

Molecular mechanics calculations

Conformational analysis of maltoside heteroanalogues using highquality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

Monoclonal antibody

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

Monte Carlo simulation

Conformational analysis of an α-galactosyl trisaccharide epitope involved in hyperacute rejection upon xenotransplantation 76

N-Acetylneuraminic acid

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

Neoglycoconjugates

A simple synthesis of 8-(methoxycarbonyl)octyl 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoside and derivatives and their use in the preparation of neoglycoconjugates 148

Neu2en5Ac

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

NMR

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

Structural determination of the acidic exopolysaccharide produced by a *Pseudomonas* sp. strain 1.15 159

NMR-relaxation

NMR study of the rotational dynamics of linear homopolysaccharides in dilute solutions as a function of linkage position and stereochemistry 16

Nuclear Overhauser enhancement

Conformational analysis of maltoside heteroanalogues using highquality NOE data and molecular mechanics calculations. Flexibility as a function of the interglycosidic chalcogen atom 222

O2 antigen of Stenotrophomonas maltophilia

A highly efficient and convergent synthesis of a hexasaccharide, a dimer of the repeating unit of the antigen O2 polysaccharide of *Stenotrophomonas maltophilia* 128

Oat

Rheological studies of barley $(1\to3)(1\to4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

Oligosaccharide

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

Oligosaccharide glycosides

Synthesis of sulfated oligosaccharide glycosides having high anti-

HIV activity and the relationship between activity and chemical structure 234

Oligosaccharides

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Orthoester

A highly convergent and effective synthesis of the phytoalexin elicitor hexasaccharide 117

Oxidised starch, structure

Structure of dicarboxyl malto-oligomers isolated from hypochlorite-oxidised potato starch studied by ¹H and ¹³C NMR spectroscopy 286

Oxygen ligands

Selective dehydration of glucose to hydroxymethylfurfural and a one-pot synthesis of a 4-acetylbutyrolactone from glucose and trioxane in solutions of aluminium salts 268

Paramagnetic ions

NMR study of a Lewis^X pentasaccharide derivative: solution structure and interaction with cations 48

Partial hydrolysis

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Peracetylation

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

Phenolphthalein

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

Phosphoric acid

New iodination of cellulose in phosphoric acid 350

Plantago major L.

Structural studies of a heteroxylan from *Plantago major* L. seeds by partial hydrolysis, HPAEC-PAD, methylation and GC-MS, ESMS and ESMS/MS 312

Polysaccharide

Imaging an alginate polymer gel matrix using atomic force microscopy 330

Polysaccharides

NMR study of the rotational dynamics of linear homopolysaccharides in dilute solutions as a function of linkage position and stereochemistry 16

Pseudomonas

Structural determination of the acidic exopolysaccharide produced by a *Pseudomonas* sp. strain 1.15 159

Pyranulose glycoside

Synthesis of a 'direct-linked' C-disaccharide from a pyranulose glycoside 98

Rearrangement

A highly convergent and effective synthesis of the phytoalexin elicitor hexasaccharide 117

Reductive amination

Synthesis of C-(D-glycopyranosyl)ethylamines and C-(D-glycofuranosyl)methylamines as potential glycosidase inhibitors 106

Rheolog

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: mechanistic and kinetic investigation of the gel formation 302

Ring-cleavage

Structure of dicarboxyl malto-oligomers isolated from hypochlorite-oxidised potato starch studied by $^1{\rm H}$ and $^{13}{\rm C}$ NMR spectroscopy 286

Rose bengal

Amylose-dye complexes in cationic micelles: an optical spectroscopy study 35

Selective 2D J- δ INEPT NMR spectroscopy

Conformational analysis of an α -galactosyl trisaccharide epitope involved in hyperacute rejection upon xenotransplantation 76

Shear-induced gelation

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: investigation of the viscoelastic flow behaviour in the sol-state 293

Sialic acid

Synthesis of a Neu2en5Ac analog hapten and isolation of monoclonal antibody to Neu2en5Ac 243

Size-exclusion column chromatography

Chemoenzymatic preparation of 2-chloro-4-nitrophenyl β -maltooligosaccharide glycosides using glycogen phosphorylase b 180 Sodium picolinate-picolinic acid

Kinetics and mechanism of the oxidation of some aldoses, amino sugars and methylated sugars by tris(pyridine-2-carboxylato)manganese(III) in weakly acidic medium 70

Sol-gel transition

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: investigation of the viscoelastic flow behaviour in the sol-state 293

Stability studies

Stability studies of chondroitin sulfate 345

Structure

Imaging an alginate polymer gel matrix using atomic force microscopy 330

Structural determination of the acidic exopolysaccharide produced by a *Pseudomonas* sp. strain 1.15 159

Sugar ring ¹H-acetyl carbonyl ¹³C J couplings

Nuclear magnetic resonance spectroscopy of peracetylated oligosaccharides having ¹³C-labeled carbonyl groups in lieu of permethylation analysis for establishing linkage substitutions of sugars 206

Sulfated sugars

Synthesis of sulfated oligosaccharide glycosides having high anti-HIV activity and the relationship between activity and chemical structure 234

Synthesis

A highly convergent and effective synthesis of the phytoalexin elicitor hexasaccharide 117

A simple synthesis of 8-(methoxycarbonyl)octyl 3,6-di-O-(α -D-mannopyranosyl)- α -D-mannopyranoside and derivatives and their use in the preparation of neoglycoconjugates 148

Synthesis and NMR assignments of galactosylgloboside and its β -D-GalNAc- $(1 \rightarrow 4)$ - α -D-Gal-linked positional isomer in a conjugatable form 251

Synthesis of a 'direct-linked' C-disaccharide from a pyranulose glycoside 98

Synthesis of glucosylated 1,2,3-triazole derivatives 262

Synthesis of hexasaccharide

A highly efficient and convergent synthesis of a hexasaccharide, a dimer of the repeating unit of the antigen O2 polysaccharide of *Stenotrophomonas maltophilia* 128

Tetritols

The manifestation of hydrogen bonding in the IR spectra of DL-threitol and erythritol (300-20 K) 89

Time-correlation functions

NMR study of the rotational dynamics of linear homopolysaccharides in dilute solutions as a function of linkage position and stereochemistry 16

Triazole

Synthesis of glucosylated 1,2,3-triazole derivatives 262

Trypanosoma brucei hexoses transporter (THT1)

An easy stereospecific synthesis of 1-amino-2,5-anhydro-1-deoxy-D-mannitol and arylamino derivatives 339

Uronic acid

Structural determination of the exopolysaccharide of *Pseudoal-teromonas* strain HYD 721 isolated from a deep-sea hydrothermal vent 273

Viscoelastic flow behaviour

Rheological studies of barley $(1 \rightarrow 3)(1 \rightarrow 4)$ - β -glucan in concentrated solution: investigation of the viscoelastic flow behaviour in the sol-state 293

Xenotransplantation

Conformational analysis of an α -galactosyl trisaccharide epitope involved in hyperacute rejection upon xenotransplantation 76

X-ray diffraction analysis

Crystal structure of a fully protected β -O-galactosylated tripeptide 334