

Subject Index of Volume 334

- Abzyme**
Binding properties and esterase activity of monoclonal antibodies elicited against sucrose 6-heptylphosphonate 295
- Acetals**
Preparation of 1,2-*O*-isopropylidene derivatives of α -D-galactoseptanose, β -L-altroseptanose, and 3-*O*-methyl- α -D-guloseptanose 81
- α_1 -Acid glycoprotein**
Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- β -D-Allopyranoside**
Stereospecific synthesis of β -D-allopyranosides by dihydroxylation of β -D-*erythro*-2,3-dideoxyhex-2-enopyranosides 327
- Allylic substitution**
Synthesis of S-linked glucosaminyl-4-thiohex-2-enopyranosides via allylic S_N2' substitution of a tosylhexenose 153
- Amine base**
Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of BF₃·OEt₂ and an amine base as promoters 215
- Amino C-glycosyl compound**
Synthesis and evaluation of a C-glycosyl nucleoside as an inhibitor of chitin synthase 177
- α -Amylase**
Role of Phe286 in the recognition mechanism of cyclomaltooligosaccharides (cyclodextrins) by *Thermoactinomyces vulgaris* R-47 α -amylase 2 (TVAlI). X-ray structures of the mutant TVAlIs, F286A and F286Y, and kinetic analyses of the Phe286-replaced mutant TVAlIs 309
- α and β anomers**
Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261
- Anhydrobiosis**
Infrared spectroscopic study on the properties of the anhydrous form II of trehalose. Implications for the functional mechanism of trehalose as a biostabilizer 233
Reversible dehydration of trehalose and anhydrobiosis: from solution state to an exotic crystal? 165
- 1,6-Anhydro-2,3-dideoxy-hex-2-enopyranoses, 4-substituted**
Synthesis of S-linked glucosaminyl-4-thiohex-2-enopyranosides via allylic S_N2' substitution of a tosylhexenose 153
- Anions**
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- Antigenic epitope**
Syntheses of model compounds related to an antigenic epitope in pectic polysaccharides from *Bupleurum falcatum* L. 7
- Antitumor**
Synthesis of steroidal glycosides bearing the disaccharide moiety of OSW-1 and their antitumor activities 159
- Anti-ulcer pectic polysaccharide**
Syntheses of model compounds related to an antigenic epitope in pectic polysaccharides from *Bupleurum falcatum* L. 7
- Bacterial α -(1→2)-fucosyltransferase**
Synthesis of the milk oligosaccharide 2'-fucosyllactose using recombinant bacterial enzymes 97
- Bathochromic shift**
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- BF₃·OEt₂**
Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of BF₃·OEt₂ and an amine base as promoters 215
- Bovine milk**
Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc: β 1,4Gal/GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAc β 1,4Glc synthesis by α -lactalbumin 105
- Bupleurum falcatum***
Syntheses of model compounds related to an antigenic epitope in pectic polysaccharides from *Bupleurum falcatum* L. 7
- Calcofluor White**
Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- Cancer sera**
Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc: β 1,4Gal/GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAc β 1,4Glc synthesis by α -lactalbumin 105
- Carbohydrate residues**
Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- CarboPac PA1 column**
Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- Cation exchange resin**
Cleavage of the C–C linkage between the sugar and the aglycon in C-glycosylphloroacetophenone, and the NMR spectral characteristics of the resulting di-C-glycosyl compound 207
- Cations**
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- C–C linkage**
Cleavage of the C–C linkage between the sugar and the aglycon in C-glycosylphloroacetophenone, and the NMR spectral characteristics of the resulting di-C-glycosyl compound 207
- Cellulose**
Effect of fiber orientation in dynamic FTIR study on native cellulose 27
- C-glycosylflavone**
Synthesis of 8-C-glycosylflavones 183
- C-Glycosyl compound**
Cleavage of the C–C linkage between the sugar and the aglycon in

- C*-glycosylphloroacetophenone, and the NMR spectral characteristics of the resulting di-*C*-glycosyl compound 207
- C-Glycosylflavonoid**
Cleavage of the C–C linkage between the sugar and the aglycon in *C*-glycosylphloroacetophenone, and the NMR spectral characteristics of the resulting di-*C*-glycosyl compound 207
- C-Glycosyl nucleoside**
Synthesis and evaluation of a *C*-glycosyl nucleoside as an inhibitor of chitin synthase 177
- Chacotriose**
Synthesis of peracetylated chacotriose 281
- Chemical synthesis**
Syntheses of model compounds related to an antigenic epitope in pectic polysaccharides from *Bupleurum falcatum* L. 7
- Chitin synthase inhibitor**
Synthesis and evaluation of a *C*-glycosyl nucleoside as an inhibitor of chitin synthase 177
- Chlorella vulgaris***
Synthesis of the α -D-GlcpA-(1 \rightarrow 3)- α -L-Rhap-(1 \rightarrow 2)-L-Rha trisaccharide isolated from the cell wall hydrolyzate of the green alga, *Chlorella vulgaris* 253
- ¹³C-Labeling**
Stereoselective synthesis of [¹³C]methyl 2-[¹⁵N]amino-2-deoxy- β -D-glucopyranoside derivatives 271
- ¹³C NMR analysis**
Crystal structure and solid state ¹³C NMR analysis of *N*-(methyl 3,4,6-tri-*O*-acetyl- α , and β -D-glucopyranosid-2-yl)-oxamide derivative of *p*-chloroaniline, *N,N*-diethylamine, *N*-methylaniline and *N*-ethylaniline 71
- Complexation**
Complexation of trivalent lanthanide cations by D-ribose in the solid state. The crystal structure and FT-IR study of PrCl₃· α -D-ribofuranose·5 H₂O 91
- Conformation**
Synthesis of 8-*C*-glycosylflavones 183
- Conformations**
Preparation of 1,2-*O*-isopropylidene derivatives of α -D-galactoseptanose, β -L-altroseptanose, and 3-*O*-methyl- α -D-guloseptanose 81
- Crystal structure**
Complexation of trivalent lanthanide cations by D-ribose in the solid state. The crystal structure and FT-IR study of PrCl₃· α -D-ribofuranose·5 H₂O 91
Crystal structure and solid state ¹³C NMR analysis of *N*-(methyl 3,4,6-tri-*O*-acetyl- α , and β -D-glucopyranosid-2-yl)-oxamide derivative of *p*-chloroaniline, *N,N*-diethylamine, *N*-methylaniline and *N*-ethylaniline 71
Improved synthesis and characterization of 1,3,4,6-tetra-*O*-acetyl-2-(*N*-acetylacetamido)-2-deoxy- β -D-glucopyranose 337
Role of Phe286 in the recognition mechanism of cyclomaltooligosaccharides (cyclodextrins) by *Thermoactinomyces vulgaris* R-47 α -amylase 2 (TVaII). X-ray structures of the mutant TVaIIs, F286A and F286Y, and kinetic analyses of the Phe286-replaced mutant TVaIIs 309
- C-Ulosyl compound**
Multifunctionalized α , β -cyclopentenones from *C*-2 and *C*-4-ulopyranosyl compounds: a stereospecific rearrangement initiated by base 223
- Cyclobutanetetraone poly(phenylhydrazones)**
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- Cyclodextrin**
Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 \rightarrow 2)-(β -D-glucopyranosyl), by cyclic-(1 \rightarrow 2)- β -D-glucans (cyclosophoraoses), and by cyclomaltoheptaoses (β -cyclodextrins) 119
- Cyclomaltooligosaccharide (cyclodextrin)**
Role of Phe286 in the recognition mechanism of cyclomal-
- tooligosaccharides (cyclodextrins) by *Thermoactinomyces vulgaris* R-47 α -amylase 2 (TVaII). X-ray structures of the mutant TVaIIs, F286A and F286Y, and kinetic analyses of the Phe286-replaced mutant TVaIIs 309
- Cyclo-oligosaccharides**
Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 \rightarrow 2)-(β -D-glucopyranosyl), by cyclic-(1 \rightarrow 2)- β -D-glucans (cyclosophoraoses), and by cyclomaltoheptaoses (β -cyclodextrins) 119
- Cyclopentenone**
Multifunctionalized α , β -cyclopentenones from *C*-2 and *C*-4-ulopyranosyl compounds: a stereospecific rearrangement initiated by base 223
- Cyclosophoraose**
Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 \rightarrow 2)-(β -D-glucopyranosyl), by cyclic-(1 \rightarrow 2)- β -D-glucans (cyclosophoraoses), and by cyclomaltoheptaoses (β -cyclodextrins) 119
- Degree of methylesterification**
Simulation of endo-PG digest patterns and implications for the determination of pectin fine structure 243
- Degree of polymerization**
Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- 3-Deoxy-3-fluoro-D-mannose**
Synthetic explorations towards 3-deoxy-3-fluoro derivatives of D-perosamine 195
- Dextran**
Water-soluble and water-insoluble glucans produced by *Escherichia coli* recombinant dextransucrases from *Leuconostoc mesenteroides* NRRL B-512F 19
- Dextransucrase**
Water-soluble and water-insoluble glucans produced by *Escherichia coli* recombinant dextransucrases from *Leuconostoc mesenteroides* NRRL B-512F 19
- Dialdose**
Galactose dialdehyde: the forgotten candidate for a protein cross-linker? 1
- Di-*C*-Glycosyl compound**
Cleavage of the C–C linkage between the sugar and the aglycon in *C*-glycosylphloroacetophenone, and the NMR spectral characteristics of the resulting di-*C*-glycosyl compound 207
- Dihydroxylation**
Stereospecific synthesis of β -D-allopyranosides by dihydroxylation of β -D-*erythro*-2,3-dideoxyhex-2-enopyranosides 327
- Divalent glycoside**
Synthesis of a divalent glycoside of an α -galactosyl disaccharide epitope involved in the hyperacute rejection of xenotransplantation 289
- 2D-NMR**
Isolation and NMR characterization of rosaclose, a novel sulfated polysaccharide from the sponge *Mixylla rosacea* 39
- DP 20**
Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- Dynamic tests**
Effect of fiber orientation in dynamic FTIR study on native cellulose 27
- Electrospray ionisation mass spectrometry**
Negative-ion electrospray ionisation–mass spectrometry (ESI–MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49

- Endo-PG digest pattern
Simulation of endo-PG digest patterns and implications for the determination of pectin fine structure 243
- Enolization
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- Enzymatic synthesis
Synthesis of the milk oligosaccharide 2'-fucosyllactose using recombinant bacterial enzymes 97
- β -D-erythro-2,3-Dideoxyhex-2-enopyranosides
Stereospecific synthesis of β -D-allopyranosides by dihydroxylation of β -D-erythro-2,3-dideoxyhex-2-enopyranosides 327
- ESI-MS
Negative-ion electrospray ionisation-mass spectrometry (ESI-MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49
- ESI-MS/MS
Negative-ion electrospray ionisation-mass spectrometry (ESI-MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49
- Exopolysaccharides
Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71 127
- Fluorescence anisotropy
Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- Fluorination with DAST
Synthetic explorations towards 3-deoxy-3-fluoro derivatives of D-perosamine 195
- FTIR
Infrared spectroscopic study on the properties of the anhydrous form II of trehalose. Implications for the functional mechanism of trehalose as a biostabilizer 233
- FT-IR
Complexation of trivalent lanthanide cations by D-ribose in the solid state. The crystal structure and FT-IR study of $\text{PrCl}_3 \cdot \alpha\text{-D-ribofuranose} \cdot 5 \text{H}_2\text{O}$ 91
- Fucoidan
Isolation and NMR characterization of rosacellose, a novel sulfated polysaccharide from the sponge *Mixyella rosacea* 39
- 2'-Fucosyllactose
Synthesis of the milk oligosaccharide 2'-fucosyllactose using recombinant bacterial enzymes 97
- D-galacto-Hexodialdose
Galactose dialdehyde: the forgotten candidate for a protein cross-linker? 1
- Galactose
Galactose dialdehyde: the forgotten candidate for a protein cross-linker? 1
- Galactose oxidase
Galactose dialdehyde: the forgotten candidate for a protein cross-linker? 1
- GDP-L-fucose
Synthesis of the milk oligosaccharide 2'-fucosyllactose using recombinant bacterial enzymes 97
- GlcNAc: β 1,4Gal|GalNAc transferases
Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc: β 1,4Gal|GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAc β 1,4Glc synthesis by α -lactalbumin 105
- Glucan
Isolation and NMR characterization of rosacellose, a novel sulfated polysaccharide from the sponge *Mixyella rosacea* 39
Water-soluble and water-insoluble glucans produced by *Escherichia coli* recombinant dextranases from *Leuconostoc mesenteroides* NRRL B-512F 19
- α -D-Glucopyranuronosyl-(1 \rightarrow 3)- α -L-rhamnopyranosyl-(1 \rightarrow 2)-L-rhamnopyranose
Synthesis of the α -D-GlcA-(1 \rightarrow 3)- α -L-Rhap-(1 \rightarrow 2)-L-Rha trisaccharide isolated from the cell wall hydrolyzate of the green alga, *Chlorella vulgaris* 253
- Glucosamine
Improved synthesis and characterization of 1,3,4,6-tetra-O-acetyl-2-(N-acetylacetamido)-2-deoxy- β -D-glucopyranose 337
- Glucosyltransferase
Water-soluble and water-insoluble glucans produced by *Escherichia coli* recombinant dextranases from *Leuconostoc mesenteroides* NRRL B-512F 19
- Glutaraldehyde
Galactose dialdehyde: the forgotten candidate for a protein cross-linker? 1
- Glycoalkaloid
Synthesis of peracetylated chacotriose 281
- Glycosylation
Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of $\text{BF}_3 \cdot \text{OEt}_2$ and an amine base as promoters 215
- Helicobacter pylori*, *Escherichia coli*
Synthesis of the milk oligosaccharide 2'-fucosyllactose using recombinant bacterial enzymes 97
- Heteronuclear coupling constants
Stereoselective synthesis of [^{13}C]methyl 2-[^{15}N]amino-2-deoxy- β -D-glucopyranoside derivatives 271
- High-performance anion-exchange chromatography
Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- HIV
Isolation and NMR characterization of rosacellose, a novel sulfated polysaccharide from the sponge *Mixyella rosacea* 39
- Human ovarian tumor
Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc: β 1,4Gal|GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAc β 1,4Glc synthesis by α -lactalbumin 105
- Hydration-dehydration
Reversible dehydration of trehalose and anhydrobiosis: from solution state to an exotic crystal? 165
- Hydrogen-bonding interaction
Synthesis and characterisation of N-glycosyl amines from the reaction between 4,6-O-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(o-aminophenyl)benzimidazole and pentoses or hexoses 261
- Hydrogenolysis
Synthesis of the α -D-GlcA-(1 \rightarrow 3)- α -L-Rhap-(1 \rightarrow 2)-L-Rha trisaccharide isolated from the cell wall hydrolyzate of the green alga, *Chlorella vulgaris* 253
- Hydroxylamine-O-glycoside
Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of $\text{BF}_3 \cdot \text{OEt}_2$ and an amine base as promoters 215
- Hyperacute rejection
Synthesis of a divalent glycoside of an α -galactosyl disaccharide epitope involved in the hyperacute rejection of xenotransplantation 289
- Hypsochromic shift
The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61

Inclusion complex

Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 → 2)-(β-D-glucopyranosyl), by cyclic-(1 → 2)-β-D-glucans (cyclodextrins), and by cyclomaltoheptaoses (β-cyclodextrins) 119

Infrared spectroscopy

Effect of fiber orientation in dynamic FTIR study on native cellulose 27

Intramolecular DE distribution

Simulation of endo-PG digest patterns and implications for the determination of pectin fine structure 243

Inversion of configuration

Stereospecific synthesis of β-D-allopyranosides by dihydroxylation of β-D-erythro-2,3-dideoxyhex-2-enopyranosides 327

Isoswertiajaponin

Synthesis of 8-C-glucosylflavones 183

Kappa-carrageenan

Negative-ion electrospray ionisation–mass spectrometry (ESI–MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49

Kappa-carrageenase

Negative-ion electrospray ionisation–mass spectrometry (ESI–MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49

Kdo

Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71 127

Kinetic properties

Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc:β1,4Gal/GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAcβ1,4Glc synthesis by α-lactalbumin 105

Lanthanide

Complexation of trivalent lanthanide cations by D-ribose in the solid state. The crystal structure and FT-IR study of PrCl₃·α-D-ribofuranose·5 H₂O 91

Leuconostoc mesenteroides

Water-soluble and water-insoluble glucans produced by *Escherichia coli* recombinant dextransucrases from *Leuconostoc mesenteroides* NRRL B-512F 19

Lymphoma-spleen

Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc:β1,4Gal/GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAcβ1,4Glc synthesis by α-lactalbumin 105

MALDI-TOF MS

Identification and structural analysis of synthetic oligosaccharides of *Shigella sonnei* using MALDI-TOF MS 315

Marine sponge

Isolation and NMR characterization of rosacellose, a novel sulfated polysaccharide from the sponge *Mixylla rosacea* 39

Metastable crystalline form

Infrared spectroscopic study on the properties of the anhydrous form II of trehalose. Implications for the functional mechanism of trehalose as a biostabilizer 233

Methyl 4-azido-3-fluoro-3,4,6-trideoxy-α-D-mannopyranoside

Synthetic explorations towards 3-deoxy-3-fluoro derivatives of D-perosamine 195

Methyl 4,6-*O*-benzylidene-α-D-*arabino*-hexopyranosid-2-ulose

Stereoselective synthesis of methyl 4,6-*O*-benzylidene-2-*C*-methoxycarbonylmethyl-α-D-*ribo*-hexopyranosid-3-ulose, and its X-ray crystallographic analysis 323

Methyl 4,6-*O*-benzylidene-2-*C*-methoxycarbonylmethyl-α-D-*ribo*-hexopyranosid-3-ulose

Stereoselective synthesis of methyl 4,6-*O*-benzylidene-2-*C*-methoxycarbonylmethyl-α-D-*ribo*-hexopyranosid-3-ulose, and its X-ray crystallographic analysis 323

Mixylla rosacea

Isolation and NMR characterization of rosacellose, a novel sulfated polysaccharide from the sponge *Mixylla rosacea* 39

Molecular sieves in acetylation

Improved synthesis and characterization of 1,3,4,6-tetra-*O*-acetyl-2-(*N*-acetylacetamido)-2-deoxy-β-D-glucopyranose 337

Molecular stacking

Stereoselective synthesis of methyl 4,6-*O*-benzylidene-2-*C*-methoxycarbonylmethyl-α-D-*ribo*-hexopyranosid-3-ulose, and its X-ray crystallographic analysis 323

Monoclonal antibodies

Binding properties and esterase activity of monoclonal antibodies elicited against sucrose 6-heptylphosphonate 295

Neocarrabiose 4-sulphate

Negative-ion electrospray ionisation–mass spectrometry (ESI–MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49

N-Glycosyl amines

Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261

Nitroxyl radical

Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of BF₃·OEt₂ and an amine base as promoters 215

¹⁵N-Labeling

Stereoselective synthesis of [¹³C]methyl 2-[¹⁵N]amino-2-deoxy-β-D-glucopyranoside derivatives 271

NMR spectroscopy

Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71 127

The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61

Nucleophilic displacement

Synthetic explorations towards 3-deoxy-3-fluoro derivatives of D-perosamine 195

2-(*o*-Aminophenyl)benzimidazole

Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261

4,6-*O*-Benzylidene-D-glucopyranose

Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261

4,6-*O*-Butylidene-D-glucopyranose

Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261

Oligogalacturonic acid

Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135

Oligosaccharide, *Shigella sonnei*

Identification and structural analysis of synthetic oligosaccharides of *Shigella sonnei* using MALDI-TOF MS 315

Oligosaccharide synthesis

Synthesis of the α-D-GlcA-(1 → 3)-α-L-Rhap-(1 → 2)-L-Rha trisaccharide isolated from the cell wall hydrolyzate of the green alga, *Chlorella vulgaris* 253

- Oligovalent di- and trisaccharides
Syntheses of model compounds related to an antigenic epitope in pectic polysaccharides from *Bupleurum falcatum* L. 7
- 2-*O*-(4-Methoxybenzoyl)- β -D-xylopyranosyl-(1 \rightarrow 3)
 \times -2-*O*-acetyl- α -L-arabinopyranosides
 Synthesis of steroidal glycosides bearing the disaccharide moiety of OSW-1 and their antitumor activities 159
- Optical rotation
 Synthesis and characterisation of *N*-glycosyl amines from the reaction between 4,6-*O*-benzylidene-D-glucopyranose and substituted aromatic amines and also between 2-(*o*-aminophenyl)benzimidazole and pentoses or hexoses 261
- Orientation
 Effect of fiber orientation in dynamic FTIR study on native cellulose 27
- Orientin
 Synthesis of 8-*C*-glucosylflavones 183
- Paclitaxel
 Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 \rightarrow 2)-(β -D-glucopyranosyl), by cyclic-(1 \rightarrow 2)- β -D-glucans (cyclosophoraoses), and by cyclomaltoheptaoses (β -cyclodextrins) 119
- Parkinsonin A
 Synthesis of 8-*C*-glucosylflavones 183
- Parkinsonin B
 Synthesis of 8-*C*-glucosylflavones 183
- Pectin
 Simulation of endo-PG digest patterns and implications for the determination of pectin fine structure 243
- Peracetylated *N*-acetylacetamido derivatives
 Improved synthesis and characterization of 1,3,4,6-tetra-*O*-acetyl-2-(*N*-acetylacetamido)-2-deoxy- β -D-glucopyranose 337
- Peracetylglycosyl fluoride
 Novel glycosylation of the nitroxyl radicals with peracetylated glycosyl fluorides using a combination of BF₃·OEt₂ and an amine base as promoters 215
- Polarized light
 Effect of fiber orientation in dynamic FTIR study on native cellulose 27
- Polygalacturonase
 Simulation of endo-PG digest patterns and implications for the determination of pectin fine structure 243
- Polymorphism
 Reversible dehydration of trehalose and anhydrobiosis: from solution state to an exotic crystal? 165
- Post source decay (PSD)
 Identification and structural analysis of synthetic oligosaccharides of *Shigella sonnei* using MALDI-TOF MS 315
- Preparative HPAEC-PAD
 Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- Pulsed amperometric detection
 Isolation of oligogalacturonic acids up to DP 20 by preparative high-performance anion-exchange chromatography and pulsed amperometric detection 135
- Rearrangement
 Multifunctionalized α,β -cyclopentenones from *C*-2 and *C*-4-ulopyranosyl compounds: a stereospecific rearrangement initiated by base 223
- Red-edge excitation spectra
 Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- L-Rhamnose
 Synthesis of peracetylated chacotriose 281
- Rhizobium meliloti* 2011
 Investigation of inclusion complexation of paclitaxel by cyclohexacosakis-(1 \rightarrow 2)-(β -D-glucopyranosyl), by cyclic-(1 \rightarrow 2)- β -D-glucans (cyclosophoraoses), and by cyclomaltoheptaoses (β -cyclodextrins) 119
- α -D-Ribopyranose
 Complexation of trivalent lanthanide cations by D-ribose in the solid state. The crystal structure and FT-IR study of PrCl₃· α -D-ribofuranose·5 H₂O 91
- Rosacelose
 Isolation and NMR characterization of rosacelose, a novel sulfated polysaccharide from the sponge *Mixylla rosacea* 39
- Septanose compounds
 Preparation of 1,2-*O*-isopropylidene derivatives of α -D-galactoseptanose, β -L-altroseptanose, and 3-*O*-methyl- α -D-guloseptanose 81
- Site-directed mutagenesis
 Role of Phe286 in the recognition mechanism of cyclomaltooligosaccharides (cyclodextrins) by *Thermoactinomyces vulgaris* R-47 α -amylase 2 (TVaII). X-ray structures of the mutant TVaIIs, F286A and F286Y, and kinetic analyses of the Phe286-replaced mutant TVaIIs 309
- Soil bacteria
 Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71 127
- Solanum*
 Synthesis of peracetylated chacotriose 281
- Specificities
 Human ovarian cancer, lymphoma spleen, and bovine milk GlcNAc: β 1,4Gal/GalNAc transferases: two molecular species in ovarian tumor and induction of GalNAc β 1,4Glc synthesis by α -lactalbumin 105
- Stereoselectivity
 Stereoselective synthesis of [¹³C]methyl 2-[¹⁵N]amino-2-deoxy- β -D-glucopyranoside derivatives 271
- Stereospecific synthesis
 Stereospecific synthesis of β -D-allopyranosides by dihydroxylation of β -D-erythro-2,3-dideoxyhex-2-enopyranosides 327
- Structural analysis
 Structural analysis of the exopolysaccharide from *Burkholderia caribensis* strain MWAP71 127
- Substrate analog
 Synthesis and evaluation of a *C*-glycosyl nucleoside as an inhibitor of chitin synthase 177
- Sucrose
 Binding properties and esterase activity of monoclonal antibodies elicited against sucrose 6-heptylphosphonate 295
- Sugar phosphonate
 Binding properties and esterase activity of monoclonal antibodies elicited against sucrose 6-heptylphosphonate 295
- Sulfated polysaccharide
 Isolation and NMR characterization of rosacelose, a novel sulfated polysaccharide from the sponge *Mixylla rosacea* 39
- Sulphated oligosaccharides
 Negative-ion electrospray ionisation–mass spectrometry (ESI–MS) as a tool for analysing structural heterogeneity in *kappa*-carrageenan oligosaccharides 49
- Synthesis
 Multifunctionalized α,β -cyclopentenones from *C*-2 and *C*-4-ulopyranosyl compounds: a stereospecific rearrangement initiated by base 223
 Synthesis of a divalent glycoside of an α -galactosyl disaccharide epitope involved in the hyperacute rejection of xenotransplantation 289

- Synthesis of steroidal glycosides bearing the disaccharide moiety of OSW-I and their antitumor activities 159
- Thermodynamics
- Reversible dehydration of trehalose and anhydrobiosis: from solution state to an exotic crystal? 165
- (1 → 4)-Thiodisaccharides, unsaturated
- Synthesis of S-linked glucosaminyl-4-thiohex-2-enopyranosides via allylic S_N2' substitution of a tosylhexenose 153
- 1-Thio-*N*-acetylglucosamine
- Synthesis of S-linked glucosaminyl-4-thiohex-2-enopyranosides via allylic S_N2' substitution of a tosylhexenose 153
- Thiosugars
- Synthesis of S-linked glucosaminyl-4-thiohex-2-enopyranosides via allylic S_N2' substitution of a tosylhexenose 153
- Trehalose
- Infrared spectroscopic study on the properties of the anhydrous form II of trehalose. Implications for the functional mechanism of trehalose as a biostabilizer 233
- Reversible dehydration of trehalose and anhydrobiosis: from solution state to an exotic crystal? 165
- Trichloroacetate method
- Synthesis of a divalent glycoside of an α -galactosyl disaccharide epitope involved in the hyperacute rejection of xenotransplantation 289
- Trp residues
- Effect of binding of Calcofluor White on the carbohydrate residues of α_1 -acid glycoprotein (orosomuroid) on the structure and dynamics of the protein moiety. A fluorescence study 141
- UV–Vis spectrophotometry
- The cations and anions of cyclobutanetetraone poly(phenylhydrazones) 61
- Vibrio cholerae* O:1
- Synthetic explorations towards 3-deoxy-3-fluoro derivatives of D-perosamine 195
- Vitrification
- Infrared spectroscopic study on the properties of the anhydrous form II of trehalose. Implications for the functional mechanism of trehalose as a biostabilizer 233
- X-ray diffraction analysis
- Crystal structure and solid state ¹³C NMR analysis of *N*-(methyl 3,4,6-tri-*O*-acetyl- α , and β -D-glucopyranosid-2-yl)-oxamide derivative of *p*-chloroaniline, *N,N*-diethylamine, *N*-methylaniline and *N*-ethylaniline 71