

Contents of Volume 337

	iii	Graphical abstracts
Full Papers		
Ralf Miethchen, Christian Sowa, Michael Frank, Manfred Michalik, Helmut Reinke (Rostock, Germany)	1	Selective epimerization of <i>L-chiro</i> -inositol to <i>L-muco</i> - and <i>D-chiro</i> -inositol derivatives
Kazuyuku Ishii, Hiroyuki Kubo, Ryohei Yamasaki (Tottori, Japan)	11	Synthesis of α -lactosyl-(1 $\rightarrow$ 3)- <i>L-glycero</i> - α - <i>D-manno</i> -heptopyranoside, a partial oligosaccharide structure expressed within the lipooligosaccharide produced by <i>Neisseria gonorrhoeae</i> strain 15253
Charles R. Ojala, Joanne M. Ostman (Bloomington, MN, USA), William H. Ojala (St. Paul, MN, USA)	21	The saccharide–hydrazide linkage: molecular and crystal structures of the semicarbazide derivatives of <i>D</i> -glucose, <i>D</i> -galactose, and <i>D</i> -xylose, including a ‘forbidden’ conformation of the galactose derivative
Zhi-Hui Qin, Hui Li, Meng-Shen Cai, Zhong-Jun Li (Beijing, PR China)	31	Bromonium ion-promoted glycosidic bond formation and simultaneous bromination of an activated aryl aglycon
Ali Berkin, Walter A. Szarek, Robert Kisilevsky (Kingston, Canada)	37	Synthesis and biological evaluation of a radiolabeled analog of methyl 2-acetamido-2,4-dideoxy- β - <i>D</i> -xylo-hexopyranoside directed towards influencing cellular glycosaminoglycan biosynthesis
Wen Bian, Rengaswami Chandrasekaran (West Lafayette, IN, USA), Marguerite Rinaudo (Grenoble, France)	45	Molecular structure of the rhamnan-like exocellular polysaccharide RMDP17 from <i>Sphingomonas paucimobilis</i>
Adriana A. Kolender, María C. Matulewicz (Buenos Aires, Argentina)	57	Sulfated polysaccharides from the red seaweed <i>Georgiella confluens</i>
Notes		
Sami Halila, Mohammed Benazza, Gilles Demailly (Amiens, France)	69	Regioselective synthesis of alditol vicinal bis-cyclic thionocarbonates via alditol stannylene acetal complexes as a short and efficient route to α,ω -diiodoalditol derivatives
Sonya M. Khersonsky, Young-Tae Chang (New York, NY, USA)	75	($\pm$)-1,2:5,6-Di- <i>O</i> -isopropylidene- <i>myo</i> -inositol and ($\pm$)-6- <i>O</i> -benzoyl-1,2:4,5-di- <i>O</i> -isopropylidene- <i>myo</i> -inositol: a practical preparation of key intermediates for <i>myo</i> -inositol phosphates
Ajay K. Sah, Chebrolu P. Rao (Mumbai, India), Pauli K. Saarenketo, Kari Rissanen (Jyväskylä, Finland)	79	Crystal structure of 4,6- <i>O</i> -ethylidene- <i>N</i> -(2-hydroxybenzylidene)- β - <i>D</i> -glucopyranosylamine
	iii	Graphical abstracts
Full papers		
Jihane Achkar, Isabel Sanchez-Larrazza, Alexander Wei (Lafayette, IN, USA)	83	Evaluation of steric effects on the exocyclic conformations of 6- <i>C</i> -methyl-substituted 2-acetamido-2-deoxy- β - <i>D</i> -glucopyranosides
Jinghua Xu, Zhongwu Guo (Cleveland, OH, USA)	87	(2-Azidomethyl)phenylacetyl as a new, reductively cleavable protecting group for hydroxyl groups in carbohydrate synthesis
András Lipták, Lóránt Jánossy, Anikó Borbás (Debrecen, Hungary), József Szejtli (Budapest, Hungary)	93	Mixed acetals of cyclodextrins. Preparation of hexakis-, heptakis- and octakis[2,6-di- <i>O</i> -(methoxydimethyl)methyl]- α -, β - and γ -cyclodextrins

Takanori Wakabayashi, Masao Shiozaki, Shin-ichi Kurakata (Tokyo, Japan)	97	Practical stereoselective synthesis of α -linked C-glucosamine propionic acid esters: conversion to GLA-60 derivatives
Jerry D. Rose, Joseph A. Maddry (Birmingham, AL, USA), Robert N. Comber (Edison, NJ, USA), William J. Suling, Larry N. Wilson, Robert C. Reynolds (Birmingham, AL, USA)	105	Synthesis and biological evaluation of trehalose analogs as potential inhibitors of mycobacterial cell wall biosynthesis
Alexandra Coppin, Emmanuel Maes, Gérard Strecker (Villeneuve d'Ascq, France)	121	Species-specificity of amphibia carbohydrate chains: the <i>Bufo viridis</i> case study
Mongkol Sukwattanasinitt (Bangkok, Thailand), Hong Zhu, Hitoshi Sashiwa, Sei-ichi Aiba (Osaka, Japan)	133	Utilization of commercial non-chitinase enzymes from fungi for preparation of 2-acetamido-2-deoxy-D-glucose from β -chitin
Vito Ferro, Caiping Li, Kym Fewings, Maria C. Palermo (Richlands, Australia), Robert J. Linhardt (Iowa City, IA, USA), Toshihiko Toida (Chiba, Japan)	139	Determination of the composition of the oligosaccharide phosphate fraction of <i>Pichia (Hansenula) holstii</i> NRRL Y-2448 phosphomannan by capillary electrophoresis and HPLC
Yael Vodovotz (Columbus, OH, USA), Elena Vittadini (Houston, TX, USA), Joseph R. Sachleben (Columbus, OH, USA)	147	Use of ^1H cross-relaxation nuclear magnetic resonance spectroscopy to probe the changes in bread and its components during aging
Pingyi Zhang, Lina Zhang, Shuyao Cheng (Wuhan, China)	155	Solution properties of an α -(1 $\rightarrow$ 3)-D-glucan from <i>Lentinus edodes</i> and its sulfated derivatives
Iain D. Mackie (Edinburgh, UK), Jürgen Röhring (Vienna, Austria), Robert O. Gould (Edinburgh, UK), Jutta Pauli, Christian Jäger (Berlin, Germany), Malcolm Walkinshaw (Edinburgh, UK), Antje Potthast, Thomas Rosenau, Paul Kosma (Vienna, Austria)	161	Crystal and molecular structure of methyl 4-O-methyl- β -D-glucopyranosyl-(1 $\rightarrow$ 4)- β -D-glucopyranoside
Hiromasa Nagase, Tomohiro Endo, Haruhisa Ueda, Masayuki Nakagaki (Tokyo, Japan)	167	An anhydrous polymorphic form of trehalose
Notes		
Aleksandra Dąbrowska, Antoni Konitz, Zygfryd Smiatacz (Gdańsk, Poland)	175	Synthesis, the crystal structure, and high-resolution NMR spectroscopy of methyl 4-O-acetyl-3-azido-2,3,6-trideoxy-6-iodo- α -D-arabino-hexopyranoside
Josef Spreitz, Arnold E. Stütz, Tanja M. Wrodnigg (Graz, Austria)	183	A simple access to the D-mannosidase inhibitor, 1-deoxymannojirimycin
	iii	Graphical abstracts
Full papers		
Gudneppanavar Rajsekhar, Chebrolu P. Rao (Mumbai, India), Pauli K. Saarenketo, Erkki Kolehmainen, Kari Rissanen (Jyväskylä, Finland)	187	Glycosylamines of 4,6-O-butyldiene- α -D-glucopyranose: synthesis and characterization of glycosylamines, and the crystal structure of 4,6-O-butyldiene-N-(<i>o</i> -chlorophenyl)- β -D-glucopyranosylamine
Adel A.-H. Abdel-Rahman (Konstanz, Germany), El Sayed H. El Ashry (Alexandria, Egypt), Richard R. Schmidt (Konstanz, Germany)	195	Efficient intramolecular β -mannoside formation using <i>m</i> -xylylene and isophthaloyl derivatives as rigid spacers
Yuliang Zhu, Langqiu Chen, Fanzuo Kong (Beijing, China)	207	A facile regio- and stereoselective synthesis of mannose octasaccharide of the N-glycan in human CD2 and mannose hexasaccharide antigenic factor 13b
Jiahong Ni, Suddham Singh, Lai-Xi Wang (Baltimore, MD, USA)	217	Improved preparation of perallylated cyclodextrins: facile synthesis of cyclodextrin-based polycationic and polyanionic compounds
Petra Spangenberg, Corinne André, Virginie Langlois, Michel Dion, Claude Rabiller (Nantes, France)	221	α -Galactosyl fluoride in transfer reactions mediated by the green coffee beans α -galactosidase in ice
Svetlana P. Yermakova, Viktoriya V. Sova, Tatiana N. Zvyagintseva (Vladivostok, Russia)	229	Brown seaweed protein as an inhibitor of marine mollusk endo-(1 $\rightarrow$ 3)- β -D-glucanases

- Robert J. Redgwell, Delphine Curti, Monica Fischer, Pierre Nicolas, Laurent B. Fay (Lausanne, Switzerland) 239 Coffee bean arabinogalactans: acidic polymers covalently linked to protein
- Diego A. Navarro, Alberto S. Cerezo, Carlos A. Stortz (Buenos Aires, Argentina) 255 NMR spectroscopy and chemical studies of an arabinan-rich system from the endosperm of the seed of *Gleditsia triacanthos*
- Andrzej Nowacki, Kazimiera Smiatczowa, Regina Kasprzykowska, Barbara Dmochowska, Andrzej Wiśniewski (Gdańsk, Poland) 265 Acid-catalyzed isomerization of methyl 2-deoxy-D-arabino-hexosides: equilibria, kinetics and mechanism
- Notes
- Adewale Eniade, Olivier R. Martin (Binghamton, NY, USA) 273 Reinvestigation of the iodocyclization of 4,5,7-tri-*O*-benzyl-3-(*N*-benzylacetamido)-1,2,3-trideoxy-D-*gluco*-hept-1-enitol: unexpected formation of a 1,3-imino-heptitol derivative
- Christelle Simon-Colin (Plouzané, France), Nelly Kervarec, Roger Pichon (Brest, France), Eric Deslandes (Plouzané, France) 279 Complete ¹H and ¹³C spectral assignment of floridoside
- Michaël Canipelle, Laurent Caron, Caline Christine, Sébastien Tilloy, Eric Monflier (Lens, France) 281 Thermodynamic insight into the origin of the inclusion of monosulfonated isomers of triphenylphosphine into the β-cyclodextrin cavity
- iii Graphical abstracts
- Full Papers
- T. Mohan Das, Chebrolu P. Rao (Mumbai, India), Erkki Kolehmainen (Jyväskylä, Finland), Ramakant M. Kadam, Medury D. Sastry (Mumbai, India) 289 Interaction of metal ions with D-glucobenzothiazoline: isolation and characterization of the resultant products
- Simeon G. Bowers, Taifo Mahmud, Heinz G. Floss (Seattle, WA, USA) 297 Biosynthetic studies on the α-glucosidase inhibitor acarbose: the chemical synthesis of dTDP-4-amino-4,6-dideoxy-α-D-glucose
- Wen Bian, Rengaswami Chandrasekaran (West Lafayette, IN, USA), Kozo Ogawa (Osaka, Japan) 305 X-ray structure analysis of the sodium salt of beijeran
- Adrián A. Vojnov, Daniel E. Bassi (Buenos Aires, Argentina), Michael J. Daniels (Norwich, UK), Marcelo A. Dankert (Buenos Aires, Argentina) 315 Biosynthesis of a substituted cellulose from a mutant strain of *Xanthomonas campestris*
- Anders Viksø-Nielsen (Frederiksberg, Denmark), Patrick Hao-Jie Chen, Håkan Larsson (Uppsala, Sweden), Andreas Blennow, Birger Lindberg Møller (Frederiksberg, Denmark) 327 Production of highly phosphorylated glycopolymers by expression of R1 in *Escherichia coli*
- Corné J.M. Stroop (Baltimore, MD, USA), Qiuwei Xu, Mary Retzlaff, Chitranda Abeygunawardana (West Point, PA, USA), C. Allen Bush (Baltimore, MD, USA) 335 Structural analysis and chemical depolymerization of the capsular polysaccharide of *Streptococcus pneumoniae* type 1
- Ashok Kumar Singh, Vineeta Singh, Ajaya Kumar Singh, Neena Gupta, Bharat Singh (Allahabad, India) 345 Kinetics and mechanism of Ru(III) and Hg(II) co-catalyzed oxidation of D-galactose and D-ribose by *N*-bromoacetamide in perchloric acid
- Igor Tvaroška (Toronto, Canada), François R. Taravel, Jean Pierre Utile (Grenoble, France), Jeremy P. Carver (Toronto, Canada) 353 Quantum mechanical and NMR spectroscopy studies on the conformations of the hydroxymethyl and methoxymethyl groups in aldohexosides
- Notes
- Anita R. Maguire, Isabelle Hladezuk, Alan Ford (Cork, Ireland) 369 New methods for the synthesis of *N*-benzoylated uridine and thymidine derivatives; a convenient method for *N*-debenzoylation
- Anita Teleman (Stockholm, Sweden), Maija Tenkanen (VTT, Finland), Anna Jacobs, Olof Dahlman (Stockholm, Sweden) 373 Characterization of *O*-acetyl-(4-*O*-methylglucurono)xylan isolated from birch and beech
- Book Reviews
- David A. Brant (Irvine, CA, USA) 379 Hydrocolloids: Part 1: Physical chemistry and industrial applications of gels, polysaccharides, and proteins. Part 2: Fundamentals and applications in food, biology, and medicine

J. Grant Buchanan (Bath, UK)	381	Carbohydrates: the sweet molecules of life
	iii	Graphical abstracts
Full papers		
Langqiu Chen, Yuliang Zhu, Fanzuo Kong (Beijing, PR China)	383	Synthesis of α -Manp-(1 $\rightarrow$ 2)- α -Manp-(1 $\rightarrow$ 3)- α -Manp-(1 $\rightarrow$ 3)-Manp, the tetrasaccharide repeating unit of <i>Escherichia coli</i> O9a, and α -Manp-(1 $\rightarrow$ 2)- α -Manp-(1 $\rightarrow$ 3)- α -Manp-(1 $\rightarrow$ 3)-Manp, the pentasaccharide repeating unit of <i>E. coli</i> O9 and <i>Klebsiella</i> O3
Jianjun Zhang, Fanzuo Kong (Beijing, PR China)	391	Synthesis of an xylosylated rhamnose pentasaccharide, the repeating unit of the O-chain polysaccharide of the lipopolysaccharide of <i>Xanthomonas campestris</i> pv. <i>begoniae</i> GSPB 525
Youhoon Chong, Chung K. Chu (Athens, GA, USA)	397	Efficient synthesis of 2-deoxy-L-erythro-pentose (2-deoxy-L-ribose) from L-arabinose
Muhammad Zahid, Omar Ishrud, Yuanjiang Pan (Hangzhou, PR China), Muhammad Asim, Muhammad Riaz, Viqar Uddin Ahmad (Karachi, Pakistan)	403	Flavonoid glycosides from <i>Salvia moorcroftiana</i> Wall.
Elke K.H. Schweda (Huddinge, Sweden), Jianjun Li (Ottawa, Canada), E. Richard Moxon (Oxford, UK), James C. Richards (Ottawa, Canada)	409	Structural analysis of lipopolysaccharide oligosaccharide epitopes expressed by non-typeable <i>Haemophilus influenzae</i> strain 176
Robert J. Redgwell, Véronique Trovato, Delphine Curti, Monica Fischer (Lausanne, Switzerland)	421	Effect of roasting on degradation and structural features of polysaccharides in Arabica coffee beans
Guangli Yu, Huashi Guan (Qingdao, People's Republic of China), Alexandra S. Ioanoviciu, Sulthan A. Sikkander, Charuwan Thanawiroon, Joanne K. Tobacman (Iowa City, IA, USA), Toshihiko Toida (Chiba, Japan), Robert J. Linhardt (Iowa City, IA, USA)	433	Structural studies on κ -carrageenan derived oligosaccharides
Takao Furuki (Kanagawa, Japan)	441	Effect of molecular structure on thermodynamic properties of carbohydrates. A calorimetric study of aqueous di- and oligosaccharides at subzero temperatures
Notes		
Andrei A. Sherman, Olga N. Yudina, Alexander S. Shashkov, Vladimir M. Menshov, Nikolay E. Nifantiev (Moscow, Russia)	451	Preparative route to <i>N</i> -glycolylneuraminic acid phenyl 2-thioglycoside donor and synthesis of Neu5Gc- α -(2 $\rightarrow$ 3')-lactosamine 3-aminopropyl glycoside
Velimir Popsavin, Goran Benedeković, Mirjana Popsavin, Dušan Miljković (Novi Sad, Yugoslavia)	459	Stereospecific synthesis of (+)-oxybiotin from D-xylose
Antonio Molinaro (Naples, Italy), Antonio Evidente (Portici, Italy), Nicola Sante Iacobellis (Potenza, Italy), Rosa Lanzetta (Naples, Italy), Pietro Lo Cantore (Potenza, Italy), Anna Mancino, Michelangelo Parrilli (Naples, Italy)	467	O-Specific chain structure from the lipopolysaccharide fraction of <i>Pseudomonas reactans</i> : a pathogen of the cultivated mushrooms
	iii	Graphical abstracts
Full papers		
Anna Rencurosi, Laura Poletti, Marco Guerrini, Giovanni Russo, Luigi Lay (Milan, Italy)	473	Human milk oligosaccharides: an enzymatic protection step simplifies the synthesis of 3'- and 6'-O-sialyllactose and their analogues
Feng Yang, Yuguo Du (Beijing, PR China)	485	Synthesis of oligosaccharide derivatives related to those from sanqi, a Chinese herbal medicine from <i>Panax notoginseng</i>
Charles M. Buchanan, Susan R. Alderson, Curtis D. Clevon, Daniel W. Dixon (Kingsport, TN, USA), Robert Ivanyi (Budapest, Hungary), Juanelle L. Lambert, Douglas W. Lowman, Rick J. Offerman (Kingsport, TN, USA), Jozsef Szejtli, Lajos Szenté (Budapest, Hungary)	493	Synthesis and characterization of water-soluble hydroxybutenyl cyclomaltooligosaccharides (cyclodextrins)

Seung-Heon Yoon, John F. Robyt (Ames, IA, USA)	509	Addition of maltodextrins to the nonreducing-end of acarbose by reaction of acarbose with cyclomaltohexaose and cyclomaltohexaose glucanyltransferase
Per J. Garegg, Karl-Jonas Johansson, Peter Konradsson, Bengt Lindberg (Stockholm, Sweden), Zygmunt Trumpakaj (Gdansk, Poland)	517	Transglucosidation of methyl and ethyl D-glucopyranosides by alcoholysis
Srinivas Janaswamy, Rengaswami Chandrasekaran (West Lafayette, IN, USA)	523	Effect of calcium ions on the organization of iota-carrageenan helices: an X-ray investigation
Kazuaki Harata (Ibaraki, Japan), Kenji Kawano (Nigata, Japan)	537	Crystal structure of the cyclomaltohexaose (α -cyclodextrin) complex with isosorbide dinitrate. Guest-modulated channel-type structure
Hyunmyung Kim (Seoul, South Korea), Jungwon Choi (Kyunggi, South Korea), Hyun-Won Kim (Wonju, South Korea), Seunho Jung (Seoul, South Korea)	549	Monte Carlo docking simulations of cyclomaltoheptaose and dimethyl cyclomaltoheptaose with paclitaxel
Notes		
Rath Pichyangkura, Sanya Kudan, Kamontip Kuttitawong, Mongkol Sukwattanasinitt (Bangkok, Thailand), Sei-ichi Aiba (Osaka, Japan)	557	Quantitative production of 2-acetamido-2-deoxy-D-glucose from crystalline chitin by bacterial chitinase
Yoshinori Kato, Hiraku Onishi, Yoshiharu Machida (Tokyo, Japan)	561	Depolymerization of <i>N</i> -succinyl-chitosan by hydrochloric acid
Janak Singh, John DiMarco, Thomas P. Kissick, Prashant Deshpande, Jack Z. Gougoutas (Princeton, NJ, USA)	565	Confirmation of the structure of tetra- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-D-glucono-1,4-lactone formed by silylation of D-glucono-1,5-lactone
	iii	Graphical abstracts
Full papers		
Nafizal Hossain, Amparo Zapata, Mikael Wilstermann, Ulf J. Nilsson, Göran Magnusson (Lund, Sweden)	569	Synthesis of GD3-lactam: a potential ligand for the development of an anti-melanoma vaccine
Hidetoshi Yamada, Tomomi Hayashi (Sanda, Japan)	581	A substrate-unspecified glycosylation reaction promoted by copper(II) trifluoromethanesulfonate in benzotrifluoride
Lynette M. Davies, Philip J. Harris (Auckland, New Zealand), Roger H. Newman (Lower Hutt, New Zealand)	587	Molecular ordering of cellulose after extraction of polysaccharides from primary cell walls of <i>Arabidopsis thaliana</i> : a solid-state CP/MAS ^{13}C NMR study
Stefan Kasapis (Al-Khod, Oman), Jacques Desbrières (Grenoble, France), Insaaf M. Al-Marhoobi (Al-Khod, Oman), Marguerite Rinaudo (Grenoble, France)	595	Disentangling α from β mechanical relaxations in the rubber-to-glass transition of high-sugar–chitosan mixtures
Notes		
Manuel Mancera, Isaac Roffé, Manuel Rivas, Carmen Silva, Juan A. Galbis (Seville, Spain)	607	Synthesis of D-mannitol and L-iditol derivatives as monomers for the preparation of new regioregular AABB-type polyamides
Katsunori Teranishi (Mie, Japan)	613	Direct regioselective 2- <i>O</i> -(<i>p</i> -toluenesulfonylation) of sucrose
Zhi-Hui Qin, Hong Liu, Hui Li, Meng-Shen Cai, Zhong-Jun Li (Beijing, PR China)	621	Synthesis of a potential tetrasaccharide ligand for E-selectin
Toshiyuki Nishio (Kanagawa, Japan), Wataru Hakamata (Saitama, Japan), Atsuo Kimura, Seiya Chiba (Hokkaido, Japan), Akira Takatsuki (Saitama, Japan), Ryu Kawachi, Tadake Oku (Kanagawa, Japan)	629	Glycon specificity profiling of α -glucosidases using monodeoxy and mono- <i>O</i> -methyl derivatives of <i>p</i> -nitrophenyl α -D-glucopyranoside
Alexander I. Zinin (Moscow, Russia), Elena V. Eneyskaya, Konstantin A. Shabalin, Anna A. Kulminkaya, Sergei M. Shishlyannikov, Kirill N. Neustroev (St. Petersburg, Russia)	635	1- <i>O</i> -Acetyl- β -D-galactopyranose: a novel substrate for the transglycosylation reaction catalyzed by the β -galactosidase from <i>Penicillium</i> sp.

- Evgeny Vinogradov (Ottawa, Canada), Zygmunt Sidorczyk (Banacha, Poland), Yuriy A. Knirel (Moscow, Russia) 643 Structure of the core part of the lipopolysaccharides from *Proteus penneri* strains 7, 8, 14, 15, and 21
- Cristina De Castro, Antonio Molinaro, Federico Giordano, Ida Orabona, Francesco Ruffo (Napoli, Italy) 651 Chiral induction based on carbohydrate ligands in olefin platinum(0) complexes
- Hyeon-Jin Sun, Shigeki Yoshida, Nyun-Ho Park, Isao Kusakabe (Ibaraki, Japan) 657 Preparation of (1 → 4)-β-D-xylooligosaccharides from an acid hydrolysate of cotton-seed xylan: suitability of cotton-seed xylan as a starting material for the preparation of (1 → 4)-β-D-xylooligosaccharides
- iii Graphical abstracts

Full Papers

- Júlia Mičová, Bohumil Steiner, Miroslav Košík (Bratislava, Slovak Republic), Vratislav Langer (Gothenburg, Sweden), Marián Ďurík, Dalma Gyepesová, L'ubomír Smrček (Bratislava, Slovak Republic) 663 Some amino sugars structurally related to 6-deoxymannojirimycin precursors prepared from methyl 6-deoxy-2,3-*O*-isopropylidene-α-D-*lyxo*-hexofuranosid-5-ulose and methyl 2,3-*O*-isopropylidene-α-D-*lyxo*-pentodialdo-1,4-furanoside
- Nadine Barroca, Jean-Claude Jacquinot (Orléans, France) 673 An access to various sulfation patterns in dermatan sulfate: chemical syntheses of sulfoforms of trisaccharide methyl glycosides
- Jürgen Röhring, Antje Potthast, Thomas Lange, Thomas Rosenau, Immanuel Adorjan, Andreas Hofinger, Paul Kosma (Vienna, Austria) 691 Synthesis of oxidized methyl 4-*O*-methyl-β-D-glucopyranoside and methyl β-D-glucopyranosyl-(1 → 4)-β-D-glucopyranoside derivatives as substrates for fluorescence labeling reactions
- Doron Steinberg, Ramona Rozen, Moshe Bromshteyn, Batia Zaks, Itzhak Gedalia, Gilad Bachrach (Jerusalem, Israel) 701 Regulation of fructosyltransferase activity by carbohydrates, in solution and immobilized on hydroxyapatite surfaces
- Anna Jacobs (Stockholm, Sweden), Jon Lundqvist, Henrik Stålbrand, Folke Tjerneld (Lund, Sweden), Olof Dahlman (Stockholm, Sweden) 711 Characterization of water-soluble hemicelluloses from spruce and aspen employing SEC/MALDI mass spectroscopy
- Maria I. Bilan, Alexey A. Grachev, Nadezhda E. Ustuzhanina, Alexander S. Shashkov, Nikolay E. Nifantiev, Anatolii I. Usov (Moscow, Russian Federation) 719 Structure of a fucoidan from the brown seaweed *Fucus evanescens* C.Ag.
- Byung Yun Yang, Qiong Ding, Rex Montgomery (Iowa City, IA, USA) 731 Extracellular polysaccharides of a bacterium associated with a fungal canker disease of *Eucalyptus* sp
- David Bongiorno, Leopoldo Ceraulo (Palermo, Italy), Andrea Mele, Walter Panzeri, Antonio Selva (Milan, Italy), Vincenzo Turco Liveri (Palermo, Italy) 743 Structural and physicochemical characterization of the inclusion complexes of cyclomaltooligosaccharides (cyclodextrins) with melatonin
- Notes
- Kuo-Cheng Lu (Taipei, Taiwan), Sheng-Yuan Tseng (Taipei, Chungli, Taiwan), Chun-Cheng Lin (Taipei, Changhua, Taiwan) 755 5-Azido neuraminic acid thioglycoside as sialylation donor
- Hitoshi Sashiwa, Shizu Fujishima, Naoko Yamano, Norioki Kawasaki, Atsuyoshi Nakayama, Einosuke Muraki (Osaka, Japan), Kazumi Hiraga, Kohei Oda (Kyoto, Japan), Sei-ichi Aiba (Osaka, Japan) 761 Production of *N*-acetyl-D-glucosamine from α-chitin by crude enzymes from *Aeromonas hydrophila* H-2330
- Tomoo Nukada (Saitama, Japan), Attila Bérces (Vienna, Austria), Dennis M. Whitfield (Ottawa, Canada) 765 Can the stereochemical outcome of glycosylation reactions be controlled by the conformational preferences of the glycosyl donor?

iii Graphical abstracts

Full papers

- Evgeny V. Vinogradov (Moscow, Russia), Buko Lindner (Borstel, Germany), Nina A. Kocharova, Sof'ya N. Senchenkova, Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Otto Holst (Borstel, Germany), Tat'yana A. Gremyakova, Rima Z. Shaikhutdinova, Andrei P. Anisimov (Moscow Region, Russia) 775 The core structure of the lipopolysaccharide from the causative agent of plague, *Yersinia pestis*
- Dag Ekeberg, Svein Morgenlie, Yngve Stenström (Ås, Norway) 778 Base catalysed isomerisation of aldoses of the *arabino* and *lyxo* series in the presence of aluminate
- Tomasz Popek, Tadeusz Lis (Wrocław, Poland) 787 Synthesis and X-ray structures of sulfate esters of fructose and its isopropylidene derivatives. Part 1: 2,3:4,5-di-*O*-isopropylidene- β -D-fructopyranose 1-sulfate and 4,5-*O*-isopropylidene- β -D-fructopyranose 1-sulfate
- Maria E. Warren (Athens, GA, USA), Harry Kester, Jacques Benen (Wageningen, The Netherlands), Jennifer Colangelo (Athens, GA, USA), Jaap Visser (Wageningen, The Netherlands), Carl Bergmann, Ron Orlando (Athens, GA, USA) 802 Studies on the glycosylation of wild-type and mutant forms of *Aspergillus niger* pectin methylesterase
- Niklas Bergström (Huddinge, Sweden), G. Balakrish Nair (Calcutta, India), Andrej Weintraub, Per-Erik Jansson (Huddinge, Sweden) 813 Structure of the O-polysaccharide from the lipopolysaccharide from *Vibrio cholerae* O6
- Dirk J. Lefeber, Ricardo Gutiérrez Gallego, Christian H. Grün (Utrecht, The Netherlands), Daniela Proietti, Sandro D'Ascenzi, Paolo Costantino (Siena, Italy), Johannis P. Kamerling, Johannes F.G. Vliegthart (Utrecht, The Netherlands) 819 Isolation of oligosaccharides from a partial-acid hydrolysate of pneumococcal type 3 polysaccharide for use in conjugate vaccines
- Denis Lourdin, Paul Colonna (Nantes, France), Geoffrey J. Brownsey, Timothy R. Noel, Stephen G. Ring (Norwich, UK) 827 Structural relaxation and physical ageing of starchy materials
- Evgeny Vinogradov (Ottawa, Canada), Zygmunt Sidorczyk (Łódź, Poland) 835 The structure of the carbohydrate backbone of the rough type lipopolysaccharides from *Proteus penneri* strains 12, 13, 37 and 44
- Reinhard Wimmer, Finn L. Aachmann, Kim L. Larsen, Steffen B. Petersen (Aalborg, Denmark) 841 NMR diffusion as a novel tool for measuring the association constant between cyclodextrin and guest molecules
- Zenaida Peralta-Inga, Glenn P. Johnson, Michael K. Dowd (New Orleans, LA, USA), Jacob A. Rendleman (Peoria, IL, USA), Edwin D. Stevens, Alfred D. French (New Orleans, LA, USA) 851 The crystal structure of the α -cellobiose $\cdot$ 2 NaI $\cdot$ 2 H₂O complex in the context of related structures and conformational analysis

Notes

- Vesna Petrović, Srdanka Tomić, Maja Matanović (Zagreb, Croatia) 863 Synthesis and intramolecular transesterifications of pivaloylated methyl α -D-galactopyranosides
- Yuliya P. Fedonenko (Saratov, Russia), George V. Zatonsky (Moscow, Russia), Svetlana A. Konnova (Saratov, Russia), Evelina L. Zdorovenko (Moscow, Russia), Vladimir V. Ignatov (Saratov, Russia) 869 Structure of the O-specific polysaccharide of the lipopolysaccharide of *Azospirillum brasilense* Sp245

iii Graphical abstracts

Full papers

- Søren M. Andersen, Inge Lundt (Lyngby, Denmark), Jan Marcussen (Herning, Denmark), Shukun Yu (Copenhagen K, Denmark) 873 1,5-Anhydro-D-fructose; a versatile chiral building block: biochemistry and chemistry
- Karina Mariño, Carlos Lima, Sara Maldonado, Carla Marino, Rosa M. de Lederkremer (Buenos Aires, Argentina) 891 Influence of exo β -D-galactofuranosidase inhibitors in cultures of *Penicillium fellutanum* and modifications in hyphal cell structure

Rob Schoevaart, Tom Kieboom (Leiden, The Netherlands)	899	Galactose dialdehyde as potential protein cross-linker: proof of principle
Hugo F. Azurmendi, C. Allen Bush (Baltimore, MD, USA)	905	Conformational studies of blood group A and blood group B oligosaccharides using NMR residual dipolar couplings
Susana M. Cardoso (Aveiro, Bragança, Portugal), Artur M.S. Silva, Manuel A. Coimbra (Aveiro, Portugal)	917	Structural characterisation of the olive pomace pectic polysaccharide arabinan side chains
Amornrut Chaidedgumjorn, Hidenao Toyoda (Chiba, Japan), Eun Rhan Woo (Kwangju, South Korea), Kyung Bok Lee (Chungnam, South Korea), Yeong Shik Kim (Seoul, South Korea), Toshihiko Toida, Toshio Imanari (Chiba, Japan)	925	Effect of (1 → 3)- and (1 → 4)-linkages of fully sulfated polysaccharides on their anticoagulant activity
Wei-Lien Chuang, Heather McAllister, Dallas L. Rabenstein (Riverside, CA, USA)	935	Hexasaccharides from the histamine-modified depolymerization of porcine intestinal mucosal heparin
Notes		
Anders Bergh, Sumita Bhattacharyya, Ulf J. Nilsson (Lund, Sweden)	947	Synthesis of a globotetraose trimer
Makoto Karakawa, Fumiaki Nakatsubo (Kyoto, Japan)	951	An improved method for the preparation of 3- <i>O</i> -benzyl-6- <i>O</i> -pivaloyl- α -D-glucopyranose 1,2,4-orthopivalate
Maria Michela Corsaro (Naples, Italy), Antonio Evidente (Portici, Italy), Rosa Lanzetta (Naples, Italy), Paola Lavermicocca (Bari, Italy), Michelangelo Parrilli, Salvatore Ummarino (Naples, Italy)	955	5,7-Diamino-5,7,9-trideoxynon-2-ulosonic acid: a novel sugar from a phytopathogenic <i>Pseudomonas</i> lipopolysaccharide
Evgeny Vinogradov (Ottawa, Canada)	961	Structure of the O-specific polysaccharide chain of the lipopolysaccharide of <i>Bordetella hinzii</i>
Sikkander Sulthan Allavudeen, Balagurunathan Kuberan, Duraikkannu Loganathan (Chennai, India)	965	A method for obtaining equilibrium tautomeric mixtures of reducing sugars via glycosylamines using nonaqueous media
	iii	Graphical abstracts
Full Papers		
Jianbo Zhang, Przemyslaw Kowal, Jianwen Fang, Peter Andreana, Peng George Wang (Detroit, MI, USA)	969	Efficient chemoenzymatic synthesis of globotriose and its derivatives with a recombinant α -(1 → 4)-galactosyltransferase
Xiang-Bao Meng, Lian-Dai Yang, Hui Li, Qing Li, Tie-Ming Cheng, Meng-Shen Cai, Zhong-Jun Li (Beijing, China)	977	Facile synthesis of 1-thio- β -lactoside clusters scaffolded onto <i>p</i> -methoxyphenyl, β -D-galactopyranoside, β -D-glucopyranoside, and lactoside
Hirofumi Dohi, Yoshihiro Nishida (Nagoya, Japan), Tae Takeda (Tokyo, Japan), Kazukiyo Kobayashi (Nagoya, Japan)	983	Convenient use of non-malodorous thioglycosyl donors for the assembly of multivalent globo- and isoglobosyl trisaccharides
Emanuele Attolino, Giorgio Catelani, Felicia D'Andrea, Leonardo Puccioni (Pisa, Italy)	991	Chemical transformation of lactose into 4- <i>O</i> - β -D-galactopyranosyl-D-glucuronic acid (pseudolactobiouronic acid) and some derivatives thereof
Maryline Abert, Nathalie Mora, Jean-Michel Lacombe (Avignon, France)	997	Synthesis and surface-active properties of a new class of surfactants derived from D-gluconic acid
Toshihiro Kumazawa, Kanako Onda, Hayato Okuyama, Shigeru Matsuba, Shingo Sato, Jun-ichi Onodera (Yamagata, Japan)	1007	Synthesis of C-glycopyranosylphloroacetophenone derivatives and their anomerization facilitated by 1,3-diaxial interactions
Rupendra Mukerjee, Liangli Yu, John F. Robyt (Ames, IA, USA)	1015	Starch biosynthesis: mechanism for the elongation of starch chains
Tadashi Ishii (Ibaraki, Japan), Junji Ichita, Hajime Matsue (Aomori, Japan), Hiroshi Ono, Ikuko Maeda (Ibaraki, Japan)	1023	Fluorescent labeling of pectic oligosaccharides with 2-aminobenzamide and enzyme assay for pectin

Peter Capek, Juraj Alföldi, Desana Lišková (Bratislava, Slovak Republic)	1033	An acetylated galactoglucomannan from <i>Picea abies</i> L. Karst
Notes		
Stéphane P. Vincent (Paris, France), Louis N. Gastinel (Marseille, France)	1039	An efficient synthesis of GDP-hexanolamine, a key tool for the purification of fucosyltransferases
Yongsheng Chen, Adam Janczuk, Xi Chen, Jianqiang Wang, Mohamad Ksebaty, Peng George Wang (Detroit, USA)	1043	Expeditious syntheses of two carbohydrate-linked cisplatin analogs
Shigeru Kobayashi, Jun-ichi Furukawa, Tomoko Sakai, Nobuo Sakairi (Sapporo, Japan)	1047	Preparation and diastereomeric separation of an (<i>S</i>)- and (<i>R</i>)-1-(methoxycarbonyl)tridec-10-yl glucoside derivative, a precursor for a monosaccharide constituent of resin glycosides
Falguni Dasgupta, R. Irene Masada (Novato, CA, USA)	1055	Synthesis of 7- <i>O</i> -(2-deoxy-2-sulfamido- α -D-glucopyranosyl)-4-methylcoumarin sodium salt: a fluorogenic substrate for sulfamidase
Mathias Ibert, Francis Marsais (Mont Saint Aignan, France), Naby Merbouh, Christian Brückner (Storrs, CT, USA)	1059	Determination of the side-products formed during the nitroxide-mediated bleach oxidation of glucose to glucaric acid
Iain D. Mackie (Edinburgh, UK), Jürgen Röhring (Vienna, Austria), Robert O. Gould (Edinburgh, UK), Jutta Pauli, Christian Jäger (Berlin, Germany), Malcolm Walkinshaw (Edinburgh, UK), Antje Potthast, Thomas Rosenau, Paul Kosma (Vienna, Austria)	1065	Corrigendum
	iii	Graphical abstracts
Full papers		
Andrew M. Riley, David J. Jenkins, Rachel D. Marwood, Barry V.L. Potter (Bath, UK)	1067	Synthesis of glucopyranoside-based ligands for D- <i>myo</i> -inositol 1,4,5-trisphosphate receptors
Cosam C. Joseph, Henk Regeling, Binne Zwanenburg, Gordon J.F. Chittenden (Nijmegen, The Netherlands)	1083	Synthesis of 1-deoxy-L- <i>gulo</i> nojirimycin (L- <i>gulo</i> DNJ) and 1-deoxy-D- <i>talo</i> nojirimycin (D- <i>talo</i> DNJ)
Christian Gege, Richard R. Schmidt (Konstanz, Germany)	1089	Synthesis of dimeric lactose and dimeric (sialyl) Lewis ^x glycolipids
Keith Clinch, Gary B. Evans, Richard H. Furneaux, Phillip M. Rendle (Lower Hutt, New Zealand), Philippa L. Rhodes, Anthony M. Robertson, Douglas I. Rosendale (Auckland, New Zealand), Peter C. Tyler (Lower Hutt, New Zealand), Damian P. Wright (Auckland, New Zealand)	1095	Synthesis and utility of sulfated chromogenic carbohydrate model substrates for measuring activities of mucin-desulfating enzymes
Cheol Yook, John F. Robyt (Ames, IA, USA)	1113	Reactions of alpha amylases with starch granules in aqueous suspension giving products in solution and in a minimum amount of water giving products inside the granule
Alexander S. Shashkov, Vladimir I. Torgov (Stockholm, Sweden; Moscow, Russian Federation), Evgeny L. Nazarenko, Vladimir A. Zubkov, Natalya M. Gorshkova, Raisa P. Gorshkova (Vladivostok, Russian Federation), Göran Widmalm (Stockholm, Sweden)	1119	Structure of the phenol-soluble polysaccharide from <i>Shewanella putrefaciens</i> strain A6
Andrea Mele, Raniero Mendichi, Antonio Selva (Milan, Italy), Peter Molnar, Gyula Toth (Pécs, Hungary)	1129	Non-covalent associations of cyclomaltooligosaccharides (cyclodextrins) with carotenoids in water. A study on the α - and β -cyclodextrin/ ψ , ψ -carotene (lycopene) systems by light scattering, ionspray ionization and tandem mass spectrometry
Maria E.R. Duarte, Miguel D. Nosedá, Marco A. Cardoso, Siumara Tulio (Curitiba-Paraná, Brazil), Alberto S. Cerezo (Buenos Aires, Argentina)	1137	The structure of a galactan sulfate from the red seaweed <i>Bostrychia montagnei</i>

- Marta Kačuráková, Andrew C. Smith (Norwich, UK), Michael J. Gidley (Bedford, UK), Reginald H. Wilson (Norwich, UK) 1145 Molecular interactions in bacterial cellulose composites studied by 1D FT-IR and dynamic 2D FT-IR spectroscopy
- 1155 Graphical abstracts
- Full papers**
- Jun Ning (Beijing, PR China), Linsen Heng (Sichuan, PR China), Fanzuo Kong (Beijing, PR China) 1159 A highly efficient synthesis of an octasaccharide, the repeating unit of the cell-wall mannan of *Trichophyton mentagrophytes* and *T. rubrum*
- Feng Yang, Hongmei He, Yuguo Du, Mujian Lü (Beijing, PR China) 1165 Unexpected α -stereochemical outcomes of attempted β -glycosylations
- László Kovács (Debrecen, Hungary), Erzsébet Ósz (Pécs, Hungary), Zoltán Györgydeák (Debrecen, Hungary) 1170 Convenient syntheses of symmetrical and unsymmetrical glycosyl carbodiimides and *N,N*-bis(glycosyl)cyanamides
- Ninfa R. Pedersen, Reinhard Wimmer, Jeppe Emmersen (Aalborg, Denmark), Peter Degn (Brabrand, Denmark), Lars H. Pedersen (Aalborg, Denmark) 1178 Effect of fatty acid chain length on initial reaction rates and regioselectivity of lipase-catalysed esterification of disaccharides
- Tobias Hauck, Christian Landmann, Thomas Raab (Würzburg, Germany), Fredi Brühlmann (Geneva, Switzerland), Wilfried Schwab (Würzburg, Germany) 1184 Chemical formation of 4-hydroxy-2,5-dimethyl-3[2*H*]-furanone from D-fructose 1,6-diphosphate
- Cristina Pacios-Bras, Yuri E.M. van der Burgt, Andre M. Deelder (Leiden, The Netherlands), Pablo Vinuesa, Dietrich Werner (Marburg, Germany), Herman P. Spalink (Leiden, The Netherlands) 1191 Novel lipochitin oligosaccharide structures produced by *Rhizobium etli* KIM5s
- Paola Cescutti, Raffaella Pupulin, Franco Delben (Trieste, Italy), Maria Abbate, Mariella Dentini (Rome, Italy), Lorenzo Sparapano (Bari, Italy), Roberto Rizzo (Trieste, Italy), Vittorio Crescenzi (Rome, Italy) 1201 New exopolysaccharides produced by *Aureobasidium pullulans* grown on glucosamine
- Isao Hanashiro, Masataka Tagawa, Shunpei Shibahara, Kazutaka Iwata, Yasuhito Takeda (Kagoshima, Japan) 1208 Examination of molar-based distribution of A, B and C chains of amylopectin by fluorescent labeling with 2-aminopyridine
- Notes**
- Kudzai E. Mutenda (Odense, Denmark), Roman Körner (Martinsried, Germany), Tove M. I. E. Christensen, Jørn Mikkelsen (Copenhagen, Denmark), Peter Roepstorff (Odense, Denmark) 1213 Application of mass spectrometry to determine the activity and specificity of pectin lyase A
- Frantzeska Tsorteki, Dimitris Mentzafos (Athens, Greece) 1224 Structure of the complex of heptakis(2,6-di-*O*-methyl)- β -cyclodextrin with (2,4-dichlorophenoxy)acetic acid
- Derek K. Watt, Keith Clinch, George C. Slim (Lower Hutt, New Zealand) 1229 Syntheses of the 4-nitrophenyl glycosides of hyalobiuronic acid and chondrosine
- Preeyanat Vongchan, Warayuth Sajomsang, Dumrat Subyen, Prachya Kongtawelert (Chiang Mai, Thailand) 1233 Anticoagulant activity of a sulfated chitosan
- 1243 Graphical abstracts
- Full papers**
- Adam J. Janczuk, Wei Zhang, Peter R. Andreana, Joshua Warrick, Peng G. Wang (Detroit, MI, USA) 1247 The synthesis of deoxy- α -Gal epitope derivatives for the evaluation of an anti- α -Gal antibody binding

Maria Kurszewska, Eugenia Skorupowa, Janusz Madaj, Antoni Konitz, Wiesław Wojnowski, Andrzej Wiśniewski (Gdańsk, Poland)	1261	The solvent-free thermal dehydration of hexitols on zeolites
Jacek W. Morzycki, Agnieszka Wojtkielewicz (Białystok, Poland)	1269	Synthesis of a cholestane glycoside OSW-1 with potent cytostatic activity
Leonid N. Koikov, Irina P. Smoliakova, Hui Liu (Grand Forks, ND, USA)	1275	One-pot synthesis of <i>C</i> -glycosylic compounds (<i>C</i> -glycosides) from D-glucal, <i>p</i> -tolyl-sulphenyl chloride and aromatic/heteroaromatic compounds in the presence of Lewis acids
Evgeny Vinogradov (Ottawa, Canada), Anton Korenevsky, Terry J. Beveridge (Guelph, Canada)	1285	The structure of the carbohydrate backbone of the LPS from <i>Shewanella putrefaciens</i> CN32
Yu Cao, Huimin Tan (Beijing, PR China)	1291	Effects of cellulase on the modification of cellulose
Chun Liu, Hanno Baumann (Aachen, Germany)	1297	Exclusive and complete introduction of amino groups and their <i>N</i> -sulfo and <i>N</i> -carboxymethyl groups into the 6-position of cellulose without the use of protecting groups
Notes		
Xiangliang Yang, Qin Wang, Huibi Xu (Hubei, PR China)	1309	Synthesis of novel cyclomaltoheptaose (β -cyclodextrin) derivatives containing the Ebselen key moiety of benzoisoselenazolone
Guofeng Gu, Yuguo Du, Jingqi Pan (Beijing, China)	1313	Concise synthesis of a buffalo milk pentasaccharide derivative
Siong-Tern Liew, Alexander Wei (West Lafayette, IN, USA)	1319	Preparation of orthogonally protected chitosan oligosaccharides: observation of an anomalous remote substituent effect
Omar Ishurd, Cuirong Sun, Peng Xiao (Hangzhou, PR China), Ahmed Ashour (Tripoli, Libya), Yuanjiang Pan (Hangzhou, PR China)	1325	A neutral β -D-glucan from dates of the date palm, <i>Phoenix dactylifera</i> L.
	1329	Graphical abstracts
Full papers		
Barbara La Ferla, Davide Prosperi, Luigi Lay, Giovanni Russo (Milan, Italy), Luigi Panza (Novara, Italy)	1333	Synthesis of building blocks of human milk oligosaccharides. Fucosylated derivatives of the lacto- and neolacto-series
Tsuyoshi Nakamura, Masao Shiozaki, Shin-ichi Kurakata (Tokyo, Japan)	1343	Synthesis of ceramidated GLA-60 derivatives
Éva Bozó, Tamás Gáti, Ádám Demeter, János Kuszmann (Budapest, Hungary)	1351	Synthesis of 4-cyano and 4-nitrophenyl 1,6-dithio-D-manno-, L-ido- and D-glucoseptanosides possessing antithrombotic activity
Youlin Zeng, Jianjun Zhang, Fanzuo Kong (Beijing, PR China)	1367	Synthesis of a mannose heptasaccharide of the pathogenic yeast, <i>Candida glabrata</i> IFO 0622 strain
Langqiu Chen, Fanzuo Kong (Beijing, China)	1373	A practical synthesis of β -D-GlcA-(1 $\rightarrow$ 3)- β -D-Gal-(1 $\rightarrow$ 3)- β -D-Gal-(1 $\rightarrow$ 4)-D-Xyl, a part of the common linkage region of a glycosaminoglycan
Yuriy A. Knirel, Alexander S. Shashkov, Sof'ya N. Senchenkova (Moscow, Russia), Susana Merino, Juan M. Tomás (Barcelona, Spain)	1381	Structure of the O-polysaccharide of <i>Aeromonas hydrophila</i> O:34; a case of random O-acetylation of 6-deoxy-L-talose
Dimitris Zouveleakis, Konstantina Yannakopoulou, Irene M. Mavridis, Ekaterini Antoniadou-Vyza (Athens, Greece)	1387	The self-association of the drug acemetacin and its interactions and stabilization with β -cyclodextrin in aqueous solution as inferred from NMR spectroscopy and HPLC studies
Miriam A. Martins Alho, Ricardo Baggio (Buenos Aires, Argentina), María T. Garland (Santiago, Chile), Norma B. D'Accorso, Oscar Varela (Buenos Aires, Argentina)	1397	Heterocyclization of 3-deoxy-D-erythro-hexos-2-ulose-1,2-bis(thiosemicarbazone). Crystal structure of the major diastereomer
Melanie De Ceuleire, Jihad René Albani (Villeneuve d'Ascq, France)	1405	Interaction between carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and progesterone. A fluorescence study

Notes

- Jérôme Lalot, Imane Stasik, Gilles Demailly, Daniel Beaupère (Amiens, France) 1411 An improved synthesis of 5-thio-D-ribose from D-ribono-1,4-lactone
- Qun Dong, Jian Yao, Xiao-tong Yang, Ji-nian Fang (Shanghai, People's Republic of China) 1417 Structural characterization of a water-soluble β -D-glucan from fruiting bodies of *Agaricus blazei* Murr
- 1423 Graphical abstracts

Full papers

- Judicaël Parisot, Anahit Ghochikyan, Virginie Langlois, Vehary Sakanyan, Claude Rabiller (Nantes, France) 1427 Exopolygalacturonate lyase from *Thermotoga maritima*: cloning, characterization and organic synthesis application
- Andrew D. Cox, Jianjun Li, Jean-Robert Brisson (Ottawa, Canada), E. Richard Moxon (Oxford, UK), James C. Richards (Ottawa, Canada) 1435 Structural analysis of the lipopolysaccharide from *Neisseria meningitidis* strain BZ157 *galE*: localisation of two phosphoethanolamine residues in the inner core oligosaccharide
- Kirill I. Shingel (Minsk, Belarus) 1445 Determination of structural peculiarities of dextran, pullulan and γ -irradiated pullulan by Fourier-transform IR spectroscopy
- Yu Cao, Huimin Tan (Beijing, PR China) 1453 The properties of enzyme-hydrolyzed cellulose in aqueous sodium hydroxide
- Jutta Bürgermeister, Dietrich H. Paper, Horst Vogl (Regensburg, Germany), Robert J. Linhardt (Iowa City, IA, USA), Gerhard Franz (Regensburg, Germany) 1459 LaPSvS1, a (1 $\rightarrow$ 3)- β -galactan sulfate and its effect on angiogenesis in vivo and in vitro
- Tor S. Nordmark, Gregory R. Ziegler (University Park, PA, USA) 1467 Structural features of non-granular spherulitic maize starch
- Gudneppanavar Rajsekhar, Umesh B. Gangadhar-math, Chebrolu P. Rao (Mumbai, India), Philippe Guionneau (Pessac, France), Pauli K. Saarenketo, Kari Rissanen (Jyväskylä, Finland) 1477 Synthesis and characterization of 4,6-*O*-butylidene-*N*-(2-hydroxybenzylidene)- β -D-glucopyranosylamine: crystal structures of 4,6-*O*-butylidene- α -D-glucopyranose, 4,6-*O*-butylidene- β -D-glucopyranosylamine and 4,6-*O*-butylidene-*N*-(2-hydroxybenzylidene)- β -D-glucopyranosylamine
- Limin Yang, Yunlan Su, Wei Liu, Xianglin Jin, Jinguang Wu (Beijing, PR China) 1485 Sugar interaction with metal ions. The coordination behavior of neutral galactitol to Ca(II) and lanthanide ions

Notes

- Janusz Madaj, Anna Trynda, Magdalena Jankowska, Andrzej Wiśniewski (Gdańsk, Poland) 1495 Side products of glycosidation with selected 2-acetamido-2-deoxy-D-glucopyranosides
- Yasunori Ikeda, Ken Furukawa, Hidetoshi Yamada (Sanda, Japan) 1499 Simultaneous regioselective protection of phenyl 1-thiogluco-sides at the C-3 and C-6 or at the C-2 and C-6 hydroxy groups
- Oussama Ahrazem, Alicia Prieto, Juan Antonio Leal, Jesús Jiménez-Barbero, Manuel Bernabé (Madrid, Spain) 1503 Fungal cell wall galactomannan isolated from *Apodus deciduus*
- Chiravakkattu G. Suresh, Bindu Ravindran, Tan-maya Pathak, Krishnamurthy Narasimha Rao (Pune, India), J. Shashidharaprasad, N.K. Lokanath (Mysore, India) 1507 Structural studies on C-2 substitution in a new set of synthetic aminodideoxy sugars: the steric bulk at C-2 influences the puckering of the pyranose ring
- 1513 Graphical abstracts

Full papers

- Ulrika Westerlind, Per Hagback (Uppsala, Sweden), Maria Duk (Wrocław, Poland), Thomas Norberg (Uppsala, Sweden) 1517 Synthesis and inhibitory activity of a di- and a trisaccharide corresponding to an erythrocyte glycolipid responsible for the nor polyagglutination
- Bhagavathy Shanmugasundaram, Babu Varghese, Kalpattu K. Balasubramanian (Chennai, India) 1523 Stereoselective synthesis of a *C*-glycosylic compound (a “methyl *C*-glycoside”) through a regioselective free-radical ring-opening reaction. A single-crystal X-ray structure determination

- Prabhu Arcot Padmanabhan, Dong-Shik Kim 1529 Production of insoluble dextran using cell-bound dextransucrase of *Leuconostoc mesenteroides* NRRL B-523 (Toledo, OH, USA)
- Dominika Drzewiecka (Łódź, Poland), Philip V. Toukach, Nikolay P. Arbatsky (Moscow, Russian Federation), Krystyna Zych (Łódź, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Zygmunt Sidorczyk (Łódź, Poland) 1535 Structure of the O-specific polysaccharide of *Proteus penneri* 103 containing ribitol and 2-aminoethanol phosphates
- Ewa Katzenellenbogen (Wrocław, Poland), George V. Zatonsky, Nina A. Kocharova (Moscow, Russia), Maria Bogulska, Agnieszka Korzeniowska-Kowal (Wrocław, Poland), Alexander S. Shashkov (Moscow, Russia), Andrzej Gamian (Wrocław, Poland), Yuriy A. Knirel (Moscow, Russia) 1541 Structure of a new 2-deoxy-2-[(*R*)-3-hydroxybutyramido]-D-glucose-containing O-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* PCM 1542
- Paul L. DeAngelis (Oklahoma City, OK, USA), Nur Sibel Gunay (Iowa City, IA, USA), Toshihiko Toida (Chiba, Japan), Wen-jun Mao, Robert J. Linhardt (Iowa City, IA, USA) 1547 Identification of the capsular polysaccharides of Type D and F *Pasteurella multocida* as unmodified heparin and chondroitin, respectively
- Yuko Fukuyama (Matsuyama, Japan), Marina Ciancia (Buenos Aires, Argentina), Hiroshi Nonami (Matsuyama, Japan), Alberto S. Cerezo, Rosa Erra-Balsells, María C. Matulewicz (Buenos Aires, Argentina) 1553 Matrix-assisted ultraviolet laser-desorption ionization and electrospray-ionization time-of-flight mass spectrometry of sulfated neocarrabiose oligosaccharides
- Svava Ósk Jónsdóttir, Stephen A. Cooke (Lyngby, Denmark), Eugénia A. Macedo (Porto, Portugal) 1563 Modeling and measurements of solid–liquid and vapor–liquid equilibria of polyols and carbohydrates in aqueous solution
- Kabir-ud-Din, Abu Mohammad Azmal Morshed (Aligarh, India), Zaheer Khan (Delhi, India) 1573 Influence of sodium dodecyl sulfate/TritonX-100 micelles on the oxidation of D-fructose by chromic acid in presence of HClO₄
- Notes
- Stefan Freimund (Zürich, Switzerland), Lars Baldes, Alexander Huwig, Friedrich Giffhorn (Saarbrücken, Germany) 1585 Enzymatic synthesis of D-glucosone 6-phosphate (D-arabino-hexos-2-ulose 6-(dihydrogen phosphate)) and NMR analysis of its isomeric forms
- Yuriy A. Knirel, Alexander S. Shashkov, Sof'ya N. Senchenkova (Moscow, Russia), Yusuke Ajiki (Yamagata, Japan), Satoshi Fukuoka (Takamatsu, Japan) 1589 Structure of the O-polysaccharide of *Pseudomonas putida* FERM P-18867
- Youssef Habibi (Grenoble, France; Marrakech, Morocco), Mostafa Mahrouz (Marrakech, Morocco), Michel R. Vignon (Grenoble, France) 1593 Isolation and structure of D-xylans from pericarp seeds of *Opuntia ficus-indica* prickly pear fruits

Special Section: The 2001 Carbohydrate Research Award and selected papers from the 11th Eurocarb Symposium

1599 Graphical abstracts

1603 Announcement

Full papers

- Zhi-Qiang Yang, Erik B. Puffer, Jason K. Pontrello, Laura L. Kiessling (Madison, WI, USA) 1605 Synthesis of a multivalent display of a CD22-binding trisaccharide
- Marco Terreni, Raul Salvetti, Laura Linati (Pavia, Italy), Roberto Fernandez-Lafuente, Gloria Fernández-Lorente, Agatha Bastida, José M. Guisan (Madrid, Spain) 1615 Regioselective enzymatic hydrolysis of acetylated pyranoses and pyranosides using immobilised lipases. An easy chemoenzymatic synthesis of α - and β -D-glucopyranose acetates bearing a free secondary C-4 hydroxyl group
- Jean-Pierre Praly, Azin Salek Ardakani, Isabelle Bruyère, Chrystelle Marie-Luce, Bing Bing Qin (Villeurbanne, France) 1623 Towards α - or β -D-C-glycosyl compounds by tin-catalyzed addition of glycosyl radicals to acrylonitrile and vinylphosphonate, and flexible reduction of tetra-O-acetyl- α -D-glucopyranosyl bromide with cyanoborohydride

Jimmy Rosen, Armin Robobi, Per-Georg Nyholm (Göteborg, Sweden)	1633	Conformation of the branched O-specific polysaccharide of <i>Shigella dysenteriae</i> type 2: Molecular mechanics calculations show a compact helical structure exposing an epitope which potentially mimics galabiose
Elena A. Günter, Yury S. Ovodov (Syktyvkar, Russia)	1641	An alternate carbon source for enhancing production of polysaccharides by <i>Silene vulgaris</i> callus
Cesar A. Tischer, Marcello Iacomini, Philip A.J. Gorin (Curitiba, Brazil)	1647	Structure of the arabinogalactan from gum tragacanth (<i>Astragalus gummifer</i>)
Eugenijus Norkus, Giedrė Grincienė, Rimantas Vaitkus (Vilnius, Lithuania)	1657	Interaction of lead(II) with β -cyclodextrin in alkaline solutions
Notes		
Pedro Abreu, Angela Relva (Caparica, Portugal)	1663	Carbohydrates from <i>Detarium microcarpum</i> bark extract
Nina A. Kocharova, George V. Zatonsky, Olga V. Bystrova (Moscow, Russia), Andrzej Ziolkowski, Marianna Wykrota (Łódź, Poland), Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Antoni Rozalski (Łódź, Poland)	1667	Structure of the O-specific polysaccharide of <i>Providencia alcalifaciens</i> O16 containing <i>N</i> -acetylmuramic acid
Regular papers		
Hongmei He, Feng Yang, Yuguo Du (Beijing, PR China)	1673	Synthesis of natural β -D-(1 $\rightarrow$ 3)-glucopyranosyl oligosaccharides
Tatsuki Komori, Saori Kondo, Hironume Ando, Hideharu Ishida, Makoto Kiso (Gifu, Japan)	1679	A first total synthesis of a novel sulfated ganglioside, 3'-O-sulfo-GM1b
Estelle Bonnin, Elizabeth Dolo, Angélique Le Goff, Jean-François Thibault (Nantes, France)	1687	Characterisation of pectin subunits released by an optimised combination of enzymes
Michelle Kilcoyne (Galway, Ireland), Alexander S. Shashkov, Sofya A. Senchenkova, Yuriy A. Knirel (Moscow, Russia), Evgeny V. Vinogradov (Ottawa, Canada), Joanna Radziejewska-Lebrecht, Regina Galimska-Stypa (Katowice, Poland), Angela V. Savage (Galway, Ireland)	1697	Structural investigation of the O-specific polysaccharides of <i>Morganella morganii</i> consisting of two higher sugars
	1703	Graphical abstracts
Full papers		
A. Molinaro, Vincenzo Piscopo, Rosa Lanzetta, Michelangelo Parrilli (Napoli, Italy)	1707	Structural determination of the complex exopolysaccharide from the virulent strain of <i>Cryphonectria parasitica</i>
Mia Alpe, Stefan Oscarson (Stockholm, Sweden)	1715	Synthesis of oligosaccharides corresponding to <i>Streptococcus pneumoniae</i> type 9 capsular polysaccharide structures
Sofya N. Senchenkova (Moscow, Russia), Xi Huang, Peter Laux (Göttingen, Germany), Yuriy A. Knirel, Aleksander S. Shashkov (Moscow, Russia), Klaus Rudolph (Göttingen, Germany)	1723	Structures of the O-polysaccharide chains of the lipopolysaccharides of <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> var. <i>fuscans</i> GSPB 271 and <i>X. campestris</i> pv. <i>malvacearum</i> GSPB 1386 and GSPB 2388
Ken-ichi Akao, Yusei Okubo (Tokyo, Japan), Yoshio Inoue, Minoru Sakurai (Yokohama, Japan)	1729	Supercritical CO ₂ fluid extraction of crystal water from trehalose dihydrate. Efficient production of form II (T ₂) phase
Yasuko Ishizuka (Ibaraki, Japan), Masako Fujiwara (Tokyo, Japan), Kenji Kanazawa, Tadashi Nemoto (Ibaraki, Japan), Ken-ichi Fujita (Tokyo, Japan), Hiroshi Nakanishi (Ibaraki, Japan)	1737	Three-dimensional structure of the inclusion complex between phloridzin and β -cyclodextrin
Mária Matulová, Zuzana Hricoviniová (Bratislava, Slovakia)	1745	NMR studies of molybdate complexes of D-erythro-L-manno-octose and D-erythro-L-glucose and their alditols
Yoshimi Kanie, Osamu Kanie (Tokyo, Japan)	1757	Electrophoretically mediated microscale reaction of glycosidases: kinetic analysis of some glycosidases at the nanoliter scale

Notes

- Hong-Min Liu, Xuebin Yan, Wen Li, Conghai Huang (Zhengzhou, PR China) 1763 A mild and selective method for cleavage of *O*-acetyl groups with dibutyltin oxide
- Christian Girard, Marie-Laure Miramon, Tanguy de Solminihac, Jean Herscovici (Paris, France) 1769 Synthesis of 3-*C*-(6-*O*-acetyl-2,3,4-tri-*O*-benzyl- α -D-mannopyranosyl)-1-propene: a caveat
- Naoko Iida-Tanaka (Tokyo, Japan), Toshiyuki Hikita, Sen-itiroh Hakomori (Seattle, WA, USA), Ineo Ishizuka (Tokyo, Japan) 1775 Conformational studies of a novel cationic glycolipid, glyceroplasmalopsychosine, from bovine brain by NMR spectroscopy
- David R. Picout, Simon B. Ross-Murphy (London, UK) 1781 On the chain flexibility of arabinoxylans and other β -(1 $\rightarrow$ 4) polysaccharides
- Sanghoo Lee, Seunho Jung (Seoul, South Korea) 1785 ^{13}C NMR spectroscopic analysis on the chiral discrimination of *N*-acetylphenylalanine, catechin and propranolol induced by cyclic-(1 $\rightarrow$ 2)- β -D-glucans (cyclodextrins)
- Emanuele Attolino, Giorgio Catelani, Felicia D'Andrea, Leonardo Puccioni (Pisa, Italy) 1791 Erratum
- 1793 Graphical abstracts

Full papers

- Stephen J. Mills, Changsheng Liu, Barry V. L. Potter (Bath, UK) 1795 Synthesis of D- and L-*myo*-inositol 2,4,5-trisphosphate and trisphosphorothioate: structural analogues of D-*myo*-inositol 1,4,5-trisphosphate
- Beata Liberek, Aleksandra Dąbrowska, Ryszard Frankowski, Marlena Matuszewska, Zygfryd Smiatacz (Gdańsk, Poland) 1803 The use of tri-*O*-acetyl-D-glucal and -D-galactal in the synthesis of 3-acetamido-2,3-dideoxyhexopyranoses and -hexopyranosides
- Kristin Demuth, Hans-Joachim Jördening, Klaus Buchholz (Braunschweig, Germany) 1811 Oligosaccharide synthesis by dextransucrase: new unconventional acceptors
- René Verhoef, Pieter de Waard, Henk A. Schols (Wageningen, The Netherlands), Marjaana Rättö, Matti Siika-aho (Espoo, Finland), Alphons G. J. Voragen (Wageningen, The Netherlands) 1821 Structural elucidation of the EPS of slime producing *Brevundimonas vesicularis* sp. isolated from a paper machine
- Gina L. Strati, Julius L. Willett, Frank A. Momany (Peoria, IL, USA) 1833 Ab initio computational study of β -cellobiose conformers using B3LYP/6-311++G**
- Gina L. Strati, Julius L. Willett, Frank A. Momany (Peoria, IL, USA) 1851 A DFT/ab initio study of hydrogen bonding and conformational preference in model cellobiose analogs using B3LYP/6-311++G**
- Carlos A. Stortz, Alberto S. Cerezo (Buenos Aires, Argentina) 1861 Disaccharide conformational maps: 3D contours or 2D plots?

Note

- Franck Thiebault (Nancy, France), Ferenc Kiss (Nyíregyháza, Hungary), Roger Bonaly, Joël Coulon (Nancy, France) 1873 Effect of sodium orthovanadate on glycosylation of the phosphopeptidomannans involved in the cell–cell aggregation of the yeast *Kluyveromyces bulgaricus*
- 1879 Graphical abstracts
- 1891 Preface

Full papers

- Luis G. Melean, Kerry R. Love, Peter H. Seeberger (Cambridge, MA, USA) 1893 Toward the automated solid-phase synthesis of oligoglucosamines: systematic evaluation of glycosyl phosphate and glycosyl trichloroacetimidate building blocks
- Tomoya Machinami, Yasuyuki Itaba, Ayumi Kayama, Takashi Fujimoto (Tokyo, Japan), Tetsuo Suami (Yokohama, Japan) 1917 Oxidation of 3-*C*-(2-amino-2-deoxy-D-glucopyranosyl)-1-propene compounds and the structure of 3-*C*-(2-amino-2-deoxy-D-glucopyranosyl)-1,2-propanediol derivatives for a synthesis of 2,3-didehydro-2,7-dideoxy-*N*-acetylneuraminic acid

- Qin Li, Hui Li, Qing Li, Qing-Hua Lou, Bin Su, Meng-Shen Cai, Zhong-Jun Li (Beijing, China)** 1929 Synthesis of a spacer-armed disulfated tetrasaccharide of SB_{1a}, a carbohydrate hapten associated with human hepatocellular carcinoma
- Jordan Elhalabi, Kevin G. Rice (Ann Arbor, MI, USA)** 1935 Thiosugar nucleotide analogs: Synthesis of 5'-(2,3,4-tri-*O*-acetyl-6-*S*-acetyl-6-thio- α -D-galactopyranosyl diphosphate)
- Anikó Borbás, Zoltán B. Szabó, László Szilágyi, Attila Bényei, András Lipták (Debrecen, Hungary)** 1941 Stereoselective (2-naphthyl)methylation of sugar hydroxyls by the hydrogenolysis of diastereoisomeric dioxolane-type (2-naphthyl)methylene acetals
- Son N. Lam, Jacquelyn Gervay-Hague (Davis, CA, USA)** 1953 Solution- and solid-phase oligosaccharide synthesis using glucosyl iodides: a comparative study
- Ahmed I. Khodair, Richard R. Schmidt (Konstanz, Germany)** 1967 Synthesis of *C*-glycosyl compounds of *N*-acetylneuraminic acid from D-gluconolactone
- Seiichi Ogawa, Hiroshi Aoyama, Toshinori Sato (Yokohama, Japan)** 1979 Synthesis of an ether-linked alkyl 5a-carba- β -D-glucoside, a 5a-carba- β -D-galactoside, a 2-acetamido-2-deoxy-5a-carba- β -D-glucoside, and an alkyl 5a'-carba- β -lactoside
- Anneke M. van der Heijden (Haarlem, The Netherlands), Tsz Chung Lee, Fred van Rantwijk, Herman van Bakkum (Delft, The Netherlands)** 1993 Glycosidation of fructose-containing disaccharides using MCM-41 material as the catalyst
- Richard H. Furneaux (Lower Hutt, New Zealand), Bénédicte Martin (Palmerston North, New Zealand), Phillip M. Rendle (Lower Hutt, New Zealand), Carol M. Taylor (Palmerston North, New Zealand)** 1999 Glucofuranosylation with penta-*O*-propanoyl- β -D-glucofuranose
- Katarzyna Borsuk, Arkadiusz Kazimierski, Jolanta Solecka, Zofia Urbańczyk-Lipkowska, Marek Chmielewski (Warsaw, Poland)** 2005 Stereocontrolled formation of oxacephams from carbohydrates
- David J. Owen (Parkville, Australia), Robin J. Thomson, Mark von Itzstein (Gold Coast, Australia)** 2017 A convenient synthesis of *C*-galactofuranosylic compounds (*C*-galactofuranosides)
- Christer Höög, Archimede Rotondo, Blair D. Johnston, B. Mario Pinto (Burnaby, Canada)** 2023 Synthesis and conformational analysis of a pentasaccharide corresponding to the cell-wall polysaccharide of the Group A *Streptococcus*
- Isao Ohtsuka, Noriyasu Hada (Tokyo, Japan), Mutsumi Sugita (Shiga-ken, Japan), Tadahiro Takeda (Tokyo, Japan)** 2037 Synthetic studies on glycosphingolipids from the Protostomia phyla: syntheses of arthro-series glycosphingolipids
- Arthur Crossman Jr., Michael J. Paterson, Michael A.J. Ferguson, Terry K. Smith, John S. Brimacombe (Dundee, UK)** 2049 Further probing of the substrate specificities and inhibition of enzymes involved at an early stage of glycosylphosphatidylinositol (GPI) biosynthesis
- Tohru Sakakibara, Tetsuya Shindo, Hiroshi Hirai (Yokohama, Japan)** 2061 Photoreaction of methyl and phenyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C*-*p*-tolylsulfonyl- β -D-*erythro*-hex-2-enopyranosides in methanol
- María Laura Uhrig, Oscar Varela (Buenos Aires, Argentina)** 2069 Synthesis of glycosides of 3-deoxy-4-thiopentopyranosid-2-uloses and their reduction products: 3-deoxy-4-thiopentopyranosides
- Masao Shiozaki (Tokyo, Japan)** 2077 Syntheses of hydantocidin and C-2-thioxohydantocidin
- Till Opatz, Christopher Kallus, Tobias Wunberg (Mainz, Germany), Wolfgang Schmidt, Stefan Henke (Frankfurt, Germany), Horst Kunz (Mainz, Germany)** 2089 D-Glucose as a multivalent chiral scaffold for combinatorial chemistry
- Masanori Yamaguchi, Hideharu Ishida (Gifu, Japan), Christine Galustian, Ten Feizi (Middlesex, UK), Makoto Kiso (Gifu, Japan)** 2111 Synthesis and selectin-binding activity of *N*-deacetylsialyl Lewis X ganglioside
- Alejandro Chioconi, Carla Marino, Eugenio Otal, Rosa M. de Lederkremer (Buenos Aires, Argentina)** 2119 Photoinduced electron transfer and chemical α -deoxygenation of D-galactono-1,4-lactone. Synthesis of 2-deoxy-D-*lyxo*-hexofuranosides
- David Rabuka, Ole Hindsgaul (Edmonton, Canada)** 2127 Synthesis and NMR characterization of the six regioisomeric monophosphates of octyl β -D-galactopyranosyl-(1 $\rightarrow$ 4)-2-acetamido-2-deoxy- β -D-glucopyranoside

Martina Lahmann, Helena Gybäck, Per J. Garegg, Stefan Oscarson (Stockholm, Sweden), René Suhr, Joachim Thiem (Hamburg, Germany)	2153	A facile approach to diosgenin and furostan type saponins bearing a 3 β -chacotriose moiety
Hassan S. El Khadem (Washington, DC, USA), Bruce Coxon (Bethesda, MD, USA)	2161	Resonance-stabilized phenylazo-ene-phenylimine cations of cyclobutanetetraone derivatives
Markus Oberthür, Siegfried Peters, Saibal Kumar Das, Frieder W. Lichtenthaler (Darmstadt, Germany)	2171	Synthesis of linear β -(1 $\rightarrow$ 4)- <i>galacto</i> -hexa- and heptasaccharides and studies directed towards cyclogalactans
Badarulhisam Abdul-Rahman, Erik Ailor (Baltimore, MD, USA), Donald Jarvis (Laramie, WY, USA), Michael Betenbaugh, Yuan Chuan Lee (Baltimore, MD, USA)	2181	β -(1 $\rightarrow$ 4)-Galactosyltransferase activity in native and engineered insect cells measured with time-resolved europium fluorescence
Daniel Lazarevic, Joachim Thiem (Hamburg, Germany)	2187	Syntheses of unnatural N-substituted UDP-galactosamines as alternative substrates for <i>N</i> -acetylgalactosaminyl transferases
Sang-Ho Yoo, Martin H. Spalding, Jay-lin Jane (Ames, IA, USA)	2195	Characterization of cyanobacterial glycogen isolated from the wild type and from a mutant lacking of branching enzyme
Cesar A. Tischer, Marcello Iacomini, Ricardo Wagner, Philip A. J. Gorin (Curitiba, Brazil)	2205	New structural features of the polysaccharide from gum ghatti (<i>Anogeissus latifolia</i>)
Rengaswami Chandrasekaran, Srinivas Janaswamy (West Lafayette, IN, USA)	2211	Morphology of Western larch arabinogalactan
Jimmy Muldoon (Galway, Ireland), Alexander S. Shashkov (Moscow, Russia), Anthony P. Moran, John A. Ferris (Galway, Ireland), Sof'ya N. Senchenkova (Moscow, Russia), Angela V. Savage (Galway, Ireland)	2223	Structures of two polysaccharides of <i>Campylobacter jejuni</i> 81116
Mariana S. Pereira, Ana-Cristina E.S. Vilela-Silva (Janeiro, Brazil), Ana-Paula Valente (Rio de Janeiro, Brazil), Paulo A.S. Mourão (Janeiro, Brazil)	2231	A 2-sulfated, 3-linked α -L-galactan is an anticoagulant polysaccharide
Tasneem Islam, Melissa Butler, Sulthan A. Sikkan-der (Iowa City, IA, USA), Toshihiko Toida (Chiba, Japan), Robert J. Linhardt (Iowa City, IA, USA)	2239	Further evidence that periodate cleavage of heparin occurs primarily through the antithrombin binding site
Seung-Heon Yoon, John F. Robyt (Ames, IA, USA)	2245	<i>Bacillus macerans</i> cyclomalto-dextrin glucanotransferase transglycosylation reactions with different molar ratios of D-glucose and cyclomaltohexaose
Alexander S. Shashkov, Elena M. Tul'skaya, Ludmila I. Evtushenko (Moscow, Russia), Viktor A. Denisenko, Vladimir G. Ivanyuk (Minsk, Belarus), Andrey A. Stomakhin, Irina B. Naumova (Moscow, Russia), Erko Stackebrandt (Braunschweig, Germany)	2255	Cell wall anionic polymers of <i>Streptomyces</i> sp. MB-8, the causative agent of potato scab
Antje Gonera, Vera Goclik, Marita Baum, Petra Mischnick (Braunschweig, Germany)	2263	Preparation and structural characterisation of <i>O</i> -aminopropyl starch and amylose
Kwasi Agyei-Aye, May X. Chian, John H. Lauterbach, Serban C. Moldoveanu (Macon, GA, USA)	2273	The role of the anion in the reaction of reducing sugars with ammonium salts
Jos P.M. Lommerse, Johannes J.M. van Rooijen, Loes M.J. Kroon-Batenburg, Johannes P. Kamerling, Johannes F.G. Vliegthart (Utrecht, The Netherlands)	2279	Conformational analysis of two xylose-containing N-glycans in aqueous solution by using ^1H NMR ROESY and NOESY spectroscopy in combination with MD simulations
Devron P. Thibodeaux, Glenn P. Johnson, Edwin D. Stevens, Alfred D. French (New Orleans, LA, USA)	2301	Crystal structure of penta- <i>O</i> -acetyl- β -D-galactopyranose with modeling of the conformation of the acetate groups
Carlos A. Stortz (Buenos Aires, Argentina)	2311	Potential energy surfaces of carrageenan models: carrabiose, β -(1 $\rightarrow$ 4)-linked D-galactobiose, and their sulfated derivatives

Notes

- Catherine Fayet, Jacques Gelas, Kateřina Daňková, Alexandre Yokaris (Aubière, France) 2325 Access to aldehyde acetals of sugars via palladium-catalyzed oxidation of α,β -unsaturated cyclic acetals
- M. Isabel García-Moreno, Paula Díaz-Pérez, Juan M. Benito, Carmen Ortiz Mellet (Sevilla, Spain), Jacques Defaye (Meylan, France), José M. García Fernández (Sevilla, Spain) 2329 One-step synthesis of non-anomeric sugar isothiocyanates from sugar azides
- Langqiu Chen, Fanzuo Kong (Beijing, China) 2335 An efficient and practical synthesis of β -(1 $\rightarrow$ 3)-linked xylooligosaccharides
- Yuriko Y. Root, Timothy R. Wagner, Peter Norris (Youngstown, OH, USA) 2343 Crystal structure of methyl 1,2,3,4-tetra-*O*-acetyl- β -D-glucopyranuronate
- Oussama Ahrazem, Alicia Prieto, Juan Antonio Leal, Jesús Jiménez-Barbero, Manuel Bernabé (Madrid, Spain) 2347 Fungal cell-wall galactomannans isolated from *Geotrichum* spp. and their teleomorphs, *Dipodascus* and *Galactomyces*
- Christopher Jones (Herts, UK), Begoña Aguilera, Jacques H. van Boom (Leiden, The Netherlands), J. Grant Buchanan (Bath, UK) 2353 Confirmation of the D configuration of the 2-substituted arabinitol 1-phosphate residue in the capsular polysaccharide from *Streptococcus pneumoniae* Type 17F
- Hari G. Garg, Naiyaratana Cindhuchao, Deborah A. Quinn, Charles A. Hales (Boston, MA, USA), Charuwan Thanawiroon, Ishan Capila, Robert J. Linhardt (Iowa City, IA, USA) 2359 Heparin oligosaccharide sequence and size essential for inhibition of pulmonary artery smooth muscle cell proliferation
- George V. Zatonsky, Nina A. Kocharova (Moscow, Russian Federation), Stanislav P. Veremeychenko (Kiev, Ukraine), Evelina L. Zdrovenko, Alexander S. Shashkov (Moscow, Russian Federation), Galina M. Zdrovenko (Kiev, Ukraine), Yuriy A. Knirel (Moscow, Russian Federation) 2365 Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas fluorescens* IMV 2366 (biovar C)
- 2371 Graphical abstracts

Full papers

- A. S. Muhammad Sofian, Cheang Kuan Lee (Singapore), Anthony Linden (Zurich, Switzerland) 2377 Regioselective sulfonylation of 6,1',6'-tri-*O*-tritylsucrose through dibutylstannyla-tion: synthesis of 4'-*O*-sulfonyl derivatives of sucrose
- Ying Zeng, Wenhui Zhang, Jun Ning, Fanzuo Kong (Beijing, China) 2383 Synthesis of two isomeric pentasaccharides, the possible repeating unit of the β -glucan from the micro fungus *Epicoecum nigrum* Ehrenb. ex Schlecht
- Masato Suzuki, Yutaka Nozoe (Tokyo, Japan) 2393 Facile preparation of mono-2-*O*-modified eicosa-*O*-methylcyclomaltoheptaoses (β -cyclodextrins)
- Kana M. Sureshan, Mysore S. Shashidhar, Thoniyot Praveen, Rajesh G. Gonnade, Mohan M. Bhadbhade (Pune, India) 2399 Sulfonate protecting groups. Regioselective sulfonylation of *myo*-inositol ortho-esters—improved synthesis of precursors of D- and L-*myo*-inositol 1,3,4,5-tetra-kisphosphate, *myo*-inositol 1,3,4,5,6-pentakisphosphate and related derivatives
- Oldřich Paleta, Ivona Dlouhá, Robert Kaplánek, Karel Kefurt, Milan Koldíček (Prague, Czech Republic) 2411 Novel amphiphilic fluoroalkylated derivatives of xylitol, D-glucose and D-galactose for medical applications: hemocompatibility and co-emulsifying properties
- Mirta L. Fascio (Buenos Aires, Argentina), Angel Alvarez-Larena (Barcelona, Spain), Norma B. D'Ac-corso (Buenos Aires, Argentina) 2419 Synthesis, high-resolution NMR spectroscopic analysis, and single-crystal X-ray diffraction of isoxazoline tetracycles
- Seung-Heon Yoon, John F. Robyt (Ames, IA, USA) 2427 Synthesis of acarbose analogues by transglycosylation reactions of *Leuconostoc mesenteroides* B-512FMC and B-742CB dextranases
- Ximan Liao, Emanuel Poirot, Alex H. C. Chang, Xiaodong Zhang, Jian Zhang (Bethesda, MD, USA), Farida Nato, Jean-Michel Fournier (Paris, France), Pavol Kováč, Cornelis P. J. Glaudemans (Bethesda, MD, USA) 2437 The binding of synthetic analogs of the upstream, terminal residue of the O-polysaccharides (O-PS) of *Vibrio cholerae* O:1 serotypes Ogawa and Inaba to two murine monoclonal antibodies (MAbs) specific for the Ogawa lipopolysaccharide (LPS)

- Alan G. Gonçalves, Diogo R. B. Ducatti, M. Eugênia R. Duarte, Miguel D. Nosedá (Paraná, Brazil) 2443 Sulfated and pyruvylated disaccharide alditols obtained from a red seaweed galactan: ESIMS and NMR approaches
- Kristoffer Tømmeraas (Trondheim, Norway), Magnus Köping-Höggård (Uppsala, Sweden), Kjell M. Vårum, Bjørn E. Christensen (Trondheim, Norway), Per Artursson (Uppsala, Sweden), Olav Smidsrød (Trondheim, Norway) 2455 Preparation and characterisation of chitosans with oligosaccharide branches
- Andrei V. Perepelov (Moscow, Russian Federation), Agnieszka Torzewska (Lodz, Poland), Alexander S. Shashkov (Moscow, Russian Federation), Andrzej Ziolkowski (Lodz, Poland), Sof'ya N. Senchenkova (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland), Yuriy A. Knirel (Moscow, Russian Federation) 2463 Structure of the O-specific polysaccharide of *Proteus vulgaris* O15 containing a novel regioisomer of *N*-acetylmuramic acid, 2-acetamido-4-*O*-[(*R*)-1-carboxyethyl]-2-deoxy-D-glucose
- Byung Yun Yang, Qiong Ding, Rex Montgomery (Iowa City, IA, USA) 2469 Extracellular polysaccharides of *Erwinia futululu*, a bacterium associated with a fungal canker disease of *Eucalyptus* spp.
- Thomas Stoll, Andreas Schieber, Reinhold Carle (Stuttgart, Germany) 2481 High-performance liquid chromatographic separation and on-line mass spectrometric detection of saturated and unsaturated oligogalacturonic acids
- Thammarat Aree (Bangkok, Thailand), Narongsak Chaichit (Pathum Thani, Thailand) 2487 Crystal structure of β -cyclodextrin–dimethylsulfoxide inclusion complex
- Notes
- Tanya Abel, JaimeLee Iolani Cohen (New York, NY, USA), Robert Engel (Flushing, NY, USA), Maya Filshinskaya (New York, NY, USA), Alice Melkonian, Karin Melkonian (Greenville, NY, USA) 2495 Preparation and investigation of antibacterial carbohydrate-based surfaces
- Aida M. Moreira da Silva (Coimbra, Portugal), José M. A. Empis (Lisboa, Portugal), José J. C. Teixeira-Dias (Aveiro, Portugal) 2501 Inclusion of carvone enantiomers in cyclomaltoheptaose (β -cyclodextrin): thermal behaviour and H $\rightarrow$ D and D $\rightarrow$ H exchange
- Paola Cescutti, Cristiana Campa, Franco Delben, Roberto Rizzo (Trieste, Italy) 2505 Structure of the oligomers obtained by enzymatic hydrolysis of the glucomannan produced by the plant *Amorphophallus konjac*
- Keith Clinch, Gary B. Evans, Richard H. Furneaux, Phillip M. Rendle (Lower Hutt, New Zealand), Phillippa L. Rhodes, Anthony M. Robertson, Douglas I. Rosendale (Auckland, New Zealand), Peter C. Tyler (Lower Hutt, New Zealand), Damian P. Wright (Auckland, New Zealand) 2513 Corrigendum

I	Author Index of Volume 337
IX	Subject Index of Volume 337
XLIII	Contents of Volume 337