

Subject Index of Volume 338

Abalone

cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai* 2841

Absolute configuration

The absolute configuration of 1-carboxyethyl substituents on common hexoses by circular dichroism 85

Acarbose

A new synthesis of the oligosaccharide domain of acarbose 2779
Study of the inhibition of four alpha amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969

Acarbose biosynthesis

Biosynthetic studies on the α -glucosidase inhibitor acarbose: the chemical synthesis of isotopically labeled 2-*epi*-5-*epi*-valiolone analogs 2075

Acceptor reaction

Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dextranucrase and alternansucrase from *Leuconostoc mesenteroides* 855

Acetal-cleavage

Remote site bromination via a cascade rearrangement involving two bridging dioxonium species during oxidative cleavage of a benzylidene acetal 369

2-Acetamido-2-deoxy-D-glucose

Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133

Synthesis of new sugar amino acid derivatives of D-glucosamine 399

3-Acetamido-3,6-dideoxy-D-galactose

Structure of the O-specific polysaccharide of *Proteus vulgaris* O45 containing 3-acetamido-3,6-dideoxy-D-galactose 327

Acetan

Acetan:glucomannan interactions—a molecular modeling study 2889

Acetylacetone

The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819

Acetylation

Efficient selective preparation of methyl-1,2,4-tri-O-acetyl-3-O-benzyl- β -L-idopyranuronate from methyl 3-O-benzyl-L-iduronate 681

Location of sulfate groups on sulfoacetate derivatives of cellulose 761

Preparation of sulfoacetate derivatives of cellulose by direct esterification 743

Rapid quantification of O-acetyl and O-methyl residues in pectin extracts 379

Acetyl groups

Characterization of an acetylated heteroxylan from *Eucalyptus globulus* Labill 597

Acetyl xylan esterase

Carbohydrate esterase family 4 enzymes: substrate specificity 687

α_1 -Acid glycoprotein

Förster energy-transfer studies between Trp residues of α_1 -acid glycoprotein (orosomucoid) and the glycosylation site of the

protein 2233

Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097

Acinetobacter baumannii

Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter baumannii* strain 24 2751

Activation parameters for viscous flow

Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution 2921

Activity coefficients

Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415

Acyclonucleosides

A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2-(1H)one 2301

Acyclovir

Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185

2-(Acylamino)-2-deoxy-D-galactose

Crystal structures of O-acetylated 2-acylamino-2-deoxy-D-galactose derivatives 2119

Acylated

Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491

Acylation

Influence of functional groups on the in vitro anticoagulant activity of chitosan sulfate 483

Adenocystis utricularis

Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

ADPGlc

Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811

ADP heptose

Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose 2571

Adzuki bean

Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017

Affinity chromatography

β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glycosidases 1477

Affinity ligand

β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glycosidases 1477

AFM

Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, *r* and *rb* single mutants, and the *rrb* double mutant 2135

Characterisation of bacterial polysaccharides: steps towards single-molecular studies 2459

Agarans

Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans 2111

Unusual structures in the polysaccharides from the red seaweed *Pterocladia capillacea* (Gelidiaceae, Gelidiales) 943

Agrobacterium larrymoorei

Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei* 2721

Agrobacterium tumefaciens

Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58 1891

Aldehydro-monosaccharide *S*-methyl and *S*-benzylhydrazo-necarbo-dithioates

Sugar hydrazone–metal complexes: transition- and non-transition metal complexes of monosaccharide *S*-alkylhydrazoncarbo-dithioates and dehydro-L-ascorbic acid bis(*S*-alkylhydrazo-necarbo-dithioates) 2341

Alditol

Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177

Aldonolactone

Remote site bromination via a cascade rearrangement involving two bridging dioxonium species during oxidative cleavage of a benzylidene acetal 369

Aleuria aurantia lectin

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyl-transferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Alginate

Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325

Determination of the diadic composition of alginate by means of circular dichroism: a fast and accurate improved method 1139

Alginate lyase

cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai* 2841

Alginates

A fluorescence study of the interactions between sodium alginate and surfactants 1109

Alkaline chitosan solution

Alkaline chitosan solutions 2247

Alkaline degradation

Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I 1209

Alkaliphile

The O-specific chain structure of the major component from the lipopolysaccharide fraction of *Halomonas magadii* strain 21 MI (NCIMB 13595) 567

Alkali-soluble polysaccharide

An alkali-soluble heteroxyylan from seeds of *Phoenix dactylifera* L. 1609

Alkylation

Efficient nitrogen alkylation with carbohydrates 1243

Alkylenediamine

Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397

Alkylpolyglucopyranosides

Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dex-transucrase and alternansucrase from *Leuconostoc mesenteroides* 855

Allylation

A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2(1H)one 2301

Allyl bromide

A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2(1H)one 2301

Alternanase

A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in *Bacillus* sp. NRRL B-21195 2213

Alternansucrase

Alternansucrase acceptor reactions with methyl hexopyranosides 1961

Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dex-transucrase and alternansucrase from *Leuconostoc mesenteroides* 855

Amadori compound

Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part II—Kinetic analysis 1665

Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part I—Reaction mechanism 1651

Amidation

Chemical modification of chitosan. Part 15: Synthesis of novel chitosan derivatives by substitution of hydrophilic amine using *N*-carboxyethylchitosan ethyl ester as an intermediate 557

Amide bond

Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption 937

Aminocarbonyl reaction

Preparation and reactivity of a novel disaccharide, glucosyl 1,5-anhydro-D-fructose (1,5-anhydro-3-*O*- α -glucopyranosyl-D-fructose) 2221

Amino *C*-glycosyl compounds

Synthesis of new sugar amino acid derivatives of D-glucosamine 399

2-Aminoethyl phosphate

Phase-variation of the truncated lipo-oligosaccharide of *Neisseria meningitidis* NMB phosphoglucomutase isogenic mutant NMB-R6 2905

6-Aminogalactopyranoses

Synthesis of amino-substituted hexo- and heptopyranoses from D-galactose 2375

7-Aminogalactopyranoses

Synthesis of amino-substituted hexo- and heptopyranoses from D-galactose 2375

Aminoglycosides

An isocratic separation of underivatized gentamicin components, ¹H NMR assignment and protonation pattern 2853

Amino sugars

Crystal structures of *O*-acetylated 2-acylamino-2-deoxy-D-galactose derivatives 2119

Synthesis of new branched-chain amino sugars 673

Amphetamine

Efficient nitrogen alkylation with carbohydrates 1243

Amphiphilic cyclodextrins

Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185

 α -Amylase

Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAII by site-directed mutagenesis 1553

- Amylopectin**
Examination of the structure of amylopectin molecules by fluorescent labeling 471
- Amylose acetate**
Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397
- Amylose–iodine**
X-ray structure of the cyclomaltohexaicosaoose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution 977
- Amylose sulfate**
Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397
- Amylose triacetate**
Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397
- Anacardiaceae**
Structural features of an arabinogalactan gum exudates from *Spondias dulcis* (Anacardiaceae) 619
- Analogues**
Synthesis of S-linked thiooligosaccharide analogues of Nod factors: synthesis of new protected thiodisaccharide and thiotrisaccharide intermediates 1369
- α - and β -D-Glucopyranosides**
Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- Anguilla japonica***
Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263
- Anhydrobiosis**
Synthesis of L-trehalose and observations on isomer and by-product formation 813
- 1,5-Anhydro-D-fructose**
Preparation and reactivity of a novel disaccharide, glucosyl 1,5-anhydro-D-fructose (1,5-anhydro-3-O- α -glucopyranosyl-D-fructose) 2221
- 3,6-Anhydrogalactose**
Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans 2111
- Annealing**
Acid hydrolysis of native and annealed starches and branch-structure of their Naegeli dextrans 2871
- Anticoagulant activity**
Influence of functional groups on the in vitro anticoagulant activity of chitosan sulfate 483
- Anti-factor**
Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263
- Antigen**
Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of *Toxocara* larvae 35
- Antigenic epitopes**
A new mannoheptaose containing α and β -(1 \rightarrow 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175
- Antigenic polysaccharide**
The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923
- Antitumor**
Structural elucidation and antitumor activity of a fructan from *Cyathula officinalis* Kuan 1235
Synthesis of monomethylated dioscin derivatives and their antitumor activities 117
- Antitumor activity**
Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media 1517
- Apionucleoside**
Synthesis of novel apionucleosides: a short and concise synthesis of 2-deoxyapio-L-furanosyl acetate from D-lactose 705
- Aqueous solution**
Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution 2921
- Arabinan**
Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469
- α -L-Arabinofuranosidase**
Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469
- Arabinogalactan**
Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki* 1291
- Arabinogalactan-protein**
Purification and characterization of an endo- β -(1 \rightarrow 6)-galactanase from *Trichoderma viride* 219
- L-arabino-Hexos-5-uloses**
Convenient preparation of L-arabino-hexos-5-ulose derivatives from lactose 2349
- Arabinose flexibility**
Primary structure of the 2-O-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II 341
- Arabinoxylans**
Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy 771
- Arecaceae**
Structure of a highly substituted β -xylan of the gum exudate of the palm *Livistona chinensis* (Chinese fan) 1843
- Ascomyceteous fungus**
Structural characterization of Botryosphaeran: a (1 \rightarrow 3;1 \rightarrow 6)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. 1691
- Ascorbigen**
Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs 143
- Aspartame**
Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217
- Aspartic acid, O-polysaccharide structure**
Structure of the O-polysaccharide of *Proteus mirabilis* O38 containing 2-acetamidoethyl phosphate and N-linked D-aspartic acid 2387
- Aspergillus niger***
Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA 931
- Aspergillus oryzae* α -amylase**
Study of the inhibition of four alpha amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969
- Aspergillus* sp.**
Enzymatic synthesis of β -xylanase substrates: transglycosylation reactions of the β -xylosidase from *Aspergillus* sp. 313
- Atomic force microscopy**
Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, *r* and *rb* single mutants, and the *rrb* double mutant 2135
Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy 771
- Autoxidation**
Novel autoxidation and Michael addition of a butenolide-containing sugar leading to a C-branched-chain glucopyranosidulose, and X-ray structure of intermediates 1737
- Aziridines**
Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides 2825

- Bacillus amyloliquefaciens* α -amylase
Study of the inhibition of four α amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969
- Bacillus xylanase
Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens* 415
- Bacterial polysaccharide
Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 1861
Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191
Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571
Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T 459
Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105
- Bacterial polysaccharides
Immunology of bacterial polysaccharide antigens 2539
Physicochemical properties of bacterial glycopolymers in relation to bioactivity 2477
- Bacterial polysaccharide structure
Structure of the O-polysaccharide of *Providencia alcalifaciens* O21 containing 3-formamido-3,6-dideoxy-D-galactose 1425
- Bacterial polysaccharide structures
Structure of the O-polysaccharide from the lipopolysaccharide of *Hafnia alvei* strain PCM 1546 2153
Structure of the O-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* O11, strain PCM 1540 1389
Structure of the O-specific polysaccharide of *Providencia rustigianii* O14 containing N^ε-[(S)-1-carboxyethyl]-N^ε-(D-galacturonoyl)-L-lysine 1009
- Bacterial repeat unit polysaccharide
Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503
- Bacterial spore cortex repeating unit
Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- Baculovirus-infected insect cells
Recombinant (2→3)- α -sialyltransferase immobilized on nickel-Agarose for preparative synthesis of sialyl Lewis^x and Lewis^a precursor oligosaccharides 1153
- Benzo[c]pyrazoles
Synthesis of anellated carbasugars from (–)-quinic acid 293
- Benzo[d]pyrimidines, α -Oxoketene-S,S-acetals
Synthesis of anellated carbasugars from (–)-quinic acid 293
- Benzoic acid inclusion complexes
Crystal structure of β -cyclodextrin–benzoic acid inclusion complex 439
- Benzoyl bromide
Zinc triflate–benzoyl bromide: a versatile reagent for the conversion of ether into benzoate protecting groups and ether glycosides into glycosyl bromides 447
- Benzylation
A simple one-pot method for the synthesis of partially protected mono- and disaccharide building blocks using an orthoesterification–benzylation–orthoester rearrangement approach 2149
- Benzyl ester
Practical synthesis of the 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039
- Benzylidenation
A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-O-benzylidene-per-O-acetylated-1,2-*trans*-thioglycosides 199
- Benzylidene acetal
Neighboring-group participation in benzylidene acetal ring-opening of a 2-cyano-2-deoxypyranoside derivative by diethylaluminum cyanide 2177
The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride 697
- Benzyloxycarbonyl group
High yield regioselective monobenzyloxycarbonylation of secondary alcohols in glycopyranoside series 2409
- Bidimensional NMR spectroscopy
Structural features of an arabinogalactan gum exudates from *Spondias dulcis* (Anacardiaceae) 619
- Binary complexes
Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217
- Binding mode
Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclomaltoheptaose)[bis(β -cyclodextrin)] with a pyromellitic acid diamide tether 1751
- Bioactivity
A practical synthesis of a (1→6)-linked β -D-glucosamine nonasaccharide 495
- Biodegradation
Biodegradation of poly(ϵ -caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer 1759
- Biofilm
Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571
- Biostabilisation
Synthesis of L-trehalose and observations on isomer and by-product formation 813
- Biosynthesis
Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491
Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951
The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia* 2521
- Biotransformation
Biotransformation of low-molecular-weight alcohols by *Coleus forskohlii* hairy root cultures 729
- Blastospore
Structural characterization of (1→3)- β -D-glucans isolated from blastospore and hyphal forms of *Candida albicans* 1491
- Botryosphaeran
Structural characterization of Botryosphaeran: a (1→3;1→6)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. 1691
- Botryosphaeria* sp.
Structural characterization of Botryosphaeran: a (1→3;1→6)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. 1691
- BP density functional
Epoxidation of C-branched glycals: unexpected stereochemical results and their theoretical rationale 231
- Branched cyclodextrin
Stereoselective phosphorylation of branched cyclodextrins with inorganic *cyclo*-triphosphate 2067

Brevibacterium

A mannitol teichoic acid containing rhamnose and pyruvic acid acetal from the cell wall of *Brevibacterium permense* VKM Ac-2280 2745

Bridged bis(β -cyclodextrin)

Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclomaltoheptaose)[bis(β -cyclodextrin)] with a pyromellitic acid diamide tether 1751

Bromination

Remote site bromination via a cascade rearrangement involving two bridging dioxonium species during oxidative cleavage of a benzyldene acetal 369

Bromine activation of thioglycosides

An unusual course of thioglycoside activation with bromine: synthesis and crystal structure of 4-*O*-acetyl-2-bromo-2,3,6-trideoxy-3-*C*-methyl-3-trifluoroacetamido- α -L-altropyranosyl bromide 1121

Bromine oxidation

Hydrodynamic properties of oxidized extracellular polysaccharides from *Erwinia chrysanthemi* spp 2763

5-Bromo-5-deoxy-D-pentono-1,4-lactone

Efficient synthesis of 5-thio-D-arabinopyranose and 5-thio-D-xylopyranose from the corresponding D-pentono-1,4-lactones 2241

Bromodihydrooxazine

An unusual course of thioglycoside activation with bromine: synthesis and crystal structure of 4-*O*-acetyl-2-bromo-2,3,6-trideoxy-3-*C*-methyl-3-trifluoroacetamido- α -L-altropyranosyl bromide 1121

Bromoglucitol

Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177

Brown seaweeds

Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

Bucherer–Bergs reaction

Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-*O*-isopropylidene- α -D-lyxo-pentodialdo-1,4-furanoside 1917

Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination 1349

Burkholderia cepacia

Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687

Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulosylonate-(2 \rightarrow 4)-3-deoxy-D-manno-oct-2-ulosonate [α -Ko-(2 \rightarrow 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia* 2659

Butenolide-containing sugar

Novel autoxidation and Michael addition of a butenolide-containing sugar leading to a C-branched-chain glucopyranosidulose, and X-ray structure of intermediates 1737

Butyrivibrio fibrisolvens

Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571

CA26

X-ray structure of the cyclomaltohexaicosaoose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution 977

Calcofluor White

Förster energy-transfer studies between Trp residues of α_1 -acid glycoprotein (orosomucoid) and the glycosylation site of the protein 2233

Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097

Calorimetry

Testing the validity of comparisons between the rheological and

the calorimetric glass transition temperatures 787

Cancer-associated antigen

First total synthesis of α -(2 \rightarrow 3)/ α -(2 \rightarrow 6)-disialyl lactotetraosyl ceramide and disialyl Lewis A ganglioside as cancer-associated carbohydrate antigens 503

 ^{13}C and ^1H NMR analysis, glycoconjugates

Synthesis and solid state ^{13}C and ^1H NMR analysis of new oxamide derivatives of methyl 2-amino-2-deoxy- α -D-glucopyranoside and ester of amino acids or dipeptides 183

Candida albicans

Structural characterization of (1 \rightarrow 3)- β -D-glucans isolated from blastospore and hyphal forms of *Candida albicans* 1491

Capillary electrophoresis

Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I 1209

Enantioseparation using cyclosophoraoses as a novel chiral additive in capillary electrophoresis 1143

Caprolactone

Stereospecific synthesis of chiral caprolactone monomers from D-glucose 563

Capsular polysaccharide

Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491

Carbohydrase

Purification and characterization of an endo- β -(1 \rightarrow 6)-galactanase from *Trichoderma viride* 219

Carbohydrate

Effect of molecular structure on the conductivity of amorphous carbohydrate–water–KCl mixtures in the supercooled liquid state 433

Carbohydrate-based monomers

New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D-manno configuration 1115

Carbohydrate labelling

The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819

Carbohydrates

Chemical synthesis of methyl 6'- α -maltosyl- α -maltotriose and its use for investigation of the action of starch synthase II 189

Chemo-enzymatic synthesis of a tetra- and octasaccharide fragment of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2611

Chemo-enzymatic synthesis of tetra-, penta-, and hexasaccharide fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2629

Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127

Carboxyethylation

N-(2-Carboxyethyl)chitosans: regioselective synthesis, characterization and protolytic equilibria 271

(1-Carboxyethyl)-galactose

Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571

(1-Carboxyethyl)-glucose

Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571

1-Carboxyethyl substituent

The absolute configuration of 1-carboxyethyl substituents on common hexoses by circular dichroism 85

Carboxymethyl chitosan

Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan: II. Effect of degree of deacetylation and carboxymethylation 333

Carboxymethylglucan

The effect of (1 → 3)- β -D-glucans, carboxymethylglucan and schizophyllan on human leukocytes in vitro 2835

 κ -Carrageenan

Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures 787

Carrageenan

Analysis of pyruvylated β -carrageenan by 2D NMR spectroscopy and reductive partial hydrolysis 1403

Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method 1309

Carrageenans

Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans 2111

CAS

Rheological properties of sulfoacetate derivatives of cellulose 751

Cassia grandis

Cassia grandis Linn. f. seed galactomannan: structural and crystallographical studies 1907

Catalysis

Monoesterification of di-*O*-isopropylidene and di-*O*-cyclohexylidene *chiro*-inositols 995

Catalytic effect

Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217

Catalytic mechanism

On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases 865

Cationic alkyl polyglycosides

Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine 733

Cationic starch

Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine 733

C-Branched sugars

Epoxidation of C-branched glycals: unexpected stereochemical results and their theoretical rationale 231

¹C₄ conformation

Synthesis and structural analyses of 3-acetamido-1,4-di-*O*-acetyl-2,3,5-trideoxy-5-*C*-(isopropylphosphinyl)-D-*erythro*-pentopyranoses 283

¹³C CPMAS NMR spectroscopy

Imazalil-cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ¹³C CPMAS and ¹H NMR characterization 2227

CD

Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571

cDNA cloning

cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai* 2841

CE-ESIMS/MS

Structural profiling of lipopolysaccharide glycoforms expressed by non-typeable *Haemophilus influenzae*: phenotypic similarities between NTHi strain 162 and the genome strain Rd 2731

Cellodextrin phosphorylase

Enzymatic synthesis of a library of β -(1 → 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981

Cellooligosaccharides

Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I 1209

Cellulase

Enzymatic synthesis of a library of β -(1 → 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981

Cellulose

Enzymatic synthesis of a library of β -(1 → 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981

Preparation of sulfoacetate derivatives of cellulose by direct esterification 743

Rheological properties of sulfoacetate derivatives of cellulose 751

Cellulose acetate

Location of sulfate groups on sulfoacetate derivatives of cellulose 761

Cellulose sulfate

Location of sulfate groups on sulfoacetate derivatives of cellulose 761

Cell wall

Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis 423

Primary structure of the 2-*O*-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II 341

Solid-state ¹³C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta) 1559

Structure of the xyloglucan produced by suspension-cultured tomato cells 1197

Centella asiatica

Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393

C-Glycosides

A novel approach to the stereocontrolled synthesis of *C*-vinyl β -D-galactopyranosides 1877

C-Glycosyl compounds

Preparation of 2,6-anhydro-aldose acylhydrazones, -semicarbazones and -oximes from 2,6-anhydro-aldononitriles (glycosyl cyanides) 1319

Chain length distribution

Acid hydrolysis of native and annealed starches and branch-structure of their Naegeli dextrans 2871

CHARMM

Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates 393

Chartreusin

Crystal structure of chartreusin derivative A132 1523

Chemiluminescence

Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2-*a*]pyrazin-3(7*H*)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltononaoase (δ -cyclodextrin) 987

Chemoenzymatic

Chemoenzymatic synthesis of the sialyl- α -(2 → 3')-lactosamine trisaccharide with a 3-aminopropyl group as a spacer at the reducing end 1265

Chemo-enzymatic synthesis

Chemo-enzymatic synthesis of a divalent sialyl Lewis^x ligand with restricted flexibility 1163

Recombinant (2 → 3)- α -sialyltransferase immobilized on nickel-Agarose for preparative synthesis of sialyl Lewis^x and Lewis^a precursor oligosaccharides 1153

C-H $\cdots\pi$ interaction

The crystal structure of 1,2,3,4,6-*penta-O*-benzoyl- α -D-mannopyranose: observation of C-H $\cdots\pi$ interaction as a surrogate to O-H \cdots O interaction of a free sugar 2005

Chiral additive

Enantioseparation using cyclosophoraoses as a novel chiral additive in capillary electrophoresis 1143

Chirality

Crystal structure and chirality of natural floridoside 2413

Chitin

Carbohydrate esterase family 4 enzymes: substrate specificity 687
Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823

Chitin deacetylase

Carbohydrate esterase family 4 enzymes: substrate specificity 687

Chitin–glucan

Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA 931

Chitosan

Chemical modification of chitosan. Part 15: Synthesis of novel chitosan derivatives by substitution of hydrophilic amine using *N*-carboxyethylchitosan ethyl ester as an intermediate 557

Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization 1283

Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption 937

The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819

Chitosan acidic salt

Two different molecular conformations found in chitosan type II salts 1229

Chitosan–alginate complexes

Alkaline chitosan solutions 2247

Chitosan carbamate ammonium salt

Alkaline chitosan solutions 2247

Chitosan conformation

Two different molecular conformations found in chitosan type II salts 1229

Chitosan solubility

Alkaline chitosan solutions 2247

Chitosan sulfate

Influence of functional groups on the in vitro anticoagulant activity of chitosan sulfate 483

Chloralose

1,2-*O*-Trichloroethylidene acetal group protected 3,5-dieno-1,4-furanose derivatives 2013

Chlorhexidine

Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571

Cholesteric liquid crystals

Change of handedness in cholesteric liquid crystalline phase for *N*-phthaloylchitosan solutions in organic solvents 1699

Cholesteric structure

Study on lyotropic liquid-crystalline properties of trimethylsilyl hydroxypropylcellulose 535

Chondroitin AC lyase

Chondroitin *O*-methyl ester: an unusual substrate for chondroitin AC lyase 2101

Chondroitin *O*-methyl ester

Chondroitin *O*-methyl ester: an unusual substrate for chondroitin AC lyase 2101

Circular dichroism

Change of handedness in cholesteric liquid crystalline phase for *N*-phthaloylchitosan solutions in organic solvents 1699

Determination of the diadic composition of alginate by means of circular dichroism: a fast and accurate improved method 1139

Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism 2129

The absolute configuration of 1-carboxyethyl substituents on common hexoses by circular dichroism 85

Citrobacter gillenii

Structure of the *O*-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* O11, strain PCM 1540 1389

Classification

Structure of the *O*-polysaccharide of *Proteus mirabilis* O38 containing 2-acetamidoethyl phosphate and *N*-linked *D*-aspartic acid 2387

Cluster effect

Chemo-enzymatic synthesis of a divalent sialyl Lewis^x ligand with restricted flexibility 1163

¹³C NMR

NMR and modelling studies of disaccharide conformation 955
Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β-*D*-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879

¹³C NMR spectroscopy

X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy-α-*D*-lyxo-hexopyranoside 795

Coleus forskohlii

Biotransformation of low-molecular-weight alcohols by *Coleus forskohlii* hairy root cultures 729

Column chromatography

A simple method for preparation of *D*-rhamnose 109

Commensal

Structural analysis of the lipooligosaccharide from the commensal *Haemophilus somnus* strain 1P 1223

Complexation

Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl₃–ribose complex 2913

Composites

Biodegradation of poly(ε-caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer 1759

Composition

Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507

Composting

Biodegradation of poly(ε-caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer 1759

Concanavalin A

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Conductivity

Effect of molecular structure on the conductivity of amorphous carbohydrate–water–KCl mixtures in the supercooled liquid state 433

Conformation

Chain conformation of sulfated derivatives of β-glucan from sclerotia of *Pleurotus tuber-regium* 2863

Change of handedness in cholesteric liquid crystalline phase for *N*-phthaloylchitosan solutions in organic solvents 1699

Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-*O*-isopropylidene-α-*D*-lyxo-pentodialdo-1,4-furanoside 1917

Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507

Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization 1283

Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates 393

NMR and modelling studies of disaccharide conformation 955

The crystal structure of 1,2,3,4,6-*penta-O*-benzoyl-α-*D*-mannopyranose: observation of C–H⋯π interaction as a surrogate to O–H⋯O interaction of a free sugar 2005

Conformational analysis

Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose 95

MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679

Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299

Conformational distortions

A conformational model of per-*O*-acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy 1103

Conformational locking

Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol 2899

Conformation analysis

The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation 651

Conformations

Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbopyranosides and their 6-*C*-methoxy analogues 123

Conformer equilibrium

Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides 1771

Conjugate vaccines

Conjugation of meningococcal lipooligosaccharides through their lipid A terminus conserves their inner epitopes and results in conjugate vaccines having improved immunological properties 167

Cooperativity

Chemo-enzymatic synthesis of a divalent sialyl Lewis^x ligand with restricted flexibility 1163

Copolyesters

Synthesis of 2,3,4,5-tetra-*O*-methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters 549

Copper

Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217

Core

Structure of bacterial lipopolysaccharides 2431

The structure of the polysaccharide part of the LPS from *Serratia marcescens* serotype O19, including linkage region to the core and the residue at the non-reducing end 2757

The structure of the rough-type lipopolysaccharide from *Shewanella oneidensis* MR-1, containing 8-amino-8-deoxy-Kdo and an open-chain form of 2-acetamido-2-deoxy-D-galactose 1991

Core oligosaccharide

Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei* 2721

Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulose-5-phosphate-(2 \rightarrow 4)-3-deoxy-D-manno-oct-2-ulose-5-phosphate [α -Ko-(2 \rightarrow 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia* 2659

Core structures

Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697

Structure of a highly phosphorylated lipopolysaccharide core in the Δ algC mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3) 2667

Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly *O*-acetylated core region 1895

Cororubicin

An unusual course of thioglycoside activation with bromine: synthesis and crystal structure of 4-*O*-acetyl-2-bromo-2,3,6-trideoxy-3-*C*-methyl-3-trifluoroacetamido- α -L-altropyranosyl bromide 1121

Correlation of structure to bioactivity

Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media 1517

Crystallisation

A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-*O*-benzylidene-per-*O*-acetylated-1,2-*trans*-thioglycosides 199

FTIR study of state and phase transitions of low moisture sucrose and lactose 2195

Crystallization

Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541

Crystal structure

Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine 353

Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl₃–ribose complex 2913

Sugar complexes with neodymium nitrate. Spectroscopic and structural studies of two Nd(NO₃)₃–galactitol complexes 2029

Crystal structures

A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules 1581

Crystal structure of chartreusin derivative A132 1523

Crystal structure of β -cyclodextrin–benzoic acid inclusion complex 439

The crystal structure of 1,2,3,4,6-*penta-O*-benzoyl- α -D-mannopyranose: observation of C–H $\cdots\pi$ interaction as a surrogate to O–H \cdots O interaction of a free sugar 2005

1-*C*-(5-Thio-D-xylopyranosyl) derivatives

New 1-*C*-(5-thio-D-xylopyranosyl) derivatives as potential orally active venous antithrombotics 1271

Cyanation

C–H-Deprotonation mediated by a remote *syn*-axial acetoxy group—an unprecedented double bond formation upon cyanation of the dimer from L-fucal 851

2-Cyano-2-deoxy pyranoside

Neighboring-group participation in benzylidene acetal ring-opening of a 2-cyano-2-deoxy pyranoside derivative by diethylaluminum cyanide 2177

Cyathula officinalis Kuan

Structural elucidation and antitumor activity of a fructan from *Cyathula officinalis* Kuan 1235

Cyclic acetals

1,2-*O*-Trichloroethylidene acetal group protected 3,5-dieno-1,4-furanose derivatives 2013

Cyclic tetrasaccharide

Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide 2367

Cyclisation

Synthesis of 3-(α - and β -D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-*b*]pyridazine 2057

Cyclitol

Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999

Cycloaddition

Synthesis of new branched-chain amino sugars 673

Cycloadditions

Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbopyranosides and their 6-*C*-methoxy analogues 123

Cycloalternan

A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in *Bacillus* sp. NRRL B-21195 2213

Cycloalternan-forming enzyme

A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in *Bacillus* sp. NRRL B-21195 2213

Cyclodextrin

Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine 353

 β -Cyclodextrin

Crystal structure of β -cyclodextrin–benzoic acid inclusion complex 439

Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol 781

Regioselective sulfonation at O-2 of cyclomaltoheptaose with 1-(*p*-tolylsulfonyl)-(1*H*)-1,2,4-triazole 451

Cyclodextrin

Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2-*a*]pyrazin-3(7*H*)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltononaose (δ -cyclodextrin) 987

 δ -Cyclodextrin

Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2-*a*]pyrazin-3(7*H*)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltononaose (δ -cyclodextrin) 987

Cyclodextrin

Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAI by site-directed mutagenesis 1553

 β -Cyclodextrin

An efficient preparation of 6^{1,IV} dihydroxy permethylated β -cyclodextrin 2417

A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules 1581

Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ¹³C CPMAS and ¹H NMR characterization 2227

Cyclodextrinase activity

Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAI by site-directed mutagenesis 1553

Cyclodextrin glucanotransferase

Preparation and reactivity of a novel disaccharide, glucosyl 1,5-anhydro-D-fructose (1,5-anhydro-3-*O*- α -glucopyranosyl-D-fructose) 2221

Cyclodextrins

A conformational model of per-*O*-acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy 1103

Macrocycle conformation and self-inclusion phenomena in octakis(3-*O*-butanoyl-2,6-di-*O*-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625

1,2-Cyclohexanediol

Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963

Cyclomaltoheptaose

Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ¹³C CPMAS and ¹H NMR characterization 2227

Cyclomaltohexaosaose triiodide inclusion complexes

X-ray structure of the cyclomaltohexaosaose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution 977

Cyclomaltooligosaccharide

Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2-*a*]pyrazin-3(7*H*)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltononaose (δ -cyclodextrin) 987

Cyclomaltooligosaccharides

A conformational model of per-*O*-acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy 1103

Cyclosophoraoses

Enantioseparation using cyclosophoraoses as a novel chiral additive in capillary electrophoresis 1143

cyclo-Triphosphate

Stereoselective phosphorylation of branched cyclodextrins with inorganic *cyclo*-triphosphate 2067

Cylindrical Patterson method

Two different molecular conformations found in chitosan type II salts 1229

Cystic fibrosis

Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687

Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 1861

Cytokines

Physicochemical properties of bacterial glycopolymers in relation to bioactivity 2477

Cytotoxic activity of S-(1 \rightarrow 4)-thiodisaccharides

Thio-sugars VII. Effect of 3-deoxy-4-*S*-(β -D-glucopyranosyl)-4-thiodisaccharides and their sulfoxides and sulfones on the viability and growth of selected murine and human tumor cell lines 11

Date seed

An alkali-soluble heteroxylan from seeds of *Phoenix dactylifera* L. 1609

DDMP saponins

Synthesis of the trisaccharide portion of soyasaponin β g: evaluation of a new glucuronic acid acceptor 1441

Deesterification

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Degree of deacetylation

Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan: II. Effect of degree of deacetylation and carboxymethylation 333

Degree of substitution

Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine 733

Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan: II. Effect of degree of deacetylation and carboxymethylation 333

Dehalogenation

Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177

dehydro-L-ascorbic acid bis(*S*-methylhydrazonocarbothioate) and bis(hydrazonocarbothioamide)

Sugar hydrazone–metal complexes: transition- and non-transition metal complexes of monosaccharide *S*-alkylhydrazonocarbothioates and dehydro-L-ascorbic acid bis(*S*-alkylhydrazonocarbothioates) 2341

- Delmatan sulfate**
Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263
- Demethylmorphine**
Efficient nitrogen alkylation with carbohydrates 1243
- Density functional theory**
Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates 393
- Density-gradient**
Molecular fractionation of starch by density-gradient ultracentrifugation 611
- 2-Deoxyapiose**
Synthesis of novel apionucleosides: a short and concise synthesis of 2-deoxyapio-L-furanosyl acetate from D-lactose 705
- Deoxygenation**
Stereoselectivity in deoxygenation of 5-hydroxy-5-phosphinyl-hexofuranoses (α -hydroxyphosphonates) 1641
- 4-Deoxyhex-4-enopyranose derivatives**
Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbopyranosides and their 6-C-methoxy analogues 123
- 6-Deoxyhexose**
A simple method for preparation of D-rhamnose 109
- Deoxy imino sugars**
Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors 2265
- 3-Deoxy-D-manno-oct-2-ulonic acid**
Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T 459
Substitution pattern of 3-deoxy-D-manno-oct-2-ulonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS 2679
- 6-Deoxytalan**
Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58 1891
- 6-Deoxy-L-talose**
Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T 459
- 6-Deoxytalose**
Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58 1891
- Desulphation**
Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation 1133
- Dextran**
Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of *Leuconostoc mesenteroides* B-512FMCM dextranucrase 1183
The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083
- Dextranucrase**
Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of *Leuconostoc mesenteroides* B-512FMCM dextranucrase 1183
Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dextranucrase and alternansucrase from *Leuconostoc mesenteroides* 855
- Diads**
Determination of the diadic composition of alginate by means of circular dichroism: a fast and accurate improved method 1139
- 5,7-Diamino-3,5,7,9-tetradeoxy-non-2-ulonic acid**
Structure and serological characterization of 5,7-diamino-3,5,7,9-tetradeoxy-non-2-ulonic acid isolated from lipopolysaccharides of *Vibrio parahaemolyticus* O2 and O-untypable strain KX-V212 1055
- 5,7-Diamino-3,5,7,9-tetradeoxy-non-2-ulonic acid**
Structural characterization of the carbohydrate backbone of the lipopolysaccharide of *Vibrio parahaemolyticus* O-untypable strain KX-V212 isolated from a patient 2711
- Diazodiphenylmethane**
Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963
- Diethylaluminum cyanide**
Neighboring-group participation in benzylidene acetal ring-opening of a 2-cyano-2-deoxypyranoside derivative by diethylaluminum cyanide 2177
- Digalactosyl ononitol**
Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017
- Dihydroxyproline**
Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors 2265
- Diisopropylidene-D-glucose**
Stereospecific synthesis of chiral caprolactone monomers from D-glucose 563
- Dimeb**
A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose 2091
- Diols**
Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963
- Dioscin**
Synthesis of monomethylated dioscin derivatives and their antitumor activities 117
The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides 721
- Diosgenin**
Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133
- Diosgenyl glycosides**
Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133
- Diospyros kaki**
Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki* 1291
- Disaccharides**
Acetylated methyl glucopyranuronate trichloroacetimidate as a glycosyl donor for efficient synthesis of disaccharides 2337
NMR and modelling studies of disaccharide conformation 955
Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- Disialyl lactotetraosyl ceramide**
First total synthesis of α -(2 \rightarrow 3)/ α -(2 \rightarrow 6)-disialyl lactotetraosyl ceramide and disialyl Lewis A ganglioside as cancer-associated carbohydrate antigens 503
- Disialyl Le^a ganglioside**
First total synthesis of α -(2 \rightarrow 3)/ α -(2 \rightarrow 6)-disialyl lactotetraosyl ceramide and disialyl Lewis A ganglioside as cancer-associated carbohydrate antigens 503
- Disproportionating enzyme**
A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in *Bacillus* sp. NRRL B-21195 2213
- Dithiinyll reagents**
A novel approach to the stereocontrolled synthesis of C-vinyl β -D-galactopyranosides 1877
- Dithioxylopyranosides**
New efficient electrochemical synthesis of 1,5-dithioxylopyranosides in the presence of a sacrificial anode 1543

Divalent

Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranosides 207

Divalent sialyl Lewis^x

Chemo-enzymatic synthesis of a divalent sialyl Lewis^x ligand with restricted flexibility 1163

DM and DR by ¹H NMR spectroscopy

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

DNA

Crystal structure of chartreusin derivative A132 1523

DNA damage

Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA 931

2D NMR spectroscopy data

The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923

1,12-Dodecanediol

Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol 781

Double bond formation

C–H-Deprotonation mediated by a remote *syn*-axial acetoxy group—an unprecedented double bond formation upon cyanation of the dimer from L-fucal 851

Doxorubicin

Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin 1359

DSC

Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541

Dye molecule

Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclomaltoheptaose)[bis(β -cyclodextrin)] with a pyromellitic acid diamide tether 1751

E. coli

Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503

Ectocarpales

Fucidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

Eel skin

Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263

Electrochemistry

Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217

Electrolytes

Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415

Electrospray ionisation

Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans 1497

Electrospray ionisation mass spectrometry

Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185

Electrospray-ionization

Characterizing the electrospray-ionization mass spectral fragmentation pattern of enzymatically derived hyaluronic acid oligomers 1381

Electrospray tandem mass spectrometry

Electrospray tandem mass-spectrometric analysis of diastereo- and stereoisomeric pyrimidine nucleoside analogues based on the 1,3-dihydrobenzo[c]furan core 2311

Synthesis and structural characterization of 1-(D-glycosyloxy)phthalazines 2291

Electrosynthesis

New efficient electrochemical synthesis of 1,5-dithioxypyranosides in the presence of a sacrificial anode 1543

ELISA

Structure and serological characterization of 5,7-diamino-3,5,7,9-tetradeoxy-non-2-ulosonic acid isolated from lipopolysaccharides of *Vibrio parahaemolyticus* O2 and O-untypable strain KX-V212 1055

emf

Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415

Enantiomeric separation

Enantioseparation using cyclophoraoes as a novel chiral additive in capillary electrophoresis 1143

Enantiomers

Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans 2111

Endo- β -(1 \rightarrow 6)-galactanase

Purification and characterization of an endo- β -(1 \rightarrow 6)-galactanase from *Trichoderma viride* 219

Endoperoxide

A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to (\pm)-*proto*-quercitol 1615

Endotoxin

A simple method for preparation of D-rhamnose 109

Structure of bacterial lipopolysaccharides 2431

Substitution pattern of 3-deoxy-D-*manno*-oct-2-ulosonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS 2679

Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities 47

Endotoxins

Physicochemical properties of bacterial glycopolymers in relation to bioactivity 2477

Endoxylanase

Biochemical and catalytic properties of an endoxylanase purified from the culture filtrate of *Sporotrichum thermophile* 1881

Ene-reaction

A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to (\pm)-*proto*-quercitol 1615

Enzymatic glycosylation

Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951

Enzymatic hydrolysis

Location of sulfate groups on sulfoacetate derivatives of cellulose 761

Enzyme

Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851

Enzyme immobilization

Recombinant (2 \rightarrow 3)- α -sialyltransferase immobilized on nickel-Agarose for preparative synthesis of sialyl Lewis^x and Lewis^a precursor oligosaccharides 1153

Enzyme inhibitors

Study of the inhibition of four alpha amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969

Enzymes

Chemical synthesis of methyl 6'- α -maltosyl- α -maltotrioxide and its use for investigation of the action of starch synthase II 189

Enzymic hydrolysis

Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491

2-*epi*-5-*epi*-Valiolone analogs

- Biosynthetic studies on the α -glucosidase inhibitor acarbose: the chemical synthesis of isotopically labeled 2-*epi*-5-*epi*-valiolone analogs 2075
- Epoxidation
Convenient preparation of L-*arabino*-hexos-5-ulose derivatives from lactose 2349
Epoxidation of C-branched glycals: unexpected stereochemical results and their theoretical rationale 231
- EPS
Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851
Erwinia carotovora
Structure of the O-polysaccharide of *Erwinia carotovora* ssp. *carotovora* GSPB 436 2025
Erwinia chrysanthemi
Hydrodynamic properties of oxidized extracellular polysaccharides from *Erwinia chrysanthemi* spp 2763
Escherichia coli
Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491
- ESI FT-MS
Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697
- ESIMS
Characterizing the electrospray-ionization mass spectral fragmentation pattern of enzymatically derived hyaluronic acid oligomers 1381
- Esterases
Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491
- Esterification
Monoesterification of di-*O*-isopropylidene and di-*O*-cyclohexylidene *chiro*-inositols 995
Preparation of sulfoacetate derivatives of cellulose by direct esterification 743
- Ethanolamine diphosphate
Structure of a highly phosphorylated lipopolysaccharide core in the Δ *algC* mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3) 2667
- Ethanol inclusion complexes
A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules 1581
- Eubacterium saburreum*
The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923
- Eucalyptus globulus*
Characterization of an acetylated heteroxylan from *Eucalyptus globulus* Labill 597
- Excess enthalpy
Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
- Excess volume
Volumetric behaviour of maltose–water, maltose–glycerol and starch–sorbitol–water systems mixtures in relation to structural relaxation 2883
- Exopolygalacturonase
Cloning expression and characterization of a thermostable exopolygalacturonase from *Thermotoga maritima* 1333
- Exopolysaccharide
Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687
Structural analysis of the *Lactobacillus rhamnosus* strain KL37C exopolysaccharide 605
Structural characterization of Botryosphaeran: a (1 \rightarrow 3; 1 \rightarrow 6)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. 1691
- Extracellular polysaccharide
Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491
- Extremophile
Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens* 415
- Family 11
Biochemical and catalytic properties of an endoxylanase purified from the culture filtrate of *Sporotrichum thermophile* 1881
- Fermentation
Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- Flavobacterium columnare*
The structure of the glycopeptides from the fish pathogen *Flavobacterium columnare* 2653
Flavobacterium heparinum
Chondroitin O-methyl ester: an unusual substrate for chondroitin AC lyase 2101
- Flax shive
Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Floridoside
Crystal structure and chirality of natural floridoside 2413
- Fluorescence energy transfer
Förster energy-transfer studies between Trp residues of α_1 -acid glycoprotein (orosomucoid) and the glycosylation site of the protein 2233
- Fluorescence labels
Synthesis of fluorescence-labelled disaccharide substrates of glucosidase II 1937
- Fluorescence lifetimes
Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097
- Fluorescence quantum yield
Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097
- Fluorescent labeling
Examination of the structure of amylopectin molecules by fluorescent labeling 471
- Force spectroscopy
Characterisation of bacterial polysaccharides: steps towards single-molecular studies 2459
- Free carboxylic acid
Practical synthesis of the 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039
- Free radicals
Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA 931
- Freeze-drying
Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541
- Fructan
Structural elucidation and antitumor activity of a fructan from *Cyathula officinalis* Kuan 1235
- Fructans
Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571
- D-Fructose
Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones 711

Fructosyltransferase

Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571

FT-IR

Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl_3 –ribose complex 2913

Sugar complexes with neodymium nitrate. Spectroscopic and structural studies of two $\text{Nd}(\text{NO}_3)_3$ –galactitol complexes 2029

L-Fucal dimer

C–H-Deprotonation mediated by a remote *syn*-axial acetoxy group—an unprecedented double bond formation upon cyanation of the dimer from L-fucal 851

Fucans

Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

D-Fucofuranose

The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923

Fucoidans

Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

Fucose

Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of *Toxocara* larvae 35

D-Fucose

A new synthesis of the oligosaccharide domain of acarbose 2779

 α -L-Fucosidase

Synthesis of 2-chloro-4-nitrophenyl α -L-fucopyranoside: a substrate for α -L-fucosidase (AFU) 1603

 α -(1 \rightarrow 2)-L-Fucosylated oligosaccharide synthesis

Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083

 α -(1 \rightarrow 2)-L-Fucosylation

Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083

Fucosyltransferase

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Furanosiduronamide

Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-*O*-isopropylidene- α -D-lyxo-pentodialdo-1,4-furanoside 1917

Galactan

Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851

Galactans, D-galactose blocks

Unusual structures in the polysaccharides from the red seaweed *Pterocladia capillacea* (Gelidiaceae, Gelidiales) 943

Galactans, sulfated

Unusual structures in the polysaccharides from the red seaweed *Pterocladia capillacea* (Gelidiaceae, Gelidiales) 943

Galactaric acid, protected

New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D-manno configuration 1115

Galactitol

Sugar complexes with neodymium nitrate. Spectroscopic and structural studies of two $\text{Nd}(\text{NO}_3)_3$ –galactitol complexes 2029

Galactofucans

Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies 153

Galactofuranose

First synthesis of β -D-Galp-(1 \rightarrow 3)-D-Galp—the repeating unit of the backbone structure of the O-antigenic polysaccharide present in the lipopolysaccharide (LPS) of the genus *Klebsiella* 1033

Galactomannan

Acetan:glucomannan interactions—a molecular modeling study 2889

Cassia grandis Linn. f. seed galactomannan: structural and crystallographical studies 1907

NMR-based identification of cell wall galactomannan of *Streptomyces* sp. VKM Ac-2125 2021

Galactopyranose

Cassia grandis Linn. f. seed galactomannan: structural and crystallographical studies 1907

D-Galactosamine

Ni(II) complexes with Schiff bases derived from amino sugars 1535

D-Galactose

Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin 1359

Galactose

Synthesis of amino-substituted hexo- and heptopyranoses from D-galactose 2375

 β -Galactosidase

Synthesis of radioiodine-labeled 2-phenylethyl 1-thio- β -D-galactopyranoside for imaging of *LacZ* gene expression 29

Galactosyl cyclitol

Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017

 α -(1 \rightarrow 2)-L-Galactosyltransferase

Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083

Galacturonosyltransferases

Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951

 β -GalNAc

Fungal β -N-acetylhexosaminidases with high β -N-acetylgalactosaminidase activity and their use for synthesis of β -GalNAc-containing oligosaccharides 1003

Ganglioside

Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-*O*-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid 2793

GDP-L-Fuc

Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083

Gelatin

Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures 787

Gelation

Acetan:glucomannan interactions—a molecular modeling study 2889

Gelidiales

Unusual structures in the polysaccharides from the red seaweed *Pterocladia capillacea* (Gelidiaceae, Gelidiales) 943

Gelling properties

Chemically methylated and reduced pectins: preparation, characterisation by ^1H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Gelling temperature

Rheological properties of sulfoacetate derivatives of cellulose 751

Gel-permeation HPLC

Examination of the structure of amylopectin molecules by fluorescent labeling 471

- Gel strength
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
- Gene expression
Synthesis of radioiodine-labeled 2-phenylethyl 1-thio- β -D-galactopyranoside for imaging of *LacZ* gene expression 29
- GG and MM blocks
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
- Glass transition
Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures 787
- Glass-transition
FTIR study of state and phase transitions of low moisture sucrose and lactose 2195
- (1 \rightarrow 3;1 \rightarrow 6)- β -glucan
Structural characterization of *Botryosphaera*: a (1 \rightarrow 3;1 \rightarrow 6)- β -D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp. 1691
- β -D-Glucan
Chain conformation of sulfated derivatives of β -glucan from sclerotia of *Pleurotus tuber-regium* 2863
- β -1,3-1,4-D-Glucanase
Enzymatic synthesis of 4-methylumbelliferyl (1 \rightarrow 3)- β -D-glucooligosaccharides—new substrates for β -1,3-1,4-D-glucanase 1455
- β -D-Glucans
Synthesis of β -D-glucose oligosaccharides from *Phytophthora parasitica* 2359
- Glucansucrase
Alternansucrase acceptor reactions with methyl hexopyranosides 1961
- D-glucitol
Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177
- Glucomannan
Acetan:glucomannan interactions—a molecular modeling study 2889
Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Glucomannan, structures
Isolation and characterization of *O*-acetylated glucomannans from aspen and birch wood 525
- D-Gluconic acid, protected
Synthesis of 2,3,4,5-tetra-*O*-methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters 549
- D-Glucono-1,6-lactone, protected
Synthesis of 2,3,4,5-tetra-*O*-methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters 549
- Glucopyranosyl compounds
Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol 2899
- Glucosamine
Synthesis of β -D-GlcpNAc-(1 \rightarrow 3)- α -L-Rhap-(1 \rightarrow 2)-[β -L-Xylp-(1 \rightarrow 4)]- α -L-Rhap-(1 \rightarrow 3)- α -L-Rhap, the repeating unit of the O-antigen produced by *Pseudomonas solanacearum* ICMP 7942 19
- D-Glucosamine
Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133
- Glucosamine
A practical synthesis of a (1 \rightarrow 6)-linked β -D-glucosamine nonasaccharide 495
- Synthesis of biantennary β -D-(1 \rightarrow 6) glucosamine oligosaccharides 1313
- D-Glucosamine
Ni(II) complexes with Schiff bases derived from amino sugars 1535
- Glucose
A practical synthesis of α -D-Manp-(1 \rightarrow 3)- α -D-Manp-(1 \rightarrow 2)-[α -D-Glcp-(1 \rightarrow 3)]- α -D-Manp-(1 \rightarrow 2)- α -D-Manp-(1 \rightarrow 2)- α -D-Manp, an O-specific heterohexasaccharide fragment of *Citrobacter braakii* O7a, 3b, 1c 2169
Highly efficient synthesis of alternate α - and β -(1 \rightarrow 3)-linked glucose hepta- and octasaccharides 2047
Synthesis of β -(1 \rightarrow 6)-branched (1 \rightarrow 3)-glucododecaose and -glucopentadecaose with alternate β - and α -bonds in the backbone 2203
Synthesis of mannose-containing analogues of (1 \rightarrow 6)-branched (1 \rightarrow 3)-glucohexaose (I) 1727
Synthesis of two heptasaccharide analogues of the lentinan repeating unit 2813
- Glucose oligosaccharides
Regioselective glycosylation of 4,6-*O*-benzylidenated glucopyranosides 843
- Glucosidase II
Synthesis of fluorescence-labelled disaccharide substrates of glucosidase II 1937
- Glucosylated isokestose
Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β -D-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879
- Glucosylated nystose
Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β -D-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879
- Glucuronic acid
Synthesis of a hexasaccharide, the repeating unit of *O*-deacetylated GXM of *C. neoformans* serotype A 1719
- Glucuronic acid glycosylation
Synthesis of the trisaccharide portion of soyasaponin β g: evaluation of a new glucuronic acid acceptor 1441
- Glucuronoxylan
Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans 1497
- GLUT5
Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones 711
- Glycal
Epoxidation of C-branched glycals: unexpected stereochemical results and their theoretical rationale 231
- D-glycero-D-galacto-Heptopyranose
The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923
- D-glycero-D-talo-Oct-2-ulosonic acid
Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulosylonate-(2 \rightarrow 4)-3-deoxy-D-manno-oct-2-ulosonate [α -Ko-(2 \rightarrow 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia* 2659
- Glycoconjugates
Physicochemical properties of bacterial glycopolymers in relation to bioactivity 2477
- Glycoconjugate vaccines
Synthesis of tetra- and pentasaccharides corresponding to the capsular polysaccharide of *Streptococcus pneumoniae* type 9A&L, 9N and 9A 2605

Glycomimetics

Synthesis of protected 2-amino-2-deoxy-D-xylothionolactam derivatives and some aspects of their reactivity 1591

Glycon substrate specificity

β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glycosidases 1477

Glycopeptide

The structure of the glycopeptides from the fish pathogen *Flavobacterium columnare* 2653

Glycopeptides

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Glycoprotein processing

Synthesis of fluorescence-labelled disaccharide substrates of glucosidase II 1937

Glycoproteins

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Glycopyranoside acceptors

Alternansucrase acceptor reactions with methyl hexopyranosides 1961

Glycopyranoside series

High yield regioselective monobenzyloxycarbonylation of secondary alcohols in glycopyranoside series 2409

Glycosidase

Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens* 415

Glycosidase inhibitors

Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors 2265

Glycosidation

Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-*O*-benzyl-4,6-*O*-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10 1531
Synthesis of phosphatidylinositol mannosides (PIMs) 2557

Glycosides

Synthesis of 3-(α - and β -D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-*b*]pyridazine 2057

Glycosidic linkage

New 1-C-(5-thio-D-xylopyranosyl) derivatives as potential orally active venous antithrombotics 1271

 β -Glycosylamidine

β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glycosidases 1477

Glycosyl amines

First crystallographic evidence for the formation of β -D-ribofuranosylamine from the reaction of ammonia with D-ribose 801

Glycosylation

Acetylated methyl glucopyranuronate trichloroacetimidate as a glycosyl donor for efficient synthesis of disaccharides 2337

β -Anomeric selectivity in the glycosidation of D-mannofuranono-6,3-lactone catalyzed by boron trifluoride diethyl etherate 375

A novel approach to the stereocontrolled synthesis of C-vinyl β -D-galactopyranosides 1877

A practical synthesis of a (1 \rightarrow 6)-linked β -D-glucosamine nonasaccharide 495

Chemical synthesis of methyl 6'- α -maltosyl- α -maltotrioside and its use for investigation of the action of starch synthase II 189

Practical synthesis of the 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039

Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-*O*-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid 2793

Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133

Synthesis of biantennary β -D-(1 \rightarrow 6) glucosamine oligosaccharides 1313

Synthesis of 2-chloro-4-nitrophenyl α -L-fucopyranoside: a substrate for α -L-fucosidase (AFU) 1603

Synthesis of S-linked thiooligosaccharide analogues of Nod factors: synthesis of new protected thiodisaccharide and thiotrisaccharide intermediates 1369

The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides 721

The use of the *o*-nitrophenyl group as a protecting/activating group for 2-acetamido-2-deoxyglucose 455

Glycosylation reactions

A new synthesis of the oligosaccharide domain of acarbose 2779

Glycosyl azides

General methods for the synthesis of glycopyranosyluronic acid azides 835

Glycosyl bromide

Zinc triflate-benzoyl bromide: a versatile reagent for the conversion of ether into benzoate protecting groups and ether glycosides into glycosyl bromides 447

Glycosyl phosphate

Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit 1835

Glycosyl phosphite

Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-*O*-benzyl-4,6-*O*-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10 1531

Glycosyl sulfoxide

An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂ 1327

Glycosyl transferase

Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503

Glycosyltransferases

On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases 865

Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951

1-(D-Glycosyloxy)phthalazines

Synthesis and structural characterization of 1-(D-glycosyloxy)phthalazines 2291

Gracillin

The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides 721

Gram-negative extremophile

The O-specific chain structure of the major component from the lipopolysaccharide fraction of *Halomonas magadii* strain 21 MI (NCIMB 13595) 567

Granule

Examination of the structure of amylopectin molecules by fluorescent labeling 471

Griffonia simplicifolia lectin II

The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887

Growth rings

- Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, *r* and *rb* single mutants, and the *rrb* double mutant 2135
- Guanidine
The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides 721
- Guluronic acid
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
- Gum exudates
Structural features of an arabinogalactan gum exudates from *Spondias dulcis* (Anacardiaceae) 619

Structure of a highly substituted β -xylan of the gum exudate of the palm *Livistona chinensis* (Chinese fan) 1843
- Haemophilus*
Structural profiling of lipopolysaccharide glycoforms expressed by non-typeable *Haemophilus influenzae*: phenotypic similarities between NTHi strain 162 and the genome strain Rd 2731
- Haemophilus somnus*
Structural analysis of the lipooligosaccharide from the commensal *Haemophilus somnus* strain 1P 1223
- Hafnia alvei*
Structure of the O-polysaccharide from the lipopolysaccharide of *Hafnia alvei* strain PCM 1546 2153
- Hairy root
Biotransformation of low-molecular-weight alcohols by *Coleus forskohlii* hairy root cultures 729
- Haliotis
cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai* 2841
- ^1H and ^{13}C NMR
Synthesis of a novel N–O-interglycosidic disaccharide 1787
- ^1H and ^{13}C NMR spectroscopy
Isolation and characterization of O-acetylated glucomannans from aspen and birch wood 525
- Handedness
Change of handedness in cholesteric liquid crystalline phase for N-phthaloylchitosan solutions in organic solvents 1699
- H-Antigen
Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083
- Hardwood
Isolation and characterization of O-acetylated glucomannans from aspen and birch wood 525
- Helical structures
Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism 2129
- Helices
Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy 771
- Helix pomatia*
Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the *Helix pomatia* α -(1 \rightarrow 2)-L-galactosyltransferase 2083
- Hemicellulose
Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Hemicellulose, extraction
Isolation and characterization of O-acetylated glucomannans from aspen and birch wood 525
- Heparan sulfate
Efficient selective preparation of methyl-1,2,4-tri-O-acetyl-3-O-benzyl- β -L-idopyranuronate from methyl 3-O-benzyl-L-iduronate 681
- Heparin

Efficient selective preparation of methyl-1,2,4-tri-O-acetyl-3-O-benzyl- β -L-idopyranuronate from methyl 3-O-benzyl-L-iduronate 681
- Hepatocellular carcinoma
Synthesis of 2-chloro-4-nitrophenyl α -L-fucopyranoside: a substrate for α -L-fucosidase (AFU) 1603
- Heptanedioic acid
Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution 2921
- Heptose
Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose 2571
- Heteropolysaccharide
Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media 1517
Structural features of an arabinogalactan gum exudates from *Spondias dulcis* (Anacardiaceae) 619
- Heteroxylan
Structure of a highly substituted β -xylan of the gum exudate of the palm *Livistona chinensis* (Chinese fan) 1843
- Hexopyranosides
The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride 697
- HF-solvolysis
Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis 423
- Highly branched starch
Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- High-molecular-weight exopolysaccharide
Isolation, structural characterization, and immunological evaluation of a high-molecular-weight exopolysaccharide from *Staphylococcus aureus* 903
- ^1H NMR
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method 1309
NMR and modelling studies of disaccharide conformation 955
Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263
Rapid quantification of O-acetyl and O-methyl residues in pectin extracts 379
Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β -D-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879
- ^1H NMR spectroscopy
Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ^{13}C CPMAS and ^1H NMR characterization 2227
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-lyxo-hexopyranoside 795
- Homogalacturonan
Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis 423
Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797
- Homologation
Synthesis of amino-substituted hexo- and heptopyranoses from D-galactose 2375
- Host–guest interaction

- Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine 353
- HPLC**
An isocratic separation of underivatized gentamicin components, ^1H NMR assignment and protonation pattern 2853
- Human salivary α -amylase**
Study of the inhibition of four alpha amylases by acarbose and its 4^{IV} - α -maltohexaosyl and 4^{IV} - α -maltododecaosyl analogues 1969
- Hyaluronan**
The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083
- Hydantoins, Leucine**
Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination 1349
- Hydrazones**
Preparation of 2,6-anhydro-aldose acylhydrazones, -semicarbazones and -oximes from 2,6-anhydro-aldonitriles (glycosyl cyanides) 1319
- Hydrodynamics**
Hydrodynamic properties of oxidized extracellular polysaccharides from *Erwinia chrysanthemi* spp 2763
- Hydrogen bond**
A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules 1581
Crystal structure of β -cyclodextrin–benzoic acid inclusion complex 439
FTIR study of state and phase transitions of low moisture sucrose and lactose 2195
- Hydrogen bonding**
The crystal structure of 1,2,3,4,6-penta-*O*-benzoyl- α -D-mannopyranose: observation of C–H $\cdots\pi$ interaction as a surrogate to O–H \cdots O interaction of a free sugar 2005
- Hydrolysis**
Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823
- Hydroperoxide**
A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to (\pm)-*proto*-quercitol 1615
- Hydrophobic interaction chromatography**
A simple method for preparation of D-rhamnose 109
- Hydrophobicity**
Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption 937
- Hydrophobic microdomains**
A fluorescence study of the interactions between sodium alginate and surfactants 1109
- Hydroxyapatite**
Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571
- 3-Hydroxy-2,3-dimethyl-5-oxopropyl group**
Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei* 2721
- α -Hydroxyphosphonate**
Stereoselectivity in deoxygenation of 5-hydroxy-5-phosphinyl-hexofuranoses (α -hydroxyphosphonates) 1641
- Hydroxyproline**
Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors 2265
- Hydroxypropylcellulose**
Study on lyotropic liquid-crystalline properties of trimethylsilyl hydroxypropylcellulose 535
- Hydroxy protection**
Pentafluoropropionyl and trifluoroacetyl groups for temporary hydroxyl group protection in oligomannoside synthesis 1073
- Hydroxypyrrolidine**
Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors 2265
- Hyphae**
Structural characterization of (1 \rightarrow 3)- β -D-glucans isolated from blastospore and hyphal forms of *Candida albicans* 1491
- L-Idose**
Efficient selective preparation of methyl-1,2,4-tri-*O*-acetyl-3-*O*-benzyl- β -L-idopyranuronate from methyl 3-*O*-benzyl-L-iduronate 681
- L-Iduronic acid**
Efficient selective preparation of methyl-1,2,4-tri-*O*-acetyl-3-*O*-benzyl- β -L-idopyranuronate from methyl 3-*O*-benzyl-L-iduronate 681
- Ila activity**
Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica* 263
- 2',3'-Anhydro-manno- β -cyclodextrin**
Regioselective sulfonation at O-2 of cyclomaltoheptaose with 1-(*p*-tolylsulfonyl)-(1*H*)-1,2,4-triazole 451
- Imazalil**
Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ^{13}C CPMAS and ^1H NMR characterization 2227
- Immobilization**
Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface 571
- Immunoassays**
A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose 2091
- Immunochemistry**
Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen 2549
- Immunological activity**
Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393
- Immunological properties**
Conjugation of meningococcal lipooligosaccharides through their lipid A terminus conserves their inner epitopes and results in conjugate vaccines having improved immunological properties 167
- Immunology**
Immunology of bacterial polysaccharide antigens 2539
- Inclusion complex**
Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine 353
- Inclusion complexes**
Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol 781
Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ^{13}C CPMAS and ^1H NMR characterization 2227
- Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185**
- Indium(III) chloride**
A mild and convenient indium(III) chloride-catalyzed synthesis of thioglycosides 2237
- Indolylketoses**
Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs 143
- Inositol**
Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999
- Inositol phosphate**

- Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999
- Inositols
Monooesterification of di-*O*-isopropylidene and di-*O*-cyclohexylidene *chiro*-inositols 995
- Intercalation
Crystal structure of chartreusin derivative A132 1523
- Intermediates
On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases 865
- Internal diol
Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol 2899
- Intramolecular conversion
Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase 1339
- Inversion of configuration mechanism
Cloning expression and characterization of a thermostable exopolysaccharuronase from *Thermotoga maritima* 1333
- Iodoglucitol
Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177
- Ionic interaction
Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415
- 2¹-*O*-*p*-Tolylsulfonylcyclomaltoheptaose
Regioselective sulfonylation at O-2 of cyclomaltoheptaose with 1-(*p*-tolylsulfonyl)-(1*H*)-1,2,4-triazole 451
- IR
Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method 1309
- IRMPD-MS/MS
Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697
- Isomaltose agarose affinity chromatography
A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in *Bacillus* sp. NRRL B-21195 2213
- Isopropylidene ketal protection
Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol 2899
- Isotactic polystyrene
Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism 2129
- Isothermal calorimetry
The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083
- JIM5
Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797
- JIM7
Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797
- K-antigens
Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491
- Kdn
NMR-based identification of cell wall galactomannan of *Streptomyces* sp. VKM Ac-2125 2021
- Kdo
Substitution pattern of 3-deoxy-D-manno-oct-2-ulonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS 2679
The structure of the rough-type lipopolysaccharide from *Shewanella oneidensis* MR-1, containing 8-amino-8-deoxy-Kdo and an open-chain form of 2-acetamido-2-deoxy-D-galactose 1991
- Keratanase II
Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation 1133
- Keratan sulphate
Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation 1133
- Ketoenamine
The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819
- Ketopyranose glycals
Convenient preparation of *L*-arabino-hexos-5-ulose derivatives from lactose 2349
- Kidney bean
Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development 463
- Kinetics
The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083
- Kojibiose phosphorylase
Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β -D-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879
- Kojitriose
MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679
- Kuhn length
Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy 771
- L-Lactide
Synthesis of 2,3,4,5-tetra-*O*-methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters 549
- Lactobacillus rhamnosus*
Structural analysis of the *Lactobacillus rhamnosus* strain KL37C exopolysaccharide 605
- Lactosamine
Chemoenzymatic synthesis of the sialyl- α -(2 \rightarrow 3')-lactosamine trisaccharide with a 3-aminopropyl group as a spacer at the reducing end 1265
- Lactose
Convenient preparation of *L*-arabino-hexos-5-ulose derivatives from lactose 2349
FTIR study of state and phase transitions of low moisture sucrose and lactose 2195
Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541
Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin 1359
- Laminaranase
Enzymatic synthesis of 4-methylumbelliferyl (1 \rightarrow 3)- β -D-glucoligosaccharides—new substrates for β -1,3-1,4-D-glucanase 1455
- Lens culinaris* lectin

- The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887
- Leuconostoc mesenteroides*
Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dextranucrase and alternansucrase from *Leuconostoc mesenteroides* 855
- Leuconostoc mesenteroides* B-512F
Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of *Leuconostoc mesenteroides* B-512FMCM dextranucrase 1183
- Levogluconone
Thio-sugars VII. Effect of 3-deoxy-4-S-(β -D-glucopyranosyl)-4-thiodisaccharides and their sulfoxides and sulfones on the viability and growth of selected murine and human tumor cell lines 11
- Lewis^x
Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides 1771
Synthesis and characterization of a sulfated pentasaccharide containing the Lewis^x motif 1793
- Lewis X analogues
Synthesis of Lewis X trisaccharide analogues in which glucose and rhamnose replace N-acetylglucosamine and fucose, respectively 1045
- Light scattering
Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507
Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 1861
- Lime
New polygalacturonases from *Trichoderma reesei*: characterization and their specificities to partially methylated and acetylated pectins 515
- α -Limit dextrin
Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- 1,1'-Linked disaccharide
Synthesis of L-trehalose and observations on isomer and by-product formation 813
- β -(1 \rightarrow 4)-Linked hetero-oligosaccharide
Enzymatic synthesis of a library of β -(1 \rightarrow 4) hetero-D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981
- Lipid A
Structure of bacterial lipopolysaccharides 2431
Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities 47
- Lipodex E
Macrocycle conformation and self-inclusion phenomena in octakis(3-O-butanoyl-2,6-di-O-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625
- Lipooligosaccharide
Structural analysis of the lipooligosaccharide from the commensal *Haemophilus sommus* strain 1P 1223
- Lipo-oligosaccharide
Phase-variation of the truncated lipo-oligosaccharide of *Neisseria meningitidis* NMB phosphoglucomutase isogenic mutant NMB-R6 2905
- Lipopolysaccharide
A simple method for preparation of D-rhamnose 109
Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose 2571
- Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen 2549
Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter baumannii* strain 24 2751
Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191
Structural characterization of the carbohydrate backbone of the lipopolysaccharide of *Vibrio parahaemolyticus* O-untypeable strain KX-V212 isolated from a patient 2711
Structural profiling of lipopolysaccharide glycoforms expressed by non-typeable *Haemophilus influenzae*: phenotypic similarities between NTHi strain 162 and the genome strain Rd 2731
Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697
Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit 1835
Structure of a highly phosphorylated lipopolysaccharide core in the Δ algC mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3) 2667
Structure of bacterial lipopolysaccharides 2431
Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose 1801
Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulosylonate-(2 \rightarrow 4)-3-deoxy-D-manno-oct-2-ulosonate [α -Ko-(2 \rightarrow 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia* 2659
Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly O-acetylated core region 1895
Structure of the N-acetyl-L-rhamnosamine-containing O-polysaccharide of *Proteus vulgaris* TG 155 from a new *Proteus* serogroup, O55 1999
Structure of the O-polysaccharide from the lipopolysaccharide of *Hafnia alvei* strain PCM 1546 2153
Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105
Structure of the O-polysaccharide of *Erwinia carotovora* ssp. *carotovora* GSPB 436 2025
Structure of the O-polysaccharide of *Proteus mirabilis* O38 containing 2-acetamidoethyl phosphate and N-linked D-aspartic acid 2387
Structure of the O-polysaccharide of *Proteus vulgaris* O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine 1431
Structure of the O-polysaccharide of *Providencia alcalifaciens* O21 containing 3-formamido-3,6-dideoxy-D-galactose 1425
Structure of the O-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* O11, strain PCM 1540 1389
Structure of the O-specific polysaccharide of *Proteus vulgaris* O45 containing 3-acetamido-3,6-dideoxy-D-galactose 327
Structure of the O-specific polysaccharide of *Providencia rustigianii* O14 containing N⁶-[(S)-1-carboxyethyl]-N²-(D-galacturonoyl)-L-lysine 1009
Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449
Substitution pattern of 3-deoxy-D-manno-oct-2-ulosonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS 2679
The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia* 2521

- The O-specific chain structure of the major component from the lipopolysaccharide fraction of *Halomonas magadii* strain 21 MI (NCIMB 13595) 567
- The structure of the O-specific polysaccharide chain of the *Shewanella algae* BrY lipopolysaccharide 385
- Lipopolysaccharides**
- Physicochemical properties of bacterial glycopolymers in relation to bioactivity 2477
- Structural analysis of the carbohydrate backbone of *Vibrio parahaemolyticus* O2 lipopolysaccharides 1063
- Structural determination of the O-specific chain of the lipopolysaccharide from the mushrooms pathogenic bacterium *Pseudomonas tolaasii* 1251
- Lithium tri-*t*-butoxyaluminum hydride (LTTBA)**
- Synthesis of 1,2,3-tri-*O*-acetyl-5-deoxy-D-ribofuranose from D-ribose 303
- Livistona chinensis***
- Structure of a highly substituted β -xylan of the gum exudate of the palm *Livistona chinensis* (Chinese fan) 1843
- LM7**
- Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797
- Long-range ^{13}C – ^1H coupling constants**
- NMR and modelling studies of disaccharide conformation 955
- Low molecular weight chitosan**
- Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization 1283
- LPS**
- Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58 1891
- Substitution pattern of 3-deoxy-D-manno-oct-2-ulosonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS 2679
- The structure of the polysaccharide part of the LPS from *Serratia marcescens* serotype O19, including linkage region to the core and the residue at the non-reducing end 2757
- The structure of the rough-type lipopolysaccharide from *Shewanella oneidensis* MR-1, containing 8-amino-8-deoxy-Kdo and an open-chain form of 2-acetamido-2-deoxy-D-galactose 1991
- LPS-agonist**
- Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities 47
- LPS-antagonist**
- Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities 47
- L-Trehalose**
- Synthesis of L-trehalose and observations on isomer and by-product formation 813
- Lycopersicon esculentum***
- Structure of the xyloglucan produced by suspension-cultured tomato cells 1197
- Lymphocytes**
- The effect of (1 \rightarrow 3)- β -D-glucans, carboxymethylglucan and schizophyllan on human leukocytes in vitro 2835
- Lyotropic liquid crystal**
- Study on lyotropic liquid-crystalline properties of trimethylsilyl hydroxypropylcellulose 535
- Maillard reaction**
- Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part II—Kinetic analysis 1665
- Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part I—Reaction mechanism 1651
- Maize bran**
- Preparation of sulfoacetate derivatives of cellulose by direct esterification 743
- MALDI-MSI**
- Isolation and characterization of *O*-acetylated glucomannans from aspen and birch wood 525
- MALDIMS**
- Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687
- MALDI TOF MS**
- New polygalacturonases from *Trichoderma reesei*: characterization and their specificities to partially methylated and acetylated pectins 515
- MALDI-TOF-MS**
- Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Maltododecaosyl acarbose**
- Study of the inhibition of four α amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969
- Maltohexaosyl acarbose**
- Study of the inhibition of four α amylases by acarbose and its 4^{IV}- α -maltohexaosyl and 4^{IV}- α -maltododecaosyl analogues 1969
- Maltose**
- Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415
- A new synthesis of the oligosaccharide domain of acarbose 2779
- Volumetric behaviour of maltose–water, maltose–glycerol and starch–sorbitol–water systems mixtures in relation to structural relaxation 2883
- Mannan**
- A new mannoheptaose containing α and β -(1 \rightarrow 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175
- D-Mannaric acid, protected**
- New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D-manno configuration 1115
- D-Mannofuranurono-6,3-lactone**
- β -Anomeric selectivity in the glycosidation of D-mannofuranono-6,3-lactone catalyzed by boron trifluoride diethyl etherate 375
- Manno-oligosaccharides**
- A new mannoheptaose containing α and β -(1 \rightarrow 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175
- Mannopyranose**
- Cassia grandis* Linn. f. seed galactomannan: structural and crystallographical studies 1907
- β -Mannopyranoside**
- Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-*O*-benzyl-4,6-*O*-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10 1531
- Mannose**
- Synthesis of a hexasaccharide, the repeating unit of *O*-deacetylated GXM of *C. neoformans* serotype A 1719
- Synthesis of a mannose nonasaccharide existing in the exopolysaccharide of *Cryphonectria parasitica* 1711
- Synthesis of mannose-containing analogues of (1 \rightarrow 6)-branched (1 \rightarrow 3)-glucohexaose (I) 1727
- α -D-Mannose**
- The crystal structure of 1,2,3,4,6-penta-*O*-benzoyl- α -D-mannopyranose: observation of C–H $\cdots\pi$ interaction as a surrogate to O–H \cdots O interaction of a free sugar 2005
- Mannose**
- A practical synthesis of α -D-Manp-(1 \rightarrow 3)- α -D-Manp-(1 \rightarrow 2)-[α -D-Glcp-(1 \rightarrow 3)]- α -D-Manp-(1 \rightarrow 2)- α -D-Manp-(1 \rightarrow 2)- α -D-Manp, an O-specific heterohexasaccharide fragment of *Citrobacter braakii* O7a, 3b, 1c 2169

- Efficient synthesis of a 3,6-branched mannose hepta- and octasaccharide 2039
- Mannose oligosaccharides
Synthesis of a mannose heptasaccharide existing in baker's yeast, *Saccharomyces cerevisiae* X2180-1A wild-type strain 5
- Mannuronic acid
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
- Mass spectrometry
Location of *O*-acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated *Eucalyptus* wood 69
Primary structure of the 2-*O*-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II 341
Structural analysis of the lipooligosaccharide from the commensal *Haemophilus somnus* strain 1P 1223
- MCLA
Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2-*a*]pyrazin-3(7*H*)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltonaose (δ -cyclodextrin) 987
- Me α - and β -Galp
Complexes of sodium vanadate(V) with methyl α -D-mannopyranoside, methyl α - and β -D-galactopyranoside, and selected *O*-methyl derivatives: a ^{51}V and ^{13}C NMR study 1745
- Meliobiose
Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin 1359
- Melting
Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
- Melting temperature
Rheological properties of sulfoacetate derivatives of cellulose 751
- Me α -Manp
Complexes of sodium vanadate(V) with methyl α -D-mannopyranoside, methyl α - and β -D-galactopyranoside, and selected *O*-methyl derivatives: a ^{51}V and ^{13}C NMR study 1745
- Meningococcal lipooligosaccharides
Conjugation of meningococcal lipooligosaccharides through their lipid A terminus conserves their inner epitopes and results in conjugate vaccines having improved immunological properties 167
- Mercuric bromide
Practical synthesis of the 2-acetamido-3,4,6-tri-*O*-acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039
- Metal chlorides
Mechanism of the transition-metal-catalyzed mutarotation reaction of *N*-(*p*-chlorophenyl)- β -D-glucopyranosylamine in methanol 969
- Metal cofactor
On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases 865
- Metastasis
Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranosides 207
- Methanol
Mechanism of the transition-metal-catalyzed mutarotation reaction of *N*-(*p*-chlorophenyl)- β -D-glucopyranosylamine in methanol 969
- Methylated cyclodextrins
A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose 2091
- Methylation
An efficient preparation of 6^{L,IV} dihydroxy permethylated β -cyclodextrin 2417
Chemically methylated and reduced pectins: preparation, characterization by ^1H NMR spectroscopy, enzymatic degradation, and gelling properties 637
- Rapid quantification of *O*-acetyl and *O*-methyl residues in pectin extracts 379
- Synthesis of monomethylated dioscin derivatives and their antitumor activities 117
- Methylation analysis
Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation 1133
Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469
- Methyl 3-azido-2,3-dideoxy- α -D-*lyxo*-hexopyranoside
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-*lyxo*-hexopyranoside 795
- Methyl 6-deoxy-6-isopropyl-2,3-*O*-isopropylidene- α -D-*lyxo*-hexofuranosid-5-ulose
Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination 1349
- Methyl 6'- α -maltosyl- α -maltotriose
Chemical synthesis of methyl 6'- α -maltosyl- α -maltotriose and its use for investigation of the action of starch synthase II 189
- Methyl α -D-mannopyranosides
Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491
- Methylobacterium* sp.
Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851
- 4-Methylumbelliferyl (1 \rightarrow 3)- β -D-glucoside
Enzymatic synthesis of 4-methylumbelliferyl (1 \rightarrow 3)- β -D-glucoligosaccharides—new substrates for β -1,3-1,4-D-glucanase 1455
- Michael reaction
Chemical modification of chitosan. Part 15: Synthesis of novel chitosan derivatives by substitution of hydrophilic amine using *N*-carboxyethylchitosan ethyl ester as an intermediate 557
- Microenvironment polarity
Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097
- Microspheres
Alkaline chitosan solutions 2247
- Microstructures
Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541
- Microwave treatment
Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Mineral liquid crystal
Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides 1771
- MM3
Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose 95
- Modification
Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393
- Moisture absorption
Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan: II. Effect of degree of deacetylation and carboxymethylation 333
- Moisture retention
Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan: II. Effect of degree of deacetylation and carboxymethylation 333
- Molecular dynamics

- Macrocycle conformation and self-inclusion phenomena in octakis(3-*O*-butanoyl-2,6-di-*O*-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625
- NMR and modelling studies of disaccharide conformation 955
- Molecular mass**
- Chain conformation of sulfated derivatives of β -glucan from sclerotia of *Pleurotus tuber-regium* 2863
- Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507
- Molecular mechanics**
- Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose 95
- Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates 393
- MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679
- Molecular modeling**
- Acetan:glucomannan interactions—a molecular modeling study 2889
- The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation 651
- Molecular modelling**
- Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- Molecular recognition**
- Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclomaltoheptaose)[bis(β -cyclodextrin)] with a pyromellitic acid diamide tether 1751
- Molecular size**
- Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of *Leuconostoc mesenteroides* B-512FMCM dextranase 1183
- Molecular structures**
- Effect of molecular structure on the conductivity of amorphous carbohydrate–water–KCl mixtures in the supercooled liquid state 433
- Molecular weight**
- The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083
- Monoclonal antibodies**
- Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797
- Monoclonal antibody**
- Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen 2549
- Monoetherification**
- Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963
- Monosaccharides**
- Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- Monovalent**
- Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranosides 207
- Montmorillonite K-10**
- Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-*O*-benzyl-4,6-*O*-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10 1531
- MS**
- The structure of the glycopeptides from the fish pathogen *Flavobacterium columnare* 2653
- MTT assay**
- Thio-sugars VII. Effect of 3-deoxy-4-*S*-(β -D-glucopyranosyl)-4-thiodisaccharides and their sulfoxides and sulfones on the viability and growth of selected murine and human tumor cell lines 11
- Multiple step tandem mass spectrometry**
- Structural profiling of lipopolysaccharide glycoforms expressed by non-typeable *Haemophilus influenzae*: phenotypic similarities between NTHi strain 162 and the genome strain Rd 2731
- Multiresponse kinetic analysis**
- Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part II—Kinetic analysis 1665
- Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part I—Reaction mechanism 1651
- Muramic acid 1',2-lactam**
- Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- Mushroom pathogenic bacteria**
- Structural determination of the O-specific chain of the lipopolysaccharide from the mushrooms pathogenic bacterium *Pseudomonas tolaasii* 1251
- Mycobacterial arabinosyltransferases**
- Synthesis of octyl arabinofuranosides as substrates for mycobacterial arabinosyltransferases 581
- N*-Acetamido-sugar amidoxime**
- Synthesis of protected 2-amino-2-deoxy-D-xylothionolactam derivatives and some aspects of their reactivity 1591
- β -*N*-Acetylgalactosaminidase**
- Fungal β -*N*-acetylhexosaminidases with high β -*N*-acetylgalactosaminidase activity and their use for synthesis of β -GalNAc-containing oligosaccharides 1003
- N*-Acetylglucosamine**
- Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823
- Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- The use of the *o*-nitrophenyl group as a protecting/activating group for 2-acetamido-2-deoxyglucose 455
- β -*N*-Acetylhexosaminidases**
- Fungal β -*N*-acetylhexosaminidases with high β -*N*-acetylgalactosaminidase activity and their use for synthesis of β -GalNAc-containing oligosaccharides 1003
- N*-Acetylglucosamine**
- Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranosides 207
- NaCl**
- Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415
- Naegeli dextrans**
- Acid hydrolysis of native and annealed starches and branch-structure of their Naegeli dextrans 2871
- NaH/DMF**
- A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2-(1H)one 2301
- N*-(2-Carboxyethyl)chitosan**
- N*-(2-Carboxyethyl)chitosans: regioselective synthesis, characterization and protolytic equilibria 271
- N*-Carboxyethylchitosan ethyl ester**
- Chemical modification of chitosan. Part 15: Synthesis of novel chitosan derivatives by substitution of hydrophilic amine using *N*-carboxyethylchitosan ethyl ester as an intermediate 557
- N*-Dealkylation**
- Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine 733

- N*-(1-Deoxy-D-fructos-1-yl)-glycine
Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part II—Kinetic analysis 1665
Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part I—Reaction mechanism 1651
- Near-isogenic pea starch mutants
Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, *r* and *rb* single mutants, and the *rrb* double mutant 2135
- Neighboring-group participation
Remote control of α - or β -stereoselectivity in (1 \rightarrow 3)-glucosylations in the presence of a C-2 ester capable of neighboring-group participation 307
- Neisseria meningitidis*
Phase-variation of the truncated lipo-oligosaccharide of *Neisseria meningitidis* NMB phosphoglucomutase isogenic mutant NMB-R6 2905
- Neodymium chloride
Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl₃–ribose complex 2913
- Neodymium nitrate
Sugar complexes with neodymium nitrate. Spectroscopic and structural studies of two Nd(NO₃)₃–galactitol complexes 2029
- Neoglycoconjugate immunogens
One-pot preparation of a series of glycoconjugates with predetermined antigen–carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa 2591
- Neoglycoprotein
Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of *Toxocara* larvae 35
- Neoglycoproteins
Synthesis and solid state ¹³C and ¹H NMR analysis of new oxamide derivatives of methyl 2-amino-2-deoxy- α -D-glucopyranoside and ester of amino acids or dipeptides 183
- Neural siglecs
Systematic synthesis and MAG-binding activity of novel sulfated GM1b analogues as mimics of Chol-1 (α -series) gangliosides: highly active ligands for neural siglecs 1621
- N-Formyl
Structure of the O-polysaccharide of *Providencia alcalifaciens* O21 containing 3-formamido-3,6-dideoxy-D-galactose 1425
- N*^α-(D-galacturonoyl)-*N*^ε-[(*S*)-1-carboxyethyl]-L-lysine
Structure of the O-specific polysaccharide of *Providencia rustigianii* O14 containing *N*^ε-[(*S*)-1-carboxyethyl]-*N*^α-(D-galacturonoyl)-L-lysine 1009
- N*-(D-Glucuronoyl)-L-alanine
Structure of the O-polysaccharide of *Proteus vulgaris* O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine 1431
- Nickel
Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217
- Ni(II) complexes
Ni(II) complexes with Schiff bases derived from amino sugars 1535
- Ni(II), Cu(II), Cu(I) and Pd(II) complexes
Sugar hydrazone–metal complexes: transition- and non-transition metal complexes of monosaccharide *S*-alkylhydrazonocarbothioates and dehydro-L-ascorbic acid bis(*S*-alkylhydrazonocarbothioates) 2341
- Ni(II), Cu(II), Pd(II) and Zn(II) complexes
Sugar hydrazone–metal complexes: transition- and non-transition metal complexes of monosaccharide *S*-alkylhydrazonocarbothioates and dehydro-L-ascorbic acid bis(*S*-alkylhydrazonocarbothioates) 2341
- Nitrobenzenesulfonamides
Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides 2825
- Nitrone
Synthesis of new branched-chain amino sugars 673
- NMR
A conformational model of per-*O*-acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy 1103
Location of *O*-acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated *Eucalyptus* wood 69
Location of sulfate groups on sulfoacetate derivatives of cellulose 761
Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851
Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates 393
Primary structure of the 2-*O*-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II 341
Stereospecific synthesis of chiral caprolactone monomers from D-glucose 563
Structural characterization of (1 \rightarrow 3)- β -D-glucans isolated from blastospore and hyphal forms of *Candida albicans* 1491
Structural elucidation of the O-chain of the lipopolysaccharide from *Xanthomonas campestris* strain 8004 277
Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
Synthesis and structural analyses of 3-acetamido-1,4-di-*O*-acetyl-2,3,5-trideoxy-5-*C*-(isopropylphosphinyl)-D-*erythro*-pentopyranoses 283
The structure of the glycopeptides from the fish pathogen *Flavobacterium columnare* 2653
- NMR data
Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides 2825
- NMR spectroscopy
Analysis of pyruvylated β -carrageenan by 2D NMR spectroscopy and reductive partial hydrolysis 1403
An isocratic separation of underivatized gentamicin components, ¹H NMR assignment and protonation pattern 2853
Characterization of an acetylated heteroxylan from *Eucalyptus globulus* Labill 597
Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687
Macrocyclic conformation and self-inclusion phenomena in octakis(3-*O*-butanoyl-2,6-di-*O*-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625
Physical investigations of surface membrane–water relationship of intact and gelatinized wheat–starch systems 2403
Structural analysis of the lipooligosaccharide from the commensal *Haemophilus somnus* strain 1P 1223
Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter baumannii* strain 24 2751
Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469
The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation 651
- Nod factors
Structural determination of the lipo-chitin oligosaccharide nodulation signals produced by *Rhizobium giardinii* bv. *giardinii* H152 237
- Nodulation factors
Synthesis of S-linked thiooligosaccharide analogues of Nod factors: synthesis of new protected thiodisaccharide and thiotrisaccharide intermediates 1369

- N–O-interglycosidic disaccharide
 Synthesis of a novel N–O-interglycosidic disaccharide 1787
- Non-2-ulonic acid
 Structural analysis of the carbohydrate backbone of *Vibrio parahaemolyticus* O2 lipopolysaccharides 1063
- N-(p-Chlorophenyl)- β -D-glucopyranosylamine
 Mechanism of the transition-metal-catalyzed mutarotation reaction of N-(p-chlorophenyl)- β -D-glucopyranosylamine in methanol 969
- n-Pentenyl glycosides
 Synthesis of fluorescence-labelled disaccharide substrates of glucosidase II 1937
- N-Phthaloylchitosan
 Change of handedness in cholesteric liquid crystalline phase for N-phthaloylchitosan solutions in organic solvents 1699
- Nuclear magnetic resonance spectroscopy (NMR)
 Structure of the xyloglucan produced by suspension-cultured tomato cells 1197
- Nuclear Overhauser effect
 Macrocyclic conformation and self-inclusion phenomena in octakis(3-O-butanoyl-2,6-di-O-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625
- Nucleoside
 A new and efficient strategy for the synthesis of shimofuridin analogs: 2'-O-(4-O-stearoyl- α -L-fucopyranosyl)thymidine and -uridine 55
- Nucleosides
 Synthesis of 3-(α - and β -D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-b]pyridazine 2057
- Nucleotide sugar biosynthesis
 Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503
- Nycodenz
 Molecular fractionation of starch by density-gradient ultracentrifugation 611
- O-Acetyl
 Location of O-acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated *Eucalyptus* wood 69
- O-Acetylation
 Isolation and characterization of O-acetylated glucomannans from aspen and birch wood 525
- O-Acetylation
 Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
 Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191
 Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly O-acetylated core region 1895
- O-antigen
 Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191
 Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose 1801
 Structure of the O-polysaccharide from the lipopolysaccharide of *Hafnia alvei* strain PCM 1546 2153
 Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105
 Structure of the O-polysaccharide of *Proteus vulgaris* O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine 1431
 Structure of the O-polysaccharide of *Providencia alcalifaciens* O21 containing 3-formamido-3,6-dideoxy-D-galactose 1425
- Structure of the O-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* O11, strain PCM 1540 1389
- Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449
- The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersiniae* 2521
- O-antigen, Bacterial polysaccharide structure
 Structure of the O-specific polysaccharide of *Proteus vulgaris* O45 containing 3-acetamido-3,6-dideoxy-D-galactose 327
- O-Antigen gene cluster
 Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503
- O-Antigenic polysaccharide
 Structure and serological characterization of 5,7-diamino-3,5,7,9-tetradeoxy-non-2-ulonic acid isolated from lipopolysaccharides of *Vibrio parahaemolyticus* O2 and O-untypable strain KX-V212 1055
- O-antigen repeating unit
 Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly O-acetylated core region 1895
- O-chain
 Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58 1891
 The structure of the O-specific polysaccharide chain of the *Shewanella algae* BrY lipopolysaccharide 385
 The structure of the polysaccharide part of the LPS from *Serratia marcescens* serotype O19, including linkage region to the core and the residue at the non-reducing end 2757
- O-chains
 Structure of bacterial lipopolysaccharides 2431
- Octamannosylated glycan chain
 Synthesis of an octamannosylated glycan chain, the key oligosaccharide structure in ER-associated degradation 2163
- Octyl arabinofuranosides
 Synthesis of octyl arabinofuranosides as substrates for mycobacterial arabinosyltransferases 581
- O-Glycan
 Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of *Toxocara* larvae 35
- O-Glycopeptide
 Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides 1925
- Oligomannoside synthesis
 Pentafluoropropionyl and trifluoroacetyl groups for temporary hydroxyl group protection in oligomannoside synthesis 1073
- Oligosaccharide
 Alternansucrase acceptor reactions with methyl hexopyranosides 1961
 A practical synthesis of α -D-Manp-(1 \rightarrow 3)- α -D-Manp-(1 \rightarrow 2)-[α -D-Glcp-(1 \rightarrow 3)]- α -D-Manp-(1 \rightarrow 2)- α -D-Manp-(1 \rightarrow 2)- α -D-Manp, an O-specific heterohexasaccharide fragment of *Citrobacter braakii* O7a, 3b, 1c 2169
 Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides 1771
 Efficient synthesis of a 3,6-branched mannose hepta- and octasaccharide 2039
 Efficient synthesis of a heptasaccharide, the repeating unit of the O-chain lipopolysaccharide produced by *Xanthomonas campestris* strain 642 1023
 Highly efficient synthesis of alternate α - and β -(1 \rightarrow 3)-linked glucose hepta- and octasaccharides 2047
 Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation 1133
 Primary structure of the 2-O-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II 341

- Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-*O*-sulfo Lewis X and other novel gangliosides containing lactamized neu-raminic acid 2793
- Synthesis and characterization of a sulfated pentasaccharide containing the Lewis^x motif 1793
- Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β-D-glucose 1-phosphate to isokestose and nystose using *Thermoanaerobacter brockii* kojibiose phosphorylase 879
- Synthesis of a mannose nonasaccharide existing in the exopolysaccharide of *Cryphonectria parasitica* 1711
- Synthesis of β-(1→6)-branched (1→3)-glucododecaose and -glucopentadecaose with alternate β- and α-bonds in the backbone 2203
- Synthesis of β-D-GlcNAc-(1→3)-α-L-Rhap-(1→2)-[β-L-Xylp-(1→4)]-α-L-Rhap-(1→3)-α-L-Rhap, the repeating unit of the O-antigen produced by *Pseudomonas solanacearum* ICMP 7942 19
- Synthesis of mannose-containing analogues of (1→6)-branched (1→3)-glucohexaose (I) 1727
- Synthesis of two heptasaccharide analogues of the lentinan repeating unit 2813
- Oligosaccharide oxidation**
- Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide 2367
- Oligosaccharides**
- A new and efficient strategy for the synthesis of shimofuridin analogs: 2'-*O*-(4-*O*-stearoyl-α-L-fucopyranosyl)thymidine and -uridine 55
- A practical synthesis of a (1→6)-linked β-D-glucosamine nonasaccharide 495
- Characterizing the electrospray-ionization mass spectral fragmentation pattern of enzymatically derived hyaluronic acid oligomers 1381
- First synthesis of β-D-Galp-(1→3)-D-Galp—the repeating unit of the backbone structure of the O-antigenic polysaccharide present in the lipopolysaccharide (LPS) of the genus *Klebsiella* 1033
- Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans 1497
- Synthesis of biantennary β-D-(1→6) glucosamine oligosaccharides 1313
- Oligosaccharide structure**
- Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449
- Oligosaccharide structures**
- Synthesis of an octamannosyl glycan chain, the key oligosaccharide structure in ER-associated degradation 2163
- Oligosaccharide synthesis**
- Chemo-enzymatic synthesis of a tetra- and octasaccharide fragment of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2611
- Chemo-enzymatic synthesis of tetra-, penta-, and hexasaccharide fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2629
- Synthesis of Lewis X trisaccharide analogues in which glucose and rhamnose replace *N*-acetylglucosamine and fucose, respectively 1045
- Synthesis of tetra- and pentasaccharides corresponding to the capsular polysaccharide of *Streptococcus pneumoniae* type 9A&L, 9N and 9A 2605
- Olive pulp xylo-oligosaccharides**
- Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans 1497
- OME ethers**
- Complexes of sodium vanadate(V) with methyl α-D-mannopyranoside, methyl α- and β-D-galactopyranoside, and selected *O*-methyl derivatives: a ⁵¹V and ¹³C NMR study 1745
- One-pot reaction**
- A simple one-pot method for the synthesis of partially protected mono- and disaccharide building blocks using an orthoesterification–benzylation–orthoester rearrangement approach 2149
- D-Ononitol**
- Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017
- O-Polysaccharide**
- Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit 1835
- Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose 1801
- O-polysaccharide structure**
- Structure of the *N*-acetyl-L-rhamnosamine-containing O-polysaccharide of *Proteus vulgaris* TG 155 from a new *Proteus* serogroup, O55 1999
- Structure of the O-polysaccharide of *Erwinia carotovora* ssp. *carotovora* GSPB 436 2025
- Optical microscopy**
- Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541
- Orthoester**
- A simple one-pot method for the synthesis of partially protected mono- and disaccharide building blocks using an orthoesterification–benzylation–orthoester rearrangement approach 2149
- Orthoesters**
- Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999
- O-Specific polysaccharide**
- Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter baumannii* strain 24 2751
- Structural elucidation of the O-chain of the lipopolysaccharide from *Xanthomonas campestris* strain 8004 277
- Structure of the O-specific polysaccharide of *Providencia rustigianii* O14 containing *N*⁶-[(*S*)-1-carboxyethyl]-*N*^α-(D-galacturonoyl)-L-lysine 1009
- The O-specific chain structure of the major component from the lipopolysaccharide fraction of *Halomonas magadii* strain 21 MI (NCIMB 13595) 567
- Oxamides**
- Synthesis and solid state ¹³C and ¹H NMR analysis of new oxamide derivatives of methyl 2-amino-2-deoxy-α-D-glucopyranoside and ester of amino acids or dipeptides 183
- 1,3-Oxazolidine-2-one**
- Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones 711
- 1,3-Oxazolidine-2-thione**
- Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones 711
- Oxidation**
- An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂ 1327
- Oximes**
- Preparation of 2,6-anhydro-aldose acylhydrazones, -semicarbazones and -oximes from 2,6-anhydro-aldonitriles (glycosyl cyanides) 1319
- 2-Oxoglucopyranoside**
- Novel autoxidation and Michael addition of a butenolide-containing sugar leading to a C-branched-chain glucopyranosidulose, and X-ray structure of intermediates 1737

OXONE

An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂ 1327

Oxothiones

Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbopyranosides and their 6-*C*-methoxy analogues 123

Palmaria palmata

Solid-state ¹³C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta) 1559

Pathogen

Structural characterization of (1→3)-β-D-glucans isolated from blastospore and hyphal forms of *Candida albicans* 1491

Pb binding

Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide 2367

Pb chelator

Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide 2367

Pectin

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951

Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki* 1291

Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393

Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7 1797

Pectin-antibodies

Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis 423

Pectinase

Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization 1283

Pectinases

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Pectins

New polygalacturonases from *Trichoderma reesei*: characterization and their specificities to partially methylated and acetylated pectins 515

Rapid quantification of *O*-acetyl and *O*-methyl residues in pectin extracts 379

Peeling

Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I 1209

Penicillium multicolor β-galactosidase

β-Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β-glycosidases 1477

Pentafluoropropionyl and trifluoroacetyl groups

Pentafluoropropionyl and trifluoroacetyl groups for temporary hydroxyl group protection in oligomannoside synthesis 1073

Pentasaccharide repeating unit

Synthesis of the pentasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 4 in the form of its methyl ester 2-(trimethylsilyl)ethyl glycoside 589

Pentenylolation

Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides 1925

Pentitols

Synthesis of 3-(α- and β-D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-*b*]pyridazine 2057

Pentodialdo-1,4-furanoside

Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-*O*-isopropylidene-α-D-lyxo-pentodialdo-1,4-furanoside 1917

Pentosans

Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy 771

Peptidoglycan

Carbohydrate esterase family 4 enzymes: substrate specificity 687
Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299

Percent branching

Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of *Leuconostoc mesenteroides* B-512FMCM dextranase 1183

Periodate oxidation

Hydrodynamic properties of oxidized extracellular polysaccharides from *Erwinia chrysanthemi* spp 2763

The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates 1083

Phagocytes

The effect of (1→3)-β-D-glucans, carboxymethylglucan and schizophyllan on human leukocytes in vitro 2835

pH-Dependent mechanism

Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens* 415

2-Phenylethyl 1-thio-β-D-galactopyranoside

Synthesis of radioiodine-labeled 2-phenylethyl 1-thio-β-D-galactopyranoside for imaging of *LacZ* gene expression 29

Phenyl 1-thio-β-glycosides

A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-*O*-benzylidene-per-*O*-acetylated-1,2-*trans*-thioglycosides 199

Phoenix dactylifera L.

An alkali-soluble heteroxylan from seeds of *Phoenix dactylifera* L. 1609

Phospha sugar

Synthesis and structural analyses of 3-acetamido-1,4-di-*O*-acetyl-2,3,5-trideoxy-5-*C*-(isopropylphosphinyl)-D-*erythro*-pentopyranoses 283

Phosphatidylinositol

Synthesis of phosphatidylinositol mannosides (PIMs) 2557

Phosphatidylinositol mannoside

Synthesis of phosphatidylinositol mannosides (PIMs) 2557

Phosphocholine

Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit 1835

Phosphorylation

Stereoselective phosphorylation of branched cyclodextrins with inorganic *cyclo*-triphosphate 2067

Phosphorylation pattern

Structure of a highly phosphorylated lipopolysaccharide core in the *ΔalgC* mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3) 2667

Phospho sugar

Stereoselectivity in deoxygenation of 5-hydroxy-5-phosphinyl-hexofuranoses (α-hydroxyphosphonates) 1641

Physicochemical property

- Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development 463
- Phytopathogenic bacteria
- Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei* 2721
- Structural elucidation of the O-chain of the lipopolysaccharide from *Xanthomonas campestris* strain 8004 277
- Structure of the O-polysaccharide of *Erwinia carotovora* ssp. *carotovora* GSPB 436 2025
- Pink slime
- Methylobacterium* sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851
- Pitzer model
- Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415
- Pivaloyl migrations
- Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491
- Plant pathogenic streptomycete
- NMR-based identification of cell wall galactomannan of *Streptomyces* sp. VKM Ac-2125 2021
- Plasma and urine detection
- A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose 2091
- Plasmid DNA
- Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA 931
- Plasticization
- Volumetric behaviour of maltose–water, maltose–glycerol and starch–sorbitol–water systems mixtures in relation to structural relaxation 2883
- Pleurotus tuber-regium*
- Chain conformation of sulfated derivatives of β -glucan from sclerotia of *Pleurotus tuber-regium* 2863
- PLS
- Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method 1309
- p*-Nitrophenyl β -(1 \rightarrow 4)-D-xylooligosaccharides
- Enzymatic synthesis of β -xylanase substrates: transglycosylation reactions of the β -xylosidase from *Aspergillus* sp. 313
- Polyampholyte
- N*-(2-Carboxyethyl)chitosans: regioselective synthesis, characterization and protolytic equilibria 271
- Poly(ϵ -caprolactone)
- Biodegradation of poly(ϵ -caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer 1759
- Polycondensation
- New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D-manno configuration 1115
- Polygalacturonase
- New polygalacturonases from *Trichoderma reesei*: characterization and their specificities to partially methylated and acetylated pectins 515
- Poly(mannitol phosphate)
- A mannitol teichoic acid containing rhamnose and pyruvic acid acetal from the cell wall of *Brevibacterium permense* VKM Ac-2280 2745
- poly(*N*-p-vinylbenzyl-D-lactonamide)
- Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism 2129
- Polyols
- Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs 143
- Polysaccharide
- Acetan:glucumannan interactions—a molecular modeling study 2889
- Cassia grandis* Linn. f. seed galactomannan: structural and crystallographical studies 1907
- Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507
- Hydrodynamic properties of oxidized extracellular polysaccharides from *Erwinia chrysanthemi* spp 2763
- Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki* 1291
- Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393
- Polysaccharide intercellular adhesion
- Isolation, structural characterization, and immunological evaluation of a high-molecular-weight exopolysaccharide from *Staphylococcus aureus* 903
- Polysaccharide, red algal
- Unusual structures in the polysaccharides from the red seaweed *Pterocladia capillacea* (Gelidiaceae, Gelidiales) 943
- Polysaccharides
- Biological chemistry of immunomodulation by zwitterionic polysaccharides 2531
- Polysaccharides, alkylation
- N*-(2-Carboxyethyl)chitosans: regioselective synthesis, characterization and protolytic equilibria 271
- Polysaccharide structure
- Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449
- Polysaccharide structures
- Structure of the O-polysaccharide of *Proteus vulgaris* O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine 1431
- Porcine pancreatic α -amylase
- Study of the inhibition of four alpha amylases by acarbose and its 4^{1V}- α -maltohexaosyl and 4^{1V}- α -maltododecaosyl analogues 1969
- Poria cocos* mycelia
- Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media 1517
- Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from *Poria cocos* mycelia 1507
- Potential energy surfaces
- Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellotriose and α -maltotriose 95
- MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679
- Potentiometry
- An isocratic separation of underivatized gentamicin components, ¹H NMR assignment and protonation pattern 2853
- Potentiometric titration
- Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 1861
- Pre-micelles
- A fluorescence study of the interactions between sodium alginate and surfactants 1109
- Present and future vaccines
- Immunology of bacterial polysaccharide antigens 2539
- Primary structures
- cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai* 2841
- Probiotic bacteria
- Structural analysis of the *Lactobacillus rhamnosus* strain KL37C exopolysaccharide 605

1,2-Propanediol

Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963

Protecting group

High yield regioselective monobenzyloxycarbonylation of secondary alcohols in glycopyranoside series 2409

The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride 697

Protecting groups

Zinc triflate–benzoyl bromide: a versatile reagent for the conversion of ether into benzoate protecting groups and ether glycosides into glycosyl bromides 447

Protein adsorption

Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption 937

Protein-bound α -glucan

Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media 1517

Protein stability

Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens* 415

Proteobacteria

Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449

Proteus mirabilis

Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191

Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit 1835

Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105

Structure of the O-polysaccharide of *Proteus mirabilis* O38 containing 2-acetamidoethyl phosphate and N-linked D-aspartic acid 2387

Proteus OX

Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697

Proteus vulgaris

Structure of the N-acetyl-L-rhamnosamine-containing O-polysaccharide of *Proteus vulgaris* TG 155 from a new *Proteus* serogroup, O55 1999

Structure of the O-polysaccharide of *Proteus vulgaris* O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine 1431

Structure of the O-specific polysaccharide of *Proteus vulgaris* O45 containing 3-acetamido-3,6-dideoxy-D-galactose 327

Protonation constants

N-(2-Carboxyethyl)chitosans: regioselective synthesis, characterisation and protolytic equilibria 271

Providencia alcalifaciens

Structure of the O-polysaccharide of *Providencia alcalifaciens* O21 containing 3-formamido-3,6-dideoxy-D-galactose 1425

Providencia rustigianii

Structure of the O-specific polysaccharide of *Providencia rustigianii* O14 containing N^ε-[(S)-1-carboxyethyl]-N^α-(D-galacturonoyl)-L-lysine 1009

Pseudoalteromonas

Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449

Pseudoalteromonas flavipulchra

Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T 459

Pseudomonas aeruginosa

Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen 2549

Structure of a highly phosphorylated lipopolysaccharide core in the Δ algC mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3) 2667

Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose 1801

Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly O-acetylated core region 1895

Pseudomonas syringae pv. *phaseolicola*

A simple method for preparation of D-rhamnose 109

Pseudomonas tolaasii

Structural determination of the O-specific chain of the lipopolysaccharide from the mushrooms pathogenic bacterium *Pseudomonas tolaasii* 1251

[3]Pseudorotaxane

Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol 781

Pterocladiaella capillacea

Unusual structures in the polysaccharides from the red seaweed *Pterocladiaella capillacea* (Gelidiaceae, Gelidiales) 943

1-(p-Tolylsulfonyl)-(1H)-1,2,4-triazole

Regioselective sulfonylation at O-2 of cyclomaltoheptaose with 1-(p-tolylsulfonyl)-(1H)-1,2,4-triazole 451

Pulp and paper industry

Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851

Push–pull alkenes

Synthesis of anellated carbasugars from (–)-quinic acid 293

Pyranose

The crystal structure of 1,2,3,4,6-penta-O-benzoyl- α -D-mannopyranose: observation of C–H $\cdots\pi$ interaction as a surrogate to O–H \cdots O interaction of a free sugar 2005

Pyranose form equilibration

Efficient selective preparation of methyl-1,2,4-tri-O-acetyl-3-O-benzyl- β -L-idopyranuronate from methyl 3-O-benzyl-L-iduronate 681

Pyrazole

The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819

Pyrazolylquinoxaline

A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2(1H)one 2301

Pyrido[2,1-e]imidazolidine

Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-O-isopropylidene- α -D-lyxo-pentodialdo-1,4-furanoside 1917

Pyruvate

Methylobacterium sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide 1851

Pyruvate acetal

Analysis of pyruvylated β -carrageenan by 2D NMR spectroscopy and reductive partial hydrolysis 1403

Pyruvic acid acetal

A mannitol teichoic acid containing rhamnose and pyruvic acid acetal from the cell wall of *Brevibacterium permense* VKM Ac-2280 2745

Quantitative analysis

Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method 1309

Quaternization

Influence of functional groups on the in vitro anticoagulant activity of chitosan sulfate 483

Quercitol

A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to (\pm)-*proto*-quercitol 1615

Quick access

A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-*O*-benzylidene-per-*O*-acetylated-1,2-*trans*-thioglycosides 199

(–)-Quinic acid

Synthesis of anellated carbasugars from (–)-quinic acid 293

Rabbit serum

Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides 491

Radial distribution function

Macrocycle conformation and self-inclusion phenomena in octakis(3-*O*-butanoyl-2,6-di-*O*-pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics 625

Radioiodine

Synthesis of radioiodine-labeled 2-phenylethyl 1-thio- β -D-galactopyranoside for imaging of *LacZ* gene expression 29

Ramachandran map

Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose 95

MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679

Reaction mechanism

Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase 1339

Reaction pathways

On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases 865

Rearrangement

A simple one-pot method for the synthesis of partially protected mono- and disaccharide building blocks using an orthoesterification–benzylation–orthoester rearrangement approach 2149

Remote site bromination via a cascade rearrangement involving two bridging dioxonium species during oxidative cleavage of a benzylidene acetal 369

Recombinant sialyltransferase

Recombinant (2 \rightarrow 3)- α -sialyltransferase immobilized on nickel-Agarose for preparative synthesis of sialyl Lewis^x and Lewis^a precursor oligosaccharides 1153

Recombination

Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503

Red sea algae

Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325

Reduced Pectin

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Reduction

Chemically methylated and reduced pectins: preparation, characterisation by ¹H NMR spectroscopy, enzymatic degradation, and gelling properties 637

Reductive alkylation with mono- and disaccharides

Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin 1359

Reductive–cleavage

Structural elucidation and antitumor activity of a fructan from *Cyathula officinalis* Kuan 1235

Reductive opening

The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride 697

Reductive partial hydrolysis

Analysis of pyruvylated β -carrageenan by 2D NMR spectroscopy and reductive partial hydrolysis 1403

Regenerated chitosan

Alkaline chitosan solutions 2247

Regio- and stereoselective synthesis

A practical synthesis of α -D-Manp-(1 \rightarrow 3)- α -D-Manp-(1 \rightarrow 2)-[α -D-Glcp-(1 \rightarrow 3)]- α -D-Manp-(1 \rightarrow 2)- α -D-Manp-(1 \rightarrow 2)- α -D-Manp, an O-specific heterohexasaccharide fragment of *Citrobacter braakii* O7a, 3b, 1c 2169

Synthesis of a mannose heptasaccharide existing in baker's yeast, *Saccharomyces cerevisiae* X2180-1A wild-type strain 5

Synthesis of β -D-glucose oligosaccharides from *Phytophthora parasitica* 2359

Regioregular polyamides

New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D-manno configuration 1115

Regioselective amylose derivatization

Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397

Regioselective glycosylation

Regioselective glycosylation of 4,6-*O*-benzylidenated glucopyranosides 843

Regioselective partial deacetylation

Synthesis of amylose acetates and amylose sulfates with high structural uniformity 1397

Regioselectivity

High yield regioselective monobenzyloxycarbonylation of secondary alcohols in glucopyranoside series 2409

Regulation

The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersiniae* 2521

Remote control

Remote control of α - or β -stereoselectivity in (1 \rightarrow 3)-glucosylations in the presence of a C-2 ester capable of neighboring-group participation 307

Repeating unit

Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose 1801

Residual dipolar coupling

Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides 1771

Reversed-phase HPLC

Location of *O*-acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated *Eucalyptus* wood 69

Synthesis of Lewis X trisaccharide analogues in which glucose and rhamnose replace *N*-acetylglucosamine and fucose, respectively 1045

R-form lipopolysaccharide

Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei* 2721

Rhamnogalacturonan

Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki* 1291

Rhamnogalacturonan II

The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation 651

Rhamnosamine

Structure of the *N*-acetyl-L-rhamnosamine-containing O-polysaccharide of *Proteus vulgaris* TG 155 from a new *Proteus* serogroup, O55 1999

D-Rhamnose

A simple method for preparation of D-rhamnose 109

Rhamnose

Efficient synthesis of a heptasaccharide, the repeating unit of the O-chain lipopolysaccharide produced by *Xanthomonas campestris* strain 642 1023

Synthesis of β -D-GlcpNAc-(1 \rightarrow 3)- α -L-Rhap-(1 \rightarrow 2)-[β -L-Xylp-(1 \rightarrow 4)]- α -L-Rhap-(1 \rightarrow 3)- α -L-Rhap, the repeating unit of the O-antigen produced by *Pseudomonas solanacearum* ICMP 7942 19

L-Rhamnose

A mannitol teichoic acid containing rhamnose and pyruvic acid acetal from the cell wall of *Brevibacterium permense* VKM Ac-2280 2745

Rheological properties

Rheological properties of sulfoacetate derivatives of cellulose 751

Rheology

Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures 787

Rhizobium giardinii bv. giardinii

Structural determination of the lipo-chitin oligosaccharide nodulation signals produced by *Rhizobium giardinii* bv. giardinii H152 237

Rhizomucor pusillus

Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469

Rhodophyta

Solid-state ^{13}C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta) 1559

Rhodothermus marinus

Enzymatic synthesis of 4-methylumbelliferyl (1 \rightarrow 3)- β -D-glucoligosaccharides—new substrates for β -1,3-1,4-D-glucanase 1455

D-Ribopyranosylamine

First crystallographic evidence for the formation of β -D-ribopyranosylamine from the reaction of ammonia with D-ribose 801

Ribose

Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191

D-Ribose

Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl_3 –ribose complex 2913

Rigid-body motion

Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine 353

Ring-opening polymerization

Synthesis of 2,3,4,5-tetra-O-methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters 549

Ring opening reactions

Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides 2825

Ring oxygen atom, $J_{1,2e}$ and $J_{4,5}$ coupling constants

X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-lyxo-hexopyranoside 795

R. meliloti 2011

Enantioseparation using cyclosophoraoses as a novel chiral additive in capillary electrophoresis 1143

(25*R*)-Spirost-5-en-3 β -ol

Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133

Saccharomyces cerevisiae

Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127

5-*S*-Acetyl-5-thio-D-arabinofuranose and D-xylofuranose

Efficient synthesis of 5-thio-D-arabinopyranose and 5-thio-D-xylopyranose from the corresponding D-pentono-1,4-lactones 2241

5-*S*-Acetyl-5-thio-D-arabinono and D-xylo-1,4-lactones

Efficient synthesis of 5-thio-D-arabinopyranose and 5-thio-D-xylopyranose from the corresponding D-pentono-1,4-lactones 2241

Sacrificial anode

New efficient electrochemical synthesis of 1,5-dithioxylopyranosides in the presence of a sacrificial anode 1543

Saponification

Rapid quantification of O-acetyl and O-methyl residues in pectin extracts 379

Saponin synthesis

Synthesis of the trisaccharide portion of soyasaponin β : evaluation of a new glucuronic acid acceptor 1441

Scale up

A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-O-benzylidene-per-O-acetylated-1,2-trans-thioglycosides 199

Schiff bases

Ni(II) complexes with Schiff bases derived from amino sugars 1535

Schizophyllan

The effect of (1 \rightarrow 3)- β -D-glucans, carboxymethylglucan and schizophyllan on human leukocytes in vitro 2835

Seaweed galactans

Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans 2111

Seed

Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017

Seed development

Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development 463

SELDI-TOF

One-pot preparation of a series of glycoconjugates with predetermined antigen–carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa 2591

Selectin

Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-O-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid 2793

Selectin ligand

Chemo-enzymatic synthesis of a divalent sialyl Lewis^x ligand with restricted flexibility 1163

SEM

Physical investigations of surface membrane–water relationship of intact and gelatinized wheat–starch systems 2403

S. enterica

Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly 2503

Serine

Practical synthesis of the 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039

Serogroup

Structure of the O-polysaccharide of *Proteus mirabilis* O38 containing 2-acetamidoethyl phosphate and N-linked D-aspartic acid 2387

Serological classification

Structure of the N-acetyl-L-rhamnosamine-containing O-polysaccharide of *Proteus vulgaris* TG 155 from a new *Proteus* serogroup, O55 1999

Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105

- Structure of the O-specific polysaccharide from the lipopolysaccharide of *Citrobacter gillenii* O11, strain PCM 1540 1389
- Serology
- A new mannoheptaose containing α and β -(1 \rightarrow 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175
- Serratia*
- Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823
- The structure of the polysaccharide part of the LPS from *Serratia marcescens* serotype O19, including linkage region to the core and the residue at the non-reducing end 2757
- Shewanella*
- Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria* 2449
- The structure of the rough-type lipopolysaccharide from *Shewanella oneidensis* MR-1, containing 8-amino-8-deoxy-Kdo and an open-chain form of 2-acetamido-2-deoxy-D-galactose 1991
- Shewanella*, *S. algae*
- The structure of the O-specific polysaccharide chain of the *Shewanella algae* BrY lipopolysaccharide 385
- Shigella dysenteriae* type 4
- Synthesis of the pentasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 4 in the form of its methyl ester 2-(trimethylsilyl)ethyl glycoside 589
- Sialic acid
- Chemoenzymatic synthesis of the sialyl- α -(2 \rightarrow 3')-lactosamine trisaccharide with a 3-aminopropyl group as a spacer at the reducing end 1265
- Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097
- Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-O-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid 2793
- Systematic synthesis and MAG-binding activity of novel sulfated GM1b analogues as mimics of Chol-1 (α -series) gangliosides: highly active ligands for neural siglecs 1621
- Sialyl Lewis X
- Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-O-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid 2793
- Sialyl Lewis X mimics
- A novel approach to the stereocontrolled synthesis of C-vinyl β -D-galactopyranosides 1877
- Signal transduction
- Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999
- Silica gel support
- An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂ 1327
- Single-crystal X-ray diffraction
- First crystallographic evidence for the formation of β -D-ribosepyranosylamine from the reaction of ammonia with D-ribose 801
- Single-molecules
- Characterisation of bacterial polysaccharides: steps towards single-molecular studies 2459
- Singlet oxygen
- A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to (\pm)-*proto*-quercitol 1615
- Site-directed mutagenesis
- Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAII by site-directed mutagenesis 1553
- Size-exclusion Chromatography
- Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Sodium bis-(methoxyethoxy) aluminium hydride (SMEAH)
- Synthesis of 1,2,3-tri-O-acetyl-5-deoxy-D-ribofuranose from D-ribose 303
- Solanaceae
- Structure of the xyloglucan produced by suspension-cultured tomato cells 1197
- Solid acid
- Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-O-benzyl-4,6-O-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10 1531
- Solid-phase
- Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry 1951
- Solid-state NMR
- Solid-state ¹³C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta) 1559
- Solubility
- Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
- Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization 1283
- Sophorotriose
- MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679
- Sorbitol
- Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
- Sorbose
- Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs 143
- L-Sorbose
- Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones 711
- SPECT
- Synthesis of radioiodine-labeled 2-phenylethyl 1-thio- β -D-galactopyranoside for imaging of *LacZ* gene expression 29
- Spirostanol glycosides
- The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides 721
- Spondias cytherea*
- Structural features of an arabinogalactan gum exudates from *Spondias dulcis* (Anacardiaceae) 619
- Sporotrichum thermophile*
- Biochemical and catalytic properties of an endoxylanase purified from the culture filtrate of *Sporotrichum thermophile* 1881
- Stability constant
- Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclomaltoheptaose)[bis(β -cyclodextrin)] with a pyromellitic acid diamide tether 1751
- Staphylococcus aureus*
- Isolation, structural characterization, and immunological evaluation of a high-molecular-weight exopolysaccharide from *Staphylococcus aureus* 903
- Starch
- Acid hydrolysis of native and annealed starches and branch-structure of their Naegeli dextrans 2871
- Biodegradation of poly(ϵ -caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer 1759
- Examination of the structure of amylopectin molecules by fluorescent labeling 471
- Molecular fractionation of starch by density-gradient ultracentrifugation 611
- Physical investigations of surface membrane–water relationship of intact and gelatinized wheat–starch systems 2403

- Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development 463
- Volumetric behaviour of maltose–water, maltose–glycerol and starch–sorbitol–water systems mixtures in relation to structural relaxation 2883
- Starch granules**
- Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- Starch granule structures**
- Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, *r* and *rb* single mutants, and the *rrb* double mutant 2135
- Starch synthase**
- Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- Starch synthase II**
- Chemical synthesis of methyl 6'- α -maltosyl- α -maltotrioxide and its use for investigation of the action of starch synthase II 189
- Stereochemistry**
- A conformational model of per-*O*-acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy 1103
- Stereoregular polyamides**
- New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the *D-manno* configuration 1115
- Stereoselective**
- Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides 1925
- Stereoselective synthesis**
- Highly efficient synthesis of alternate α - and β -(1 \rightarrow 3)-linked glucose hepta- and octasaccharides 2047
- Stereoselectivity**
- A mild and convenient indium(III) chloride-catalyzed synthesis of thioglycosides 2237
- Stereospecific synthesis**
- Stereospecific synthesis of chiral caprolactone monomers from D-glucose 563
- Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides 2825
- Streptococcus pneumoniae***
- Chemo-enzymatic synthesis of a tetra- and octasaccharide fragment of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2611
- Chemo-enzymatic synthesis of tetra-, penta-, and hexasaccharide fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 14 2629
- Streptomyces***
- Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823
- Structural analysis**
- Characterization of an acetylated heteroxylan from *Eucalyptus globulus* Labill 597
- Structural analysis of the *Lactobacillus rhamnosus* strain KL37C exopolysaccharide 605
- Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter baumannii* strain 24 2751
- Structural assignment**
- Synthesis of phosphatidylinositol mannosides (PIMs) 2557
- Structural characterization**
- Electrospray tandem mass-spectrometric analysis of diastereo- and stereoisomeric pyrimidine nucleoside analogues based on the 1,3-dihydrobenzo[*c*]furan core 2311
- Synthesis and structural characterization of 1-(D-glycosyloxy)phthalazines 2291
- Structure**
- Structural and serological studies of the O-antigen of *Proteus mirabilis* O-9 1191
- Structural determination of the lipo-chitin oligosaccharide nodulation signals produced by *Rhizobium giardinii* bv. giardinii H152 237
- Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development 463
- Structure of bacterial lipopolysaccharides 2431
- Structure–activity relationships**
- Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban 2393
- Structure elucidation**
- Structural determination of the O-specific chain of the lipopolysaccharide from the mushrooms pathogenic bacterium *Pseudomonas tolaasii* 1251
- Structure/function**
- Biological chemistry of immunomodulation by zwitterionic polysaccharides 2531
- Structures**
- Complexes of sodium vanadate(V) with methyl α -D-mannopyranoside, methyl α - and β -D-galactopyranoside, and selected *O*-methyl derivatives: a ^{51}V and ^{13}C NMR study 1745
- Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 2687
- Location of sulfate groups on sulfoacetate derivatives of cellulose 761
- Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b 1571
- Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T 459
- Structure of the O-polysaccharide of a serologically separate strain of *Proteus mirabilis*, TG 332, from a new proposed *Proteus* serogroup O50 2105
- Structure of the xyloglucan produced by suspension-cultured tomato cells 1197
- Substituent distribution**
- Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine 733
- Substrate specificity**
- Substrate specificity of the α -L-arabinofuranosidase from *Rhizomucor pusillus* HHT-1 1469
- Sucrose**
- Dissolution of sucrose crystals in the anhydrous sorbitol melt 361
- FTIR study of state and phase transitions of low moisture sucrose and lactose 2195
- Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution 2921
- Sucrose as substrate for starch synthesis
- Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- Sugar**
- Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism 2129
- Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures 787
- Sugar amino acids**
- Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination 1349
- Synthesis of new sugar amino acid derivatives of D-glucosamine 399
- Sugar beet**
- New polygalacturonases from *Trichoderma reesei*: characterization and their specificities to partially methylated and acetylated pectins 515

- Sugar composition
Determination of the diadic composition of alginate by means of circular dichroism: a fast and accurate improved method 1139
- Sugar content
UV monitoring of sugars during wine making 79
- Sugar hydrazone
The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives 819
- Sugar nucleotides
Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose 2571
- Sugar oxetane
Efficient nitrogen alkylation with carbohydrates 1243
- Sugar phosphates
Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose 2571
- Sulfated cyclodextrins
Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185
- Sulfated GM1b gangliosides
Systematic synthesis and MAG-binding activity of novel sulfated GM1b analogues as mimics of Chol-1 (α -series) gangliosides: highly active ligands for neural siglecs 1621
- Sulfated Lewis^x pentasaccharide
Synthesis and characterization of a sulfated pentasaccharide containing the Lewis^x motif 1793
- Sulfation
Location of sulfate groups on sulfoacetate derivatives of cellulose 761
Preparation of sulfoacetate derivatives of cellulose by direct esterification 743
- Sulfonates
Sulfonate protecting groups. Improved synthesis of *scyllo*-inositol and its orthoformate from *myo*-inositol 999
- Sulfonation
Chain conformation of sulfated derivatives of β -glucan from sclerotia of *Pleurotus tuber-regium* 2863
- Sulfones
Thio-sugars VII. Effect of 3-deoxy-4-*S*-(β -D-glucopyranosyl)-4-thiodisaccharides and their sulfoxides and sulfones on the viability and growth of selected murine and human tumor cell lines 11
- Supercooled liquid
Effect of molecular structure on the conductivity of amorphous carbohydrate–water–KCl mixtures in the supercooled liquid state 433
- Supercritical fluid carbon dioxide
Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ¹³C CPMAS and ¹H NMR characterization 2227
- Surface membrane
Physical investigations of surface membrane–water relationship of intact and gelatinized wheat–starch systems 2403
- Surface modification
Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption 937
- Surfactants
A fluorescence study of the interactions between sodium alginate and surfactants 1109
- Synthesis
A new and efficient strategy for the synthesis of shimofuridin analogs: 2'-*O*-(4-*O*-stearoyl- α -L-fucopyranosyl)thymidine and -uridine 55
Efficient synthesis of a 3,6-branched mannose hepta- and octasaccharide 2039
First synthesis of β -D-Galp-(1 \rightarrow 3)-D-Galp—the repeating unit of the backbone structure of the O-antigenic polysaccharide present in the lipopolysaccharide (LPS) of the genus *Klebsiella* 1033
- Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranosides 207
- Synthesis and solid state ¹³C and ¹H NMR analysis of new oxamide derivatives of methyl 2-amino-2-deoxy- α -D-glucopyranoside and ester of amino acids or dipeptides 183
- Synthesis and structural characterization of 1-(D-glycosyloxy)phthalazines 2291
- Synthesis of a mannose nonasaccharide existing in the exopolysaccharide of *Cryphonectria parasitica* 1711
- Synthesis of an octamannosylated glycan chain, the key oligosaccharide structure in ER-associated degradation 2163
- Synthesis of a novel N–O-interglycosidic disaccharide 1787
- Synthesis of β -(1 \rightarrow 6)-branched (1 \rightarrow 3)-glucododecaose and -glucopentadecaose with alternate β - and α -bonds in the backbone 2203
- Synthesis of monomethylated dioscin derivatives and their antitumor activities 117
- Synthesis of octyl arabinofuranosides as substrates for mycobacterial arabinosyltransferases 581
- Synthesis of phosphatidylinositol mannosides (PIMs) 2557
- Synthesis of the pentasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 4 in the form of its methyl ester 2-(trimethylsilyl)ethyl glycoside 589
- Synthesis of two heptasaccharide analogues of the lentinan repeating unit 2813
- Synthetic oligosaccharides
One-pot preparation of a series of glycoconjugates with predetermined antigen–carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa 2591
- Tagatose
Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs 143
- Tandem mass spectrometry
Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans 1497
- T-Antigen
Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides 1925
- t*-BuOOH
An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂ 1327
- T Cells
Biological chemistry of immunomodulation by zwitterionic polysaccharides 2531
- Tea leaf β -glucosidase
 β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glucosidases 1477
- Teichoic acid
NMR-based identification of cell wall galactomannan of *Streptomyces* sp. VKM Ac-2125 2021
- TEM
Characterisation of bacterial polysaccharides: steps towards single-molecular studies 2459
- TEMPO oxidation
General methods for the synthesis of glycopyranosyluronic acid azides 835
Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide 2367
- Tetrachlorophthalimido derivatives
Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives 133

Tetrasaccharides

Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127

Thermostable enzyme

Cloning expression and characterization of a thermostable exopolysaccharonase from *Thermotoga maritima* 1333

Thermotoga maritima

Cloning expression and characterization of a thermostable exopolysaccharonase from *Thermotoga maritima* 1333

Thermus caldophilus

Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase 1339

Thiepane

Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177

Thioalditols

Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives 177

5-Thio-D-arabinopyranose and 5-thio-D-xylopyranose

Efficient synthesis of 5-thio-D-arabinopyranose and 5-thio-D-xylopyranose from the corresponding D-pentono-1,4-lactones 2241

Thioglycoside

A mild and convenient indium(III) chloride-catalyzed synthesis of thioglycosides 2237

Thioglycosides

A new synthesis of the oligosaccharide domain of acarbose 2779
Synthesis of tetra- and pentasaccharides corresponding to the capsular polysaccharide of *Streptococcus pneumoniae* type 9A&L, 9N and 9A 2605

Thiols

A mild and convenient indium(III) chloride-catalyzed synthesis of thioglycosides 2237

Thiooligosaccharides

Synthesis of S-linked thiooligosaccharide analogues of Nod factors: synthesis of new protected thiodisaccharide and thiotrisaccharide intermediates 1369

Thiophenyl glycosides

Synthesis of Lewis X trisaccharide analogues in which glucose and rhamnose replace N-acetylglucosamine and fucose, respectively 1045

3-Thio-L-sorbosepyranosides

Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbosepyranosides and their 6-C-methoxy analogues 123

5-Thioxylopyranosyl bromide

New efficient electrochemical synthesis of 1,5-dithioxylopyranosides in the presence of a sacrificial anode 1543

Threonine

Practical synthesis of the 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy-β-D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters 1039

L-threo-Pent-2-ulose (L-xylulose)

The structure of the antigenic polysaccharide produced by *Eubacterium saburreum* T15 923

Thymine diastereoisomers

Electrospray tandem mass-spectrometric analysis of diastereo- and stereoisomeric pyrimidine nucleoside analogues based on the 1,3-dihydrobenzo[c]furan core 2311

Tin(II) chloride

Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with *cis*- and *trans*-1,2-cyclohexanediols and 1,2-propanediol 963

TNFα production inhibitor

Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities 47

Torulaspora delbrueckii

A new mannoheptaose containing α and β-(1 → 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175

Toxocara

Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of *Toxocara* larvae 35

Transglycosylation

Enzymatic synthesis of 4-methylumbelliferyl (1 → 3)-β-D-glucosyloligosaccharides—new substrates for β-1,3-1,4-D-glucanase 1455

Enzymatic synthesis of β-xylanase substrates: transglycosylation reactions of the β-xylosidase from *Aspergillus* sp. 313

Transition states

On the reaction pathways and determination of transition-state structures for retaining α-galactosyltransferases 865

Trehalose

Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K 1415

Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase 1339

Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems 541

Trehalose synthase

Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase 1339

1,2,4-Triazolo[4,3-*b*]pyridazines

Synthesis of 3-(α- and β-D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-*b*]pyridazine 2057

Trichloroacetimidate

Acetylated methyl glucopyranuronate trichloroacetimidate as a glycosyl donor for efficient synthesis of disaccharides 2337

Trichloroacetimidates

Regioselective glycosylation of 4,6-O-benzylidenated glucopyranosides 843

Remote control of α- or β-stereoselectivity in (1 → 3)-glucosylations in the presence of a C-2 ester capable of neighboring-group participation 307

Synthesis of a mannose heptasaccharide existing in baker's yeast, *Saccharomyces cerevisiae* X2180-1A wild-type strain 5

Synthesis of β-D-glucose oligosaccharides from *Phytophthora parasitica* 2359

Trichloroethylidene acetals

1,2-O-Trichloroethylidene acetal group protected 3,5-dieno-1,4-furanose derivatives 2013

Trichoderma

Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources 1823

Trichoderma viride

Purification and characterization of an endo-β-(1 → 6)-galactanase from *Trichoderma viride* 219

Trifluoroacetamido derivatives

Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy-β-D-glucopyranoside hydrochloride and its derivatives 133

Triiodide inclusion complex

X-ray structure of the cyclomaltohexaosaose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution 977

Trimeb

A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose 2091

Trimethylsilyl group

- Study on lyotropic liquid-crystalline properties of trimethylsilyl hydroxypropylcellulose 535
- 1,2,3-tri-*O*-acetyl-5-deoxy-D-ribofuranose
Synthesis of 1,2,3-tri-*O*-acetyl-5-deoxy-D-ribofuranose from D-ribose 303
- Triphosphate ester
Stereoselective phosphorylation of branched cyclodextrins with inorganic *cyclo*-triphosphate 2067
- Trisaccharide
Chemoenzymatic synthesis of the sialyl- α -(2 \rightarrow 3')-lactosamine trisaccharide with a 3-aminopropyl group as a spacer at the reducing end 1265
- Trisaccharides
Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose 95
MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose 1679
Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- t*-ROESY spectroscopy
 β -Anomeric selectivity in the glycosidation of D-mannofuranono-6,3-lactone catalyzed by boron trifluoride diethyl etherate 375
- Trp residues
Förster energy-transfer studies between Trp residues of α_1 -acid glycoprotein (orosomucoid) and the glycosylation site of the protein 2233
Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein 1097
- Twelve varieties of starch
Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- UDPGlc
Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches 1811
- Ultracentrifugation
Molecular fractionation of starch by density-gradient ultracentrifugation 611
- Umpolung
Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol 2899
- Unsaturated sugar derivatives
1,2-*O*-Trichloroethylidene acetal group protected 3,5-dieno-1,4-furanose derivatives 2013
- Uracil enantiomers of 1,3-dihydrobenzo[*c*]furan nucleosides
Electrospray tandem mass-spectrometric analysis of diastereo- and stereoisomeric pyrimidine nucleoside analogues based on the 1,3-dihydrobenzo[*c*]furan core 2311
- Uronic acid
Acetylated methyl glucopyranuronate trichloroacetimidate as a glycosyl donor for efficient synthesis of disaccharides 2337
- Uronic acid azides, unprotected
General methods for the synthesis of glycopyranosyluronic acid azides 835
- UV characterisation
Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir 2185
- UV monitoring
UV monitoring of sugars during wine making 79
- Vaccine
One-pot preparation of a series of glycoconjugates with predetermined antigen-carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa 2591
- Phase-variation of the truncated lipo-oligosaccharide of *Neisseria meningitidis* NMB phosphoglucosyltransferase isogenic mutant NMB-R6 2905
- Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen 2549
- Valiolamine
Biosynthetic studies on the α -glucosidase inhibitor acarbose: the chemical synthesis of isotopically labeled 2-*epi*-5-*epi*-valiolone analogs 2075
- Valiolol
Biosynthetic studies on the α -glucosidase inhibitor acarbose: the chemical synthesis of isotopically labeled 2-*epi*-5-*epi*-valiolone analogs 2075
- ^{51}V , ^{13}C NMR spectroscopy
Complexes of sodium vanadate(V) with methyl α -D-mannopyranoside, methyl α - and β -D-galactopyranoside, and selected *O*-methyl derivatives: a ^{51}V and ^{13}C NMR study 1745
- Venous antithrombotics
New 1-C-(5-thio-D-xylopyranosyl) derivatives as potential orally active venous antithrombotics 1271
- Vibrio cholerae* O:1
One-pot preparation of a series of glycoconjugates with predetermined antigen-carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa 2591
- Vibrio parahaemolyticus*
Structural analysis of the carbohydrate backbone of *Vibrio parahaemolyticus* O2 lipopolysaccharides 1063
Structural characterization of the carbohydrate backbone of the lipopolysaccharide of *Vibrio parahaemolyticus* O-untypable strain KX-V212 isolated from a patient 2711
Structure and serological characterization of 5,7-diamino-3,5,7,9-tetradeoxy-non-2-ulonic acid isolated from lipopolysaccharides of *Vibrio parahaemolyticus* O2 and O-untypable strain KX-V212 1055
- Vigna angularis*
Identification of a digalactosyl ononitol from seeds of adzuki bean (*Vigna angularis*) 2017
- Virulence
The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia* 2521
- Viscosity
Characterization of the alginates from algae harvested at the Egyptian Red Sea coast 2325
Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient 1861
- Viscosity B-coefficients
Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution 2921
- Vorbrüggen condition
Synthesis of novel apionucleosides: a short and concise synthesis of 2-deoxyapio-L-furanosyl acetate from D-lactose 705
- $\text{VO}_3(\text{V})$ complexes
Complexes of sodium vanadate(V) with methyl α -D-mannopyranoside, methyl α - and β -D-galactopyranoside, and selected *O*-methyl derivatives: a ^{51}V and ^{13}C NMR study 1745
- Water
The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride 697
- Water activity
Physical investigations of surface membrane-water relationship of intact and gelatinized wheat-starch systems 2403
- Water-soluble cellulose derivatives
Rheological properties of sulfoacetate derivatives of cellulose 751
- Water-soluble ester

- Preparation of sulfoacetate derivatives of cellulose by direct esterification 743
- Weil–Felix test
- Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach 2697
- Wheat
- Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis 423
- Wheat bran
- Preparation of sulfoacetate derivatives of cellulose by direct esterification 743
- Wheat germ agglutinin
- The binding characteristics and utilization of *Aleuria aurantia*, *Lens culinaris* and few other lectins in the elucidation of fucosyl-transferase activities resembling cloned FT VI and apparently unique to colon cancer cells 887
- Wine making
- UV monitoring of sugars during wine making 79
- Wzy-dependent assembly
- Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria 2491
- Xanthan
- Acetan:glucomannan interactions—a molecular modeling study 2889
- Xanthomonas campestris*
- Structural elucidation of the O-chain of the lipopolysaccharide from *Xanthomonas campestris* strain 8004 277
- X-ray
- Synthesis and structural analyses of 3-acetamido-1,4-di-*O*-acetyl-2,3,5-trideoxy-5-*C*-(isopropylphosphinyl) \times -D-erythro-pentopyranoses 283
- X-ray analysis
- A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules 1581
- Crystal structure of β -cyclodextrin–benzoic acid inclusion complex 439
- X-ray crystallography
- Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-*O*-isopropylidene- α -D-lyxo-pentodialdo-1,4-furanoside 1917
- Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination 1349
- X-ray crystal structure
- Crystal structure and chirality of natural floridoside 2413
- X-ray diffraction
- Acetan:glucomannan interactions—a molecular modeling study 2889
- X-ray diffraction, single-crystal
- X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-lyxo-hexopyranoside 795
- X-ray fibre diffraction
- Characterisation of bacterial polysaccharides: steps towards single-molecular studies 2459
- X-ray structure analysis
- Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan 1299
- X-ray structures
- Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol 781
- Crystal structures of *O*-acetylated 2-acylamino-2-deoxy-D-galactose derivatives 2119
- Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAII by site-directed mutagenesis 1553
- X-ray structure of the cyclomaltohexaicosaoose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution 977
- Xylan
- Carbohydrate esterase family 4 enzymes: substrate specificity 687
- Characterization of an acetylated heteroxylan from *Eucalyptus globulus* Labill 597
- Enzymatic synthesis of a library of β -(1 \rightarrow 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981
- Isolation and characterization of water-soluble hemicelluloses from flax shive 1869
- Solid-state ^{13}C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta) 1559
- Xylanase
- Enzymatic synthesis of a library of β -(1 \rightarrow 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase 1981
- β -Xylanase substrates
- Enzymatic synthesis of β -xylanase substrates: transglycosylation reactions of the β -xylosidase from *Aspergillus* sp. 313
- Xyloglucan
- Structure of the xyloglucan produced by suspension-cultured tomato cells 1197
- Xylo-oligosaccharides
- Location of *O*-acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated *Eucalyptus* wood 69
- Xylooligosaccharides
- Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I 1209
- Xylose
- Efficient synthesis of a heptasaccharide, the repeating unit of the O-chain lipopolysaccharide produced by *Xanthomonas campestris* strain 642 1023
- D-Xylose
- Efficient nitrogen alkylation with carbohydrates 1243
- Xylose
- Synthesis of a hexasaccharide, the repeating unit of *O*-deacetylated GXM of *C. neoformans* serotype A 1719
- Xylose and arabinose analogs
- Synthesis of protected 2-amino-2-deoxy-D-xylothionolactam derivatives and some aspects of their reactivity 1591
- β -D-Xylosidase
- Enzymatic synthesis of β -xylanase substrates: transglycosylation reactions of the β -xylosidase from *Aspergillus* sp. 313
- Yeast
- A new mannoheptaose containing α and β -(1 \rightarrow 2) linkages isolated from the mannan of *Torulaspora delbrueckii*: ELISA inhibition studies 1175
- Specificity of yeast (*Saccharomyces cerevisiae*) in removing carbohydrates by fermentation 1127
- Yersinia*
- The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia* 2521
- Zinc
- Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium 1217
- New efficient electrochemical synthesis of 1,5-dithioxypyranosides in the presence of a sacrificial anode 1543
- Zinc triflate
- Zinc triflate–benzoyl bromide: a versatile reagent for the conversion of ether into benzoate protecting groups and ether glycosides into glycosyl bromides 447