

INDEX OF AUTHORS, 1945.

A.

- Addison, C. C.**, the properties of freshly formed surfaces. Part IV. The influence of chain length and structure on the static and the dynamic surface tensions of aqueous-alcoholic solutions. Part V. Velocity-time equation for adsorption to dynamic surfaces, 98, 354.
- Albert, A.**, and **Short, L. N.**, absorption spectra of acridines. Part III. Hydroxyacridines, 760.
- Anker, R. M.**, and **Cook, A. H.**, new synthesis of olivetol, 311.
- Anker, R. M.**, **Cook, A. H.**, and **Heilbron, I. M.**, experiments in the piperidine series. Part II., 917.
- Ashley, J. N.**, and **Grove, J. F.**, chemistry of synthetic anti-malarials. Part I. δ -Diethylamino- α -methylbutylamino-derivatives of pyridine and thiazole, 768.
- Asker, (Miss) W.** See **Schönberg, A.**
- Atherton, F. R.**, **Openshaw, H. T.**, and **Todd, A. R.**, studies on phosphorylation. Part I. Dibenzyl chlorophosphate as a phosphorylating agent. Part II. Reaction of dialkyl phosphites with polyhalogen compounds in presence of bases; a new method for the phosphorylation of amines, 382, 660.
- Atkinson, C. M.** See **Simpson, J. C. E.**
- Attenburrow, J.**, **Elks, J.**, **Elliott, D. F.**, **Hems, B. A.**, **Harris, J. O.**, and **Brodrick, C. I.**, experiments relating to synthesis of patulin. Part I. Hydrogenated γ -pyrones, 571.
- Awad, W. I.** See **Schönberg, A.**

B.

- Backeberg, O. G.**, and **Marais, J. L. C.**, derivatives of 1:1:1-trichloro-2:2-di-(4-chlorophenyl)ethane (DDT), 803.
- Baker, J. W.**, and **Holdsworth, J. B.**, α -methylene reactivity in olefinic systems. Part II. Reaction between olefins and phenyl isocyanate: evidence relating to catalytic action of stannic chloride, 724.
- Baker, W.**, non-benzenoid aromatic hydrocarbons, 258.
- Baker, W.**, **Banks, R.**, **Lyon, D. R.**, and **Mann, F. G.**, action of sodium on *o*-xylene dibromide, 27.
- Banks, R.** See **Baker, W.**
- Barber, H. J.**, and **Stickings, C. E.**, phenanthrene-3:6-diamidine, 167.
- Barclay, (Miss) B. M.**, and **Campbell, N.**, dehydrogenation of tetrahydrocarbazoles by chloranil, 530.
- Baritrop, J. A.** See **King, F. E.**
- Barr, W.**, and **Cook, J. W.**, synthesis of piperidine derivatives. Part I., 438.
- Bartindale, G. W. R.** See **Powell, H. M.**
- Barton, D. H. R.**, application of the method of molecular rotation differences to steroids. Part I. Naturally occurring steroids and their simple derivatives, 813.
- Barton, D. H. R.**, **Linnell, W. H.**, and **Senior, N.**, 4-(4'-aminobenzenesulphonamido)resorcinol 3-benzoate and some related compounds, 436.
- Barton, N.**, **Cook, J. W.**, and **Loudon, J. D.**, colchicine and related compounds. Part V. Structure of Windaus's deaminocolchinol methyl ether, 176.
- Bateman, L.**, and **Jeffrey, G. A.**, structure of polyisoprenes. Part IV. Double bond interaction in certain carbalkoxy-substituted 1:5-dienes, 211.
- Bateman, L.**, and **Koch, H. P.**, structure of polyisoprenes. Part V. Ultra-violet absorption spectra of certain carbalkoxy-substituted 1:5-dienes, and the charge-resonance spectra of glutaconic ester enolate ions, 216.
- Baxter, R. A.**, and **Spring, F. S.**, application of the Hofmann reaction to the synthesis of heterocyclic compounds. Part I. Synthesis of alloxazine from quinoxaline-2:3-dicarboxylic acid. Part II. Synthesis of xanthine from glyoxaline-4:5-dicarboxamide and of 9-methylxanthine from 1-methylglyoxaline-4:5-dicarboxamide, 229, 232.
- Beer, R. J. S.** See **King, F. E.**

- Beilenson, B.**, **Hamer, (Miss) F. M.**, and **Rathbone, R. J.**, thiazinocyanines. Part IV. Simple cyanines containing the 2:4-benzothiazine nucleus, 222.
- Bell, D. J.**, characterisation of 2:6-dimethyl *d*-galactose, 692.
- Bennett, G. M.**, and **Grove, J. F.**, by-products in aromatic nitration. Part II. Nitration of diphenyl, quinoline, and benzophenone, 378.
- Bergel, F.**, **Cohen, A.**, and **Haworth, J. W.**, synthetic experiments in the B group of vitamins. Part I. Riboflavin, 165.
- Bergmann, M.**, obituary notice of, 716.
- Besly, D. M.** See **Goldberg, A. A.**
- Beynon, J. H.**, and **Jansen, A. B. A.**, acylation of 4-hydroxy-3-carbethoxy-2-methylthiophen, 600.
- Birch, A. J.**, reduction by dissolving metals. Part II., 809.
- Birch, A. J.**, **Jaeger, (Mrs.) R.**, and **Robinson, (Sir) R.**, synthesis of substances related to the sterols. Part XLIV. *dl*-*cis*-Equilenin, 582.
- Bolland, J. L.**, and **Koch, H. P.**, course of autoxidation reactions in polyisoprenes and allied compounds. Part IX. Primary thermal oxidation product of ethyl linoleate, 445.
- Boon, W. R.**, action of thionyl chloride on 2:4-dimethylthiazole-5-carboxylic acid, 601.
- Borrows, E. T.**, and **Hems, B. A.**, experiments relating to synthesis of patulin. Part II. Derivatives of 2:3-diketotetrahydrofuran, 577.
- Bourne, E. J.**, **Macey, A.**, and **Peat, S.**, enzymic synthesis and degradation of starch. Part II. Amyolytic function of the Q-enzyme of the potato, 882.
- Bourne, E. J.**, and **Peat, S.**, enzymic synthesis and degradation of starch. Part I. Synthesis of amylopectin, 877.
- Boyle, (Miss) M.**, obituary notice of, 719.
- Bradbrook, E. F.** See **Haworth, J. W.**
- Braude, E. A.**, studies in light absorption. Part I. *p*-Benzoquinones, 490.
- Braude, E. A.**, and **Jones, E. R. H.**, studies in light absorption. Part II. 2:4-Dinitrophenylhydrazones, 498.
- Breddy, L. J.**, and **Jones, J. K. N.**, quantitative estimation of xylose, 738.
- Briggs, L. H.**, **Hassall, C. H.**, and **Short, W. F.**, leptospermane. Part II., 706.
- Broad, D. W.**, and **Foster, A. G.**, sorption of condensable vapours by porous solids. Part II. Validity of Gurwitsch's rule, 366.
- comparative isothermals of water and deuterium oxide on porous solids, 372.
- Brodrick, C. I.** See **Attenburrow, J.**
- Buckley, G. D.**, oxidative ring closure in the Friedel-Crafts reaction. Part I. Condensation of β -naphthoyl chloride with α -methylnaphthalene. Part II. Condensation of aromatic acid chlorides with naphthalene derivatives, 561, 564.
- Buckley, G. D.**, **Figgott, H. A.**, and **Welch, A. J. E.**, preparation of carbamyl fluorides by the action of anhydrous hydrogen fluoride on isocyanates, 864.
- Bulmer, G.**, and **Mann, F. G.**, chemistry of xanthic acid derivatives. Part I. Preparation and comparative properties of isomeric xanthates and dithiocarbonates. Part II. Thermal decomposition of disulphurdicarbothionic esters. Part III. Interaction of carboxylic acid chlorides and potassium ethyl xanthate. Part IV. Interaction of sulphonyl chlorides and potassium ethyl xanthate, 666, 674, 677, 680.
- Burton, H.**, chlorination of β -naphthol and ethyl 2-hydroxy-3-naphthoate in presence of sodium acetate; 4-chloro- β -naphthol and its derivatives, 280.
- Burton, H.**, and **Hoggarth, E.**, reaction between sulphonyl chlorides and dimethoxybenzenes in the presence of zinc chloride, 14.
- compounds related to 4:4'-diaminodiphenylsulphone, 468.

C.

- Caldwell, A. G.**, and **Jones, E. R. H.**, constituents of expressed West Indian lime oil, 540.
- Cameron, J. M. L.**, **Cook, J. W.**, and **Graham, W.**, catalytic hydrogenation of pyrene, 286.
- Campbell, (Miss) I. G. M.**, and **Harper, S. H.**, experiments on the synthesis of the pyrethrins. Part I. Synthesis of chrysanthemum monocarboxylic acid, 283.
- Campbell, N.** See **Barclay, (Miss) B. M.**
- Catch, J. R.**, **Cook, A. H.**, and **Kitchener, J. A.**, apparatus for microtitrations with a glass electrode, 319.
- Chang, S.-T.** See **Woo, S.-C.**
- Chapman, N. B.**, **McCombie, H.**, and **Saunders, B. C.**, synthesis of cardiazole (pentamethylenetetrazole) by the action of hydrazoic acid on cyclohexanone, 929.
- Chard, S. J.** See **Cullinane, N. M.**
- Clemo, G. R.**, and **Driver, G. W.**, derivatives of 1-azanthraquinone. Part I., 829.
- Clemo, G. R.**, and **Swan, G. A.**, contribution to the study of nicotine and the synthesis of 7-azaindole and derivatives, 603.
derivatives of 3-aminoquinoline, 867.
- Clemo, G. R.**, and **Turnbull, J. H.**, synthesis of 3-methylisoquinolines. Part I., 533.
- Clemo, G. R.**, and **Weiss, J.**, melanin formation, 702.
- Coates, G. E.**, standard electrode potential of magnesium, 478.
potential and rate of solution of magnesium in deuteriochloric acid, 480.
concentration polarisation in acid solutions, 484.
an improved glass electrode cell assembly, 489.
- Cohen, A.** See **Bergel, F.**
- Cook, A. H.**, **Heilbron, I. M.**, and **Reed, K. J.**, sulphonamides derived from substituted anilines, 182.
- Cook, A. H.**, **Heilbron, I. M.**, **Reed, K. J.**, and **Strachan, M. N.**, some sulphanilamidophenyl cyanides and related compounds, 861.
- Cook, A. H.**, and **Reed, K. J.**, experiments in the piperidine series. Part I., 399.
aryl di- β -amidinoethyl ethers, 920.
- Cook, A. H.**, and **Waddington, W.**, experiments in the co-oxene and coeramidine series, 402.
- Cook, A. H.** See also **Anker, R. M.**, and **Catch, J. R.**
- Cook, H. G.**, **McCombie, H.**, and **Saunders, B. C.**, esters containing phosphorus. Part II., 873.
- Cook, J. W.**, and **Schoental, (Miss) R.**, polycyclic aromatic hydrocarbons. Part XXX. Synthesis of chrysenols, 288.
- Cook, J. W.**, and **Thomson, W. H. S.**, polycyclic aromatic hydrocarbons. Part XXXI. Nitrogenous analogues of chrysene, pyrene and 3:4-benzphenanthrene, 395.
- Cook, J. W.** See also **Barr, W.**, **Barton, N.**, and **Cameron, J. M. L.**
- Craig, D. P.**, and **Short, L. N.**, absorption spectra of acridines. Part I. Aminoacridines, 419.
- Cullinane, N. M.**, and **Chard, S. J.**, action of methanol on phenol in presence of alumina; formation of anisole, methylated phenols, and hexamethylbenzene, 821.
- Cymerman, J.**, **Heilbron, I. M.**, and **Jones, E. R. H.**, studies in the polyene series. Part XXI. Ethynylcarbinols from $\alpha\beta$ -unsaturated ketones: their anionotropic rearrangements and other reactions, 90.

D.

- Dalgliesh, C. E.**, and **Mann, F. G.**, comparative reactivity of carbonyl groups in thionaphthenquinones. Part II. Influence of substituent groups in thionaphthenquinones. Part III. Influence of solvents and catalysts. Part IV. Action of chloramine-T on thionaphthenquinones, 893, 910, 913.
- Davidson, (Miss) E. M.**, and **Turner, E. E.**, asymmetric transformations with benzylmalonoanilic acids, 843.
- Davies, C. W.**, the extent of dissociation of salts in water. Part X. Dissociation minima, 460.
- Davies, D. R.** See **Graymore, J.**
- Davies, W. H.**, **Johnson, A. W.**, and **Piggott, H. A.**, a novel pyrimidine synthesis. Part II. 4-Amino-5-arylpyrimidines, 352.
- Davies, W. H.**, and **Piggott, H. A.**, a novel pyrimidine synthesis. Part I. 3-Amino-5-phenylpyrimidine, 347.

- De la Mare, P. B. D.**, and **Robertson, P. W.**, kinetics of halogen addition to unsaturated compounds. Part VIII. $\alpha\beta$ -Unsaturated aldehydes, 888.
- De la Mare, P. B. D.**, **Scott, R. A.**, and **Robertson, P. W.**, kinetics of halogen addition to unsaturated compounds. Part VII. Bromine addition in carbon tetrachloride, chlorobenzene, and chloroform, 509.
- Dewar, M. J. S.**, and **King, F. E.**, sulphanilamides of some aminopyrazoles, and a note on the application of *p*-phthalimidobenzene sulphonyl chloride to the synthesis of sulphanilamides, 114.
- Driver, G. W.** See **Clemo, G. R.**
- Duff, J. C.**, new method for preparation of *p*-dialkylaminobenzaldehydes, 276.
- Dupré, D. J.**, and **Robinson, F. A.**, *N*-substituted 5-aminoacridines, 549.

E.

- Egan, (Miss) D. M.**, and **Partington, J. R.**, transport numbers of zinc halides, 191.
- Elks, J.** See **Attenburrow, J.**
- Elliott, D. F.** See **Attenburrow, J.**
- Evans, L. K.**, and **Gillam, A. E.**, effect of molecular environment on the absorption spectra of organic compounds in solution. Part IV. Dienones and dienals, 432.

F.

- Fairbrother, F.**, electrolytic dissociation processes. Part IV. Ionisation of a carbon-halogen bond by inorganic halides, 503.
- Farrar, W. V.**, and **Gulland, J. M.**, syntheses of 1:4-telluroxan and related cyclic tellurides, 11.
- Forrest, J.** See **France, H.**
- Forsyth, W. G. C.**, **Marrian, S. F.**, and **Stevens, T. S.**, alkaloids of *Gelsemium sempervirens*. Part I., 579.
- Foster, A. G.**, low-pressure isothermals and heats of sorption, 360.
sorption of condensable vapours by porous solids. Part III. Multimolecular adsorption. Part IV. Linear isothermals and the Langmuir equation, 769, 773.
- Foster, A. G.** See also **Broad, D. W.**
- Fowkes, F. S.**, and **McClelland, E. W.**, reaction of arylsulphonylbenzothiazolones with acetic anhydride and potassium acetate, 405.
- Fox, (Sir) J. J.**, obituary notice of, 719.
- France, H.**, **Tucker, S. H.**, and **Forrest, J.**, condensation of fluorene with acetone. Part III. Formation of fluoranthene derivatives, 7.
- Fuller, A. T.**, **Tonkin, (Miss) I. M.**, and **Walker, J.**, chemotherapeutic agents of the sulphone type. Part II. Sulphones related to benzamidine and benzylamine, 633.

G.

- Gerrard, W.**, experiments on the interaction of hydroxy-compounds and phosphorus and thionyl halides in the absence and in the presence of tertiary bases. Parts II. and III., 106, 848.
- Gerrard, W.**, and **Richmond, M. J.**, experiments on the interaction of hydroxy-compounds and phosphorus and thionyl halides in the absence and in the presence of tertiary bases. Part IV., 853.
- Ghosh, R.**, **McOmie, J. F. W.**, and **Wilson, J. P.**, experiments on the synthesis of α -biotin. Part I., 705.
- Gibbs, E. M.**, and **Robinson, F. A.**, sulphur derivatives of thiazoles, 925.
- Gibling, T. W.**, molecular volume and structure. Part IX., 236.
- Gibson, D. T.**, heat deactivation of a palladium catalyst, 713.
- Gillam, A. E.**, and **West, T. F.**, observations on the absorption spectra of terpenoid compounds. Part V. Umbellulone, 95.
- Gillam, A. E.** See also **Evans, L. K.**
- Giral, F.**, composition of the fat of the puma or American lion (*Felis concolor*), 112.

- Goldberg, A. A.**, synthesis of derivatives of taurinamide, 464. synthesis of diaminosulphones, 826.
- Goldberg, A. A., and Bealy, D. M.**, synthesis of aminosulphones, 566.
- Goodson, J. A.**, *Delphinium* alkaloids. Part IV. Alkaloids of the seeds of *Delphinium ajacis*, 245.
- Gorvin, J. H.**, sulphonamides. Part I. Action of ammonia on sulphanilamidobenzoic esters in the light of the general theory of ester ammonolysis. Part II. Action of amines on ethyl 4-sulphanilamidobenzamides; alternative preparative methods for sulphanilamidobenzamides, 732, 736.
- Goulden, F., and Kon, G. A. R.**, preparation of 2-amino-7-hydroxyfluorene, 930.
- Goulden, T. P., and Hill, L. M.**, system lead chloride-water at 15° to 35°, 447.
- Gowenlock, A. H., Newbold, G. T., and Spring, F. S.**, syntheses of 2-monosubstituted and 2:3-disubstituted quinoxalines, 622.
- Graham, W.** See **Cameron, J. M. L.**
- Graymore, J., and Davies, D. R.**, the cyclic methyleneamines; use of hexamine in production of aldehydes, 293.
- Green, M. B.** See **Walton, E.**
- Griffith, R. H.**, preparation of olefins from aldehydes and ketones, 715.
- Griffith, R. H., and Morcom, A. R.**, interconversion of iron oxides and sulphides, 786.
- Grove, J. F.** See **Ashley, J. N., and Bennett, G. M.**
- Gulland, J. M., and Walsh, E. O.**, structure of adenosine di- and tri-phosphates, 169.
constitution of yeast ribonucleic acid. Part IX. Alkali-labile linkages, 172.
- Gulland, J. M.** See also **Farrar, W. V.**
- H.**
- Halcrow, (Miss) B. E., and Kermack, W. O.**, nitration of 4-chloro- and 4-hydroxy-quinoline, 415.
- Hall, (Miss) D. M., and Turner, E. E.**, structure and anti-malarial activity. Part I. Some acridine derivatives. Part II. *iso*Alloxazines, quinoxalines, and quinoxalocyclopentadienes, 694, 699.
- Hamer, (Miss) F. M., and Rathbone, R. J.**, symmetrical dicarbocyanines having a methyl group as substituent on the chain, 595.
- Hamer, (Miss) F. M.** See also **Beilenson, B.**
- Harper, S. H.** See **Campbell, (Miss) I. G. M.**
- Harris, J. O.** See **Attenburrow, J.**
- Harrison, J.** See **Kahn, H. J.**
- Hartman, I., and Robertson, P. W.**, kinetics of halogen addition to unsaturated compounds. Part IX. Nitro-cinnamic acids, 891.
- Hassel, C. H.** See **Briggs, L. H.**
- Hathway, D. E.** See **Hodgson, H. H.**
- Haworth, J. W., Heilbron, I. M., Hey, D. H., Wilkinson, R., and Bradbrook, E. F.**, green pigments of the phthalocyanine series, 409.
- Haworth, J. W.** See also **Bergel, F.**
- Haworth, W. N., Jones, W. G. M., and Wiggins, L. F.**, conversion of sucrose into furan compounds. Part II. Some 2:5-disubstituted tetrahydrofurans and their products of ring scission, 1.
- Heilbron, I. M., Jones, E. R. H., Lacey, R. N., McCombie, J. T., and Raphael, R.**, studies in the polyene series. Part XVII. Replacement halogenation and simultaneous anionotropic rearrangements of acetylenylcarbinols and glycols derived from $\alpha\beta$ -unsaturated aldehydes, 77.
- Heilbron, I. M., Jones, E. R. H., McCombie, J. T., and Weedon, B. C. L.**, studies in the polyene series. Part XIX. The semihydrogenation of ethynylcarbinols derived from $\alpha\beta$ -unsaturated aldehydes, and the anionotropic rearrangements of the resulting vinylcarbinols. Part XX. The formation of ethers and esters from propenylvinylcarbinol and related compounds, and the simultaneous rearrangements, 84, 88.
- Heilbron, I. M., Jones, E. R. H., and Weedon, B. C. L.**, studies in the polyene series. Part XVIII. Formation of ethers from propenylethynylcarbinol and related compounds, 81.
- Heilbron, I. M.** See also **Anker, R. M., Cook, A. H., Cymerman, J., and Haworth, J. W.**
- Hems, B. A.** See **Attenburrow, J., and Borrows, E. T.**
- Henry, A. J.**, bromination of 4:4'-diamidino- α -diphenoxypropane and of 4:4'-diamidinostilbene, 870.
- Henry, T. A., Kirby, K. S., and Shaw, G. E.**, quinamine. Part I., 524.
- Henshall, T.** See **King, F. E.**
- Hey, D. H.** See **Haworth, J. W.**
- Hill, L. M.**, the system sodium carbonate-sodium borate-water at 35°, 476.
- Hill, L. M.** See also **Goulden, T. P.**
- Hinkel, L. E., and Treharne, G. J.**, studies on hydrogen cyanide. Part XV. Action of hydrogen chloride on methyl cyanide, 866.
- Hodgson, H. H., and Hathway, D. E.**, reactions of 3-nitro-1-naphthylamine. Part II. Chlorination, mercuration, coupling with diazo-compounds, and the preparation of some arsenicals, 123.
decompositions of diazonium salts by sodium sulphite and sodium acetate. Part II. 3-Nitro-1-naphthylamine, 451. reactions of 4-nitro-2-naphthylamine. Part II. Mono- and di-nitration of 4-nitro-*p*-toluenesulphon-2-naphthalide and preparation of 4:6-dinitro-1-naphthol, 453. preparation and chromoisomerism of 4:5-dinitro-1-naphthylamine, and some perimidines and perinones from 4-chloro- and 4-bromo-1:8-naphthylenediamine, 543.
- Hodgson, H. H., and Marsden, E.**, evidence for the structural isomerism of Hantzsch's aryl *syn*- and *anti*-diazotates, 207.
reactions of Grignard reagents with some zinc chloride double salts of diazonium compounds, 274.
- Hodgson, H. H., and Sibbald, D. D. R.**, interpretation of the Sandmeyer reaction. Part VI. Influence of the chloride ion on the decompositions of neutral *p*-nitrobenzenediazonium chloride and of *p*-nitrobenzenediazonium cobaltinitrite. Part VII. Formation of complex salts between aryl diazonium chlorides and ferric chloride of general formula, $R\cdot\overset{+}{N}_2\cdot\overset{-}{Fe}Cl_4$, and decomposition of *p*-nitrobenzenediazonium chloride by ferrous salts, 545, 819.
- Hodgson, H. H., and Ward, E. R.**, preparation of 7-nitro-2-naphthylamine and of 3:6-dinitronaphthalic anhydride, 590.
preferential reduction of nitro-groups in polynitro-compounds. Part III. Picric acid and 3:5-dinitro-*o*-cresol; an almost quantitative preparation of picramic acid. Part IV. Preparation of 4:5-dinitro-2-naphthylamine from 1:3:8-trinitronaphthalene and a comparison of sodium sulphide reductions of available dinitronaphthalenes, 663, 794.
- Hodgson, H. H., Ward, E. R., and Whitehurst, J. S.**, preferential reduction of nitro-groups in polynitro-compounds. Part II. The preparation of 3:6-dinitro-1:8-naphthylenediamine from 1:3:6:8-tetranitronaphthalene, 454.
- Hodgson, H. H., and Whitehurst, J. S.**, preparation of 1:5- and 1:8-naphthylenediamine and related compounds, 202.
- Hoggarth, E.** See **Burton, H.**
- Holdsworth, J. B.** See **Baker, J. W.**
- Holliman, F. G., and Mann, F. G.**, synthetic application of *o*- β -bromoethylbenzyl bromide. Part IV. Preparation of 2-substituted 1:2:3:4-tetrahydroisoquinolines. Part V. Preparation and properties of thioisochroman, selenoisochroman, telluroisochroman, and of their optically active derivatives. Part VI. Preparation and optical resolution of a spirocyclic arsonium salt possessing molecular dissymmetry, 34, 37, 45.
- Holmes, G. S.** See **McIlroy, R. J.**
- Howard, G. A., Lythgoe, B., and Todd, A. R.**, experiments on the synthesis of purine nucleosides. Part XI. Synthesis of 9-*d*-xylopyranosido-2-methylthioadenine and its conversion into 9-*d*-xylopyranosidoadenine, 556.
- Hunter, J. S.** See **Phillips, G. W.**
- Hunter, L.**, mesohydric tautomerism, 806.
- Hunter, L., and Rees, H. A.**, associating effect of the hydrogen atom. Part XII. The N-H-N bond; structure and tautomerism of cyanamides, 617.
- Hunter, R. F., and Williams, N. E.**, chemical conversion of β -carotene into vitamin-A, 554.

I.

Ismail, A. F. A. See Schönberg, A.
Israel, G. C., Tuck, (Miss) A. W. N., and Soper, F. G., action of acids on *N*-bromoacetanilides, 547.

J.

Jaeger, (Mrs.) R. See Birch, A. J.
James, (Miss) S. P., and Smith, F., chemistry of gum tragacanth. Part I. Tragacanthic acid. Part II. Derivatives of *d*- and *l*-fucose. Part III., 739, 746, 749.
Jansen, A. B. A. See Beynon, J. H.
Jeffrey, G. A. See Bateman, L.
Johnson, A. W., formation of phthalides by the Diels-Alder reaction, 115.
Johnson, A. W. See also Davies, W. H.
Jones, E. R. H. See Brande, E. A., Caldwell, A. G., Cyerman, J., and Heilbron, I. M.
Jones, J. K. N., condensation of glucose and β -diketones, 116.
Jones, J. K. N. See also Breddy, L. J.
Jones, W. G. M. See Haworth, W. N.

K.

Kahn, H. J., Petrow, V. A., Wien, R., and Harrison, J., some pyridyl analogues of triphenylmethane, 858.
Kelly, W., Robson, T. D., and Short, W. F., *p*-sulphonamidobenzylaniline and related compounds of pharmacological interest, 240.
Kelly, W., and Short, W. F., alkyl derivatives of sulphapyridine, 242.
Kenyon, J., and Poplett, R., resolution of propenylethynylcarbinol, 273.
Kermack, W. O., and Tebrich, W., synthesis of 4-hydroxy-5:6:2':3'-pyridoquinoline (4-hydroxy-*m*-phenanthroline), 375.
Kermack, W. O. See also Halcrow, (Miss) B. E.
King, F. E., Barltrop, J. A., and Walley, R. J., synthetical and stereochemical investigations of reduced cyclic bases. Part I. Hydrogenation products of indole and the exhaustive methylation of an *N*-methyltetrahydroindole, 277.
King, F. E., and Beer, R. J. S., new potential chemotherapeutic agents. Part I. Derivatives of aminoquinoxalines, 791.
King, F. E., and Henshall, T., stereoisomeric *aa'*-di-(1-naphthyl)succinic acids, 417.
King, F. E., and King, T. J., new potential chemotherapeutic agents. Part II. Derivatives of 2-aminobenzocinnoline, 824.
King, F. E. See also Dewar, M. J. S.
King, T. J. See King, F. E.
Kirby, K. S., quinamine. Part II. Constitution, 528.
Kirby, K. S. See also Henry, T. A.
Kitchener, J. A. See Catch, J. R.
Knott, E. B., intramolecular ring closures with *cis*- and *trans*- γ -phenyl- γ -(2-furyl)itaconic acid, 189.
polycyclic thiazoles, 455.
naphtha-1':2':4:5-selenazoles, 628.
reactions of alkylisoformalides. Part I. With carboxylic acids, sulphonic acids, and sulphonamides, 686.
Koch, H. P. See Bateman, L., and Bolland, J. L.
Kon, G. A. R., and Boe, (Miss) E. M. F., direct hydroxylation of 1':2':3':4'-tetrahydro-3:4-benzopyrene, 143.
Kon, G. A. R. See also Goulden, F.
Krebs, H. A., and Speakman, J. C., dissociation constant, solubility, and the pH value of the solvent, 593.

L.

Lacey, R. N. See Heilbron, I. M.
Le Roux, L. J., Lu, C. S., Sugden, S., and Thomson, R. H. K., kinetics of exchange reactions. Part III. Influence of solvent and molecular structure, 586.
Linnell, W. H. See Barton, D. H. R.
London, J. D. See Barton, N.
Lu, C. S. See Le Roux, L. J.
Lyon, D. R., and Mann, F. G., preparation and properties of 2-substituted isoarsindolines; synthesis of *spiro*-arsonium salts, 30.

Lyon, D. R. See also Baker, W.
Lythgoe, B. See Howard, G. A.

M.

Macbeth, A. K., and Mills, J. A., epimeric alcohols of the cyclohexane series. Part V. The optically inactive 3-methylcyclohexanols, 709.
McClelland, E. W., and Smith, P. W., "ortho-effect" in the formation of thionaphthenopyrazoles, 408.
McClelland, E. W. See also Fowkes, F. S.
McCombie, H., Saunders, B. C., and Stacey, G. J., esters containing phosphorus. Part I. Part III. Dialkyl iodo-phosphonates, 380, 921.
McCombie, H. See also Chapman, N. B., and Cook, H. G.
McCombie, J. T. See Heilbron, I. M.
Macey, A. See Bourne, E. J.
MacGregor, J. H., and Pugh, C., reaction of acrylonitrile with aliphatic alcohols, 535.
McIlroy, R. J., Holmes, G. S., and Mauger, (Miss) R. P., preliminary study of the polyuronide hemicellulose of *Phormium tenax* (N.Z. flax), 796.
McOmie, J. F. W. See Ghosh, R.
McVeigh, (Miss) J. L., and Rose, J. D., *N*-nitro-*N'*-2:4-dinitrophenylurea; reagent for primary and secondary amines, 621.
2:4-dinitrophenylsemicarbazide; reagent for aldehydes and ketones, 713.
Mann, F. G., some aspects of the organic chemistry of phosphorus and arsenic, 65.
Mann, F. G., and Porter, J. W., synthesis and properties of 1:7-dialkyl xanthines, 751.
Mann, F. G. See also Baker, W., Bulmer, G., Dalglish, C. E., Holliman, F. G., and Lyon, D. R.
Marais, J. L. C. See Backeberg, O. G.
Marrian, S. F. See Forsyth, W. G. C.
Marsden, A. See Maxted, E. B.
Marsden, E. See Hodgson, H. H.
Mauger, (Miss) R. P. See McIlroy, R. J.
Maxted, E. B., detoxication of catalyst poisons. Part I. General survey of some detoxicants. Part II. Use of various oxidising agents for the detoxication of cysteine, 204, 763.
Maxted, E. B., and Marsden, A., detoxication of catalyst poisons. Part III. Detoxication of cysteine with metallic per-acids, 766.
Meara, M. L., configuration of naturally occurring mixed glycerides. Part I. Configuration of oleodistearin from various natural sources. Part II. Configuration of some monopalmito-glycerides from various natural sources, 22, 23.
Mills, J. A. See Macbeth, A. K.
Morcom, A. R. See Griffith, R. H.
Morton, I. D., and Robertson, P. W., kinetics of halogen addition to unsaturated compounds. Part V. $\alpha\beta$ -Unsaturated acids and hydrogen bromide catalysis, 129.
Mustafa, A. See Schönberg, A.

N.

Naylor, R. F., behaviour of keten towards olefins and olefinic peroxides, 244.
reactivity of isoprenic and analogous hydrocarbons towards thiocyanic acid and dithiocyanogen, 247.
Neuberger, A., stereochemistry of hydroxyproline, 429.
Newbold, G. T., and Spring, F. S., oxidation of 1:1-diphenylethylene with perbenzoic acid, 247.
Newbold, G. T. See also Gowenlock, A. H.
Nisbet, H. B., pyrazoline ring formation. Part I. Action of phenylhydrazine on some saturated and unsaturated β -amino-ketones, 126.

O.

O'Donnell, R. W. H., obituary notice of, 722.
Openshaw, H. T., and Spring, F. S., preparation and properties of sulphonamides: separation of sulphonamides from *N*-alkylsulphonamides, 234.
Openshaw, H. T. See also Atherton, F. R.

Owen, L. N., olefinic acids. Part I. Reactivity of α -bromocrotonic acid, 385.

P.

- Partington, J. R. See Egan, (Miss) D. M.
 Pausacker, H. K., β -(*N*-dichloro)aminoethyl hydrogen sulphate (sodium salt), 714.
 Peat, S. See Bourne, E. J.
 Pellowe, E. F. See Pollak, F. F.
 Percival, E. E., and Percival, E. G. V., carbohydrate phosphoric esters. Part I. Alkaline hydrolysis of α -methylglucopyranoside-6-phosphate, methylglucofuranoside-3-phosphates and isopropylidene glucofuranose-3- and -6-phosphates, 874.
 Percival, E. G. V., carbohydrate sulphuric esters. Part III. The hydrolysis of isopropylidene glucofuranose sulphates and methylglucofuranoside sulphates, 119.
 studies on sugar osazones. Part VII. Comparison of the phenylosazones prepared from 3:6-anhydro-*D*-glucose and 3:6-anhydro-*D*-galactose with the anhydro-osazones prepared from *D*-galactosazone and *D*-glucosazone by the method of Diels and Meyer, 783.
 Percival, E. G. V. See also Percival, E. E.
 Peters, A. T., and Rowe, F. M., anthraquinone series. Part I. 2-Alkylanthraquinones, 181.
 Petrow, V. A., novel types of styrylquinolinium compounds, 18.
 pyridine and quinoline derivatives, 927.
 Petrow, V. A., and Rewald, E. L., new syntheses of heterocyclic compounds. Part III. Azaphenoxazines. Part IV. 3-Azaphenothiazines, 313, 591.
 Petrow, V. A. See also Kahn, H. J.
 Phillips, G. M., Hunter, J. S., and Sutton, L. E., investigation of occurrence of the co-ordinate or dative link by electric dipole-moment measurements, 146.
 Pickhols, S., purification and resolution of *dl*-adrenaline, 928.
 Piggott, H. A. See Buckley, G. D., and Davies, W. H.
 Polgar, N., and Robinson, (Sir) R., synthetical experiments bearing on the constitution of phthioic acid, 389.
 Pollak, F. F., and Pellowe, E. F., determination of small amounts of aluminium in spelter, 300.
 Poplett, R. See Kenyon, J.
 Porter, J. W. G. See Mann, F. G.
 Powell, H. M., and Bartindale, G. W. R., structure of compounds of ferrocyanide type. Part I. Crystal structure of hexamethylsnilitroferrous chloride, 799.
 Pugh, C. See MacGregor, J. H.
 Pugh, W., mercurous perchlorate as a volumetric reagent for iron, 588.

R.

- Raphael, R. See Heilbron, I. M.
 Rathbone, R. J. See Beilenson, B., and Hamer, (Miss) F. M.
 Reed, K. J. See Cook, A. H.
 Reed, R. A., hydroacridones: synthesis and dehydrogenation. Part II., 186.
 Rees, H. A. See Hunter, L.
 Reichstein, T., constitution of the two lactones of *D*-glucosaccharic acid, 320.
 Rewald, E. L. See Petrow, V. A.
 Reynolds, R. F., the reaction between 1-thiolbenzthiazole and trichlorotriethylamine, 713.
 Richmond, M. J. See Gerrard, W.
 Rideal, E. K., reactions in monolayers, 423.
 Roberts, J. K., obituary notice of, 74.
 Robertson, J. M., diffraction methods in modern structural chemistry, 249.
 Robertson, J. M., and White, J. G., crystal structure of coronene: a quantitative X-ray investigation, 607.
 Robertson, P. W. See De la Mare, P. B. D., Hartman, I., Morton, I. D., and Swedlund, B. E.
 Robinson, F. A. See Dupré, D. J., and Gibbs, E. M.
 Robinson, (Sir) R. See Birch, A. J., and Polgar, N.
 Robson, T. D. See Kelly, W.
 Roe, (Miss) E. M. F. See Kon, G. A. R.
 Rose, F. L., and Swain, G., 2-*p*-aminobenzenesulphonamidopyrimidines, 689.

- Rose, J. D. See McVeigh, (Miss) J. L.
 Ross, W. C. J., 16-isopropylideneandrostene derivatives, 25.
 synthetic analogues of progesterone, 536.
 synthetic analogues of corticosterone, 538.
 Rowe, F. M. See Peters, A. T.

S.

- Saboar, M. A., mechanism of condensation of the anhydrides of mono- and di-substituted succinic acids with aromatic hydrocarbons under conditions of the Friedel-Crafts reaction, 922.
 Sand, H. J. S., obituary notice of, 75.
 Saunders, B. C. See Chapman, N. B., Cook, H. G., and McCombie, H.
 Schlüchterer, (Miss) E., and Stacey, M., capsular polysaccharide of, 776.
 Schönberg, A., and Asker, (Miss) W., organic sulphur compounds. Part XXVIII. Thiono-thiol tautomerism manifested by sulphur analogues of cyclic acid anhydrides, 198.
 Schönberg, A., and Awad, W. I., photo-reactions. Part IX. The action of aldehydes on phenanthraquinoneimine in sunlight, 197.
 Schönberg, A., and Ismail, A. F. A., preparation of $\alpha\zeta$ -diphenylhexatriene and 1:4-diphenylbenzene from cinnamaldehyde, 200.
 studies in the anthracene series. Part II. Action of Grignard reagents on dianthraquinone; new derivatives of 9:9'-dianthranlyl, 201.
 Schönberg, A., and Mustafa, A., photochemical reactions in sunlight. Part X. (a) Reaction of ethylenes with phenanthraquinone and with benzil; (b) new type of photochemical equilibrium. Part XI. (a) Formation of triaryl-methyl peroxides by the action of oxygen on triaryl-methanes; (b) dehydrogenation effected by oxygen; (c) dehydrogenation effected by *p*-benzoquinone and phenanthraquinone, 551, 657.
 Schoental, (Miss) R. See Cook, J. W.
 Schofield, K., and Simpson, J. C. E., cinnolines. Part III. The Richter reaction. Part IV. Preparation of 4-hydroxycinnolines, and mechanism of cinnoline syntheses, 512, 520.
 Schofield, K. See also Simpson, J. C. E.
 Scott, R. A. See De la Mare, P. B. D.
 Senior, N. See Barton, D. H. R.
 Shaw, G. E. See Henry, T. A.
 Sheridan, J., the metal-catalysed reaction between acetylene and hydrogen. Part II. Further experiments with nickel catalysts. Part III. Some effects of added substances on reaction over nickel. Part IV. Reaction over platinum. Part V. Reaction over palladium, iron, and some other catalysts, 133, 301, 305, 470.
 Short, L. N. See Albert, A., and Craig, D. P.
 Short, W. F. See Briggs, L. H., and Kelly, W.
 Sibbald, D. D. R. See Hodgson, H. H.
 Simpson, J. C. E., Atkinson, C. M., Schofield, K., and Stephenson, O., *o*-amino-ketones of the acetophenone and benzophenone types, 646.
 Simpson, J. C. E. See also Schofield, K.
 Smith, C., obituary notice of, 723.
 Smith, F. See James, (Miss) S. P.
 Smith, P. W. See McClelland, E. W.
 Soper, F. G. See Israel, G. C.
 Speakman, J. C. See Krebs, H. A.
 Spring, F. S., and Woods, F. C., application of the Hofmann reaction to the synthesis of heterocyclic compounds. Part III. Synthesis of 3-alkyl-2:4-diketo-1:2:3:4-tetrahydroquinazolines from *N*-alkylphthalamides, 625.
 Spring, F. S. See also Baxter, R. A., Gowenlock, A. H., Newbold, G. T., and Openshaw, H. T.
 Stacey, G. J. See McCombie, H.
 Stacey, M. See Schlüchterer, (Miss) E.
 Stephenson, O. See Simpson, J. C. E.
 Stevens, T. S. See Forsyth, W. G. C.
 Stickings, C. E. See Barber, H. J.
 Stoddart, E. M., the effect of drying on the vapour pressure of dinitrogen tetroxide and the vapour density of dinitrogen trioxide, 448.
 Strachan, M. N. See Cook, A. H.
 Sugden, J. N., obituary notice of, 75.

Sugden, S. See **Le Roux, L. J.**
Sutton, L. E. See **Phillips, G. M.**
Swain, G. See **Rose, F. L.**
Swan, G. A. See **Clemon, G. R.**
Swedlund, B. E., and **Robertson, P. W.,** kinetics of halogen addition to unsaturated compounds. Part VI. The allyl halides: lithium chloride and hydrogen bromide catalysis, 131.

T.

Tebrich, W. See **Kermack, W. O.**
Thompson, H. W., and **Torkington, P.,** vibrational spectra of esters and ketones, 640.
Thompson, H. W. See also **Whiffen, D. H.**
Thomson, R. H. K. See **Le Roux, L. J.**
Thomson, W. H. S. See **Cook, J. W.**
Todd, A. R. See **Atherton, F. R.,** and **Howard, G. A.**
Tonkin, (Miss) I. M. See **Fuller, A. T.**
Torkington, P. See **Thompson, H. W.**
Treharne, G. J. See **Hinkel, L. E.**
Tuck, (Miss) A. W. N. See **Israel, G. C.**
Tucker, S. H. See **France, H.**
Turnbull, J. H. See **Clemon, G. R.**
Turnbull, N. H., absorption spectra of acridines. Part II. Monoaminoacridines, 441.
Turner, E. E. See **Davidson, (Miss) E. M.,** and **Hall, (Miss) D. M.**

W.

Waddington, W. See **Cook, A. H.**
Walker, J., chemotherapeutic agents of the sulphone type. Part I. Sulphones containing a *p*-aminophenyl group, 630.
Walker, J. See also **Fuller, A. T.**
Walley, R. J. See **King, F. E.**
Walls, L. P., researches in the phenanthridine series. Part VI. Relationship between structure and trypanocidal properties, 294.
Walsh, E. O. See **Gulland, J. M.**

Walton, E., and **Green, M. B.,** search for new analgesics, Part I. Homologues of pethidine and related compounds, 315.
Ward, E. R. See **Hodgson, H. H.**
Waters, W. A., nitration of 3-acetamidoacetophenone, 629.
Weedon, B. C. L. See **Heilbron, I. M.**
Weiss, J. See **Clemon, G. R.**
Welch, A. J. E. See **Buckley, G. D.**
West, T. F., structure of pyrethrolone and related compounds. Part IV., 412.
 some derivatives of eugenol and *cis*- and *trans*-isoeugenol, 490.
West, T. F. See also **Gillam, A. E.**
Whiffen, D. H., and **Thompson, H. W.,** infra-red spectra of cresols and xylenols and the analysis of cresylic acid, 268.
White, J. G. See **Robertson, J. M.**
Whitehurst, J. S. See **Hodgson, H. H.**
Wien, R. See **Kahn, H. J.**
Wiggins, L. F., anhydrides of polyhydric alcohols. Part I. The constitution of *isomannide*, 4.
Wiggins, L. F. See also **Haworth, W. N.**
Wilkinson, R. See **Haworth, J. W.**
Williams, N. E. See **Hunter, R. F.**
Wilson, C. L., reactions of furan compounds. Part II. Fission of the tetrahydrofuran and the tetrahydropyran ring. Part III. Formation of tetrahydrofuran, 2:3-dihydrofuran, and other substances by passage of tetrahydrofurfuryl alcohol vapour over a nickel catalyst. Part IV. High-temperature decomposition of the vapours of tetrahydrofuronitrile and methyl tetrahydrofuroate to give 2:3-dihydrofuran and *cyclopropanealdehyde*. Part V. Formation of furan from furfuraldehyde by the action of nickel or cobalt catalysts: importance of added hydrogen. Part VI. Formation of indole, pyrrocoline, and carbazole during the catalytic conversion of furan into pyrrole, 48, 52, 58, 61, 63.
Wilson, F. J., obituary notice of, 725.
Wilson, J. P. See **Ghosh, R.**
Woo, S. C., and **Chang, S. T.,** quantitative determination of methylglyoxal, and the mechanism of its reaction with hypiodite solution, 162.
Woods, J. C. See **Spring, F. S.**