

Subject Index, 1971

- Abietic acid**, dehydro-, inversion of the C-4 substituents: synthesis of (+)-callitric acid, 10
- Acansterol**: a cyclopropane-containing marine sterol from *Acanthaster planci*, 217
- Acenaphtho[1,2-*c*]-1,2,5-thiadiazole**, X-ray determination of the structure of, 1623
- Acenaphthylene**, 5-chloro-, nucleophilic displacement of chlorine from, 231
- Acetal** hydrolysis, carboxyl group participation. Hydrolysis of benzaldehyde disalicyl acetal, 1470
- Acetaldehyde**, trifluoro-, photolysis at 313 nm, 1464
- Acetals**, ketone, oxidation by hydride transfer, 861
- [¹⁵N]Acetamide**, nuclear magnetic resonance spectra of, in fluorosulphuric acid. Evidence for *N*- versus *O*-protonation, 115
- Acetate**, ethyl, ¹⁸O labelled, thermolysis, 789
- Acetone**, unusual acid-catalysed reaction with steroidal 4,6-diols, 717
- Acetones**, halogeno-, stable protonated, intramolecular hydrogen-bonding and long range coupling in, 1243
- Acetonitrile**, hydroxy-, microwave spectrum, 1350
- trichloro-, crystal structure of an oxidation product from reaction with tungsten(v) chloride, 231
- Acetophenone**, nanosecond laser photolysis in organic solvents, 493
- Acetophenone oxime O-sulphonic acid**, detection of, —the true rearranging species in the Beckmann rearrangement in concentrated sulphuric acid, 1601
- Acetoxylation**, nuclear, of aromatic compounds by palladium(II) acetate: reversal of the usual isomer distribution pattern in aromatic substitution, 263
- Acetylacetonate**, hexafluoro-, anionic complexes of alkali metals, 662
- rhodium(I) ring, 1 : 4 addition of hexafluorobut-2-yne, 331
- Acetylacetonone**, molecular complex with manganese(II) bromide, MnBr₂(C₅H₈O₂)₂, crystal structure, 280
- Acetylene** complexes of zerovalent platinum, nucleophilicity, 199
- methylphenyl-, radical-anions and dianions of. Role of dianions in protonation and electron-transfer processes, 1029
- molecule, and acetylidyne and diacetylidyne ions, proton affinities, 1291
- Palladiacyclopentadiene and platinacyclopentadiene complexes as intermediates in Pd⁰ and Pt⁰ catalysed acetylene cyclotrimerization reactions, 1604
- phenyl-, hydrogenation catalysed by rhodium and platinum complexes; stereospecific route to asymmetric vinylgermanes, 812
- Acetylenedicarboxylate**, dimethyl-, cyclobutenes from reaction with 1-alkyl-1,4-dihydropyridines, and a novel cyclo-elimination of a carboxamide group, 1421
- dimethyl, reaction with bicyclo[6,1,0]nona-2,4,6-triene, 820
- formation of benzazepines from indoles by ring expansion with, confirmed by an X-ray structure determination, 1225
- reaction with acetylguanidine and guanidine, 864
- reaction with indoles, 1226
- Acetylenes**, insertion reactions with a cyclopentadienyl-ruthenium phosphine hydride: structure of a butadienyl-ruthenium complex, 852
- substituted, 1,3-dipolar additions of glycosyl azides, 296
- Acetylenic dienophiles**, reactions involving deamination of isoindole adducts, 942
- Acetylum ion**, species responsible for the vibration band at 2200 cm⁻¹ observed in spectra of some systems containing, 633
- Acid chlorides**, aromatic, circular dichroism studies, 1366
- Acridine**, 9-vinyl-, polymerization with a sodium-naphthalene complex, 607
- Acrylamide**, reaction with enamines, imines, and ketones, 457
- Actinomycins**, application of pyrolysis-gas chromatography to sequence determination in: degradation of peptides to diketopiperazines, 39
- Acyl** group migration to a co-ordinated double bond: a stable π -oxapropenyl complex of manganese, 95
- transfer reaction, intramolecular, limited by substrate isomerization, 1259
- Acyl halides**, synchronous displacement versus an addition-elimination mechanism in nucleophilic displacement reaction, 1481
- Adamantane**, 2,4-dehydro- and protoadamantane, simple synthesis, 211
- molecular structures; electron-diffraction investigation, 1499
- protoadamantane as a synthetic precursor to its 2,4-diaxial derivatives, 26
- Adamantanes**, 1,2- and 2,4-disubstituted, protoadamantane route to, 27
- 2-oxahomo- and 2-oxa-, novel routes to: abnormal hypoidite reactions of 2-substituted adamantane-2-ols, 172
- 1-Adamantyl** cation, novel rearrangement product from addition to prop-2-ynyl alcohol; homoadamantane methyl ketone, 556
- Adamantylideneadamantane**, X-ray crystal and molecular structure, 82
- Adenine** *N'*-oxide, degradation product of. Crystal structure of bis-(4-aminoimidazole-5-carboxamide oxime)copper(II) perchlorate, 240
- purine, adenosine, and benzimidazole, isotopic hydrogen exchange in, 394
- Alangiside**: a monoterpenoid lactam, 904
- Albumin**, bovine serum, intrinsic viscosity in water-dioxan, 669
- Alcohols**, dark reaction with silver compounds and bromine, 474
- liquid, yields and decay processes of the solvated electron in, at low temperature observed by nanosecond pulse radiolysis, 429
- monocyclic and acyclic 1,4-shift of hydrogen from carbon to carbon in the lead tetra-acetate oxidation of, 1612
- nickel complex-catalysed telomerization of butadiene with, 193
- steroidal, masked, deprotection by hydride transfer, 1109
- Aldehydes**, condensation with ammonium salts to give substituted pyridines, 476
- formation from anisole derivatives: flash thermolysis, 127
- from reduction of nitriles. Hydrated electrons in organic synthesis, 1294
- α -hydroxy-, preparation and rearrangement, 174
- preparation of carboxylic amides from by oxidation, 733
- Aldoses**, intramolecular catalysis in their mutarotation, 1323
- Aldosterone**, crystal structure determination, 1055
- Aliphatic carboxylic acids**, photochemical reaction of, in presence of 2-aminothiophenol, 117
- Alkali halides**, initial fate of hydrogen atoms and hydroxyl radicals in radiolysis of frozen aqueous solutions of, 949
- Alkali-metal**, anionic hexafluoroacetylacetonate complexes, 662
- complexes, three, with a macrobicyclic ligand, crystal structures, 444
- halide crystals and silica gel, use of metastable colour-centres in, to catalyse exchange between tritium gas and hydrocarbons, 1264
- Alkaloids**. Antibiotics from higher plants: steleatinium chloride, a new quaternary quinoline alkaloid from *Ptelea trifoliata* with antitubercular and antiyeast activity, 1040
- Antibiotics from higher plants. *Thalictrum rugosum*. New bisbenzylisoquinoline alkaloids active vs. *Mycobacterium smegmatis*, 589
- Belarine, a new bisbenzylisoquinoline alkaloid, 1056
- Biosynthesis of the apparently "directly coupled" aporphine alkaloids, 985
- Biosynthesis of *Cinchona* alkaloids: middle stages of pathway, 30; late stages of the pathway, 31
- Biosynthesis in two *Croton* species, 392
- Biosynthesis of the ipecac alkaloids and of ipecoside, 901
- Biosynthesis of isoprene derivatives: origin of the furan ring in the quinoline alkaloid dictamnine, 1311
- Cularine, synthesis by phenol coupling, 149

- Alkaloids—continued**
 new, from *Elaeocarpus kamensis* Schltr nuclear magnetic resonance study, 460
 new lunaria-type, from *Codonocarpus australis* A Cunn : codonocarpine, 300
 Peduncularine, an indole-pyrrolizidine alkaloid, 1155
 Rearrangements during biosynthesis of indole alkaloids, 902
 Stereochemistry and absolute configuration of tecomanine and alkaloid C, an oxygenated skytanthine, two monoterpene alkaloids from *Tecoma stans*, 994
 Stereoselective total synthesis of the alkaloid haemanthamine, 1555
 Structure of sceletium alkaloid A₄, a pyridine alkaloid from *Sceletium namaquense* direct method X-ray determination, 1466
 Structures of partial racemic sceletium alkaloid A₄ and tortuosamine, pyridine alkaloids from *Sceletium tortuosum* N E Br, 1467
 synthesis, general methods New approach to functionalized hydrolulolidone *Aspidosperma* alkaloid precursors Formal synthesis of (±)-aspidospermine, 857
 Total synthesis of (±)-fluorocurarine, the racemate of a Calabash-curare alkaloid, 685
- Alkanedioic acids**, C₈—C₉, α,α'-dibromo-, dimethyl esters of, convenient cyclization to the corresponding dimethyl cycloalk-1-ene-1,2-dicarboxylates, 90
- Alkanes**, simple, activation by a platinum(II) complex homogeneously catalysed hydrogen-deuterium exchange, 462
- Alkene derivatives**, nature of the radical intermediates in the reactions between hydroperoxides and sulphur dioxide and their reaction with electron spin resonance study, 339
- Alkenes**, catalytic hydrogenation, kinetic hydrogen isotope effect-, 1529
- Alkenylamines** and an alkenyl sulphide, addition of alkyl-lithium reagents, 722
- Alkoxide ion** and a 1-bromoalk-1-yne, unusual products from, 691 evidence for a vinylidene carbene intermediate, 691
- Alkoxy-carbene**-platinum(IV) and cyclobutadiene-platinum(II) cations novel, 1484
- Alkyl derivatives** of nickel, palladium, and platinum stabilized by chelation with phosphorus, 470
 1,2-shift suprafacial, in rearrangement of thermally generated oxygen diradicals, 1569
- Alkyl group transfer** between cobalt ions, electron transfer reactions involved, 52
- Alkyl halides**, geminate *versus* non-geminate recombination in binary mixtures of, 343
 primary dehydrohalogenation in hexamethylphosphoric triamide, 113
- Alkyl iodides**, bromides, and tosylates, exceptionally selective reagent system for their reduction Sodium cyanoborohydride in hexamethylphosphoramide, 1097
- Alkyl side-chains**, displacement from *ortho*-quinones, 222
- Alkyl transfer** from cobalt, bimolecular nucleophilic displacement as a mechanism, 1371
- Alkylammonium ions**, proton nuclear magnetic resonance shifts for water containing, 1204
- Alkylbenzenes**, homogeneous platinum(II)-catalysed hydrogen exchange in relationship to simple alkane exchange, 1227
 liquid-phase oxidation, use of cobalt(II) ion and hydrochloric acid as catalyst, 1166
- Alkynes**, diazo-, methanolysis of, 258
- Alk-1-ynes**, interaction with hydridocarbonyltriphenylphosphineiridium(I) complexes, 70
- Allene**, catalytic cyclo-oligomerisation of, an intermediate. 2,3-bis-(π-allyl)propenenickel(0), 863
 ene reaction with perfluorocyclobutanone deuterium isotope effect, 166
 optically active, photosensitized racemization, 679
 X-ray crystallographic evidence for a boron-nitrogen analogue: diphenylmethyleneaminodimesitylborane, 1122
- Allenes**, alkyl-, ene reactions, 1144
 chiral, optical activity and absolute configuration, 1261
 Halogenated ketens Formation of allenes by the pyrolysis of halogenated oxetan-2-ones, 1642
 reaction with azomethine oxides. new synthesis of 3-pyrrolidones, 156
 trihalogenomethyl-, allenic acids, and β-keto-esters, steroidal, new synthesis, 1028
- Allenic compounds**, long range proton spin-spin coupling, 938
- D-(+)-Allose**, occurrence in nature, 597
- Alloxazines**, new synthesis, 23
- Allyl alcohol** or diallyl ether, and rhodium trichloride trihydrate, products formed from, crystal and molecular structure of [Rh₃Cl₄(C₆H₁₁O)₂].CH₃OH, 712
- Allyl halides**, preparation of but-3-enylsuccinic acid by carbonylation with double bond insertion New insertion reaction, 522
- Allyl phenyl ether**, polymerisation a polymerisation involving intramolecular rearrangement, 825
- Allyl system**, unsymmetrical, relaxation of orbital symmetry control Retention of configuration at the migrating centre in both photochemical and thermal [1,3]-sigmatropic shift of a benzyl group, 385
- σ-Allyl transition state**, intramolecular four-co-ordinate, in the *syn-anti* exchange in a π-allylpalladium complex, 935
- Allylic isomerization**, novel palladium(II) catalysed, 328
- 1,3-Allylic shift** of a benzyl group, photochemical retention of a configuration at the migrating atom, 107, retention of configuration at C-1 of the allyl group, 108
- Allylic trichloromethyl group**, coupling of compounds containing 3,3,4,4-tetrachlorohexa-1,5-diene, 150
- Allylphenols**, biosynthesis in *Ocymum basilicum* L., 1108
- Aluminium alkyls**, protolysis with hydridocyclopentadienylmolybdenum carbonyls route to novel complexes with an aluminium-molybdenum bond, 591
 Crystallographic evidence of the three-centre bond in hexamethyldialuminium, 911
 Direct measurement of enantiomerization of labile aluminium(III) β-diketonates, 85
 Lithium tetrakis(di-*t*-butylmethyleneamino)aluminate, 1275
 Molecular structure of dimethylaluminium hydride dimer by electron diffraction, 480
 Molecular structure of trimethylaluminium-trimethylamine by electron diffraction, 480
 Novel stereoselective alkylation of 4-*t*-butylcyclohexanone using trimethylaluminium in benzene, 351
 Synthesis of dialuminium substituted cyclopentyl derivatives *via* the hydroalumination of hex-1-en-5-yne, 1593
 X-Ray crystallographic determination of the molecular structure of B₃C₂H₁₂AlMe₂, a non-rigid aluminio-carborane derivative, 298
 X-Ray determination of the molecular structure of an organo-aluminium compound [Me₂AlOC(Ph)NPh,ONMe₃], 940
- Amidates**, *N*-ammonio-, two, crystal and molecular structures, 725
- Amide**. Synthesis of cyclols from some small peptides *via* amide-amide reaction, 1605
- Amide linkage**, fluorine-19 nuclear magnetic resonance study of transmission of electronic effects through, 458
- Amide oxime**-dimethyl acetylene dicarboxylate adducts, Claisen rearrangements as a route to imidazolones, 664
- Amides** and *N*¹*N*²-diacyl-*N*¹-methylhydrazines, conversion of thioamides and *N*²-acyl-*N*¹-methyl-*N*¹-thioacylhydrazines into, by trimethyloxonium fluoroborate, 1113
 and nitrogen inversion barriers in related amines, relationship between rotational barriers in, 1104
 monosubstituted, barrier to internal rotation in, 1404
 tertiary, resonance assignments in. lanthanide-induced shifts in ¹H nuclear magnetic resonance spectroscopy, 1378
- Amidines**, and 4,6-diaryl-2-hydroxy-*s*-triazines, simple new synthesis, 498
- Amidoximes**, phosphorylated, rearrangement, 1050
- Amine synthesis** tertiary, mercuration-demercuration of enamines, 1433
- Amines**, catalytic carbonylation of, using ruthenium complexes under mild conditions, 1482
 competition between reductive dehalogenation and nucleophilic aromatic substitution of nitro-activated iodine by, 1232
 dialkyl-, novel synthesis of imines from Nitrogen photochemistry, 1430
 formation from aromatic hydrocarbons in molecular nitrogen fixation reactions, 246
 from reductive cleavage of acyl-guanidines, 1024
 homogeneous oxidation to aldehydes or ketones formation of amine-hydrides of molybdenum, 1274
 long-chain, syntheses of, by palladium-catalysed telomerisation of butadiene, 345

Amines—continued

- nickel complex-catalysed reactions with butadiene, 1583
photochemical study of interaction with excited anthracene, 971
photo-oxidation a reply, 663
photoreaction with benzo[*b*]thiophen, 892
stereochemistry of additions to the *syn,syn-π*-1,5-dimethylpentadienyliron tricarbonyl cation, 100
tertiary, aliphatic, 1,4-photoaddition to benzene effect of proton donors, 916
various, reaction with thiobenzophenone giving 3,3,5,5-tetraphenyl-1,2,4-trithiolan, 179
water-soluble agent for the *t*-butoxycarbonylation of, 267
- Amino-acid derivatives**, natural abundance nitrogen-15 nuclear magnetic resonance spectroscopy, 1602
- Amino-acid insertion**, novel modification of peptides, by, 1118
- Amino-acids**, *N*-acyl, synthesis by a carbonylation reaction, 1540
and hydratropic acid, asymmetric synthesis by homogeneous catalytic hydrogenation, 481
aromatic, labelling of stereoselectively with tritium in the β -methylene group stereochemistry of hydroxylation in the biosynthesis of haemanthamine, 187, 415
- Aminocyclitol** antibiotics, mass spectral studies on, 1629
- Ammonium salts**, condensation of aldehydes with, to give substituted pyridines, 476
quaternary, molten, nucleophilicity of halide ions in, 1160
- Ammonium ylides**, acetylenic, rearrangement reactions, 1493
effect of transition-state geometry on [2,3]-sigmatropic rearrangements, 1494
two carbonyl-stabilised, crystal and molecular structure, 1429
- Amorphigenin**, a rotenoid, biosynthesis in germinating *Amorpha fruticosa* seeds post-isoflavone stages, 1182, pre-rotenoid (isoflavonoid) stages, 1183
- Anagadiol**, a new triterpene from *Salvia Broussonetti* Benth. Constituents of Labiatae, 567
- Androstane** derivative, 14 β -hydroxylation Transformation of unnatural steroids by micro-organisms, 1060
- Androst-5-ene** and D-homoandrost-5-ene, backbone rearrangements, novel racemisation, 948
- Anhydrides**, mixed, stable crystalline preparation, 928
- Aniline**, *NN*-dimethyl *p* nitroso-, reaction of 2-methylpent-2-ene with, and with *p*-nitrosophenol, 1507
simple, one-step, conversion into benzyne, 1
- Anilines**, *N*-(4-*n*-alkoxybenzylidene)-4-*n*-alkyl-, extended range ambient temperature nematic mesophase in binary systems of, 1557
hindered rotation about the *N*-aryl bond, 851
- Anionic** derivatives, binuclear, of methyltitanium trichloride, 1587
- Anisole**, autocatalysis in the bromination of, in carbon tetrachloride chloride, 754
derivatives, formation of aldehydes from flash thermolysis, 127
- Anisoles**, thallium(III)-induced bromination of *meta*-substituted, 1596
thio-, *ortho*-substituted conformational dependence of long-range coupling in 933
- Anisoxide** an artefact from star anise oil formed by Claisen rearrangement, 1157
- [10] **Annulene**, 1,6-dithia-, tetra-alkylated, synthesis of mono-*trans*-dicyclohexeno[*b,i*]-1,6-dithiacyclodeca-2,4,7,9-tetraene, 947
precursor of *trans*-9,10-dihydronaphthalene, 601
system, 1,5-didehydro-, 1516
- [14] **Annulene**. Crystal and molecular structure of 1,6 · 8,13-butanediylidene[14]annulene, 973
7-methoxycarbonyl-*anti*-1,6 8,13-bismethano-, crystal structure, 796
- [22] **Annulene**, 338
- [11] **Annulenes**. Synthesis and valence isomerization of alkylated thia[11]annulenes, 1434
- [11] **Annulene**, 4,9-methano-, crystal and molecular structure, 153
- [17] **Annulenes**, heteroatom-bridged, 1457
- Anodically** generated phenoxonium ion, coupling of phenols *via*, 1643
- Antheridiol**, synthetic studies, 1646
- Anthracene**, 9-*t*-butyl-9,10-dihydro-, crystal structure, 1490
- Anthracene**, excited, photochemical study of interaction with amines, 971
9-methyl-, stereochemistry of orientation of the addition of alkyl-lithium, 483
- Anthraquinone**. Nucleophilic photo-substitution reaction of sodium 1-amino-4-bromoanthraquinone-2-sulphonate, 1347
- 9,10-Anthraquinone-2,6-disulphonic acid**, one-electron photo-oxidation of inorganic anions by, in the triplet state, 1559
- Anthrasteroid** rearrangements, hydrogen bromide induced, 730
- Anthrylalkylamines** and naphthylalkylamines, photoreactivity effect of intramolecular exciplex formation, 1385
- Antibacterial** compound from the sponge, *Ianthella ardis*, *X*-ray determination of structure, 397
- Antibiotic**, aminoglycoside, novel unsaturated from *Micromonospora myoensis* structure of sisomicin, 285
nucleoside, synthesis of formycin B, 986
- Antibiotic X-206**, *X*-ray crystal and molecular structure, 927
- Antibiotic X-537A**, *X*-ray crystal structure of a silver complex, a structure enclosing two metal ions, 181
- Antibiotics** from higher plants Pteleatinium chloride, a new quaternary quinoline alkaloid from *Ptelea trifoliata* with antitubercular and antiyeast activity, 1040
from higher plants *Thalictrum rugosum* New bisbenzylisoquinoline alkaloids active *vs* *Mycobacterium smegmatis*, 589
mass spectral studies on aminocyclitol, 1629
- Antimony** and bismuth, quinquevalent, structure of organometallic derivatives containing metal-oxygen-metal bonds, 1547
- Antimony**, bismuth, and arsenic, cyclopentadienyldicarbonyl-iron derivatives with M-Fe σ -bonds (M=As, Sb, Bi), 952
Bis[tris(*o*-dimethylarsinophenyl)stibine]nickel(II) cation A pentaco-ordinate complex containing the novel [NC-(Sb₂As₃)]²⁺ donor set, 1502
Crystal structure of the [Sb(C₂O₄)₃]³⁻ ion, 18
Formation of a 1,3-azulenediacylium ion in SbF₅-FSO₃H-SO₂, 743
pentafluoride, crystal structure, 1376
Selective *cis*-chlorination of olefins by antimony(V) chloride, 1064
Trifluoroxenon(IV) μ -fluoro-bispentafluoroantimonate(V) the XeF₃⁺ cation, 1543
- Aporphine** alkaloids, apparently "directly coupled," biosynthesis, 985
- Aqueous systems**, early stages of radiolysis in, and electron yields, 23
- α - and β -L-Arabinopyranosides, benzyl 1,5-dithio-, novel synthesis from 5-*O*-toluene-*p*-sulphonyl-L-arabinose dibenzyl dithioacetal, 811
- Arene-cobalt** carbonyl complexes, a new series, cobalt induced cleavage reaction, 36
- Armepavine** and its derivatives, electrolytic oxidation, 543
- Aromatic compounds**, nuclear acetoxylation of, by palladium(II) acetate, reversal of the usual isomer distribution pattern in aromatic substitution, 263
- Aromatic donors** and tetracyanoethylene, calorimetric studies of π -molecular complexes, 435
- Aromatic hydrocarbons**, formation of amines from, in molecular nitrogen fixation reactions, 246
photoreduction of, by tri-*n*-butyltin hydride, 281
- Aromatic solvents** and monomers, determination of stability constants by gas-liquid chromatography for the π -complexing of, with a nitroxide radical, 29
- Aromatic substitution**, electrophilic, activation by a methyleneiron carbonyl substituent, 779
nucleophilic, *ortho para* ratio, 69
reactions nucleophilic, kinetic *versus* thermodynamic control of products 1345
- Aromatic systems**, substituted, effect of solvent media on electronic character, 506
- Aromatics** and olefins, catalytic coupling by homogeneous palladium(II) compounds under oxygen, 1510
- 3-Aroyl-2-cyano-esters**, new method for conversion into phosphorylamino-furans use of *N*-phosphorylketenimines, 10
- Arsenic**, antimony, and bismuth, cyclopentadienyldicarbonyl-iron derivatives with M-Fe σ -bonds (M=As, Sb, Bi), 952
Bis[tris(*o*-dimethylarsinophenyl)stibine]nickel(II) cation A pentaco-ordinate complex containing the novel [Ni(Sb₂As₃)]²⁺ donor set, 1502
cations, bivalent, gaseous, 1414

Arsenic—*continued*

- ¹³C Nuclear magnetic resonance of the complexes *cis*-[PtMe₂-(XMe₂Ph)₂](X = P or As), 431
- Chlorodifluorosulphur(vi) oxide hexafluoroarsenate(v), OSCLF₂+AsF₆⁻, 950
- Crystal structures of dibromotricarbonylbis[bis(diphenylarsino)methane]tungsten(II) and dibromodibromotricarbonylbis[bis(diphenylarsino)methane]molybdenum(II), 819
- Crystal structure of tetrakis(pentafluorophenyl)- μ -bis(diphenylarsino)methanedimercury(II), a three-co-ordinate mercury complex, 443
- Eight-co-ordinate iron(III) complex: crystal structure of tetraphenylarsonium tetranitratoferrate(II), 554
- Electron spin evidence for greatly enhanced hyperconjugation in radicals containing tin, phosphorus, and arsenic, 1068
- X-Ray determination of the structure of Fe(CO)₄(AsC₆F₅)₂, a complex containing "decafluoro-arsenobenzene," 747
- X-Ray structural evidence for dipolar character in the arsonium ylide triphenylarsonium 2-acetyl-3,4,5-triphenylcyclopentadienyl, 1647
- Symmetrical hydrogen bonds in crystal structure of calcium bis(dihydrogen arsenate): neutron-diffraction study, 1566
- Uranyl group. Preparation and crystal and molecular structure of bis-(*NN*-diethyl diselenocarbamate)dioxo(triphenylarsine oxide)uranium(vi), UO₂[(C₂H₅)₂NCS₂]₂(C₆H₅)₃AsO, 1501
- Arsine** and phosphine chalcogenide derivatives, tertiary, of the Group VI metal carbonyls, 1357
- and phosphine, tertiary complexes of copper(II), 780
- Silylated and germylated polyarsines, 1372
- Arylacetate** ions, anodic oxidation pathways of: pseudo-Kolbe reaction, 1300
- Arylsulphonyl azides**, *ortho*-secondary amino-substituted, and carbonyl azides, decomposition, 1319
- Aryltetralin** lignans, model, synthesis: adducts of *o*-methylbenzophenone with unsymmetrical dienophiles, 711
- L-Ascorbic acid** (Vitamin C), new synthesis, 175
- (\pm)-**Aspidospermine**, formal synthesis. New approach to functionalized hydroxyloludone *Aspidosperma* alkaloid precursors. General methods of alkaloid synthesis, 857
- Atrovenetin** and related compounds, absolute configuration, 1359
- Averufin**, a metabolite of *Aspergillus versicolor* (Vuill.) Tiraboschi; structure, 1060
- Aza-allyl** complexes, σ - π interaction in. ¹H Nuclear magnetic resonance studies of π -C₅H₅M(CO)₂[(*p*-CH₃C₆H₄)₂CNC(*p*-CH₃C₆H₄)₂] (M = Mo, W), 349
- 1-Azabicyclo[3,2,0]hept-3-ene-2,7-diones**. New heterocyclic system, 1364
- 1-Azabicyclo[2,2,2]octanium iodide**, 1-(2-oxocyclohepta-3,5,7-trienyl)-, a new rearrangement of, into *m*-hydroxybenzaldehyde 1627
- 8-Azapurin-6-ones**, 2-amino-7- (also 8-)methyl-(*N*-methylated '8-azaguanines'), and related 8-azapurines, synthesis from 1,2,3-triazole intermediates, 249
- Azaviolene** radical ion, reversible disproportionation; temperature-jump study, 1485
- Azetidinones**, 4-alkyl-thio- and -dithio-, from penicillins, 1137
- 3-azido-, pyrolysis: new route to Δ^3 -imidazolin-2-one, 1496
- Azide**, hydrogen, reaction with acyloxy-carbene complexes, 570
- ion, synthesis of 1,2,3-triazoles by reaction with $\alpha\beta$ -unsaturated nitro-compounds and nitriles, 1001
- Azides**, *ortho*-secondary amino-substituted arylsulphonyl and carbonyl, decomposition, 1319
- 2-Azidophenyl Esters**, reductive cyclization of, to 2-substituted benzoxazoles, 1608
- Aziridine**, 1,2,3-triphenyl-, cycloadditions of, *via* the azomethine ylide, 1187
- cis*- and *trans*-1,2,3-triphenyl-, from the ring-opened azomethine ylides, 1188
- Aziridinones**, reactions with magnesium compounds, 16
- Aziridinylgallane** trimer, X-ray structural characterization, 1101
- 1H-Azirines** as intermediates in mechanism of the pyrolysis of 1,2,3-triazoles, 1519
- 2H-Azirines**, formation by the pyrolysis of 1,2,3-triazoles, 1518
- Azoalkane** synthesis by direct oxidation of semicarbazides with copper halide, 297
- Azobenzene** and related compounds, reaction with rhodium complexes: cleavage of N:N and C:N bonds, 661
- complex of nickel(0): comparison of azobenzene with olefinic ligand in $d\pi$ acceptor properties, 67
- Azo-compound**, unsymmetric, photorearrangement, 1575
- Azo-compounds**, bicyclic, nature of diradical intermediates formed during thermal and photochemical decomposition of, 4
- Azodicarboxylate**, diethyl, reaction with mesembrine and mesembrenone, 1338
- methyl, reaction with meso-ionic 1,3,4-thiadiazoles, 837
- Azo-ethers**, role in the dediazonation of *p*-nitrobenzenediazonium ion in alkaline methanol, 1469
- Azomethine** oxides, reaction with allenes: new synthesis of 3-pyrrolidinones, 156
- Azulene**, new synthesis, 776
- novel dihetero: 4*H*-thieno[3,4-*d*]azepine, 1520
- 1,3-Azulenediacylium** ion, formation in SbF₅-FSO₃H-SO₃, 743
- Barbital** trihydrate, calcium, intermolecular interactions in the crystal structure, 674
- Barium**. Possible electron spin resonance identification of Br²⁺ and I²⁺ in γ -irradiated bromide or iodide doped barium sulphate, 268
- Beckmann** rearrangement, convenient alternative, 945
- detection of acetophenone oxime *O*-sulphonic acid, the true rearranging species in, in concentrated sulphuric acid, 1601
- Belarine**, a new bisbenzylisoquinoline alkaloid, 1056
- Bellendine**, the first proteaceous alkaloid, a α -pyronotropane: X-ray structure determination by direct methods, 133
- Benzaldehyde**, a new rearrangement of 1-(2-oxocyclohepta-3,5,7-trienyl)-1-azabicyclo[2,2,2]octanium iodide into *m*-hydroxy-, 1627
- disalicyl acetal, hydrolysis. Carboxyl group participation in acetal hydrolysis, 1470
- reactions with a mercurial dichlorocarbene precursor; carbonyl ylides as possible intermediates, 1438
- Benzaldehydes**, stable protonated, hindered internal rotation: nuclear magnetic resonance study, 879
- Benzamide**, *p*-nitrophenyl-, photochemical formation of diamides from, 1572
- α -**Benzamidocinnamic acid**, crystal structure of the stable isomer: influence of *cis-trans*-isomerism on the kinetics of the hydrolysis of the products of interaction of α -chymotrypsin with the isomeric 4-benzylidene-2-phenyl- Δ^2 -oxazolins-5-ones, 632
- 2-Benzamidocinnamic azlactone**, configuration; stereochemical course of the elimination catalysed by L-phenylalanine ammonia-lyase, 185
- Benzazepines**, formation from indoles by ring expansion with dimethyl acetylenedicarboxylate confirmed by an X-ray structure determination, 1225
- Benzazole** derivatives, red- and near-infrared-luminescent, 1551
- Benzene**, behaviour of benzophenone triplets in, 1212
- n*-butyl-, mechanism of the loss of C₃H₆ from the molecular ion of: ion cyclotron resonance study, 1417
- chloro- formation of, by reaction of phenylthallium(III) compounds with copper chloride, 169
- derivatives and olefins, photo-oxidations, 874
- o*- and *p*-dihydroxy-, as hydrogen donors in homogeneous transfer-hydrogenation of olefins catalysed by Fe^{II}, Co^{II}, and Ni^{II} complexes, 139
- 2,4-dinitrofluoro-, reaction with nucleotides, 379
- hexamethyl, and tetracyanoethylene, kinetics of the formation of the donor-acceptor complex between, in solution; study by a microwave temperature-jump method, 1358
- New, improved syntheses of bisbenzeneiron(II) hexafluorophosphate and related compounds, 930
- 1,4-photoaddition of aliphatic tertiary amines: effect of proton donors, 916
- 1,4-photoaddition of diethyl ether, 915
- photochemical reactions with trifluoroacetic acid and $\alpha\alpha\alpha$ -trifluoroacetophenone, 914
- ring, photoaddition of 2,3-dimethylbut-2-ene, 794
- 1,3,5-tricyano-, and 1,3,5-tricyanocyclohex-1-ene, borohydride reduction, 250
- Benzeneboronic acid** derivatives, abundant rearrangement ions in mass spectra, 1522

- Benzenes**, alkyl-, homogeneous platinum(II)-catalysed hydrogen exchange in relationship to simple alkane exchange, 1227
ortho-bis(dichloromethyl)-, hindered rotation, 553
 chloro-, MINDO/2 calculations of nuclear quadrupole coupling constants, 238
 1-chloro-2,6-dinitro-4-X-, Meisenheimer complexes from intermediates in aromatic substitution reactions, 834
 halogeno- homolytic halogen replacement in by radiolytically formed aqueous hydrogen (tritium) atoms, 1426
 halogeno-, photochemical dehalogenation in alkaline alcoholic solution, 453
 monosubstituted, molecular core binding energies, as determined by X-ray photoelectron spectroscopy, 516
 polyalkyl-, nitration, formation of 5,6-dinitrocyclohex-3-enones, 1509
- Benzimidazole**, 5,6-dimethyl-, biosynthesis from 6,7-d¹⁴C-methyl-8-ribityl-lumazine, 191
 purine, adenine, and adenosine, isotopic hydrogen exchange in, 394
- Benz[e]isoindole**, 1503
- Benzoate** photochemistry, energy wasting mechanisms, 1491
- Benzobarrelene** derivatives, 1-methoxy-, (1,4-dihydro-1-methoxy-1,4-ethenonaphthalene), multiple rearrangement reactions, 224
 3,5-dimethyl-1-methoxytetrafluoro-, (5,6,7,8-tetrafluoro-1,4-dihydro-3,10-dimethyl-1-methoxy-1,4-ethenonaphthalene), acid-catalysed rearrangements, 1342
- 3(3H)-Benzoborepin-3-ol**, 291
- Benzocinnolinium ylides**, *N*-imino-, and dibenzo-1,2,3-triazepines, 1545
- Benzo[3,4]cyclobuta[1,2-*a*]benzo[*d*]tropylium** cation a homobiphenylene cation, 1143
- Benzocyclobutenedione** and biphenylene, new routes to Fragmentation of cyclic α -carbonylazo-compounds, 695
- Benzocyclopropene**, 7,7-dichloro-2,5-diphenyl-, 814
 synthesis 1461
- Benzo[1,2:4,5]dicycloheptene**, dihydro-, synthesis, thermal dimerization of (cyanomethylene)cycloheptatriene, (8-cyanoheptafulvene), 505
- Benzofuran-nitrene** adduct, preparation and thermal rearrangement, 1130
- Benzo-(C₉H₁₀)hydrocarbons**, thermal isomerization, 1635
- Benzoindolizines** and 2,3-dihydrobenzo[*g*]indolizines, formation some 1,3 dipolar addition reactions of isoquinolium ylides, 1578
- Benzologation** of heterocycles, new simple method, 1251
- Benzonorbornadienone** hydrazones, thermal stability, 535
- Benzophenone**, 4-amino-, effect of solvent upon the phosphorescence spectrum, 1114
o-methyl-, adducts with unsymmetrical dienophiles synthesis of model aryltetralin lignans, 711
 photosensitized decarboxylation of carboxylic acids, mechanism, 1115
 reactions with a mercurial dichlorocarbene precursor, 15
 triplets, behaviour in benzene, 1212
- 1,2-Benzoquinone**, novel mode of dimerisation, 1562
- 1,4-Benzoquinone**, 2-hydroxy-3,6-di-*t*-butyl-, cupric chloride oxidative rearrangement to 2-chloro-2,4-di-*t*-butylcyclopentene-1,3-dione, 1073
- p*-Benzoquinone**, phenyl-, flash-vacuum thermolysis, 497
- p*-Benzoquinones**, *t*-butyl-, sulphuric acids from photoreaction with sulphur dioxide, biradical trapping with sulphur dioxide, 73
- Benzo[*b*]thieno[3,2-*b*]indoles**, new routes to intramolecular cyclisation of azido- and nitro-substituted 2-arylbenzo[*b*]thiophens, 203
- Benzo[*b*]thiophen** photoreaction with amines, 892
- 1,2,3-Benzotriazines**, 4-alkyl- and 4-aryl-, 827
 formation by oxidation of 1- and 2-aminoindazoles, 828
- 1,2,4-Benzotriazines**, 695
- Benzoxazoles**, 2 substituted, reductive cyclization of 2 azidophenyl esters to, 1608
- Benzyl** and diphenylmethyl chlorides, kinetics of reactions in aqueous acetone Mechanisms of nucleophilic substitution, 797
 alcohols, conversion into benzyldimethylamines by hexamethylphosphoric triamide, 1018
- Benzyl group**, photochemical and thermal [1,3]-sigmatropic shift of, retention of configuration at the migrating centre in both Relaxation of orbital symmetry control in an unsymmetrical allyl system, 385
 photochemical 1,3-allylic shift of, retention of configuration at the migrating atom, 107
 photochemical 1,3-allylic shift of, retention of configuration at C-1 of the allyl group, 108
- Benzylideneaniline**, *ortho*-metallation of structure of C₆H₅N-CH C₆H₄Mn(CO)₄, 1595
- 4,6-O-Benzylidene-2-O-toluene-*p*-sulphonyl- α -D-ribohexopyranosid-3-*ulose***, methyl, reaction with triethylamine-methanol Reactions of carbohydrate α -keto toluene-*p*-sulphonates, 1220
- Benzylidenimine** tetrasulphide, crystal and molecular structure 1043
- o*-Benzyloxyphenylglyoxylate**, methyl, intersystem crossing in the photocyclization of, solvent effects, 318
- Benzylpenicillin**, self-association of, in aqueous solution ¹H nuclear magnetic resonance study, 320
- O*-Benzyl-L-serine**, preparation, 883
- o*-Benzylthiobenzophenone**, photo-enethiol, 1338
- Benzyne** formation by the decomposition of *N*-nitrosoacetanilide and *N*-(2-iodophenyl)-*N*-nitrobenzamide, 1003
 simple, one-step conversion of aniline into, 1
- Beryllium**. Molecular structures of methyl(cyclopentadienyl)beryllium and cyclopentadienylberyllium chloride by gas-phase electron diffraction, 1551
- Betalamic acid**, a new naturally occurring pigment, 1329
- Beyerane**. *ent*-3 β -hydroxybeyer-15(16)-ene-2,12-dione from *Androstachys johnsonii* Prain (Euphorbiaceae), 1346
- Bicyclic systems**, rigid, angular dependence of substituent effects, 1312
- Bicyclo-[2,2,2]** and **-[2,2,1]** ring structures, comparison of lactonizations in Rate accelerations by alteration in the orientation of reacting atoms, 854
- Bicyclobutane**, *exo,exo*- and *exo endo* 1,3 diethyl 2,4-dimethoxycarbonyl-, thermal ring opening of, 1616
- Bicyclo[1,1,0]butane**, ligand dependency in the transition-metal-promoted rearrangements of derivatives, 842
- Bicyclobutanes**, palladium(II) catalysed isomerization, 486
- Bicycloelemene**, absolute configuration of, and conformation of, bicyclogermacrene, 308
- Bicyclogermacrene**, conformation, and absolute configuration of bicycloelemene, 308
- Bicyclo[2,1,1]hexanes**, *oxa*- and *aza*-, formation intramolecular photocycloaddition of 3-allyloxy- and 3-allylamino-cyclohex-2-enones, 1167
- Bicyclo[3,1,0]hexanes**, 3-*oxa*-, preparation, useful carbenoid insertion reaction, 1145
- Bicyclo[2,2,0]hex-2-enes**, polyfluoro-, as dienophiles, effect of substituents on the double bond, 709
- Bicyclo[3,1,0]hex-3-ene** system, 1,3-diaza-, effect of solvent on photorearrangement, 838
- Bicyclo[3,1,0]hexenones**, effect of varying wavelength on photorearrangement, 574
- Bicyclo[6,1,0]nona-2,4,6-triene**, *syn*- and *anti*-9-methyl-, re-investigation of thermal bond relocation, 1301
 reaction with dimethyl acetylenedicarboxylate, 820
cis-, reduction in ammonia and in hexamethylphosphoramide-tetrahydrofuran, 1317
 9-thia-, 979
- Bicyclo[6,1,0]nonatrienes** and cyclo-octatetraene epoxide, rhodium(I) catalysed rearrangements, 1248
- Bicyclo[3,2,1]oct-2-en-8-one**, unexpected photodecarbonylation in solution, 1460
- Bicyclo[2,2,2]octenones**, heterocyclic, application of the Claisen rearrangement to synthesis approach to the morellins based on new biogenetic suggestions 966
- Bicyclo[5,4,0]undec-1(7)-en-3-one**, conversion to 6 methylene-spiro[4,5]decan 1 one [1,3]- vs [1,2] sigmatropic photorearrangements in cyclic $\beta\gamma$ unsaturated ketones 1564
- Bidioxolan-2-yl**, 4,4',5,5'-tetrachloro-, and bidioxol-2-yl, 705
- 2,2'-Bi-1,3-dithiole**, aromatic sulphur compound, crystal and molecular structure Evidence for *d*-orbital participation in bonding, 889
- Bilirubin**, induced optical activity in presence of sodium deoxycholate, 769
- Biosynthesis**, of terpenes, a model, 1639

- Biphenyl linkage** in the ergot pigments, position of. Partial synthesis of ergoflavin, 111
- Biphenyl-2-carboxamides**, *N*-methyl-, persulphate oxidation, 998
- Biphenylene** and benzocyclobutenedione, new routes to. Fragmentation of cyclic α -carbonylazo-compounds, 695
- Biphenyls**, polychlorinated, chlorine randomization between phenyl groups in the electron impact-induced fragmentation of, 446
- Biphenyl-2-yl isocyanide**, photo-isomerization into phenanthridine, 961
- Biphosphines**, the dependence of $^1J_{PR}$ upon internal rotation in, 1589
- Bisacetylacetonate-ethylenedi-imine** and its analogues, gas chromatography of their transition-metal chelates, 41
- Bis-azoarene** complexes of rhodium: *X*-ray crystal structure of bis(azoarene)rhodium acetate, 168
- Bisbenzylisoquinoline** alkaloids, new, active *vs* *Mycobacterium smegmatis*. Antibiotics from higher plants. *Thalictrum rugosum*, 589
- Bis-(*p*-3,5-dioxo-1,2,4-triazolin-4-ylphenyl)methane**: highly reactive bifunctional enophile, 635
- Bis(diphenylphosphinyl) peroxide**, mechanism of rearrangement, 1362
- 9,9'-Bisfluorenylidene**, 1,1'-bis(isopropoxycarbonyl)-, crystal and molecular structure, 960
- Bismuth** and antimony, trivalent, structure of organometallic derivatives containing metal-oxygen-metal bonds, 1547
in the solid state. Crystal structure of $(Bi^+)(Bi_2^{3+})(HfCl_6^{2-})_3$, 422
arsenic, and antimony, cyclopentadienyldicarbonyliron derivatives with M-Fe σ -bonds (M = As, Sb, Bi), 952
- Bisnaphthalene-2,3-diol**-lumiflavin, yellow 1:2 molecular complex, crystal structure, 751
- A(1),28-Bisnorlupane** triterpene, new; isodeoxyemmolactone, 195
- Bis-(3-oxoundecyl)** polysulphides in *Dictyopterus*, 1168
- meso-** and (\pm) -**Bis(phenylsulphinyl)methane**, characterisation using nuclear magnetic resonance chemical shift reagents, 1092
- 4,5:10,11-Bis(tetramethylene)-4,10-cyclotridecadiene-2,6,8,12-tetra-1-one**, stereochemistry, 963
- Bond dissociation energies** in $BF_3 \cdot OEt_2$, mass spectrometric determination of, 1622
- Bond strengths**, carbon-hydrogen, ordering of, using isotope effects, 941
- Borane**, tri-*exo*-norbornyl, base-induced bromination: electrophilic substitution with predominant inversion of configuration, 521
- Boranes**, higher, borane anions, carboranes, and various transition-metal carbonyl cluster compounds; structural significance of the number of skeletal bonding electron-pairs in, 792
organo-, and phenols, synthetic route to; reaction of diborane with organomercury compounds, 1475
trialkyl-, initiation rates for autoxidation. Effect of a steric factor on the initiation rate, 699
trialkyl-, new conversion into trialkylcarbinols; trialkylcyanoborates as intermediates, 1048
trialkyl-, new route to α -bromination of. Photochemically induced reaction of bromotrichloromethane with triethylborane and related trialkylboranes, 1535
- Borate esters**, perfluoroalkyl, 736
- Borates**, 1,1,2-trimethylpropyldialkylcyano-, as intermediates for the synthesis of symmetrical, unsymmetrical, functionalised, and cyclic ketones, 1048
- Borazines**, symmetric trimethyl-, photoelectron spectra, 125
- Borneol**, complete assignment of the ^{13}C spectrum of: ready method for the assignment for ^{13}C nuclear magnetic resonance spectra, 364
- Borohydride** reduction of 1,3,5-tricyanobenzene and 1,3,5-tricyanocyclohex-1-ene, 250
- Boron**. Abundant rearrangement ions in mass spectra of benzeneboronic acid derivatives, 1522
- Boron**. 3(*H*)-Benzoborepin-3-ol, 291
Cationic ruthenium ammine complexes of cyanotrihydroborate and of hydrogen cyanide, 7
Cyanotrihydroborato- and tetrahydroborato-complexes of rhodium and iridium, 1615
- Boron**—*continued*
Dimethylthallium(III) derivatives of decarborane(14), 1027
Formation of hydrocarbon rearrangement ions from 4,6-dimethyl-2-phenoxy-1,3,2-dioxaborinan under electron impact, 1165
Four-co-ordinate iridium(I) cations and the ligand dependence of oxygen uptake: crystal structure of $[Ir(PPh_2CH_3)_4]BF_4$, 758
General route to $[h^5-C_5H_5Fe(CO)_2olefin]^+BF_4^-$ complexes, 441
halides, reactions of silica surfaces with, 1237
homolytic substitution at, by the triplet state of ketones, 196
Mass spectrometric determination of bond dissociation energies in $BF_3 \cdot OEt_2$, 1622
New class of small *nido*-carborane compounds containing a stable B-MMe₃-B (M = Si or Ge) three-centre bond, 622
Nuclear magnetic resonance evidence for bridge hydrogen tautomerization (and/or exchange) in monocarbahexaborane(7), 76
Oxidation of tetraphenylborate by hexachloroiridate(IV), 1238
Oxidation of trimethylborane: mass spectral evidence for the intermediate $(CH_3)_2B_2O_3$, 77
Paramagnetic borabenzene cobalt complexes, 1328
Pentaborane(9)-catalysed condensation of silylamines, 1246
Photoelectron spectra of electron-rich olefins and an isostructural boron compound: olefins of exceptionally low first ionisation potential, 1370
Photoelectron spectrum of trivinyboron, 51
Photoelectron spectrum of B_4Cl_4 , 627
Selective hydroboration of $\Delta^{20(21)}$ -steroids, 1087
Sodium cyanoborohydride in hexamethylphosphoramide. An exceptionally selective reagent system for the reduction of alkyl iodides, bromides, and tosylates, 1097
Synthesis of 8-cyano-8-cycloheptatrienylheptafulvenium fluoroborate, 114
Synthesis of the tridecahydro-1-carba-*nido*-undecaborate-(1-) ion, 1611
trichloride, cleavage of sterically hindered esters with, 667
trifluoride etherate, reaction with bisindenyliron: intramolecular ligand exchange, 1071
trifluoride etherate, reaction with fucosterol 24,28-epoxide, 1498
X-Ray crystallographic determination of the molecular structure of $B_9C_2H_{12}AlMe_2$, a non-rigid aluminium-carborane derivative, 298
X-Ray crystallographic evidence for boron-nitrogen analogue of an allene: diphenylmethylenediaminodimesitylborane, 1122
- Bromides**. Elucidation of an electron transfer pathway in the conversion of *vic*-dibromides to olefins by stabilized carbanions, 1053
- Bromination** reactions, relative selectivities in—a note of warning, 1487
thallium(III) induced, of *meta*-substituted anisoles, 1596
- Bromine**. Gas-phase molecular structures of BrF_5 and IF_5 : information from diffraction and rotational constant data, 1567
Infrared spectroscopic study of the hydrates of hydrogen chloride and hydrogen bromide, 337
Possible electron spin resonance identification of Br^{2-} and I^{2-} in γ -irradiated bromide or iodide doped barium sulphate, 268
- Bullvalene**. Diazabullvalene, a "nonclassical" molecule? 1377
- Butadiene** and water, palladium complex-catalysed synthesis of octadienols from, 330
complex $[NMe_3Et]_2^+[Pt_2Cl_6(C_4H_6)]^{2-}$, crystal and molecular structure, 467
complexes, 2-substituted, synthetic route to. Tetracarbonyl allyliron cations, 720
dimerization, nickel-catalysed, a key intermediate: its identity in solution and in the solid state, 1240
hydrogenation by pentacyanocobaltate(II); nuclear magnetic resonance evidence for the formation of *cis*- and *trans*- α -but-2-enyl and *syn*- π -(1-methylallyl) complexes, 1177
nickel complex-catalysed reactions with amines, 1583
nickel complex-catalysed telomerization with alcohols, 193
palladium-catalysed carbonylation-dimerization, 1067
syntheses of long-chain amines by palladium-catalysed telomerization of, 345
- Buta-1,3-dienes**, double Diels-Alder reactions with coumalic acid: single-step synthesis of tricyclo[3,2,1,0^{2,3}]oct-3-ene derivatives, 1292

- Butadienyl-ruthenium complex**, structure insertion reactions of acetylenes with a cyclopentadienyl-ruthenium phosphine hydride, 852
- 1,6:8,13-Butanediyldiene[14]annulene**, crystal and molecular structure, 973
- Butan-2-one**, 1,4-dichloro-, epoxyannulation with, 367
- But-1-ene**, catalytic activity and selectivity of evacuated calcium oxide for isomerisation of, 464
3,3,4,4-tetrafluoro-4-iodo-, peroxide-initiated cyclodimerisation, 1041
- But-2-ene**, 2,3-dimethyl-, photoaddition to the benzene ring, 794
- But-3-enylsuccinic acid**, preparation by carbonylation of allyl halides with double bond insertion. New insertion reaction, 522
- t-Butoxycarbonyl-radical**, electron spin resonance spectrum and decarboxylation of, in solution, 1035
- t-Butoxy-radicals**, oxidation of carbon monoxide, 457
scavenging of, by electron transfer from paraquat (*NN*-dimethyl-4,4'-bipyridylum) cation radical, 830
- t-Butyl group**, axial, non-constrained, in a six-membered ring, 1308
twisted Crystal and molecular structure of *cis,trans*-2,5-di-*t*-butylcyclohexyl toluene-*p*-sulphonate and valence-force calculations, 1210
- Butyl-lithium**, reaction with stable free radicals, 406
- But-2-yne**, hexafluoro-, 1:4 addition to a rhodium(II)-acetylacetonate ring 331
- γ*-Butyrolactams**, substituted synthesis of a semicorrin, 926
- [CH]₈ Isomers**, heats of formation and strain energies calculated by all-valence electron semi-empirical SCF-MO theories, 1408
- Cadmium**. Thermodynamic association constants for CdCl⁺, CdCl₂, CdBr⁺, and CdBr₂ in molten Ca(NO₃)₂·4H₂O, 565
- Calcium**. Ca₂ a van der Waals molecule, 1231
barbital trihydrate, intermolecular interactions in crystal structure 674
bis(dihydrogen arsenate), symmetrical hydrogen bonds in crystal structure neutron-diffraction study, 1566
oxide, evacuated, catalytic activity and selectivity for isomerization of but-1-ene, 464
- (+)-Callitricic acid**, synthesis inversion of the C-4 substituents in dehydroabiatic acid, 10
- (±)-Campherone**, (±)-Campherenol, and (±)-epicampherone synthesis cyclisations involving enol acetates, 766
- D-(+)-Camphor** derivatives, *endo*-substituted, spectroscopic properties, 326
- Camptothecin** chromophore, convenient route to, 374
- (±)-Canadensolide** and its C-5 epimer, synthesis Revision of the stereochemistry, 1561
- (-)-trans-Caran-4-one**, synthesis of (+)-fenchone and of (+)-*cis*-2,2,5-trimethyl-3-vinylcyclopentanone, a photoisomer total synthesis of (±)-fenchone, 395
- Carbamic acid complex**, isolation and characterisation, 793
- Carbanions** in carbohydrate chemistry new synthesis of C-glycosyl compounds, 755
- Carbazates**, alkyl, oxidation new method for replacement of the hydroxy-group by halogen, 1112
- Carbene complexes**, acyloxy-, and their reaction with hydrogen azide, 570
complexes of the Group VI metals as olefin disproportionation catalysts, 839
co-ordinated, an electron-rich olefin as source synthesis of *trans*-PtCl₂[C(NPhCH₂)₂]PET₃, 400
dichloro-, and cyclopentadiene, formation of 6-chlorofulvene, 461
dichloro-, reaction with trimethylcyclopropene, 1254
dichloro-, vapour phase generation; ring expansion of cyclic compounds accompanied by formation of fulvene derivatives, 1293
difluoro-, reaction with 2-benzylidenecyclohexanones to afford phenylfluorofurans, 233
oxy-, thermally generated; rearrangement products, 433
- Carbenes**, and radicals, competing fragmentation to pyrolysis of bis[phenyl-(*p*-tolyl)methyl]oxalate, 666
Effect of peroxides on reactions of dimethoxycarbonylcarbene generated with soluble catalysts from dimethyl diazomalonate, 1179
- Carbenoid** insertion reaction, useful preparation of 3-oxa bicyclo[3,1,0]hexanes, 1145
- Carbohydrate** field, conformational and configurational assignment application of a lanthanide shift-reagent, 1389
furanose, conformation X-ray crystallographic study of methyl 1,2,3,5-tetra-*O*-acetyl-β-D-galactofuranuronate, 25
α-keto toluene-*p*-sulphonates, reactions Reaction of methyl 4,6-*O*-benzylidene-2-*O*-toluene-*p*-sulphonyl-α-D-*ribo*-hexopyranosid-3-*ulose* with triethylamine-methanol, 1220
C-phosphine oxides, synthesis, 84
- Carbohydrates**, novel, with sulphur in the ring, approach to synthesis Diels-Alder reactions with methyl cyanodithioformate, 1411
- Carbonates** and S-alkyl thiocarbonates, photochemical type II reaction, 1425
- Carbon bridging** group, new type Crystal structure of bis-μ-(trimethylsilylmethylidyne)tetrakis(trimethylsilylmethyl)dimobium(v), 1477
- Carbon dioxide**, gaseous, γ-radiolysis at high densities 980
reaction with diphenyltitanocene and X-ray crystal structure of the product, 972
- Carbon-hydrogen** bond strengths, ordering of, using isotope effects, 941
and silicon-hydrogen bonds, novel insertion reactions of vinylidene-carbenes into, 692
- Carbon monoxide** chemisorbed on nickel at 44 K by a matrix isolation technique, infrared spectrum, 499
molecular oxygen, hydrogen, and olefins, activation by a ruthenium(II) complex, 561
oxidation by *t*-butoxy-radicals, 457
photocatalytic and thermal catalytic reaction with nitrous oxide and oxygen over zinc oxide, 736
- Carbon-13 nuclear magnetic resonance** as a tool to study organic solvation shells, 1265
- Carbonates**, and lactones, unsaturated, photochemical decarbonylation 383
- Carbonium ion** reactions, β-secondary deuterium isotope effects as a measure of charge localization in existence of a major inconsistency in interpretation, 592
rearrangements migration of an electronegative group, 1148
- Carbonium ions**, platinum(II)-stabilised, reactions, 809
- Carbonyl** group and double bond(s) in γδ-unsaturated ketones, ground-state interactions between, 1640
- Carbonyl compounds**, correlation between signs of magnetic circular dichroism bands and structure 1533
kinetic model for intermolecular photoreduction, novel application of the bond-energy-bond-order method 1298
- Carbonyl derivatives**, metal, relative intensities in their Raman spectra in the 2000 cm⁻¹ region, 235
- Carbonyl hydrides**, metal, synthesis from metal carbonyls and hydrogen at atmospheric pressure, 477
- Carbonyl insertion** and isomerisation reactions of cyclopropanes with dicarbonylchlororhodium, 931
- Carbonyl nitroxides**, halogeno-, electron spin resonance study, 244
- Carbonyl shift**, terminal-to-bridge, Lewis acid promoted, in [(π-C₅H₅)Ru(CO)₂]₂, 256
- Carbonyl sulphide**, absolute signs of dipole moment derivatives in, 981
- Carbonyl thionitrosyl complexes**, metal, 579
- Carbonyl ylide** from 2,3-dicyano-2,3-diphenyloxiran, cycloadditions to, 1190
- Carbonyl ylides** from conrotatory opening of cyanostilbene oxides, 1192
as possible intermediates in reactions of a mercurial dichloro-carbene precursor with benzaldehyde, 1438
- α-Carbonylazo**-compounds, cyclic, fragmentation New routes to benzocyclobutenedione and to biphenylene, 695
- nido-Carborane** compounds, small, new class containing a stable B-NMe₃-B (M = Si or Ge) three-centre bond, 622
- Carboranes**, higher boranes and borane anions, and various transition-metal carbonyl cluster compounds, structural significance of the number of skeletal bonding electron-pairs in, 792
- Carboxamide** group, novel cyclo-elimination of, and cyclobutenes from 1-alkyl-1,4-dihydropyridines with dimethyl acetylenedicarboxylate, 1421
- Carboxylic acids**, mechanism of benzophenone photosensitised decarboxylation, 1115

- Carboxylic amides**, preparation from aldehydes by oxidation, 733
- Caryophyllene** dihydrochloride, structure of a hydrocarbon 2,6,10,10-tetramethyltricyclo[7,2,0,0^{2,7}]undec-5-ene obtained from X-ray analysis of the dibromo-derivative, 46
- Cassiollin**, revised structure identity with pinselin, 423
- Catalysis**, transition metal, of symmetry forbidden reactions; linear free energy correlation, 388
- Catechin**, phenolic hydroxy-group reactivity in, 612
- Catechol**, use of mono-esters of, in the racemisation-free synthesis of sequential polypeptides with amino- or carboxy-side-chains, 1009
- Cation radicals** scavenging of t-butoxy-radicals by electron transfer from paraquat (*NN*-dimethyl-4,4'-bipyridylum) cation radical, 830
- Cations**, complex, hydrogen bonded, infrared evidence, 1530
- Cephalosporin**-penicillin antibiotics, total synthesis of a nuclear analogue, 865
- Cercosporin**, a naturally occurring quinone, structure, 1463
- Cerium**. Cerium(IV) oxidation of 4-methyloestra-1,3,5(10)-trienes 772
- Chemical-shift reagents**, nuclear magnetic resonance, characterization using *meso*- and (\pm)-bis(phenylsulphinyl)methane, 1092
- Chiral allenes**, optical activity and absolute configuration, 1261
- Chloramines**, acyclic, barriers to nitrogen inversion in, 54
- Chlorin**, Reactions of *trans*-octaethylchlorin with thallium(III) trifluoroacetate, 1384
- Chlorine**. Infrared spectroscopic study of the hydrates of hydrogen chloride and hydrogen bromide, 337
nucleophilic displacement of, from 5-chloroaceneptylene, 231
- Chlorobenzenes**, MINDO/2 calculations of nuclear quadrupole coupling constants, 238
- Cholestane** and norcholeane analogues of cucurbitacin I synthesis and inhibition of DNA synthesis in rat thymocytes, 775
- 9 β -Cholestane** series, backbone rearrangement Evidence for a stepwise mechanism, 659
- Cholesterol** biosynthesis, pathway for removal of C-32 in, 1479
in vivo incorporation of the S-methyl group of methionine into, in rats, 1201
22-oxo-, efficient conversion of diosgenin into, 402
- Chondrofoline**, an alkaloid, structure and stereochemistry, 132
- Chromene** derivatives as intermediates in the biosynthesis of siccamin 527
- Chromens**, some new 2,2-dimethyl-, related to phloroglucinol, synthesis, 76
- Chromium**. ¹³C nuclear magnetic resonance spectra of the complexes [LM(CO)₃], L = mesitylene, durene, or cycloheptatriene, M = Cr, Mo, W, 976
Crystal and molecular structure of *anti*-1,6:8,13-bismethano-[14]annulenetetracarbonylchromium, a *pentahapto* complex, 220
Crystal structure and electron spin resonance spectrum of tris-di-isopropylamminatochromium(III), 411
Effect of changing oxidation state on the metal-ligand vibrations of [Cr(2,2'-bipyridyl)₂]³⁺ type complexes, 1007
Elucidation of electronic effects on methyl rotational barriers in reduced chromium complexes by ¹H nuclear magnetic resonance spectroscopy, 274
Observation of non-radiative energy transfer from Cr(NH₃)₆³⁺ to Cr(NH₃)₅Cl²⁺, 954
²E → ⁴A₂ Phosphorescence of chromium(III) trisethylenediamine cation in aqueous solution at room temperature application of laser Raman instrumentation, 363
pentoxide etherate, reinvestigation of reaction with tetracyclone Oxygen insertion reactions, 1407
Piper's model for optical activity absolute configurations of the complex ions, (+)₅₈₉[Cr(malonate)₃]³⁻, (+)₅₄₆[Co(malonate)₂(ethylenediamine)]⁻, and (+)₅₈₉[Cr(oxalate)₃]³⁻, 550
Rates of chelate ring closure and opening at a chromium(III)-thiol bond, 491
Structure of a non-fluxional π -arene chromium dicarbonyl complex, 573
Synthesis and crystal structure of an air stable σ -bonded organochromium compound, *cis*-bis-(2-methoxyphenyl)bis-(2,2'-bipyridyl)chromium(III) iodide monohydrate, 243
- Chromium**—*continued*
X-Ray crystal and molecular structure of tricarbonyltropone-chromium, 119
Temperature and solvent dependence of phosphorescence of Cr^{III} complexes in fluids, 895
- trans*-Chrysanthemic acid**, stereoselective synthesis, 555
- Chymotrypsin**, Binding of *N*-trifluoroacetylated amino-acids by, ¹⁹F magnetic resonance spectroscopic investigation, 513
- α -Chymotrypsin**, products of interaction with the isomeric 4-benzylidene-2-phenyl- Δ^2 -oxazolin-5-ones, influence of *cis*-*trans*-isomerism on the kinetics of their hydrolysis crystal structure of the stable isomer of α -benzamidocinnamic acid, 632
- Cinchona** alkaloids, biosynthesis middle stages of the pathway, 30, late stages of the pathway, 31
- Cinnamic acid**, *trans*-pentafluorocinnamic acid, apparent similarity between the mass spectral and thermal reactions of. Synthesis of 5,6,7,8-tetrafluorocoumarin, 894
- Cinnamyl radicals**, *ortho*-methyl- and *ortho*-trifluoromethyl-, cyclizations to the corresponding indenenes Organic oxalates, 102
- Cinnolin-3-one**, rearrangement to oxindole; rearrangement of 1,2,4-triazin-3-ones to imidazolin-2-ones, 531
- Citrinin**, crystal and molecular structure, 1553
- Clathrate** inclusion compound, X-ray crystallographic investigation of guest orientation and conformation 786
- Clathrates**, β -Quinol, Raman spectra of guest molecules in, 270
- Clerodendrin A** diterpene, structure of, 1632
- Cluster carbonyls**, new substituted heteronuclear, containing platinum and a metal from the Fe, Ru, Os triad, 1288
- Cluster complexes**, oxotritruthenium, 967
- Cobalt**. Abnormal behaviour in the acid hydrolysis of an octahedral cobalt(III)-amine complex cation in aqueous solution, 1358
Alkylation (or arylation) of olefins with organocobalt compounds in the presence of palladium salts, 849
Bimolecular nucleophilic displacement as a mechanism of alkyl transfer from cobalt, 1371
Chelate ring conformations of the tris(trimethylenediamine) cobalt(III) ion, 1283
chelates as models for methyl donors and acceptors in vitamin B₁₂-dependent transmethylation Direct methylation of vitamin B_{12a}, 706
Correlations between chirality and circular dichroism among *trans*-diacidotetra-amines of cobalt(III), 1398
Crystal and molecular structure of hydridotetrakis(diethyl phenylphosphonite)cobalt(I), 322
Crystal structure of CoNi(OC₂H₄NH₂)₃(HOC₂H₄NH₂)₃I₂ a hydrogen-bonded dinuclear complex, 437
Dealkylation reactions of alkylcobaloxime complexes with mercury(II), 653
Dinitrogen complexes of cobalt(0) and cobalt(-I), 781
Dimethylcobalt nitrite synthesis and X-ray crystallographic structural studies of a cobalt nitrosyl with bridging nitrite groups, 55
Direct observation of the two forms of aquocyanocobyrinic acid in water by carbon-13 Fourier transform nuclear magnetic resonance, 728
Electron transfer reactions involving alkyl group transfer between cobalt ions, 52
Far-*r* spectra of bis(pyrazine) complexes of transition metal-(II)halides The crystal and molecular structure of dichlorobis-(pyrazine)cobalt(II), 1634
Formation of a 1:1 oxygen adduct with the cobalt(II)-tetrakisulphophthalocyanine, 449
¹H nuclear magnetic resonance and relaxation in [Coen(NH₃)₄]³⁺, 1309
induced cleavage reaction and a new series of arenecobalt carbonyl complexes, 36
Kinetics and volumes of activation of the reactions of nickel(II) and cobalt(II) ions with some uncharged ligands in water, studied by a laser temperature-jump method at high pressures, 1351
Kinetics of ternary complex formation involving cobalt(II) an enzyme model system, 20
Magnetic circular dichroism spectrum of the tetraiodocobaltate-(II) ion, 225
Mössbauer studies of the oxidation state of ⁵⁷Fe produced in EC decay of ⁵⁷Co-doped and in γ -irradiation of ⁵⁷Fe-dope Mn(acac)₃, Fe(acac)₃, and Co(acac)₃, 1637

Cobalt—*continued*

- New cobalt(II) complexes derived from dicarbonyltricyanocobaltate(II), 1594
- New disproportionation of nitric oxide in its reaction with $\text{Co}(\text{PPh}_3)_3(\text{NO})$, 694
- Nuclear magnetic resonance evidence for the formation of *cis*- and *trans*-6-but-2-enyl and *syn*- π -(1-methylallyl) complexes in the hydrogenation of butadiene by pentacyanocobaltate(II), 1177
- Paramagnetic borabenzene cobalt complexes, 1328
- Paramagnetic cobalt(III) compounds of the type $[\text{CoN}_4\text{X}]^0$ (X = Cl, Br, I), 1149
- Piper's model for optical activity: absolute configurations of the complex ions, $(+)_589[\text{Cr}(\text{malonate})_3]^{3-}$, $(+)_546[\text{Co}(\text{malonate})_2(\text{ethylenediamine})]^-$, and $(+)_589[\text{Cr}(\text{oxalate})_3]^{3-}$, 550
- Reaction of the protonic acids, $\text{HCo}(\text{PF}_3)_4$ and $\text{HCo}(\text{CO})_4$, with *NN*-dimethyl(trimethylsilyl)amine to form silylammonium compounds, 48
- silicon metal–metal bonds, complexes containing, 524
- Solvent control of the bonding mode of co-ordinated thiocyanate ion in cobalt(III) complexes, 568
- Synthesis and crystal structure determinations of the bis-(5,5-diethylbarbiturato)-bisimidazole complexes of cobalt(II) and zinc(II), 290
- Synthesis of *cis,cis*-1,3,5-triaminocyclohexane-*NN'*-triacetic acid and its cobalt(III) complex, 65
- Unusual oxidation of cobalt(II) and nickel(II) sulphites involving sulphur dioxide in a non-aqueous medium, 671
- Use of cobalt(II) ion and hydrochloric acid as catalyst for the liquid-phase oxidation of alkylbenzenes, 1166
- X-Ray crystal and molecular structures of three methyltricyclobutane enecarbonyl derivatives, 72
- Cochliquinones A and B**, new metabolites of *Cochliobolus miyabeanus*, structures: chemical and X-ray crystallographic determination, 164
- Codeinone and neopinone** acetals, halogeno-, solvolysis: common aziridinium ion intermediate, 1121
- Codonocarpine**, a new lunaria-type alkaloid from *Codonocarpus australis* A. Cunn., 300
- Columns**, anomalous, produced from non-hydrogen bonded liquids, 487
- Complexes**, molecular. Preliminary comments on the rationalization of procedures for processing data obtained from nuclear magnetic resonance studies, 956
- π -molecular, calorimetric studies: tetracyanoethylene and aromatic donors, 435
- Coniferyl alcohol**, flash photolysis, 688
- Contact shifts**, proton, conformational dependence of, for σ -electron systems: a 220 MHz nuclear magnetic resonance study, 33
- Cope rearrangement**, abnormal, of *cis,trans*-cyclodeca-1,5-diene derivatives with a furan ring, 88
- Copper(I) complexes**: synthesis and crystal structure of tetrapyridine copper(I) perchlorate $(\text{C}_5\text{H}_5\text{N})_4\text{CuClO}_4$, 1400
- Copper** and silver carbonyls, infrared spectroscopic evidence for, 978
- Azoalkane synthesis by direct oxidation of semicarbazides with copper halides, 297
- Bonding mode of the thiocyanate ion: crystal structure of bis-(1,3-diaminopropane)isothiocyanatecopper(II) perchlorate, 673
- Bonding mode of the thiocyanate ion: crystal structure of bis(ethylenediamine)copper(II) thiocyanate perchlorate, 1462
- Crystal and molecular structures of two crystalline modifications of $(\alpha\text{-picoline})_2\text{Cu}(\text{NO}_2)_2$, 253
- Crystal structure of bis-(4-aminoimidazole-5-carboxamide oxime)copper(II) perchlorate. A degradation product of adenine *N'*-oxide, 240
- Crystal structure of a trigonal planar copper(I) complex, 105
- Cupric chloride oxidative rearrangement of 2-hydroxy-3,6-di-*t*-butyl-1,4-benzoquinone to 2-chloro-2,4-di-*t*-butylcyclopentene-1,3-dione, 1073
- Dodecatungstocuprates. Tetrahedral copper(I)–copper(II) redox system, 886
- Electron spin resonance investigation of the catalytic activity of copper-exchanged X-type zeolites, 407
- Endothermic changes in $\text{K}_2\text{Pb}[\text{Cu}(\text{NO}_2)_6]$ at 279 and 287 K, 768

Copper—*continued*

- Formation of chlorobenzene by the reaction of phenylthallium(III) compounds with copper chloride, 169
- Homogeneous copper(I)-catalysed decomposition of dimethyl diazomalonate. Role of the counter ions in determining the effective spin multiplicity, 1360
- Kinetics of formation of ternary complexes between substituted copper(II) species and the bidentate ligand pyridine-2-azo-*p*-dimethylaniline, 192
- New Cu(I) ethylenediamine carbonyl complex, 652
- Nitrogen hyperfine splitting in the electron spin resonance spectra of 1:1 copper(II) β -diketonate adducts with nitrogen donors, 1025
- nucleoside analogue, crystal structure, 558
- Positive exchange coupling constant in the dimer bis-(*NN*-diethyldithiocarbamate)copper(II), 101
- Preparation of 3,3-diethoxy-pentan-2-one from the diethyl acetal of ethyl 2-oxobutyrate and $(\text{CH}_3)_2\text{CuLi}$, 1244
- Reversible binding of carbon monoxide by the (dimethylmethyleneammonium)copper(I) chloride cation, 1132
- Synthesis and crystal structure of the tris(hexafluoroacetylacetonato)copper(II) salt of monoprotonated 1,8-bis(dimethylamino)naphthalene and of the isomorphous magnesium derivative, 93
- tartrate dimer, stereospecific, crystal structure, magnetic susceptibility, and electron spin resonance studies, 508
- Tertiary phosphine and arsine complexes of copper(II), 780
- Variable stereochemistry in binuclear complexes of copper(II), 703
- X-Ray crystal structure of glycyl-L-tryptophanocopper(II) trihydrate, 207
- Corrin**, 1,19-dimethyl-, metal complexes, 710
- Corticoid** and pregnane side-chains, two-step synthesis, 1322
- Coumalic acid**, double Diels–Alder reactions with buta-1,3-dienes: single-step synthesis of tricyclo[3,2,1,0^{2,7}]oct-3-ene derivatives, 1292
- Coumarin**, 5,6,7,8-tetrafluoro-, synthesis. Apparent similarity between the mass spectral and thermal reactions of *trans*-pentafluorocinnamic acid, 894
- Coumarins**, some dimethylpyrano- and 3-methylbut-2-enyl-4-phenyl- and -4-*n*-propyl-, synthesis, 1005
- Crinine** ring system, photochemical synthesis: formal total synthesis of (\pm) -maritidine, 774
- Crombeone**, a natural 5-hydroxypeltogynone, ring expansions of, 116
- Croton** species, two, alkaloid biosynthesis in, 392
- “**Cryptates**”, alkali and alkaline-earth, cation and cavity selectivities, 440
- Cucurbitacin I**, norcholane and cholestane analogues; synthesis and inhibition of DNA synthesis in rat thymocytes, 775
- Cularine**, biosynthesis, 352
- Cumene** autoxidation, mechanism of initiation by palladium(0) complexes, 788
- Cumulenes**. Synthesis of cyclotetradeca-3,4,5,10,11,12-hexane-1,8-dione, a monocyclic dicumulenedione, 1018
- Curarine**, (\pm) -fluoro-, racemate of a Calabash-curare alkaloid, total synthesis, 685
- alkaloid, synthesis by phenol coupling, 149
- Cyanide**, potassium, and 2-methylepichlorohydrin, unusual reaction product from: 4,9-dimethyl-2,6-diazaspiro[4,5]dec-3-ene-1,7-dione, 1560
- Cyanide ion**, displacement of nitro-group in reactions with, 1120
- Cyanides**. Electron spin resonance evidence for protonation of the radical anions NH^- and HCN^- in frozen aqueous solutions, 893
- Cyanodithioformate**, methyl, Diels–Alder reactions with. Approach to the synthesis of novel carbohydrates with sulphur in the ring, 1411
- (**Cyanomethylene**)**cycloheptatriene** (8-cyanoheptafulvene), thermal dimerization; synthesis of a dihydrobenzo[1,2:4,5]-dicycloheptene, 505
- o-Cyanophenols**, new route to. Displacement of mobile nitro-groups in reactions with cyanide ion, 1120
- Cyclic** compounds, polyfunctional, aromatization of, 729
- Cyclobutadiene**–platinum(II) and alkoxy-carbene–platinum(IV) cations, novel, 1484
- Cyclobutanone**, perfluoro-, ene reaction with allene: deuterium isotope effect, 166
- rapid route to, oxaspiropentane, 1579

- Cyclobutene**, 1-methyl-, oxidation by metal ions, 40
- Cyclobutenedione**, synthesis, 630
- Cyclobutenediones** and benzocyclobutenediones, primary photochemistry, 1162
- Cyclobutenes** from 1-alkyl-1,4-dihydropyridines with dimethyl acetylenedicarboxylate, and a novel cyclo-elimination of a carboxamide group, 1421
- Cyclobutenium** cation, unusual, formation: reaction of chloroplatinic acid with 1,1-dimethylcyclopropane, 128
- 3 β ,5-Cyclocholestan-6-yl** radical, rearrangement: stereo-electronic effects in radical fragmentation, 658
- cis,trans-Cyclodeca-1,5-diene** derivatives with a furan ring, abnormal Cope rearrangement, 88
- Cyclodeca-6,10-diene**, 1,5,5-trimethyl-8-methylene-, intramolecular photocyclisation, 1091
- Cyclodecane** derivative, experimental determination of short transannular H \cdots H distances in, 178
- Cyclodeca-2,4,7,9-tetraene**, mono-*trans*-dicyclohexeno[*b,i*]-1,6-dithia-, a tetra-alkylated 1,6-dithia[10]annulene, synthesis, 947
- Cyclodextrin** inclusion compounds, partial resolution of sulphoxides *via*, 317
- Cyclohepta-1,3-diene**, structure from nuclear magnetic resonance analysis, 583
- Cycloheptatriene** and *N*-methoxycarbonylazepine, co-ordinated, 1,3- and 1,6-addition of electronegatively substituted olefins to: X-ray diffraction study of the tricarbenylcycloheptatrieneiron-tetracyanoethylene adduct, 222
- 8-Cycloheptatrienylnheptafulvenylium** fluoroborate, 8-cyano-, synthesis, 114
- Cyclohexa-1,3-dienes**, 5-alkenyl-, persistence of stereoselectivity in thermal cyclizations: novel route to some functionalized bridged tricyclic rings, 1287
- substituted, photochemistry; role of steric factors, 417
- Cyclohexa-1,4-diene** complex of palladium(II) acetate, 1019
- Cyclohexa-2,5-diene**, 1,4-diphosponia-salts, electrochemical reduction without accompanying cleavage, 1478
- Cyclohexadienone** derivative, synthesis of racemic seychellene based upon intramolecular Diels-Alder addition of, 1120
- Cyclohexane** fatty acids from a thermophilic bacterium, 1334
- Cyclohexanes**, dibromoethyl-, unusual product distributions in the dehydrobromination of, 1416
- Cyclohexane-*NN'***-triacetic acid *cis,cis*-1,3,5-triamino-, and its cobalt(III) complex, synthesis, 65
- Cyclohexanone**, 4-*t*-butyl-, novel stereoselective alkylation using trimethylaluminium in benzene, 351
- 4-methoxy-, predominance of the axial conformation of, 528
- cis*-2-propyl-4-*t*-butyl-, cyclobutanol-to-fragmentation ratios for the singlet and triplet states in the photochemistry of, 1158
- Cyclohexanones**, 2-benzylidene-, reaction with difluorocarbene to afford phenylfluorofurans, 233
- Cyclohexene**, 3-deuterio-, mechanism and inverse primary kinetic isotope effect in reaction with fluorenylidene, 1512
- nitroso-, reaction with maleic anhydride, 81
- stereospecific free-radical addition of menthyl phenylphosphinate evidence for retention of configuration at phosphorus, 146
- 4-vinyl-, sequential rhodium-catalysed isomerisation and disproportionation, 620
- Cyclohex-1-ene**, 1,3,5-tricyano-, and 1,3,5-tricyanobenzene, borohydride reduction, 250
- Cyclohexenone** derivatives, novel aromatisation reaction with sodium hydride and dimethylformamide, 660
- Cyclohex-2-enone**, 3-phenyl-, and tetramethylethylene, photo-addition. Evidence for singlet and triplet pathways leading to a common intermediate, 1180
- Cyclohex-2-enones**, 3-allyloxy- and 3-allylamino-, intramolecular photocycloaddition: formation of oxa- and azabicyclo[2,1,1]hexanes, 1167
- Cyclohex-3-enones**, 5,6-nitro-, formation in the nitration of polyalkylbenzenes, 1509
- Cyclol** structure in a tripeptide, X-ray crystallographic proof, 1607
- Cyclols**, synthesis of, from some small peptides *via* amide-amide reaction, 1605
- Cyclo-octanes** and -nonanes, dibromo-, action of magnesium on. A novel transannular elimination reaction, 1340
- Cyclo-octatetraene** epoxide and bicyclo[6,1,0]nonatrienes, rhodium(II)-catalysed rearrangements, 1248
- Cyclo-oct-5-ene-1,2-dione**, preparation and acetalization, 1537
- Cyclo-octyne**, formation by pyrolysis of cyclo-octeno-1,2,3-selenadiazole, 1059
- Cyclopentadiene** and dichlorocarbene, formation of 6-chlorofulvene, 460
- Cyclopentadienone**, 770
- system, 3,4-diaza-, synthesis, 537
- Cyclopentadienones**, formation: photolysis of 2,6-bis(alkylthio)-3,5-diphenyl-4*H*-thiopyran-4-one, 702
- Cyclopentadienyliide**, sulphonium, evidence for aromatic character from nuclear magnetic resonance measurements, 716
- π -**Cyclopentadienyls** and carbonyls, transition metal, molecular core binding energies as determined by X-ray photoelectron spectroscopy, 740
- Cyclopentene-1,3-dione**, 2-chloro-2,4-di-*t*-butyl-, cupric chloride oxidative rearrangement of 2-hydroxy-3,6-di-*t*-butyl-1,4-benzoquinone to, 1073
- Cyclopent-3-enone**, microwave spectrum and planarity, 1136
- Cyclopentenones**, new photochemical reaction, 343
- Cyclophane**, novel organosilicon, and its radical anion, 50
- [10]**Cyclophane**, 3,8-diaza-, nitration of: evidence for a field effect in aromatic nitration, 332
- Cyclophanes**, layered, 678
- Cyclopropane**, 1,1-bis(diazomethyl)-, methanolysis of, 259
- containing marine sterol from *Acanthaster planci*: Acansterol, 217
- derivatives, halogeno-, novel synthetic route to. Formation of a halogenocarbene of zinc, 1375
- 1,1-dimethyl-, reaction with chloroplatinic acid: formation of an unusual cyclobutenium cation, 128
- formation, stereospecific *via* internal methylene transfer, 1576
- 3-oxoprop-1-enyl-, extended conjugated system of the diterpene, epoxyathylol; photochemistry, 268
- Cyclopropanes**, 2-acetyl-3-aryl-1,1-dicyano-2-methyl-, synthesis, 570
- gem*-bromofluoro-, reduction with lithium aluminium hydride, 380
- opening of, stereochemistry: action of acid on photothebaine-hydroquinone, 547
- phenyl-, fluorescence, 934
- reactions with dicarbonylchlororhodium: carbonyl insertion and isomerisation, 931
- Cyclopropene**, tetrachloro-, novel 1:1 cycloadduct with [2,2]-(2,5)-furanophane, (13,14-dioxatricyclo[8,2,1,1^{4,7}]tetradec-4,6,10,12-tetraene); crystal and molecular structure, 1536
- trimethyl-, reaction with dichlorocarbene, 1254
- Cyclopropenes**, alkyl-, thermal isomerization, 1041
- Cyclopropylcarbiny**l anions, stability, 1134
- Cyclopropylmethyl** bromide, carbon *versus* oxygen alkylation in reactions with phenoxide ions, 334
- Cyclotetradeca-3,4,5,10,11,12-hexaene-1,8-dione**, a monocyclic dicumulenedione, synthesis, 1018
- Cymenes**, non classical oxidation, 939
- Cytidine 5'-phosphate**, dual role of bisulphite in deamination, 1178
- D₂O** solutions, removal of nuclear magnetic resonance proton signals from residual water in, using a double resonance technique, 205
- DDT**, 1,1-bis-(*p*-chlorophenyl)-2,2,2-trichloroethane; X-ray crystal structure, 1208
- (\pm)-**Dehydroaltenusin**, crystal structure, 393
- α -**Deuteriated** acids and alcohols. Simple and inexpensive method for the preparation of RCD₂CO₂H and RCD₂OH, 609
- Deuterium**. Activation of simple alkanes by a platinum(II) complex: homogeneously catalysed hydrogen-deuterium exchange, 462
- Diamides**. Photochemical formation from *p*-nitrophenylbenzamide, 1572
- 1,3-Diazabicyclo[3,1,0]hex-3-ene** system, effect of solvent on the photorearrangement, 838
- Diazabullvalene**, a "nonclassical" molecule? 1377
- Diazadiphosphetidine**, 1,3-di-*t*-butyl-2,4-dichloro-, crystal and molecular structure, 1405
- Diazepine**, reaction with chlorodicarbonylrhodium(II) dimer; molecular structure of chloro-*cis*-decarbonyl-(3,5,7-triphenyl-4*H*-1,2-diazepine)rhodium(II), 427

- 1H-1,2-Diazepines**, highly substituted, photolysis and thermolysis, 1022
- Diazine**, aromatic, a *para*-bonded isomer, 264
- Diazirines**, photochemical isomerisation of some diazo-compounds into, 1135
- Diazoalkynes**, methanolysis of, 258
- Diazocine** ring, simple formation, 372
- α -Diazo-imides** and -esters, photochemical conversion into β -lactams and β - and γ -lactones, 577
- Diazo-ketones**, intramolecular C-alkylation in, 773
- Diazomalonate**, dimethyl, effect of peroxides on reactions of dimethoxycarbonylcarbene generated with soluble catalysts from, 1179
- dimethyl, homogeneous copper(I) catalysed decomposition of. Role of the counter ion in determining the effective spin multiplicity, 1360
- Diazomethane**, bis(trifluoromethyl)-, reactions with zerovalent nickel, palladium, and platinum complexes, 1095
- Diazonium** functional group simple reduction, 455
- Dibenzocyclopent[b]azepine**. The protoberberine \rightarrow spirobenzylisoquinoline \rightarrow dibenzocyclopent[b]azepine rearrangement, 1642
- Dibenzo[b,e][1,4]oxazepine** ring system, 5,11-dihydro-, and phenoxazines, nitrene-induced rearrangements leading to, 1431
- Dibenzoyl** peroxide, a remarkably efficient scavenger of, in benzene 2,5-dimethylfuran, 1433
- Dibromophakellin**, a new bromine-containing alkaloid from the Marine Sponge *Phabella fiabellata*, structure, 151
- NN-Dichloro-compounds**, new route to Iminosulphur difluorides, 788
- $\alpha\alpha$ -Dichloro-N-(dichloromethyl)nitrene** radical, a novel free radical 1303
- Dictamine**, a quinoline alkaloid, origin of the furan ring in biosynthesis of isoprene derivatives, 1311
- (\pm)-Dictyoptere B**, natural product, synthesis, 940
- Diels-Alder reactions**, simple prediction of regioselectivity in, 969
- stereochemistry, synthesis of 3-methoxy-6,16-dioxo-9 α -H-gibba A-triene 180
- with methyl cyanodithioformate Approach to synthesis of novel carbohydrates with sulphur in the ring, 1411
- Dienes**, conjugated and cumulative, interaction with allylic palladium systems Nature of the rate-determining step for 'insertion' reactions 275
- conjugated, new cyclization reaction with isocyanate catalysed by palladium complexes, 247
- non-conjugated mechanism of photochemical cyclisation dimethyl nona-2,7-diene-1,9-dioate, 1217
- Dienones**, steroidal, aromatization, 1146
- Dienophiles**, unsymmetrical, adducts with *o*-methylbenzophenone synthesis of model aryltetralin lignans, 711
- 1,1-Di-(*p*-ethoxyphenyl)-2,2-dimethylpropane**, X-ray crystal structure of a new insecticide, 930
- Diethyl ether**, 1,4-photoadditions to benzene, 915
- Difluoroaminocarbonyl** chloride reactions improved synthesis of perfluorourea, 649
- Difluorodioxocarbonate ion**, CO₂F₂²⁻, 1327
- Di-imide**, generation from hydrazine, a mild oxidizing agent for sodium metaperiodate, 1245
- β -Diketonates**, aluminium(III), labile direct measurement of enantiomerization, 85
- 4,9-Dimethyl-2,6-diazaspiro[4,5]dec-3-ene-1,7-dione**: an unusual reaction product from 2-methylepichlorohydrin and potassium cyanide, 1560
- Dimethylformamide dimethyl acetal** in methanol solution; probable reversible formation of carbonium ion and carbene intermediates, 533
- Dimethylformamide-water** systems containing hydroxide ion further observations, 120
- Dinitriles**, aliphatic, bonding of in halogeno(dinitrile)tricarboxylmanganese(I) and -rhenium(I) complexes, 482
- Dinitrogen** complexes of cobalt(0) and cobalt(-I), 781
- 4,6-Diols**, steroidal, unusual acid-catalysed reaction with acetone, 717
- Dioscorine**, biosynthesis, 1499
- Diosgenin**, efficient conversion into 22-oxocholesterol, 402
- 1,3,2-Dioxaborinan**, 4,6-dimethyl-2-phenoxy-, formation of hydrocarbon rearrangement ions from, under electron impact, 1165
- Dioxan-** and methanol-water systems E m f method for studying the transport of non-electrolytes in electrolytic solutions; results, 646
- 1,4-Dioxan**, ring inversion, 1558
- 1,3,2-Dioxaphosphorinan**, *cis*-4,6-dimethyl-2-oxo-2-triphenylmethyl-, crystal structure, 227
- Diphenylacetylene**, photoaddition to norbornadiene, 360
- photochemical cyclization to phenanthrene, *cis*-stilbene as an intermediate, 362
- Diphenylamine**, formation of 10,10'-(5*H*,5'*H*)-spirobiphenophosphazinium chloride by interaction with phosphorus trichloride, 1213
- trans,trans-1,4-Diphenylbutadiene**, stereochemical course of Diels-Alder reaction with β -nitrostyrenes, effect of substituents 303
- Diphenylcyclobutenedione** derivatives photolysis of, direct observation of conjugated bis-keten and keten-ketenimine intermediates, 587
- Diphenylsulphur di-imide** and diphenylketen, molecular structure of one of the 1,2 adducts from, 1532
- Dipivalomethanate chelates**, selection as shift reagents for nitrogen-14 nuclear magnetic resonance, 1573
- 1,3-Dipolar ion formation**, mechanism, 684
- Disulphide**, alkyl and aryl, new one-step synthesis of sulphenamides from, 1625
- Diterpene** clerodendrin A, structure of, 1632
- 1,6-Dithia[1,10]annulene**, tetra-alkylated, mono-*trans*-dicyclohexeno[*b,v*]-1,6-dithiacyclodeca-2,4,7,9 tetraene, synthesis, 947
- 1,3-Dithiolan** rings, new route to photochemical reactions of 5-phenyl-1,2,4-dithiazole-3-thione with olefins, 843
- Dithizonates**, metal, secondary, structures, 1063
- Dithizone**, dehydro-, mesoionic, cycloaddition reactions incorporating a new 1,3-dipolar species, 490
- Double bond(s)** in $\gamma\delta$ unsaturated ketones and carbonyl group, ground-state interactions between, 1640
- Durene**, bromo-, and related compounds, reactions with strong bases, a novel 1,3-dehydrobromination, 1273
- ¹³C nuclear magnetic resonance spectra of the complexes [LM(CO)₃], L = mesitylene, durene, or cycloheptatriene, M = Cr, Mo, W, 976
- β -Ecdysone**, possible biosynthetic precursors of, in *Calliphora stygia*, 1023
- Ecdysones**, insect moulting hormones Identification as derivatives by gas chromatography 475
- Ecdysterone**, inokosterone, and poststerone, catabolism of ponasterone A to, in *Bombyx mori*, 1036
- Electrochemical synthesis** of compounds of general formula (R¹CH₂CR²Y)₂, 1369
- Electrolytes**, non-, e m f method for studying their transport in electrolytic solutions results for the methanol- and dioxan-water systems, 646
- Enamines**, mercuration-demercuration of, a tertiary amine synthesis, 1433
- imines, and ketones, reaction with acrylamide, 457
- C-nitroso-, 64
- Enol** acetates, cyclisations involving synthesis of (\pm)-campherone, (\pm)-campherenol, and (\pm)-epicampherone, 766
- photo-, stereoselective trapping of, 21
- Enophile**, highly reactive bifunctional bis(*p* 3,5-dioxo-1,2,4-triazolin-4-ylphenyl)methane, 635
- Enzyme-coenzyme-substrate** complex, importance of hydrogen-bonding in—non-enzymatic models of NADH, 552
- model system kinetics of ternary complex formation involving cobalt(II), 20
- Epoxidations**, alkali-promoted intra- and inter-molecular, rearrangement of a hydroperoxy-enone, 975
- Epoxides**, olefinic, thermal and catalysed rearrangement, 1247
- perhydrolysis, 822
- Epoxyannellation** with 1,4-dichlorobutan-2-one, 367
- Epoxyhydrosteroids**, mechanism of aromatization, 1343
- Epoxyathyrol**, a diterpene, extended conjugated system 3-oxoprop-1-enylcyclopropane of, photochemistry, 268
- (\pm)-Eremophilinolide**, total synthesis, 614
- Ergoflavin**, partial synthesis Position of the biphenyl linkage in the ergot pigments, 111
- Ester** hydrolysis, comparison of neighbouring group participation by phenolic and alcoholic hydroxy-groups, 389

- Esters**, alkylation Ester enolate as a possible ambident anion, 951
 pseudo-, role of the leaving group in their base-catalysed hydrolysis, 822
 sterically hindered, cleavage with boron trichloride, 667
 totally fluorinated, $R^1FCO_2R^2F$, 91
- Ethane**, 1,1,2,2-tetrafluoro-, shock-heated, elimination of hydrogen fluoride, 465
- Ethanes**, substituted, effect of alkyl groups on the barrier to rotation in, 870
- Ether**, alkyl phenyl, polymerisation polymerisation involving intramolecular rearrangement, 825
 diaryl, novel fungal, structural revision and synthesis, 473
- Ethers**, methyl, structural characteristics of non-decomposing $C_7H_7^+$ ions from, on electron impact, 824
- Ethylene** and tetrafluoroethylene complexes of rhodium(I), crystal structures, 197
 oxide related cyclic oligo-ethers 670
 Tertiary phosphine-palladium(0)-ethylene complexes, 563
 tetracyano and aromatic donors calorimetric studies of π -molecular complexes, 435
 tetracyclopropyl-, reaction with tetracyanoethylene, 36
 tetramethyl-, and 3-phenylcyclohex-2-enone, photo-addition Evidence for singlet and triplet pathways leading to a common intermediate, 1180
- Ethylenes**, fluoro-, orientation of addition of methyl radical, 1046
 twisted conformational study by nuclear magnetic resonance spectroscopy, 1088
- Ethylenic** compounds reactivity bromination reaction Solvation and charge development in the transition state of Ad^+ Cl mechanism in hydroxylic solvents, 829
- 24-Ethylidene-sterols**, conversion into poriferasterol by *Ochromonas malhamensis*, 707
- Europium**. Aromatic proton magnetic resonances that are not shifted by $Eu(dpm)_3$, 1505
 Assignment of configuration to 2,2,3,4,4-pentamethylphosphetan oxides using tris(dipivalomethanato)-europium(III), 721
 Method of assigning ^{13}C nuclear magnetic resonance spectra using europium(III) ion-induced pseudocontact shifts and C-H heteronuclear spin decoupling techniques, 1473
 oxaloacetates, nuclear magnetic resonance isotropic shifts, 1047
 Upfield 1H nuclear magnetic resonance shift induced by tris(dipivalomethanato)europium, 452
- Everninomicin B and D**, component of synthesis of 2-O-methyl L-lyxose, 241
- Evertetrose** and everninitrose structure, 746
- Exchange** reactions, labelling of organometallic groups for the study of 1633
- Farnesol**, *S* (-) and *R* (+)-10,11-epoxy-, derivation from *S* (-)-10,11-dihydroxyfarnesol 1199
trans- γ -monocyclo-, isolation and enzymic formation, 527
- Fenchane** derivatives, 9-substituted synthesis, 618
 (\pm)-Fenchone, total synthesis, synthesis of (+)-fenchone and (+)-*cis*-2,2,5-trimethyl-3-vinylcyclopentanone, a photoisomer of (-)-*trans*-Caran-4-one, 395
- Ferraindene**-iron tricarbonyl complexes by a novel dehydrobromination of *o*-mrostyrene on photolysis with $Fe(CO)_5$, 1241
- Ferrocene** compounds X-ray photoelectron spectroscopy, 1444
 1,2-(α oxotetramethylene)-, microbial hydroxylation, 989
- Ferrocenyl**-olefins and -ethers, photolysis, 615
 radical and nitrene formation of nitroferrocene with oxygen, 134
- Flavan-3,4-diols**, mechanism of conversion into dehydroflavanols and flavanones in acid medium, 333
- Flavanoid** units in condensed tannins, hindered rotation about the sp^2 - sp^3 hybridized C-C bond between, 315
- Flavan-3-ols**, 4-phenoxy-, 1579
- Flavans**, 4 α -aryloxy-, 409
- Fluorenylidene**, mechanism and inverse primary kinetic isotope effect in reaction with 3-deuteriocyclohexene, 1512
- Fluorine** and mercury, evidence for through-space spin-spin coupling between, 609
 Crystal and molecular structures of hexafluoroacetone and hexafluoroisopropylideneamine complexes of nickel, 1598
- Fluorine**—*continued*
 Gas-phase molecular structures of BrF_5 and IF_5 information from electron diffraction and rotational constant data, 1567
 Hydrogen fluoride elimination from shock-heated 1,1,2,2-tetrafluoroethane, 465
 Molecular beam-mass spectrometric study of binary pentafluorides, 1355
 Photolyses of perfluoroacetic anhydride and perfluoropropionic anhydride vapours New sources of CF_3 and C_2F_5 radicals, 396
 Reactions of complex fluorides of some 3d metals in anhydrous hydrogen fluoride, 726
 Reactions of tricarbonyltetramethylcyclobutadieneiron with fluoro-ketones, -olefins, and -acetylenes, 12
 Totally fluorinated esters $R^1FCO_2R^2F$, 91
 Transient nutations in ^{19}F - $\{^{13}C\}$ double resonance, 463
- Fluorocarbon**-ligand geometries, unusual, 560
- Fluorinal** molecules, molecular dynamics in the solid state, 1032
- Formamide**, dimethyl-, and dimethyl sulphoxide, reactions with some stilbene ozonides, 1094
- Formic acid**, homogeneous catalytic decomposition by rhodium and iridium iodocarbonyls and hydroiodic acid, 1072
- Formycin B**, nucleoside antibiotic, synthesis, 986
- Friedel-Crafts** alkylations by lactones mechanism, 1075
- Fucosterol** 24,28-epoxide, reaction with boron trifluoride etherate, 1498
- Fulvene**, 6-chloro-, formation from cyclopentadiene and dichlorocarbene, 461
 derivatives, ring expansion of cyclic compounds accompanied by formation of, vapour phase generation of dichlorocarbene, 1293
 dimethyl-, and tropone, double [6+4] adduct of, elucidation of the structure by nuclear magnetic resonance and the nuclear Overhauser effect 109
- Fulvenes**, metal-complexed, cycloaddition reactions, 631
 nuclear magnetic resonance coupling constant-bond length relationships, 1032
- Fumarate**, chloro-, and chloromaleate an elimination reaction of, catalytic action of a polybase, 99
- Fungi**, the NIH shift during the hydroxylation of aromatic substrates by, 1585
- 2-Furaldehyde**, *syn* and *anti* forms, relative stabilities in carbon tetrachloride solution, 624
- Furan** and thiophen photochemistry analogy between 891
 ring, abnormal Cope rearrangement of *cis,trans*-cyclodeca-1,5-diene derivatives containing, 88
- Furan-2-carbonitrile** and *N*-methylpyrrole 2-carbonitrile, primary photoproducts of trapping by methanol addition, 1610
- Furan**, 2,5-dimethyl-, conversion into 2-benzyl-5-methylfuran by *N*-nitrosoacetamide unprecedented aromatic side-chain phenylation, 1432
 2,5-dimethyl- remarkably efficient scavenger of dibenzoyl peroxide in benzene, 1433
- Furan-2-** and **thiophen-2-carboxylic acids**, rotational isomerism in esters of 625
- [2,2](2,5)-Furanophane** (13,14-dioxatricyclo[8,2,1,1^{4,7}]tetradec-4,6,10,12-tetraene), novel 1,1 cycloadduct with tetrachlorocyclopropene crystal and molecular structure, 1536
- Furanose** carbohydrate, conformation X-ray crystallographic study of methyl 1,2,3,5-tetra-*O*-acetyl- β -D-galactofuranurate, 25
- Furans**, 2-dialkylamino-, and pyrrolinones, formation from γ -oxoamides, 346
 phenylfluoro-, from reaction of difluorocarbene with 2-benzylidene-cyclohexanones, 233
 phosphorylamino-, new method for the conversion of 3-aryl-2-cyano-esters into use of *N*-phosphorylketenimines, 10
 photochemical synthesis of phenanthro[9,10-*b*]furans, 615
 simple new synthesis by addition of enolate anions to allenic sulphonium salts, 534
- Gadolinium**. ^{151}Eu Mossbauer spectroscopic studies of "after effects" of the electron capture decay of ^{151}Gd , 206
- Gallium**. Crystallized hydrides in GaX_3-H_2O binaries and their vibrational spectra, 213
 Nitronium tetranitratogallate(III), 582
 X-Ray structural characterization of the aziridinylgallane trimer, 1101

- Gas-liquid partition chromatography**, *N*-lauroyl-L-valyl-t-butylamide as stationary phase Interaction between asymmetric solutes and solvents, 544
- cis-1,trans-5-Germacatriene** derivatives, preparation, 87
- Germacrene**, radical and electrophile induced cyclisations of, 970
- Germacrene**-type sesquiterpenes, biogenetic model reactions, 974
- Germanium**. Effects of covalency on average interatomic distances in germanates, 881
Flow method for the study of silicon and germanium atom reactions by direct spectroscopic observations, 1012
Germane, fluoro-, and fluorosilane, *ab initio* molecular orbital calculations of electronic structure, 445
Germyl and silyl halides, photoelectron spectra and (*p-d*) π -bonding, 57
New class of small *indo*-carborane compounds containing a stable B-NMe₃-B (M = Si or Ge) three-centre bond, 622
Optical stability of a chiral germyl radical, 1581
Silylated and germylated polyarsines, 1372
Stereospecific route to asymmetric vinylgermanes hydrogermylation of phenylacetylene catalysed by rhodium and platinum complexes, 812
-transition-metal bonds Importance of the leaving group in the preparation of metal-metal bonded compounds by nucleophilic displacement reactions, 155
- 9 α H-Gibba-A-triene**, 3-methoxy-6,16-dioxo-, synthesis, stereochemistry of a Diels-Alder reaction, 180
- Gibberellin**, ring contraction stage in biosynthesis of, 208
- Gliotoxin**, biosynthesis, possible involvement of a phenylalanine epoxide, 163
- D-Glucal** derivatives, 3-amino-3-deoxy-, preparation Reaction of isocyanatosulphonyl chloride with unsaturated sugars, 581
- α -D-Glucopyranose** 4-sulphonates, rearrangement to 1,4-anhydro- β -D-galactopyranoses, 1276
- α -D-Glucose**, 2-deoxy-2-trifluoroacetamido-, binding to lysozyme, ¹⁹F magnetic resonance spectroscopic investigation, 512
2,3,4,6-tetramethyl-, mutarotation in benzene catalysis by reversed micelles in non-polar solvents, 1497
- D-Glucoseptanosides**, two, conformations X-ray crystallographic study of ethyl 2,3:4,5-di-*O*-isopropylidene-1-thio- β -D-glucoseptanoside and methyl 2,3,4,5 tetra-*O*-acetyl- β -D-glucoseptanoside, 484
- Glucosides**. Structure of the norditerpene ponalactone A and its glucoside, plant growth inhibitors, 855
- DL-Glycerol 3-phosphate hexahydrate**, disodium, crystal and molecular structure, 984
- Glycidic** esters and lactones, sodium borohydride reduction, 1106
- Glycine**, *N*-(2-chlorophenyl)-, and (phenylthio)acetic acid, photoinduced decarboxylation sensitised by aromatic nitrocompounds, 1052
NN-dimethyl-, lead tetra-acetate oxidation of, and its relevance to the biosynthesis of the pyrrolidine ring of nicotine, 1524
Glycylglycine, and imidazole, crystal structures of four silver(I) complexes model compounds for metal-protein interaction, 1016
- Glycofuranosylamines** derived from D-xylose, D-mannose, and L-rhamnose, intermediates in the preparation of some *N*-glycofuranosyl uracils, simple syntheses, 190
- α -D-Glycosides**, *p*-nitrophenyl, mechanism of liberation of *p*-nitrophenoxide from, in alkaline solution Migration of the *O-p*-nitrophenyl group, 79
- Glycosidic** linkages, selective cleavage *via N*-nitrosoamide decomposition, 1386
- Glycosyl azides**, 1,3-dipolar additions to substituted acetylenes, 296
- C-Glycosyl** compounds, new synthesis, carbanions in carbohydrate chemistry, 755
- Glyoxal** monohydrate, structure, 501
- Gold**, bivalent, formation of a complex of, by an electron exchange reaction between gold(I) and gold(III), 834
clusters, novel Preparation, properties, and X-ray structure determination of salts of octakis(triarylphosphine)ennea-gold, [Au₈L₃]X₉, 1423
Crystal and molecular structure of Pollards salt, (NH₄)₆(AuCl₄)₃Ag₂Cl₅, 1523
- Gold**—*continued*
Crystal structure of new ethylenic gold complex, [Ph₃PAuC(CF₃)₂]₂, 1233
Mechanism of catalytic decomposition of methanol on gold filaments, 494
silver, and platinum metals, cationic trialkyl phosphite complexes, 1508
- Gomberg-Bachman** reactions using primary nitrosamines as substrates, 411
- Grignard** reactions of β -hydroxy-ketones, stereospecificity and catalysis *via* chelation, 398
- Grignard reagents**, coupling reactions with organosilanes, solvent effects on the stereochemistry, 252
- Group IVB** tetrahalides, vapour-phase Raman spectra, 1295
- Group VI metals**, carbene complexes of, as olefin disproportionation catalysts, 839
carbonyls, tertiary phosphine and arsine chalcogenide derivatives, 1357
hexacarbonyls, observations of polymetal carbonyl cations in the mass spectra of, 159
- Group VIA** zerovalent metal carbonyls, monodentate and bidentate behaviour of the sulphur-oxygen donor ligand monothioenyltrifluoroacetone with, 1082
- (\pm)-**Guaiol**, total synthesis, 643
- Guanidine** and acetylguanidine, reaction with dimethyl acetylenedicarboxylate, 864
2-cyano-1,3-dimethyl-, molecular conformation, 198
- Guanidines**, acyl-, reductive cleavage to amines, 1024
- Gutierolid**, a novel chloro-diterpenoid lactone, molecular structure, 1278
- Haemanthamine**, alkaloid, stereoselective total synthesis, 1555
hydroxylation at saturated carbon, 183
stereochemistry of hydroxylation in biosynthesis of labelling of aromatic amino-acids stereoselectively with tritium in the β -methylene group, 187, 415
- Haemanthidine** and lycoremne, relative stereochemistry of protonation and hydroxylation in biosynthesis from protocatechualdehyde, 1196
- Haemocerin**, plant phenalenone, biosynthesis 739
- Hafnium**, titanium, and tin tetrabenzyls, crystal and molecular structures (at -40 °C), 1511
- Halide ions**, nucleophilicity in molten quaternary ammonium salts, 1160
- Halides**, alkyl Oxidation of alkyl carbazates new method for replacement of the hydroxy-group by halogen, 1112
- Halogenobenzenes**, photochemical dehalogenation in alkaline alcoholic solution, 453
- Halogenocarbonyl** nitroxides, electron spin resonance study, 244
- trans-2-Halogenocyclohexanols**, intramolecular hydrogen bonding in, and enthalpy differences between the chair conformations, 1624
- Heats of reaction** of slow solution processes at 25 °C, possible standard reaction for measurement standard heat of formation of potassium peroxydisulphate, 412
- Heneicosa-1,6,9,12,15,18-hexaene** and -1,6,9,12,15-pentaene, isolation from the alga *Fucus vesiculosus*, 448
- Heptafulvene** complexes of iron carbonyl, 177
8-cyano-, (cyanomethylene)cycloheptatriene, thermal dimerization, synthesis of a dihydrobenzo[1,2:4,5]dicycloheptene, 505
- Heptafulvenylium** fluoroborate, 8-cyano-8-(2,3-diphenylcyclopropenyl)-, synthesis, 347
- Hernandaline**, and thalcarpine, tumour-inhibitory, total synthesis, 599
- N-Heteroaromatic** compounds, polyhalogenated, new method of preparing *N*-oxides from, 28
- Heterocycles**, new simple method for benzologation, 1251
- Heterocyclic** system, new. 1-azabicyclo[3,2,0]hept-3-ene-2,7-diones, 1364
- Hexa-1,5-diene**, 3,3,4,4-tetrachloro- Coupling compounds containing an allylic trichloromethyl group, 150
- D-threo-Hexose**, 2,6-diamino-2,3,4,6-tetra-deoxy-, ('D-epi-purpurosamine'), 923
- L-Histidine** methyl ester and L-histidine-containing peptide esters, coupling of, to ferric protoporphyrin IX chloride, 369
-Molybdenum(V) complex, Mo₂O₄(L-histidine)₂·3H₂O, X-ray crystal and molecular structure, 162

- Homoadamantane** methyl ketone Novel rearrangement product from the addition of 1-adamantyl cation to prop-2-ynyl alcohol, 556
- Homocyclo-octatetraene** dianion, reaction with oxygen, potassium permanganate, and methyl iodide in liquid ammonia, 1440
- Hormones**, (ecdysones), insect moulting Identification as derivatives by gas chromatography, 475
sex, fungal Synthesis of (\pm)-7(*t*),9(*t*)-trisporic acid B methyl ester Stereochemistry of C-9 of the trisporic acids, 292
- Hot atom** chemistry, "Inert" moderators, 403
- Hydratropic acid** and amino-acids, asymmetric synthesis by homogeneous catalytic hydrogenation, 481
- Hydrazine**, a mild oxidizing agent for the generation of di-imide from sodium metaperiodate, 1245
from reduction of nitrogen in a binuclear complex of iron, 1185
- Hydrazines**, tetra-alkyl, acyclic and cyclic, conformational interconversions in, 644
- Hydrazonates**, aryl, conversion into hydrazides. New O to N aryl migration, 689
- Hydride transfer**, oxidation of ketone acetals by, 861
- Hydroaluminum** synthesis of dialuminum substituted cyclopentyl *via*, of hex-1-en-5-yne, 1593
- Hydroazulenes**, new solvolytic approach to, 242
- Hydrocarbon rearrangement** ions formed from 4,6-dimethyl-2-phenoxy-1,3,2-dioxaborinan under electron impact, 1165
- Hydrocarbons** and tritium gas, use of metastable colour-centres in alkali metal halide crystals and in silica gel to catalyse exchange between, 1264
aromatic convenient synthesis Alkylation-reduction of aromatic ketones and aldehydes, 1242
aromatic formation of amines from, in molecular nitrogen fixation reactions, 246
aromatic photoreduction of by tri-*n*-butyltin hydride, 281
hydrogenolysis on iron catalysts, 883
Silyl and alkyl substituted π -hydrocarbons, analysis of the ionization potentials and the charge distribution using the CNDO/2 method, 816
- Hydrogen** and silver-silver chloride electrodes, behaviour in acetonitrile solutions, 990
atoms and hydroxyl radicals, initial fate in radiolysis of frozen aqueous solutions of alkali halides, 949
Homolytic halogen replacement in halogenobenzenes by radiolytically formed aqueous hydrogen (tritium) atoms 1426
molecular oxygen, carbon monoxide, and olefins, activation by a ruthenium(II) complex, 560
- Hydrogen bonding**, intramolecular, in *trans*-2-halogenocyclohexanols, and enthalpy differences between the chair conformations, 1624
- Hydrogen bonds**, asymmetric, proton double minimum potentials in 1127
symmetric proton double minimum potentials in, 1125
- Hydrolulidone** *Aspidosperma* alkaloid precursors, functionalized new approach to Formal synthesis of (\pm)-aspidospermine General methods of alkaloid synthesis, 857
- Hydrolysis** of 3 carboxy-2,2,5,5-tetramethylpyrrolidin-1-oxyl *m*-nitrophenyl ester, cyclohexa-amylose-catalysed, enantiomeric specificity in, 1621
- Hydroperoxides**, effect on isomerization of olefins catalysed by a ruthenium(II) complex, 562
- Hydroperoxy-enone**, rearrangement of, in alkali-promoted intra and inter-molecular epoxidations, 975
- Hydroquinone** diterpenoid, lycoxanthol, from *Lycopodium lucidulum* Michx., 897
- Hydroquinones**, secondary radicals in autoxidation of, 1150
- Hydroxyacetonitrile**, microwave spectrum, 1350
- ent-3 β -Hydroxybeyer-15(16)-ene-2,12-dione** from *Androstachys johnsonii* Prain (Euphorbiaceae), 1346
- Hydroxy-groups**, phenolic and alcoholic, comparison of neighbouring group participation by, in ester hydrolysis, 389
- β -Hydroxy-ketones**, stereospecificity and catalysis *via* chelation in Grignard reactions of, 398
- Hydroxylamine**, hydrazine, and ammonia, reactions with nitrosylpenta-ammine-ruthenium(II), 200
oxidation by lead tetra-acetate *O*-benzyl- and *O*-phenyl-hydroxylamine, 1504
- Hydroxylamines**, *N*-phenyl-*N*-(α -cyanobenzyl)-, preparation, 312
- Hydroxylation**, the NIH shift during, of aromatic substrates by fungi, 1585
- Ianthella ardis***, a sponge, X-ray determination of structure of an antibacterial compound from, 397
- Illudol** and marasmic acid, sesquiterpenoids, crystallographic determinations of partial stereochemistries, 431
- Δ^8 -Imidazolin-2-one**, new route to. pyrolysis of 3-azidoazetidimones, 1496
- Imidazolinones**, Claisen rearrangement of amide oxime-dimethyl acetylenedicarboxylate adducts as a route to, 664
- Imidazolin-2-ones**, from rearrangement of 1,2,4-triazin-3-ones rearrangement of cinnolin-3-one to oxindole, 531
- Imines**, *ortho*-alkyl aromatic, photochromic property, 1424
novel synthesis from dialkylamines. Nitrogen photochemistry, 1430
enamines, and ketones, reaction with acrylamide, 457
- Iminosulphur** difluorides New route to *NN*-dichloro-compounds, 788
- 1-Imino-1*H*,3*H*-thiazolo[3,4-*a*]benzimidazole**—a novel heterocyclic system, simple synthesis, 1100
- Inclusion** compound, clathrate, X-ray crystallographic investigation of guest orientation and conformation, 786
- Indan-1,3-diones**, 2-aryl-, reactions with 1,4-naphthoquinones, 955
- Indazoles**, 1- and 2-amino-, formation of 1,2,3-benzotriazines by their oxidation, 828
- Inden-2-one** adducts, 1,3-diphenyl-, photodecarbonylation, 1,5-sigmatropic shifts in sterically stabilized *o*-quinodimethanes, 1356
- Indigo**, interaction of thioindigo with hydroxylic compounds and its implications on the photostability of, 1332
- Indium**. Crystallographic evidence for the existence of the phases In₄Se₃ and InTe₃ which contain the homonuclear triatomic cation (In₃)⁵⁺, 1568
Ionic dissociation of pentacarbonylmanganese-indium complexes in acetonitrile solution, 1234
monobromide, novel oxidative addition reaction, 569
- Indium(I)**, anionic halide complexes, 1552
- Indole** alkaloids, rearrangements during biosynthesis, 902
derivative, addition of a highly oxygenated side-chain to, 1614
- Indoles**. Benz[*e*]isoindole, 1503
formation of benzazepines by ring expansion with dimethyl acetylenedicarboxylate confirmed by an X-ray structure determination, 1225
reaction with dimethyl acetylenedicarboxylate, 1226
- Indoline-2-thiones**, tautomerism and autoxidation, 836
- "Inert" moderators** in hot atom chemistry, 403
- Infrared** spectra Far IR spectra of bis(pyrazine) complexes of transition metal(II) halides The crystal and molecular structure of dichlorobis(pyrazine)cobalt(II), 1634
- Inokosterone**, ecdysterone, and poststerone, catabolism of ponasterone A to, in *Bombyx mori*, 1036
- Inorganic anions**, one-electron photooxidation by 9,10-anthraquinone-2,6-disulphonic acid in the triplet state, 1559
- Interface**, solid, high-resolution nuclear magnetic resonance evidence of conformational preference at, 277
- Internal rotation** the dependence of ¹J_{DP} upon, in biphosphines, 1589
- Inumakilactones B and C**, lactones of diterpenoid origin, structures, 91
- Iodine**. Gas-phase molecular structures of BrF₅ and IF₅, information from electron diffraction and rotational constant data, 1567
nitro-activated, competition between reductive dehalogenation and nucleophilic aromatic substitution by amines, 1232
Possible electron spin resonance identification of Br²⁻ and I²⁻ in γ -irradiated bromide or iodide doped barium sulphate, 268
Sodium metaperiodate a mild oxidizing agent for the generation of di-imide from hydrazine, 1245
Transient species in the pulse radiolysis of periodate ion in neutral aqueous solutions, 847
- Ipecac** alkaloids and ipecoside, biosynthesis, 901
- Ipecoside**, *OO*-dimethyl-, X-ray determination of structure, 899
- Iridium** and rhodium, cyanotrihydroborato- and tetrahydroborato-complexes of, 1615
and rhodium, four-, five-, and six-co-ordinate cationic isonitrile complexes, 1197
and rhodium, simple synthetic route to *d*⁸ complexes, 418

Iridium—continued

- Carbon-hydrogen bond cleavage in metal complexes. X-Ray study of the geometry of iridium-*ortho*-carbon (aryl) bonds in $\text{IrCl}(\text{P}(\text{O}Ph)_2(\text{OC}_6\text{H}_4))_2\text{P}(\text{O}Ph)_3$, 58
- μ -Chloro- μ -hydrido-dichlorobis(pentamethylcyclopentadienyl)-di-rhodium and -iridium as homogeneous hydrogenation catalysts, 734
- complex containing a triply bridging nitride ligand, crystal structure, 876
- Ditertiary phosphine rhodium and iridium complexes containing the molecular unit S_2 or Se_2 as a ligand, 232
- Four-co-ordinate iridium(I) cations and the ligand dependence of oxygen uptake crystal structure of $[\text{Ir}(\text{PPh}_2\text{CH}_3)_4]\text{BF}_4$, 758
- Five-co-ordinate iridium(III) hydrides with hydride resonances at τ 60, 209
- Homogeneous catalytic decomposition of formic acid by rhodium and iridium iodocarbonyls and hydroiodic acid, 1072
- Interaction of hydridocarbonyltriphenylphosphineiridium(I) complexes with alk-1-yne, 70
- Oxidation of tetraphenylborate by hexachloroiridate(IV), 1238
- Oxygen-oxygen distances in synthetic oxygen carriers. Crystal and molecular structure of the oxygen adduct of bis(diphenylethylphosphine)chlorocarbonyliridium(I), 1172
- ^{31}P Nuclear magnetic resonance study of conformers of *trans*- $[\text{MCl}(\text{CO})(\text{P}(\text{Bu}^t)_2)_2]$ ($\text{M} = \text{Rh}$ or Ir , $\text{R} = \text{Me}$, Et , or Pr^n), 1103
- Reassignment of the structure of $\text{MCl}_3(\text{SEt}_2)_3$ ($\text{M} = \text{Ir}$, Rh , and Ru), 804
- Iridium(I)** and iridium(III), *O*-bonded and *S*-bonded sulphinate complexes. Ligand isomerisation accompanying change in co-ordination number, 1556
- complex, trigonal bipyramidal, containing only phosphorus as donor atoms, preparation and crystal and molecular structure, 1570
- Iron.** Activation of electrophilic aromatic substitution by a methyleneiron carbonyl substituent, 779
- 1,3- and 1,6-Addition of electronegatively substituted olefins to co-ordinated cycloheptatriene and *N*-methoxycarbonyl-, azepine X-ray diffraction of the tricarbonylcycloheptatrieneiron-tetracyanoethylene adduct, 222
- binuclear complex, reduction of nitrogen to hydrazine in, 1185
- trans,trans*-1,4-Bis(dicarbonyl- π -cyclopentadienyliron)buta-1,3-diene nuclear magnetic resonance evidence for a static structure in solution, 4
- carbonyl, heptafulvene complexes, 177
- catalysts, hydrolysis of hydrocarbons on, 883
- cluster compounds, multiple oxidation states in, 623
- Coupling of L-histidine methyl ester and L-histidine containing peptide esters to ferric protoporphyrin IX chloride, 368
- Cyclopentadienyldicarbonyliron derivatives of arsenic, antimony, and bismuth with *M*-Fe σ -bonds ($\text{M} = \text{As}$, Sb , Bi), 952
- dinitrogen compound, cationic binuclear, formation from molecular nitrogen, 1310
- Effect of γ -irradiation on the Mossbauer line widths in tris-(acetylacetonato)iron(III), 6
- Eight-co-ordinate iron(III) complex: crystal structure of tetraphenylarsonium tetrametateoferrate(III), 554
- $[\text{Fe}_2(\text{CO})_8\text{I}(\text{N}:\text{CR}^1\text{R}^2)]$ complexes with bridging atoms of widely differing sizes and bridging characteristics, 944
- Ferrandene-iron tricarbonyl complexes by a novel dehydrobromination of *o*-bromostyrene on photolysis with $\text{Fe}(\text{CO})_5$, 1241
- General route to $[\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{olefin})]^+\text{BF}_4^-$ complexes, 441
- Intramolecular ligand exchange Reaction of bisindenyliron with boron trifluoride etherate, 1071
- Metal ligand bond contraction and possible spin-orbit induced Jahn-Teller distortion in the iron(III) dialkyldithiocarbamate 'crossover' system, 1446
- ortho*-Metallation reaction of thiobenzophenones with di-iron enneacarbonyl, 1203
- Microbial hydroxylation of 1,2-(α -oxotetramethylene)ferrocene, 989
- Molecular structure of hexacarbonyl-(4,4-diphenyl-2-azabuta-2,3-diene)di-iron, $(\text{Ph}_3\text{C} \cdot \text{C} \cdot \text{NMe})\text{Fe}_2(\text{CO})_6$, 991
- Mono-olefin chelate complexes of iron(0) and ruthenium(0) with an olefinic tertiary phosphine, 341

Iron—continued

- Mossbauer studies of the oxidation state of ^{57}Fe produced in EC decay of ^{57}Co -doped and in γ -irradiation of ^{57}Fe -doped $\text{Mn}(\text{acac})_3$, $\text{Fe}(\text{acac})_3$, and $\text{Co}(\text{acac})_3$, 1637
- New improved syntheses of bisbenzeneiron(II) hexafluorophosphate and related compounds, 930
- New substituted heteronuclear cluster carbonyls containing platinum and a metal from the Fe, Ru, Os triad, 1288
- phosphine and carbonyl complexes, measurement of the coupling constants 1J (^{57}Fe - ^{13}C) and 2J (^{57}Fe - ^{31}P), 1173
- Photoelectron spectrum of potassium hexacyanoferrate(II) measured by a Millikan condenser method, 1472
- Photolysis of ferrocenyl-olefins and -ethers, 615
- pyrites, mechanism of oxidation, 1006
- X-Ray crystal and molecular structure of $(\pi\text{-C}_5\text{H}_5)_2\text{Mo}(\text{SBU}^n)_2\text{-FeCl}_2$, a model compound of the nitrogenase system, 161
- X-Ray crystal structure of a 4:1 amine complex between phthalocyanineiron(II) and 4-methylpyridine, 1631
- X-Ray determination of the structure of $\text{Fe}(\text{CO})_4(\text{AsC}_6\text{F}_5)_2$, a complex containing "decafluoro-arsenobenzene," 747
- X-Ray photoelectron spectroscopy of ferrocene compounds, 1444
- X-Ray study of co-ordination geometry about iron in the fluoro[6,6',6''-phosphindynetrin-(α -picolinaldehyde oximate)(3-)]borato-(1-)}iron(1+) cation Trigonal prismatic encapsulation *vs* octahedral ligand-field stabilization energy, 1307
- Reaction of fluoro-olefins with tricarbonyl(buta-1,3-diene, trimethylenemethane, or cinnamaldehyde)iron, 1230
- Reaction of tricarbonylcycloheptatrieneiron with base. the tricarbonylcycloheptatrienyliron anion, 1390
- Reactions of tricarbonyltetramethylcyclobutadieneiron with fluoro-ketones, -olefins, and -acetylenes, 12
- Reversible oxidations of ditertiary phosphine bridged derivatives of $[(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]_2$, 1544
- Stepwise co-ordination of 1,2-bis(diphenylphosphino)ethane to $[\pi\text{-}(\text{C}_5\text{H}_5)\text{Fe}(\text{CO})_2(\text{OCMe}_3)]^+$ Isolation and reactions of the unidentate intermediate, 309
- Stereochemistry of additions of amines to the *syn,syn*- π -1,5-dimethylpentadienyliron tricarbonyl cation, 100
- Synthesis and fluxional behaviour of cycloheptatrienylmanganetricarbonyl and cycloheptatrienylirontricarbonyl cation, 1514
- Tetracarbonyllallyliron cations Synthetic route to 2-substituted butadiene complexes, 720
- Tetracarbonyldi- μ -2,2,5,5-tetramethylhex-3-yne-di-iron Novel complex containing an iron-iron double bond, 608
- Ishwarane**, sesquiterpenoid, total synthesis structure of ishwarane, 479
- Isobutryl peroxide**, sign reversal of the polarization of the reaction with bromotrichloromethane Chemically induced dynamic nuclear polarization, 877
- Isocyanate**, new cyclization reaction of conjugated dienes with, catalysed by palladium complexes, 247
- Isocyanide** compounds of zerovalent platinum, synthesis and reactivity, 1054
- novel olefin formation in the thermal rearrangement to cyanide, 1008
- platinum(II) complexes, nucleophilic additions Synthesis of $[(\text{R}_3\text{P})_2\text{Pt}(\text{CNMe})\text{L}]^{n+}$ derivatives, 516
- Isodeoxyemmolactone**, a new A(1),28-bisnorlupane triterpene, 195
- Isoidole** adducts, reactions involving deamination of, with acetylenic dienophiles, 942
- Isomerase** stereochemistry of isopentenyl pyrophosphate, 1599
- Isopentane** solutions, liquid, ion recombination and delayed emission in the pulse radiolysis of, at low temperature, 202
- Isoprene** derivatives, biosynthesis origin of the furan ring in the quinoline alkaloid dictamnine, 1311
- Isoquinolines**, 1,2,3,4-tetrahydro-, new synthesis, 799
- Isoquinolinium** ylides, some 1,3-dipolar addition reactions formation of 2,3-dihydrobenzo[*g*]indolizines and benzoindolizines, 1578
- Isoquinuclidine** *N*-oxyl, trimethyl-, photochemical synthesis: nitroxides, 1161
- Isothiochroman** 2,2-dioxide, *cis*-1,4-dimethyl-, X-ray analysis: preferred boat conformations in unsaturated sulphur heterocycles, 831
- Isothioureia**, *S*-(2-aminoethyl)-, transguanylation and formation of 2-aminothiazoline from, 1506

- Julolidine**, 9-nitro-, synthesis and structure, 919
- Juvenile hormone**, C_{18} , absolute configuration application of a new circular dichroism method using tris(dipivaloylmethanato)praesodymium, 1235
- Keten** acetals, synthesis, and a convenient decarboxylation route for disubstituted malonates. Metal reductions of malonates and oxalates, 136
- Ketens**, halogenated. Formation of allenes by the pyrolysis of halogenated oxetan-2-ones, 1642
methyl trimethylsilyl acetals, conformational assignments non-rigid carbon-carbon double bonds, 137
- Keten-ketenimine** and bis-keten intermediates, direct observation of, in the photolysis of diphenylcyclobutenedione derivatives, 587
- Ketimines**, *N*-alkyl-, homoconjugation in, 1521
- β -Keto-esters** and related compounds, keten intermediates in the uncatalysed alcoholysis of, 355
- Ketone** acetals, oxidation by hydride transfer, 861
unsaturated stabilization of zerovalent complexes by; bis- and tris-(dibenzylideneacetone)platinum, 982
- Ketones** and aldehydes, aromatic, alkylation-reduction. Convenient synthesis of aromatic hydrocarbons, 1242
aliphatic, electron spin resonance of transient radicals during photoreactions, 1038
application of lanthanide-induced shifts in nuclear magnetic resonance spectroscopy to, 266
conversion of olefins into, with mercuric acetate and palladium chloride, 818
cyclic stereoselective electrochemical reduction, 104
cyclic $\beta\gamma$ -unsaturated, [1,3]- vs. [1,2]-sigmatropic photorearrangements. Conversion of bicyclo[5,4,0]undec-1(7)-en-3-one to 6-methylenespiro[4,5]decan-1-one, 1564
diazo-, intramolecular *C*-alkylation in, 773
enamines, and imines, reaction with acrylamide, 457
 α -epoxy-, reductive alkylation, 542
formation from steroidal thioacetates, 750
homolytic substitution at boron by the triplet state of, 196
 β -naphthyl alkyl, photochemistry in solution, 815
stereochemistry of the reaction with α -lithio-sulphoxides (α -sulphinyl carbanions), 1334
 γ -substituted, spectroscopic properties, 805
 δ -substituted, spectroscopic properties, 806
sulphur containing, S...O interaction in *X*-ray crystallographic and infrared spectroscopic study, 1352
symmetrical unsymmetrical, functionalised, and cyclic, synthesis 1,1,2-trimethylpropyldialkylcyanoborates as intermediates, 1048
- Khivorin**, 7-oxo-7-deacetoxy-, partial synthesis of mexicanolide from, 17
- Krypton** difluoride, molecular orbital energy levels and bonding, 1198
- Kulactone**, 24,25-dibromo-, triterpenoid, *X*-ray crystal and molecular structure, 424
- Labelling** of organometallic groups for study of exchange reactions, 1633
- Labiatae**, constituents. Anagadiol, a new triterpene from *Salvia Broussonetii* Benth., 567
- Lactam**, monoterpene alangiside, 904
- β -Lactam** functions of penicillins, isolation, 845
- Lactams**, *N*-amino-, tetrazanes as intermediates in their oxidation, 800
- β -Lactams** and β - and γ -lactones, photochemical conversion of α -diazo-amides and -esters into, 577
- β -Lactone** formation in a halogeno-lactonization reaction, 551
- Lactones** and carbonates, unsaturated, photochemical decarbonylation, 383
and glycidic esters, sodium borohydride reduction, 1106
mechanism of Friedel-Crafts alkylations by, 1075
of diterpenoid origin, structures of inumakilactones B and C, 91
substituted α -methylene, synthesis determination of product structure by *X*-ray crystallography, 384
- Lanthanide-induced shifts** in 1H nuclear magnetic resonance: significance of the angle term in the geometric factor of pseudocontact shift, 1285
in nuclear magnetic resonance spectroscopy application to ketones, 266
- Lanthanide shift** reagent, application for conformational and configurational assignment in the carbohydrate field, 1389
calculation of binding constants and bound chemical shifts for associations with organic substrates, 1281
- Laurenobiolide**, new ten-membered-ring sesquiterpene lactone, conformational isomers, 1393
sesquiterpene lactone, structure, 1391
- N*-Lauroyl-1-valyl-t-butylamide** as stationary phase in gas-liquid partition chromatography. Interaction between asymmetric solutes and solvents, 544
- Lead**. Endothermic changes in $K_2Pb[Cu(NO_2)_6]$ at 279 and 287 K, 768
Reaction of phenylcyclopropane with lead(IV) diacetate difluoride, 796
tetra-acetate oxidation of monocyclic and acyclic alcohols, 1,4-shift of hydrogen from carbon to carbon in, 1612
- Levopimaric acid**, folded conformation, origin comparative Cotton effects of steroidal 2,4-dienes and related trienes, 121
- Lignans**, aryltetralin, model, synthesis, adducts of *o*-methylbenzophenone with unsymmetrical dienophiles, 711
- Lithium**. Addition of alkyl-lithium reagents to alkenylamines and to an alkenyl sulphide, 722
aluminum hydride, anomalous, reduction of aromatic trifluoromethyl groups to methyl groups, 465
aluminum hydride, reaction of 2-phenylallylic alcohols with, 381
aluminum hydride, reduction of *gem*-bromofluorocyclopropanes with, 380
azide monohydrate, *X*-ray crystal structure and net atomic charges as obtained by the extended L-shell method, 502
Electron spin resonance studies of stable radicals generated by oxidation of *s*-butyl-lithium with transition-metal ions, 878
Preparation of 3,3-diethoxy-pentan-2-one from the diethyl acetal of ethyl 2-oxobutyrate and $(CH_3)_2CuLi$, 1244
Reaction of butyl-lithium with stable free radicals, 406
Stereochemistry and orientation of the addition of alkyl-lithium to 9-methylanthracene, 483
Stereochemistry of the reaction of α -lithio-sulphoxides (α -sulphinyl carbanions) with ketones, 1334
Sulphur tetrafluoride-lithium hexafluoroisopropylideneimine rearrangement reactions, 1272
tetrakis(di-*t*-butylmethylamino)aluminate, 1275
Tetralithium derivative of penta-1,3-diyne, 813
- Litsomentol**, a new tetracyclic triterpene, 665
- Lumiflavin**-bisanthralene-2,3-diol, yellow 1:2-molecular complex, crystal structure, 751
- Luminol**, 6-aminophthalazine-1,4(2*H*,3*H*)-dione, precursors to chemiluminescence of, 1489
- Lycorenine** and haemanthidine, relative stereochemistry of protonation and hydroxylation in biosynthesis from protocatechualdehyde, 1196
- Lycoxanthol**, a hydroquinone diterpenoid from *Lycopodium lucidulum* Michx., 897
- Lysozyme**, binding of deoxy-2-trifluoroacetamide- α -D-glucose to, ^{19}F magnetic resonance spectroscopic investigation, 512
- Lythrum** alkaloids, lythranine-I, -II, -III, -IV, lythranepine -I, -II and -III, structures, 368
- L-Lyxose**, 2-*O*-methyl, synthesis component of evermannicin B and D, 241
- Macrocyclic**, synthesis by a one-stage Wittig reaction, 747
- Magnesium**, action on dibromocyclo-octanes and -nonanes. A novel transannular elimination reaction, 1340
Preparation of bicyclopentadienylmagnesium by means of a titanium complex catalyst, 1422
Reaction of pyrrolylmagnesium bromide with toluene-*p*-sulphonyl azide, 1344
Reactions of aziridinones with magnesium compounds, 16
Spartene, a ligand for magnesium in organometallics nuclear magnetic resonance studies of exchange, 273
Substitution at phosphorus in the reaction between dichlorobis-(triphenylphosphine)nickel and methylmagnesium bromide, 158
Synthesis and crystal structure of the tris(hexafluoroacetylacetonato)copper(II) salt of monoprotonated 1,8-bis(dimethylamino)naphthalene and of the isomorphous magnesium derivative, 93
- Magnoflorine**, biogenetically patterned conversion into taspine, 1065

- Maleate**, chloro-, and chlorofumarate, elimination reaction of, catalytic action of a polybase, 99
- Maleic anhydride**, reaction with nitrosocyclohexene, 81
- Maleimides**, direct formation Pyrrole photo-oxidation, 1099
- Malonates** and oxalates, metal reductions of Convenient decarboxylation route for disubstituted malonates and synthesis of ketal acetals, 136
- Malonates**, aryl hydrogen, hydrolysis, intramolecular general base catalysis by the ionized carboxy-group, 1538
- Manganese**. (II) complex in a pure spin quartet state, 1111 and rhenium carbonyl derivatives, ligand-bridged preparation, reactions, and crystal structures, 1229 Bonding of aliphatic dinitriles in halogeno(dinitril)tricarbonyl-manganese(II) and -rhenium(II) complexes, 482 carbonyl reaction with tropone X-Ray crystal structure of tricarbonyl-1-*syn*-(1',2'-dihydro-2'-oxo-1'-oxa-azulene-3'-yl)-*h*⁵-pentadienylmanganese, 1239 carbonyl, solvent-trapping of active species in the photolysis of, 140 Chelate manganese Mn-C and Re-C σ -bonded complexes formed by hydrometallation of an olefinic tertiary phosphine 94 Crystal and molecular structure of [Mn(CO)₄(C₂PPh₂)₂Bi]- a coordination compound of the unusual carbonyl-ylide product, Ph₃P⁺-C \equiv C⁻, 826 Crystal structure of a molecular complex of acetylacetone with manganese(II) bromide MnBr₂(C₅H₈O₂)₂ 280 Crystal structures of two organo-manganese complexes formed by acetyl migration to a co-ordinated double bond, 752 Ionic dissociation of pentacarbonylmanganese-indium complexes in acetonitrile solution, 1234 Molecular configuration of the anion MnCl₅²⁻—a square pyramidal pentahalide of the 3d transition series, 803 Mossbauer studies of the oxidation state of ⁵⁷Fe produced in EC decay of ⁵⁷Co doped and in γ -irradiation of ⁵⁷Fe-doped Mn(acac)₃, Fe(acac)₃ and Co(acac)₃, 1637 New polynuclear carbonyl hydride complexes containing osmium with manganese or rhenium, 62 *ortho*-Metallation of benzyldieneaniline structure of C₆H₅NCH C₆H₄Mn(CO)₄, 1595 Preparation and crystal structure of tris- μ -azido-hexacarbonyldimanganate(II) anion, [(CO)₃Mn(N₃)₃Mn(CO)₃], and of related complexes, 496 Reaction of homocyclo-octatetraene dianion with oxygen, potassium permanganate, and methyl iodide in liquid ammonia, 1440 stable π -oxapropanyl complex of; acyl group migration to a co-ordinated double bond, 95 Synthesis and fluxional behaviour of cycloheptatrienylmanganetricarbonyl and cycloheptatrienylrheniumtriacarbonyl cation, 1154 unusual binuclear complex with highly unsymmetrical nitrosyl bridges, molecular structure, 1476
- Marasmic acid**, and illudol, sesquiterpenoids, crystallographic determinations of partial stereochemistries, 431
- (\pm)-**Maritidine**, formal total synthesis photochemical synthesis of the crinine ring system, 774
- Martynoff** rearrangement of nitrones, nuclear polarization in, 221
- Mass spectra**, fine structure in 'metastable peak' shapes in, 1282
- Mass spectral fragmentation** mechanism, use of deuterium isotope effects in establishing, 1195
- Mass spectrometric** determination of bond dissociation energies in BF₃OEt₂, 1622
- Meisenheimer complexes** from 1-chloro-2,6-dinitro 4-X-benzenes, intermediates in aromatic nucleophilic substitution reactions, 834
- Meliacins** (limonoids) Biosynthesis of nimbolide in the leaves of *Azadirachta indica*, 1117 Partial synthesis of mexicanolide, 727
- Melianodiol** and its diacetate, natural occurrence of, in *Samadera madagascariensis* (Simaroubaceae) model experiments on melianodiol directed towards simarolide, 261
- Mercury**. Acid-catalysed cleavage of diacetylmercury, 373 and fluorine, evidence for through-space spin-spin coupling between, 609 Carbonyl ylides as possible intermediates in reactions of a mercurial dichlorocarbene precursor with benzaldehyde, 1438 Conversion of olefins into ketones with mercuric acetate and palladium chloride, 818
- Mercury**—*continued*
Crystal structure of tetrakis(pentafluorophenyl)- μ -bis(diphenylarsinomethanedimercury(II)), a three-co-ordinate mercury complex, 443 Dealkylation reactions of alkylcobaloxime complexes with mercury(II), 653 Intermetallic distances in mercury(I) halides Hg₂F₂, Hg₂Cl₂, and Hg₂Br₂, 466 Mercuration—demercuration of enamines, a tertiary amine synthesis, 1433 + $\frac{1}{2}$ oxidation state, 1168 Preparation and crystal structure of the Hg₃²⁺ ion, 782 Reaction of diborane with organomercury compounds, synthetic route to phenols and organoboranes, 1475 Reactions of a mercurial dichlorocarbene precursor with benzophenone, 15 Transformation of carbon-mercury bonds into carbon-carbon bonds, chloro-(*exo*-3-acetoxy-*endo*-5-nortricyclyl)dipyridine-palladium and unsaturated mercurials, 1582
- Mesembrine** and mesembrenone, reaction with diethyl azodicarboxylate, 1338 and related alkaloids, biosynthesis mode of incorporation of phenylalanine, and examination of norbelladines as precursors, 228
- Mesitylene**. ¹³C Nuclear magnetic resonance spectra of the complexes [LM(CO)₃], L = mesitylene, durene, and cycloheptatriene, M = Cr, Mo, W, 976
- Mesitylenesulphonyl ('Mesisyl') chloride** as a selective sulphonylating reagent, 801
- Metal carbonyl derivatives** relative intensities in their Raman spectra in the 2000 cm⁻¹ region, 235 hydrides, synthesis from metal carbonyls and hydrogen at atmospheric pressure, 477
- Metal complexes**, bond angles in, effect of mutual attraction^o of aromatic ligands structures of dibromotris-(5-alkyl-5*H*-dibenzophosphole)palladium(II) [or platinum(II)] compounds, 1037 chelated, dynamic-coupling basis of conformational optical activity, 1314 of 1,19 dimethylcorrin, 710 reversible oxygenation electronic and steric factors, 1080
- Metal ions**, closed-shell, free-radical complexes, 47 oxidation of 1-methylcyclobutene by, 40
- ortho-Metallation** of benzyldieneaniline structure of C₆H₅N:CH C₆H₄Mn(CO)₄, 1595
- Metal-metal** bonded compounds, importance of the leaving group in preparation by nucleophilic displacement reactions germanium-transition-metal bonds, 155
- Metal oxides**, opaque, infrared reflectance spectra of adsorbed species on, 1451
- Metal-protein** interaction, model compounds for crystal structures of four silver(I) complexes with glycine, glycyglycine, and imidazole, 1016
- Metals**. Complexes containing cobalt-silicon metal-metal bonds, 524
- Methane**, bromotrichloro-, photochemically induced reaction with triethylborane and related trialkylboranes New route to α -bromination of trialkylboranes, 1535 bromotrichloro-, sign reversal of the polarization in the reaction with isobutyryl peroxide, 877
- 4,9-Methano[11]annulene**, crystal and molecular structure, 153
- Methanol**— and dioxan—water systems e m f method for studying the transport of non-electrolytes in electrolytic solutions, results, 646 mechanism of catalytic decomposition on gold filaments, 494 photoaddition of, involving participation by sulphur Thiazepine photochemistry, 698 photocycloaddition to dihydropyridinium salts, 778 reaction with compounds of the type S·PX₂N·PF₂Cl, formation of an S methyl derivative, 998
- Methinyl** tricobalt enneacarbonyl derivatives, X-ray crystal and molecular structures of three, 72
- Methionine**, *in vivo* incorporation of S-methyl group of, into cholesterol in rats, 1201.
- Methoxy-radicals**, formation of, by, photochemical and thermal oxidation of methanol cation-radicals, 964
- Methyl ethers**, structural characteristics of non-decomposing C₇H₇⁺ ions from, on electron impact, 824

- Methyl groups**, from anomalous lithium aluminium hydride reduction of aromatic trifluoromethyl groups, 465
Non-equivalent CH bonds in CH₃ compounds, from CD₂H infrared studies, 1373
- Methyl iodide**, oxygen, and potassium permanganate, reaction with homocyclo-octatetraene in liquid ammonia, 1440
- Methyl radical** addition to fluoroethylenes, orientation, 1046
- Methyl rotational barriers** in reduced chromium complexes, elucidation of electronic effects on, by ¹H nuclear magnetic resonance spectroscopy, 274
- 2-Methylallyl alcohol**, products formed with rhodium trichloride trihydrate. Determination of the structure of [RhCl₂(C₈H₁₅O)(4-methylpyridine)₂]₂ by X-ray crystallography, 841
- Methylation** by methyl vitamin B₁₂, 850
- Methylene Blue**, crystal structure, 131
- 'p,p'-Methylene dianiline'**, structure of complex with sodium chloride, 1403
- Methylene groups**, unusual pyramidal folding of, in a trimethylene diradical structure, 382
- Methylene iodide**, carbenoid reaction with diethylzinc; catalytic effect of oxygen, 1418
- Methylene steroids** and related compounds, analysis by the Octant Rule: olefin stereochemistry, 545
- Methylene transfer**, internal, stereospecific cyclopropane formation *via*, 1576
- α-Methylene lactones**, substituted, synthesis: determination of product structure by X-ray crystallography, 384
- α-Methylenebutyrolactones**, new synthesis, 488
- 6-Methylenespiro[4,5]decan-1-one**, conversion of bicyclo-[5,4,0]undec-1(7)-en-3-one to. [1,3]- *vs.* [1,2]-sigmatropic photorearrangements in cyclic β-unsaturated ketones, 1564
- 2-Methylene-1,3,4-thiadiazole**, mesoionic, synthesis and X-ray molecular structure, 1436
- 2-Methylepichlorohydrin** and potassium cyanide, an unusual reaction product from: 4,9-dimethyl-2,6-diazaspiro[4,5]-dec-3-ene-1,7-dione, 1560
- N-Methylpyrrole-2-carbonitrile** and furan-2-carbonitrile, primary photo-products of: trapping by methanol addition, 1610
- Methyltrieneptyloxyphosphonium iodide**: a crystalline Michaelis-Arbusov intermediate and its mode of decomposition, 1297
- Mexicanolide**, partial synthesis 727; from 7-oxo-7-deacetoxy-khivorin, 17
- Micellar solutions**, hydroxy-radical reactivities in, pulse radiolytic investigations, 152
- Micelles**, reversed, catalysis by, in non-polar solvents: mutarotation of 2,3,4,6-tetramethyl-α-D-glucose in benzene, 1497
- Michaelis-Arbusov reaction**, stereochemistry: alkylation of optically active ethyl trimethylsilyl phenylphosphonite with retention of configuration, 606
- Mitomycin** antibiotics, studies on the biosynthesis of, by *Streptomyces verticillatus*, 301
- Molecular complexes**. Preliminary comments on the rationalization of procedures for processing data obtained from nuclear magnetic resonance studies, 956
- Molecular weights**, method for determination, 823
- Molybdenum amine-hydrides**, formation: homogeneous oxidation of amines to aldehydes or ketones, 1274
- Arene molybdenum chemistry: some π-allyl, hydrido, and dinitrogen derivatives, 557
- Arene molybdenum chemistry: the preparation of some arene molybdenum π-allyl derivatives and a unique diprotonation reaction of benzenetertertiaryphosphinemolybdenum derivatives, 1619
- ¹³C Nuclear magnetic resonance spectra of the complexes [LM(CO)₃], L = mesitylene, durene, or cycloheptatriene; M = Cr, Mo, W, 976
- Crystal structure and bonding in the dinuclear complexes (π-C₅H₅)₂W(SPh)₂M(CO)₄ (M = Cr, Mo, and W) and (π-C₅H₅)₂-Ti(SMe)₂Mo(CO)₄, 14
- Crystal structure of ammonium dioxotrifluoromolybdate, 610
- Crystal structure of hexakis(trimethylsilylmethyl)dimolybdenum, 1079
- Crystal structures of dibromotricarbonylbis[bis(diphenylarsino)methane]tungsten(II) and dibromodicarbonylbis[bis(diphenylarsino)methane]molybdenum(II), 819
- Molybdenum**—*continued*
- Fluxional behaviour of some nitrosyl bis(cyclopentadienyl) molybdenum sulphur complexes, 420
- σ-π Interaction in aza-allyl complexes. ¹H Nuclear magnetic resonance studies of π-C₅H₅M(CO)₂[(p-CH₃C₆H₄)₂CNC(p-CH₃C₆H₄)₂] (M = Mo, W), 349
- Photolysis of aluminium alkyls with hydridocyclopentadienyl molybdenum carbonyls: route to novel complexes with an aluminium-molybdenum bond, 591
- Preparation of mono- and di-nuclear dinitrogen complexes of molybdenum(II) and new routes to *trans*-[Mo(N₂)₂(Ph₂PCH₂-CH₂PPh₂)₂], 157
- Redetermination of the crystal structure of a sodium molybdenum oxide bronze: Na_{0.9}Mo₆O₁₇, 13
- tetrahydrido-complexes, 158
- Triangular dodecahedral stereochemistry of Mo(CH₃NC)₄(CN)₄; an X-ray study, 1617
- X-Ray crystal and molecular structure of (π-C₅H₅)₂Mo-(SBU^a)₂FeCl₂, a model compound of the nitrogenase system, 161
- X-Ray crystal and molecular structure of a molybdenum(v)-L-histidine complex Mo₂O₄(L-histidine)₂·3H₂O, 162
- X-Ray crystal structure of oxodichlorotris(dimethylphenylphosphine)molybdenum(IV), [MoOCl₂(PMe₂Ph)₃], 147
- X-Ray determination of molecular structures of molybdenum(IV) oxo-complexes. Possibility of new type of isomerism, 655
- trans-γ-Monocyclofarnesol**, isolation and enzymic formation, 527
- Monothiothenoyltrifluoroacetone**, sulphur-oxygen donor ligand, monodentate and bidentate behaviour with zerovalent metal carbonyls of Group VIA, 1082
- Morellins**, approach to, based on new biogenetic suggestions: application of the Claisen rearrangement to the synthesis of heterocyclic bicyclo[2,2,2]octenones, 966
- Morpholene**, 4-(α-chloromethanesulphonyl)-, preparation and characterisation of an α-chloro-decarbanion from, 588
- Mössbauer studies** of the oxidation state of ⁵⁷Fe produced in EC-decay of ⁵⁷Co-doped and in γ-irradiation of ⁵⁷Fe-doped Mn(acac)₃, Fe(acac)₃, and Co(acac)₃, 1637
- Mycophenolic acid**, biosynthesis, 257
sequence studies in biosynthesis, 323
- Myleran**, dimethyl-, (2,5-bismethanesulphonyloxyhexane), configurations, 1042
- NADH action**, non-enzymatic models—Importance of hydrogen-bonding in the enzyme-coenzyme-substrate complex, 552
- Naphthalene**. Acid-catalysed rearrangements of 3,5-dimethyl-1-methoxytetrafluorobenzobarralene (5,6,7,8-tetrafluoro-1,4-dihydro-3,10-dimethyl-1-methoxy-1,4-ethenonaphthalene), 1342
- 1,8-bis(dimethylamino)-, monoprotated, synthesis and crystal structure of the tris(hexafluoroacetylacetonato)copper(II) salt, 93
- trans*-9,10-dihydro-, precursor of [10]annulene, 601
- cis*-9,10-dihydro-, synthesis; reaction of pentacyclo[4,4,0,0^{2,5},0^{3,8},0^{4,7}-dec-9-ene with diethyl azodicarboxylate, 391
- Naphthalene-2-carbonitrile**, photodimerisation, 595
- Naphthalenes**, acid-catalysed formation from a β-oxo-sulphoxide, 555
- Naphthazarin** system, acetyl exchange between *peri*-oxygens of, dynamic nuclear magnetic resonance evidence, 360
- Naphthoquinone** biosynthesis, stereochemistry of hydrogen elimination from C-6 of shikimate in, 576
- 1,4-Naphthoquinones**, reactions with 2-aryllindan-1,3-diones, 955
- β-Naphthyl alkyl ketones, photochemistry in solution, 815
- Naphthylalkylamines** and anthrylalkylamines, photoreactivity: effect of intramolecular exciplex formation, 1385
- Narbonolide**, narbomycin aglycone, from *Streptomyces venezuelae*, isolation and structure; its biological transformation into picromycin *via* narbomycin, 304
- Narciclasine**, biosynthesis, 1154
biosynthesis: late intermediates, 1388
- Neodymium** sulphate complexation in D₂O, kinetic investigation as a test of the eigen mechanism, 731
- Neopentyl derivatives**, brominated, solvolysis in super acid: formation of fluorosulphates, 1174
- Neopinone** and **codeinone** acetals, halogeno-, solvolysis: common aziridinium ion intermediate, 1121

- Nickel.** Azobenzene complex of nickel(0) comparison of azobenzene with olefinic ligand in $d\pi$ acceptor properties, 67
- Azobenzene complexes of zerovalent nickel, 42
- Binary transition metal nitrogen compounds infrared evidence for $N_1(N_2)_x$, 885
- 2,3-Bis-(π -allyl)propenenickel(0)** intermediate for the catalytic cyclo-oligomerisation of allene, 863
- Bis(tetrathiotungstato)nickelate(II) ion, a novel complex with the WS_4^{2-} ion as a ligand, 65
- Bis[tris-(*o*-dimethylarsinophenyl)stibine]nickel(II) cation A pentaco-ordinate complex containing the novel $[Ni(Sb_2As_3)]^{2+}$ donor set, 1502
- Catena- $[\mu$ (*o* phthaloyl-*C, C', O*)]- μ -iodo-iodonickel(IV) crystal and molecular structure, 282
- complex-catalysed telomerization of butadiene with alcohols, 193
- Crystal and molecular structure of chloro[bis{2-[(2-pyridylmethyl)amino]ethyl}disulphide]nickel(II) perchlorate, 194
- Crystal and molecular structures of hexafluoroisopropylideneamine complexes of, 1598
- Crystal structure of $CoNi(OC_2H_4NH_2)_3(HOC_2H_4NH_2)_3I_2$ a hydrogen-bonded dinuclear complex, 437
- Crystal structure of nickel(II) complex, $NiBr_2(C_8H_8O_2)_2$, containing ketonic molecules of acetylacetone, 1321
- Crystal structure of an oxime complex of nickel(II) with oximino oxygen-to-nickel bonding in a chelate ring, 1206
- Crystal structures of the reaction products of 110-phenanthroline and bis-(*OO'*-dimethylthiophosphato)nickel(II), 350
- Crystal structure of a sulphur-rich nickel(II) dithiolate $Ni(S_2CC_6H_4Pr^I)(S_2CC_6H_4Pr^I)$, 276
- 2,8-diethyl-1,2,3,7,13,17,18,19-octamethyltetrahydrocorrinnitrate**, 523
- Infrared spectrum of carbon monoxide chemisorbed on nickel at 44 K by a matrix isolation technique, 499
- Key intermediate in nickel-catalysed butadiene dimerisation its identity in solution and in the solid state 1240
- Kinetics and volumes of activation of the reactions of nickel(II) and cobalt(II) ions with some unchanged ligands in water, studied by a laser temperature-jump method at high pressures, 1351
- Kinetics of redistribution of some tetrahedral nickel(II) chelates 61
- Metal complexes as ligands structure and bonding in new bis[bis(π cyclopentadienyl)niobium-bis- μ -methanethiolate]-complexes of zerovalent nickel, palladium or platinum, 896
- Nuclear quadrupole resonance spectra and π -bonding of some nickel(II) complexes, 279
- oxalate dihydrate, activation energy for the dehydration of, 370
- palladium, and platinum, alkyl derivatives stabilized by chelation with phosphorus, 470
- Reaction of nickel(II) peptide complexes with molecular oxygen, 1427
- Reactions of bis(trifluoromethyl)diazomethane with zerovalent nickel palladium, and platinum complexes, 1095
- Single-crystal structure of *cis,cis*-1,3,5-tris(pyridine-2-aldimino)cyclohexanenickel(II) perchlorate, 1280
- Substitution at phosphorus in the reaction between dichlorobis-(triphenylphosphine)nickel and methylmagnesium bromide, 158
- tetracarbonyl, bonding in, *ab initio* calculation, 642
- Unusual oxidation of cobalt(II) and nickel(II) sulphites involving sulphur dioxide in a non-aqueous medium, 671
- Nicotine**, biosynthesis of the pyrrolidine ring, relevance of lead tetra-acetate oxidation of *NN*-dimethylglycine, 1524
- Nimbolide**, biosynthesis in the leaves of *Azadirachta indica* Meliacins (limonoids), 117
- Niobium.** Crystal structure of bis- μ -(trimethylsilylmethylidyne)tetrakis(trimethylsilylmethyl)dimiobium(V) New type of carbon bridging group, 1477
- Metal complexes as ligands structure and bonding in new bis[bis(π -cyclopentadienyl)niobium-bis- μ -methane-thiolate]-complexes of zerovalent nickel, palladium, or platinum, 896
- ⁹³Nb Nuclear magnetic resonance in solutions of the halides of niobium(V), 1175
- X-Ray crystal and molecular structures of pentakisdimethylaminato- and pentapiperidinato-niobium(V), 143
- Nitration**, aromatic, evidence for a field effect nitration of 3,8-diaza[10]cyclophane, 332
- Nitrene** and ferrocenyl radical formation of nitroferrocene with oxygen, 134
- benzofuran adduct, preparation and thermal rearrangement, 1130
- Nitric oxide**, new disproportionation of, in its reaction with $Co(PPh_3)_3(NO)$, 694
- Nitriles**, reduction to aldehydes Hydrated electron in organic synthesis, 1294
- p-Nitrobenzenediazonium** ion, role of azo ethers in dediazonation of, in alkaline methanol, 1469
- Nitro-compounds** and nitriles, $\alpha\beta$ -unsaturated, synthesis of 1,2,3-triazoles by reaction with azide ion, 1001
- Nitro-groups**, displacement in reactions with cyanide ion, 1120
- Nitrogen** compounds, binary transition metal infrared evidence for $N_1(N_2)_x$, 885
- compounds tris(dipivaloylmethanato)ytterbium induced shifts in ¹H nuclear magnetic resonance spectra of, 700
- dioxide, reaction with 4,4-dimethyloxazolidine-*N*-oxyl (doxyl) derivatives novel and efficient reconversion into the parent ketone, 1580
- Electron spin resonance evidence for protonation of the radical anions NH^- and HCN^- in frozen aqueous solutions, 893
- extrusion of, in sulphoximine pyrolyses, 801
- fixation reactions, molecular, formation of amines from aromatic hydrocarbons in 246
- hyperfine splitting in the electron spin resonance spectra of 1:1 copper(II) π -diketonate adducts with nitrogen donors, 1025
- Isolation of a binuclear complex intermediate in the reaction of molecular nitrogen with titanium compounds, 1590
- molecular, formation of a cationic binuclear iron-dinitrogen compound from, 1310
- Natural abundance nitrogen-15 nuclear magnetic resonance spectroscopy amino-acid derivatives, 1602
- Nucleophilic displacement at carbon bearing nitrogen, 1546
- photochemistry Novel synthesis of imines from dialkylamines, 1430
- reduction to hydrazine in a binuclear complex of iron, 1185
- Rotation about a sulphur(IV)-nitrogen double bond, 1448
- Nitrogenase** system, a model compound of, X-ray crystal and molecular structure of (π - C_5H_5)₂Mo(SBuⁿ)₂FeCl₂, 161
- α -Nitro-ketones**, photochemistry of, 1609
- Nitrones**, new synthesis from aromatic nitro-compounds and carbanions by nucleophilic replacement of hydrogen, 548
- nuclear polarization in the Martynoff rearrangement of, 221
- p-Nitrophenoxide**, liberated from *p*-nitrophenyl α -D-glycosides in alkaline solution, mechanism Migration of the *O-p*-nitrophenyl group, 79
- N-Nitroso-compounds**, conformational effects in, ¹³C Fourier nuclear magnetic resonance study, 399
- N-Nitrosoacetanilide** and *N*-(2-iodophenyl)-*N*-nitrosobenzamide, formation of benzyne by decomposition of, 1003
- conversion of 2,5-dimethylfuran into 2-benzyl-5-methylfuran by an unprecedented aromatic side-chain phenylation, 1432
- N-Nitrosoamide** decomposition, selective cleavage of glycosidic linkages *via*, 1386
- Nitrosamines**, primary, as substrates in Gomberg-Bachman reactions, 411
- C-Nitroso-enamines**, 64
- Nitrosyl cyanide**: a possible intermediate in the formation of *N*-cyano-1,2-oxazines from conjugated dienes, 1139
- Nitrous oxide** and oxygen, photocatalytic and thermal catalytic reaction of carbon monoxide with, over zinc oxide, 736
- evidence of a binuclear complex of ruthenium, 287
- Nitroxides**, halogenocarbonyl, electron spin resonance study, 244
- photochemical synthesis of trimethylsiloquinoxidine *N*-oxyl, 1161
- Nona-2,7-diene-1,9-dioate**, dimethyl mechanism of the photochemical cyclisation of non-conjugated dienes, 1217
- Nonafulvalenes.** Synthesis of 3,4:5,6:9,10:13,14-tetrabenzoheptanonafulvalene and 1,2:3,4:9,10,13,14-tetrabenzoheptanonafulvalene, 1084
- Norbelladines**, examination as precursors in biosynthesis of mesembrine and related alkaloids; mode of incorporation of phenylalanine, 228
- Norbornadiene**, photoaddition of diphenylacetylene, 360
- Norbornene**, acid-catalysed hydration at 250°, 1349

- Norbornenone** derivative, hydroxide ion-induced aromatization, 1090
- Norcholane** and cholestane analogues of cucurbitacin I: synthesis and inhibition of DNA synthesis in rat thymocytes, 775
- Norditerpene** ponalactone A and its glucoside, plant growth inhibitors; structure, 855
- D-Nor-steroids**, conformations by X-ray analysis, 1133
- Nuclear magnetic resonance**. ^{13}C -Fourier magnetic resonance of organometallic compounds—a functional group survey, 1073
- Nuclear magnetic resonance spectra**, ^{13}C , method of assigning, using europium(III) ion-induced pseudocontact shifts and C-H heteronuclear spin decoupling techniques, 1473
- dynamic, validity of approximate equations for k_e , 656
- ^1H , lanthanide-induced shifts: significance of the angle term in the geometric factor of pseudocontact shift, 1285
- ^1H , spectra of partially oriented molecules, simplification by partial deuteration and deuterium decoupling, 1277
- ^1H , Upfield shift induced by tris(dipivalomethanato) europium, 452
- Lanthanide-induced shifts in ^1H nuclear magnetic resonance spectroscopy: resonance assignments in tertiary amides, 1378
- Lanthanide-induced shifts in nuclear magnetic resonance spectroscopy: application to ketones, 266
- nitrogen-14, selection of dipivalomethanate chelates as shift reagents, 1573
- ^{15}N , high resolution, in natural abundance by Fourier pulsed techniques, 680
- parameters, ^{13}C , *trans*-influence and ligand reactivities for methylplatinum compounds, relationships between, 1627
- Ready method of assignment for ^{13}C nuclear magnetic resonance spectra: complete assignment after ^{13}C spectrum of borneol, 364
- shift reagent, optically active, of wide applicability; determination of enantiomeric purity by, 1450
- spectral determinations in deuteriated dimethyl sulphoxide, warning regarding: tautomeric structure of 1-methyl-5-methylaminotetrazole, 846
- Nuclear polarization**, chemically induced dynamic: simple rules for, 732; Sign reversal of the polarization in the reactions of isobutyryl peroxide with bromotrichloromethane, 877
- Nucleophiles** containing an amino-group, reactions with *N*-(1,3-oxathiol-2-ylidene) tertiary iminium salts, 1318
- Nucleophilic displacement** at carbon bearing nitrogen, 1546
- Nucleophilic substitution** mechanisms. Kinetics of the reaction of benzyl and diphenylmethyl chlorides in aqueous acetone, 797
- Nucleoside** antibiotic formycin B, synthesis, 986
- Crystal structure of a copper-nucleoside analogue, 558
- Nucleosides**, bicyclic, related to uridine, synthesis: 4-(β -D-ribofuranosyl)thiazolo[5,4-*d*]pyrimidines, 1515
- 8,2'-thioanhydropurine, novel synthesis, 890
- C-Nucleosides**, synthesis. 5-Amino-2-ribofuranosylimidazole derivatives, 1267
- Nucleotides**, reaction with 2,4-dinitrofluorobenzene, 379
- (\pm)-**Ochrobirine**, stereospecific total synthesis, 925
- Octa-2,6-diene-1,8-dioate**, dimethyl, photosensitized cyclisation of the geometrical isomers, 144
- Octadienols**, palladium complex-catalysed synthesis from butadiene and water, 330
- Oestra-1,3,5(10)-trienes**, 4-methyl-, cerium(IV) oxidation of, 772
- Olefin** disproportionation catalyst, effect of halogenated molecules on activity, 1202
- disproportion catalysts: carbene complexes of the Group VI metals as catalysts, 839
- formation, novel, in the thermal rearrangement of isocyanide to cyanide, 1008
- insertion into platinum-hydrogen bond, 957
- production, enhanced, in nematic liquid-crystalline solvents—xanthate pyrolysis, 1002
- silver bond, thermodynamics: influence of chelation and the symbiotic effect, 690
- stereochemistry: analysis of methylene steroids and related compounds by the octant Rule, 545
- Olefinic** alkylation (or arylation) with organocobalt compounds in the presence of palladium salts, 849
- and benzene derivatives, photo-oxidations, 874
- and polyenes, palladium-catalysed hydrosilation, 247
- bond, isolated acyclic (steroidal), stereospecific and regio-specific addition to, 715
- complexation with planar rhodium(I) co-ordination compounds, 650
- conversion into ketones with mercuric acetate and palladium chloride, 818
- conversion of *vic*-dibromides to, by stabilized carbanions; elucidation of an electron transfer pathway, 1053
- electronegatively substituted, 1,3- and 1,6-addition to co-ordinated cycloheptatriene and *N*-methoxycarbonylazepine: X-ray diffraction study of the tricarbonylcycloheptatriene-iron-tetracyanoethylene adduct, 222
- epoxides, thermal and catalysed rearrangement, 1247
- fluoro-, reaction with tricarbonyl(buta-1,3-diene, trimethylene-methane, or cinnamaldehyde)iron, 1230
- from reaction of phosphoranes with carbonyl reagents *via* vinylphosphonium salt intermediates: reactions of phosphorus compounds, 1000
- homogeneous transfer-hydrogenation of, catalysed by Fe^{II} , Co^{II} , and Ni^{II} complexes: *o*- and *p*-dihydroxybenzene as hydrogen donors, 139.
- isomerisation catalysed by a ruthenium(II) complex, effect of hydroperoxides, 562
- molecular oxygen, hydrogen, and carbon monoxide, activation by a ruthenium(II) complex, 561
- of exceptionally low first ionisation potential: photoelectron spectra of electron-rich olefins and an isostructural boron compound, 1370
- photochemical addition of sulphonyl cyanides, 1397
- photochemical reactions with 5-phenyl-1,2,4-dithiazole-3-thione: new route to 1,3-dithiolan rings, 843
- selective *cis*-chlorination by antimony(V) chloride, 1064
- Olefins**, and aromatics, catalytic coupling by homogeneous palladium(II) compounds under oxygen, 1510
- Oligo-ethers**, cyclic, related to ethylene oxide, 670
- Oligoribonucleotide**, approaches to synthesis *via* phosphotriester intermediates, 869
- Oosponol** and oosporglycol, synthesis, 921
- Ophiobolin-D**, molecular and crystal structure of a derivative, 872
- Organometallic** anions, novel, generated by electrochemical reversible reduction, 993
- compounds, ^{13}C -Fourier magnetic resonance—A functional group survey, 1078
- Osmium**. Crystal structure of a dinitrosyl complex of osmium(II), 518
- New hydridocarbonyl complex of osmium(II), 79
- New polynuclear carbonyl hydride complexes containing osmium with manganese or rhenium, 62
- Protonation of tricarbonyl(cyclo-octatetraene)-ruthenium(0) and -osmium(0), 621
- 1,3,4-Oxadiazolium** hydroxides, anhydro-2-arylamino-, meso-ionic, synthesis, 1223
- Oxalate**, bis[phenyl(*p*-tolyl)methyl], pyrolysis: competing fragmentation to radicals and carbenes, 666
- Oxalates**, organic. Cyclizations of the *ortho*-methyl- and *ortho*-trifluoromethyl-cinnamyl radicals to the corresponding indenones, 102
- Oxaspiropentane**. Rapid route to cyclobutanone, 1579
- N*-(1,3-Oxathiol-2-ylidene)** tertiary iminium salts, reactions with nucleophiles containing an amino-group, 1318
- 1,2-Oxazines**, *N*-cyano-, formation from conjugated dienes: nitrosyl cyanide, a possible intermediate, 1139
- Oxazolidine-*N*-oxyl** derivatives, 4,4-dimethyl-, (doxyl), reaction with nitrogen dioxide: novel and efficient reconversion into the parent ketone, 1580
- Oxepin** synthesis, isolation of a 1,2-dihydrophenol derivative during, 810
- Oxetan-2-ones**. Halogenated ketens. Formation of allenes by the pyrolysis of halogenated oxetan-2-ones, 1642
- Oxidation** of monocyclic and acyclic alcohols by lead tetraacetate, 1,4-shift of hydrogen from carbon to carbon in, 1612
- Oxidation-reduction** reaction, not directly related to electrolysis brought about by the application of a DC potential across a single crystal of the partially oxidized platinum atom chain compound $\text{K}_2\text{Pt}(\text{CN})_4\text{Br}_{0.3} \cdot 2.5\text{H}_2\text{O}$, 511

- N-Oxides**, new method of preparation from polyhalogenated *N*-heteroaromatic compounds, 28
- Oxime** complex of nickel(II) with oximino oxygen-to-nickel bonding in a chelate ring, crystal structure, 1206
thiocarbamates, free-radical intermediate in thermal rearrangement, 807
- Oxindole** derivatives, 5-methoxylation, 1437
from rearrangement of cinnolin-3-one, rearrangement of 1,2,4-triazin 3 ones to imidazolin-2-ones, 531
- Oxiran**, 2,3-dicyano-2,3-diphenyl-, cycloadditions of a carbonyl ylide from, 1190
- γ -Oxamides**, formation of pyrrolinones and 2-dialkylamino-furans from, 346
- Oxophlorins**, *meso*-thiocyanatoporphyrins as intermediates in the synthesis of their sulphur analogues, 1268
- Δ^4 -3-Oxo-steroids**, rationalization of their chiroptical properties, 785
- S-(3-Oxoundecyl)** thioacetate, bis-(3-oxoundecyl) disulphide, (-)-3-hexyl-4,5-dithiacycloheptanone, and *S*-(*trans*-3-oxoundec-4-enyl)thioacetate, isolation from *Dictyoptera*, 503
- Oxy-Cope reaction**, competitive components, reaction rates by flow system thermolysis, 936
- Oxygen**. Activation of molecular oxygen, hydrogen, carbon monoxide, and olefins by a ruthenium(II) complex, 561
adsorbed species on dark and on illuminated zinc oxide, 1343
carriers, synthetic, oxygen-oxygen distances in Crystal and molecular structure of the oxygen adduct of bis(diphenyl-ethylphosphine)chlorocarbonyliridium(II), 1172
catalytic effect of in the carbenoid reaction with diethylzinc and methylene iodide, 1418
diradicals, thermally generated, suprafacial alkyl 1,2-shift in rearrangement of, 1569
NN'-Ethylenebis(salicylaldiminato)vanadium(III)-oxygen reaction in pyridine evidence for a vanadium(III)-oxygen adduct 1443
Evidence for the interaction of a transition-metal ion with the oxygen atom of a terminal metal carbonyl group, 67
insertion reactions A re-investigation of the reaction of chromium pentoxide etherate with tetracyclone, 1407
molecular, reaction with nickel(II) peptide complexes, 1427
Platinum-oxygen electrode in molten alkali-metal nitrates, 483
Reaction of homocyclo-octatetraene dianion with oxygen, potassium permanganate, and methyl iodide in liquid ammonia, 1440
reaction with arylidihydropyrans, 585
- Pachybasin** (1-hydroxy-3-methylanthraquinone), a metabolite of *Phoma foveata*, biosynthesis, 410
- Palladium**. Alkylation (or arylation) of olefins with organocobalt compounds in the presence of palladium salts, 849
and platinum complexes, X-ray photoelectron studies: observation of the *trans*-influence and distinction between terminal and bridging chlorine, 602
Aromatic coupling of arylthallium(III) compounds by palladium(II) chloride 390
¹³C Nuclear magnetic resonance spectra of some π -allylic-palladium(II) complexes, 790
-catalysed carbonylation-dimerization of butadiene, 1067
-catalysed hydrosilylation of olefins and polyenes, 247
chloride and mercuric acetate, use in conversion of olefins into ketones, 818
complex with biacetyl bis(*N*-methyl, *N*-phenyl)-osazone, crystal structure, 1415
complex-catalysed synthesis of octadienols from butadiene and water 330
complexes, catalysis of new cyclization reaction of conjugated dienes with isocyanate by, 247
- Palladium(II)** compounds, catalytic coupling of aromatics and olefins by, under oxygen, 1510
Cyclohexa-1,4-diene complex of palladium(II) acetate, 1019
Effect of mutual attraction of aromatic ligands on bond angles in metal complexes structures of dibromotris-(5-alkyl-5*H*-dibenzophosphole)palladium(II) [or platinum(II)] compounds, 1037
hydride, cationic tertiary phosphine complexes, 549
Interaction of conjugated and cumulative dienes with allylic palladium systems Nature of the rate-determining step for "insertion" reactions, 275
Intramolecular, four-co-ordinate, σ -allyl transition state in the *syn-anti* exchange in a π -allylpalladium complex, 935
- Palladium(II)**—*continued*
Intramolecular metal-carbon bond formation in some triaryl phosphite complexes of platinum(II) and palladium(II), 130
Laser Raman study of the π - σ -bond conversion in π -allylpalladium complexes, 265
Mechanism of initiation of cumene autoxidation by palladium(0) complexes, 788
Metal complexes as ligands structure and bonding in new bis-[bis(π -cyclopentadienyl)niobium-bis- μ -methanethiolate]-complexes of zerovalent nickel, palladium or platinum, 896
Novel palladium(II)-catalysed allylic isomerization, 328
Nuclear acetoxylation of aromatic compounds by palladium(II) acetate reversal of the usual isomer distribution pattern in aromatic substitution, 263
Palladium(II)-catalysed isomerization of bicyclobutane, 486
Palladiacyclopentadiene and platinumacyclopentadiene complexes as intermediates in Pd⁰ and Pt⁰ catalysed acetylene cyclotrimerization reactions, 1604
platinum, and nickel, alkyl derivatives stabilized by chelation with phosphorus, 470
Reactions of bis(trifluoromethyl)diazomethane with zerovalent nickel, palladium, and platinum complexes, 1095
Syntheses of long-chain amines by palladium-catalysed telomerisation of butadiene, 345
Tertiary phosphine-palladium(0)-ethylene complexes, 563
Transformation of carbon-mercury bonds into carbon-carbon bonds, chloro-(*exo*-3-acetoxy-*endo*-5 nortricycyl)dipyridine-palladium and unsaturated mercurials, 1582
- Paraquat** (*NN*-dimethyl-4,4'-bipyridylum) cation radical, scavenging of *t*-butoxy-radicals by electron transfer from cation radicals, 830
- Peduncularine** an indole-pyrrolizidine alkaloid, 1155
- Peltogynone**, a natural 5-hydroxy-, crombeone, ring expansions of 116
- Penicillamine**, pulse radiolysis in aqueous solution: thyl radical and the disulphide radical anion, 1163
- Penicillanates**, novel alkylation, 590
- Penicillanic acid** derivatives, epimerisation of, and their rearrangement to 1,4-thiazepines evidence for an *E1cB* mechanism, 450
derivatives, equilibration of, 648
- Penicillin**, benzyl-, self-association of in aqueous solution
¹H nuclear magnetic resonance study, 320
-cephalosporin antibiotics total synthesis of a nuclear analogue 865
- Penicillins**, 4-alkyl-thio- and -dithio-azetidiones from, 1137
 β -lactam function of, isolation, 845
- Pentacyclo[4,4,0,0^{2,5},0^{3,8},0^{4,7}]dec-9-ene**, reaction with diethyl azodicarboxylate, synthesis of *cis*-9,10-dihydronaphthalene, 391
- Penta-1,3-diyne**, tetralithium derivative, 813
- Pentafulvene**, 2-formyl-6-dimethylamino-, crystal structure
Bond length and angle evidence for dipolar character, 356
- Pentan-2-one**, 3,3-diethoxy-, preparation from the diethyl acetal of ethyl 2-oxobutyrate and (CH₃)₂CuLi 1244
- Pent-2-ene**, disproportionation by a homogeneous rhenium pentachloride-tetrabutyltin catalyst, 1170
- Pent-2-ene**, 2-methyl-, reaction with *p*-nitrosophenol and with *NN*-dimethyl-*p*-nitrosoaniline, 1507
- Peptide esters**, L-histidine-containing, and L-histidine methyl ester; coupling of, to ferric protoporphyrin IX chloride, 369
- Peptides**. Cleavage of linear tetrapeptides into two cyclic dipeptides, 1527
degradation to diketopiperazines application of pyrolysis-gas chromatography to sequence determination in actinomycins, 39
nickel(II) complexes, reaction with molecular oxygen, 1427
novel modification by amino-acid insertion, 1118
polytri-, optically pure, use of *o*-hydroxythienyl esters for preparation, 639
racemisation in synthesis, 1588
synthesis of cyclols from some small *via* amide-amide reaction, 1605
synthesis, solid phase, safety catch principle, 636
synthesis use of a macroreticular ion-exchange resin in the isolation stage of the picolyl ester method, 1057
Use of mass spectrometry in the structural elucidation of scotophobin—a specific behaviour-inducing brain peptide, 432

- Periodate ion**, transient species in the pulse radiolysis of, in neutral aqueous solutions, 847
- γ -Peroxvalerolactone**, γ -methyl-, synthesis, thermolysis, and photolysis, 1299
- Phenalenone**, plant, biosynthesis: haemocerin, 739
- Phenalenones**, fungal, biosynthetic interrelationships, 738
- Phenanthrene cation**, 8a-azonia-3,4-diaza-, preparation and X-ray structure, 426
- 9,10-diaza-, photoreduction of the n, π^* singlet of, by triethylamine, 674
- photochemical cyclization of diphenylacetylene to; *cis*-stilbene as an intermediate, 362
- Phenanthridine**, from photo-isomerization of biphenyl-2-yl isocyanide, 961
- Phenanthro[9,10-b]furans**, photochemical synthesis, 615
- 1,10-Phenanthroline**, crystal structures of reaction products with bis(*OO'*-dimethyldithiophosphato)nickel(II), 350
- Phenol**, derivative, 1,2-dihydro-, isolation during an oxepin synthesis, 810
- Phenol**, *p*-nitroso-, reaction of 2-methylpent-2-ene with, and with *NN*-dimethyl-*p*-nitrosoaniline, 1507
- Phenols** and their derivatives, intermediates in chlorination, 1324
- allyl-, biosynthesis in *Ocimum basilicum* L., 1108
- "amplifying" effect of hydrogen bonding on the correlation of frequencies of O-H stretching vibrations of, with Hammett substituent constants, 1565
- and organoboranes, synthetic route to; reaction of diborane with organomercury compounds, 1475
- coupling of *via* an anodically generated phenoxonium ion, 1643
- o*-cyano-, new route to. Displacement of mobile nitro-groups in reactions with cyanide ion, 1120
- mechanism of oxidative coupling in; significance of the phenoxylium ion from α -tocopherol spirodimer, 1141
- Phenoxazines** and the 5,11-dihydrodibenzo[*b,e*][1,4]oxazepine ring system, nitrene-induced rearrangements leading to, 1431
- Phenoxide ions**, carbon *versus* oxygen alkylation in reactions with cyclopropylmethyl bromide, 334
- Phenyl migration**, photochemical, involving free radicals. Photolysis of 1-bromo-2-phenylpropane, 1348
- Phenylacetate ions**, anodic oxidation, 438
- L-Phenylalanine ammonia-lyase**, stereochemical course of elimination catalysed by, and configuration of 2-benzamido-cinnamic azlactone, 185
- Phenylalanine epoxide**, possible involvement of, in biosynthesis of gliotoxin, 163
- mode of incorporation in biosynthesis of mesembrine and related alkaloids, and examination of norbelladines as precursors, 228
- 2-Phenylallylic alcohols**, reaction with lithium aluminium hydride, 381
- N-Phenyl-N-(α -cyanobenzyl)hydroxylamines**, 312
- Phenylcyclopropane**, reaction with lead(IV) diacetate difluoride, 796
- Phenylcyclopropanes**, fluorescence, 934
- Phloroglucinol**, synthesis of some related new 2,2-dimethylchromens, 76
- Phosphates**, crystal and molecular structure of disodium DL-glycerol 3-phosphate hexahydrate, 984
- new, improved syntheses of bisbenzeneiron(II) hexafluorophosphate and related compounds, 930
- novel synthesis of phosphate esters, 912
- Salts of the dimethyltetrafluorophosphate, [Me₂-PF₄]⁻, anion, 1456
- Phosphetan oxides**, 1-azido-, photolysis, 442
- 2,2,3,4,4-pentamethyl-, assignment of configuration to, using tris(dipivalomethanato)europium(III), 721
- Phosphetanium salts**, dialkoxy-, alkaline hydrolysis of, stereochemistry: nature and energetics of the pentaco-ordinate intermediates, 59
- Phosphetans**, 1-phenyl-, hexafluoroacetone adducts. Barrier to placing a four-membered ring diequatorial in a trigonal bipyramid: nuclear magnetic resonance study, 1011
- Phosphetidine**. Crystal and molecular structure of 1,3-(di-*t*-butyl)-2,4-dichlorodiazadiphosphetidine, 1405
- Phosphinate**. Absolute configuration of methyl methylphosphinate: reassignment and its stereochemical consequences, 605
- Phosphinate**—*continued*
- Stereospecific free-radical addition of menthyl phenylphosphinate to cyclohexene: evidence for retention of configuration at phosphorus, 146
- Phosphine** and arsine chalcogenide derivatives, tertiary, of Group VI metal carbonyls, 1357
- and arsine, tertiary, complexes of copper(II), 780
- and carbonyl complexes of iron, measurement of the coupling constants $^1J(^{57}\text{Fe}-^{13}\text{C})$ and $^1J(^{57}\text{Fe}-^{31}\text{P})$, 1173
- co-ordination, localized orbital interpretation of ESCA chemical shifts on, 943
- ditertiary-, bridged derivatives of [(π -C₆H₅)Fe(CO)₂]₂; reversible oxidations in, 1544
- monomethyl-, barrier to internal rotation in: an *ab initio* LCAO-MO-SCF study, 611
- olefinic tertiary, chelate Mn-C and Re-C σ -bonded complexes formed by hydrometallation of, 94
- olefinic tertiary, mono-olefin chelate complexes with iron(0) and ruthenium(0), 341
- Preparation and crystal structure of fluorophosphinerhodium(I) complexes, 762
- rhodium and iridium complexes, ditertiary, containing the molecular unit S₂ or Se₂ as a ligand, 232
- sulphide and oxide, chloro(di-isopropylamino)phenyl-, barriers to rotation around the P-N bond, 867
- Synthesis of carbohydrate C-phosphine oxides, 84
- tertiary, cationic palladium hydride complexes, 549
- Tertiary phosphine-palladium(0)-ethylene complexes, 563
- X-Ray crystal structure of oxodichlorotris(dimethylphenylphosphine)molybdenum(IV), [MoOCl₂(PMe₂Ph)₃], 147
- Phosphines**. Dissociation of tris(triphenylphosphine)chlororhodium(I) in solution, 1571
- tertiary *t*-butyl-, and rhodium trichloride, some novel complexes including very active hydrogenation catalysts formed from, 210
- Phosphinothioylidene** (R-P=S), reactions of, as intermediate, 1186
- Phosphite complexes**, trialkyl, cationic, of the gold, silver, and platinum metals, 1508
- trialkyl, P(OCH₂)₃CMe, intermediate in bromination of 668
- triaryl, intramolecular metal-carbon bond formation in some complexes with platinum(II) and palladium(II), 130
- Phosphites**, five-membered cyclic, reduced nucleophilic reactivity: correlation with transition state structure, 1255
- Phosphobetaines**, fate in protic solvents, 1336
- Phosphole oxide anions**, electron spin resonance spectra, 782
- 1,2,5-triphenyl-, crystal and molecular structure, 1062
- Phospholes**, dioxabenzofluoro-, containing more than one fluorine atom bonded to phosphorus, 1452
- Phospholipid dispersions**, aqueous, value of proton relaxation measurements in study of, 1171
- Phosphonate anions**, condensation with 4-amino-5-nitrosopyrimidines: a new pteridine synthesis, 189
- Phosphonicacyclohexa-2,5-diene salts**, 1,4-di-, electrochemical reduction without accompanying cleavage, 1478
- Phosphonium acetylde**. Crystal and molecular structure of [Mn(CO)₄(C₂PPh₃)]—a co-ordination compound of the unusual carbonyl-ylide product, Ph₂P⁺-C≡C⁻, 826
- Phosphonium iodide**, methyltrineopentyloxy-; crystalline Michaelis-Arbuzov intermediate and its mode of decomposition, 1297
- Phosphonium ion**, trichlorobromo-, existence and vibrational characterisation, 860
- Phosphonium salts**, alkoxy(methylthio)-, alkaline hydrolysis of, with retention of configuration at phosphorus, 714
- Phosphonothionates**, stereoselective synthesis from phosphonate analogues: basic hydrolysis of chiral phosphonothionates to a racemic product, 366
- Phosphoramidate**, hexamethyl-, blue solutions of sulphur in, 1623
- hexamethyl-, sodium cyanoborohydride in. An exceptionally selective reagent system for the reduction of alkyl iodides, bromides, and tosylates, 1097
- Phosphoranes**. Crystal structure of methanetetraylbis(triphenylphosphorane) (hexaphenylcarbodiphosphorane), 582
- Phosphoranes**, piperidylfluoro-, methyl-substituted, fluorine-19 nuclear magnetic resonance studies, 1454
- reaction with carbonyl reagents to produce olefins *via* vinylphosphonium salt intermediates: reactions of phosphorus compounds, 1000

- Phosphoric triamide**, hexamethyl-, conversion of benzyl alcohols into benzyl dimethylamines by, 1018
hexamethyl-, dehydrohalogenation of primary alkyl halides in, 113
- Phosphorinan** *cis*-4,6-dimethyl-2-oxo-2-triphenylmethyl-1,3,2-dioxo-, crystal structure, 227
1-phenyl-4,4-dimethoxy-, crystal structure and conformation, 1020
- Phosphorus**. Alkyl derivatives of nickel, palladium, and platinum stabilized by chelation with phosphorus, 470
¹³C Nuclear magnetic resonance spectra of the complexes *cis*-[PtMe₂(XMe₂Ph)₂] (X = P or As), 431
cations of, in disulphuric acid, 1030
Crystal structure and chemistry of nitrilo-hexaphosphonitrilic chloride, 357
Dependence of ¹J_{PP} upon internal rotation in biphosphines, 1589
Electron spin resonance evidence for greatly enhanced hyperconjugation in radicals containing tin, phosphorus, and arsenic, 1068
New type of phosphorus compound by autocondensation of hexamethylphosphoric triamide, 1152
Novel hexacoordinate compound, sodium tris[ethylene glycolato(2-)]phosphate (1-), 1070
³¹P nuclear magnetic resonance study of conformers of *trans*-[MCl(CO)(PBU₂R₂)] (M = Rh or Ir, R = Me, Et, or Prⁿ), 1103
phosphoric anhydride effect of a cyclic structure at P^{III} on the reactivity of an ester of, 1257
Preparation and crystal and molecular structure of a trigonal bipyramidal iridium(II) complex containing only phosphorus as donor atoms, 1570
Rearrangement of phosphorylated amidoximes, 1050
 σ - π Spin polarization parameters, 214
Stepwise coordination of 1,2-bis(diphenylphosphino)ethane to [(π -C₆H₅)Fe(CO)₂(OCMe₂)⁺] Isolation and reactions of the unidentate intermediate, 309
trichloride, formation of 10,10'-(5*H*,5'*H*)-spirobiphenophosphazium chloride by interactions with diphenylamine, 1213
trifluoride and phosphorus oxyfluoride, bonding in An *ab initio* SCF-LCAO-MO study, 996
- Phosphorylaminofurans**, new method for the conversion of 3-aryl-2-cyano-esters into Use of *N*-phosphorylketenimines, 10
- Phosphotriester** intermediates, approaches to oligoribonucleotide synthesis *via*, 869
- Photochemistry** of α -nitro-ketones, 1609
- Photoelectron energy spectra** of molecules having classically non-conjugated π systems, 142
- Photoelectron spectroscopy**, X-ray, application of, to the determination of the structure of a deprotonated ethylenediamine ruthenium complex, 1618
- Photo-enol**, stereoselective trapping of, 21
- Photothebainehydroquinone**, action of acid on stereochemistry of opening of cyclopropanes, 547
- Phytoecdysones**, new, from *Dacrydium intermedium*, 71
- Picolyl** ester method of peptide synthesis, use of a macroreticular ion-exchange resin in the isolation stage, 1057
- Pinselin**, revised structure of cassiolin and identity with, 423
- Piperidylfluorophosphoranes**, methyl-substituted, fluorine-19 nuclear magnetic resonance studies, 1454
- Platinum**. Activation of simple alkanes by a platinum(II) complex homogeneously catalysed hydrogen-deuterium exchange, 462
and palladium complexes, X-ray photoelectron studies observation of the *trans*-influence and distinction between terminal and bridging chlorine, 602
Bis- and tris-(dibenzylideneacetone)platinum and the stabilization of zerovalent complexes by an unsaturated ketone, 982
¹³C Nuclear magnetic resonance spectra of the complexes *cis*-[PtMe₂(XMe₂Ph)₂] (X = P or As), 431
Cationic methyl platinum(II) nitrile and imino-ether complexes, 387
Chelate compounds of platinum(II) containing only sigma and pi carbon-to-metal bonds, 1459
Crystal and molecular structure of the butadiene complex [NMe₂Et]₂⁺[Pt₂Cl₆(C₄H₆)₂]²⁻, 467
Electron-rich olefin as a source of co-ordinated carbene-synthesis of *trans*-PtCl₂[C(NPhCH₂)₂]PEt₃, 400
gold, and silver metals, cationic trialkyl phosphite complexes, 1508
- Platinum**—*continued*
-hydrogen bond, olefin insertion into, 957
Inertness of the trimethylplatinum(IV) aquo-ion to electrochemical reduction, 205
Intramolecular metal-carbon bond formation in some triaryl phosphite complexes of platinum(II) and palladium(II), 130
Metal complexes as ligands structure and bonding in new bis-[bis(π -cyclopentadienyl)niobium-bis- μ -methanethiolate]-complexes of zerovalent nickel, palladium, or platinum, 896
metals, 1,3-diaryltriazene derivatives, 1315
molecular structure of bis(triphenylphosphine) alleneplatinum 1597
New substituted heteronuclear cluster carbonyls containing platinum and a metal from the Fe, Ru, Os triad, 1288
Novel cyclobutadiene-platinum(II) and alkoxy-carbene-platinum(IV) cations, 1484
Nucleophilic additions to isocyanide-platinum(II) complexes. Synthesis of [(R₃P)₂Pt(CNMe)L]²⁺ derivatives, 516
Oxidation-reduction reaction not directly related to electrolysis, brought about by application of a DC potential across a single crystal of the partially oxidized platinum atom chain compound K₂Pt(CN)₄Br_{0.3} · 2.5H₂O, 511
-oxygen electrode in molten alkali-metal nitrates, 483
Palladiacyclopentadiene and platinumacyclopentadiene complexes as intermediates in Pd⁰ and Pt⁰ catalysed acetylene cyclo-trimerization reactions, 1604
palladium, and nickel, alkyl derivatives stabilized by chelation with phosphorus, 470
Photochemical and thermal reactions of carbonatobis(triphenylphosphine)platinum(II) a convenient precursor for bis(triphenylphosphine)platinum(0), 1045
Preparation and crystal structure of bis(trimethylphosphine)-(1,2-dimethylcyclopropene)platinum, 1266
reaction of chloroplatinic acid with 1,1-dimethylcyclopropane formation of an unusual cyclobutenium cation, 128
Reactions of bis(trifluoromethyl)diazomethane with zerovalent nickel, palladium, and platinum complexes, 1095
Reactions of platinum(II) stabilised carbonium ions, 809
X-Ray crystal structure of μ -5-cyclopentadienylcyclopentadiene-bis-(π -cyclopentadienyl)platinum)-Pt-Pt, 875
zerovalent, nucleophilicity of acetylene complexes, 199
zerovalent, synthesis and reactivity of isocyanide compounds of, 1054
- Pododacric acid**, a tricyclic aromatic diterpene acid, structure, 154
- Podolactones C and D**, terpene sulphoxides from *Podocarpus neriifolius*, 1362
- Polyenes**, and olefins, palladium-catalysed hydrosilation, 247
- Polypeptides**, sequential, with amino or carboxy side-chains; use of mono esters of catechol in their racemisation-free synthesis, 1009
- Polywater**: is it silica sol?, 693
- Ponalactone A**, the norditerpene, and its glucoside, plant growth inhibitors, structure, 855
- Ponasterone A**, catabolism to ecdysterone, mokosterone, and poststerone in *Bombyx mori*, 1036
- Poriferasterol**, conversion of 24-ethylidene-sterols into, by *Ochromonas malhamensis*, 707
- Porphyrins**, reactions with thallium(III) trifluoroacetate, 540
meso-thiocyanato-, as intermediates in the synthesis of sulphur analogues of the oxophlorins, 1268
- Potassium**. Endothermic changes in K₂Pb[Cu(NO₂)₆] at 279 and 287 K, 768
peroxydisulphate standard heat of formation of, and a possible standard reaction for the measurement of heats of reaction of slow solution processes at 25 °C, 412
- Potentiometric** titrations precise, using glass electrodes, 868
- Praesodymium**. Absolute configuration of C₁₈ juvenile hormone: application of a new circular dichroism method using tris-(dipivaloylmethano)praesodymium, 1235
- Pregnane** and corticoid side-chains, two-step synthesis, 1322
- Presqualene** alcohol, synthesis, 218
- Proaporphine** and homoproaporphine alkaloids, investigations toward total syntheses, 478
- Proerythrinadienone** system, synthesis of, by phenol oxidation, 289
- Prolines**, two *N*-acyl-, evaluation of the thermodynamic parameters for the interconversion of the conformational isomers by nuclear magnetic resonance spectroscopy, 1209
(±)- β - and (±)- γ -**Promedol** alcohols, crystal structures, 1102

- (±)-**Pronuciferine**, (±)-*O*-methylorientalinone, and (±)-*O*-methylkreysigmonone, total photolytic synthesis, 724
- Propane**, 1-bromo-2-phenyl-, photolysis Photochemical phenyl migration involving free radicals, 1348
- Prop-2-ynyl alcohol**, novel rearrangement product from addition of 1-adamantyl cation, homoadamantane methyl ketone, 556
- Prostaglandins**, ionization mass spectrometry, 1074 microbial transformation, 425
- Protein-metal interaction**, model compounds for crystal structure of four silver(I) complexes with glycine, glycyglycine and imidazole, 1016
- Protoadamantane route to 1,2- and 2,4-disubstituted adamantanes** 27
- Protoadamantane and 2,4-dehydroadamantane**, simple synthesis 211 as a synthetic precursor to 2,4-diaxial adamantane derivatives, 26
- Protoberberine** → spirobenzylisoquinoline → dibenzocyclopent-[*b*]azepine rearrangement, 1642
- Protocatechualdehyde**, relative stereochemistry of protonation and hydroxylation in biosynthesis of lycorenine and haemanthidine from, 1196
- Protocatechuate**, enzymatic and non-enzymatic conversion of 3-dehydroshikimate into, stereochemistry, 765
- Proton chemical shifts**, CNDO/2 molecular orbital calculations and the existence of an electric field effect, 1218
- Proton magnetic resonance spectroscopy**, temperature and concentration dependence of paramagnetic induced shifts in, 719
- Proton magnetic resonances**, aromatic, not shifted by Eu(dpm)₃, 1505
- Protonation and electron-transfer processes**, role of dianions Radical anions and dianions of methylphenylacetylene, 1029 *N* versus *O*- Evidence from nuclear magnetic resonance spectra of [¹⁵N]acetamide in fluorosulphuric acid, 115
- Protons**, chemically shifted, nuclear magnetic resonance relaxation times of, 286
- Protoporphyrin-IX**, chloride, ferric, coupling of L-histidine methyl ester and L-histidine-containing peptide esters to, 369 Novel synthesis of deuterated derivatives, 1304
- Pteleatinum chloride**, a new quaternary quinoline alkaloid from *Ptelea trifoliata* with antitubercular and antiyeast activity antibiotics from higher plants, 1040
- Pteridine**, new synthesis, 83 new synthesis condensation of phosphonate anions with 4-amino-5-nitrosopyrimidines, 189
- (+)-**Pulegone**, conformational energy, 126
- Purine**, adenine, adenosine, and benzimidazole, isotopic hydrogen exchange in, 394
- Purines**, (8 hydroxyalkyl-, photo-dealkylation, 49
- 'D-epi-Purpurosamine'**, 2,6-diamino-2,3,4,6-tetra-deoxy-D-three hexose, 923
- Pyrano[3,4-*b*]indol-3(9*H*)-ones**, substituted, photo-oxygenation 1085
- 4*H*-Pyran-4-ones**, photochemical rearrangement to 2*H*-pyran-2-ones 1034
- Pyranosides**, benzyl 1,5-dithio- α - and - β -L-arabino-, novel synthesis from 5-*O*-toluene-*p*-sulphonyl-L-arabinose dibenzyl dithioacetal, 811 Nitrous acid deamination of methyl 4-amino-4-deoxy- α -D-galactopyranoside and 3-amino-3-deoxy- β -D-allopyranoside, 1123
- Pyrans**, arylidihydro-, reaction with oxygen, 585
- 4*H*-Pyran-4-thiones** and 4*H*-thiopyran-4-thiones, photosensitized oxygenation, 118
- Δ^1 -**Pyrazoline**, *cis*- and *trans*-3,4-dimethyl-, vibrationally excited triplet 1,3-biradicals in Hg ³P₁ photosensitized decomposition of, evidence for formation, 742
- Δ^2 -**Pyrazolin-5-ones** yielded from molecular rearrangements acyloin rearrangement, 1394, halohydrin rearrangement, 1395
- Pyrazolo[1,5-*a*]pyridines**, novel synthesis *via* ylide intermediates, 310
- Pyrazolo[3,4-*d*]pyrimidines**, new synthesis, 1442
- Pyrethrosin**, X-ray determination of molecular structure of a 3-*o*-chlorophenylisoxazoline derivative, 559
- Pyridazines**, 1,2-dimethylhexahydro-, conformation, 644
- Pyridine**. X-Ray crystal structure of a 4:1 amine complex between phthalocyanineiron(II) and 4-methyl-, 1631
- Pyridine N-Oxide**, hydrogen-bonded adduct with trichloroacetic acid, crystal and molecular structure, 860
- Pyridine N-Oxides**, photochemistry Chemical properties of singlet and triplet excited states, 456
- Pyridine-2-azo-*p*-dimethylaniline**, bidentate ligand, ternary complexes between substituted copper(II) species and, kinetics of formation, 192
- Pyridines**, 1-alkyl-1,4-dihydro-,cyclobutenes from treatment with dimethyl acetylenedicarboxylate, and a novel cyclo-elimination of a carboxamide group, 1421 2,6-dialkyl-, general synthesis, 1420 substituted, from condensation of aldehydes with ammonium salts, 476
- Pyridinium salts**, dihydro-, photocycloaddition of methanol, 778
- [10]-(2,6)-Pyridinophane**, synthesis, 32
- 2-Pyridone** and related compounds, quantitative measure of aromatic stabilization energy, 510
- Pyrimidines**, 4-amino-5-nitroso-, condensation of phosphonate anions with a new pteridine synthesis, 189
- Pyrrrole** and *N*-methylpyrrole, acid-catalysed proton exchange, 421 derivatives, bromo-, new, from the sponge *Agelas oroides*, 1129 photo-oxidation Direct formation of maleimides, 1099
- β -**Pyrrrolenines**, isomerisation to α -pyrrrolenines, 1093
- 3-Pyrrrolidinones**, new synthesis reaction of azomethine oxides with alkenes, 156
- Pyrrolidin-1-oxy**, 3 carboxy-2,2,5,5-tetramethyl-, *m*-nitrophenyl ester, enantiomeric specificity in the cyclohexanamide-catalysed hydrolysis of, 1621
- Δ^2 -**Pyrroline-4,5-dione**, 3-phenyl-, a new dienophile, synthesis and cycloaddition, 1554
- Δ^2 -**Pyrrrolinium bromide**, (*E*)-2,3-dichloro-1-(pyrrolidin-2-ylidene)-, crystal structure, 1153
- Pyrrrolinones** and 2-dialkylammonofurans, formation from γ -oxoamides, 346
- 6*H*,11*H*-Pyrrolo[1,2-*b*][2,5]benzodiazocine**, a new nitrogen heterocyclic system, synthesis, 1549
- Pyrrolylmagnesium bromide**, reaction with toluene-*p*-sulphonyl azide, 1344
- Quinine** and related alkaloids, stereospecific approach to synthesis, 539
- o*-Quinodimethanes**, sterically stabilized, 1,5-sigmatropic shifts in photodecarbonylation of 1,3-diphenylinden-2-one adducts, 1356
- β -**Quinol clathrates**, Raman spectra of guest molecules in, 270 Semiquinone free radicals determination of acid dissociation constants by pulse radiolysis, 1249
- p*-Quinol acetate**, acid-catalysed rearrangement, synthesis of (±) thalporphine, 1533
- Quinoline X-ray photoelectron spectra of uranium(VI) complexes of 8-hydroxy-**, 1600
- Quinone**, naturally occurring, structure of cercosporin, 1463
- o*-Quinonemethide**, spectroscopic observation, 771
- ortho*-Quinones**, displacement of alkyl side-chains from, 222
- Quinoxalin-2(1*H*)-one 4-*N*-oxides**, 1-hydroxy-, synthesis, 586
- Quinoxalin-2(1*H*)-one 4-*N*-oxides**, 7-methyl-, novel acetoxylation reactions, 1550
- (**R¹CH₂-CR² Y**)₂, electrochemical synthesis of compounds of this general formula, 1369
- Racemates**, ligand chromatography on asymmetric complex-forming sorbents as new method for resolution, 490
- Racemisation** in peptide synthesis, 1588
- Raman spectra** of molecules adsorbed on porous Vycor glass elimination of the fluorescent background, 887
- Rate accelerations** by alteration in the orientation of reacting atoms. Comparison of lactonizations in bicyclo[2,2,2] and bicyclo[2,2,1] ring structures, 854
- trans* → *cis*-Rearrangement**, thermal, unusual, 171
- Rhenium and manganese carbonyl derivatives**, ligand-bridged; preparation, reactions, and crystal structures, 1229 Bonding of aliphatic dimtriles in halogeno(dimtrile)tricarbonyl-manganese(II)rhenium(I) complexes, 482
- Chelate Mn-C and Re-C σ -bonded complexes formed by hydrometallation of an olefinic tertiary phosphine, 94
- Disproportionation of pent-2-ene by a homogeneous rhenium pentachloride-tetrabutyltin catalyst, 1170
- Low frequency vibrational spectra of some rhenium(III) dimeric complexes, 572

Rhenium—*continued*

- New polynuclear carbonyl hydride complexes containing osmium with manganese or rhenium, 62
 New preparation of rhenium(IV) chloride, 706
 Oxotrithlororhenium(V), ReOCl_3 , 75
- Rhodium** 1 4 Addition of hexafluorobut-2-yne to a rhodium(I)-acetylacetonate ring, 331
 and iridium, cyanotrihydroborato- and tetrahydroborato-complexes of, 1615
 and iridium, four-, five-, and six-co-ordinate cationic isonitrile complexes, 1197
 and iridium, simple synthetic route to d^9 complexes, 418
 bis-azoarene complexes X-ray crystal structure of bis-(azoarene)rhodium acetate, 168
 μ -Chloro μ -hydrido-dichlorobis(pentamethylcyclopentadienyl) di-rhodium and iridium as homogeneous hydrogenation catalysts, 734
 Complexation of olefins with planar rhodium(I) co-ordination compounds, 650
 complexes, reactions with azobenzene and related compounds cleavage of N:N and C:N bonds, 661
 Crystal structure of bromo(tri-*o*-vinylphenyl)phosphinerhodium(I), 1253
 Crystal structures of ethylene and tetrafluoroethylene complexes of rhodium(I), 197
 Dissociation of tris(triphenylphosphine)chlororhodium(I) in solution, 1571
 Ditertiary phosphine rhodium and iridium complexes containing the molecular unit S_2 or Se_2 as a ligand, 232
 Geometry of a ligand-field excited state of $\text{Rh}(\text{NH}_3)_5\text{I}^{2+}$, 1061
 Homogeneous catalytic decomposition of formic acid by rhodium and iridium iodocarbonyls and hydroiodic acid, 1072
 ^{31}P nuclear magnetic resonance study of conformers of *trans*- $[\text{MCl}(\text{CO})(\text{PBU}_2\text{R})_2]$ (M = Rh or Ir, R = Me, Et, or Prⁿ), 1103
 Preparation and crystal and molecular structure of di- μ -acetatobis(dimethylglyoximate)bis(triphenylphosphine)-dirhodium(II), 1207
 Preparation and crystal structure of fluorophosphinerhodium(I) complexes, 762
 Protonation of cyclo-octa-1,5-diene- and cyclo-octa-1,3,5-triene-cyclopentadienylrhodium(I) novel versatility of metal co-ordination, 1252
 Reaction of a diazepine with chlorodicarbonylrhodium(I) dimer molecular structure of chloro-*cis*-dicarbonyl-(3,5,7-triphenyl-4*H*-1,2-diazepine)rhodium(I), 427
 Reactions of cyclopropanes with dicarbonylchlororhodium carbonyl insertion and isomerisation, 931
 Reassignment of the structure of $\text{MCl}_3(\text{SET}_2)_3$ (M = Ir, Rh, and Ru), 804
 Rhodium(I) catalysed rearrangements of cyclo-octatetraene epoxide and bicyclo[6,1,0]nonatrienes, 1248
 sequential rhodium-catalysed isomerisation and disproportionation of 4-vinylcyclohexene, 620
 trichloride and tertiary *t*-butylphosphines, some novel complexes including very active hydrogenation complexes formed from, 210
 trichloride trihydrate, and allyl alcohol on diallyl ether, products formed from; crystal and molecular structure of $[\text{Rh}_2\text{Cl}_4(\text{C}_6\text{H}_{11}\text{O})_2]\cdot\text{CH}_3\text{OH}$, 712
 trichloride trihydrate, products formed with 2-methylallyl alcohol Determination of the structure of $[\text{RhCl}_2(\text{C}_6\text{H}_5\text{O})(4\text{-methylpyridine})_2]_2$ by X-ray crystallography, 841
- 8-Ribityl-lumazine**, 6,7- d_1 [^{14}C]methyl-, biosynthesis of 5,6-dimethylbenzimidazole from, 191
- Ring opening**, thermal, of *exo,exo*- and *exo,endo*-1,3-diethyl-2,4-dimethoxycarbonylbicyclobutane 1616
- Roridins** and verrucarins, biosynthesis of verrucarol, the sesquiterpene moiety of, 404
- Rosein III** (11 β -hydroxyrosenonolactone) and rosenonolactone, chemical correlation, 37
- Ruthenium**. Activation of molecular oxygen, hydrogen, carbon monoxide, and olefins by a ruthenium(II) complex, 561
 π -bonded acyl complexes, 777
 cationic bis-aryloxo-, and related complexes, 1159
 Cationic ruthenium ammine complexes of cyanotrihydroborate and of hydrogen cyanide, 7
 complexes, used under mild conditions in catalytic carbonylation of amines, 1482

- Ruthenium**, deprotonated ethylenediamine complex, application of X-ray photoelectron spectroscopy to the determination of the structure of, 1618
 Deprotonated ruthenium(III) hexa-ammine and its role in aequation and proton exchange reactions, 1410
 Effect of hydroperoxides on the isomerization of olefins catalysed by a ruthenium(II) complex, 562
 Enhanced reactivity of methylamine co-ordinated to ruthenium(II), 629
 evidence of a binuclear nitrous oxide complex, 287
 Insertion reactions of acetylenes with a cyclopentadienyl-ruthenium phosphine hydride structure of a butadienyl-ruthenium complex, 852
 Lewis acid promoted terminal-to-bridge carbonyl shift in $[(\pi\text{-C}_5\text{H}_5)_2\text{Ru}(\text{CO})_2]_2$, 254
 Magnetic hyperfine splitting of the ^{99}Ru Mossbauer resonance in SrRuO_3 , 319
 Mono-olefin chelate complexes of iron(0) and ruthenium(0) with an olefinic tertiary phosphine, 341
 Oxotruthenium cluster complexes, 967
 Protonation of tricarbonyl(cyclo-octatetraene)-ruthenium(0) and -osmium(0), 621
 Quantum yields for the photoaquation reactions of $[\text{Ru}(\text{NH}_3)_5\text{py}]^{2+}$ and related complexes unusual dependence on acid concentration, 530
 Reactions of nitrosylpenta-ammine ruthenium(II) with hydroxylamine, hydrazine, and ammonia, 200
 Reassignment of the structure of $\text{MCl}_3(\text{SET}_2)_3$ (M = Ir, Rh, and Ru), 804
 trimers, mixed-valence, hydroxide ion as a reducing agent for, 331
 zerovalent, isocyanide complexes Proton addition to a transition-metal base offering alternative base-sites, 1271
- Salviol**, a new phenolic diterpene, structure, 541
- Santonene**, 4 β -acetoxy-1,2-dihydro-, molecular rearrangement, 641
- Sapogenins**, biosynthesis, in tissue cultures of *Dioscorea tokoro* Makino, 284
- Sceletium alkaloid A₄**, a pyridine alkaloid from *Sceletium namaquense* structure direct method X-ray determination, 1466
 Partial racemic, and tortuosamine, pyridine alkaloids from *Sceletium tortuosum* N E Br, structures, 1467
- Scotophobin**, a specific behaviour inducing brain peptide, use of mass spectrometry in structural elucidation, 432
- Seco-cubane** derivatives, Ag⁺-catalysed rearrangements, 248
- Selenium**. Crystallographic evidence for the existence of the phases In_4Se_3 and In_4Te_3 which contain the homonuclear triatomic cation $(\text{In}_3)^{5+}$, 1568
 Dichloro(tetramethylthiourea)selenium(II) stabilization of the SeCl_2 molecule *via* co-ordination, 293
 Ditertiary phosphine rhodium and iridium complexes containing the molecular unit S_2 or Se_2 as a ligand, 232
 Formation of cyclo-octyne by pyrolysis of cyclo-octeno-1,2,3-selenadiazole, 1059
 Matrix isolation laser Raman spectroscopy Raman spectra and structures of selenium dioxide monomer and dimer, 686
 Structure of a [1,2,5]oxaselenazole[2,3-*b*][1,2,5]oxaselenazole-7- Se^{IV} by X-ray crystallography and nuclear magnetic resonance spectroscopy, 594
 Uranyl group Preparation and crystal and molecular structure of bis-(*NN*-diethyl diselenocarbamate)dioxo(tri-phenylarsine oxide)uranium(VI), $\text{UO}_2[(\text{C}_2\text{H}_5)_2\text{NCSe}_2]_2(\text{C}_6\text{H}_5)_3\text{AsO}$, 1501
- Semicarbazides**, azoalkane synthesis by direct oxidation of, with copper halide, 297
- Semicorrin**, synthesis substituted γ -butyrolactams, 926
- Semiquinone** free radicals determination of acid dissociation constants by pulse radiolysis, 1249
- Sepedonin**, fungal tropolone, location of isotope from labelled acetate and formate in, by ^{13}C nuclear magnetic resonance spectroscopy Use of ^{13}C in biosynthetic studies, 325
- Sequirin-B**, (\pm)-trimethyl-, stereoselective total synthesis, 922
- L-Serine**, *O*-benzyl-, preparation, 883
- Sesquiterpenes**, germacrone-type, biogenetic model reactions, 974
- Seychellene**, racemic, synthesis based upon intramolecular Diels-Alder addition of a cyclohexadienone derivative, 1120

- Shereshesky's equation**, application for the determination of solid surface dispersion energy, 377
- Shikimate**, 3-dehydro-, stereochemistry of enzymatic and non-enzymatic conversion into protocatechuate, 765
stereochemistry of hydrogen elimination from C-6 of, in naphthoquinone biosynthesis, 576
- Siccanin**, chromene derivatives as intermediates in biosynthesis, 527
- [1,9]Sigmatropic shift**, thermally degenerate, 832
- Silane**, dimethylchloro-, new route, 507
fluoro-, and fluorogermane, *ab initio* molecular orbital calculations of electronic structure, 445
- Silanes**, chemisorbed, pyrolysis Reactive silica, 579
chloro-, kinetic evidence for a six-co-ordinate silicon intermediate in racemisation, 1086
organo-, coupling reactions of Grignard reagents with, solvent effects on the stereochemistry, 252
organo-, magnetic non-equivalence in. effects of structure, solvent, and temperature, 953
poly-, permethylated linear and branched-chain, photolysis, 489
- Silanone**, dimethyl, from pyrolysis of octamethylcyclotetra-siloxane, 251
- Silica gel** and alkali-metal halide crystals, use of metastable colour-centres in, to catalyse exchange between tritium gas and hydrocarbons, 1264
surfaces reactions with boron halides, 1237
- Silicon**. Complexes containing cobalt-silicon metal-metal bonds, 524
Crystal structure of bis- μ -(trimethylsilylmethylidyne)-tetrakis(trimethylsilylmethyl)dinobium(v). New type of carbon bridging group, 1477
Flow method for the study of silicon and germanium atom reactions by direct spectroscopic observation, 1012
New class of small *nido*-carbonane compounds containing a stable B-MMe-B (M = Si or Ge) three-centre bond, 622
Non-rigid carbon-carbon double bonds conformational assignments of keten methyl trimethylsilyl acetals, 137
Novel insertion reactions of vinylidene-carbenes into carbon-hydrogen and silicon-hydrogen bonds, 692
Novel organosilicon cyclophane and its radical anion, 50
Novel route to optically active organosilicon compounds, 1365
Palladium-catalysed hydrosilation of olefins and polyenes, 247
Polywater is it silica sol? 693
Silylated and germylated polysilanes, 1372
Stereochemistry of a Michaelis-Arbusov reaction alkylation of optically active ethyl trimethylsilyl phenylphosphonite with retention of configuration, 606
- Siloxy-Cope rearrangement**, ring expansion by, 237
- Silver**(I) ion catalysis of benzyne cycloadditions, 1076
Ag⁺-catalysed rearrangements of seco-cubane derivatives, 248, and copper carbonyls, infrared spectroscopic evidence for, 978
complex of antibiotic X-537A, X-ray crystal structure a structure enclosing two metal ions, 181
gold, and platinum, cationic trialkyl phosphite complexes, 1508
- Silver**. Crystal and molecular structure of Pollards salt, (NH₄)₆(AuCl₄)₃Ag₂Cl₆, 1523
Dark reaction of alcohols with silver compounds and bromine, 474
Model compounds for metal-protein interaction crystal structures for four silver(I) complexes with glycine, glycylglycine, and imidazole, 1016
-Silver chloride and hydrogen electrodes, behaviour in acetone-triethylamine solutions, 990
Thermodynamics of the silver-olefin bond influence of chelation and symbiotic effect, 690
- Silyl** and alkyl substituted π -hydrocarbons, analysis of ionization potentials and charge distribution using the CNDO/2 method, 816
and germyl halides, photo-electron spectra and (*p* \rightarrow *d*) π -bonding, 57
- Silylamines**, pentaborane(9)-catalysed condensation, 1246
- Silylammonium** compounds, formed from reaction of the protonic acids, HCo(PF₃)₄ and HCo(CO)₄, with *NN*-dimethyl(trimethylsilyl)amine, 48
- Simarolide**, model experiments on melanodiol directed towards natural occurrence of melanodiol and its diacetate in *Samadera madagascariensis* (Simaroubaceae), 261
- Sisomicin**, a novel unsaturated aminoglycoside antibiotic from *Micromonospora imgoensis*, structure, 285
stereochemistry and attachment of the unsaturated sugar moiety, 924
- Sodium chloride**, structure of complex with '*p,p'*-methylene diamine, 1403
hydride and dimethylformamide, novel aromatisation reaction with cyclohexenone derivatives, 660
Polymerization of 9-vinylacridine with a sodium-naphthalene complex, 607
Redetermination of the crystal structure of a sodium molybdenum oxide bronze Na_{0.9}Mo₆O₁₇, 13
Solvation shell changes from the nuclear magnetic resonance linewidth of ²³Na, 759
- Solid surface dispersion energy**, application of Shereshefsky's equation for the determination of, 377
- Solubilities** and free volumes, 514
- Solutions**. Blue solutions of sulphur in hexamethylphosphoramide, 1623
- Solvated electrons** in concentrated solutions, rate constants and relative yields, 1353
- Solvation shells**, organic, carbon-13 nuclear magnetic resonance as a tool to study, 1265
- Sparteine**, a ligand for magnesium in organometallics nuclear magnetic resonance studies of exchange, 273
- Spectinomycin**, biosynthesis, 1541
- Spirobenzylisoquinoline**. The protoberberine \rightarrow spirobenzylisoquinoline \rightarrow dibenzocyclopent[*b*]azepine rearrangement, 1642
- 10,10'-(5*H*,5'*H*)-Spirobiphenophosphazinium chloride**, formation by the interaction of diphenylamine and phosphorus trichloride, 1213
- Spirodienone**, photochemistry, 47
- (S)-(-)-Spiro(4,4)nonane-1,6-dione**, X-ray analysis and valence-force calculations, 1305
- Stereochemistry**, triangular dodecahedral, of Mo(CH₂NC)₄(CN)₄, an X-ray study, 1617
- Steroid D-ring annelation**, a new approach stereoselective intramolecular alkyne-carbonium ion collapse, 1107
- Steroidal alcohols**, masked, deprotection by hydride transfer, 1109
aromatization acid reactions, novel, 1119
2,4-dienes and related trienes origin of the folded conformation in levopimaric acid, 121
dienones, aromatization, 1146
4,6-diols, unusual acid-catalysed reaction with acetone, 717
thioacetals, formation of ketones from, 750
 $\beta\gamma$ -unsaturated sulphoxides, chiroptical properties, 1401
- Steroids**, 17 β -acetoxy-, deacetoxylation on alumina, 1581
Formation of ketones from steroidal thioacetals, 750
Mechanism of aromatization of some epoxyhydroxysteroids, 1343
methylene, and related compounds, analysis by the Octant Rule Olefin stereochemistry, 545
microbiological 18 hydroxylation, 1157
New synthesis of steroidal trihalogenomethylallenes, allenic acids, and β -keto-esters, 1028
D-nor-, conformations by X-ray analysis, 1133
 Δ^4 -3-oxo-, rationalization of their chiroptical properties, 785
selective hydroboration of $\Delta^{20(21)}$ -steroids, 1087
Stereospecific and regiospecific addition to an isolated, acyclic (steroidal) olefinic bond, 715
Synthesis of the (\pm)-17 α -ethynyl-17 β -hydroxy-13 β -allylgon-4-en-3-one, 336
unnatural, transformation by micro-organisms. 14 β -Hydroxylation of an androstane derivative, 1060
- Sterol**, C₂₆ marine, novel, synthesis, 1194
- Sterols**, 24-ethylidene-, conversion into poriferasterol by *Ochromonas malhamensis* 707,
- Stibenes**, lower limit to the barrier to pyramidal inversion in, determined by nuclear magnetic resonance spectroscopy, 1058
- Stilbene oxides**, cyano-, conrotatory opening of, to carbonyl ylides, 1192
ozonides, reactions with dimethyl sulphoxide and dimethylformamide, 1094
cis-stilbene as an intermediate in the photochemical cyclization of diphenylacetylene to phenanthrene, 362
- Stilbenes**, unsymmetrical, direct methylations using methylsulphinyl anion, 1015

- Strictosidine**, 5 α -carboxy-, 908
stereochemistry, 905
- Strontium**. Magnetic hyperfine splitting of the ^{89}Ru Mossbauer resonance in SrRuO_3 , 319
- Styrene**, *o*-bromo-, ferrandene-iron tricarbonyl complexes by a novel dehydrobromination on photolysis with $\text{Fe}(\text{CO})_5$, 1241
- Styrenes**, β -nitro-, stereochemical course of Diels-Alder reaction with *trans,trans*-1,4-diphenylbutadiene, effect of substituents, 303
- Sugar** moiety, unsaturated, of sisomicin stereochemistry and attachment, 924
- Sugars**, complexing of, with metal ions, 500
unsaturated, reaction with isocyanatosulphonyl chloride
Preparation of 3-amino-3-deoxy-D-glucal derivatives, 581
- Sulphates**, fluoro-, formation solvolysis of brominated neopentyl derivatives in super acid, 1174
- Sulphenamides**, new one-step synthesis of, from alkyl and aryl disulphides, 1625
- Sulphenyl chloride**, trichloromethane-, reactions formation of trichloromethylsulphenylsulphonyldichloromethane, 1400
- Sulphenyl chlorides**, amino-, R_2NSCl , preparation and reactions, 1413
- Sulphide**, carbonyl, absolute signs of dipole moment derivatives, in, 981
- Sulphilimine**, *SS*-diethyl-*N*-dichloroacetyl-, crystal and molecular structure, 1447
- Sulphilimines**, cyclic, configurational criteria for, 316
- Sulphinates** complexes of iridium(II) and -(III), *O*-bonded and *S*-bonded Ligand isomerisation accompanying change in co-ordination number, 1556
- Sulphinic acids** from photoreaction of *t*-butyl-*p*-benzoquinones with sulphur dioxide. biradical trapping with sulphur dioxide, 73
- Sulphites**, cobalt(II) and nickel(II), unusual oxidation of, involving sulphur dioxide in a non-aqueous medium, 671
cyclic, directing effect of the $\text{S} \rightarrow \text{O}$ configuration on the pyrolysis of, 271
Dual role of bisulphite in the deamination of cytidine 5'-phosphate, 1178
- Sulphonates**, dialkyl- β -thiovinyl, anchimeric assistance effects due to the β -sulphur atom in solvolytic reactions, 1325
Nucleophilic photo-substitution reaction of sodium 1-amino-4-bromoanthraquinone-2-sulphonate, 1347
- Sulphones**. C-C Bond cleavage reactions of episulphones
Convenient new synthesis, thiopin 1,1-dioxide, 313
 $\alpha\alpha$ -dichlorodibenzyl, triethylenediamine-induced Ramberg-Backlund rearrangement, 22
- Sulphonium biscarbonyl ylides**, solvolysis, 756
- Sulphonium cyclopentadienyliide**, evidence for aromatic character from nuclear magnetic resonance measurements, 716
- Sulphonium ions**, oxo-, optical resolution and absolute configuration, 1577
- Sulphonium salts**, allenic, simple new synthesis of furans by the addition of enolate anions, 534
optically active, synthesis from optically active sulphoxides, 1051
- Sulphonium ylide-salt** coupling reaction, stereospecific, 1382
[2,3]sigmatropic rearrangements of, effect of stabilizing substituents, 359
- Sulphonyl chloride**, isocyanato-, reaction with unsaturated sugars Preparation of 3-amino-3-deoxy-D-glucal derivatives, 581
- Sulphonyl cyanides**, photochemical addition to olefins, 1397
- Sulphonyl species**, unsaturated, thermolysis the "sulpho-Cope" rearrangement, 959
- Sulphonylating** reagent, selective, use of mesitylenesulphonyl ('mesisyl') chloride, 801
- Sulphoxide**, benzyl methyl, absolute stereochemistry of α -methylation, 958
dimethyl, and dimethylformamide, reactions with some stilbene ozonides, 1094
dimethyl, deuteriated, warning regarding nuclear magnetic resonance spectral determinations in tautomeric structure of 1-methyl-5-methylaminotetrazole, 846
dimethyl, pulse radiolysis, 749
 β -oxo-, acid-catalysed formation of naphthalenes from, 555
- Sulphoxide**—*continued*
Stereospecific sulphoxide \rightarrow sulphoximine \rightarrow sulphoxide conversion, 1591
 $\alpha\beta$ -unsaturated, asymmetric induction in nucleophilic addition, 471
- Sulphoxides**, measuring the protonation of, novel method, 260
partial resolution of, *via* cyclodextrin inclusion compounds, 317
Stereochemistry of the reaction of α -lithio-sulphoxides (α -sulphenyl carbanions) with ketones, 1334
terpene, from *Podocarpus neurofolius*, podolactones C and D, 1362
 $\alpha\beta$ -unsaturated, asymmetric induction in electrophilic addition, 472
 $\beta\gamma$ -unsaturated, steroidal chiroptical properties, 1401
- Sulphoximine** pyrolyses, extrusion of nitrogen, 801
Stereospecific sulphoxide \rightarrow sulphoximine \rightarrow sulphoxide conversion, 1591
- Sulphur**. Bis-(3-oxoundecyl) polysulphides in *Dictyopterus*, 1168
blue solutions of in hexamethylphosphoramide, 1623
Chlorodifluorosulphur(VI) oxide hexafluoroarsenate(V), $\text{OSClF}_2^+\text{AsF}_6^-$, 950
Crystal and molecular structure of *N*-toluene-*p*-sulphonyliminodimethylsulphur(IV) and *N*-toluene-*p*-sulphonylimino-triphenylphosphorane two sulphonyl-stabilised ylides, 918
Crystal and molecular structure of the aromatic sulphur compound 2,2'-bi-1,3-dithiole Evidence for *d*-orbital participation in bonding, 889
Crystal structure of a sulphur-rich nickel(II) dithiolate $\text{Ni}(\text{S}_8\text{CC}_6\text{H}_4\text{Pr}^t)(\text{S}_2\text{CC}_6\text{H}_4\text{Pr}^t)$, 276
Diels-Alder reactions with methyl cyanodithioformate. Approach to the synthesis of novel carbohydrates with sulphur in the ring, 1411
di-imide, diphenyl-, and diphenylketen-, molecular structure of one of the 1,2 adducts from, 1532
dioxide, reaction with transition-metal carbonyl alkyls and aryls; intermediacy of *O*-sulphinates, 1526
Ditertiary phosphine rhodium and iridium complexes containing the molecular unit S_2 or Se_2 as a ligand, 232
electron spin resonance studies in oleum The ion S_8^+ , 372
Fluxional behaviour of some nitrosyl bis(cyclopentadienyl) molybdenum sulphur complexes, 420
Formation and structure of a four co-ordinate organo-sulphur-(IV) compound, 649
Formation of an *S*-methyl derivative from the reaction of methanol with compounds of the type $\text{S}:\text{PX}_2\text{N}:\text{PF}_2\text{Cl}$, 998
heterocycles, macrocyclic unsaturated, 1458
Identification of S_4^+ in sulphur-oleum solutions, 1083
Imunosulphur difluorides. A new route to *NN*-dichloro-compounds, 788
Monodentate and bidentate behaviour of the sulphur-oxygen donor ligand monothioethenyltrifluoroacetone with zero-valent metal carbonyls of Group VI A, 1082
Nucleophilic substitution at dico-ordinated sulphur in substituted arylsulphenamides, 294
nucleophilic substitution at, with retention of configuration, 597
Preparation and properties of trithiocarbonate *SS*-dioxides, 314
Rotation about a sulphur(IV)-nitrogen double bond, 1448
 $\text{S} \cdots \text{O}$ interaction of some sulphur-containing ketones *X*-ray crystallographic and infrared spectroscopic study, 1352
tetrafluoro-lithium hexafluoroisopropylideneimine rearrangement reactions, 1272
Thiazepine photochemistry Photoaddition of methanol involving participation by sulphur, 698
unsaturated heterocycles, preferred boat conformations *X*-ray analysis of *cis*-1,4-dimethylisothochroman 2,2-dioxide, 831
- Sulphuric acid**, photolysis of triphenylmethyl cations in, 848
(\pm)-**Supinidine**, alkaloidal base, synthesis, 469
- Symmetry forbidden reactions**, transition metal catalysis of; linear free energy correlation, 388
- Synthesis**, organic, hydrated electron in, 1293
- Tannins**, condensed, hindered rotation about the sp^2 - sp^3 hybridized C-C bond between flavanoid units in, 315
condensed, tetraflavanoid, from *Rhus lancea* L f, stereochemistry, 1257
- Taspine**, biogenetically patterned conversion of magnoflorine into, 1065

- Tecomanine** and alkaloid C, an oxygenated skytanthine, two monoterpene alkaloids from *Tecoma stans* stereochemistry and absolute configuration, 994
- Tellurium.** Aromatic reactivity of tellurophen, 1441
Crystallographic evidence for the existence of the phases In_3Se_3 and In_4Te_3 which contain the homonuclear triatomic cation $(\text{In}_3)^{5+}$, 1568
- Terpene** biosynthesis, a model, 1639
- Terpenes.** Alangiside: a monoterpenoid lactam, 904
Bacterial triterpenes, 619
Biogenetic model reactions of germacrone-type sesquiterpenes, 974
Biosynthesis of verrucarol, the sesquiterpene moiety of the verrucarins and roridins, 404
Confirmation of the structure of a new diterpene trachyloban-19-ol, by tris(dipivaloylometanato)europium-shifted nuclear magnetic resonance spectroscopy, 98
Conformational isomers of laurenobiolide, a new ten-membered-ring sesquiterpene lactone, 1393
Constituents of Labiatae. Anagadiol, a new triterpene from *Salvia Broussonetii* Benth, 567
Crystallographic determinations of partial stereochemistries of the sesquiterpenoids illudol and marasmic acid, 431
ent-3 β -Hydroxybeyer-15(16)-ene-2,12-dione from *Androstachys johnsonii* Prain (Euphorbiaceae), 1346
Litsomentol, a new tetracyclic triterpene, 665
Lycoxanthol, a hydroquinone diterpenoid from *Lycopodium lucidulum* Michx., 897
Meliacins (Limonoids). Partial synthesis of mexicanolide, 727
Molecular structure of gutierolide, a novel chloro-diterpenoid lactone, 1278
Natural occurrence of melianodiol and its diacetate in *Samadera madagascariensis* (Simaroubaceae): model experiments on melianodiol directed towards simarolide, 261
New method of removal of a 4-methyl group from triterpenes, 1419
Partial synthesis of mexicanolide from 7-oxo-7-deacetoxy-khivorin, 17
Pentacyclic triterpene synthesis. Preparation of a useful intermediate, 1474
Ring contraction stage in gibberellin biosynthesis, 208
Structures of inumakilactones B and C, lactones of diterpenoid origin, 91
Structure of salviol, a new phenolic diterpene, 541
Structure of the norditerpene ponolactone A and its glucoside, plant growth inhibitors, 855
Structure of the sesquiterpene lactone laurenobiolide, 1391
sulphoxides from *Podocarpus neriifolius*; podolactones C and D, 1362
Total synthesis of (\pm)-eremophilinide, 614
Total synthesis of the sesquiterpenoid ishwarane: structure of ishwarone, 479
Total synthesis of (\pm)-trichodermin, 858
Triterpenoid alcohol from the Green River Shale; isolation and characterization, 1331
X-Ray determination of the structure of *OO*-dimethylpecoside, 899
- Tetracyanoethylene** and hexamethylbenzene, kinetics of the formation of the donor-acceptor complex between, in solution: study by a microwave temperature-jump method, 1358
- Tetracyclone**, re-investigation of reaction with chromium pentoxide etherate. Oxygen insertion reactions, 1407
- Tetracyclopropylethylene**, reaction with tetracyanoethylene, 36
- Tetradec-trans-2,4,5-trienoate**, (\pm)-methyl, the allenic sex pheromone produced by the male dried bean beetle, synthesis, 1638
- Tetraquinocyclobutane**, synthesis, 1380
- Tetrazones** as intermediates in the oxidation of *N*-amino-lactams, 800
- '**Tetrazene**' ('Tetracene'), $\text{C}_2\text{H}_8\text{N}_{10}\text{O}$, X-ray crystal and molecular structure, 2
- Tetrazole**, 1-methyl-5-methylamino-, tautomeric structure of, and a warning regarding nuclear magnetic resonance spectral determinations in deuteriated dimethyl sulphoxide, 846
- Thalicarpine** and hernaldine, tumour-inhibitory alkaloids, total synthesis, 599
- (\pm)-**Thaliporphine**, synthesis; acid-catalysed rearrangement of a *p*-quinol acetate, 1533
- Thallium.** Aromatic coupling of arylthallium(III) compounds by palladium(II) chloride, 390
Dimethylthallium(III) derivatives of decarborane(14), 1027
Formation of chlorobenzene by reaction of phenylthallium(III) compounds with copper chloride, 169
Reactions of *trans*-octaethylchlorin with thallium(III) trifluoroacetate, 1384
Reactions of porphyrins with thallium(III) trifluoroacetate, 540
Thallium(III)-induced bromination of *meta*-substituted anisoles, 1596
- Thia[11]annulenes**, alkylated, synthesis and valence isomerization, 1434
- 9-Thiabicyclo[6,1,0]nona-2,4,6-triene**, 979
- 1,2,5-Thiadiazole**, non-planar excited state of, 1368
- 1,3,4-Thiadiazole**, 2-methylene-, mesoionic, synthesis and X-ray molecular structure, 1436
- 1,3,4-Thiadiazoles**, meso-ionic, reaction with methyl azodicarboxylate, 837
- 1,3,4-Thiadiazolium** hydroxides, anhydro-2-aryl amino-, meso-ionic, synthesis; rearrangement of meso-ionic 1,3,4-thiadiazoles to meso-ionic 1,3,4-triazoles, 1222
- Thiathiophthen**, 2,5-dimethyl-, electron-spectroscopic evidence for an unsymmetrical structure, 525
- Thiathiophthens**: molecular core binding energies for; distinction between symmetrical and unsymmetrical structures by X-ray photoelectron spectroscopy, 638
- Thiazepine** photochemistry. Photoaddition of methanol involving participation by sulphur, 698
photochemistry. Ready 1,3-hydrogen shifts from a side-chain amide, 988
- 1,4-Thiazepines**, epimerisation of penicillanic acid derivatives and their rearrangement to: evidence for an *E1cB* mechanism, 450
- Thiazoles**, 4- and 5-halogeno-, unexpected mobility of the halogen in some, 1093
- Thiazoline**, 2-amino-, Transguanylation and formation from S-(2-aminoethyl)isothiurea, 1506
- Δ^2 -**Thiazolines**, new preparation. 2-(3- and 4-benz[*a*]anthracen-7-ylphenyl)- Δ^2 -thiazolines and 2-(3- and 4-anthracen-9-ylphenyl)- Δ^2 -thiazolines, 329
- 1H,3H-Thiazolo[3,4-*a*]benzimidazole**, 1-imino-, novel heterocyclic system, simple synthesis, 1100
- Thiazolo[5,4-*d*]pyrimidines**, 4-(β -D-ribofuranosyl)-, bicyclic nucleosides related to uridine, synthesis, 1515
- 4H-Thieno[3,4-*d*]azepine**: a novel dihetero-azulene, 1520
- Thiepin** 1,1-dioxide, convenient new synthesis. C-C bond cleavage reactions of episulphones, 313
- Thioacetals**, steroidal, formation of ketones from, 750
- Thioacetophenone** trimer (2,4,6-trimethyl-2,4,6-triphenyl-1,3,5-trithiolan), photochemical reaction, 1063
- Thioamides** and N^2 -acyl- N^1 -methyl- N^1 thioacylhydrazines into amides and N^1N^2 -diacyl- N^1 -methylhydrazines by trimethyl-oxonium fluoroborate, 1113
- 8,2'-Thioanhydropurine** nucleosides, novel synthesis, 890
- Thioanisoles**, *ortho*-substituted, conformational dependence of long-range coupling in, 933
- Thiobenzoic acid** *O*-esters, selective photolysis, 1014
- Thiobenzophenone**, reaction with various amines giving 3,3,5,5-tetraphenyl-1,2,4-trithiolan, 179
- Thiobenzophenones**, *ortho*-metallation reaction with di-iron enneacarbonyl, 1202
- Thiocarbonates**, S-alkyl, and carbonates, photochemical type II reaction, 1425
- Thiocyanate ion**, bonding mode: crystal structure of bis-(1,3-diaminopropane)isothiocyanatecopper(II) perchlorate, 673
bonding mode: crystal structure of bis(ethylenediamine)copper(II) thiocyanate perchlorate, 1462
co-ordinated, in cobalt(III) complexes, solvent control of bonding mode, 568
intermediates in oxidation by hydroxyl radicals, 1486
- Thioindigo**, excited, interaction with hydroxylic compounds and its implications on the photostability of indigo, 1332
- Thioketone**, alicyclic, photoadditions, 1525
- Thiols**. Photo-enethiol of *o*-benzylthiobenzophenone, 1338
- 2-Thiones**, indoline-, tautomerism and autoxidation, 836
- Thionitrosyl**, metal carbonyl, complexes, 579
- Thionocarbamates**, oxime, free-radical intermediate in thermal rearrangement, 807

- Thiophen**, and furan photochemistry, analogy between, 891
 compounds, directed metallation of, 305
 molecular core binding energies, and a comparison with *ab initio* calculations, 230
- Thiophen-2-** and **furan-2-carboxylic acids**, esters of, relative stabilities, 624
- Thiophenol**, 2-amino-, photochemical reaction of aliphatic carboxylic acids in presence of, 117
- Thiopyrano[1,2- α]benzothiophenium** ring system, tetrahydro-, synthesis by intramolecular cyclo-S-alkylation, 436
- Thiosulphonates** for electrophilic methylthiolation and arylthiolation of aromatic compounds, 1365
- Thiyl radical** and the disulphide radical anion: pulse radiolysis of penicillamine in aqueous solution, 1163
- Thymine**, radiolysis in aerated aqueous solution, 1269
- L-Thyronine** *N*-methylacetamide (1:1) complex, 3,5-di-iodo-, thyroxine analogue, crystal structure and conformation, 683
- Tin**. Crystal and molecular structure of methyltin trinitrate, 1073
 Crystal structure of a binuclear tin complex with an Sn-Sn bond, 311
 Crystal structure of dichloro-octaethylporphyrinatotin(IV), 616
 Disproportionation of pent-2-ene by a homogeneous rhenium pentachloride-tetrabutyltin catalyst, 1170
 Electron spin resonance evidence for greatly enhanced hyperconjugation in radicals containing tin, phosphorus, and arsenic, 1068
 Infrared spectroscopic evidence for molecular tin(IV) oxide (SnO₂), 1381
 Photoreduction of aromatic hydrocarbons by tri-*n*-butyltin hydride, 281
 X-Ray crystal structure of dichlorophthalocyaninatotin(IV), 840
 titanium, and hafnium tetrabenzyls, crystal and molecular structures (at -40°C), 1511
- Titanium(III)** and **vanadium(III)**, three-co-ordinated compounds, 764
 Binuclear anionic derivatives of methyltitanium trichloride, 1587
 complex catalyst, for preparation of biscyclopentadienyl magnesium, 1422
 Crystal and molecular structure of (C₅H₅)₂Ti(C₅H₅)₂, 1340
 Crystal and molecular structure of tetraphenoxytitanium(IV) monophenolate, Ti(OPh)₄HOPh, 676
 Crystal structure and bonding in the dinuclear complexes (π -C₅H₅)₂W(SPh)₂M(CO)₄ (M = Cr, Mo, and W) and (π -C₅H₅)₂Ti(SMe)₂Mo(CO)₄, 14
 Hafnium, and tin tetrabenzyls, crystal and molecular structures (at -40°C), 1511
 Intramolecular rearrangement of some bis(chelate)titanium(IV) complexes, 696
 Isolation of a binuclear complex intermediate in the reaction of molecular nitrogen with titanium compounds, 1590
 metallocycles, two new, preparation and characterization, 354
 Reaction of carbon dioxide with diphenyltitanocene and X-ray crystal structure of the product, 972
 tetrachloride, crystalline, Raman spectrum and factor group analysis, 201
- α -Tocopherol** spirodimer, significance of the phenoxylum ion from for the mechanism of oxidative coupling in phenols, 1141
- Toluene**, photosubstitution in some charge-transfer complexes of, 97
- Toluene-*p*-sulphonyl azide**, reaction with pyrrolylmagnesium bromide, 1344
- N*-Toluene-*p*-sulphonyliminodimethylsulphur(IV)** and ***N*-toluene-*p*-sulphonyliminotriphenylphosphorane**: two sulphonyl-stabilised ylides, crystal and molecular structures, 918
- Tortuosamine**, and partial racemic skeleton alkaloid A₄, pyridine alkaloids from *Sceletium tortuosum* N.E. Br., structures, 1467
- Trace-metal ions**, separation from seawater by adsorptive colloid flotation, 672
- Trachyloban-19-ol**, a new diterpene, confirmation of structure by tris(dipivaloyl-methanato)europium-shifted nuclear magnetic resonance spectroscopy, 98
- Transition-metal carbonyl alkyls and aryls**, intermediacy of O-sulphinates in reaction with sulphur dioxide, 1526
 carbonyl and π -cyclopentadienyls, molecular core binding energies as determined by X-ray photoelectron spectroscopy, 740
 carbonyl cluster compounds, carboranes, the higher boranes and borane anions, structural significance of the number of skeletal bonding electron-pairs in, 792
 carbonyls, high energy photoelectron spectra of and bonding in, 682
 catalysis of symmetry forbidden reactions: linear free-energy correlation, 388
 cation, central, electron spin resonance evidence for transfer from one set of six ligands to another, 1069
 chelates of bisacetylaceton-ethylenedi-imine and its analogues, 41
 complexes with (CF₃)₂C=N⁻ as ligand, and a tautomeric hydrogen transfer from metal to ligand, 215
 compounds, alkyl, optically active, preparation and problems in the assignment of configuration, 571
 dicarbollide complexes, electrochemical indications of new oxidation states in, 8
 ion, evidence for interaction with the oxygen atom of a terminal metal carbonyl group, 67
 nitrogen compounds, binary: infrared evidence for Ni(N₂)₂, 885
 promoted rearrangements of derivatives of bicyclo[1,1,0]-butane, ligand dependency, 842
- 1,2,3-Triazepines**, dibenzo-, and *N*-iminobenzocinnolinium ylides, 1545
- 1,2,4-Triazines**, benzo-, new synthesis, 695
- s-Triazines**, 4,6-diaryl-2-hydroxy-, and amidines, simple new synthesis, 498
- 1,2,4-Triazin-3-ones**, rearrangement to imidazolin-2-ones: rearrangement of cinnolin-3-one to oxindole, 531
- 1,2,3-Triazole** intermediates, synthesis of 2-amino-7- (also 8-) methyl-8-azapurin-6-ones (*N*-methylated '8-azaguanines') and related 8-azapurines from, 249
- 1,2,4-Triazole**, microwave spectrum and dipole moment: identification of tautomer in vapour phase, 873
- Triazoles**, 3-amino-4,5-diaryl-, substituted—routes to a new triazolyl system, 426
- 1,2,3-Triazoles**, formation of 2*H*-azirines by pyrolysis of, 1518
 mechanism of pyrolysis. 1*H*-Azirines as intermediates, 1519
 new synthesis, 532
 synthesis by reaction of azide ion with $\alpha\beta$ -unsaturated nitro-compounds and nitriles, 1001
- 1,2,4-Triazoles**, ring contraction of 1-alkyl-1,2,4-triazinium iodides to, 1636
- 1,3,4-Triazolium** hydroxides, anhydro-2-arylamino-, meso-ionic synthesis and isomerisation, 1224
- s-Triazolol[4,3- α]pyridine**, chemical and X-ray study of meso-ionic derivatives, 898
- Trichloroacetic acid**, hydrogen-bonded adduct with pyridine *N*-oxide, crystal and molecular structure, 860
- (\pm)-**Trichodermin**, total synthesis, 858
- Tricothecane** biosynthesis, hydrogen shift in, 1414
- Tricyclic rings**, functionalized bridged, novel route to: persistence of stereoselectivity in the thermal cyclizations of 5-alkenyl-cyclohexa-1,3-dienes, 1287
- Tricyclo[4.4.0.0^{2,5}]deca-3,7,9-triene**, 536
- Tricyclo[6.2.2.0^{4,6}]dodeca-9,11-dien-3-one**, 1,10-dimethoxy-4-aza-, transannular formation, 745
- Tricyclononadienyl *p*-nitrobenzoates**, stereospecific π -versus σ -participation in solvolysis, 1215
- Tricyclo[3,2,1,0^{2,7}]oct-3-ene** derivatives, single-step synthesis: double Diels-Alder reactions of coumalic acid with buta-1,3-dienes, 1292
- Tricyclo[7,2,0,0^{2,7}]undec-5-ene**, 2,6,10,10-tetramethyl-, a hydrocarbon obtained from caryophyllene dihydrochloride, structure: X-ray analysis of the dibromo-derivative, 46
- Tridecahydro-1-carba-nido-undecaborate-(1-)** ion, synthesis of, 1611
- Triethylamine**, photoreduction of the *n*, π^* singlet of 9,10-diazaphenanthrene by, 674
- Trifluoroacetic acid** and $\alpha\alpha\alpha$ -trifluoroacetophenone, photochemical reactions with benzene, 914
- Trifluoromethyl hydroperoxide**, convenient synthesis, 784
- Trimethylamine-trimethylaluminium**, molecular structure by electron diffraction, 480

- Trimethylene**, a diradical structure, unusual pyramidal folding of methylene groups, in 382
- (+)-**cis-2,2,5-Trimethyl-3-vinylcyclopentanone**, a photoisomer of (-)-*trans*-caran-4-one, synthesis of, and of (+)-fenchone total synthesis of (\pm)-fenchone, 395
- Tri-exo-norbornylborane**, base-induced bromination electrophilic substitution with predominant inversion of configuration 521
- Tripeptide**, X-ray crystallographic proof of a cyclol structure in, 1607
- Triphenylmethyl cations**, photolysis in sulphuric acid, 848
- (\pm)-**7(t),9(t)-Trisporic acid B** methyl ester, synthesis. Stereochemistry at C-9 of the trisporic acids Fungal sex hormones, 292
- 1,3,5-Trithians**, 2-substituted, convenient synthesis, 1083
- 1,2,4-Trithiolan**, 3,3,5,5-tetraphenyl-, from reaction of thio-benzophenone with various amines, 179
- Tritium** gas and hydrocarbons, use of metastable colour-centres in alkali-metal halide crystals and in silica gel to catalyse exchange between, 1264
- Tropanes**, ^1H nuclear magnetic resonance contact shifts, 34
- Tropolone**, fungal, location of isotope from labelled acetate and formate in sepedonin, by ^{13}C nuclear magnetic resonance spectroscopy Use of ^{13}C in biosynthetic studies, 325
- Tropone** and dimethylfulvene, double [6+4] adduct of, elucidation of the structure by nuclear magnetic resonance and the nuclear Overhauser effect, 109
reaction with manganese carbonyl X-Ray crystal structure of tricarbonyl-1-*syn*-(1' 2' dihydro-2'-oxo-1'-oxa-azulen-3'-yl)- h^5 pentadienylmanganese, 1239
- Tungsten**. Bis(tetrathiotungstate)nickelate(II) ion, a novel complex with the WS_4^{2-} ion as a ligand, 65
 ^{13}C Nuclear magnetic resonance spectra of the complexes $[\text{LM}(\text{CO})_2]$, L = mesitylene, durene, or cycloheptatriene, M = Cr, Mo, W, 976
Crystal structure and bonding in the dinuclear complexes $(\pi\text{-C}_5\text{H}_5)_2\text{W}(\text{SPh})_2\text{M}(\text{CO})_4$ (M = Cr, Mo, and W) and $(\pi\text{-C}_5\text{H}_5)_2\text{Ti}(\text{SMe})_2\text{Mo}(\text{CO})_4$, 14
Crystal structure of an oxidation product from the reaction between tungsten(V) chloride and trichloroacetonitrile, 231
Crystal structures of dibromotricarbonylbis[bis(diphenylarsino)methane]tungsten(II) and dibromodicarbonylbis[bis(diphenylarsino)methane]molybdenum(II) 819
Dodecatungstocuprates Tetrahedral copper(I)-copper(II) red α system, 886
hexafluoride electron affinity, 977
 σ - π Interaction in aza-allyl complexes ^1H Nuclear magnetic resonance studies of $\pi\text{-C}_5\text{H}_5\text{M}(\text{CO})_2[(p\text{-CH}_3\text{C}_6\text{H}_4)_2\text{CNC}(p\text{-CH}_3\text{C}_6\text{H}_4)_2]$ (M = Mo, W), 349
some alkyl, acetyl, aryl, and benzoyl derivatives, 1290
- Uracils**, some N-glycofuranosyl, simple syntheses of glycofuranosyamines derived from D-xylose D-mannose, and L-rhamnose, intermediates in the preparation of, 190
- Uranium**. Eclipsed and staggered configurations for a methyl-substituted cyclo-octatetraenyl dianion complex of uranium(IV) X-ray determination of the structure of $[\text{U}(\text{C}_8\text{H}_4\text{-}(\text{CH}_3)_4)_2]$, 1592
Preparation and crystal and molecular structure of $[\text{NN}'\text{-o-phenylenebis(salicylideneiminato)UO}_2(\text{EtOH})]$, 1330
X-Ray crystal structure analysis of bisphthalocyanmuranium(IV) 413
X-Ray photoelectron spectra of uranium(VI) complexes of 8-hydroxyquinoline, 1600
Uranyl group Preparation and crystal and molecular structure of bis(NN diethyl diselenocarbamate)dioxo(triphenylarsine oxide)uranium(VI) $\text{UO}_2[(\text{C}_6\text{H}_5)_2\text{NCSe}_2]_2(\text{C}_6\text{H}_5)_3\text{AsO}$ 1501
- Urea**, perfluoro-, improved synthesis, reactions of difluoroaminocarbonyl chloride 649
- Uridine**, synthesis of related bicyclic nucleosides 4-(β -D-ribofuranosyl)thiazolo[5,4-d]pyrimidines, 1515
- β -**Uridine**, the nucleoside, X-ray crystal and molecular structure, 53
- Valerate**, phenyl, specificity of hydrogen rearrangement in fragmentation upon electron impact, 1066
- Valerolactone**, γ -methyl- γ -peroxy-, synthesis, thermolysis, and photolysis, 1299
- Vanadium(III) and titanium(III)**, three-co-ordinated compounds, 764
Crystal and molecular structure of bis-(2-methyl-8-quinololato)oxovanadium(IV), 63
eight-co-ordination shown in a crystallographic study of tetrakis(dithiophenylacetato)vanadium(IV), 365
NN'-Ethylenebis(salicylaldehydato)vanadium(III)-oxygen reaction in pyridine evidence for a vanadium(III)-oxygen adduct, 1443
Tetrakis(dithiocarboxylato)vanadium(IV), 256
- cis-Verbanone**, pyrolysis, 1131
- Verrucarol**, sesquiterpene moiety of the verrucans and rodrins, biosynthesis, 404
- (\pm)-**Versimide**, synthesis 430
- Verticillin A**, a new antibiotic from *Verticillium sp.*, 44
- Vincoside**, configuration at C-3, 910
- Vinyl monomers**, polymerisation by benzyl zirconium compounds, 564
- N-Vinylcarbazole**, solvent regulation of the photosensitised reaction in the presence of an organic electron-acceptor mechanism of charge-transfer polymerisation, 1169
- Vinylidene carbene** intermediate, evidence for, in preparation of unusual products from an alkoxide ion and a 1-bromoalk-1-yne, 691
novel insertion reactions into carbon-hydrogen and silicon-hydrogen bonds 692
- Vitamin B₁₂** methyl methylation by, 850
- Vitamin B_{12a}**, direct methylation, cobalt chelates as models for methyl donors and acceptors in vitamin B₁₂-dependent transmethylation, 706
- Water** containing alkylammonium ions, proton nuclear magnetic resonance shifts for, 1204
Inherent instability of dimethylformamide-water systems containing hydroxide ion further observations, 120
Polywater is it silica sol? 693
residual, removal of nuclear magnetic resonance proton signals from in D₂O solutions using a double resonance technique 205
- X-Ray absorption spectra**, co-ordination stoichiometry and edge-width in—a correlation, 761
- Xanthate** pyrolysis-enhanced olefin production in nematic liquid-crystalline solvents, 1002
- Xenon**. Trifluoroxenon(IV) μ -fluoro-bis(pentafluoroantimonate)(V) the XeF_3^+ cation, 1543
- Ylide**, arsonium X-ray structural evidence for dipolar character in triphenylarsonium 2-acetyl-3,4,5-triphenylcyclopentadienylide 1647
carbonyl from 2,3 dicyano-2,3-diphenylloxiran, cycloadditions, 1190
- Ylides**, ammonium acetylenic, rearrangement reactions, 1493
ammonium, effect of transition-state geometry on [2,3]-sigmatropic rearrangements, 1494
ammonium, two carbonyl-stabilised, crystal and molecular structure, 1429
carbonyl, conrotatory ring opening of cyanostilbene oxides to, 1192
sulphonium biscarbonyl, solvolysis, 756
two sulphonyl-stabilised crystal and molecular structures of N-toluene-p-sulphonylaminodimethylsulphur(IV) and N-toluene-p-sulphonylaminotriphenylphosphorane, 918
- Ytterbium**. Tris(dipivaloylmethanato)ytterbium-induced shifts in the ^1H nuclear magnetic resonance spectra of some nitrogen compounds, 700
- Zeolites**, copper-exchanged X-type, electron spin resonance investigation of catalytic activity, 407
- Zinc**. Adsorbed species of oxygen on dark and on illuminated zinc oxide, 1343
Crystal and molecular structure of $(\text{C}_6\text{H}_5\text{N})_3\text{Zn}(\text{NO}_2)_2$, 129
Zinc, diethyl- carbenoid reaction with methylene iodide; catalytic effect of oxygen, 1418
Formation of a halogenocarbenoid of zinc. A novel synthetic route to halogenocyclopropane derivatives, 1375
Mass spectrometric evidence for out-of-plane bonding in bis-(NN-diethyldithiocarbamate)zinc(II) dimers, 307
Photocatalytic and thermal catalytic reaction of carbon monoxide with nitrous oxide and oxygen over zinc oxide, 736

Zinc—*continued*

Synthesis and crystal structure determinations of the bis-(5,5-diethylbarbiturato)-bisimidazole complexes of cobalt(II) and zinc(II), 290

Zirconium. Crystal and molecular structure of tetrabenzyl-zirconium at -40°C , 677
Polymerisation of vinyl monomers with benzyl zirconium compounds, 564