Corrigenda

Sulphur Chromium Complexes: Syntheses and Crystal Structures of $(\eta^5-C_5H_5)_2Cr_2(CO)_4S$ and $(\eta^5-C_5H_5)_2Cr_2(CO)_5S_2$

Lai Yoong Goh, Trevor W. Hambley, and Glen B. Robertson

J. Chem. Soc., Chem. Commun., 1983, 1458.

It has been drawn to our attention that the mono-sulphur compound (η^5 -C₅H₅)₂Cr₂(CO)₄S reported in this communication has been described previously (*Inorg. Chem.*, 1979, **18**, 3543) and that the nature of the bonding in the Cr₂S linkage has been investigated theoretically (*Inorg. Chem.*, 1982, **21**, 2870; *J. Organomet. Chem.*, 1982, **233**, 337).

Stereocontrolled Synthesis of the Ecdysone Side Chain via a Furan Derivative

Tetsuji Kametani,* Masayoshi Tsubuki, Hiroko Furuyama, and Toshio Honda

J. Chem. Soc., Chem. Commun., 1984, 375.

On p. 375 in the summary and r.h.s. line 1 (20R, 22R)-5 β -cholestane-3 β ,20,22,25-tetraol (8) should read (20R, 22R)-5 α -cholestane-3 β ,20,22,25-tetraol (8).

Naphtho[1,8-cd;4,5-c'd']bis[1,2]diselenole

Atsushi Yamahira, Takashi Nogami, and Hiroshi Mikawa

J. Chem. Soc., Chem. Commun., 1983, 904.

On p. 905, in the first and second lines of the \dagger footnote, the statement 'm.p. 180 °C (decomp.)' should be replaced by 'decomp. 180 °C.'