

Corrigenda

Strong Asymmetric Induction without Covalent Bond Connection

Yoshiki Kawajiri and Noboru Motohashi

J. Chem. Soc., Chem. Commun., 1989, 1336.

The authors overlooked the following important reference about asymmetric reductions of ketone- β -cyclodextrin complexes which included some ferrocene derivatives. The reference is;
R. Fornafier, F. Renioro, P. Scrimin, and U. Tonellato, *J. Org. Chem.*, 1985, **50**, 3209.

Mixed-valence Bis(ethylenedithio)tetrathiafulvalenium (BEDT-TTF) Monolayers Sandwiched Between Extended Close-packed Keggin-type Molecular Metal Oxide Cluster Arrays: Synthesis, Unprecedented Acentric Structure, and Preliminary Conducting and E.S.R. Properties of (BEDT-TTF)₈SiW₁₂O₄₀

Anne Davidson, Kamal Boubekeur, Alain Pénicaud, Pascale Auban, Christine Lenoir, Patrick Batail, and Gilbert Hervé

J. Chem. Soc., Chem. Commun., 1989, 1373.

Reference 13 was incorrect. The correct reference should read:

13 J. M. Williams, H. H. Wang, T. J. Emge, U. Geiser, M. A. Beno, P. C. W. Leung, K. D. Carlson, R. J. Thorn, and A. J. Schultz, 'Progress in Inorganic Chemistry,' vol. 35, ed. S. J. Lippard, Wiley, New York, 1987, (a) p. 84; (b) p. 116; (c) p. 91.