

Subject Index, 1970

- Abieta-8,11,13-trien-18-oate**, methyl 12-acetyl-, new synthesis of methyl 13-hydroxypodocarpa-8,11,13-trien-18-oate via nitrodeisopropylation of, 845
- Acenaphthalene**, solvent effects on photoaddition to acrylonitrile, 44
- Acenaphthenequinone**, acetalization, 1610
- Acerotin** and aceroconin, novel triterpene ester aglycones from tumour-inhibitory paponins of *Acer negundo*, 969
- Acetal** hydrolysis, planarity as a factor in determining the rate constant and mechanism, 690
- Acetals** and orthoformates, secondary deuterium isotope effects for hydrolysis of, 527
- Acetamide**, trifluoro-, in perdeuterioacetone, exchange of amino-protons; ^{19}F nuclear magnetic resonance study, 355
- Acetate**, ethyl, evidence for intra- and inter-alkyl hydrogen-hydrogen exchange in mass spectra, 1154
- Acetic acid**, ion-pair exchange in, kinetics, 983
- Acetonitrile** and water, comparison of, as solvents: proton transfer in methylammonium salts, 1186
trichloro-, oxidation of some transition-metal chlorides by, 459
- Acetonitrilecarbonyl** and acetonitrilenitrosyl metal cations from the reactions of the nitrosonium ion, NO^+ , with transition-metal organometallics in acetonitrile, 880
- 3-Acetoxy-steroidal 3,5-dienes**, reaction with *m*-chloroperbenzoic acid, 518
- Acetylacetonates**, metal, electric polarisations at 29.7 cm^{-1} , 296
- Acetylaranotin**. Displacement reactions at the disulphide linkage, 55
- Acetylaranitrosoamines**, new evidence for mechanism of decomposition in diethyl ether, 229
- Acetylenedicarboxylate**, dimethyl, reaction with Feist's ester, 1228
- Acetylene**, diphenyl-, nuclear cyanation of, 711
- Acetylenes**, and olefins, co-ordinated and unco-ordinated, formation of platinum-carbon σ -bonded complexes, 428
fluoride-ion-initiated reactions of, 1050
photoaddition to benzene, 498
sterically-hindered, difluorocarbene adducts, 725
synthesis of *C*-nucleoside analogues by 1,3-dipolar addition of a 1-diazo-sugar, 313
- Acetylenic** hydrogen, new substitution reactions with silyl radicals, 1144
- $\alpha\beta$ -**Acetylenic** ketoximes, Beckmann rearrangement studies, 1230
- Acetylthiocholine**, conformation in solution, 1242
- Acids**, saturated normal, ester conformations, 103
- Acridines**, production by a nitrene insertion reaction, 1705
- Acridinium** iodide, *N*-methyl-, an organic charge-transfer salt: crystal and molecular structure, 1135
- Acridone** alkaloids, biogenesis, 1625
- Acrylamides**, *N*-substituted 3-halogeno-; reaction of isocyanides with 1-halogeno-acetylenes, 608
- Acrylonitrile** hydroformylation products, 1255
solvent effects on photoaddition to acenaphthalene, 44
- S₀ Acrylonitrile**, photoaddition of S₀ naphthalene, 948
- Acyl-pepsin intermediate**, evidence for; a re-appraisal, 361
- Actinometer**, new: decafluorobenzophenone-isopropyl alcohol, 1413
- N-Acylimino-** derivatives of mesoionic ring systems, 1,3-dipolar reactivity, 1360
- Adamantane**, chlorination of, by ferric chloride and antimony pentachloride, 1460
degenerate isomerization, 1596
1-*N,N*-dichloroamino-, rearrangement of, catalysed by aluminium chloride, 1034
- Adamantanones**, 1-aza-, 197
- Adamantanone**, 4-methylsulphonoxy-, crystal and molecular structure, 716
oxime, photochemical Beckmann rearrangement, 1239
Synthesis of 4-protoadamantanone, 615
- Adamantyl** derivatives, 4-proto-, 941
substituted phenols, 1180
- 2-Adamantyl** derivatives, stereochemistry of solvolysis of, and the non-classical carbonium ion question, 115
- t-Adamantyl**oxy-radicals, cleavage, 972
- 1-Adamantyl-vinyl** cation, reactions in sulphuric acid, 599
- Adenine**, carbon and nitrogen 1s levels: molecular core binding energies, 23
X-Ray crystal structure of $\text{Cu}_2\text{Cl}_6(\text{adenine H})_2 \cdot 4\text{H}_2\text{O}$; a trinuclear complex containing both adenine and chlorine bridges, and five and six-co-ordinate copper(II), 1573
-zinc and guanine-zinc complexes, X-ray crystal structures, 1668
- Aenigmatite**, crystal structure, 1288
- Aeropylsinin-I**, a new bromo-compound from *Aplysina aerophoba*, 751
- Aerothionin**, a tetrabromo-compound from *Aplysina aerophoba* and *Verongia thiona*, 752
- Aflatoxins**, biosynthesis, 1069
- Agroclavine** hydroxylase of *Claviceps purpurea*, 1318
- Alcohols**, photochemical oxidation by bipyridylum salts: cation-radicals, 494
secondary, oxidation to tetrahydrofurans by the silver oxide-bromine reagent: solvent effect, 976
- Aldehydes**, aliphatic, oxidative coupling, 357
 α -halogeno-, protonated, intramolecular hydrogen bonding: nuclear magnetic resonance study, 591
from photodesulphurization of sulphoxide, 1051
new and specific test for the detection of. Formation of 6-mercapto-3-substituted-*s*-triazolo[4,3-*b*]-*s*-tetrazines, 1799
simple heterocyclic, enthalpy and entropy differences between forms of, in carbon tetrachloride solution, 637
- D-Aldopentopyranosyl** derivatives, peracylated, conformational equilibria. Relative anomeric effect of various groups and the influence of configuration of solvent, 1608
- Aldoximes**, new method of a conversion into nitriles: use of chlorothionoformates, 1014
- Algae**, blue-green, branched alkanes from, 1490
- Aliphatic** ketones, hydrogen randomisation prior to α -cleavage in 70 ev mass spectra of, 987
- Alkadienyl**, and vinyl carbanions, formation from perfluoroalkyne; reactions, 371
- Alkaline-earth** monohydroxides, ionization potentials, 1606
- Alkaloid** synthesis, general methods. New approach to the synthesis of 5,106-ethanophenanthridine *Amaryllidaceae* alkaloids. Total synthesis of (\pm)-3-*epi*-elwesine, 1585
- Alkaloids**. New imidazole alkaloids from *Cypholophus friesianus*, 441.
Structure of erythreneine, a new alkaloid from *Erythrena indica* Lam., 1076
Structures and absolute configurations of seven alkaloids from *Elaeocarpus sphaericus*, 804
- Alkanes**, branched, from blue-green algae, 1490
meso-(\pm)- and *erythro-threo*-Dichloro-alkane equilibria, 12
nitro-, solution photochemistry, 1286
photo-oxidation by nitrobenzene, 1390
- Alkenes**, anti-Markovnikov hydrobromination using a hydroboration-transmetallation-bromination reaction sequence, 372
bromonitro-, possible azirine intermediate in reaction with triphenylphosphine, 917
from epoxides by reductive elimination with magnesium bromide-magnesium amalgam, 144
hydrogenation and isomerisation using $\text{IrCl}(\text{PPh}_3)_2$, and the isolation of the oxygen adduct $\text{IrCl}(\text{PPh}_3)_2(\text{O}_2)(\text{C}_2\text{H}_4)$, C_6H_6 , 1694
reaction with iodonium nitrate, 333
stereospecific free-radical addition of menthyl methylphosphinate: evidence for inversion of configuration at phosphorus, 1098
- Alkoxy-** and alkylperoxy-radicals, substituted, rearrangements and fragmentation reactions in, inferred from solute effects in the Fricke radiation dosimeter, 1456
- β -**Alkoxy-ketones**, δ - versus γ -hydrogen abstraction in photocyclization, 553

- Alkyl** deuteration in ethylbenzene, mechanism. *Homogeneous and heterogeneous* metal-catalysed isotopic hydrogen exchange in alkylbenzenes, 698
group, stereospecificity and stereochemistry of a thermal sigmatropic [1,5]-shift, 1168
- Alkyl fluorides**, activation energies for the elimination of hydrogen fluoride obtained by activated molecule and competitive shock-tube techniques, 203
- Alkyl halides**, and oxygen, reactions with dicyanodi-[1,2-bis-(diphenyl phosphino)ethane]cobalt(II), 598
mechanism of reduction with sodium borohydride in dimethyl sulphoxide, 338
oxidative addition to iridium(III) complexes; inversion of configuration at carbon, 612
- Alkyl phenyl ethers**, photoisomerization to alkylphenols, 1447
- Alkyl radicals**, reactions with triplet methylene in ordinary photolysis systems, 18
- Alkyl-transition-metal** derivatives, stereochemistry of formation and cleavage, 986
- Alkylation**, enolate, stereochemistry: angular substituent effects, 708
intramolecular nucleophilic, by a stabilized carbanion: synthesis of 1,2,3,4,5,6,7,8-octafluorofluorene and related compounds, 546
- Alkylidene-cyanoacetic** esters and alkylidene-malononitriles, asymmetric 1,4-reduction of, 1064
- Alk-2-ynyl** halides, nucleophilic attack by the diphenylphosphide ion, 119
- Allene**, ready insertion into di- μ -acetate-2,2'-bi- π -allyldipalladium, 1126
- Allenes**, *NN*-bistrifluoromethylamino-substituted, reaction with trifluoronitrosomethane: poly(bistrifluoromethylamino)-compounds, 456
fluorinated, synthesis using atomic carbon, 1264
formed by photochemical oxidation: stereochemistry: X-ray crystallographic study, 1231
reactions with benzyne, 1483
- β -**Allenic** esters, general synthesis from prop-2-ynyl alcohols, 1411
- Allyl**, rearrangement of cyclopropyl to, silver-ion catalysis, 626
- Allyl chloride**, photochemical rearrangement, trapping of the radical intermediate, 408
- Allyl ethers**, Wittig rearrangement of, 4
- Allyl radicals**, description of, in heterogeneously-catalysed oxidation of propene: mass spectrometric study, 621
- Allyl sulphenate-sulphoxide** rearrangement, stereoselectivity in, 526
- Allylic** groups of ethers and esters, palladium-catalysed exchange with active-hydrogen compounds, 1392
isomerisations of unsaturated carbohydrate derivatives. A new approach to the synthesis of amino, thio, and branched-chain sugars, 1385
rearrangement, unusual; 1-allylallyl ethers *via*, 1722
- Allylic diazenes**, decomposition, 1198
- Allylic esters**, palladium(II) catalysed synthesis, 434
- Allylic metal complexes**, new methods for studying the mechanism of the π,σ -reaction in, 365
- Aluminium**. ^{27}Al Nuclear quadrupole resonance spectrum of hexamethyldialuminium, 544
Crystal and molecular structure of the catalytically active organoaluminium compound $[\text{Me}_2\text{AlOCPPhPh}, \text{MeCHO}, \text{Al-Me}_3]$, 1243
Crystal structure of dimethylphenylaluminium, 280
dimethyl(methylamido)-, isomerism: an X-ray crystallographic study, 1617
Evidence for the interaction of trimethylalane with the oxygen atom of a terminal metal carbonyl group, 41
Mass-spectrometric determination of the heat of atomization of the molecules, Al_2N and BOCN , 441
Two-electron hydrogen bridge bond in crystalline trimethylaluminium dimer, 16
- Aluminosilicate** frameworks, crystalline, Fe^{3+} ions in; electron spin resonance, phosphorescence, and thermal studies, 438
- Amidates**, *N*-ammonio-, duality of mechanism in rearrangement of, 31
- Amide** protection and supports in solid-phase peptide synthesis, 650
- Amine oxide** cyclisation initiated by successive redox reactions, 1238
- Amine oxide**—*continued*
optically active, self-immolative asymmetric synthesis in the allylic rearrangement of, 419
- Amine N-oxides**, evidence for the intermolecular nature of the Meisenheimer rearrangement of, 1327
- Amines**, conversion into nitrates: nitrodeamination of a trimethylsilylamine, 490
cyclic, CS_2^- group as a conformational probe: nuclear magnetic resonance study, 1537
decomposition of methanesulphenyl chloride in presence of, 104
Photosensitized oxidation, 1174
quenching of fluorenone triplet by, 622
secondary, spin-spin coupling. First observation of coupling by amine protons in strongly basic amines, 1340
- Amino-acids** and peptides, selective activation, 800
dissociation constants in deuterium oxide, 803
- Amino-azoles**, secondary, tautomeric structure, 1096
tautomeric structure, 706
- Aminolysis**, intramolecular general base catalysis of, by ethylenediamine, 548
of *p*-nitrophenyl acetate by decylamine: effect of hydrophobic interaction on the rate, 1655
- Ammonia** and the methylamines, free energies of transfer from benzene to water of reactants and transition states in the substitution of methyl iodide by, 293
- Ammonium** ylides, carbonyl-stabilised, preparation and reactions of, 1201
- Amorphigenin**, a rotenoid, biosynthesis: incorporation of a 2'- ^{14}C -methoxylated isoflavone by germinating *Amorpha* seeds, 1469
- Ampicillin** and hetacillin antibiotics, equilibrium between in solution, 1249
- Androcymbine**, *O*-methyl-, total synthesis of, by photolysis of diazotised isoquinoline, 1157
- Androstanes**, 3 α -substituted 2 β ,19-oxido-, neighbouring-group participation by ether oxygen in displacement reactions of, 770
- Androstanone**, and cholestane, 3 α - and 3 β -selenyl derivatives: axial and equatorial selenols, 1310
- Androst-5-en-16-one**, 3 β -hydroxy-, convenient preparation by retro-aldol cleavage of 3 β -hydroxypregna-5,17(20)-dien-16-ones, 327
- Androst-5-ene-3,17-dione**, 9 β , 11- β -epoxy-4,4-dimethyl-, cleavage of, effect of carbonium ion stabilisation by a neighbouring double bond on the direction of migration: methyl migration by epoxide cleavage, 1271
- Angolensate**, methyl, partial synthesis from 7-oxo-7-deacetoxykhivorin, 1205
- Aniline**, *p*-fluoro-, microwave spectrum; substituent effects in benzene, 108
photochemical study of energy transfer from benzophenone triplet to, 344
N-sulphinyl-, photolysis in presence of diphenyldiazomethane, 481
- Anilines**, conversion into derivatives of cyclohexa-2,5-dienones, 427
- Anion** rearrangements: case of a non-degenerate all-carbon [3,2]-sigmatropic process, 165.
- Anisole**, 2,4,6-trinitro-, alkylation and substitution reactions. Isolation of a reactive σ -complex intermediate, 76
- Anisoles** and nitrobenzenes, substituted, common intermediates in electron impact decomposition of, 412
- [16]**Annulene**, bridged, and its dianion, synthesis and spectral studies, 1557
- Anthracene**, 9,10-dicyano- chemiluminescent oxygenation of the radical anion, 491
9,10-dimethyl-, pure dimer; 4+4 photoaddition: crossed dimers of anthracenes and tetracene, 1648
fluorescence, formation of excited charge-transfer complexes in quenching by anions, 840
9-phenyl-, photo-dimerization, 1191
stereospecific radical-radical-anion combination in the reductive aminoalkylation of, 1149
- Anthracenes**, 9-methyl-substituted, bromination, 761
- Anthraquinone**, 2-piperidino-, photoreduction by electron transfer, 519
- Anthraquinones**, polyhydroxy-, from the insect *Eriococcus coriaceus*, 1577

- 9-Anthrone** and bianthron-9-ylidene, evidence for formation in the controlled-potential electrochemical oxidation of anthracene in acetonitrile, 353.
stability, detection, and isolation (reply to recent communication), 1290
- 9-Anthroxy-group** as a protecting group for hydroxy-functions: mild, low-temperature removal by singlet-oxygen oxidation, 1383
- Antibiotic 1233A**: a fungal β -lactone, 639
- Antibiotic X-537A**, biosynthesis, 1467
crystal structure of a barium complex, $\text{Ba}(\text{C}_{34}\text{H}_{55}\text{O}_8)_2 \cdot \text{H}_2\text{O}$, 72 structure, 71
- Antimony** chalcogenides and oxides, a Mössbauer spectroscopic investigation: non-existence of Sb_2S_5 , 675
+1 oxidation state of, 853.
pentafluoride, crystal structure of adduct with niobium pentafluoride, 820
unusual cations, 453
Vibrational spectra of SbX_6^{3-} and TeX_6^{2-} anions: new observations on the singular properties of some systems related to XeF_6 , 1699
- Antitumour agents**, plant: alkaloids: synthesis of a pentacyclic camptothecin precursor, 404
- Aquoxide**, metal, with both co-ordinated and hydrate water; crystal structure of $\text{MoO}_3 \cdot 3\text{H}_2\text{O}$, 50
- Arachidonic acid**, tritiated, enzymatic conversion into prostaglandins by rat stomach homogenates, formation of a pretaoic acid derivative, 1234
tritiated, enzymatic conversion into prostaglandins by sheep seminal vesicles, polyhydroxylated by-products, 1235
- Arbusov** reaction, stereochemical course of, with reference to configuration at phosphorus, 1579
- Arenediazonium** ions, do radical and ionic pathways of decomposition in acidic methanol proceed *via* a common intermediate? 1363
- Arenicochrome**, a trihydroxymethoxybenzpyrenequinone from *Arenicola marina*, structure, 550
- Argon**. Emission spectrum of HgAr^+ , 358
- Aromatic chirality method**. Absolute configuration of cervicarcin, 1691
Configurational and conformational studies of sugars, 1693
- Aromatic compounds**, formation from D-glucuronic acid and D-xylose under slightly acidic conditions, 1576
New route to polycondensed aromatics: photolytic formation of dibenzo[*fg,op*]naphthacene, 766
photochemistry: fragmentation reactions originating in a photo-induced electron transfer in solution, 302
ortho-substituted, shortening of the carbon-chlorine interatomic distance in, 536
- Aromatic hydrocarbons**: carboxylation with thallium(III) chloride tetrahydrate in carbon tetrachloride, 1139
triplet states, 646
- Aromatic ligands**, effect of the iron tricarbonyl group on π -electron distribution, 605
- Aromatic substitution**, electrophilic, all-valence-electron CNDO/2 calculations of substituent effects upon localisation energies, 868
- Arsenic**. Aminoarsines: their use in the synthesis of organo-arsenic heterocycles, 425
Barriers to pseudorotation in spiroarsoranes, 1410
compounds, five co-ordinate, dynamic stereochemistry, 651
Novel conformational preferences of five-membered di(tertiary arsine) chelate complexes of chromium carbonyl: determination by nuclear magnetic resonance spectroscopy, 625
Polynuclear phosphine- and arsine-substituted rhodium carbonyls, 230
Preparation and crystal structure of tri(hexacarbonyldicobalt- π -ethynyl)arsine: $[(\text{Co})_2\text{Co}_2\text{C}_2\text{H}]_3\text{As}$, 681
- Arsenic**. Pyramidal stability of dithiarsolanes and dioxarso- lanes, 999
- Artemisa** skeleton, rearrangement to the santolina skeleton: a 1,2-shift of the vinyl group, 1054
- Aryl acetates**, bromodeacetylation accompanying substitution in the bromination of, 156
- Aryl-nitrenes**, intramolecular aromatic substitution by, 787
- Aryne** adducts, new evidence on the nature of the intermediate leading to them in decompositions of acylarylnitrosamines, 299
- Arynes**, reactions with carbonyl compounds, 123
- Aspidosperma** alkaloid nucleus: 5-Oxode-ethylvincadiformamide, synthesis, 480
- Asymmetric** synthesis by hydrogenolytic asymmetric transamination, temperature effect, 1070
- Atisine**, exceptionally ready interconversion of configurational isomers, 644
- Atomic charges**, relationship to molecular core binding energies, 727
- Aurones** and aurone epoxides, configuration, 1434
- 2-Azabicyclo[3,3,1]non-1-ene** system, formation, 1597
- 6-Azabicyclo[3,2,1]octan-3-one**, *N*-methyl-, an alkaloid sub-unit, synthesis, 384
- 8-Azapurine nucleosides**, furanose-pyranose isomerization in a synthesis of, 265
- Azepine**, *N*-ethoxycarbonyl-, cycloaddition of azo-dienophiles, 1129
- 1H-Azepines**, 1-substituted. Mechanism of their thermal rearrangement to 6-aminofulvenes, 10
- Azides**, hydroxy-, new methods for preparation and reduction; novel route to D-homoandrosterone derivatives, 64
organic, reaction with transition-metal cyanides, 100
- Azine** monoxides, photolysis: photorearrangement of non-aromatic five-membered-ring heterocycle, 289
- Azines** and azoles, nitrogen lone pairs and ionization potentials, 286
- Aziridine** ester, thermal decarboxylation, 1620
- Aziridines**, 2-aryl-; novel synthesis of substituted naphtho-[1,2-*d*]oxazoles by addition to 1-nitronaphth-2-ol, 247
2-aryl-, reaction with aldehydes to form oxazolidines, 278
- Aziridin-2-one**, 3 phenyl-1,3-di-*t*-butyl-, α -lactam with a new substitution pattern; isolation and stability, 473
- 2H-Azirine**, 2,3-diphenyl-, novel rearrangements occurring during thermolysis, 1563
- 1-Azirine-3-carboxamides**, ring expansion by hydrazine. Novel synthesis of 1,2,4-triazin-6-ones, 1479
- Azobenzene**: homogeneous palladium-catalysed *ortho*-chlorination of, 417
- cis-Azobenzene dioxide**. Crystal structure of nitrosobenzene dimer, 1710
- trans-Azobenzenes**, mechanism of oxidation with peroxybenzoic acid, 1300
- Baccatin-1**, a diterpenoid, the 4 β ,20-epoxide of 2 α ,5 α ,7 β ,9 α ,10 β ,13 α -hexa-acetoxytaxa-4(20),11-diene, structure, 1381
- Baccatin-III**, a partially esterified octahydroxy-monoketotaxane derivative lacking a double bond at C-4, structure, 216
- Baccatin-V**, a diterpenoid and a naturally occurring oxetan with a taxane skeleton, crystallographic structure determination, 1382
- Baeyer-Villiger** reaction, mechanism, 1301
- Barbituric acid**, (1'*RS*,3'*SR*)- and (1'*RS*,3'*RS*)-5-ethyl-5-(3'-hydroxy-1'-methylbutyl)-, synthesis, 1616
- Barium** complex of antibiotic X-537A, $\text{Ba}(\text{C}_{34}\text{H}_{55}\text{O}_8)_2 \cdot \text{H}_2\text{O}$, crystal structure, 72
rhodizonate, crystalline, infrared and laser Raman spectra, 322
- Beckmann's mixture** *versus* Beckmann reaction, 274
- Benzanilide**, 2-bromo-*N*-ethyl-4'-hydroxy-, photolysis of, in aqueous alkali, 1039
- Benzene**, catalytic oxidation of propene to, and to hexadiene, 1303
ethyl-, alkyl deuteration of, mechanism. *Homogeneous* and *heterogeneous* metal-catalysed isotopic hydrogen exchange in alkylbenzenes, 698
hexamethyl-, and hexamethyl- "Dewar benzene," dipole moments, 1702
photoaddition of acetylenes, 498
photoproduct of, in oxygenated aqueous solution, 1650
reaction with [$^3\text{H}_2$]styrene in the presence of palladium(II) acetate. Aromatic substitution in olefins, 610
substituent effects: microwave spectrum of *p*-fluoroaniline, 108
1,2,4-trifluoro-; photoisomerization, 1720
X-Ray crystallographic determination of the structure of tris- $[\mu$ -acetato- μ -acetoximate-palladium(II)]-0.5-benzene: a trimeric compound of palladium containing a novel bridging ligand, 560
- Benzenehexacarboxylate** anion, outer-sphere complexes with $\text{Cr}(\text{NH}_3)_5\text{X}^{2+}$, 638

- Benzenesulphenanilides**, 2-nitro-, novel thermal rearrangement, 678
- Benzenonium**-bicyclo[3,1,0]hexenyl cation photoisomerisation: carbonium-ion photochemistry, 1540
- Benzil dianil**, cyclodehydrogenation, 1552
- Benzil monohydrazone**, novel condensation reaction with some ketones in the presence of nickel (II) ions, 1180
- Benzimidazole N-oxides**; photochemical rearrangement and reaction with acylating agents and nucleophiles, 1658
- Benzimidazoles**, 5,6-dehydro-, synthesis and reactions, 1458.
- Benzimidoyl radicals**: free-radical reactions of benzaldimines, 1601
- Benzoate**, 6-*endo*-ol, *p*-bromo-, derived from the monochloroketen-cyclopentadiene adduct, 7-*endo*-chlorobicyclo[3,2,0]hept-2-en-6-one, crystal and molecular structure: nuclear magnetic resonance studies on adduct, 574
- Benzobarrelene derivatives**, 1-*NN*-dimethylamino-, rearrangement reactions, 1184
- endo-3,4-Benzobicyclo[4,2,1,0^{2,5}]non-9-on-7-yl** toluene-*p*-sulphonates, concerted and non-concerted fragmentation reactions in the solvolysis of, 509
- Benzo[3,4]cyclobuta[1,2-*c*]thiophen**(2-thianorbiphenylene), 109
- 1,2-Benzodiazepines**, new route to: steric effects in the cyclisation of diazoalkenes, 909
- Benzo-1,3-dioxan derivatives**, rearrangement to benzofurans, 123
- Benzodithiophens** and related systems, synthesis: direct Bradsher reaction, 1094
- 4(5*H*)-Benzofuranone**, 3-(4-bromophenyl)-2-hydroxyimino-6,7-dihydro-, formation and crystal structure. Michael addition of cyclohexane-1, 3-dione to 4-bromo-*ω*-nitrostyrene, 1602
- Benzofurazans**, nitro-, and nitro-2,1,3-benzothiadiazoles: unexpected reactivity towards nucleophilic attack, 1618
- Benzofurobenzopyran**, new ring expansion into benzofurobenzoxepinone derivatives, 1480
- Benzohydroximate**, *syn*- and *anti*-ethyl, crystal structure and configuration, 254
- Benzoic acid**, fluorescence quenching by, 1697
- Benzonitrile N-oxide**, structure of asymmetric diarylfuroxans obtained by reaction of *p*-chloro- with *p*-methoxy-derivatives, 60
- Benzophenone carbanions**, some novel cyclisations, 1345
photoaddition to a thiophen derivative; synthesis of an oxetan, 1474
photochemical reaction with diphenylamine, 1311
photodeoxygenation by triphenylphosphine, 586
products of reaction with methylmagnesium bromide in diethyl ether, 1428
reaction with methylmagnesium bromide, effect of magnesium metal purity on kinetic data, 330
triplet, energy transfer to aniline, photochemical study, 344
- o-Benzoquinones**, tetrahalogeno-, reaction with 2,3-dimethylbut-2-ene, 989
- Benzothiazine sulphoxides**, rearrangement, 335
- Benzotriazoles**, photolysis of, nature of the intermediates, 1089
- 3,4-Benzotropalone**, photorearrangement, 782
- Benzotropolenes**, novel synthesis, 754
- Benzoylformic acid**, decarbonylation in concentrated sulphuric acid, carbon and oxygen isotope effects, 802
- Benzopyrenequinone**, trihydroxymethoxy-, from *Arenicola marina*; structure of arenichromine, 550
- Benzyl systems**, electrochemical reductive cleavage of carbon-oxygen and carbon-fluorine bonds, 738
- Benzyl chloride**, high reactivity of radical-anion-prepared sodium hydride and reaction with, 1624
- Benzylamine**, 2-amino, 1,2,3-triazole analogues of, 858
- Benzyllic chlorination** by sulphuryl chloride: suppression of chlorine atom chains, 860
- 4,6-O-Benzylidene-3-deoxy-3-C-(iodomethyl)-D-glucal** (4,6-*O*-benzylidene-1,2,3-trideoxy-3-*C*-iodomethyl-*D*-arabino hex-1-enopyranose), 779
- Benzyl-lithium derivatives**, intramolecular addition to norbornene rings, 714
- Benzynes**, generation from 1-(2-carboxyphenyl)triazenes, 122
mechanism of addition to cyclopentadienyl- and indenyl-magnesium bromide, 966
reactions with allenes, 1483
- Beryllium**. The ions H_n^+ and the possibility of LiH_n^+ and BeH_n^+ , 64
- 9,9'-Biacridylidene**, 10,10'-dimethyl-, chemiluminescence in reaction with ozone, 1140
- Bicyclo[3,3,2]decane system**, a transannular hydride shift, 755
- Bicyclo[3,2,0]hept-2-en-6-one**, 7-*endo*-chloro-, monochloroketen-cyclopentadiene adduct, nuclear magnetic resonance studies; crystal and molecular structure of the derived 6-*endo*-O1 *p*-bromobenzoate, 574
- endo-Bicyclohexane intermediates** in a total synthesis of (\pm)-prostaglandin E_3 methyl ester, 602
- Bicyclomahanimbine**, structure: X-ray structure of dibromocannabicyclol, 1547
- Bicyclo[3,3,1]nonanes**, 3-aza-, synthesis, 196
- Bicyclo[3,2,0]nonan-3-one**, 1-aza-, ultraviolet spectrum and conformation, 831
- Bicyclo[3,2,2]nona-6,8-dienes**, synthesis and conformational mobility, 166
- Bicyclo[4,2,1]nona-2,4,7-triene**, 9-cyano-9-aza-, specific photo-dimerization: synthesis of a novel dimer of cyclo-octa-tetraene, 373
- Bicyclo[6,1,0]nona-2,6-diene** and derivatives, preparation. Addition of dibromocarbene to cyclo-octa-1,3,5-triene, 1519
- Bicyclo[3,3,1]non-2-en-9-ylidene**, reactions; evidence for a "foiled methylene," 503
- Bicyclo[2,2,2]octane skeleton**, unusually easy nucleophilic opening; reaction of 2-iodocyclohepta-2,4,6-trien-1-one with 1-azabicyclo[2,2,2]octane, 297
- Bicyclo[4,2,0]octa-2,7-diene**, degenerate valence isomerization, 1560
- Bicyclo[2,1,0]pent-2-ene**, 2-methyl-, thermal isomerization to 1-methylcyclopentadiene, 1561
- Biflavonoids**. Proanthocyanidin carboxylic acid and related biflavonoids from *Acacia huederitzii* Engl. var. *retinens* (Sim) J. Ross and Brenan, 492
- Biliverdin** dimethyl ester derived from bilirubin, isomeric heterogeneity, 238
- Biliverdins**, four isomers of the IX series: oxidative cleavage of the haem system, 237
- 2,2'-Binaphthyl-1,1'-quinone** from *Diospyros buxifolia*, 1461
- 2,2'-Bipyridyl-type ligands**, activation parameters for formation of copper(II) complexes, 1681
- Bipyridylum salts** and the photochemical oxidation of alcohols: cation-radicals, 494
- Bis-adamantylidenemethane**, 818
- Biscyclopropylidene-methylenespiropentane** interconversion. Non-planar trimethylenemethane intermediate, 717
system, unique character of: thermal reorganisations of some cyclopropylidene-cycloalkanes, 718
- Bis-1,3-dithiolium chloride**: an unusually stable organic radical cation, 1453
- Bisfluorenylidenes**, conformational behaviour, 269
- Bis(perfluoro-*t*-butyl) peroxide**, 216
- Biphenyl**. X-Ray study of 16-bromomyricanal; structure of myricanal, a natural *m,m*-bridged bent biphenyl, 1207
- Biphenyls**, *meta*-bridged, new, from *Myrica nagi*; isolation and structure, 1206
- Bipyridyl**, crystal and molecular structure of mixed-ligand chelate formed with nickel(II) dithizonate, 110
- 2,2'-Bipyridyl** and *o*-phenanthroline carbonyl complexes of rhodium, 54
- Borolanes**, phenyl-, effect of bond energetics on determining the facility of tropylium ion formation from, under electron impact, 1562
- Borates**, trialkylcyano-, reactions of electrophilic reagents with: some new efficient ketone syntheses, 1529
- Borazine**, electronic structure, 99
- Borneol** nuclear magnetic resonance spectrum, complete analysis, application of lanthanide-induced shifts, 1506
- Boron**. Absolute rate constants for homolytic alkoxydealkylation at boron, 640
Bonding in phosphineborane and phosphine oxide: *ab initio* SCF-LCAO-MO study, 873.
Formation of hydrocarbon ions from phenylboronates of diols under electron impact, 1022
gaseous bivalent cations: stability and structure, 923
Improved synthesis of tetraboron tetrachloride, B_4Cl_4 , 378
Insertion reaction involving pentaborane(9). Synthesis of the tetradecahydranonaborate(1-) ion, B_9H_{14} , 1526
Iron-boron bromides, 212

- Boron**—*continued*
 Mass-spectroscopic determination of bond energies of the molecules AuS, BS, and BS₂, 580
 Mass-spectrometric determination of the heat of atomization of the molecules Al₂N and BOCN, 441
 Naphthocarborane, 669
 Nitrogen base donor-cyanoborane, addition compounds, 1619
 Photoelectron spectra of NH₃BH₃ and BH₃CO, 1545
 Polymerization of difunctional ions containing the -N-B-N-linkage: a polymeric boron(*n*+)ion, 922
 Preparation of stable copper(II) derivatives of octahydropentaborate(1-) and nonahydrohexaborate(1-) ions, 1312
 Sodium borohydride reduction of aromatic nitro-compounds, 63
 Theoretical and experimental study of the bonding in PF₃BH₃, 1586
 "Thermal" decoupling and apparent rapid intramolecular exchange in (Ph₃P)₂CuBH₄: ¹H nuclear magnetic resonance study, 701
 Thioboranes: their use in the synthesis of unsymmetrical disulphides, 1701
 Transition-metal complexes of the n-B₁₈H₂₀²⁻ ion, 692
 Transition-metal cyanotrihydroborate complexes, 515
 trifluoride, photoelectron spectrum, 36
 trifluoride-diethyl ketone adduct, *cis-trans*-isomerism about the carbon-oxygen bond: nuclear magnetic resonance study, 1229
- Bromine**. Rates of oxidation of Fe²⁺, Mn²⁺, and Co⁺ by •Br₂-radical ions, 443
- Bufadienolides**, new pathways towards: synthesis of 5β,14α-bufa-20,22-dienolide from cholanic acid, 80
- 5β, 14α-Bufa-20(22)-enolide**, quinone dehydrogenation, positional orientation effects, 81
- Bufalin**, synthesis, 93
- Bufotalin**, a bufadienolide, structure, 1566
- (±)-**Bulnesol**, synthesis: solvolytic rearrangement of 1β-tosyloxy-4α,8αβ-dimethyldecalin derivatives, 185
- Butadiene**, cyclodimerization to 2-methylenevinylcyclopentane, an arylnickel as an active catalyst of high selectivity, 1310
- 5-Butadienylnorborn-2-ene**, from reaction of norbornadiene with butadiene catalysed by low-valent cobalt, 1473
- cis** and **trans-But-2-ene** oxide deoxygenations, stereochemistry, 1108
- t-Butyl alcohol** and solvent water, radiation-induced aliphatic hydrogen isotope exchange between, 208
- t-Butyl cation**, activation energy for hydrogen randomisation in, 737
- n-Butylammonium** picrate, conductance of, in alcohols at 25°, 724
- But-2-yne** hexafluoro-, reactions with some methylplatinum(II) complexes, 92
- γ-Butyrolactone** and **γ-crotonolactone**, microwave spectra and ring configuration, 838
- Cadmium** and silver salts, electron spin resonance studies of electron-trapping by cations in, 70
 Electron spin resonance evidence for the cations Cd₂³⁺, AgCd²⁺, and AgHg²⁺, 633
 Polarographic study of the anomalous behaviour of bromo-cadmium(II) complexes in molten calcium nitrate tetrahydrate, 570
- Caesalpin**, α-, β-, and δ-, furanoditerpenoids; stereochemistry, 1244
- Caesium**. Apparent resonance effect in the vibrational Raman spectrum of Cs₂MnF₆, 75
- Caged Compounds**. Synthesis of hexacyclo[5,4,0,0²,0³,10⁴,0⁵,0⁸,11]undecane, "homopentaprismane," 12
- Calameon** (calamendial), a sesquiterpene, revised structure and synthesis, 1323
- Calcium** complexes of uronic acid monomers, 489
 hydrazinecarboxylates, high co-ordination numbers in crystal structures, 377
- Camphenes**, 1-substituted, electrophilic reactions, 131
- Camptothecin**, pentacyclic precursor, synthesis: plant anti-tumour agents: alkaloids, 404
- Cannabicyclol**, dibromo-, X-ray structure: structure of bicyclo-mahanimbine, 1547
- Cannabielsoic Acid A**, a new type of cannabinoid, synthesis by a novel photo-oxidative cyclisation, 273
- Capaurimine**, X-ray determination of structure, 1241
- Carbanion**, ambient, stabilized by bivalent sulphur, 913
- Carbanions**, transition states in elimination from, 633
- Carbazoles**, 1,2,3,4-tetrahydro-9-methyl-; dehydrogenation and methylation during Vilsmeier-Haack formylation, 1690
- Carbene**. α-dimethylamino-α-methylthio-, formation. Carbene-induced isomerization of dimethyl maleate, 907
 generator, novel; dehydro-NN'N''-tricyclohexylguanidine-hexacarbonyldi-iron(0), 932
 insertion into a carbon-iron bond, 672
- Carbodi-imides**, 1,2-cycloaddition of phosphinethioyl and sulphonyl isothiocyanates, 1629
- Carbon**. Conversion of C-H bonds into a C-CH₃ function by atomic carbon, 710
 molecular sieve catalysts, selective, preparation, 477
 Singlet and triplet C₂ molecules, 689
- Carbon monoxide** chemisorbed on a copper(100) single-crystal surface, infrared spectrum and surface potential, 1454
 insertion into tin-containing palladium and platinum complexes, 362
 insertion reaction on an evaporated iron surface, 1122
- Carbon-oxygen** and carbon-fluorine bonds in benzyl systems, electrochemical reductive cleavage, 738
- Carbonates**. New preparative methods for spiro-orthocarbonates and cyclic iminocarbonates from cyclic dibutyltin dialkoxides and sulphides; ring-opening and ring-closing reactions *via* organometallic compounds, 235
- Carbonium ion** doubly-degenerate rearrangements, relative migration tendencies of *p*-substituted phenyl groups, 696
- Carbonium ions**, barriers to internal rotation: a non-empirical LCAO-MO-SCF investigation of 1- and 2-fluoroethyl cations, 603
 "non-classical", and the stereochemistry of solvolysis for 2-adamantyl derivatives, 115
- Carbonyl** groups and carbon acids, competition between neighbouring-group partition by, in ester hydrolyses, 1315
- Carbonyl compounds**, iridium, from the reaction of Ir₄(CO)₁₂ with sodium, 533
 reactions with arynes, 123
 αβ-unsaturated, new orientation in oxymercuration of, 753
- Carbonyls**, metal; relative intensities of Raman spectra in the 2000 cm⁻¹ region, 1724
- Carbostyryl**, 3,4-dihydro-; synthesis of 3,4-dihydrocarbostyryl derivatives from αβ-unsaturated acid chlorides and the imines formed from ketones and primary amines, 1662
- Carboxylic acids** and organolithium compounds, titanium-mediated synthesis of vicinal glycols, 451
 dissolved in sulphuric acid, carbonyl stretching frequencies, 211
 possible pathways for reduction by diborane: reductions of carboxylic and mixed anhydrides, 347
- Carophyllene**, biosynthesis; acid-catalysed cyclisation of a possible intermediate, 1,2-humulene epoxide, 117
- β-Carotene** biosynthesis, absolute configuration of trisporic acids and the stereochemistry of cyclization in, 254
 metastable state obtained by pulse radiolysis of, 332
- Carotenoids**, 1,2-dihydro-, occurrence in *Rhodospseudomonas viridis*, 127
- Catalysis**: Autoxidation in the presence of active cobalt oxide, 634
- Catalysts**, heterogeneous and homogeneous metal-, selective deuterium exchange. A novel application of electron spin resonance, 1672
 selective carbon molecular sieve, preparation, 477
- Catechin**. Partial structure of "dehydro-dicatechin A," 487
- Cation-radicals**: photochemical oxidation of alcohols by bipyridylum salts, 494
- Cephams** 1α-oxide, (-)-3β-acetoxy-4α-t-butylcarbamoyl-3α-methyl-7β-(*p*-bromophenyl)acetamido-, C₂₂H₂₈N₃O₆BiS; crystal and molecular structure, 1060
- Cerium**. Crystal structure of cerium(III) pentanitrate ion: a ten co-ordinate stereochemistry based on a trigonal bipyramid, 135
- Cernuine**, origin of; biosynthesis of the lycopodium alkaloids, 409
- Cervicarcin**, absolute configuration. Application of the aromatic chirality method, 1693
- Chain reaction**, cation-radical, photochemical 2 + 2 cyclo-addition *via*, 682

- Chalcogenide** dianions, penta- in transition-metal complexes: crystal structure of bis-(π -cyclopentadienyl)titanium pentasulphide, 410
- Chalcogenides** and oxides, antimony, a Mössbauer spectroscopic investigation: non-existence of Sb_2S_5 , 675
- Chalcone**, 2-hydroxy-, photolysis: possible implication in flavonoid biosynthesis, 272
- Chanochlorophyllide *a***, synthesis and incorporation into elymoclavine by *Claviceps*. Biosynthesis of ergot alkaloids, 471
- Charge-transfer** interaction, across-space intramolecular, fluorescence spectroscopy, 1209
salt, organic; *N*-methylacridinium iodide: crystal and molecular structure, 1135
- Cheilanthes A and B**, two ecdysone analogues from the fern *Cheilanthes tenuifolia*, structures, 243
- Chemical sensitization**. Chemical initiation of photochemical reactions in the absence of light, 28
- Chemiluminescent** oxygenation of 9,10-dicyanoanthracene radical anion, 491
- Chlorin**, octaethyl-, and octaethylprophyrin, *N*-methylation, 1273
- Chlorine**. Correlation of chlorine-35 nuclear quadrupole resonance frequencies with platinum-chlorine bond-lengths in platinum(II) complexes, 902
Nuclear quadrupole resonance and structure of the dichloride, HCl_2^- ion, 405
d-Orbital participation in the bonding in molecules containing phosphorus, sulphur, and chlorine studied by *ab initio* SCF-MO calculations, 1183
Raman spectrum of Cl_2O_7 : assignment of the skeletal vibrations, 667
- Chlorine acetate**, cyclic transition states in *cis*- and *trans*-addition to olefinic substances, 731
- Chlorine isocyanate**, ClNCO ; microwave spectrum, structure and nuclear quadrupole coupling constants, 448
- N*-Chlorodifluoromethylenimine**, $\text{CF}_2=\text{NCl}$, 395
- α -Chloro-ethers**, effect of conformation on nuclear quadrupole coupling constants, 425
- Chlorofluorocarbene**, stereoselectivity in addition to 10-methyl- Δ^8 -2-octalone 2-ethylene acetal, 927
- Chlorophyll**, geological fate of: absolute stereochemistries of a series of acyclic isoprenoid acids in a 50 million year old lacustrine sediment, 1639
- Chloroquine** diphosphate monohydrate, antimalarial, crystal structure, 1142
- Chlorothioformates**, used in a new method for conversion of aldoximes into nitriles, 1014
- Cholanic acid**, synthesis of 5 β ,14 α -bufa-20,22-dienolide from: new pathways towards bufadienolides, 80
- Cholesta-3,5-dieno[3,4-*b*]-1,4-oxathian**, photochemical oxidation, ozonization, and rearrangement, 240
- Cholestane** and androstanone, 3 α - and 3 β -selenyl derivatives: axial and equatorial selenols, 1310
- Cholestane-8 β ,9 α -diol**, des-AB-, total synthesis, 1513
- 9- β -Cholestan-5 α -ol**, 3 β ,6 β -diacetoxy-, acid-catalysed rearrangement, 1591
- 5 β -Cholestan-3-ones**, 4 β -halogeno-; *trans*- $\text{S}_\text{N}2'$ reaction in acylolysis of, 1714
- Cholesterol**, chemical proof of backbone rearrangement, 349
- (+)-**Chondrocurine**, and (+)-tubocurarine chloride, revision of their structures, 1020
- Chromano[3,4-*d*]isoxazole**, 7-methoxy-structure of abnormal products isolated from isomerization of: novel synthesis of one of products, 48
- Chromanone**, novel dehydrogenation to a chromone during a Grignard reaction, 529
- Chromans** and other benzyl derivatives, vinyl bromides from reaction with *N*-bromosuccinimide: a new interpretation, 1427
- Chromenoquinolines**, 2,2-dimethyl- new synthesis from epoxides: synthesis of the alkaloid flindersine, 666
- Chromium** and manganese carbonyl, mixed complex of 2-benzylpyrrole, 1414
Carbon dioxide catalysis of formation of carboxylato-chromium(III) complexes, 1401
 π -(*exo*-2-acetoxybenzonorbornenyl)-*exo*-tricarbonyl-; crystal and molecular structure, 1712
Ferromagnetic and antiferromagnetic interactions in complex chlorides of chromium(II), 1221
- Chromium**—*continued*
Hydrolysis of *cis*-dichlorobis(bipyridyl)-cobalt(III) and -chromium(III) ions and their phenanthroline analogues with and without a catalyst, 61
Internal rotation in tricarbonyl(arene)chromium compounds, 312
low spin four-co-ordinated nitrosyl dialkylamides and alkoxides, 219
luminescence intensity of tervalent complexes, 1497
Novel conformational preferences of five-membered di(tertiary arsine) chelate complexes of chromium carbonyl: determination by nuclear magnetic resonance spectroscopy, 625
Outer-sphere complexes of $\text{Cr}(\text{NH}_3)_5\text{X}^{2+}$ with benzenehexacarboxylate anion, 638
Reactions of oxygen with tris(di-isopropylaminato)chromium(III), 1177
Restricted rotation in tricarbonyl(arene)chromiums, 593
Tricarbonylchromium complexes of $\alpha\beta\gamma\delta$ -tetraphenylporphinzinc, 284
- Chromophores**, optically active aromatic, pyrazines as, 1112
- Chugaer's salt**, $[\text{PtC}_8\text{H}_{15}\text{N}_6]_x\text{Cl}_x$, revised structure, 183
- Cinnamyl** pyrophosphate, synthesis and reaction with resercolin, 455
- Cinnamylphenols**, formation by means of *ortho-ortho*-rearrangement, 6
- Cinnoline**, hexafluoro-: synthesis and photochemical isomerisation to hexafluoroquinazoline, 739
- Clavatul**, a novel triterpenoid of the bisnoronocerane type isolated from *Lycopodium clavatum*, 1274
- Cluster complexes**. *X*-Ray crystallographic determination of the structure of $(\pi\text{-C}_6\text{H}_5)_2\text{Rh}_2\text{Fe}_2(\text{CO})_8$ —a complex with an unexpected distribution of ligands around a tetrahedral cluster of metal atoms, 529
- Cluster compound**, new octahedral, containing triply-bridging hydride ligands; preparation and spectroscopic and *X*-ray crystallographic determination of the structure of $\text{H}_2\text{Ru}_6(\text{CO})_{18}$, 458
- Cobalt**. Absolute configuration of some bis-chelated octahedral cobalt(III) complexes, 723
Alkylcobalt(I) intermediate in the formation of *trans*-dialkylcobalt(III) complexes of two tetradentate macrocyclic ligands, 1091
Aryl-pentacyane cobalt nitroxides—a new group of stable free radicals, 930
Circular dichroism and the chirality of the unsymmetric *cis*- and *trans*-(+)-*D*-bis(diethylenetriamine)cobalt(III)ion, 893
Cobalt(II) complexes of "mixed" nitrogen-phosphorus cationic ligands, 813
Crystal and molecular structure of $[\pi\text{-(2,3-dimethylbutadiene)-Co}(\text{CO})_2]_2$, 318
Crystal and molecular structure of some derivatives of *NN'*-ethylenebis(salicylaldehydeimino)cobalt(III), 276
Crystal and molecular structure of a binuclear cobalt(III) complex with bis-(3-methoxysalicylaldehyde)ethylenedimine. Evidence for the bridging ability of some quadridentate Schiff bases, 1079
Crystal structure and absolute configuration of a novel tetradentate ligand in a cobalt(III) ion complex, 720
Crystal structures of four new complexes of glycyglycine, 367
Electron spin resonance studies of 1:1 cobalt-oxygen adducts, 467
Electrophilic reactions of $\text{ClCCO}_3(\text{CO})_3$. New preparation of arylmethyltricobalt enneacarbonyls, 1058
Geometric and optical isomers of the bis(diethylenetriamine)cobalt(III) ion, 784
Hydrolysis of arsenatopenta-amminecobalt(III) in acidic solution, 1568
Hydrolysis of *cis*-dichlorobis(bipyridyl)-cobalt(III) and chromium(III) ions, and of their phenanthroline analogues with and without a catalyst, 61
Infrared, Raman, and magnetic evidence for a ${}^4T \rightleftharpoons {}^2E$ equilibrium in bis[tri-(2-pyridyl)amine]cobalt(II) perchlorate, 520
cis-trans-Isomerism in solution for the tris-(*N-p*-tolylpyrridinaldimine)cobalt(II) cation, 1589
Kinetics of substitution of alkyl- and aryl-aquo-1,3-bis(biacetylmonoximeimino)propanecobalt monocations, 34
Kinetics of substitution of co-ordinated carbanions in cobalt(III) corrinoids, 341

Cobalt—*continued*

- Ligand exchange kinetics of a five-co-ordinate cobalt(II) complex, 1527
- Ligand exchange kinetics of tetrahedral chlorocobalt(II) species by ^{35}Cl nuclear magnetic resonance, 1257
- Monosubstituted derivative of dicobalt octacarbonyl derivative containing bridging carbonyl groups, $[\text{Co}_2(\text{CO})_7]_2\text{-Ph}_2\text{PC}\equiv\text{CPh}_2$, 149
- oxide, active, autoxidation in presence of: catalysis, 634
- Polarography of cobalt(II), nickel(II), and zinc(II) in pyridine, 4-methylpyridine, and 2-methylpyridine, 1594
- Polynuclear carbonylcobalt derivatives of silicon and germanium: X-ray structure of $\text{C}_8\text{H}_5\text{GeCo}_3(\text{CO})_{11}$, 592
- Preparation and crystal structure of tris(hexacarbonyldicobalt- π -ethynyl)arsine: $[(\text{CO})_6\text{Co}_2\text{C}_2\text{H}]_3\text{As}$, 681
- Preparation of $[\text{Co}_3(\text{CO})_{10}]^-$, a new cobalt-carbonyl cluster anion, 181
- Rates of reduction of some cobalt(III) and chromium(III) complexes by ytterbium(II), 756
- Reactions of dicyanodi-[1,2-bis(diphenylphosphino)ethane]-cobalt(II) with oxygen and alkyl halides, 598
- Salicylatotetra-amminecobalt(III) chloride monohydrate, 397
- Stereospecific halogenolysis of β -styrylpyridinecobaloximes. A general synthesis of isomeric β -halogenostyrenes, 1027
- Structure, geometry and bonding in $\text{Co}[\text{SC}(\text{NH}_2)_2]_4(\text{NO}_3)_2$ and $\text{Co}[\text{SC}(\text{NH}_2)_2]_4(\text{NO}_3)_2\cdot\text{H}_2\text{O}$, 40
- Structure of NN' -ethylenebis(acetylacetoniminato)phenyl-aquacobalt(III), 152
- trinitrosyl-, a strong base, 1001
- Coenzyme A.** Steric course of the 3-hydroxy-3-methylglutaryl Co A reductase reaction, 1394
- Colplexes**, octahedral, stereoselective decomposition during bacterial growth, 997
- Concentrated acids**, kinetic acidity dependence of an *A*-1 reaction in, 688
- Concerted reactions**, permutation symmetry control in, 305
- Congressane**, an ethano-; hexacyclo[10,3,1,0^{2,10},0^{3,7},0^{6,15},0^{9,14}]-hexadecane, 861
- Conine** precursors, 5-oxo-octanoic acid and 5-oxo-octanal, 1651
- Cool-flame** behaviour, a model, 1150
- Copper.** Adamantane-like cage units in the crystal structure of a polymeric adduct of 1,3,5-trithian with copper(I) chloride, 1146
- and nickel, bis-complexes of histidine, contrast in stereoselectivity of formation, 1000
- complexes with 2,2'-bipyridyl-type ligands, activation parameters for the formation of, 1681
- Crystal and molecular structure of bis(phenoxyacetato)triacuopper(II), a monomeric, five-co-ordinate hydrated cupric carboxylate, 839
- Crystal and molecular structure of copper(II) bis-2,5-dimethyl-oxazolidine-4-carboxylate dihydrate. Relation between the structure of the complex and the synthesis of DL-thionine, 1351
- Crystal and molecular structure of dichlorobis(tetramethylthiourea)copper(II), 533
- Crystal and molecular structure of (α -picoline) $_2\text{Cu}(\text{NO}_3)_2$, 865
- Crystal and molecular structure of $[(\text{pyridine})_2\text{Cu}(\text{NO}_3)_2]_2\text{-C}_5\text{H}_5\text{N}$: a centrosymmetric dimer with bridging nitrate-groups, 210
- Crystal structure of the 2: 1 dimer $[(\text{pyridine } N\text{-oxide})_2\text{CuBr}_2]_2$, 204
- Crystal structure of mono- α -picoline bis-(ω -nitroacetophenato)copper(II), 1218
- Crystal structure of two of nine known crystalline forms of Cu(tetramine)(NCS) $_2$, 1103
- five-co-ordinate dimer: structure and magnetic properties of di- μ -chlorobis[trichlorocuprate(II)] anion, $[\text{Cu}_2\text{Cl}_8]^{4-}$, 786
- Hydration and structure of copper(II) complexes of DL-methionine and other thiocarboxylates in aqueous solution, 175
- Infrared spectrum and surface potential of carbon monoxide chemisorbed on a copper (100) single-crystal surface, 1754
- Magnetic properties to 4.2K of the complex di- μ -hydroxybis(bipyridyl)dycopper(II) sulphate pentahydrate, 1593
- Molecular structure of 2-(diphenylphosphine oxide)ethyl-diethylammonium dichlorocuprate(I): single-crystal X-ray analysis, 1227

Copper—*continued*

- Monodentate hexafluoroacetylacetonone. Synthesis and crystal structure of bis-(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)-bis-(*NN*-dimethylethylenediamine) copper(II), 1335
- Novel magnetism and crystal structure of the complex di- μ -hydroxybis(bipyridyl)dycopper(II) sulphate pentahydrate, 905
- Nuclear quadrupole resonance spectra of pyridine *N*-oxide complexes of copper(II) halides, 402
- Oxidation of 2,4-di-*t*-butylphenol by amine complexes, 227
- Oxidation of nickel(II) and copper(II) complexes of *NN*-diethylthiocarbamate, 476
- Preparation of stable copper(I) derivatives of octahydropentaborate(1-) and nonahydrohexaborate(1-) ions, 1312
- protein interactions, models of: crystal structures of two copper(II) complexes of 6-aminohexanoic acid, 1408
- Rapid kinetics of formation of a mixed ligand complex of copper(II), 1278
- Spin exchange between paramagnetic metal complexes and aliphatic nitroxides: ^{19}F nuclear magnetic resonance spectroscopy of copper(II) complexes, 1448
- Stable arylcopper compounds containing 2-(dimethylamino)-methyl or 2-methoxymethyl groups at the aryl nucleus, 1107
- Structure of copper 8,12-diethyl-2,3,7,13,17,18,21-heptamethylcorrole, 56
- "Thermal" decoupling and apparent rapid intramolecular exchange in $(\text{Ph}_3\text{P})_2\text{CuBH}_4$: ^1H nuclear magnetic resonance study, 701
- X-Ray crystal structure and electronic energy levels of square-pyramidal μ -formato-monodiethylenetriaminecopper(II) formate, 887
- X-Ray crystal structure of $\text{Cu}_3\text{Cl}_8(\text{adenine } \text{H})_2\cdot 4\text{H}_2\text{O}$: a trinuclear complex containing both adenine and chlorine bridges, and five- and six-co-ordinate copper(II), 1573
- X-Ray crystallographic determination of the infinite, helical, polymeric structure formed from acetylacetonato(trichloroacetato)copper(II) chemical units, 486
- Copper(II)** macrocyclic binuclear complex exhibiting a metal-metal interaction, 1682
- Core level** shifts in electron spectroscopy and chemical shifts in Mössbauer spectroscopy, correlation between, 1338
- Coronene** radical anion-pair, Fermi contact nuclear magnetic resonance shifts in glyme complexes of, 1035
- Corrinoids**, cobalt(III), kinetics of substitution of co-ordinated carbanions, 341
- Corrins** and related ligands, studies on synthesis: simple synthesis of γ -substituted butyrolactams *via* the conjugate addition of cyanide to $\alpha\beta$ -unsaturated ketones, 822 and related ligands, synthesis. Employment of isoxazoles as intermediates in the synthesis of semicorrins, 821
- Corticoid-like C-17** functions, new approach to their introduction *via* 2-lithio-1,3-dithian-epoxide reactions, 741
- Coumarandiones**, photo-decarbonylation of, 257
- Coumaran-3-one**, 2- α -hydroxybenzyl-2,4,6-trimethoxy-, stereochemistry. Mechanism of the Algar-Flynn-Oyanada reaction, 1435
- Crinine.** A new stereoselective synthesis of (\pm)-crinan, basic ring system of the alkaloid crinine, 1669
- Crustecdysone**, biosynthesis in the blowfly *Calliphora stygia*, 179
- Cubane** precursors, new approach: photochemical rearrangement of *cis,anti,cis*-tricyclo[5,3,0,0^{2,6}]deca-4,9-diene-3,8-dione, 1493
- Cucurbitacin B**, biosynthesis, 1599
- Cyanamide**, and fluoramine: nitrogen inversion barriers and electronic structure of: *ab initio* SCF-LCAO-MO study, 1062
- inversion and non-planarity, of gas-phase infrared spectroscopic evidence, 715
- Cyanates** and isocyanates; ^{14}N chemical shifts, 1708
- Cyanation**, nuclear, of diphenylacetylene, 711
- Cyanide**, dimerization of pyridinium salts by, 642
- novel displacement by *n*-butyl-lithium; formation of α -ferrocenyldicarbonyl anion, 359
- 1-Cyanoallene** dimers, structure, 918
- Cyanogen azide** and benzenesulphonyl azide, reaction with hexamethylbicyclo[2,2,0]hexadiene, 429
- Cyanohydrin-cyano-ketone**, mechanism of oxidative rearrangement: new type of intramolecular group-transfer in steroid photochemistry, 1002

- Cycl[3,2,2]azines**, 6-azacycl[3,2,2]azines, and cyclopenta[*h*]-cycl[4,2,2]azines, synthesis from 3*H*-pyrrolizine, 790
- Cyclic systems**, medium mono-, and bi-, variable temperature nuclear magnetic resonance spectroscopy study of nitrogen inversion in, 414
- 2+2 Cycloaddition**, photochemical, *via* a cation-radical chain reaction, 682
- Cycloalkanones**, 2-alkyl-, type 2 photoelimination reaction, 390
- Cycloartanol**, 24-methylene-, initial removal of the 4 α -methyl group during its conversion into cycloeucaleenol in *Musa sapientum*: phytosterol biosynthesis in banana peel, 399
- Cyclobutadiene epoxide**, 764
ionization potentials, 980
reactions, 499
- Cyclobutane** cage compounds, rhodium(I)-catalysed isomerization: synthesis of *cis,syn,cis*-tricyclo[5,3,0,0^{2,6}]deca-4,8-diene-3,10-dione and of *exo*-dicyclopentadienone, 1494
derivatives, ring contraction not involving carbonium ions, 1358
- Cyclobutanols**, 2-monochloro-, conformational effects in reaction with base: ring-contraction *versus* hydride shift, 652
- Cyclobutenes**, formation; thermal *cis-trans* isomerisation of conjugated dienes, 1583
- Cyclodecanol**, lead tetra-acetate oxidation of; transannular reactions in, and rearrangement of, the cyclodecane system, 854
- 1,4,7,10-Cyclododecanetetraone**, synthesis of *NN'*-dimethyl-[2,2](2,5)pyrrolophane from, 107
- Cyclododeca-3,4,9,10-tetraene-1,7-dione**, synthesis. Diastereomeric monocyclic diallenes, 1219
- σ -1,3-h²- π -1,2,3-³*h*-Cyclododeca-1,6,9-trienyl** ligand as a five-electron donor: a novel allyl-ruthenium cluster, 735
- Cyclohepta-amylose**-catalysed hydrolysis of penicillins, specificity, 113
inclusion complexes. A proton magnetic resonance study, 2
- Cyclohepta[*b*]thiophen**, 5-chloro-4-ethoxy-8*H*-, synthesis, 771
- Cycloheptatriene** and bitropyl, oxidation by a cation-radical: generation of tropylium ion by electron transfer, 15
1-benzoyl-, reactions, 1319
- Cyclohepta-2,4,6-trien-1-one**, 2-iodo, reaction with 1-azabicyclo[2,2,2]octane: unusually easy nucleophilic opening of a bicyclo[2,2,2]octane skeleton, 297
- Cyclohexadienate**, 1,1-dihydro-2,4,6-trinitro-, tetramethylammonium, preparation: novel Meisenheimer complexes, 1463
- Cyclo-1,3-diene**, octafluoro-, photochemical isomerization, 1337
- Cyclohexa-1,3-dienes**, dimethylamino-, preparation of some, and their reactions with $\alpha\beta$ -unsaturated ketones, 657
- Cyclohexa-1,4-diene**, alkylation, 1325
and cyclohexa-1,3-diene, deuterium-labelled, reactions and synthesis, 223
- Cyclohexadienones** and phenols, protonated, photoisomerisation: carbonium-ion photochemistry, 1581
- Cyclohexa-2,5-dienone**, 2,6-di-*t*-butyl, acid-catalysed rearrangement of, allylic inversion of the migrating group, 1072
- Cyclohexa-2,5-dienones**, conversion of anilines into their derivatives, 427
- Cyclohexane-1,3-dione**, 5,5-dimethyl-; (dimedone), photooxidation, 704
Michael addition to 4-bromo- ω -nitrostyrene. Formation and crystal structure of 3-(4-bromophenyl)-2-hydroxyimino-6,7-dihydro-4(5*H*)-benzofurazane, 1602
- Cyclohexanes**, *trans*-1,2-dibromo-, formation and equilibration of, substituent effects, 1437
- Cyclohexanone**, 2,2,5,5-tetramethyl-, barrier to ring inversion in, 1097
- Cyclohexasilane**, dodecamethyl-, photolysis, 612
- Cyclohexene**, 1-phenyl-4-*t*-butyl-, addition of HCl and HBr. Isolation of the stereomers *cis*- and *trans*-1-chloro-1-phenyl-4-*t*-butylcyclohexane and stereochemistry of the addition process, 1246
- Cyclohex-2-enone**, 3-methyl-, photodimers, 294
- Cyclohex-2-en-1-one**, 2-methyl-3-(*cis,cis*-penta-1,3-dienyl)-, synthesis and rearrangement: thermal isomerisation of a hexatriene system, 173
microwave spectrum, 382
- Cyclohexenones**, 2-substituted, syntheses by Michael-type reactions on tetrahydropyran-2'-yloxy-cyclohexenes, 52
- Cyclononane**, 1,1,4,4-tetramethyl-, and some derivatives, preferred conformation of; low-temperature nuclear magnetic resonance study, 1105
- cis,trans*-Cyclo-octa-1,4-diene**, preparation of some derivatives, 1644
- Cyclo-octadienes**, co-ordinated, in palladium(II) and platinum(II) complexes, rearrangement, 630
- Cyclo-octa-2,6-dienone**, divergence of photochemical reaction of, 1695
- Cyclo-octane**, 1,2,5,6-tetramethylene, 461
- Cyclo-octatetraene**, dimer of, crystal structure of a complex with iron tricarbonyl, 1106
synthesis of a novel dimer. Specific photodimerisation of 9-cyano-9-azabicyclo[4,2,1]nona-2,4,7-triene, 373
- Cyclo-octa-1,3,5-triene**, addition of dibromocarbene. Preparation of bicyclo[6,1,0]nona-2,6-diene and derivatives, 1519
- trans*-Cyclo-octene**, optical activity, 43
- Cyclo-octyn-3-ol**, cyclononyl-3-ol, and derivatives, preparation, 1172
- Cyclopentadiene**, addition of unsymmetrical ketens, kinetic control of stereochemistry, 589
- Cyclopenta-1,3-diene**, 1-vinyl-, a semi-cyclic triene, photochemical sigmatropic 1,7-shift of hydrogen in, 1509
- Cyclopentadienes**, Diels-Alder addition of dimethyl vinylphosphonates: stereochemistry of reaction using nuclear magnetic resonance spectroscopy, 485
- Cyclopentane**, liquid, effect of temperature on hydrogen atom scavenging by ethylene in γ -radiolysis, 1478
2-methylenevinyl-, cyclodimerization of butadiene to, an arynickel as an active catalyst of high selectivity, 1310
- Cyclopentene**, photochemical rearrangement of vinylcyclopropane to, 454
- Cyclopentenedicarboxylic acids**, revised structure assignments among, 1407
- Cyclopent-4-ene-1,3-dione**, 2,2-dimethyl-, as a dienophile and a dipolarophile, 685
- Cyclopentenone**, energy transfer, 1040
4-hydroxy-2,3,4-triphenyl-, dehydration, 837
- Cyclopropane**, formation of derivatives by an oxidative cyclisation using nickel peroxide, 1574
isomerization on zeolites. A second mechanism, 819
methyl- and ethyl-, addition of chlorine to, protonated cyclopropane intermediates, 1387
substituted, base-catalysed isomerization to 4,5-dihydrofurans, 677
- Cyclopropanes**, methylene-, reaction with lead tetra-acetate, 1181
- Cyclopropanone**, preparation of an enol-ether of, by irradiation, 1330
- Cyclopropene**, rearrangement of the Diels-Alder adducts with furan, unusual stereoelectronic effect, 1353
- Cyclopropenone**, diphenyl-, dimerization and rearrangement: a re-evaluation, 982
electronic structure, 147
- Cyclopropyl-allyl** rearrangement, silver-ion catalysis, 626
- Cyclopropylidene-cycloalkanes**, thermal reorganisations of: unique character of the bicyclopropylidene-methylene-spiropentane system, 718
- [1,1-²H₂]Cyclopropylmethyl**, [1-²H₁]cyclobutyl, and [2,2,4,4-²H₄]cyclobutyl methanesulphonates, label scrambling in the hydrolysis and borohydride trapping products of, 1636
- 2-Cyclopropyl-1-phenylethylene**, photoisomerization, 469
- Cyclotriphosphazene**, 2,4,6-tris-(2,2'-dioxibiphenyl)-, crystal and molecular structure, 944
- Cyclotriphosphazenes**, hexakis(aryloxy)-, basic hydrolysis, 580
- Cysteine** active ester derivatives, rates of racemization and coupling, 53
- L-Cysteine** active esters, *N*-benzyloxycarbonyl-*S*-benzyl-, mechanism of racemization in non-polar solvents, 1145
- Cytochrome *c* oxidase**, heme *A* of, structure and reactions, 809
infrared study of carbon monoxide bonding to heme *A* in, 950
- Cytosine** and thymine, carbon and nitrogen 1s levels: molecular core binding energies, 24
1-methyl-, stereochemistry of addition reaction with hydroxylamine and methoxyamine, 568
1-methyl-5,6-dihydro-, electrophilic substitution at C-5, 864

- Dammar resin**, crystallographic structure determination of a triterpene dimethyl ester ϵ -lactone from, 891
- Decafluorobenzophenone-isopropyl alcohol**, a new actinometer, 1413
- Decalin**, 1 β -tosyloxy-4 α ,8 α , β -dimethyl-, solvolytic rearrangement of derivatives: synthesis of (\pm)-bulnesal, 185
- Decalone**. Stereochemistry of enolate alkylation of 4 α -methyl-*trans*-2-decalone systems, 38
- Dehydroabietic acid**, microbial degradation, 346
- "Dehydro-diccatechin A,"** partial structure, 487
- Denudatine**, a diterpenoid alkaloid, X-ray crystallographic determination of structure, 359
- Deoxyecdysone**, deoxyecdysone, and α -ecdysone, isolation from the fern *Blechnum minus*, 1217
- Deoxyemmolactone**, a new A(1), 28-bisnorlupane triterpene, 814
- Deoxyribo-oligonucleotides** bearing 5'-phosphomonoester end group, use of substituted phenol as phosphate protecting group in synthesis of, 91
of defined sequence, use of new protecting groups in synthesis, 516
- Des-N-morphinan** and des-N-isomorphinan, mass spectrometry and carbon-13 nuclear magnetic resonance spectroscopy in assigning stereochemistry to their derivatives, 1136
- Deuteriated compounds**, fully, general method for deriving the mass spectra of, from the spectra of their partially deuteriated analogues, 988
- Deuterium oxide**, dissociation constants of amino-acids in, 803
- "Dewar benzene,"** hexamethyl-; and hexamethylbenzene, dipole moments, 1702
- Diacetylacetone**, reaction with hydroxylamine, 1309
- Diamines**, oxathia-macrobicyclic, and their "cryptates," 1055
- 4,4'-Diaminodiphenyl sulphone**, an antimalarial and anti-leprotic drug, X-ray crystal structure, 920
- Dianions**, synthetically useful; formation of a new class by twofold metallation of 2-hydroxy-4-methylpyrimidines, 336
- Diastereomeric salts**, assignment of absolute configurations, use of nuclear magnetic resonance spectroscopy, 1525
- Diazenes**, allylic, decomposition, 1198
- 4H-1,2-Diazepine**, 3,5,7-triphenyl-; reaction with di-iron nonacarbonyl and the X-ray crystal and molecular structure of a novel iron-containing bicyclo[5,1,1]-system, 1664
- Diazoalkane**-pyranosid-2-ulose reactions, influence of steric factors, 1549
- Diazoalkenes**, steric effects in cyclisation of: new route to 1,2-benzodiazepines, 909
- α -**Diazoketones**, bis-, intramolecular cyclization: a new synthesis of 4-hydroxytropone, 721
- Diazomethane**, diphenyl-, photolysis of *N*-sulphonylaniline in presence of, 481
- Diazonium salts**, unusual ready coupling with cations, 1320
- Dibenzoate chirality rule**, application to the absolute configuration of illudin S, 310
- 3,4:5,6-Dibenzocyclononatetraene**, anions derived from, 1215
- 3,4:5,6-Dibenzocyclononatetraenes**, two allyl-isomeric, 1430
- Dibenzo[fg,op]naphthacene**, photolytic formation: new route to polycondensed aromatics, 766
- Dibenzo[b,e][1,4]thiazepine** ring system, 5,11-dihydro-, synthesis: a novel aromatic rearrangement involving a nitrene, 233
- 6H-Dibenzo[b,d]thiopyran**, 1,2,3,4-tetrahydro-8-methoxy-, acid-catalysed disproportionation of, participation of a bridgehead thiranium ion, 841
- Diborane**, possible pathways for reduction of carboxylic acids by; reductions of carboxylic and mixed anhydrides, 346
stoichiometric evidence for the dihydrate, 1090
- trans-6,8-Dibromo-1,2,3,4,4a,9a-hexahydro-4a,9-dimethylcarbazole**, crystal and molecular structure, 531
- β -**Dicarbonyl** compounds, enolized; O-D out-of-plane deformation, 176
- meso-(\pm)- and erythro-threo-Dichloro-alkane equilibria**, 12
- Dichloroketen**, reaction with diphenylfulvene and diphenylbenzofulvene, 935
- Dichloromethylene** transfer reagent; bis(triphenyl-lead)dichloromethane, 694
- Dictyopterene B**, and an undeca-1,3,5,8-tetraene, from algae of the genus *Dictyopteris*, isolation and determination of structure, 1093
- Dicyclopropylacetylene**, mono- and di-metallation, 1452
- Dielectrons** [$(e_2^{2-})_{aq}$], existence in aqueous solution, 1303
- Diels-Alder** reaction of possible biosynthetic importance, 1103
- Dienes**, conjugated, photocycloaddition of alkyl ketones, 1637
conjugated, thermal *cis-trans*-isomerization; formation of cyclobutenes, 1583
- 1,3-Dienes, photocycloaddition of enones**, 1656
- Dienophile** and dipolarophile, 2,2-dimethylcyclopent-4-ene-1,3-dione, 685
- Dienophiles**, azo-, cycloaddition to *N*-ethoxycarbonylazepine, 1129
 $\alpha\beta$ -unsaturated, conformational requirement, 134
- Diethyl ketone**-boron trifluoride adduct, *cis-trans*-isomerism about the carbon-oxygen bond: nuclear magnetic resonance study, 1229
- Difluorenylidene** formation from fluorenone sulphine using organolithium bases, mechanism, 748
- Difluorocarbene** adducts of sterically-hindered acetylenes, 725
- Digitoxigenin**, role of C-15 in its biosynthesis, 1675
- Dihalogenocarbene** additions to heterocyclic olefins, geometry: X-ray crystallographic study, 1641
- Dihydrolycorine**, hydrogenation product of the alkaloid lycorine, total synthesis, 1313
- (\pm)-**Dihydronorfluorocurarine**, total synthesis, and an improved total synthesis of (\pm)-geissoschizoline, 812
- α -**Diketones**, photochemistry of, in amines, 895
photolysis of a mixture of, in isopropyl alcohol. Equilibration in photochemical systems, 1267
- β -**Diketones**. Novel iodination of the α -methylene group in 1,3-diphenylpropane-1,3-dione and related β -diketones, 11
- 1,4-Diketones**, Clemmensen reduction, 769
- Dimedone** (5,5-dimethylcyclohexane-1,3-dione), photo-oxidation, 704
- 3,5-Dimethoxybenzyl phosphates**, photo-initiated hydrolysis of, 339
- 2,3-Dimethylbut-2-ene**, reaction with tetrahalogeno-*o*-benzoquinones, 989
- Dimethylformamide-water** systems containing hydroxide ion, inherent stability, 164
- NN-Dimethylphenylethynylamine**, photochemical rearrangement into α -phenylisobutyronitrile, 889
- Dimethylvinylidene-benzobicyclo[n,1,0]alkenes**, unusual rearrangements, 1588
- 1,4-Dinitriles**, convenient synthesis from furazans by ultraviolet irradiation, 1192
- Dinitrogen** bound to rhenium; on the state of, 1661
complexes, polynuclear, 955
- 1,3,2-Dioxaborolane**, 2-phenyl-, under electron impact, formation of the tropylium ion from, 386
- 1,3-Dioxans**, 2-isopropyl-, configurational preferences of 5-hetero-substituents, 290
2-methyl-5-t-butyl-, effect of solvent on position of equilibrium and on nuclear magnetic resonance spectra, 291
- 1,3-Dioxolan**, kinetics of hydride transfer to the free triphenylmethyl cation preceding the true initiation, 1347
- 1,3,2-Dioxaphospholes**, 2-fluoro-2,2'-spiro-; a trigonal-bipyramidal molecule with a single equatorial fluorine atom, 476
- Diphenyl sulphide-2-carboxylic acids** and aromatic amides, oxidation of: new reactions with persulphate, 849
- Diphenylacetylene**, photochemical cyclization to phenanthrene, 1412
- Diphenylamine**, photochemical reaction with benzophenone, 1311
- Diphenylamines** and quinone di-imines from base-catalysed reactions of 2-(alkoxyamino)diaryl sulphones: evidence against a nitrene mechanism, 1280
- 1,3-Diphenylbut-1-ene**, alkali-metal salts, fluorescence in ether solutions, 1649
- 1,1-Diphenylethylene** triplets, cycloaddition reactions, 1633
- Diphenylmethane** derivatives, hydrogen and carbon scrambling in their molecular ions, 537
- Diphenylmethane** system, "homoconjugation" in, kinetic evidence, 1457
- Diphenylmethylene**, reaction with isopropyl alcohol and oxygen: reversibility of singlet-triplet interconversion of carbenes, 792
- 1,3-Diphenylpropane-1,3-dione** and related β -diketones, novel iodination of the α -methylene group with periodic acid, 11

- Diphosphine**, an *ab initio* LCAO-MO-SCF study of the gauche, staggered, and eclipsed forms, 356
- 1,3-Dipolarophiles**, synthetic utility of adducts, with vinyl phosphonium salts, 39
- Dipole moments** of hexamethylbenzene and hexamethyl-"Dewar benzene," 1702
- Dipyrido[1,2-*a*:1',2'-*d*]pyrazinium** dibromide, alleged; 6,12-dihydro-6-hydroxydipyrido[1,2-*a*:1'2',*d*]pyrazinium dibromide, structure, 482
- NN-Di-(2-pyridylmethyl)amides**, copper(II)-catalysis of methanolysis and hydrolysis of, 1270
- π -Diradicals**, competition between concerted and non-concerted modes, 981
- 9,10-Disiladecalin**, *cis*- and *trans*-9,10-dimethyl-, synthesis and oxidation with peroxides, 285
- Dispiro[2,2,2,2]decane**, ring inversion, 1004
- Diterpene** alcohols, common stereoelectronic requirement in epimerisations with, 1211
- 1,4-Dithiin** 1-oxide, 2,5-diphenyl-, crystal and molecular structure, 1143
- 1,2-Dithiolate**. Crystal structure of a dianionic molybdenum tris-(1,2-dithiolate) complex, 728
- 1,2-Dithioles**, 3-methylene-, nitro- and nitroso-derivatives, 328
- 1,3-Dithiol-4-one**, mesionic 2,5-diphenyl-, photolysis: a probable 4π -antiaromatic intermediate, 959
- Dithizonate**, selenium, existence of, 519
- p,p'*-Ditolyl** derivative, Ar-(N₂S)-Ar, X-ray structure, 413
- Dothistromin**, a fungal toxin implicated in pine needle blight: X-ray determination of molecular structure of a derivative, 1705
- Ecdysone**, structures of two analogues, cheilanthones A and B, from the fern *Cheilanthes tenuifolia*, 243
- Ecdysones**, 5 β -hydroxy-, and revision of the structure of Ponasterone C, 351
- Echinulin-type** compounds, a model reaction for their biogenesis: rearrangement of 3-alkyl-1-allylindoles, 1328
- Electron-donor-acceptor** complexes, multiple association constants, 1516
- Electron spin resonance**, a novel application. Selective deuterium exchange using homogeneous and heterogeneous metal catalysts, 1672
- Electron transfer** in aqueous disulphide solutions, pulse radiolysis studies, 1425
reactions in aerobic solution, pulse radiolysis studies of, 1005
- Electron-trapping** by cations in some silver and cadmium salts, electron spin resonance studies, 70
- Electronic excitation energy**, resonance transfer *via* coupling of $S_0 \leftrightarrow S_1$ and $T_0 \leftrightarrow T_2$ transition moments, 1307
- Electrons**, trapped, and free radicals in γ -irradiated ethanol glasses, 1667
- Electrophilic substitution** at a saturated carbon atom by mercury(I), 460
- (\pm)-**3-*epi*-Elwesine**, total synthesis. General methods of alkaloid synthesis. New approach to the synthesis of the 5,10b-ethanophenanthridine *Amaryllidaceae* alkaloids, 1585
- Elymoclavine**, synthesis and incorporation of chanoclavine-1-aldehyde into, by *Claviceps*. Biosynthesis of ergot alkaloids, 471
- Emmert reaction**, lithium analogue of, 1406
- Enamine-acids**, intramolecular acylation of, 283
- Enamines**, reactions with inorganic halides, 854
- Endocrocin**, endocrocin-9-anthrone, and related compounds, synthesis, 178
- 2-Ene-1,4-diones** and 2-en-1-ones, selective reduction with di-isobutylaluminium hydride, 213
- Energy migration** in radiolysis of solids, 549
- Enol**. Comparison of the stereochemistry of the bromination of an enol and of its methyl ether, 629
- Enolates**, reaction with lead(IV) acetate, 406
- Enones**, photocycloaddition to 1,3-dienes, 1656
- Enzyme-substrate** complexes, models for: kinetics of hydrolysis of bicyclic immonium ether perchlorates, 900
- (-)-**7-Epi-5-chloroisorotiorin**, a novel metabolite of the sclerotiorin group, 762
- Epoxidation** reaction with anhydrous hydrogen peroxide, 1198
- Epoxides**, reductive elimination with magnesium bromide-magnesium amalgam to form alkenes, 144
- Ergolene** nucleus, enzymatic closure of ring D. Biosynthesis of ergot alkaloids, 775
- Ergosta-5,7,22,24(28)-tetraen-3 β -ol**, partial synthesis, 939
- Ergot** alkaloids, biosynthesis from (5*R*)- and (5*S*)-[5-³H₁]-mevalonolactones, 1394
biosynthesis: synthesis of chanoclavine-1-aldehyde and its incorporation into elymoclavine by *Claviceps*, 471
- Eritadenine** and its homologues, simple synthesis, 1047
a novel synthesis: reactions of some purines with γ -lactones, 1045
- Erythrinine**, a new alkaloid from *Erythrina indica* Lam., structure, 1076
- Erythristemine**, a new alkaloid from *Erythrina lysistemon*: spectroscopic and crystallographic study, 391
- Ester** hydrolyses, competition between neighbouring-group participation by carbonyl groups and carbon acids, 1315
- Esters**, long-chain unsaturated, oxymercuration-demercuration of, substituent effects, 877
nucleophilic *versus* general base-catalysed intramolecular carboxy-group-assisted solvolysis of, steric effects, 1389
of saturated normal acids, conformations, 103
- Ethers**, alkyl aryl, mechanism of rearrangement. Evidence against a π -complex intermediate, 795
1-arylallyl; *via* an unusual allylic rearrangement, 1722
- Ethers** and esters, palladium-catalysed exchange of allylic groups of, with active-hydrogen compounds, 1392
cyclic, Group IV-cobalt complexes as catalysts for polymerisation of, and for silylation, 847
synthesis of ethers by the desulphurisation of sulphonate esters, 1466
- 1-Ethoxyvinyl** carboxylates, β -keto-ester derivatives from, 1
- Ethylamine**, hydrogen formation in the radiolysis of, 1678
- Ethylene**, 2-cyclopropyl-1-phenyl-, photoisomerisation, 469
effect of temperature on hydrogen atom scavenging by, in the γ -radiolysis of liquid cyclopentane, 1478
new compounds with iridium(I), 225
trifluoro-, addition of sulphur chloride pentafluoride, 253
- Ethylene glycol** side-chains, determination of chirality of, by excision of glyceraldehyde, 712
- Ethylene phosphonothioites**, quinquecovalent adducts from, and from dimethyl *t*-butylphosphonite, 1279
- Ethylenediamine**, intramolecular general base catalysis of aminolysis by, 548
reaction with $\alpha\beta$ -unsaturated ketones, 929
- Ethylenediamine-formaldehyde** condensation product, structure, 1075
- Ethylenes**, cyclopropyl-substituted, thermal 2 + 2 cycloaddition reactions with tetracyanoethylene, 501
- N-Ethoxycarbonylazonin** and oxonin, variable-temperature nuclear magnetic resonance study, 375
- Ethyl cation** and protonated ethylene: non-empirical LCAO-MO-SCF investigation, 549
- Ethyl cations**, 1- and 2-fluoro-, a non-empirical LCAO-MO-SCF investigation: barriers to internal rotation in carbonium ions, 603
- Eucarvone**, two new products from photoisomerization of, 450
- Europium**. Mechanism of deshielding of the tris(dipivalo-methanato)europium nuclear magnetic resonance shift reagent, 1167
- Evertriose**, a trisaccharide component of everninomicin D¹, structure, 911
- Excited-state geometries**, calculation using molecular orbital theories, 199
- Feist's ester**, reaction with dimethyl acetylenedicarboxylate, 1228
- Fernadiene** and fern-8-ene, triterpenes, synthesis, 1486
- 18 α -Fernane** derivatives, synthesis. A backbone rearrangement of pentacyclic triterpenes, 1488
- Ferrocene** oligomers, formation from mixed Ullmann reactions of halogenoferrocenes, 502
reaction with styrene in presence of palladium(II) acetate. Aromatic substitution of olefins, 1293
transmission of electronic effects in, 906
- Ferrocenes**, ring-tilted, enhanced Lewis basicity, 26
- Ferricenium** cations, substituted, visible absorption spectra, 280
- α -**Ferrocenyl** cations, enigmatic reactions in sulphuric acid, 729
- $\alpha\alpha$ -**Ferrocenyldicarbanion**, formation; novel displacement of cyanide by *n*-butyl-lithium, 359
- Fischer-Hepp** rearrangement, kinetics, 1671
- Flav-2-enes**, new method of synthesis, 321

- Flavin-naphthalenediol** molecular complex, crystal structure, 20
- Flavone**, reaction with sulphuryl chloride, 380
- Flavonoid** biosynthesis, photolysis of 2-hydroxychalcone and its possible implication in, 272
- Flindersine**, an alkaloid, synthesis: new synthesis of 2,2-dimethylchromenoquinolines from epoxides, 666
- Fluoramine** and cyanamide: nitrogen inversion barriers and electronic structure of: *ab initio* SCF-LCAO-MO study, 1062
- Fluorene**, 1,2,3,4,5,6,7,8-octafluoro-, and related compounds, synthesis; intramolecular nucleophilic alkylation by a stabilized carbanion, 546
- 9H-Fluorene** system, novel rearrangement into the 1H- and 3H-fluorene systems, 734
- Fluorenol**, 1-bromo-, configuration in the fluorene series, 1554
- Fluorenone** triplet, quenching by amines, 622
- Fluorenone sulphine**, mechanism of difluoronylidene from, using organolithium bases, 748
- Fluoren-9-yl** anion, 9-benzenesulphonyl-, reactivity of singlet oxygen with; photo-oxidation of carbanions, 1178
- Fluorescence** quenching by benzoic acid, 1697
- Fluorescent compounds**. Constituents and cultivation of *Lampyromyces japonicus*, 309
- Fluorine**. Activation energies for the elimination of hydrogen fluoride from alkyl fluorides obtained by the activated molecule and competitive shock-tube techniques, 203
- Angular dependence of vicinal ^{19}F - ^{19}F coupling constants, 463
- Bis(perfluoroalkyl)sulphur difluorides and bis(perfluoroalkyl)sulphoxides, 1679
- Chemically-induced dynamic polarization of ^{19}F from spin-delocalized radicals, 578
- compounds of five- and six-co-ordinate phosphorus, indirect spin-coupling constants, 670
- couplings: implications of molecular orbital theory of nuclear spin-coupling constants, 87
- Fluorine-19 nuclear magnetic resonance study of 2-fluoro-2,2'-spiro-1,3,2-dioxaphosphole: a trigonal-bipyramidal molecule with a single equatorial fluorine atom, 476
- Molecular orbital theory of carbon-fluorine nuclear spin coupling constants: application to fluorinated methanes, 1085
- Nitrosyl hypofluorite, ONOF, 1542
- Radical exchange in the reaction of CF_3 radicals with organometallic compounds, 325
- Fluoro-aromatic** compounds, heteronuclear ^1H - ^{19}F nuclear Overhauser effects in, 1078
- Fluoroethylene**, bridge-protonated, electronic structure; interconversion of 1- and 2-fluoroethyl cations, 1042
- Formaldehyde**, reaction with stereoisomeric decahydroquinolin-8-ols, 1123
- structure of condensation products with ethylenediamine, 1074
- Formamide**, *NN*-dimethyl-, and related compounds, heteronuclear magnetic double resonance measurement of carbon-13 chemical shifts in, 418
- Free radicals** and trapped electrons in γ -irradiated ethanol glasses, 1667
- in solution, emission electron spin resonance spectra, 513
- Recombination rate of trimethylsilyl radicals in the gas phase, 1721
- β -D-Fructoside**, 3,6-anhydro- α -D-glucosyl-1,4:3,6-dianhydro-, a new trianhydrosucrose: X-ray crystal structure and properties, 360.
- Fulminate-Cyanate** rearrangement, INDO calculation, 262
- Fulvene**, 6,6-dimethyl-, novel rearrangement of adduct with dichloroketen, 89
- diphenyl- and diphenylbenzo-, reaction with dichloroketen, 935
- Fulvenes**, 6-amino-, formation from thermal rearrangement of 1-substituted 1H-azepines, mechanism, 10
- Furan**, 2-nitro-, and 2-nitropyrrrole, photorearrangement, 1576
- rearrangement of Diels-Alder adducts with cyclopropene, unusual stereoelectronic effect, 1353
- tetrahydro-derivative of scandium tetrahydroborate; synthesis and characterisation, 245
- Furanoquinolines**, hydroxyisopropylidihydro-, stereochemistry and mechanism of base-catalysed rearrangement: trapping of an epoxide intermediate, 337
- Furanose-pyranose** isomerization in a synthesis of 8-azapurine nucleosides, 265
- Furanosiquiterpene**, a ten-membered-ring; conformational isomers and ring inversion of neolinderalactone, 957
- Furanoside**, conversion to, from pyranosidulose, evidence for a biradical intermediate: photochemical decarbonylation of cyclic ketones in solution, 1261
- Furans**, benzo-, rearrangement of benzo-1,3-dioxan derivatives to, 123
- 4,5-dihydro, from base-catalysed isomerization of substituted cyclopropanes, 677
- dihydrobenzo-, in which $J_{cis-2,3} > J_{trans-2,3}$: confirmation using X-ray diffraction analysis, 620
- tetrahydro-, from oxidation of secondary alcohols by the silver oxide-bromine reagent: solvent effect, 976
- thiophens, and pyrroles, substituted trifluoroacetylation of substituent effects, 1642
- Furazans**, convenient synthesis of 1,4-dinitriles from, by ultraviolet irradiation, 1192
- Furoxans**, asymmetric diaryl, obtained by reaction of *p*-chloro- with *p*-methoxy-benzonitrile *N*-oxide: structure, 60
- Gadolinium**. X-Ray crystal structure of trinitrato-1,2-di-(pyridine-2-aldimino)ethanogadolinium(III), 1240
- Gallium** complexes, *trans*-effect; crystal structure of trichloro-(2,2',2''-terpyridyl)gallium(III), 222
- (\pm)-**Geissoschizoline**, improved total synthesis; total synthesis of (\pm)-dihydronorfluorourarine, 812
- Gelsemine**, carbon-13 nuclear magnetic resonance spectroscopy of, 961
- Geraniol**. Biosynthesis of leganin and indole alkaloids from hydroxygeraniol-hydroxynerol, 827
- hydroxy-, and hydroxynerol, role in biosynthesis of loganin and indole alkaloids, 823
- Germacranolides** containing C-6 and C-8 lactonizable α -oxygen groups, preferential C-8 relactonization: structure of salomitenolide, 148
- Germanium** and silicon, polynuclear carbonyl cobalt derivatives: X-ray structure of $\text{C}_8\text{H}_5\text{GeCo}_3(\text{CO})_{11}$, 592
- complexes of ruthenium and osmium dodecacarbonyls: metal-metal heterocycles: crystal structure of $[\text{Me}_2\text{GeRu}(\text{CO})_3]_3$, 1477
- Short Fe-Ge bond in two crystalline modifications of π -butadiene- π -cyclopentadienyldichloromethylgermyliron: X-ray crystallographic study, 1252
- Transition-metal derivative of digermene, 999
- Gibberellin A₁₅** noraketone, partial synthesis from 7-hydroxykaurenolide, 33
- Gigantine**, revised structure; synthesis of the tetrahydroisoquinoline alkaloids, (1)-tepenine, tehaunine and (\pm)-O-methylgigantine, 856.
- Gliotoxin**, a fungal toxin, biosynthesis: origin of the "extra" hydrogens as established by heavy-isotope labelling and mass spectrometry, 1404
- Glucofuranose**, 5-O-sulphonyl-, exocyclic acyloxy-group participation in displacement reactions of derivatives, 245
- L-Glucose**, 6-deoxy-, and L-rhamnose, 2,3,4-triamino-2,3,4-trideoxy-derivatives, 1081
- α -D-Glucoseptanose**, 1,2:3,4-di-O-isopropylidene-5-O-chloroacetyl-, a seven-membered ring sugar; conformation, 157
- Glucoside** hydrolysis, metal-ion catalysed, 794
- O-Glucosides**, aryl, substituent effects in field ionisation mass spectra, 1269
- D-Glucuronic acid** and D-xylose, formation of aromatic compounds from, under slightly acidic conditions, 1576
- Glyceraldehyde**, excision of, in the determination of the chirality of ethylene glycol side-chains, 712
- Glycerols**, monodeoxy-monofluoro-, synthesis and their interaction with glycerol kinase, 1507
- Glycine**-containing peptides, modification induced by visible light, 617
- Glycols**, vicinal, titanium-mediated synthesis from carboxylic acids and organolithium compounds, 451
- Glycylglycine**, crystal structures of four new complexes with cobalt, 367
- Glyme** complexes of coronene radical anion-pair, Fermi contact nuclear magnetic resonance shifts in, 1035
- Gold**, complexes with fluorocarbons and carboranes, 1263
- Intermetallic pattern in metal-atom clusters. Structural studies on $\text{Au}_{11}\text{X}_3(\text{PR}_3)_7$ species, 1210
- Mass-spectroscopic determination of bond energies of the molecules AuS, BS, and BS₂, 580

- Gramicidin S**, conformation, X-ray crystallographic evidence, 1073
- Grignard compound** derived from isopropyl mesityl ketone containing trico-ordinate magnesium, 859
- Grignard reaction**. Control of addition: reduction ratio in reaction with ketones by a salt effect, 470
one-step alternative to, 1160
- Griseoluteic acid**, griseolutein A, and methyl diacetylgriseolutein B, synthesis. A new phenazine synthesis, 1423
- Grisorixin**, a new antibiotic related to nigericin, 1421
silver salt, crystal structure, 1422
- Group V** triphenyls and triphenyl phosphine molybdenum pentacarbonyl, carbon-13 nuclear magnetic resonance, 1621
- Group VIII** metals, fluoroalkylimido-complexes, 1265
- Guanidine**, new alkaloid of; synthesis of pterogynine, and isolation of its isomer pterogynidine, 556
- Guanine**-zinc and adenine-zinc complexes, X-ray crystal structures, 1668
- Gynocardin**, X-ray crystallographic determination of structure, 381
- Haem** system, oxidative cleavage: four isomeric biliverdins of the IX series, 237
- Hafnium**. Preparation of ZrX₃ single crystals and the differential reduction of zirconium from hafnium in molten Al₂X₆, 281
- Halides**, organic, silver ion assisted dimethyl sulphoxide oxidations of, 1338
- Helicobasidin** and related compounds, biosynthesis, 926
- Helvolic acid**, revised structure, 1119
- Heme A** of cytochrome *c* oxidase, structure and reactions, 809
infrared study of carbon monoxide bonding, in cytochrome *c* oxidase, 950
- Heptafulvene** derivative of iron(II), [(π -C₅H₅)Fe(CO)₂(C₅H₅)⁺][SbF₆⁻], X-ray crystallographic determination of structure, 1056
- Hetacillin** and **ampicillin**, antibiotics, equilibrium between, in solution, 1249
- Heterocycle**, non-aromatic five-membered-ring, photorearrangement: photolysis of azine monoxides, 289
- Heterocycles**, organoarsenic, use of aminoarsines in synthesis, 425
- Heterocyclic compounds**, highly-substituted fluorinated, rearrangement of substituents, 662
- Heterocyclic ring**, new system: synthesis of 1,2,5,6,10a, 10b-hexahydroindeno[7,1,2-*hij*]quinolizine-3,10-dione, 596
- Heteronins**, aromaticity in, 1133
- Heteroxanthin**, a unique xanthophyll from the Xanthophyceae (Heterokontae), structure, 876
- Hetidine**, a diterpene alkaloid, crystal structure, 393
- Hexacyclo[10,3,1,0^{2,10},0^{8,7},0^{6,12},0^{9,14}]hexadecane**; an ethanocongressane, 861
- Hexa-1,5-diene** and benzene, from catalytic oxidation of propene, 1303
2-phenyl-, photosensitized cyclisation reaction, 882
- Hexa-2,4-diene**, reaction of stereoisomers with palladium chloride to form diastereomers. Chirality in transition-metal chemistry, 799
- Hexafluoropropene**, anionic oligomerisation: fission of a carbon-carbon bond by fluoride ion, 1444
- Hexakis(trimethylsilyloxy)benzene**, synthesis, 1329
- Hexamethylbicyclo[2,2,0]hexadiene**, reaction with cyanogen azide and benzenesulphonyl azide, 429
- Hexamine**, and quinuclidine, intrinsic diastereotopism of geminal protons in quaternary salts from, 867
- n-Hexanol**, first-order spectrum: a shift reagent for use in nuclear magnetic resonance spectroscopy, 422
- Hexanolactam**, *O*-allyl and *O*-cinnamyl imino-esters of, Claisen rearrangement, 871
- Hex-3-uloses**, general method for synthesis, 320
- Hex-1-yne**, hydrogenation over borohydride-reduced catalysts: evidence concerning reduction mechanism, 139
- Histamine** in solution, conformation: ¹H nuclear magnetic resonance study, 1343
- Histidine**, formation of copper and nickel bis-complexes, contrast in stereoselectivity, 1001
- Homoadamantane**, 2,4-dehydro-, synthesis, 949
- D-Homoandrostande** derivatives, novel route to, including new methods for preparation and reduction of hydroxy-azides, 64
lactams, 4,17a-diaza-, a new hetero-steroid system, 522
- Homo-1H-azepine**, cycloaddition, 1030
- A-Homo-steroids**, synthesis; ring-expansion of cyclic ketones *via* reaction of enamines with carbenes, 381
- Horner-Emmons** modification of the Wittig reaction, mechanism, 1308
- 1,2-Humelene** epoxide, acid-catalysed cyclisation; a possible intermediate in the biosynthesis of caryophyllene, 117
- Hunteracine**: crystal structure of a quaternary alkaloid from *Hunteria eburnea* Pichon, 772
- Hydrazine** and hydroxylamine derivatives, conformational changes studied by nuclear magnetic resonance spectroscopy, 687
- Hydrazinecarboxylates**, calcium, high co-ordination numbers in crystal structures, 377
- Hydrazones**, ketone quaternary, pyrolytic rearrangements. Formation of 2,6-diarylpyridines, 916
- Hydride ligands** triply-bridging, in a new octahedral cluster compound: preparation and spectroscopic and X-ray crystallographic determination of the structure of H₂Ru₄(CO)₁₈, 458
- Hydridocarbonyls**, incoherent inelastic neutron spectra. Mid-infrared hydrogen vibrations of H₃Mn(CO)₁₂, 971
- trans-Hydrindanone**, stereospecific synthesis, 627
- trans-Hydrind-4-en-2-ones**, stereospecific synthesis, 1512
- Hydrocarbon** ions, formation from phenylboronates of diols under electron impact, 1022
- Hydrocarbons**, halogeno-, photochemical nitrosation, 1522
- Hydrogen** atoms, hydrated, absorption spectrum, 379
Possible triaquohydrogen ion H₃O₃⁺: crystal structure of 1,1'-tetramethylene-2,2'-bipyridylum dibromide. H₂O. $\frac{1}{2}$ HBr, 1284
randomisation in negative ions, 17
The ions H_n⁺ and the possibility of LiH_n⁺ and BeH_n⁺, 64
- Hydrogen bonding** by water in the vapour phase: infrared spectroscopic detection of acceptor and donor complexes, 178
- Hydrogen bridge bonds**, two electron, existence in crystalline trimethylaluminium dimer, 16
- Hydrogen peroxide**, anhydrous, epoxidation reaction with, 1198
- Hydrogenation**, homogeneous, of the -N=N-, -CH=N-, and -NO₂ groupings, 626
- Hydrophobic interaction**, effect on rate of aminolysis of *p*-nitrophenyl acetate by decylamine, 1655
- Hydroquinone**, anodic oxidation in acetonitrile, 1289
- Hydroxamic acids**, "α-effect," 938
- Hydroxy**-functions, 9-anthroxy-group as a protecting group: mild, low-temperature removal by singlet-oxygen oxidation, 1383
- Hydroxylamine** and methoxyamine, stereochemistry of addition reaction with 1-methylcytosine, 568
N-phenyl-*N*-(1,1,2-trimethylprop-2-enyl)-, and its nitroxide, 1016
reaction with diacetylacetone, 1309
- 8-Hydroxyquinoline** metal derivatives, isomerism, 58
- Illudin S**, absolute configuration: application of dibenzoate chirality rule, 310
- Imidazole** alkaloids, new, from *Cypholophus friesianus*, 441
- 2(3H)-Imidazolethione**, 1,3-dimethyl-, molecular structure, 56
- Imines**. *N*-Chlorodifluoromethylenimine, CF₂=NCl, 395
Investigation of the mechanism of *syn-anti*-isomerism in, using CNDO/2 calculations, 1415
- Iminoacetoneitriles**, a new family of compounds. *N*-t-Butyl-iminoacetoneitrile, 1204
- Imino-carbonates**, Hammett correlation of inversion barriers in *syn-anti*-isomerization of, 655
- Iminodiacetic acid**, by oxidative cleavage of nitrilotriacetic acid, 1699
- Iminoquinolinium** and iminothiazolium ylides, photolyses, 1592
- Immonium** ether perchlorates, bicyclic, kinetics of hydrolysis: models for enzyme-substrate complexes, 900
- Inclusion** in cycloamyloses, stereospecific: partial resolution of isopropyl methylphosphinate and related compounds, 1431
- Inclusion complexes** of cyclohepta-amylose. A proton magnetic resonance study, 2

- Indeno[1,2-b]azirine**, 6-cyclohexylimino-1,1a,6,6a-tetrahydro-1a-phenyl-, thermally disallowed valence tautomerism to produce 1,3-dipolar cycloadditions to an isoquinolium imine, 692
- Indeno[7,1,2-h,i,j]quinolizine-3,10-dione**, 1, 2, 5, 10a, 10b-hexahydro-, synthesis: a new heterocyclic ring system, 597.
- Indium**. Crystal structure of tris(diethylthiophosphato)indium(III), 78
X-Ray crystal structure of the indium(III) iodide-bis(dimethyl sulphoxide) adduct, 1182
- Indole** alkaloid biosynthesis, possible implication in: fragmentation of *NN*-dimethyltryptamine oxide and related compounds, 517
alkaloid biosynthesis, rearrangement process in; evidence from synthesis and isolation, 193
alkaloid from *Rhazya stricta*; structure of sewarine, 538
rearrangements: action of acid on the dimer of 3-hydroxy-2,3-dimethyl-3*H*-indole, 919
- Indoles**, 3-alkyl-1-allyl-, rearrangement: a model reaction for the biogenesis of echinulin-type compounds, 1328
- Indolinocodeinone** derivatives, 9-substituted, new route to: iodination of thebaine, 1346
- 2-Indolyl** sulphides, allyl and prop-2-ynyl, thio-Claisen rearrangements, 168
sulphonium salts, dimethyl allyl, thio-Claisen rearrangements of; possible implications in indole alkaloid biosynthesis, 967
- 1-(2-Indolyl)-2-arylethylene** derivatives, synthesis, 1095
- Interatomic distance**. Shortening of carbon-chlorine interatomic distance in *ortho*-substituted aromatic compounds, 536
- Iodine**. Crystal structure of the bis(thiourea)iodine(I) ion, 169
in water-*t*-butyl alcohol mixtures, significance of isobestic points in the charge-transfer-to-solvent spectra, 366
-pyridazine semiconductor, nature of, 180
Reaction of iodonium nitrate with alkenes, 333
- 2-Iodophenylazotriphenylmethane**, decomposition: 2-iodophenyl radicals, 996
- Ion shifts**, individual, from nuclear magnetic resonance spectra of aqueous solutions of electrolytes, 1426
- Ion-molecule** reactions. Potential curve of $\text{ArH}^+ + \text{H}_2 \rightarrow \text{ArH} + \text{H}$ and heats of the reactions $\text{Ar}^+ + \text{H}_2 \rightarrow \text{ArH}^+ + \text{H}$ and $\text{Ar} + \text{H}_2^+ \rightarrow \text{ArH}^+ + \text{H}$, 1336
- Ions**, gaseous, electron capture by, in mass spectrometers, 832
- Iridium** carbonyl compounds from the reaction of $\text{Ir}_4(\text{CO})_{12}$ with sodium, 532
Cleavage of aryl carbon-hydrogen bonds in iridium triphenyl phosphite complexes, 863
Formation and properties of complexes of type $\text{IrH}_3(\text{PR}_3)_2\text{L}$, 845
Hydrogenation and isomerisation of alkenes using $\text{IrCl}(\text{PPh}_3)_2$ and the isolation of the oxygen adduct $\text{IrCl}(\text{PPh}_3)_2(\text{O}_2)(\text{C}_2\text{H}_4)-\text{C}_6\text{H}_6$, 1694
New iridium(I)-ethylene compounds, 225
Oxidative addition of alkyl halides to iridium(I) complexes: inversion of configuration at carbon, 612
Synthesis and some reactions of bis(acetonitrile)(diene)-rhodium and -iridium tetrafluoroborate, 1553
- Iron**. Absence of valence tautomerism in *trans-trans*-1,4-bis-(dicarbonyl- π -cyclopentadienyliron)buta-1,3-diene, 1611
alk-2-ynyl complexes, new reaction with *N*-thionylaniline, 951
Auto-oxidation of the tris-(1,10-phenanthroline)iron(II) and tris-(2,2'-bipyridyl)iron(II) cations in aqueous sodium hydroxide, 1633
Binuclear dihydride of iron, $\text{H}_2\text{Fe}_2(\text{CO})_6[\text{P}(\text{CF}_3)_2]_2$, 796
Carbene insertion into a carbon-iron bond, 672
Carbon monoxide insertion reaction on an evaporated iron surface, 1122
carbonyl, some unusual bridged sulphido-derivatives, 288
Characterisation and structure of $\text{HFe}_3(\text{CO})_{10}\text{CNMe}_2$: reformulation of the hydride reported previously as $\text{HFe}_3(\text{CO})_{11}\text{NMe}_2$, 1193
Crystal and molecular structure of chlorobispentane-2,4-dianatiron(III), 1355
Crystal and molecular structure of the predominantly low-spin complex tris-(*O*-ethylxanthato)iron(III), 45
Crystal structure of bis(chloropyridylmercury)tetracarbonyliron, $\text{Fe}(\text{CO})_4[\text{HgCl}(\text{C}_5\text{H}_3\text{N})_2]$, 573
Crystal structure of an eight-co-ordinated iron(II) complex: tetrakis-(1,8-naphthyridine)iron(II) perchlorate, 389
- Iron**—continued
Dehydro-*NNN'*-tricyclohexylguanidinohexacarbonyldi-iron(0), a novel carbene generator, 932
Evidence for a 1,3-sigmatropic shift in a fluxional organometallic system, *trans,trans*-1,4-bis(dicarbonyl- π -cyclopentadienyliron)buta-1,3-diene: nuclear magnetic resonance study, 1009
 Fe^{3+} ions in crystalline aluminosilicate frameworks: electron spin resonance, phosphorescence, and thermal studies, 438
Formation and structure of the anion $[\text{Ph}_3\text{POFe}(\text{S}_2\text{C}_2(\text{CF}_3)_2)_2]^-$: activation of molecular oxygen by a metal complex, 136
Helium(I) photoelectron spectrum of tris(hexafluoroacetylacetonato)iron(III), 1282
Heptafulveneiron tricarbonyl, a cyclic trimethylenemethane-type complex, 1451
Iron-boron bromides, 212
Mercuration of cyclobutadienyliron tricarbonyl, 161
Mössbauer results for some low-spin iron(IV) compounds, 506
Mössbauer spectra of high-spin iron(II) chelates of salicylaldehyde, salicylaldehyde, and some Schiff bases, 604
 ^1H Nuclear magnetic resonance evidence for the pseudo-octahedral geometry and ready racemization of [1,1,1-tris-(pyridine-2-carboxaldiminomethyl)ethane]iron(II), 1572
Oxidation of $[(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]_2$ by anhydrous ferric perchlorate in acetone: a general route to complexes of the types $[(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{L}]^+$ and $(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{X}$, 934
Raman spectrum of $[(\text{C}_6\text{H}_5)_3\text{Fe}(\text{CO})]_4$: a resonance effect, 1160
Reaction of 3,5,7-triphenyl-4*H*-1,2-diazepine with di-iron nonacarbonyl and X-ray crystal and molecular structure of a novel iron-containing bicyclo[5,1,1]-system, 1664
-ruthenium hydrido-carbonyl, tetrahedral: crystal and molecular structure of $\text{H}_2\text{FeRu}_3(\text{CO})_{13}$, 1463
Short Fe-Ge bond in two crystalline modifications of π -butadiene- π -cyclopentadienyldichloromethylgermyliron: X-ray crystallographic study, 1252
Sign of the electric field gradient at the ^{57}Fe nucleus in *trans*- and *cis*- $\text{FeCl}_2(p\text{-MeO.C}_6\text{H}_4.\text{NC})_4$, 200
Structure of product from reaction of equimolar mixture of 1- and 2-bromomethylnaphthalenes with enneacarbonyldiiron: new π -complex with a trimethylenemethane-type ligand, 85
Trapping of Kekulé structures *via* co-ordination to iron. Isomerism in bis-tricarbonyl iron complexes of 3, α -dimethylstyrene, 1680
tricarbonyl complex of a dimer of cyclo-octatetraene, crystal structure, 1106
tricarbonyl group, effect on π -electron distribution in aromatic ligands, 605
tris(hexamethyldisilylamino)iron(III); $\text{Fe}[\text{N}(\text{SiMe}_3)_2]_3$. Spectroscopic, magnetic, and Mössbauer studies on, 1715
Unexpected skeletal rearrangement of a tricarbonyliron π -complex: crystal and molecular structure of dicarbonyl-3- $[\pi$ -(2-cyclohexadienyl)]- σ -propenoyliron, 883
Well-resolved Mössbauer spectra for spin-isomeric tris(monothio- β -diketonato)-iron(III) compounds, 105
X-Ray crystal structure of chlorobis-(*N*-*n*-propylsalicylaldimino)iron(III), 1166
X-ray crystal structure of a low-spin pseudo-octahedral complex of iron(II), 885
X-Ray crystallographic determination of the structure of $[(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2(\text{C}_6\text{H}_5)^+][\text{SbF}_6^-]$, a heptafulvene derivative of iron(II), 1056
X-Ray crystallographic determination of the structure of $(\pi\text{-C}_5\text{H}_5)\text{RhFe}_3(\text{CO})_{11}$: a tetrahedral metal cluster derivative with a crowded co-ordination surface, 1470
X-Ray crystallographic determination of the structure of $(\pi\text{-C}_5\text{H}_5)_2\text{Rh}_2\text{Fe}_2(\text{CO})_8$ —a complex with an unexpected distribution of ligands around a tetrahedral cluster of metal atoms, 529
- Isamate**, *p*-bromophenacyl, crystal structure, 432
- Isocaryophyllene** rearrangement product, 1,5,9,9-tetramethyltricyclo[6,2,1,0^{4,11}]undec-5-ene, structure; X-ray analysis of dibromo-derivative, 248
- Isocyanates** and cyanates, ^{13}N chemical shifts, 1708
Microwave spectrum, structure, and nuclear quadrupole coupling constants of chlorine isocyanate, CINCO, 448
- Isocyanide**, methyl, dealkylation of, in platinum complexes of this ligand, 1626
- Isocyanides**, ^{13}C - ^{14}N spin coupling constants in: ^{18}C nuclear magnetic resonance studies, 1321

- Isocyanides**—*continued*
 reaction with I-halogeno-acetylenes: *N*-substituted 3-halogeno-acrylamides, 608
- Isoflavone**, 2'-[¹⁴C]-methoxylated, incorporation by germinating *Amorpha* seeds: biosynthesis of the rotenoid amorphenigenin, 1469
- Isoflavones**, 2'-hydroxy-, bis-methylene transfer to, by dimethylsulphoxonium methylide, 535
 rotenoid synthesis from, by one-carbon insertion, using dimethylsulphoxonium methylide, 563
- Isoishwarane**, total synthesis: structures of the sesquiterpenoids ishwarane and ishwarone, 1102
- Isomerase**, triosephosphate, active-site directed inhibition of, 7
- 7-Isopimarene-18-oic acid** (Dihydroisopimaric acid), synthesis, 83
- Isoprenoid acids**, acyclic, series of, in a 50 million year old lacustrine sediment, absolute stereochemistries: geological fate of chlorophyll, 1639
- Isopropenyl acetate**, mercury(II)-catalysed hydrolysis of, 1332
- Isoquinoline**, diazotised, total synthesis of *O*-methylandrocymbine by photolysis of, 1157
- Isoquinoline** and isochromene ring systems, novel interconversion: base-catalysed elimination of hydrogen chloride from the chlorohydrin of a Reissert compound, 1138
- Isoquinolinium imine**, 1,3-dipolar additions, obtained by thermally disallowed valence tautomerism of a 6-cyclohexylimino-1,1a, 6, 6a-tetrahydro-1a-phenylindeno[1,2-*b*]-azirine, 692
- Isothianaphthenes**, non-symmetrical, 1520
- Isothiazoles**, phenyl-, photoisomerization, 1148
- Isoxazoles** and 1-azirines, decomposition by aromatic amines. Formation of urea, 945
 employment of, as intermediates in the synthesis of semicorrins, 821
- Kaurenolide**, 7-hydroxy-, partial synthesis of gibberellin A₁₅ norketone from, 33
- Kekulé structures**, trapping *via* co-ordination to iron. Isomerism in bis-tricarbonyliron complexes of 3,α-dimethylstyrene, 1680
- (±)-**Kessane**, total synthesis, 934
- Keten**, dichloro-, novel rearrangement of adduct with 6,6-dimethylfulvene, 89
- Ketenide**, silver, 699
- Ketens**, (2+2)-cycloadditions to olefins, steric factors, 1061
 unsymmetrical, addition to cyclopentadiene, control of stereochemistry, 589
- Ketimines**, addition of the enamine tautomers to dimethyl maleate, 66
 β-Keto-ester derivatives from 1-ethoxyvinyl carboxylates, 1
- Ketone syntheses**, new efficient: reactions of electrophilic reagents with trialkylcyanoborates, 1529
- Ketones**, aliphatic, hydrogen randomisation prior to α-cleavage in 70 ev mass spectra of, 987
 β-alkoxy-, δ- *versus* γ-hydrogenation abstraction in photocyclization, 553
 alkyl, photocycloaddition to conjugated dienes, 1637
 alkyl styryl, steric effects on carbonyl stretching frequencies, 628
 aromatic, electron-irradiated, relation between the mass spectra and the reaction products, 1127
 cyclic, ring-expansion *via* reaction of enamines with carbenes. Synthesis of A-homo-steroids, 381
 evidence against product development control in sodium borohydride reduction of; transition state analysis, 1152
 new route to. Interaction of acyl halides and organosilicon hydrides catalysed by platinum and rhodium complexes, 1703
 novel condensation reaction with benzil monohydrazone in the presence of nickel(II) ions, 1180
 Preparation of some dimethylaminocyclohexa-1,3-dienes and their reactions with αβ-unsaturated ketones, 657
 Reduction ratio in reaction with a Grignard reagent by a salt effect; control of addition, 470
 rhodium catalysts for their homogeneous hydrogenation, 567
 αβ-unsaturated, reaction with ethylenediamine, 929
- (±)-**Kikemanine**, an alkaloid, total synthesis, 1253
- Kobusine** and pseudokobusine, stereochemistry, 98
- Krypton difluoride**, *ab initio* calculations of bonding, 884
- Labelling**, general, of organic molecules by gaseous tritium simple method, 1631
- α-Lactam** with a new substitution pattern, isolation and stability; 3-phenyl-1,3-di-*t*-butylaziridin-2-one, 473
- trans-β-Lactam**, epimerisation, 975
- β-Lactone**, fungal: Antibiotic 1233A, 639
- δ-Lactones**, steroidal, conversion into dihydropyrans or tetrahydropyrans, 901
- Lampteromyces japonicus**, fluorescent constituents and cultivation of, 309
- Lanthanide cations** as nuclear magnetic resonance probes of biological systems, 1132
 complexes, fluorescence of: use in the study of kinetics of a ligand-transfer reaction, 836
 -induced shifts in nuclear magnetic resonance spectroscopy. Shifts to high field, 749
- Lanuginolide** and dihydroparthenolide, two new sesquiterpenoid lactones from *Michelia lanuginosa*. Structure, absolute configuration, and a novel rearrangement of lanuginolide, 1534
- Lead**. Bis(triphenyl-lead)dichloromethane: a dichloromethylene transfer reagent, 694
 1,2- and 1,4-Diacetoxylation of conjugated dienes with thallium(III) and lead(IV) acetates, 1630
 tetra-acetate, reaction with methylenecyclopropanes, 1181
 Reaction of lead(IV) acetate with enolates, 406
 α- and β- **Levantenolides**, biogenetic-type synthesis, 28
- Ligand displacement**, initiation of polymerisation by, 315
- Ligand-transfer** reaction, use of fluorescence of lanthanide complexes to study kinetics, 836
- 2-Lithio-1,3-dithian**-epoxide reactions, new approach to the introduction of corticoid-like C-17 functions, 741
- Lithium** analogue of the Emmert reaction, 1406
 benzyl-, intramolecular addition of derivatives to norbornene rings, 714
 Cross-association of *n*-butyl-lithium with 1,3-diphenylbut-1-enyl-lithium, 991
 Interaction of pyridine, *n*-butyl-lithium, and carbonyl compounds, 921
 Ions H_n⁺ and the possibility of LiH_n⁺ and BeH_n⁺, 64
 organo-; acidity of weak carbon acids, 1042
 phenyl migration during reaction of neophyl chloride with, 101
- Loganin** and indole alkaloids, biosynthesis from hydroxygeraniol-hydroxynerol, 823, 827
 biosynthesis of quinine from, 194
 deoxy-, preparation and isolation; its role as precursor of loganin and the indole alkaloids, 826
- Longicamphenilyl tosylate**, tricyclic olefins from solvolysis of, 1481
- Luminol**, 5-amino-2,3-dihydrophthalazine-1,4-dione, photochemical ring contraction, 914
- Lupane** triterpene, a new A(1),28-bisnor-; deoxyemmolactone, 814
- Lutein**, absolute configuration, 1578
- Lutidines**, and picolines, gas-phase photochemistry, 1247
- Lycoclavananin**, triterpenoid of *Lycopodium clavatum*, structure, 260
- Lycoclavanol**, 16-oxo-, and 16-oxoserratriol; lycopodium triterpenoids, 261
- Lycopodium alkaloids**, biosynthesis: origin of cernuine, 409
- Lycorine**, total synthesis of dihydrolycorine, hydrogenation product of the alkaloid, 1313
- Lythraceae alkaloids**, biosynthesis: incorporation of lysine, 396
 alkaloids, biosynthesis: mode of incorporation of phenylalanine, 897
- Madurensine**, macrocyclic pyrrolizidine diester with the secondary ester attachment at C-6, 65
- Magnesium**. Grignard compound derived from isopropyl mesityl ketone containing trico-ordinate magnesium, 859
 Mechanism of addition of benzyne to cyclopentadienyl- and indenyl-magnesium bromide, 966
 Reaction of methylmagnesium bromide with benzophenone: effect of magnesium metal purity on kinetic data, 330
 Reaction of phenylmagnesium bromide with trimeric phosphonitric fluoride, 152
- Maleate**, dimethyl, addition of the enamine tautomers of ketimines, 66

Maleate—*continued*

- dimethyl, carbene-induced isomerization. Formation of α -dimethylamino- α -methylthio-carbene, 907
- Malonates**, halogeno-, dimethyl, demethoxycarbonylation on thermolysis, 1156
- Malonic acids**, reaction of palladium(II) salts and aromatic compounds, 1563
- Malvalate**, methyl, labelled, synthesis, 287
- Manganese**, -(III) acetate, oxidation of substituted toluenes, 507 and chromium carbonyl, mixed complex of 2-benzylpyrrole, 1414
- Apparent resonance effect in the vibrational Raman spectrum of Cs_2MnF_6 , 75
- Bromotetracarbonyltriphenylphosphoranylideneketenmanganese(I): an organometallic ylide, 1384
- Crystal structure of an octahedral high-spin Mn^{III} complex, acetylacetonatobis-(*N*-phenylaminotroponiminato)manganese(III), 416
- Cyclopentadienylmanganese dicarbonyl thiocarbonyl, 933
- Electronic and vibrational spectra of MnF_6^{3-} ion, 482
- Electronic structure of $[\text{MnO}_4]^{2-}$, 668
- 2-lithiation of *NN*-dimethyl cyclopentadienyl manganese tricarbonyl sulphonamide: a route to 1,2-disubstituted cyclopentadienyl manganese tricarbonyl derivatives, 555
- Mid-infrared hydrogen vibrations of $\text{H}_3\text{Mn}(\text{CO})_3$. Incoherent inelastic neutron spectra of hydridocarbonyls, 971
- New Raman spectroscopic evidence and reassignment of spectra of dimanganese and dirhenium decacarbonyls, 1188
- Nitrosyltricarbonyl- and nitrosyldicarbonyl-manganese, 345
- Oxygenation and oxidation of manganese(II) complexes of *NN*-ethylenebis(salicylideneimine) and analogues, 1317
- Photochemical production of acetylmanganese carbonyls in an argon matrix at 17K, 323
- Structure of King's $\text{Mn}_2(\text{CO})_{10}(\text{CH}_2)_3$: a cyclic metal-carbene complex, 1220
- Mannich intermediate**, direct observation in solution, 182
- Mass spectrometers**, electron capture by gaseous ions in, 832
- Meisenheimer complexes**, decomposition of, electrolyte and micellar effects on the rate constants, 816
- novel: preparation of tetramethylammonium 1,1-dihydro-2,4,6-trinitrocyclohexadienate, 1463
- Meliacin** complex, with a 1,29-cycloswietenan skeleton; crystallographic structure determination of utilin, $\text{C}_{41}\text{H}_{52}\text{O}_{17}$, 1388
- Meliacins** (limonoids): boron trifluoride-catalysed rearrangements of 14,15-epoxides, 783
- (\pm)-**Mellein**, novel synthesis, 1552
- Menthyl methylphosphinate**, optically pure, stereospecific reactions, 33
- Mercury**. Addition of bis(trimethylsilyl)mercury to fluoroolefins: isolation of intermediate 1: 1-adducts, 647
- Direct detection of mercury(II)-thio-ether bonding in complexes of methionine and *S*-methylcysteine by nuclear magnetic resonance, 596
- Electron spin resonance evidence for the cations Cd_2^{2+} , AgHg^{2+} , 633
- Electrophilic substitution at a saturated carbon atom by mercury(I), 460
- Emission spectrum of HgAr^+ , 358
- Equilibrium control in oxymercuration: attempt to "trap" a mercurinium ion, 1529
- Evidence of one- and two-electron paths in the reaction of vanadium(II) with mercury(II), 241
- Insertion of sulphur trioxide into the metal-carbon bond of dimethylmercury, 1259
- Mercuration of cyclobutadienyliron tricarbonyl, 161
- New orientation in the oxymercuration of $\alpha\beta$ -unsaturated carbonyl compounds, 753
- Positive and negative ion mass spectra of some pentafluorophenylmercurials, 226
- Rearrangements of norbornenyl radicals: further evidence as to the mechanism of borohydride reduction of organomercurials, 1275
- Mesoionic ring systems**, alkylation of, with triethyloxonium fluoroborate, 1025
- 1,3-dipolar reactivity in *N*-acylimino-derivatives, 1360
- photolyses, 1591
- Messel shale** (Eocene), 4-methyl-sterols and sterols in, 1570
- Metal complexes**, allylic, new methods for studying the mechanism of the π,σ -reaction in, 365

Metal complexes—*continued*

- of an octadentate macrocycle with only sulphur donor atoms; containment of two metal ions in the ring of one cyclic ligand, 1041
- Metal ions**, reaction of the ammoniated electron with, competitive rate studies: evidence for transient intermediates, 963
- Metal-metal heterocycles**: germanium complexes of ruthenium and osmium dodecacarbonyls: crystal structure of $[\text{Me}_2\text{GeRu}(\text{CO})_3]_3$, 1477
- Metal-metal interactions** in some d^8 metal complexes: application of high-pressure techniques to study of, 584
- Metals**. Infrared spectra of trimetal carbonyl species in frozen gas matrices at 20°K, 1008
- Metal-tin bonds**, new method of preparing compounds containing, 674
- Metalloporphins**, electrophilic substitution reactions, 1237
- Methane**, kinetic acidity, 1248
- Methanes**, diphenyl-, hydrogen and carbon scrambling in molecular ions of derivatives, 537
- Methanes**, fluorinated, application of the molecular orbital theory of carbon-fluorine nuclear spin coupling constants to, 1085
- trisubstituted, correlation of the thermodynamic carbon acidity by σ_{R} , 140
- Methanesulphenyl chloride**, decomposition in presence of amines, 104
- Methanol**, photoalkylation of pyridine, 609
- Methionine** and *S*-methylcysteine complexes, direct detection of mercury(II)-thio-ether bonding by ^1H nuclear magnetic resonance, 596
- DL-Methionine** and other thiocarboxylates, hydration and structure of copper(II) complexes in aqueous solution, 175
- L- and DL-Methionine** and glycyl-L-methionine, three platinum-(II) complexes, crystal structure; model compounds for metal-protein interaction, 1523
- 1,4-Methoxyl shift**, aromatic nitrene-induced, 792
- Methyl alcohol**, reaction with tellurium hexafluoride, 1197
- Methyl iodide**, substitution by ammonia and the methylamines, free energies of transfer from benzene to water of reactants and transition states, 293
- Methylamines**, formic acid solutions of, steric effects on proton transfer rates, 1187
- Methylammonium salts**, proton transfer in; comparison of water and acetonitrile as solvents, 1186
- (+)-**3-Methylcyclopentanone**, circular dichroism, 545
- Methylene**. Evidence for a "foiled methylene" in reactions of bicyclo[3,3,1]non-2-en-9-ylidenes, 503
- transfer reaction, novel: vapour-phase thermolysis of allyl-trimethylsilane to vinyltrimethylsilane, 767
- triplet, reactions with alkyl radicals in ordinary photolysis systems, 18
- 4-Methylenebicyclo[3,1,0]hex-2-enes**, stereochemistry of photoisomerisation to spiro[2,4]hepta-4,6-dienes, 1013
- α -**Methylenebutyrolactones**, synthesis, 27
- α -**Methylene- γ -butyrolactone**, the cyclized aglycone of tuliposide A, biosynthesis, 1189
- α -**Methylene- γ -butyrolactones**, new synthesis, 402
- Methylenecyclobutane**, addition of dichloroketen: new route to spiro[3,3]heptanes and spiro[3,2]hexanes, 1344
- Methylenespiropentane**. Non-planar trimethylenemethane in bicyclopropylidene-methylenespiropentane interconversion, 717
- Thermal reorganisations of some cyclopropylidene-cycloalkanes. Unique character of the bicyclopropylidene-methylenespiropentane system, 718
- Methylene-steroids**, circular dichroism, 463
- Methylhydrazine**, reaction with pyrylium salts, 1208
- Mevaldic acids**, optically active, 1393
- (5*R*)- and (5*S*)-[5- $^3\text{H}_1$]-**Mevalonolactones**, biosynthesis of ergot alkaloids from, 1394
- 5*S*-5-[$^3\text{H}_1$]Mevalonic acid**, synthesis, 1395
- 5*S*-5-[$^3\text{H}_1$]Mevalonic acid lactone**, synthesis, 1396
- [2- ^{14}C]**Mevalonic acid**, incorporation into the prototype sterol 3 β -hydroxyprotosta-17(20),24-diene with cell-free extraction of *Emericellopsis* Sp., 1012
- [4- ^{14}C]**Mevalonic acid**, [5- ^{14}C]mevalonic acid, and [1- ^{14}C]-dimethylallyl alcohol, biosynthesis of the alkaloid skimmianine from, in *Fagara coco*, 674
- Miltirone**, a new diterpenoid quinone, structure, 299

- (±)-**Mitorubrin**, synthesis, 101
- Molecular core binding energies**: carbon and nitrogen 1s levels for adenine, 23
relationship to atomic charges, 727
theoretical interpretation, as measured by X-ray photoelectron spectroscopy, 22
- Molybdenum** and tungsten, some new thiohalides, 608
Carbon-13 nuclear magnetic resonance of the Group V triphenyls and of triphenylphosphinemolybdenum pentacarbonyl, 1621
Chain structure of potassium tetramolybdate, $K_2Mo_4O_{13}$, 740
Conformational changes about the molybdenum-nitrogen bond in $[Mo-(\pi-C_5H_5)(CO)_2N:CBu_2]$: infrared and 1H nuclear magnetic resonance studies, 552
Crystal structure of $H[MoO_2(OCH_2CH_2)_3N]$, 1670
Crystal structure of $MoO_3 \cdot 3H_2O$: a metal aquoxide with both co-ordinated and hydrate water, 50
Crystal structure of a heptaco-ordinated molybdenum compound, mononitrosyl molybdenum tris-(*N,N*-di-*n*-butyldithiocarbamate), 138
Crystal structure of oxochlorobis-[1,2-bis(diphenylphosphino)ethane]molybdenum(IV) trichloro(acetone)zincate: $[MoOCl\{Ph_2P(CH_2)_2PPh_2\}_2]^+[ZnCl_3 \cdot OC(CH_3)_2]$, 1400
dianionic tris-(1,2-dithiolate) complex, crystal structure, 728
Fission of tertiary phosphites through reaction with hexacarbonylbis- π -cyclopentadienyldimolybdenum, 547
Linkage isomers of molybdenum(0) and the chelate ligand pyridine-2-carboxaldehyde-2'-pyridylhydrazone, 69
Novel redistribution reaction of compounds containing a tin-molybdenum bond, 1632
Participation of neighbouring transition-metal in the nucleophilic C-Si cleavage of $\pi-C_5H_5(CO)_3MoCH_2SiMe_3$: possible formation of an anionic transition-metal carbene intermediate, 1498
Sulphur-bridged complexes of Mo^V and Mo^VI containing the ligands ethylenediaminetetra-acetic acid, cysteine, and histidine, 1716
- Molybdenum carbonyl** and related derivatives, oxidation by organic halides: thermal and photochemical activation, 144
chain process in oxidation by carbon tetrabromide, 146
- Monochloramine**, microwave spectrum and molecular structure, 1505
- Mycophenolic acid**, biosynthesis, 1357
- Mycotins**, metabolites of *Streptomyces ruber*, biosynthesis, 1634
- Myricanol**, 16-bromo-, X-ray study; structure of myricanol, a natural *m,m*-bridged bent biphenyl, 1207
- Naphthalene** and some derivatives, photochemical reduction, 1462
- S₁ Naphthalene**, photoaddition to S₀ acrylonitrile, 948
- Naphthalene system**, Group IVB metalloidal substituent effects in, by fluorine-19 nuclear magnetic resonance, 1163
- Naphthalenediol**-flavin molecular complex, crystal structure, 20
- Naphthalenes**, 1- and 2-bromomethyl-, structure of the product from reaction of an equimolar mixture with enneacarbonyliron: new π -complex with a trimethylenemethane-type ligand, 85
- 2(1H)-Naphthalenone**, 1,1-dimethyl-, three photodimers of, 271
- 2,4-Naphthaquinone**, 1,4-diphenyl-, generation and trapping of, 1086
- Naphthocarbon**, 669
- Naphtho[1,2-*d*]oxazoles**, substituted; novel syntheses by 1,3-dipolar addition of 2-aroil-aziridines to 1-nitrosnaphth-2-ol, 247
- β -**Naphthylphenylphosphine** oxide, optically active, 562
- 1,8-Naphthyridines**, 5-chloro-, reaction with hydrazine hydrate; novel 2-amino-3-pyrazol-5-yl-pyridines from, and their cyclisation to pyrazolo[1,5-*c*]pyrido[3,2-*e*]pyrimidines, a new ring system, 565
- C₁₀ Necic acids** of pyrrolizidine alkaloids, biosynthesis, 635
- Neighbouring groups**, participation in the hydrolysis of 3-hydroxy-2-pyridylmethyl phosphate, 1665
- Neolinderalactone**, a ten-membered-ring furanosesquiterpene, conformational isomers and ring inversion of, 957
- Neophyl chloride**, phenyl migration during reaction with lithium, 101
- Nickel**, and copper, bis-complexes of histidine, contrast in stereoselectivity of formation, 1000
- Nickel**—continued
Arylnickel as an active catalyst of high selectivity for the cyclodimerization of butadiene to 2-methylenecyclopentane, 1311
Bonding and photoelectron spectra of $Ni(PF_3)_4$ and $Pt(PF_3)_4$, 1316
Carbon-13 nuclear magnetic resonance studies of substituted amino-acid and ethylenediamine complexes of nickel(II) in aqueous solutions, 439
Crystal and molecular structure of mixed-ligand chelate formed from nickel(II) dithizonate and bipyridyl, 110
cyclic amine complex of nickel(II); reaction with oxygen, 1718
diketone bithiosemicarbazones, electrochemical properties and crystal structures, 124
Five co-ordinate monopyridine-bis(salicylideneiminato)nickel(II) compounds, 420
Ni-Ni interaction in di- μ -ethylthiolatobis(ethyltrithiocarbonyl)nickel(II), 1322
Novel square pyramidal high-spin nickel(II) complex involving the quinque-dentate *NNN'*-tris-[2-(2'-pyridyl)ethyl]ethylenediamine, 184
Oxidation of nickel(II) and copper(II) complexes of *NN*-diethyldithiocarbamate, 476
Oxidation of Ni^{II} to Ni^{III} with nitrosyl tetrafluoroborate, 522
-perfluorophenyl and -perchlorophenyl linkages, comparison from an X-ray crystallographic study of *trans*-($PPh_2 \cdot Me$)₂- $Ni(\sigma-C_6H_5)(\sigma-C_6Cl_5)$, 1099
Structure of nickel(II)-ethylenediaminetetra-acetic acid complexes in aqueous solution determined by ^{17}O nuclear magnetic resonance, 1446
Structure of tetrakis(trifluorophosphine)-nickel and -platinum determined by gas-phase electron diffraction, 595
trigonal prismatic co-ordination of, in the [fluoroborotris-(2-carboxaldimino-6-pyridyl)phosphine]nickel(II) cation, 879
- Niobium**. Crystal structures of potassium triperoxo-(*o*-phenanthroline)niobate trihydrate and its hydrogen peroxide adduct, 153
pentafluoride, crystal structure of adduct with antimony pentafluoride, 820
- Nitrene** insertion reaction; production of acridines, 1705
- Nitrenes**, aryl-, intermolecular aromatic substitution by, 787
- Nitrilotriacetic acid**, oxidative cleavage to iminodiacetic acid, 1699
- Nitro-alkanes**, solution photochemistry, 1286
- Nitro-compounds**, aromatic, sodium borohydride reduction of, 63
 $\alpha\beta$ -unsaturated, new reaction, 218
- Nitro-group**, *ortho*: *para* ratio in activation of nucleophilic aromatic substitution by, 769
- Nitrobenzene**, photo-oxidation of alkanes by, 1390
- 2-Nitrobenzenesulphenanilides**, novel thermal rearrangement, 678
- Nitrogen** and phosphorus, molecular, electronic structure and stability: SCF study, 569
and phosphorus, molecular, *ab initio* study of bonding in, 1233
Crystal and molecular structure of the intermediate in the reaction between triphenylphosphine and tetrasulphur tetranitride, 1704
Homogeneous hydrogenation of $-N=N-$, $-CH=N-$, and $-NO_2$ groupings, 626
Nature of bonding in some P-N, As-N, and S-N compounds, 1492
Sign of the ^{15}N - ^{31}P coupling constant, 1491
Sulphur-nitrogen distances in thiathiophthen nitrogen isosteres by X-ray studies, 706
- Nitrogen**. See also **Dinitrogen**
- Nitrogen base donor**-cyanoborane addition compounds, 1619
- Nitrogen mustards**, aryl; mechanism of reaction with nucleophiles, 1685
- p-Nitrophenyl acetate**, effect of hydrophobic interaction on rate of aminolysis by decylamine, 1655
- Nitrosamines**, acylaryl-, new evidence on the nature of the intermediate leading to aryne adducts in decomposition of, 299
- Nitrosamino-tetrazoles**, novel series, 112
- Nitrosation**, aromatic, primary isotope effects, 1223
direct nucleophilic substitution of hydrogen with some carb-anions, 648

Nitrosation—continued

- mechanism of NO loss from the molecular ion of, and fragmentation behaviour of the phenoxy and *p*-aminophenoxy cations, 1031
- Nitrobenzenes**, and anisoles, substituted, common intermediates in the electron impact decomposition of, 412
- Nitrosobenzene**, reaction with hydroxylamine-*O*-sulphonic acid to give phenyl azide, 443
- Nitrosobenzene dimer**, crystal structure. *cis*-Azobenzene dioxide, 1710
- Nitrosyl hypofluorite**, ONOF, 1542
- Nitrosyl ligand** hydrogen transfer from HCl. Examples of co-ordinated HNO, NHOH⁺, and NH₂OH, 1501
- Nitrones** and imines, oxaziridine synthesis from, stereochemical control, 745
- o*-Nitrophenylethylene oxides**, substituted, participation by the nitro-group in the ring-opening reactions, 1100
- Nitrous acid**, gaseous, stability, 744
- Nitrous oxide** complexes: isolation of pentammine(dinitrogen oxide)ruthenium(II) tetrafluoroborate, 819
photocatalytic and thermal catalytic decomposition of, on zinc oxide, 1130
- Non-transition elements**, covalent and crystal radii, 925
- Nopinol**, pyrolysis of, 1709
- Norbornadiene**, high-temperature hydration, 1613
reaction with butadiene catalysed by low-valent cobalt, giving 5-butadienylnorborn-2-ene, 1473
- Norbornane-*exo*-2, *exo*-3-diols**, 2,3-*OO*-benzylidene-, mechanism of hydrolysis, 1443
- Norbornanes**, heterocyclic, application of the nuclear Overhauser effect in establishing structure, 1544
- Norbornene** rings, intramolecular addition of benzyl-lithium derivatives, 714
- Norbornenyl** radicals, rearrangements: further evidence as to borohydride reduction of organomercurials, 1275
- Novolaks**, unsaturated, curable by addition polymerisation, 402
- Nuclear magnetic resonance**. ¹³C n.m.r. of organophosphorus compounds: triphenyl phosphite and triphenyl phosphate, 1663
probes of biological systems, lanthanide cations as, 1132
shift reagent, tris(dipivalomethanato)europium, mechanism of deshielding of, 1167
- Nuclear magnetic resonance spectroscopy**, carbon-13, method of increasing sensitivity in, *via* a heteronuclear Overhauser effect, without loss of spin-spin coupling information, 554
lanthanide-induced shifts to high field, 749
a shift reagent. First-order spectrum of *n*-hexanol, 422
- Nuclear spin-coupling** constants, molecular orbital theory; implications for fluorine couplings, 87
- Nuclear spin polarization**, dynamic, chemically induced, 709
- Nucleophiles**, enhanced reactivity: orbital symmetry and the so-called "α-effect," 937
- Nucleophilic** substitution in the mechanistic border-line region, 1032
- C-Nucleoside** analogues, synthesis by 1,3-dipolar addition of a 1-diazo-sugar to acetylenes, 313
- Nucleosides**, certain sulphur-containing, characterization by ¹H nuclear magnetic resonance spectroscopy using the magnetic anisotropy effect of the thione group, 1087
- Nylons**, laser-Raman spectra, 1048
- (±)-**Obaberine**, total synthesis, 277
- Octachloropentafulvalene**, hexachloropentafulvene, and related substances, dipole moments, 1153
- Δ⁸-2-Octalone** 2-ethylene acetal, 10-methyl-, stereoselectivity in addition of chlorofluorocarbene, 927
- Octanoic acid**, 5-oxo-, and 5-oxo-octanal, precursors of coniine, 1651
- Olean-12-en-28-oic acids**, 2α,3α- and 2β,3β-dihydroxy-: nuclear magnetic resonance signals of methyl groups in structural determination of triterpenes, 369
- Olefin** complexes with rhodium, carbon nuclear magnetic resonance study, 1530
complexes with silver, nature of bonding, 641
insertion reactions; formation of cyclic compounds with a Pt-C σ-bond, 169
insertion reactions of platinum hydrides, novel intermediates, 598
- Olefin—continued**
isomerisation over tris(triphenylphosphine)chlororhodium, 495
synthesis by twofold extrusion processes, 1225; further examples, 1226
synthesis *via* pyrolysis of *O*-*t*-alkyl *N*-toluene-*p*-sulphonyl carbamates, 606
- Olefin octant rule**, application to some taxane derivatives: assignment of absolute configuration using the Cotton effect, 582
- Olefinic links**, location in long-chain esters by methoxymercuration-demercuration followed by gas chromatography-mass spectrometry, 348
- Olefinic substances**, cyclic transition states in *cis*- and *trans*-addition of chlorine acetate, 731
- Olefins**, addition of acids, evidence for intimate ion-pair formation, 960
(2+2)-cycloadditions of ketens, steric factors, 1061
dimeric metal acetates for the homogeneous hydrogenation of, 1195
Five-co-ordinate rhodium(I) complexes with three metal-olefin bonds, 488
fluoro-, addition of bis(trimethylsilyl)mercury; isolation of intermediate 1: 1-adducts, 647
heterocyclic, geometry of dihalogenocarbene additions: an X-ray crystallographic study, 1641
hydrogenation, homogeneous, over oxidized rhodium complexes, 571
orientation of free-radical addition to, 978
photocycloaddition of phenanthrene, 1598
tricyclic, from solvolysis of longicamphenyl tosylate, 1481
- α-Olefins**, racemic, asymmetric isomerization of, by titanium tetra-(—)menthoxide-tri-isobutylaluminium, 1260
- Oleum**, blue solutions of sulphur in, 852
- Oligosaccharide** sequencing by mass spectrometry, an approach, 587
- Organometallic** compounds possessing an *N*-alkylimino-group, proton affinity, 1627
radical exchange in reaction with CF₃ radicals, 325
- Ormosia** alkaloids, ormosanine, piptanthine, and panamine, total synthesis, 116
- Orthoformates**, and acetals, secondary deuterium isotope effects for hydrolysis of, 527
- Osmium** and rhenium, dinitrogen complexes; interaction with metal salts, 90
and ruthenium, dinitrosyl complexes and their reaction with oxygen, 1500
crystal structure of Os₄O₄(CO)₁₂, 1169
dihydrido-complexes, 576
Dinitrogen complexes of osmium(III) and ruthenium(III) amines, 875
Diosmium enneacarbonyl, 835
hydrides, observation of ¹J(¹⁸⁷Os-H) coupling in their ¹H nuclear magnetic resonance spectra, 1041
Low-temperature proton magnetic resonance study of the fluxional molecule tricarbonylcyclo-octatetraeneosmium, 565
Measurement of ¹J(¹⁸⁷Os-³¹P), 1269
Preparation and crystal structure of dichloro(chloromercury)-(nitrosyl)bis(triphenylphosphine)osmium(II), 998
- Ostreogrycin B3**, antibiotic, structure, 1623
- Overhauser** effect, heteronuclear, method of increasing sensitivity in carbon-13 nuclear magnetic resonance spectroscopy *via*, without loss of spin-spin coupling information, 554
- 1,2,4-Oxadiazine** ring system, new synthetic approach, 167
- 1,2,4-Oxadiazole** series, new rearrangement, 866
- Δ⁸-1,3,4-Oxadiazolines**, 2-imino-, hydrolysis. Preparation and properties of Δ⁸-1,3,4-oxadiazolin-2-ones, 1074
- Oxathia-macrobicyclic** diamines and their "cryptates," 1055
- 1,3-Oxathiolan-5-one S-oxides**, Pummerer rearrangement, 1158
- Oxazinones**, use of, in preparation of β-amino-acid peptides, 791
- Oxaziridines**, stereochemical control in synthesis from nitrones and imines, 745
- Oxazolidines** formed from reaction of 2-aryloxaziridines with aldehydes, 278
- 4(5*H*)-Oxazolones**, a little known heterocyclic system, new synthesis, 1622
- Oxetan**, synthesis, by photoaddition of benzophenone to a thiophen derivative, 1474

- Oxetan**—*continued*
with a taxane skeleton, naturally occurring, the diterpenoid baccatin-V; crystal structure determination, 1382
- Oxetans**, deoxygenation by carbon atoms. Intermediacy of trimethylene, 1109
- Oxidation** of organic compounds, a novel reagent for: peroxyacetyl nitrate, 1305
hypochlorite, of organic compounds, ruthenium trichloride-catalysed, 1420
- Oxide** surfaces, laser Raman spectra of pyridine adsorbed on to, 563
- Oxiran** ring, transmission of conjugation by, fluorine-19 nuclear magnetic resonance study, 1033
- Oxonin**, and *N*-ethoxycarbonylazolinin, variable-temperature nuclear magnetic resonance study, 375
thermal cycloaddition to, 484
- Oxonium salts**, triethyl-, association constants of, and their solution by diethyl ether, 1018
- Oxophlorin**, octaethyl-, paramagnetism, 962
- Oxygen**. Electron spin resonance studies of 1:1 cobalt-oxygen adducts, 467
reaction with a nickel(II) cyclic amine complex, 1718
reaction with 2,4,6-triphenylpyrylium 3-oxide, 1459
reactions with tris(di-isopropylamino)chromium(III), 1177
Nuclear magnetic resonance spectrum of H₂¹⁸O in dioxan-CDCl₃ solutions, 1147
- Ozone**, chemiluminescence in reaction with 10,10'-dimethyl-9,9'-biacridylidene, 1140
EtC(CH₂O)₃P·O₃: a relatively stable bicyclic phosphite-ozone adduct and a convenient singlet oxygen source, 956
- Palladium** and platinum complexes, tin-containing, insertion of carbon monoxide, 362
chloride, reaction with the stereoisomers of hexa-2,4-diene; formation of diastereomers. Chirality in transition-metal chemistry, 799
complexes, thiocyanate linkage isomers: crystal structure of isothiocyanatothiocyanato-[1,2-bis(diphenylphosphino)-ethane]palladium(II), 1354
Crystal structure of trimeric palladium(II) acetate, 658
Crystal structure of the complex ion [Pd(SCN₄)]²⁻ in the compound K₂Pd(SCN₄): a novel type of thiocyanate, 385
Existence and stability of a tri-*t*-butyl("Dewar benzene")-palladium chloride complex, 942
Formation of palladium(II)- and platinum(II)-carbon bonds by proton abstraction from benzo[*h*]quinoline and 8-methylquinoline, 912
Homogeneous autoxidation catalysis by palladium(0) complexes, 736
hydride, new complexes with tertiary phosphines, 881
Novel palladium(0) complex: bis(dibenzylideneacetone)-palladium(0), 1065
oxidative addition reactions of HCl to palladium(0) complexes. New route to hydrido-palladium complexes, 1701
Pyrolysis of di-*t*-butyldiphenylcyclobutadienepalladium chloride, 905
Reaction of palladium(II) salts and aromatic compounds with malonic acids, 1563
Reactions of dicyclopentyl compounds with di- μ -chloro-dichlorobis(ethylene)dipalladium, 1117
Ready insertion of allene into di- μ -acetato-2,2'-bi- π -allyldipalladium, 1126
Rearrangement of co-ordinated cyclo-octadienes in palladium(II) and platinum(II) complexes, 630
Tertiary phosphine complexes of bis(diphenylphosphinodithioato)palladium(II). A correction, 1092
X-Ray crystal structure of *trans*-bromo-(5-methoxynortricyclo-3-enyl)bipyridinepalladium, 1203
X-Ray crystallographic determination of the structure of tris- $[\mu$ -acetato- μ -acetoximate-palladium(II)]-0-5-benzene: trimeric compound of palladium containing a novel bridging ligand, 560
- Papaverine** series, some unusual transformations, 1601
- [2,2]Paracyclophanyl-nitroxides**, 394
- Paramagnetic shifts** for σ -electron systems. Conformational dependency of ¹³C contact shifts, 1535
- (\pm)-**Peltogynol** trimethyl ether and its *cis,cis*-stereoisomer, 1287
- Penicillanic acid derivatives**, enlargement of the thiazolidine ring of, 1517
novel rearrangement, 14
- Penicillin** derivatives, structural studies: ¹³C nuclear magnetic resonance studies of some penicillins and related sulphoxides, 1291
nucleus, conditions for C-6 epimerization by a β -elimination mechanism, 1067
sulphoxides, rearrangements, 1059
trapping of sulphenic acids from, 1683
- Penicillin G and V**, Raney nickel desulphurisation of, stereochemistry and mechanism. β -Elimination as a general process in penicillin chemistry, 833
- Penicillins**, specificity in cyclohepta-amylose-catalysed hydrolysis, 113
- Pepsin**. Evidence for an acyl-pepsin intermediate: a reappraisal, 361
reaction with ¹⁴C-labelled substrates, 84
studies on mechanism of action of; a caution, 361
- Peptide**, fluorescent, produced by iron-deficient *Azotobacter vinelandii*, crystal structure of chromophoric unit, 186
synthesis, a side reaction during the removal of *t*-butyloxycarbonyl and *t*-butyl protecting groups in: butylation of the tryptophan indole ring, 406
synthesis, solid-phase, amide protection and amide supports, 650
- Peptides**, and amino-acids, selective activation, 800
 β -amino-acid, preparation using oxazinones, 791
Circular dichroism of polypeptides in helix-disrupting media. The "218 nm band," 862
Common conformation for five cyclic tetrapeptides, 1403
Glycine-containing, modification induced by visible light, 617
- Perbenzoic acid**, *m*-chloro-, reaction with 3-acetoxy-steroidal 3,5-dienes, 518
- Perchlorate ion**, reduction by ruthenium(II), substitution as the rate-determining step, 851
- Perfluoro-oxidiacetic acid**, synthesis, 67
- Pericyclic** reactions: synthesis and reactions of deuterium labelled cyclohexa-1,4-diene and cyclohexa-1,3-diene, 223
- Perkow** reaction, sulphur equivalent of, 1402
- Permutation symmetry control**: higher-order permutations in the Valence Bond Method, 307
in concerted reactions, 305
- Peroxide** decompositions, triplet and singlet state photosensitization. Chemically induced dynamic nuclear polarization, 1687
- Peroxyacetyl nitrate**. Novel reagent for oxidation of organic compounds, 1305
- Peroxybenzoic acid**, oxidation of *trans*-azobenzenes with, mechanism, 1300
- Persulphate**, new reactions with: oxidation of diphenyl sulphide-2-carboxylic acids and aromatic amides, 849; oxidation of *o*-phenylphenoxyacetic acids, 850
- Phenalenone**, acid-catalysed hydrogen exchange of, 1024
- Phenanthrene**, dihydro-, anodic aromatisation. A novel dehydrogenation, 1567
from cyclization of diphenylacetylene, 1412
photocycloaddition with olefins, 1598
- Phenanthridinium** 5-vinyl oxides, detection and isolation of rotational isomers, 62
- Phenanthroline** analogues of *cis*-dichlorobis(bipyridyl)-cobalt(III) and -chromium(III) ions, hydrolysis of, with and without a catalyst, 61
- o*-Phenanthroline** and 2,2'-bipyridyl carbonyl complexes of rhodium, 54
- Phenazine**, new synthesis. Synthesis of griseoliteic acid, griseolitein A, and methyl diacetylgriseolitein B, 1423
- Phenol**, *p*-bromo-, radiation-induced phenylation in aqueous solution, 311
2,4-di-*t*-butyl-, oxidation by copper-amine complexes, 227
- Phenols** and cyclohexadienones, protonated, photoisomerisation: carbonium-ion photochemistry, 1581
adamantyl-substituted, 1180
alkyl-, from photoisomerization of alkyl phenyl ethers, 1447
4-alkyl-2,6-di-*t*-butyl-, autoxidation with di-(3-salicylideneaminopropyl)aminocobalt(II) catalyst, 163
- Phenoxy** and *p*-aminophenoxy cations, fragmentation behaviour of, and mechanism of NO loss from the molecular ion of nitrobenzene, 1031

- Phenyl azide** from the reaction of nitrosobenzene with hydroxylamine-*O*-sulphonic acid, 443
- Phenyl groups**, *p*-substituted, relative migration tendencies of in carbonium ion doubly-degenerate rearrangements, 696
- Phenyl radicals**, 2-iodo-; decomposition of 2-iodophenylazotriphenylmethane, 996
- Phenylalanine**, mode of incorporation of, in biosynthesis of the Lythraceae alkaloids, 897
- β -Phenylglutaric acid**, a model compound of polystyrene, crystal structure, 1362
- Phenylimido**-ligand, phenyl isocyanate as a source, 1432
- α -Phenylisobutyronitrile** from photochemical rearrangement of *NN*-dimethylphenylethynylamine, 889
- o*-Phenylphenoxyacetic acids**, oxidation of new reactions with persulphate, 850
- Phlegmanol A**, dihydrocaffeic acid ester of the triterpene serratenediol, 1118
- Phomin**, absolute stereochemistry: *X*-ray analysis of the phomin-silver fluoroborate complex, 1398
- Phosphates**, 3,5-dimethoxybenzyl, photo-initiated hydrolysis, 339
Use of substituted phenol as phosphate protecting group in synthesis of deoxyribo-oligonucleotides bearing 5'-phosphomonoester end group, 91
- Phosphazene ring**, eight-membered: *X*-ray crystallographic evidence of new conformation, 1185
X-ray examination of the structure of poly(difluorophosphazene), 985
- Phosphazenes**, organo-, ligand exchange with, 1283
- Phosphetane** compounds, stereochemical assignments, 616
- Phosphide ion**, diphenyl, nucleophilic attack on alk-2-ynyl halides, 119
- Phosphinate**, menthyl methyl-, stereospecific free-radical addition to alkenes: evidence for inversion of configuration of phosphorus, 1098
Stereospecific inclusion in cycloamyloses: partial resolution of isopropyl methylphosphinate and related compounds, 1431
- Phosphine**, di-*t*-butylfluoro-, determination of spin-coupling constants by heteronuclear INDOR-technique, 619
complexes of d^{10} metals, photoluminescence, 1124
dichloromethyl-, absolute signs of $^1J(P-^{13}C)$ and $^2J(P-C-H)$ spin coupling constants, 874
phosphorus trifluoride, and trimethylphosphine, *ab initio* calculations of bonding, 316
tertiary, complexes of bis(diphenylphosphinodithioato)palladium(II). A correction, 1092
trifluoro-, and its complexes $Ni(PF_3)_4$ and $Pt(PF_3)_4$, photoelectron spectra, 1121
triphenyl-, and carbon monoxide, catalytic oxidation: uptake of carbon monoxide and oxygen by $RhCl(CO)(PPh_3)_2$, 977
triphenyl-, catalytic oxidation using a ruthenium-oxygen complex, 1279
triphenyl-, reaction with bromonitroalkenes, possible azirine intermediate, 917
triphenyl-; reaction with tetrasulphur tetranitride. Crystal and molecular structure of the intermediate, 1704
triphenyl-, redox nature of reaction with β -rhenium(IV) chloride in acetonitrile; crystal structure of the reduction product trichloro(acetonitrile)bis(triphenylphosphine)rhenium(III), 600
triphenyl-, photodeoxygenation of benzophenone by, 586
silane, and disilane, reactions of recoiling silicon atoms with, 1331
oxide, β -naphthylphenyl-, optically active, 562
oxide, 2-aminoethyl-, deamination and rearrangement, 1026
- Phosphineborane** and phosphine oxide, bonding in, an *ab initio* SCF-LCAO-MO study, 873
- Phosphines**, amino-, P-N-C-H coupling constants in, effect of phosphorus lone pair orientation, 1509
cyclic, perfluoro-organo-substituted, ring size, 1120
organo-, oxidation by aqueous alkali, 870
tertiary, new complexes with palladium hydride, 881
tertiary, stereochemistries of and bonding in complexes with third-row transition-metal halides, 30
tertiary and ditertiary, complexes with oxomolybdenum(IV), 1399
unsaturated tertiary, complexes of rhodium(I), hydrogenation and isomerisation, 1115
- Phosphinite** esters, enhanced nucleophilic displacement, 646
- Phosphinothioyl** and sulphonyl isothiocyanates, 1,2-cycloaddition with carbodi-imides, 1629
- Phosphite**, trialkyl, 1H nuclear magnetic resonance spectra of complexes with transition-metal ions, 133
- Phosphites**, $EtC(CH_3O)_2P-O_3$: a relatively stable bicyclic phosphite-ozone adduct and a convenient singlet oxygen source, 956
tertiary, fission through reaction with hexacarbonylbis- π -cyclopentadienyldimolybdenum, 547
- Phospholane**, nucleophilic displacements on: a case of inversion of configuration, 733
- Phospholene**, new synthesis: reactions of phosphetans with halogens, 1350
- Phosphonitrilic fluoride**, trimeric, reaction with phenylmagnesium bromide, 152
- Phosphonates**, neighbouring group-induced phosphorus-oxygen fission in acidic hydrolysis of, 1546
- Phosphonium salts**, amidino-, structure, 1645
nature of the carbanion formed in their hydrolysis, 1267
- Phosphonothioites**, ethylene, quinquovalent adducts from, and from dimethyl *t*-butylphosphonite, 1279
- Phosphorane**, tristrifluoromethylbis(trimethylsiloxy)-, $(CF_3)_3P-[OSi(CH_3)_2]_2$, and bistrifluoromethyltrimethylsiloxyphosphine oxide, $(CF_3)_2P(O)OSi(CH_3)_3$, 1520
- Phosphorothiate**, *O,S*-ethylene *O*-methyl, alkaline hydrolysis of, position of cleavage, 1564
- Phosphorus**, and nitrogen, molecular, electronic structure and stability: SCF study, 568
and nitrogen, molecular, *ab initio* study of bonding in, 1233
Active-site-directed inhibition of triosephosphate isomerase, 7
 ^{13}C n.m.r. of organophosphorus compounds: triphenyl phosphite and triphenyl phosphate, 1663
crystal and molecular structure and bonding in methylfluorocyclotetraphosphonitriles, 815
Crystal structure of tris(diethylthiophosphato)indium(III), 78
displacement at, in a four-membered ring, 1502
Dodeca(dimethylamide)cyclohexaphosphonitrile as a macrocyclic ligand, 1190
five- and six-co-ordinate, fluorine compounds of, indirect spin coupling constants, 671
High molecular weight poly(diaminophosphazenes) with mixed substituents, 685
Non-stereospecificity in the alkaline hydrolysis of a bisphosphonium salt, 150
Nuclear magnetic resonance coupling constants for a bis(dioxaphosphorinanyl), 1391
d-Orbital participation in molecules containing phosphorus, sulphur, and chlorine studied by *ab initio* SCF-MO calculations, 1183
 ^{31}P nuclear magnetic resonance spectrum of menthyl methylphosphinate, 431
Polynuclear phosphine- and arsine-substituted rhodium carbonyls, 230
Sign of the $^{15}N-^{31}P$ coupling constant, 1491
Stereochemistry of oxidation of organophosphorus thiono-compounds and P^{III} compounds by nitric acid and dinitrogen tetroxide, 1495
Stereospecific reactions of optically pure menthyl methylphosphinate, 33
Synthetic utility of adducts of 1,3-dipolarophiles with vinyl phosphonium salts, 39
Theoretical and experimental study of bonding in $PF_3 \cdot BH_3$, 1586
thio-acids, correlation of absolute configuration by nuclear magnetic resonance spectroscopy, 654
Three-membered phosphorus ring: $(C_2F_5P)_3$, 523
trichloride and oxylchloride, *ab initio* SCF-MO calculations of bonding, 1510
ylide, a [3,2]-sigmatropic process in: ylide rearrangements, 631
- Photochemical reactions**, acid-catalysis, 561
chemical initiation in absence of light, 28
- Photochemistry** of aromatic compounds. Fragmentation reactions originating in a photo-induced electron transfer in solution, 302
- Photo-oxidation** of carbanions: reactivity of singlet oxygen with 9-benzenesulphonylfluoren-9-yl anion, 1178
- Phthalocyanine**, metal(II), a new structure: *X*-ray and Mössbauer studies of the triclinic tin(II) phthalocyanine, 400
- Phthioceranes**, methoxy-, stereochemistry, 673

- Phthiocerols**, stereochemistry, 340
- Phytosterol** biosynthesis in banana peel. Initial removal of the 4 α -methyl group of 24-methylenecycloartanol during its conversion into cycloeucaenol in *Musa sapientum*, 399
- 2- and 4-Picoline**, and pyridine, liquid-phase photochemistry, 1475
- Picolines** and lutidines, gas-phase photochemistry, 1247
- Picrate**, *n*-butylammonium, conductance in alcohols at 25°, 724
- Pinacolone**, oxidation with lead dioxide in toluene, 342
- cis-Pinocarveol**, pyrolysis, 542
- Piperidine** benzobromides, 1-benzyl-, effect of 4-*t*-butyl and other 4-substituents on the rate constants for nucleophilic displacement with thiophenate anion in diethylene glycol at the benzyl methylene groups, 587
- nitroxide, 2,2,6,6-tetramethyl-, reduction of radical *via* complex formation with copper(II) perchlorate, 195
- nitroxides, 4-alkyl-, conformational inversion in; electron spin resonance study, 540
- N*-thiocarbamoyl-, crystal and molecular structure of addition product with dimethyl acetylenedicarboxylate, 890
- 2-Piperidinoanthraquinone**, photoreduction by electron transfer, 519
- Plastoquinone-1** [2,3-dimethyl-5-(3-methylbut-2-enyl)-1,4-benzoquinone], a novel tricyclic peroxide from photochemical oxidation of, 47
- Platinum**. Asymmetric induction by the *s*-butyl group in *cis*- and *trans*-dichloro(benzylamine)(olefin)platinum(II) complexes, 1164
- Bonding and photoelectron spectra of Ni(PF₃)₄ and Pt(PF₃)₄, 1316
- carbon bond formation, intramolecular, promoted by steric hindrance, 1176
- Cationic acetylene, acetylide, and carbene complexes of platinum(II), 763
- Correlation of chlorine-35 nuclear quadrupole resonance frequencies with platinum-chlorine bond lengths in platinum(II) complexes, 902
- Crystal structure of allylchloroplatinum, 655
- Cyclic compounds with a Pt-C σ -bond formed by olefin insertion reactions, 169
- Dealkylation of methyl isocyanide in platinum complexes of this ligand, 1626
- Formation of alkenylplatinum(II) complexes by protonation of platinum(0)-acetylene complexes, 1333
- Formation of platinum-carbon σ -bonded complexes from co-ordinated and unco-ordinated olefins and acetylenes, 428
- hydrides, novel intermediates in some olefin insertion reactions, 598
- Model compounds for metal-protein interaction: crystal structure of three platinum(II) complexes of L- and DL-methionine and glycyl-L-methionine, 1523
- Oxidative addition reactions of aldehydes and related molecules with tetrakis(triphenylphosphine)platinum(0), 198
- Photoredox decomposition of a platinum(II) complex ion, 531
- Reactions of hexafluorobut-2-yne with some methylplatinum(II) complexes, 92
- Revised structure of Chugaev's salt [PtC₈H₁₅N₆]₂Cl₂, 183
- Silyl-, germyl-, and stannyl-exchange reactions of platinum(II) compounds: isolation of octahedral platinum-tin intermediates, 705
- Structure of tetrakis(trifluorophosphine)-nickel and -platinum determined by gas-phase electron diffraction, 595
- Synthesis of *trans*-platinum(II) complexes by photochemical isomerization, 202
- Podocarpa-8,11,13-trien-18-oate**, methyl 13-hydroxy-, new synthesis *via* nitrodeisopropylation of methyl 12-acetyl-abieta-8,11,13-trien-18-oate, 845
- Podolactones A and B**, structures: inhibitors of expansion and division of plant cells, 170
- Poly(bistrifluoromethylamino)**-compounds: synthesis of *NN*-bistrifluoromethylamino-substituted allenes and their reaction with trifluoronitrosomethane, 456
- Polyenes**, medium-ring, reactions with 4-phenyl-1,2,4-triazoline-3,4-dione, 82
- Polyethers**, cyclic, crystal structures of three alkali-metal complexes, 1439
- Polymerization**, initiation by ligand displacement, 315
- Polysaccharides**, aqueous, proton and deuteron magnetic resonance studies, 1214
- Polystyrene**, a model compound of; crystal structure of β -phenylglutaric acid, 1362
- Polytetrafluoroethylene-water** interface, assessment of interactions at, from dynamic contact angle studies, 387
- "**Polywater**", molecular orbital calculations on structure, 423
- Ponasterone C**, revision of structure: 5 β -hydroxy-ecdysones, 351
- Porphins** and related macrocycles, *N*-alkylation of, 231
- metallo-, electrophilic substitution reactions, 1237
- Porphyrim**, octaethyl-, and octaethylchlorin, *N*-methylation, 1273
- series, radical reactions in; benzoyloxylation of octaethylporphyrin, 337
- Porphyrim**, *NN'*-dimethyl-, 205
- Portentol**, biosynthesis: assembly of a linear pentapropionate from acetate and methionine, 664
- structure: *X*-ray analysis of a heavy-atom derivative, 665
- Potassium**, thallium(I) as probe in biological systems, 965
- Precalciferol**, total synthesis, 993
- Pregna-5,17(20)-dien-16-ones**, 3 β -hydroxy-, retro-aldo cleavage; a convenient preparation of 3 β -hydroxyandrost-5-en-16-one, 327
- Presecamines**, a new group of dimeric indole alkaloids from *Rhazya* species, and their thermally derived monomers, secodine and 15,20-dihydrosecodine, 191
- Pretatramid**, 6-methyl-, 6- and 12 α -hydroxylation, 1053
- Proanthranidin** carboxylic acid and related biflavanoids from *Acacia luederitzii* Engl. var. *retinens* (Sim) J. Ross and Brenan, 492
- Propene**, catalytic oxidation to hexa-1,5-diene and to benzene, 1303
- 1,3-diphenyl-, alkali-metal salts, nuclear magnetic resonance evidence for ion pairing, 1256
- heterogeneously-catalysed oxidation of, description of allyl radicals, 621
- hexafluoro-, anionic oligomerisation: fission of a carbon-carbon bond by fluoride ion, 1444
- Prop-2-ynyl** and allenyl phenyl sulphides, thio-Claisen and thiopropynyl rearrangements, 433
- Prop-2-ynyl alcohols**, general synthesis of β -allenic esters from, 1411
- Prop-2-ynylvinyl-carbinols**, novel steric effect in thermolysis of, 301
- Proton transfer**, rate-determining diffusion-controlled: methoxylaminolysis of methyl thioformate, 249
- reactions, fast, in aprotic solvents, spectroscopic, thermodynamic, and kinetic evidence for a hydrogen-bonded intermediate, 979
- Protosta-17(20),24-diene**, 3 β -hydroxy-, a prototype sterol, incorporation of [2-¹⁴C]mevalonic acid with cell-free extracts of *Emericellopsis* Sp., 1012
- Prostaglandin E₁**, stereoselective total synthesis, 1258
- (\pm)-**Prostaglandin E₃** methyl ester, total synthesis *via* endobicyclohexane intermediates, 602
- Prostanoic** acid derivative formed in the enzymatic conversion of tritiated arachidonic acid into prostaglandins by rat stomach homogenates, 1234
- Protostemonine**, an alkaloid, structure, 268
- Pseudopelletierine** and tropinone, reaction with singlet oxygen, 13
- Pterogynine**, structure, and isolation of its isomer pterogynidine, a new guanidine alkaloid, 556
- Pummerer** rearrangement of 1,3-oxathiolan-5-one *S*-oxides, 1158
- Purine**, new synthesis, 1068
- Purines**, reactions with γ -lactones: novel synthesis of eritadenine, 1045
- Purpurogenone**, a metabolite of *penicillium purpurogenum* Stoll, structure: *X*-ray study, 1499
- Pyocyanin**, a phenazine microbial metabolite, biosynthesis, 1514
- Pyramidal carbanionic centres**, stabilization by an adjacent sulphur 3*d*-orbital, 96
- Pyran**, dihydro-, acid-catalysed photodehydration, 1044
- Pyrano-2-enosides**, 2- and 3-phenylazo-glyco-, methyl, 1,2- and 1,4-additions, 1433
- Pyranonaphthazarin** pigments, three, from *Gnomonia erythrostroma*, 209
- Pyranose**, 4,6-*O*-benzylidene-1,2,3-trideoxy-3-*C*-iodomethyl-D-arabino-hex-1-eno-, (4,6-*O*-benzylidene-3-deoxy-3-*C*-iodomethyl)-D-glucal, 779

- Pyranosides**, methyl 4-amino-4-deoxy-2,3-*O*-isopropylidene- α -L-talo- and -manno-, nitrous acid deamination, 1250
- Pyranosidulose**-furanoside conversion, evidence for a bi-radical intermediate: photochemical decarbonylation of cyclic ketones in solution, 1261
- Pyranosid-2-ulose**, influence of steric factors in reactions with diazokanes, 1549
- Pyrans**, arylidihydro-, photo-oxidation, 177
dihydro- or tetrahydro-, conversion of steroidal δ -lactones into, 901
- 4H-Pyran-4-thione**, 2,6-diphenyl-, photolysis, 371
- Pyrazine**, 2,5-dihydro-3,6-dimethyl-, synthesis and properties, 25
- Pyrazines** as optically active aromatic chromophores, 1112
- 2-Pyrazolines**, 4-hydroxy-5,5-dimethyl-1-*p*-tosyl-, synthesis, 1330
- 3-Pyrazol-5-yl-pyridines**, novel 2-amino-, from the reaction of 5-chloro-1,8-naphthyridines with hydrazine hydrate, and their cyclisation to pyrazolo[1,5-*c*]pyrido[3,2-*e*]pyrimidines, a new ring system, 566
- Pyrene**, *cis*-15,16-dimethyldihydro-, synthesis, 1555
- Pyridazine**, 3,6-difluoro-4,5-bisheptafluoroisopropyl-, fluoride ion-catalysed rearrangement, 1647
halogen and interhalogen compounds, 188
- Pyridazine-Iodine** semiconductor, nature of, 180
- Pyridine** adsorbed on to oxide surfaces, laser Raman spectra, 563
and 2- and 4-picoline, liquid-phase photochemistry, 1475
1,4-dihydro-series, new transformations, 295
4-methylpyridine, and 2-methylpyridine; polarography of cobalt(II), nickel(II), and zinc(II) in, 1594
Participation of neighbouring groups in the hydrolysis of 3-hydroxy-2-pyridylmethyl phosphate, 1665
pentakis(pentafluoroethyl)-, isomers: valence-bond isomers of heterocyclic compounds, 1580
photoalkylation with methanol, 609
reaction with *n*-butyl-lithium and carbonyl compounds, 921
- Pyridine 1-oxide**, pentachloro-, Grignard reactions, 750
- Pyridine N-oxide** complexes of copper(II) halides: nuclear quadrupole resonance spectra, 403
- Pyridine-2-carboxaldehyde-2'-pyridylhydrazone**, linkage isomers of molybdenum(0), 69
- Pyridine-4-sulphonyl chloride**, a stable tetrachloro- derivative of, 118
- Pyridines**, 2,6-diaryl-, formation from pyrolytic rearrangements of ketone quaternary hydrazones, 916
2,5-disubstituted, new synthesis, 478
structure of cycloaddition product with sulphene, 305
- Pyridinium hydroxide** inner salts, 1-[3-alkyl(aryl)-2-thio-ureido]-, photolysis, 732
- Pyridinium salts**, dimerization by cyanide, 642
- Pyridinium ylides**, Schneider's 1-phenylimino-, photolysis, 172
- [2,2](2,b)Pyridinophane-1,9-diene**, synthesis, 1558
- Pyrimidine**, hexahydro-, lone pair reactions in, molecular orbital calculations, 1533
- Pyrimidines**, 2-hydroxy-4-methyl-, twofold metallation to form a new class of synthetically useful dianions, 336
- Pyrrrole**, 2-benzyl-, mixed manganese and chromium carbonyl complex, 1414
2-cyano-, photoisomerization, 1306
2-nitro-, and 2-nitrofurane, photorearrangement, 1576
- α - and β -**Pyrrrolenines** *via* a pyrrole Grignard reaction, 142
- Pyrrroles**, thiophenes, and furans, substituted, trifluoroacetylation of, substituent effects, 1642
- Pyrrrolidine**, (2*R*, 3*S*, 4*R*)-4-benzyloxy-2-benzyloxymethyl-3-hydroxy-*N*-toluene-*p*-sulphonyl-, 759
N-acetyl-, activation parameters for conformational isomerism in, by total nuclear magnetic resonance line shape analysis and direct thermal stereomutation, 1251
- Pyrrrolizidine** alkaloids, C₁₀ necic acids of, biosynthesis, 635
- Pyrrrolizidine** diester [madurensine], macrocyclic, with the secondary ester attachment at C-6, 65
- 3H-Pyrrrolizine**, synthesis of cycl[3,2,2]azines, 6-azacycl[3,2,2]-azines, and cyclopenta[*b*]cycl[4,2,2]azines from, 790
- Pyrrrolones**, alkyl-, and dihydro-pyridones, general synthesis, 445
- [2,2](2,5)Pyrrrolophane**, *NN'*-dimethyl-, synthesis from 1,4,7,10-cyclododecanetetraone, 107
- Pyrylium 3-oxide**, 2,4,6-triphenyl-, reaction with oxygen, 1459
- Pyrylium salts**, reaction with methylhydrazine, 1208
- Quadricyclene**, oxidative addition to di- μ -chlorotetracarbonyl-dirhodium(I) and mechanism of the rhodium(I)-catalysed isomerization of quadricyclene to norbornadiene, 1082
- Questin**, an anthraquinone, conversion into the benzophenone, sulochrin, in cultures of *Aspergillus terreus*, 1512
- Quinazoline**, hexafluoro-, synthesis of hexafluorocinnoline and photochemical isomerisation to, 739
- Quinine**, biosynthesis from loganin, 194
- p*-Quinoid** compounds, selective excitation of the charge-transfer band by, in the polymerization of *N*-vinylcarbazole: mechanism of charge-transfer polymerization, 1628
- Quinolin-8-ols**, decahydro-, stereoisomeric, reaction with formaldehyde, 1122
- Quinone**, new diterpenoid: structure of miltirone, 299
- Quinones**, substituent effects on the different modes of alkyne photoaddition, 1126
- p*-Quinones**, *t*-butyl-, photolysis: competing 1,4- and 1,5-dipolar cycloadditions of the photoproduct to nitriles and ketones, 303
- o*-Quinonoid** compounds, spiroconjugation dimerisation, and ultraviolet absorption, 122
- Quinuclidine** and hexamine, intrinsic diastereotopism of geminal protons in quaternary salts from, 867
- Radical**, organic, relatively stable saturated, tris(trimethylsilyl)-methyl, 559
- Radical-ions**, oxidation; photolysis of their peroxides, 77
Rates of oxidation of Fe²⁺, Mn²⁺, and Co⁺ by Br₂⁻ radical ions, 443
- Raman spectra** in the 2000 cm⁻¹ region of metal carbonyls; relative intensities, 1724
- A-1 Reaction** in concentrated acids, kinetic acidity dependence, 688
- Reissert** compound, base-catalysed elimination of hydrogen chloride from the chlorohydrin of; novel interconversion of isoquinoline and isochromene ring systems, 1138
- Resonance transfer** of electronic excitation energy *via* coupling of S₀ \longleftrightarrow S₁ and T₀ \longleftrightarrow T₁ transition moments, 1307
- Resorcinol**, synthesis of cinnamyl pyrophosphate and its reaction with, 455
- N*-Retinylidene-*n*-butylamine** salts, environmental effects, 614
- L-Rhamnose**, and 6-deoxy-L-glucose, 2,3,4-triamino-2,3,4-trideoxy-derivatives, 1081
- Rhenium** and osmium, dinitrogen complexes; interaction with metal salts, 90
New Raman spectroscopic evidence and reassignment of the spectra of dimanganese and dirhenium decacarbonyls, 1188 on the state of dinitrogen bound to, 1661
Phenylazo-complex of rhenium(III): structure of Re(N₂C₆H₅)₂-Cl₂[P(CH₃)₂C₆H₅]₂, 1083
Preparation of the ReCl₆⁻ ion, 1612
Redox nature of the reaction of β -rhenium(IV) chloride with triphenylphosphine in acetonitrile, and crystal structure of the reduction product trichloro(acetonitrile)bis(triphenylphosphine)rhenium(III), 600
Structure of organothio-metal tricarbonyl tetramers: X-ray analysis of [Re(CO)₃SMe]₄, 1531
X-Ray crystal structure of diethyldithiocarbamate complexes of rhenium with oxo- and nitrido-ligands, 1572
- Rhodium**. Activation of molecular oxygen, hydrogen, carbon monoxide, and olefins by a rhodium(I) complex in non-aqueous media, 908
2,2'-Bipyridyl and *o*-phenanthroline carbonyl complexes, 54
carbonyls, polynuclear phosphine- and arsine-substituted, 230
catalysts for the homogeneous hydrogenation of ketones, 567
complexes, oxidized, homogeneous olefin hydrogenation, 571
Crystal structure of trichlorobis(tri-*n*-butylphosphine) trimethyl phosphiterhodium(III), 1297
Dirhodium octacarbonyl, 1194
Effect of solvent on the dissociation of tris(triphenylphosphine)chlororhodium, 497
Five-co-ordinate rhodium(I) complexes with three metal-olefin bonds, 488
Hydrogenation and isomerisation of unsaturated tertiary phosphine complexes of rhodium(I), 115
Nature of RhCl(PPh₃)₃ in solution, 1486
-olefin complexes, carbon nuclear magnetic resonance study, 1530

Rhodium—*continued*

- Olefin isomerization over tris(triphenylphosphine)chlororhodium, 495
- Oxidative addition of quadricyclene to di- μ -chlorotetracarbonyldirhodium(I) and the mechanism of the rhodium(I)-catalysed isomerisation of quadricyclene to norbornadiene, 1082
- Preparation of crystal structure of tristriphenylphosphinetriphenylarsinerhodium(I)hydride, $(\text{Ph}_3\text{P})_3(\text{Ph}_3\text{As})\text{HRhI}, \frac{1}{2}\text{C}_8\text{H}_8$, 1077
- Rhodium(III) hydrido-carbonyl complexes, 697
- Rhodium(III) alkyls stabilized by a quadridentate Schiff-base ligand, 1262
- tris(triphenylphosphine)chloro- solvent effect on oxidation, 497
- Synthesis and some reactions of bis(acetonitrile)(diene)-rhodium and -iridium tetrafluoroborate, 1553
- Uptake of carbon monoxide and oxygen by $\text{RhCl}(\text{CO})(\text{PPh}_3)_2$ and catalytic oxidation of carbon monoxide and triphenylphosphine, 977
- X-Ray crystallographic determination of the structure of $(\pi\text{-C}_5\text{H}_5)_2\text{Rh}_2\text{Fe}_2(\text{CO})_8$: complex with an unexpected distribution of ligands around a tetrahedral cluster of metal atoms, 529
- X-Ray crystallographic determination of the structure of $(\pi\text{-C}_5\text{H}_5)\text{RhFe}_3(\text{CO})_{11}$: a tetrahedral metal cluster derivative with a crowded co-ordination surface, 1470
- Rhodizonate**, barium, crystalline; infrared and laser Raman spectra, 322
- Rhoeadine**, total synthesis of the alkaloid, 1713
- β -D-Ribofuranosylamine**, 2,3-*O*-isopropylidene-, an intermediate in the preparation of *N*-substituted ribofuranosides: simple synthesis in high yield, 1114
- Ring-chain** tautomeric equilibrium, inductive control of, 383
- Rings**, 14- and 16-membered, conformational analysis, 1340
- 20-membered, occlusion of solvent molecules by, 1342
- Rosein III**, structure; X-ray analysis without a heavy atom, 719
- Rotational** isomers, diastereomeric, equilibration: hindered rotation about C-N bonds, 974
- Rotenoid** synthesis, by one-carbon insertion, from 2'-hydroxyisafflavones, using dimethylsulphoxonium methylide, 563
- Rubidium**. Crystal structure of a rubidium "cryptate" $[\text{RbC}_{18}\text{H}_{36}\text{N}_2\text{O}_6]\text{SCN}\cdot\text{H}_2\text{O}$, 217
- Rubrosterone**, a steroid, synthesis, 758
- Ruthenium** and osmium, dinitrosyl complexes and their reaction with oxygen, 1500
- azobenzene complexes, reversible chelation in; and a cationic ruthenium carbonyl-aryl complex, 1325
- carbonyl fluoride $[\text{Ru}(\text{CO})_3\text{F}_2]_4$, preparation and crystal structure, 1643
- Crystal structure of $\text{C}_{12}\text{H}_{18}\text{Ru}_4(\text{CO})_{10}$: an open Ru_4 cluster containing a novel three-carbon bridging group, 1159
- Dinitrogen complexes of osmium(III) and ruthenium(III) amines, 875
- di(tertiary arsine)-stabilized dinitrogen complex, 889
- Germanium complexes of ruthenium and osmium dodecacarbonyls: metal-metal heterocycles: crystal structure of $[\text{Me}_2\text{GeRu}(\text{CO})_3]_3$, 1477
- Nitrous oxide complexes: the isolation of pentammine(dinitrogen oxide)ruthenium(II) tetrafluoroborate, 819
- novel allyl cluster: the σ -1,3- η^2 - π -1,2,3- η^2 -cyclododeca-1,6,9-trienyl ligand as a five-electron donor, 735
- Preparation and spectroscopic and X-ray crystallographic determination of the structure of $\text{H}_2\text{Ru}_3(\text{CO})_{18}$: a new octahedral cluster compound containing triply-bridging hydride ligands, 458
- Reactions of a dihydride of ruthenium(II) with small molecules, 1709
- Reversible conversion of co-ordinated nitrosyl into co-ordinated nitrite in 2,2'-bipyridyl complexes of ruthenium(II), 872
- Substitution as the rate-determining step in the reduction of the perchlorate ion by ruthenium(II), 851
- Ruthenium(III)**-tris(ethylenediamine) complex; crystal structure, 1674
- Salonitenolide**, structure; preferential C-8 relactonization of germacranolides containing C-6 and C-8 lactonizable α -oxygen groups, 148

- Santolina** skeleton, rearrangement of the artemisia skeleton to: a 1,2-shift of the vinyl group, 1054
- Scandium** tetrahydroborate, synthesis and characterisation of a tetrahydrofuran derivative, 245
- Sclerotiorin** group, a novel metabolite of the; (—)-7-epi-5-chloroisorotorin, 762
- Schiff-base** compounds, eight-co-ordinated zirconium(IV); an X-ray study, 368
- Secodine** and 15,20-dihydrosecodine, thermally derived monomers of presecamines, a new group of dimeric indole alkaloids from *Rhazya* species, 191
- 16,17,15,20-tetrahydro-, occurrence in *Rhazya orientalis*, 190
- Secodine-type** alkaloids, monomeric, isolation from *Rhazya* species, 189
- Selenium** dithizonate, existence of, 519
- New electronic spectra of gaseous SeBr, TeCl, TeBr, and TeI, 540
- tetrachloride, dissociation; vibrational spectrum and molecular structure of selenium dichloride: gas-phase Raman study, 896
- Selenocyanate** ion, co-operative electronic ligand effects in square-planar complexes, 1698
- Selenols**, axial and equatorial: 3 α - and 3 β -selenyl derivatives of cholestane and androstanone, 1310
- Selenoxides**, steroidal, distereoisomeric at selenium; syn-elimination, absolute configuration, and optical rotatory dispersion characteristics, 86
- Semidine** rearrangements, sulphur analogues, 623
- Serratenediol**, a triterpene, dihydrocaffeic acid ester of; phlegmanol A, 1118
- Serratriol**, 16-oxo-, and 16-oxolycoclavanol; lycopodium triterpenoids, 261
- Sesquichamaenol**, a phenolic sesquiterpene, structure and synthesis, 1538
- Sesquiterpenes** ten-membered ring, conformations by X-ray crystallography, 128
- Seven-membered rings**. Conformational inversion of 2,3: 6,7-dibenzo-derivatives of cycloheptatriene, tropone, heptfulvene, oxepin, thiepin, and azepin, 158
- Sewarine**, indole alkaloid from *Rhazya stricta*, structure, 538
- Shikimic acid** labelled with isotopic hydrogen at C-2, novel preparation: stereochemical course of the 3-dehydroquininate dehydratase reaction, 842
- Shyobunone**, preisocalamendiol, and related sesquiterpenes, syntheses, 1324
- Sigmatropic rearrangement**, novel use of electron spin resonance spectroscopy in detection of, 436
- 1,5-Sigmatropic shift**, metal-assisted, 843
- Silane**, allyltrimethyl-, vapour-phase thermolysis to vinyltrimethylsilane: a novel methylene-transfer reaction, 767
- tetramethyl-, interaction with an electron-emitting tungsten filament, 1170
- Silanes**. Aluminium chloride-catalysed skeletal rearrangement of permethylated linear polysilanes, 157
- Silicon** atoms, recoiling; reactions with phosphine, silane, and disilane, 1331
- Coupling reactions between Grignard reagents and silicon-hydrogen bonds, catalysed by a nickel(II) complex, 213
- cis*- and *trans*-9,10-Dimethyl-9,10-disiladecalin. Synthesis and oxidation with peroxides, 285
- Gas-phase electron diffraction structure of tetrameric prolixane, $(\text{H}_2\text{SiO})_4$, 931
- Interaction of acyl halides and organosilicon hydrides catalysed by platinum and rhodium complexes. A new route to ketones, 1703
- Intermolecular transfer of trimethylsilyl groups induced by electron impact, 898
- Recombination rate of trimethylsilyl radicals in the gas phase, 1721
- Synthesis of hexakis(trimethylsilyloxy)benzene, 1329
- Tris(trimethylsilyl)methyl—a relatively stable saturated organic radical, 559
- Silver** and cadmium salts, electron spin resonance studies of electron-trapping by cations in, 70
- Crystal and molecular structure of the bis(*o*-xylene)silver perchlorate dimer, 1442
- Electron spin resonance evidence for the cations Cd_2^{3+} , AgCd^{2+} , and AgHg^{2+} , 633
- fluoroborate-phomim complex, X-ray analysis: absolute stereochemistry of phomim, 1398

- Silver**—*continued*
ketenide, 699
ion assisted dimethyl sulphoxide oxidations of organic halides, 1338
–olefin complexes, nature of bonding, 641
- Silyl radicals**, new substitution of acetylenic hydrogen with, 1144
- Silylamine**, nitrogen inversion barrier and nature of the Si–N bond in: an *ab initio* SCF-LCAO-MO study, 995
trimethyl-, nitrodeamination: conversion of amines into nitrates, 490
- Silylation** and cyclic ether polymerisation, Group(IV)–cobalt complexes as catalysts, 847
- Singlet sensitizer**, triphenylene, 466
- Skimmianine**, an alkaloid, biosynthesis in *Fagara coco* from [4-¹⁴C]mevalonic acid, [5-¹⁴C]mevalonic acid, and [1-¹⁴C]dimethylallyl alcohol, 674
- Sodium hydride**, radical-anion-prepared, high reactivity of: reaction with benzyl chloride, 1624
Synthesis and crystal structure of a nonionic compound of sodium, (1-phenylbutane-1,3-dionato)(ethylene glycol)sodium, 49
Trigonal prismatic co-ordination of sodium by oxygen: crystal structure of tris[bis(diphenylphosphinyl)methane]sodium bromide hydrate, 952
- Solids**, energy migration in radiolysis of, 549
- Spectroscopy**, organic, and its relationship to ground-state chemistry, 829
- α -Spinasterol**, stereochemistry of hydrogen elimination at C-7: biosynthesis of plant sterols, 543
- Spirocyclohexadienyl radicals**, genesis and reactions, 1438
- Spirocyclopropane-anthrone**s, stereoisomeric, stable hydroxycarbonium ions derived from 765
- Spiro[4,5]dec-6-en-2-one**, synthesis and acid-catalysed rearrangement, 1232
- Spiro[2,4]hepta-4,6-dienes**, from the photoisomerisation of 4-methylenebicyclo[3,1,0]hex-2-enes, stereochemistry, 1013
- Spiro[3,3]heptanes** and spiro[3,2]hexanes, new route to: addition of dichloroketen to methylenecyclobutane, 1344
- Spiro[indoline-3,4'-proline]** system, biogenetically patterned synthesis, 1605
- Squalene 2,3; 22,23-diepoxyde**, cyclisation by microsomes from bramble (*Rubus fruticosus*) tissues grown *in vitro*, 946
- Squalene 2,3-oxide**, *erythro*-18,19-dihydroxy-, and other internally oxidized squalene derivatives, synthesis, 1450
- Stachysterones C and D**, structures, 352
- Stemofoline**, crystal structure of a new alkaloid from *Siemona japonica*, 1066
- Sterigmatocystin**, the metabolite, ¹³C nuclear magnetic resonance spectra: biosynthetic studies with carbon-13, 1539
- Steroid** carbonyl groups, selective reductions with catalysts containing iridium and rhodium, 162
ketones, characterisation by mass spectrometry in conjunction with deuteration by gas-liquid chromatography, 200
photochemistry, new type of intramolecular group-transfer in; mechanism of the oxidative cyanohydrin–cyano-ketone rearrangement, 1002
ring-c aromatization with side-chain configurational inversion, 1706
- Steroid** aromatization reaction, mechanism, 1052
3,5-dienes, 3-acetoxy-, reaction with *m*-chloroperbenzoic acid, 518
selenoxides diastereoisomeric at selenium: *syn*-elimination, absolute configuration, and optical rotatory dispersion characteristics, 86
- Steroids**. Backbone rearrangement of des-A-steroids: some mechanistic aspects, 1162
Competing reactions in the peroxy-acid oxidation of 3-alkoxysteroidal 3,5-dienes, 1015
1 β ,11 α -dihydroxy-, preparation by microbiological hydroxylation, 1029
4,4-dimethyl-, conformation; an *X*-ray crystallographic investigation, 954
4,4-dimethyl-, functionalization of their methyl groups, 789
11 β -halogeno-, preparation; new method for replacement of hydroxyl by chlorine or bromine, 106
hetero-, a new system: 4,17a,-diaza-D-homoandrosterone lactams, 522
5 α -hydroxy-, alkyl group participation in Wagner–Meerwein rearrangements of, 126
- Steroids**—*continued*
methylene-, circular dichroism, 462
C-nor-D-homo-, total synthesis, 234
 Δ^4 -3-oxo-, free-energy differences between isomeric dienol acetates by thermodynamically controlled enol acetylation of, 111
Site-specific dehydrogenation of ring D in steroids, 659
Total synthesis of a ring-C-aromatic 18-nor-steroid, 618
- Sterols**, 4-methyl-, and sterols in Messal shale (eocene), 1570
plant, biosynthesis: stereochemistry of hydrogen elimination at C-7 in α -spinasterol, 543
- Stigmasterol**, mechanism of biosynthesis of the ethyl side-chain at C-24, in tissue cultures of *Nicotiana tabacum* and *Dioscorea tokoro*, 1416
- Styrene**, 4-bromo- ω -nitro-, Michael addition of cyclohexane-1,3-dione. Formation and crystal structure of 3-(4-bromophenyl)-2-hydroximino-6,7-dihydro-4(5H)benzofuranone, 1602
monomer radical-anions, electron spin resonance spectra, 282
octafluoro-, complete analysis of the ¹⁹F nuclear magnetic resonance spectrum, 661
reaction with ferrocene in presence of palladium(II) acetate. Aromatic substitution of olefins, 1293
- [²H₂]**Styrene**, reaction with benzene in the presence of palladium(II) acetate. Aromatic substitution of olefins, 610
- Styrenes**, isomeric β -halogeno-, new general synthesis: stereospecific halogenolysis of β -styrylpyridinecobaloximes, 1027
- β -Substituent**, relationship between magnitude of geminal coupling constant and a dihedral angle of 242
- Succenimidyl radical**, homolytic substitution at tin by 557
- Sucrose**, a new trianhydro-; *X*-ray crystal structure and properties of 3,6-anhydro- α -D-glucosyl-1,4:3,6-dianhydro- β -D-fructoside, 360
- Sugars**, amino, thio, and branched-chain; new approach to synthesis. Allylic isomerisations of unsaturated carbohydrate derivatives, 1385
Configurational and conformational studies by the aromatic chirality method, 1691
Synthesis of C-nucleoside analogues by 1,3-dipolar addition of a 1-diazo-sugar to acetylenes, 313
- Sulochrin**, a benzophenone, conversion of the atherquinone, quetin into, in cultures of *Aspergillus terreus*, 1512
- Sulphenate esters**, synthesis of ethers by desulphurisation of, 1466
- Sulphenate–sulphoxide** rearrangement, allyl, stereoselectivity in, 526
- Sulphene** by the “abnormal” route, 663
structure of cycloaddition product with pyridines, 305
- Sulphenic acids**, from penicillin sulphoxides; on the trapping of, 1683
- Sulphides**, prop-2-ynyl and allenyl phenyl, thio-Claisen and thiopropynyl rearrangements, 433
- Sulphinates**, reactions with thiophosgene, 658
- Sulphonamides**, *NN*-disubstituted, alkylation: activation of weak organic bases, 777
- Sulphone**, dimethyl; structure of. Chemical analysis by *X*-ray crystallography, 1653
- Sulphones**, 2-(alkoxyamino)diaryl, diphenylamines and quinone di-imines from base-catalysed reactions of: evidence against a nitrene mechanism, 1280
 β -keto-, mechanism of cathode cleavage of, 1010
- Sulphonium ylides**, oxo-, stable, nuclear magnetic resonance evidence for restricted rotation, 1361
simultaneous observation of a radical pathway and retention in a Stevens rearrangement: significance for a general theory of ylide rearrangements, 576
- Sulphonyl** and phosphinothiyl isothiocyanates, 1,2-cycloaddition with carbodi-imides, 1629
- Sulphoxide**, dimethyl, kinetics of oxidation by tervalent manganese, 797
photoreacemization, role of sulphenate esters, 1294
- Sulphoxides**, acyclic, absolute configuration, 1485
assignment of configuration by use of the “Shift Reagent,” 1471
benzothiazine, rearrangement, 335
 α -chloro-; nucleophilic substitution of, 1689
highly substituted, novel preparation from sulphines, 747
photodesulphurization into aldehydes, 1051
- Sulphoxonium methylide**, dimethyl-, bis-methylene transfer to 2'-hydroxyisoflavones by, 535

- Sulphur.** Acetylaranotin. Displacement reactions at the disulphide linkage, 55
 Ambient carbanion stabilized by bivalent sulphur, 913
 analogues of semidine rearrangements, 623
 Bis(perfluoroalkyl)sulphur difluorides and bis(perfluoroalkyl)sulphoxides, 1679
 blue solutions of, in oleum, 852
 Cation S_8^{2+} , 264
 Containment of two metal ions in the ring of one cyclic ligand: metal complexes of an octadentate macrocycle with only sulphur donor atoms, 1041
 Crystal and molecular structure of the intermediate in the reaction of triphenylphosphine with tetrasulphur tetranitride, 1704
 Cyclonenasulphur, S_8 , a new modification of sulphur, 1110
 Desulphurisation of aliphatic trisulphides, a mechanistic dichotomy, 811
 Equivalent of the Perkow reaction, 1402
 Inversion of chirality at sulphinyl sulphur in a reaction not involving breaking of bonds of the chiral sulphur atom, 1441
 Novel unimolecular heterolytic scission of the sulphur-sulphur bond in a symmetrical disulphide, 928
d-Orbital participation in bonding of molecules containing phosphorus, sulphur, and chlorine studied by *ab initio* SCF-MO calculations, 1183
 Pulse radiolysis studies of electron transfer in aqueous disulphide solutions, 1425
 Stabilization of pyramidal carbanionic centres by an adjacent sulphur $3d$ -orbital, 96
 Some unusual sulphido-derivatives of iron carbonyl, 288
 Thioboranes: their use in the synthesis of unsymmetrical disulphides, 1701
 Trifluorosulphur(vi) oxide cation, SO_3F^+ , 9
 Vibrational study of the (S-S) group in transition-element compounds, 676
- Sulphur chloride pentafluoride**, addition to trifluorethylene 253
- Sulphur di-imides**, pyrolysis, 298
- Sulphur monoxide** extrusion, mechanism, 1604
- Sulphur-oxygen** intramolecular contacts, short, structural observations on molecules with, 329
- Sulphur trioxide**, insertion into the metal-carbon bond of dimethylmercury, 1259
- Sulphur chloride**, benzylic chlorination by: suppression of chlorine atom chains, 860
 reaction with flavone, 380
- Surface potentials** in physical adsorption, correlation, 1170
- Sydones**, double 1,3-cycloadditions, synthesis of 9,10-diazatetracyclo[6,3,0,0^{4,11},0^{6,9}]undecanes, 760
- Talopyranoside** 4-sulphonate derivatives, nucleophilic displacements, 362
- Taxa-4(20),11-diene**, 2 α ,5 α ,7 β ,9 α ,10 β ,13 α -hexa-acetoxy-, 4 β ,20-epoxide of, the diterpenoid baccatin-T, structure, 1381
- Taxane**, application of the olefin octant rule to some derivatives: assignment of absolute configuration using the Cotton effect, 582
- Tellurium**, cations, in disulphuric acid, 776
 gas-phase Raman spectrum and molecular structure of dibromodichlorotellurium(iv), $TeCl_2Br_2$, 1489
 hexafluoride, reaction with methyl alcohol, 1197
 New electronic spectra of gaseous SeBr, TeCl, TeBr, and TeI, 540
 pentaco-ordinate: preparation of methyltrihalogeno(tetramethylthiourea)tellurium(iv) compounds, 556
 tellurenum ylide, 924
 vibrational spectra of SbX_6^{3-} and TeX_6^{2-} anions: new observations on the singular properties of some systems related to XeF_6 , 1699
- Tetracene** and anthracenes, crossed dimers: 4+4 photoaddition: pure dimer of 9,10-dimethylanthracene, 1648
- Tetracyclo[4,4,0,0^{3,9},0^{4,8}]decane-1,6-dioic anhydride**, 3,4,8,9-tetramethyl-, a photosensitized $\pi^2 + \pi_2^*$ intramolecular cycloaddition, 94
- Tetracyclo[6,3,0^{4,11},0^{6,9}]undecanes**, 9,10-diaza-, synthesis. Double 1,3-cycloadditions of sydones, 760
- Tetrahydroisoquinoline alkaloids**, \pm tepenine, tetraunine, and (\pm)-*O*-methylgigantine, synthesis; revised structure of gigantine, 856
- 1,2,3,4-Tetrahydroisoquinoline alkaloids**, trimethoxy-substituted, preferential cleavage, 1296
- Tetrahydropyran-2'-yloxy-cyclohexanes**, syntheses of 2-substituted cyclohexanones by Michael-type reactions on, 52
- 1,1' - Tetramethylene - 2,2' - bipyridyliumdibromide.H₂O. 1/3HBr**, crystal structure: possible triaquohydrogen ion H_7O_3 , 1284
- 1,2,3,4 - Tetraphenyl-5,6-dioxabicyclo[2,2,1]hept-2-en-7-one** (tetracyclone endoperoxide), possible role of singlet oxygen in isolation of. Oxygenation reactions of diperoxychromium(vi) oxide etherate (CrO_5-OEt_2), 1550
- 1,2,4,5-Tetrathian**, 3,3,6,6-tetramethyl-, activation parameters for chair-twist equilibration by direct thermal stereomutation and total nuclear magnetic resonance line-shape analysis, 51
- cis-Tetrazene**, preparation and thermolysis, 1084
- s-Tetrazine**, 1,4-dimethylhexahydro-, X-ray structure, 446
- 1,2,4,5-Tetrazines**, alkyl-substituted, radical anions derived from, 479
- 5-Tetrazole ylide**, new, crystal structure, 684
- Tetrazoles**, nitrosamine-, novel series, 112
- Thalidomide**, crystal and molecular structure, 778
- Thallium**. Bimolecular nucleophilic substitution in the decomposition of monoalkylthallium(III) halides, 1037
 1,2- and 1,4-Diacetoxylation of conjugated dienes with thallium(III) and lead(IV) acetates, 1630
 -(III) chloride tetrahydrate, carboxylation of some aromatic hydrocarbons with, in carbon tetrachloride, 1139
 Nitrosonium tetranitratotallate(III), 19
 tetrametaphosphate, $Tl_4P_4O_{18}$, X-ray crystal structure, 1213
 Thallium(I) as a potassium probe in biological systems, 965
- Thebaine**, iodination: new route to 9-substituted indolino-codeinone derivatives, 1346
- 2-Thianorbiphenylene** (benzo[3,4]cyclobuta[1,2-*c*]thiophen, 109
- Thiathiophthen**, molecular structure of isothiathiophthen, 154
 nitrogen isostereo, sulphur-nitrogen distances in, by X-ray studies, 707
- endo-4-Thiathicyclo[5,2,1,0^{2,6}]dec-8-yl *p*-nitrobenzoate**, remote sulphur participation in solvolysis of 1449
- 1,3-Thiazine-2-thione**, 3-methyl-4-oxo-, crystal and molecular structure, 1356
- Thiazole**, 2,5- and 2,4-diphenyl-, photorearrangements, 386
- Thiazolidine** ring of penicillanic acid derivatives, enlargement, 1517
- Thiazyl** bis(trifluoromethyl)nitroxides: crystal structure of $[NSON(CF_3)_2]_4$, 1483
- Thiepin** 1,1-dioxide, 4,5-dihydro-, 1254
- Thiiranium** ion, bridgehead, participation in the acid-catalysed disproportionation of 1,2,3,4-tetrahydro-8-methoxy-6*H*-dibenzo[*b,d*]thiopyran, 841
- Thioboranes**, use in synthesis of unsymmetrical disulphides, 1701
- Thioacids**, phosphorus, correlation of configuration by nuclear magnetic resonance spectroscopy, 654
- 2-Thioaldose**, epimerisation: stereochemistry of 2-*S* ethyl-2-thioaldohexose, 1038
- Thiocarbonyl chlorofluoride**, $^1A'' \leftarrow ^1A'$ electron transition, 943
- Thiocyanate**, a novel type: crystal structure of the complex ion $[Pd(SCN)_4]^{2-}$ in the compound $K_2Pd(SCN)_4$, 385
 ion, co-ordinated, solvent control of bonding mode, 679, 1080
- Thioformate** methyl, methoxylaminolysis of; rate determining, diffusion-controlled proton transfer, 249
- N-Thionylanidine**, new reaction with alk-2-ynyl complexes of iron, 951
- Thiophen**, *ab initio* calculations, including *d*-orbitals, of electronic structure, 319
 derivative, synthesis of an oxetan by photoaddition of benzophenone, 1474
- Thiophenate** anion, nuclear displacement with, in diethylene glycol, at the benzyl methylene groups in 1-benzylpiperidine benzobromides; effect of 4-*t*-butyl and other 4-substituents on the rate constants, 587
- Thiophens**. Direct Bradsher reaction: synthesis of benzodithiophens and related systems, 1094
 furans, and pyrroles, substituted, trifluoroacetylation of, substituent effects, 1642
- Thiophosgene**, reactions with sulphinates, 658

- Thiourea.** Crystal structure of the bis(thiourea)iodine(I) ion, 169
- Thioxanthenes,** 9-alkyl-, preferred conformation, 407
- Thorium.** Structure of tetrakis-(8-quinolinolato)bisdimethyl sulphoxide thorium(IV), 342
- Thymidine,** phosphorylated 3'-amino-3'-deoxy- and 5'-amino-5'-deoxy-, synthesis, 915
- Thymine,** and cytosine, carbon and nitrogen 1s levels: molecular core binding energies, 24
- Tin.** Crystal structure of $(\text{Me}_3\text{Sn})_2\text{N}_2\text{C}$, 1023
Diorganochlorotin perfluorocarboxylates, 151
hexaco-ordinate, compounds containing tin-sulphur bonds, Mössbauer spectra, 680
Homolytic substitution at tin by the succinimidyl radical, 557
Mass-spectral rearrangement of stannonium ions: migration of oxygen from carbon to tin and elimination of C_6H_4 in some phenoxastannins, 129
-metal bonds, new method of preparing compounds containing, 674
-molybdenum bond, compounds containing, novel redistribution reaction, 1632
New metal(II) phthalocyanine structure: X-ray and Mössbauer studies of the triclinic tin(II)phthalocyanine, 400
Ring-opening and ring-closing reactions *via* organometallic compounds: new preparative methods for spiro-orthocarbonates and cyclic iminocarbonates from cyclic dibutyltin dialkoxides and sulphides, 235
Sign of the quadrupole interaction in some tin(II) compounds, 774
Sign of the ^{119}Sn quadrupole interaction in the Mössbauer spectra of Me_2SnCl_2 , $\text{Me}_3\text{SnMoO}_4$, and SnO_2 , 1349
Silyl-, germyl-, and stannyl-exchange reactions of platinum(II)-complexes: isolation of octahedral platinum-tin intermediates, 705
- Titanium,** eight-co-ordinated compound; crystal structure of tetrakis-(*NN*-diethylthiocarbamate)titanium(IV), 743
Electron spin resonance spectra of some germanium, tin, and lead complexes of bis(cyclopentadienyl)titanium(III), 447
Pentachalcogenide dianions in transition-metal complexes: crystal structure of bis-(π -cyclopentadienyl)titanium penta-sulphide, 410
Reinvestigation of the thermal decomposition of $(\text{C}_5\text{H}_5)_2\text{TiPh}_2$, 411
- DL-Threonine,** relation between synthesis and structure of the copper(II) bis-2,5-dimethyloxazolidine-4-carboxylate dihydrate. Crystal and molecular structure of the complex, 1351
- Toluenes,** halogeno-, rearrangement of molecular ions, prior to fragmentation in the mass spectrometer, 886
substituted, oxidation by manganese(III) acetate, 507
- N-Toluene-p-sulphonyl-carbamates,** *O*-t-alkyl, olefin synthesis *via* pyrolysis of, 606
- Tosylates,** two *cis*-hydroxy-, novel *syn*-elimination reaction, 1607
- Transient-element** compounds, (S-S) group in, a vibrational study, 676
- Transition-metal** chlorides, oxidation by trichloroacetonitrile, 459
complexes of the $n\text{-B}_{10}\text{H}_{20}^{2-}$ ion, 693
cyanides, reaction with organic azides, 100
cyanotrihydroborate complexes, 515
derivatives, alkyl-, stereochemistry of formation and cleavage, 986
fluorides and Group IV elements, change-transfer interactions between, 452
halides, third-row; stereochemistries of, and bonding in complexes with tertiary phosphines, 30
hexafluoroacetylacetonates, photoelectron spectra and supposed breakdown of Koopmans' theorem in these compounds, 868
ions, ^1H nuclear magnetic resonance spectra of complexes with trialkyl phosphites, 133
organometallics, reaction with the nitrosonium ion, NO^+ in acetonitrile, formation of acetonitrilecarbonyl and acetonitrilenitrosyl metal cations, 880
- Transition metals,** formation of metal-metal bonds between, *via* Lewis acid-base interaction, 643
Gas-chromatographic separation of nickel(II), palladium(II), and platinum(II) bismonothiofluoroacetylacetonates, 1019
- 2,11,20-Triaza[3,3,3](1,3,5)cyclophane** system, 1464
- 1,3,5-Triazanaphthalene,** 2-chloro-4-dimethylamino-, rotational barrier, 1011
- 1,4,7-Triazatricyclo[5,2,1,0^{4,10}]decane,** 10-(trifluoromethyl)-, 469
- Triazenes,** 1-(2-carboxyphenyl)-, generation of benzyne from, 1222
- 1,2,4-Triazin-6-ones,** novel synthesis. Ring expansion of 1-azirine-3-carboxamides by hydrazine, 1479
- 1,2,3-Triazole** analogues of 2-aminobenzylamine, 858
- 1,2,4-Triazole,** 4-amino-3-hydrazine-5-mercapto-, X-ray crystallographic determination of structure, 631
- Triazoles,** benzo-, nature of intermediates in photolysis of, 1090
- 1,2,4-Triazoline-3,5-diene,** 4-phenyl-, reactions with some medium-ring polyenes, 82
- s-Triazolopyrazine** series, novel rearrangement, 1524
- s-Triazolo[4,3-b]-s-tetrazenes,** 6-mercapto-3-substituted; formation. A new sensitive and specific test for the detection of aldehydes, 1719
- Tricothecane** antibiotics, sesquiterpenoid, biosynthesis, 1569
- endo-Tricyclo[5,2,1,0^{2,6}]deca-4,8-diene,** geometry and electronic state for the Cope rearrangement, 1660
- cis,anti,cis-Tricyclo[5,3,0,0^{2,6}]deca-4,9-diene-3,8-dione,** photochemical rearrangement: a new approach to cubane precursors, 1493
- cis,syn,cis-Tricyclo[5,3,0,0^{2,6}]deca-4,8-diene-3,10-dione** and *exo*-dicyclopentadienone, synthesis: rhodium(I)-catalysed isomerization of cyclobutane cage compounds, 1494
- Tricyclo[6,1,0,0^{2,7}]nonadiene,** derived, electrocyclic transformation; retro-diene reaction *versus* nitrogen elimination; decomposition of a tetrahydromethanophthalazine, 398
- Tricyclo[6,2,1,0^{4,11}]undec-5-ene,** 1,5,9,9-tetramethyl-, an isocaryophyllene rearrangement product, structure X-ray analysis of the bromo-derivative, 248
- Trimethylene,** intermediacy of, in deoxygenation of oxetans by carbon atoms, 1109
- Trimethylenemethane,** non-planar intermediate in bicyclopropylidene-methylenespiropentane interconversion, 717
- 1,7,13-Trioxa-4,10-diazacyclopentadecane,** 5,9-dioxo-; crystal and molecular structure of a fifteen-membered-ring compound, 1654
- Triphenylene** as a singlet sensitizer, 466
- Triphenylmethyl** cation, free, kinetics of hydride transfer from 1,3-dioxolan preceding the true initiation, 1347
- Trisporic acids,** absolute configuration and stereochemistry of cyclization in β -carotene biosynthesis, 255
- Triterpene** dimethyl ester ϵ -lactone from dammar resin, crystallographic structure determination, 891
ester aglycones, novel, from tumour-inhibitory saponins of *Acer negundo*; aceroton and acerocin, 969
- Triterpenes,** nuclear magnetic resonance signals of methyl groups in structural determination. $2\alpha,3\alpha$ - and $2\beta,3\beta$ -dihydroxyolean-12-en-28-oic acids, 368
pentacyclic, a backbone rearrangement of. Synthesis of 18α -fernane derivatives, 1488
- Triterpenoid,** novel, of the bisnoronocerane type isolated from *Lycopodium clavatum*; clavatul, 1274
of *Lycopodium clavatum*: structure of lycoclavanin, 260
- 1,3,5-Trithian,** a polymeric adduct with copper(I) chloride, adamantane-like cage units in crystal structure, 1146
- Tropinone** and pseudopelletierine, reaction with singlet oxygen, 13
- Tropolone,** 3,4-benzo-, photorearrangement, 782
- Tropolones,** benzo-, novel synthesis, 754
- Tropone,** 4-hydroxy-, new synthesis: intramolecular cyclization of bis- α -diazoketones, 721
- Tropone-imine** systems, syntheses of and rearrangement in, 220
- Tropylium** cations and protonated tropone, photoisomerization, 695
- Tropylium** ion, effect of bond energetics on determining the facility of formation from some phenylborolanes under electron impact, 1562
formation from 2-phenyl-1,3,2-dioxaborolane under electron impact, 386
generation by electron transfer from cycloheptatriene and bitropyl, 15
- Tryptamine** oxide, *NN*-dimethyl-, and related compounds, fragmentation: possible implication in indole alkaloid biosynthesis, 517

- Tryptophan** indole ring, butylation: a side reaction during the removal of *t*-butyloxycarbonyl and *t*-butyl protecting groups in peptide synthesis, 406
- (+)-**Tubocurarine** chloride and (+)-chondrocurine, revision of their structures, 1020
- Tuliposide A**, cyclized aglycone of; α -methylene- γ -butyrolactone, biosynthesis, 1189
- Tungsten** and molybdenum, some new thiohalides, 608
Crystal structure of oxotetrachloro-*o*-phenylenebis(dimethylarsine)tungsten(vi): a pentagonal bipyramidal tungsten complex, 292
methoxyfluorotungsten(vi) series, 214
New route to hydride, carbonyl, and bis-dinitrogen complexes, 842
- (\pm)-**Tylophorine**, novel synthesis, 121
- Tungsten** phenyl hydride derivative, formation from benzene, 1677
- Undeca-1,3,5,8-tetraene** and dictyoplerene B from algae of the genus *Dictyopteris*, isolation and determination of structure, 1093
- Uranium**. Kinetic studies on the redox reactions of uranium-(iii), 207
Preparation of the 1:2 uranyl nitrate-methyl diphenyl phosphate solid complex, 514
- Uronic acid** monomers, complexes with calcium, 489
- Urospermal A** and **B**, conformers of a germacranolide aldehyde from *Urospermum dalechampii* F. W. Schmidt, 435
- Utilin**, C₄₁H₅₂O₁₇, a complex meleacin with a 1,29-cyclosvietenan skeleton, crystallographic structure determination, 1388
- Valence Bond method**; permutation symmetry control: higher-order permutations, 307
- Vanadium**. Evidence for one- and two-electron paths in the reaction of vanadium(II) with mercury(II), 241
Non-repeatability of the reported preparation of vanadium(v) chloride, 73
Solution properties of [NN'-bis(salicylidene)-S-(+)-butane-1,3-diamino]oxovanadium(IV), 1515
trihalide hexahydrates, direct nuclear quadrupole resonance evidence for vanadium-halogen bonding, 221
2:1 vanadyl acetylacetonate: 1,4-dioxan complex. Nuclear magnetic resonance and X-ray crystal structure study, 1295
- Vanadium oxide trifluoride**, X-ray crystal structure and its relationship to those of vanadium tetrafluoride and chromium dioxide difluoride, 1474
- Vibrational** force constants, new method for computing, 1504
- Vilsmeier-Haack** formylation; dehydrogenation and methylation of 1,2,3,4-tetrahydro-9-methylcarbazole during, 1690
- Vincadifformamide**, 5-oxode-ethyl-, synthesis of the *Aspidosperma* alkaloid nucleus, 480
- Vinyl** and alkadienyl carbanions, formation from a perfluoroalkyne; reactions, 371
bromides from reaction of *N*-bromosuccinimide with chromans and other benzyl derivatives: a new interpretation, 1427
cations, secondary kinetic deuterium isotope effects, 1614
compounds, shock-wave study of dehydrohalogenation reactions, 453
- N-Vinylcarbazole**, cationic polymerization, effects of tetra-*n*-butylammonium perchlorate on the charge transfer constants, 1277
oxygen-catalysed photocyclodimerization in donor solvents, 1110
- N-Vinylcarbazole**—*continued*
selective excitation of the charge-transfer band in polymerization of, by *p*-quinoid compounds. Mechanism of charge-transfer polymerization, 1628
- Vinylcyclopropane** to cyclopentene rearrangement, photochemical, 454
- Vinylidene** fluoride, thermal decomposition behind reflected shock waves, 773
- Vinylphosphonates**, dimethyl, Diels-Alder addition to cyclopentadienes: stereochemistry of the reaction using nuclear magnetic resonance spectroscopy, 485
- Wagner-Meerwein** rearrangements of 5 α -hydroxy-steroids, alkyl group participation, 126
- Water** and acetonitrile, comparison of, as solvents: proton transfer in methyl ammonium salts, 1186
Disproportionation of HOD in the liquid phase, 472
Molecular orbital calculations on the structure of "polywater," 423
- Wittig reaction**, mechanism of Horner-Emmons modification, 1308
- Wittig rearrangement** of some allyl ethers, 4
- Xanthophyll**, unique, from the Xanthophyceae (Heterokontae); heteroxanthin, structure, 876
- Xenon**. Bonding in XeF₂, 457
hexafluoride, systems related to: vibrational spectra of SbX₆³⁻ and TeX₆²⁻, 1699
- o-Xylene**, diene intermediates in acetoxylation of, 641
- Ylide**, a telluronium, 924
5-tetrazole, new, crystal structure, 684
- Ylide rearrangements**: a [3,2]-sigmatropic process in a phosphorus ylide, 631
significance for a general theory: simultaneous observation of a radical pathway and retention in a Stevens rearrangement of a sulphonium ylide, 576
duality of mechanism in rearrangement of *N*-ammonioamides, 31
- Ytterbium**, bivalent, organometallic compounds of, 244
Rates of reduction of some cobalt(III) and chromium(III) complexes by ytterbium(II), 756
- Zinc**-adenine and -guanine complexes, X-ray crystal structures, 1668
Crystal structure of oxochlorobis-[1,2-bis(diphenylphosphine)ethane]molybdenum(IV) trichloro(acetone)zincate: [MoOCl{Ph₂P(CH₂)₂PPh₂}₂][ZnCl₃OC(CH₃)₂]⁻, 1400
Metal isotope effect on the Raman spectrum of solid [Zn(NH₃)₄]₂, 1017
Oxidation of α -amino-octaethylporphinatozinc to α -imino- γ -oxoporphinatozinc, 781
Pentaco-ordination in bis(hydrazinecarboxylato-*N'O*)-zinc, 120
Tricarbonylchromium complexes of $\alpha\beta\gamma\delta$ -tetraphenylporphinatozinc, 284
- Zirconium**. Crystal and molecular structure of tetrakis(cyclopentadienyl)zirconium, 475
Eight-co-ordinated zirconium(IV) Schiff-base compounds: an X-ray study, 368
Preparation of ZrX₃ single crystals and the differential reduction of zirconium from hafnium in molten Al₂X₆, 281
- Zymonic acid**, biosynthesis in *Trichosporon capitatum*, 73
identity with a pyruvate derivative, 1030