

## JOURNAL OF THE CHEMICAL SOCIETY

## Chemical Communications

Number 2  
1994

## CONTENTS

<b>Dirk J. Hinz, Gerd Meyer</b>	<b>125</b>	Synthesis and Crystal Structure of the First Titanium Halide with Isolated Octahedral Clusters, $[Ti_6C]Cl_{14}$
<b>Ewa Skrzypczak-Jankun, Bruce V. Cheesman, Bin Zheng, Richard M. Lemert, Siddharta Asthana, Morris Srebnik</b>	<b>127</b>	First Example of a Stable 1,1-Bidentate Lewis Acid Based on Boron and Zirconium: Synthesis, Reactivity, X-Ray Analysis and NMR Studies
<b>Kazuhiro Nomura, Sakae Uemura</b>	<b>129</b>	Selective Rhodium-catalysed Oxidation of Alkanes to Alkyl Esters with Peracids
<b>M. Abazid, H. O. Bertrand, M. O. Christen, J. L. Burgo</b>	<b>131</b>	Synthesis of New Dithiolethione Derivatives: 5-(1-hydroxyiminoalkyl)-1,2-dithiole-3-thiones and 5-acyl-1,2-dithiole-3-thiones
<b>Richard Johnson, Bhalchandra V. Joshi, Colin B. Reese</b>	<b>133</b>	Synthesis of 2',3'-Dithiouridine
<b>Michael Ruf, Karl Weis, Heinrich Vahrenkamp</b>	<b>135</b>	A New Pyrazolylborate Zinc Hydroxide Complex Capable of Cleaving Esters, Amides and Phosphates
<b>Tadashi Eguchi, Takumi Terachi, Katsumi Kakinuma</b>	<b>137</b>	The First Synthesis of an Archaeabacterial 36-Membered Macrocyclic Diether Lipid
<b>Xiang Hu, Qi-Wang Liu, Shu-Tang Liu, Li-Ping Zhang, Bao-Shan Wu</b>	<b>139</b>	Boat-shaped $Co_6$ Carbonyl Cluster Derivatives Containing a Semi-interstitial P Atom and Bridging Thiolate or Heterocyclic Phosphido Ligands
<b>K. Kasthuri Rangan, B. Raghavendra Prasad, C. K. Subramanian, J. Gopalakrishnan</b>	<b>141</b>	Soft-chemical Synthesis of New Non-lienar Optical Materials, $K_{0.5}M_{0.5}Ti_{0.5}OPO_4$ ( $M = Nb, Ta$ ), Related to $KTiOPO_4$
<b>Hideo Sawada, Eisaku Sumino, Masatoshi Oue, Motohiro Mitani, Hiromitsu Nakajima, Masami Nishida, Yasuo Moriya</b>	<b>143</b>	Synthesis of a Novel Polymeric Perfluoro-oxa-alkane Diacyl Peroxide. A Convenient Tool for the Introduction of the Perfluoro-oxa-alkylene Unit
<b>Antal Rockenbauer, László Korecz</b>	<b>145</b>	Comment on Conversion of Nitric Oxide into a Nitroxide Radical using 2,3-Dimethylbutadiene and 2,5-Dimethylhexadiene
<b>A. Corma, M. T. Navarro, J. Pérez Pariente</b>	<b>147</b>	Synthesis of an Ultralarge Pore Titanium Silicate Isomorphous to MCM-41 and its Application as a Catalyst for Selective Oxidation of Hydrocarbons
<b>Stojan Stavber, Marko Zupan</b>	<b>149</b>	A New, Selective Method for Conversion of Alcohols to <i>Vicinal</i> Fluorohydriins
<b>Toshikatsu Yoshida, Tomohiro Adachi, Nobuhiro Yabunouchi, Tatsuo Ueda, Susumu Okamoto</b>	<b>151</b>	Reversible Addition of Carbonyl Compounds to Parent Imido Complex: Preparation and Crystal Structures of <i>trans</i> -{ $Mo(NH)(OTf)(syn\text{-}Me_8[16]aneS_4)$ }•OTf and <i>trans</i> -{ $Mo[NC(OH)RR']$ (OTf)( <i>syn</i> -Me <sub>8</sub> [16]aneS <sub>4</sub> )}OTf ( $R=R'=Me$ ; $R=H, R'=Ph$ )
<b>Stephen A. Barr, Derek R. Boyd</b>	<b>153</b>	A General Synthetic Route to Enantiopure Quinoline Alkaloids
<b>Miguel A. G. Aranda, J. Paul Attfield, Sebastian Bruque, R. B. Von Dreele</b>	<b>155</b>	Chemical Switching of Magnetic Properties through Topotactic Lithium Exchange in Manganese(III) Arsenate Hydrate
<b>Shoukang Hao, Jae-Inh Song, Hossein Aghabozorg, Sandro Gambarotta</b>	<b>157</b>	Diphenylphosphinomethanide Complexes of Chromium(II) and Samarium(III): Preparation and Characterization of the Dinuclear $[Cr\{Ph_2PC(H)PPh_2\}_2](\mu\text{-Cl})[\mu\text{-C}(H)(PPh_2)_2][Cr\{Ph_2PC(H)PPh_2\}]$ and Mononuclear Pseudo-allylic Sm[ $\eta^3$ -Ph <sub>2</sub> PC(H)PPh <sub>2</sub> ] <sub>3</sub>
<b>Feng-Bin Li, S. D. Lubetkin, D. J. Roberts, A. R. Hillman</b>	<b>159</b>	Electrogravimetric and Chronoamperometric Monitoring of Individual Events of Growth and Detachment of Electrolytic Chlorine Gas Bubbles
<b>Karl Kirchner, Kurt Mereiter, Roland Schmid</b>	<b>161</b>	Novel $\eta^3$ -Cyclopentenoyl Complexes of Ruthenium(IV): X-Ray Structures of $Ru(\eta^5\text{-C}_5H_5)(\eta^3\text{-C}_5H_4OBr)Br_2$ and $Ru(\eta^5\text{-C}_5H_5)(\eta^3\text{-C}_5H_5O)Br_2$
<b>Andrew K. Hughes, Vincent J. Murphy, Dermot O'Hare</b>	<b>163</b>	Synthesis, X-Ray Structure and Spin Crossover in the Triple-decker Complex [ $(\eta^5\text{-C}_5Me_5)Cr(\mu^2\text{:}\eta\text{-P}_5)Cr(\eta^5\text{-C}_5Me_5)$ ]•[A] <sup>-</sup> (A = PF <sub>6</sub> , SbF <sub>6</sub> )
<b>Takashi Hirano, Iwao Mizoguchi, Mihoko Yamaguchi, Feng-Qi Chen, Mamoru Ohashi, Yoshihiro Ohmiya, Frederick I. Tsuji</b>	<b>165</b>	Revision of the Structure of the Light-emitter in Aequorin Bioluminescence
<b>Alexander J. Blake, Craig M. Grant, Paul E. Y. Milne, Jeremy M. Rawson, Richard E. P. Winpenny</b>	<b>169</b>	Reactions of a Dimeric Copper Compound: Synthesis and Structures of New Dinuclear, Tetranuclear, Octanuclear and Polymeric Copper Complexes

<b>Andrew Beeby, Julian Eastoe, Richard K. Heenan</b>	<b>173</b>	Solubilisation of C <sub>60</sub> in Aqueous Micellar Solution
<b>Peter R. Ashton, Roberto Ballardini, Vincenzo Balzani, Maria Teresa Gandolfi, Damien J.-F. Marquis, Lluïsa Pérez-García, Luca Prodi, J. Fraser Stoddart, Margherita Venturi</b>	<b>177</b>	The Self Assembly of Controllable [2]Catenanes
<b>Peter R. Ashton, Douglas Philp, Neil Spencer, J. Fraser Stoddart, David J. Williams</b>	<b>181</b>	A Self-organised Layered Superstructure of Arrayed [2]Pseudorotaxanes
<b>Ronald Grigg, Jeremy M. Holmes, Shaun K. Jones, W. D. J. Amilaprasadh Norbert</b>	<b>185</b>	Luminescent pH Sensors based on <i>p</i> - <i>tert</i> -Butylcalix[4]arene-linked Ruthenium(II) Trisbipyridyl Complexes
<b>Marie-Noëlle Collomb-Dunand-Sauthier, Alain Deronzier, Raymond Ziessel</b>	<b>189</b>	Electrocatalytic Reduction of CO <sub>2</sub> in Water on a Polymeric [{Ru <sup>0</sup> (bpy)(CO) <sub>2</sub> } <sub>n</sub> ] (bpy = 2,2'-bipyridine) Complex Immobilized on Carbon Electrodes
<b>Alex I. D. Alanine, Koji Ichinose, Denis Thibaut, Laurent Debussche, N. Patrick J. Stamford, Finian J. Leeper, Francis Blanche, Alan R. Battersby</b>	<b>193</b>	Biosynthesis of Vitamin B <sub>12</sub> : Use of Specific <sup>13</sup> C-Labelling for Structural Studies on Factor IV
<b>Mitsuharu Kotera, Jean-Marie Lehn, Jean-Pierre Vigneron</b>	<b>197</b>	Self-assembled Supramolecular Rigid Rods
<b>Louis A. Carpino, Ayman El-Faham, Charles A. Minor, Fernando Albericio</b>	<b>201</b>	Advantageous Applications of Azabenzotriazole (Triazolopyridine) based Coupling Reagents to Solid-phase Peptide Synthesis
<b>François Diederich, Douglas Philp, Paul Seiler</b>	<b>205</b>	π-Complexes incorporating Tetraphenyltetraethynylethene
<b>Frank G. Riddell, Peter G. Bruce, Philip Lightfoot, Martin Rogerson</b>	<b>209</b>	Probing Molecular Motion by Solid-state NMR Spectroscopy and High Resolution Powder X-Ray Diffraction
<b>Demetrios Anglos, Vandana Bindra, Atsuo Kuki</b>	<b>213</b>	Photoinduced Electron Transfer and Long-lived Charge Separation in Rigid Peptide Architectures
<b>Urs Bolle, Wolfgang Tremel</b>	<b>217</b>	Insertion of a Transition Metal Fragment into a Heptaantimonide(3-) Anion: Synthesis and Structure of [Sb <sub>7</sub> Mo(CO) <sub>3</sub> ] <sup>3-</sup>
<b>Marcello Tiecco, Lorenzo Testaferri, Marco Tingoli, Francesca Marini</b>	<b>221</b>	<i>N</i> -Hydroxy γ-Lactams or Cyclic <i>N</i> -Hydroxy Imidates from the Organoselenium-induced Cyclization of β,γ-Unsaturated Hydroxamic Acids
<b>Hiroyuki Matsuzaka, Tetsuhiro Ogino, Masayuki Nishio, Masanobu Hidai, Yoshi-aki Nishibayashi, Sakae Uemura</b>	<b>223</b>	Dinuclear ( $\eta^5\text{-C}_5\text{Me}_5$ )Ru Complexes Triply Bridged by Tellurium or Selenium Ligands—Syntheses and Characterisation of ( $\eta^5\text{-C}_5\text{Me}_5$ )Ru( $\mu_2\text{-RTeTeR}$ )( $\mu_2\text{-TeR}$ ) <sub>2</sub> Ru( $\eta^5\text{-C}_5\text{Me}_5$ ) and [( $\eta^5\text{-C}_5\text{Me}_5$ )Ru( $\mu_2\text{-SeR}$ ) <sub>3</sub> Ru( $\eta^5\text{-C}_5\text{Me}_5$ )]Cl (R = Tol, Ph)
<b>Stephen C. Bennett, Mark A. Phipps, Michael J. Went</b>	<b>225</b>	Synthesis and Reactivity of Dicobalt Stabilised But-2-yne-1,4-dicarbenium Ions
<b>Yoshiki Chujo, Nobuyuki Takizawa, Tomonori Sakurai</b>	<b>227</b>	Synthesis of Poly(organoboron halides)s by Hydroboration Polymerization between Diene and Monobromoborane
<b>Kohei Tamao, Shigehiro Yamaguchi, Yoshihiko Ito</b>	<b>229</b>	Synthesis and Properties of Thiophene–Cyclopentadienone Cooligomers
<b>Taeko I. Urano, Shigeru Machida, Kenji Sano</b>	<b>231</b>	A New Variable Orienting Force for Liquid Crystals which has its Origin in the Electric Property of Poly-γ-benzyl-L-glutamate CRA Film
<b>Atsushi Ebina, Shin-ichi Nishikiori, Toschitake Iwamoto</b>	<b>233</b>	A Hydrogen-Bond Bridged Layer Host: Crystal Structure of 2-Phenylethylammonium Tetracyanonickelate(II)-(N,N-Dimethylaniline) (1/1)
<b>Derrick L. J. Clive, Maarten H. D. Postema</b>	<b>235</b>	Ozonolysis of Olefinic Phenyl Selenides with Preservation of the Selenium Unit: A Route to Phenylseleno Aldehydes and Ketones
<b>Xiaoyong Sun, Edward H. Wong, Mark M. Turnbull, Beth E. Waltermire, Robert L. Ostrander, Arnold L. Rheingold</b>	<b>237</b>	Dichromium Cage Complexes of Cyclotetra-, Cyclopenta-, and Cyclohexa-phosphoxane
<b>Markus Scholz, Georg Gescheidt</b>	<b>239</b>	A Quantitative Study of Enrichment of K <sup>+</sup> in Radical-Ion Pairs generated by Sodium Reduction

## AUTHOR INDEX

- Abazid, M., 131  
 Adachi, Tomohiro, 151  
 Aghabozorg, Hossein, 157  
 Alanine, Alex I. D., 193  
 Albericio, Fernando, 201  
 Anglos, Demetrios, 213  
 Aranda, Miguel A. G., 155  
 Ashton, Peter R., 177, 181  
 Asthana, Siddharta, 127  
 Attfield, J. Paul, 155  
 Ballardini, Roberto, 177  
 Balzani, Vincenzo, 177  
 Barr, Stephen A., 153  
 Battersby, Alan R., 193  
 Beeby, Andrew, 173  
 Bennett, Stephen C., 225  
 Bertrand, H. O., 131  
 Bindra, Vandana, 213  
 Blake, Alexander J., 169  
 Blanche, Francis, 193  
 Bolle, Urs, 217  
 Boyd, Derek R., 153  
 Bruce, Peter G., 209  
 Bruque, Sebastian, 155  
 Burgot, J. L., 131  
 Carpino, Louis A., 201  
 Cheesman, Bruce V., 127  
 Chen, Feng-Qi, 165  
 Christen, M. O., 131  
 Chujo, Yoshiki, 227  
 Clive, Derrick L. J., 235  
 Collomb-Dunand-Sauthier,  
     Marie-Noëlle, 189  
 Corma, A., 147  
 Debussche, Laurent, 193  
 Deronzier, Alain, 189  
 Diederich, François, 205  
 Eastoe, Julian, 173  
 Ebina, Atsushi, 233  
 Eguchi, Tadashi, 137  
 El-Faham, Ayman, 201  
 Gambarotta, Sandro, 157  
 Gandolfi, Maria Teresa, 177  
 Gescheidt, Georg, 239  
 Gopalakrishnan, J., 141  
 Grant, Craig M., 169  
 Grigg, Ronald, 185  
 Hao, Shoukang, 157  
 Heenan, Richard K., 173  
 Hidai, Masanobu, 223  
 Hillman, A. R., 159  
 Hinz, Dirk J., 125  
 Hirano, Takashi, 165  
 Holmes, Jeremy M., 185  
 Hu, Xiang, 139  
 Hughes, Andrew K., 163  
 Ichinose, Koji, 193  
 Ito, Yoshihiko, 229  
 Iwamoto, Toschitake, 233  
 Johnson, Richard, 133  
 Jones, Shaun K., 185  
 Joshi, Bhalchandra V., 133  
 Kakinuma, Katsumi, 137  
 Kirchner, Karl, 161  
 Korecz, László, 145  
 Kotera, Mitsuharu, 197  
 Kuki, Atsuo, 213  
 Leeper, Finian J., 193  
 Lehn, Jean-Marie, 197  
 Lemert, Richard M., 127  
 Li, Feng-Bin, 159  
 Lightfoot, Philip, 209  
 Liu, Qi-Wang, 139  
 Liu, Shu-Tang, 139  
 Lubetkin, S. D., 159  
 Machida, Shigeru, 231  
 Marini, Francesca, 221  
 Marquis, Damien J.-F., 177  
 Matsuzaka, Hiroyuki, 223  
 Mereiter, Kurt, 161  
 Meyer, Gerd, 125  
 Milne, Paul E. Y., 169  
 Minor, Charles A., 201  
 Mitani, Motohiro, 143  
 Mizoguchi, Iwao, 165  
 Moriya, Yasuo, 143  
 Murphy, Vincent J., 163  
 Nakajima, Hiromitsu, 143  
 Navarro, M. T., 147  
 Nishibayashi, Yoshi-aki, 223  
 Nishida, Masami, 143  
 Nishikiori, Shin-ichi, 233  
 Nishio, Masayuki, 223  
 Nomura, Kazuhiro, 129  
 Norbert, W. D. J.  
     Amilaprasadh, 185  
 Ogino, Tetsuhiro, 223  
 O'Hare, Dermot, 163  
 Ohashi, Mamoru, 165  
 Ohmiya, Yoshihiro, 165  
 Okamoto, Susumu, 151  
 Ostrander, Robert L., 237  
 Oue, Masatoshi, 143  
 Pérez-García, Lluïsa, 177  
 Pérez Pariente, J., 147  
 Philp, Douglas, 181, 205  
 Phipps, Mark A., 225  
 Postema, Maarten H. D., 235  
 Prasad, B. Raghavendra, 141  
 Prodi, Luca, 177  
 Rangan, K. Kasthuri, 141  
 Rawson, Jeremy M., 169  
 Reese, Colin B., 133  
 Rheingold, Arnold L., 237  
 Riddell, Frank G., 209  
 Roberts, D. J., 159  
 Rockenbauer, Antal, 145  
 Rogerson, Martin, 209  
 Ruf, Michael, 135  
 Sakurai, Tomonori, 227  
 Sano, Kenji, 231  
 Sawada, Hideo, 143  
 Schmid, Roland, 161  
 Scholz, Markus, 239  
 Seiler, Paul, 205  
 Skrzypczak-Jankun, Ewa, 127  
 Song, Jae-Inh, 157  
 Spencer, Neil, 181  
 Srebnik, Morris, 127  
 Stamford, N. Patrick J., 193  
 Stavber, Stojan, 149  
 Stoddart, J. Fraser, 177, 181  
 Subramanian, C. K., 141  
 Sumino, Eisaku, 143  
 Sun, Xiaoyong, 237  
 Takizawa, Nobuyuki, 227  
 Tamao, Kohei, 229  
 Terachi, Takumi, 137  
 Testaferri, Lorenzo, 221  
 Thibaut, Denis, 193  
 Tiecco, Marcello, 221  
 Tingoli, Marco, 221  
 Tremel, Wolfgang, 217  
 Tsuji, Frederick I., 165  
 Turnbull, Mark M., 237  
 Ueda, Tatsuo, 151  
 Uemura, Sakae, 129, 223  
 Urano, Taeko I., 231  
 Vahrenkamp, Heinrich, 135  
 Venturi, Margherita, 177  
 Vignerón, Jean-Pierre, 197  
 Von Dreele, R. B., 155  
 Waltermire, Beth E., 237  
 Weis, Karl, 135  
 Went, Michael J., 225  
 Williams, David J., 181  
 Winpenny, Richard E. P., 169  
 Wong, Edward H., 237  
 Wu, Bao-Shan, 139  
 Yabunouchi, Nobuhiro, 151  
 Yamaguchi, Mihoko, 165  
 Yamaguchi, Shigehiro, 229  
 Yoshida, Toshikatsu, 151  
 Zhang, Li-Ping, 139  
 Zheng, Bin, 127  
 Ziessel, Raymond, 189  
 Zupan, Marko, 149

## ***Chemical Communications – 1994***

From the beginning of 1994, each communication in *Chemical Communications* will start on a fresh right-hand page, and will be limited to two pages in length. The vast majority of communications already fall within this two-page limit. Authors will be asked to shorten communications that are longer than two pages, and should bear in mind our requirements for brevity in drafting their manuscript.

In particular:

- Extensive historical introduction and associated references should not be included; all that is needed is brief information to put the work in context.
- Duplication of results in the text and Tables and/or Figures must be avoided.
- Tables and Figures should be included only if their content is essential; more extensive tabulation of data and illustration of results should be reserved for the full paper.
- Supplementary information on compound characterisation is useful for the referees.

Only in very exceptional circumstances, requiring special justification from the author, will communications be allowed to extend to four printed pages.