ChemComm


Chemical Communications

www.rsc.org/chemcomm


RSC Publishing is a not-for-profit publisher and a division of the Royal Society of Chemistry. Any surplus made is used to support charitable activities aimed at advancing the chemical sciences. Full details are available from www.rsc.org

IN THIS ISSUE

ISSN 1359-7345 CODEN CHCOFS (9) 881-988 (2007)



See P. W. Roesky et al., p. 927. The picture shows the structure of the trimetallic compound $[(\eta^5-C_5Me_5)_2Ba-\{Ga(\eta^5-C_5Me_5)\}_2],$ which is the first molecular species with a Ga-Ba-interaction. Image reproduced by permission of Michal Wiecko, Peter W. Roesky, Paola Nava, Reinhart Ahlrichs and Sergey N. Konchenko from Chem. Commun., 2007, 927.



Inside cover

See Masuki Kawamoto, Takuva Aoki and Tatsuo Wada, page 930. A dynamic control of alignment of liquid crystals with the aid of light-driven twisting of chiral cvclic compounds. Image reproduced by permission of Masuki Kawamoto, Takuya Aoki and Tatsuo Wada from Chem. Commun., 2007, 930.

CHEMICAL BIOLOGY

B17

Drawing together research highlights and news from all RSC publications, *Chemical Biology* provides a 'snapshot' of the latest developments in chemical biology, showcasing newsworthy articles and significant scientific advances.



March 2007/Volume 2/Issue 3 www.rsc.org/chemicalbiology


FEATURE ARTICLE

897

Designed synthesis of mesoporous solids via nonionic-surfactant-templating approach

Ying Wan, Yifeng Shi and Dongyuan Zhao*

Nonionic surfactants with a range of ordered microdomains can be utilized as effective templates to design and synthesize mesoporous solids with abundant compositions and mesostructures.



FDITORIAL STAFF

Editor

Sarah Thomas

Deputy editor

Kathryn Sea

Assistant editors

James Mitchell Crow, Nicola Nugent, Alison Stoddart, Katherine Vickers, Jenna Wilson

Publishing assistants

Jackie Cockrill, Jayne Gough, Rachel Hegarty

Team leader, serials production

Helen Sayton

Technical editors

Sue Askey, Celia Clarke, Nicola Convine, Alan Holder, Laura Howes, Sandra Jones, David Parker, Ken Wilkinson, Roger Young

Administration coordinator

Sonya Spring

Editorial secretaries

Donna Fordham, Jill Segev, Julie Thompson

Publisher

Emma Wilson

Chemical Communications (print: ISSN 1359-7345; electronic: ISSN 1364-548X) is published 48 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 OWF. All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to RSC Distribution Services, c/o Portland Customer Services, Commerce Way, Colchester, Essex, UK CO2 8HP. Tel +44 (0) 1206 226050; E-mail sales@rscdistribution.org

2007 Annual (print + electronic) subscription price: £1832; US\$3462. 2007 Annual (electronic) subscription price: £1649; US\$3116. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT. If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip. Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001, USA. US Postmaster: send address changes to Chemical Communications, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight. PRINTED IN THE UK

© The Royal Society of Chemistry, 2007. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulations 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publisher or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA. The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. Inclusion of an item in this publication does not imply endorsement by The Royal Society of Chemistry of the content of the original documents to which that item refers.

ChemComm

Chemical Communications

www.rsc.org/chemcomm

EDITORIAL BOARD

Chairman

Roeland J. M. Nolte, Nijmegen, The Netherlands nolte@sci.kun.nl

Associate Editors

P. Andrew Evans, Liverpool, UK andrew.evans@liverpool.ac.uk Jonathan L. Sessler, Austin, USA chemcommun@cm.utexas.edu

T. Don Tilley, Berkeley, USA chemcomm@berkeley.edu

Scientific Editors

Alois Fürstner, Mülheim, Germany fuerstner@mpi-muelheim.mpg.de Mir Wais Hosseini, Strasbourg, France hosseini@chimie.u-strasbg.fr

Members

Shankar Balasubramanian, Cambridge, UK sb10031@cam.ac.uk Penny Brothers. Auckland. New Zealand

Penny Brothers, Auckland, New Zealand p.brothers@auckland.ac.nz

Varinder Aggarwal, Bristol, UK

Jillian M. Buriak, Edmonton, Canada jburiak@ualberta.ca

Ben L. Feringa, Groningen. The Netherlands feringa@chem.rug.nl

David Haddleton, Warwick, UK D.M.Haddleton@warwick.ac.uk

Peter Kündig, Geneva, Switzerland Peter.Kundig@chiorg.unige.ch

Nazario Martín, Madrid, Spain nazmar@quim.ucm.es

Keiji Maruoka, Kyoto, Japan maruoka@kuchem.kyoto-u.ac.jp

Ryong Ryoo, Taejon, Korea rryoo@kaist.ac.kr

Ferdi Schüth, Mülheim, Germany schueth@mpi-muelheim.mpg.de Nicholas J. Turner, Manchester, UK nicholas.turner@manchester.ac.uk

Susumu Kitagawa, Kyoto, Japan

EDITORIAL ADVISORY BOARD

Frank Allen, CCDC, Cambridge, UK Jerry L. Atwood, Columbia, USA Amit Basak, Kharagpur, India Dario Braga, Bologna, Italy Xiao-Ming Chen, Guangzhou, China Derrick Clive, Alberta, Canada Marcetta Darensbourg, College Station, USA Scott E. Denmark, Urbana, USA Shaojun Dong, Changchun, China Chris Easton, Canberra, Australia Gregory C. Fu, Cambridge, USA Tohru Fukuyama, Tokyo, Japan Lutz Gade, Heidelberg, Germany Philip Gale, Southampton, UK George W. Gokel, St Louis, USA Trevor Hambley, Sydney, Australia Craig Hawker, Santa Barbara, USA Andrew B. Holmes, Melbourne, Australia Amir Hoveyda, Boston, USA Steven M. Howdle, Nottingham, UK Taeghwan Hyeon, Seoul, Korea Biao Jiang, Shanghai, China Karl Anker Jørgensen, Aarhus, Denmark

Kimoon Kim, Pohang, Korea

Shu Kobayashi, Tokyo, Japan Jérôme Lacour, Geneva, Switzerland Teck-Peng Loh, Singapore Tien-Yau Luh, Taipei, Taiwan Doug MacFarlane, Monash, Australia David MacMillan, Princeton, USA Seth Marder, Atlanta, USA Ilan Marek, Haifa, Israel E. W. 'Bert' Meijer, Eindhoven, The Netherlands Achim Müller, Bielefeld, Germany Catherine Murphy, South Carolina, USA Atsuhiro Osuka, Kyoto, Japan Ian Paterson, Cambridge, UK Maurizio Prato, Trieste, Italy C. N. R. Rao, Bangalore, India Christopher A. Reed, Riverside, USA Robin Rogers, Alabama, USA Michael Sailor, San Diego, USA Jonathan W. Steed, Durham, UK Zhong-Qun Tian, Xiamen, China Carsten Tschierske, Halle, Germany Herbert Waldmann, Dortmund, Germany Henry N. C. Wong, Hong Kong, China

Eiji Yashima, Nagoya, Japan

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org


⊕The paper used in this publication meets the requirements of ANSI/NISO Z39.48–1992 (Permanence of Paper).
Royal Society of Chemistry: Registered Charity No. 207890.

Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)–Reproduced by permission of The Royal Society of Chemistry.

Gallium(I)-alkaline earth metal donor-acceptor bonds

Michal Wiecko, Peter W. Roesky,* Paola Nava, Reinhart Ahlrichs and Sergey N. Konchenko

Compounds with a gallium-alkaline earth metal bond, $\begin{array}{l} [(\eta^5\text{-}C_5Me_5)_2Ca-Ga(\eta^5\text{-}C_5Me_5)],\ [(\eta^5\text{-}C_5Me_5)_2(THF)Sr-Ga(\eta^5\text{-}C_5Me_5)],\ and\ [(\eta^5\text{-}C_5Me_5)_2Ba-\{Ga(\eta^5\text{-}C_5Me_5)\}_2], \end{array}$ were prepared.




930

Light-driven twisting behaviour of chiral cyclic compounds

Masuki Kawamoto,* Takuya Aoki and Tatsuo Wada*

Chiral cyclic compounds exhibited light-driven twisting by means of *trans-cis* photoisomerization in 1,4-dioxane solution, a neat film, and a liquid-crystalline host.




933

Pure shift proton DOSY: diffusion-ordered ¹H spectra without multiplet structure

Mathias Nilsson and Gareth A. Morris*

The ability to resolve the signals of different species using DOSY is greatly improved if multiplet structure is suppressed in the spectral dimension, reducing the incidence of signal overlap.



936

Preparation of fused polycyclic vinylcyclopropanes via radical cascade reactions

Matthew L. Maddess, Emily Mainetti, Youssef Harrak, Célia Brancour, Priscille Devin, Anne-Lise Dhimane, Louis Fensterbank* and Max Malacria*

A gem-dichloromethyl silyl group serves as a dual tool for radical initiation and termination via β -elimination in a variety of radical cascades, also featuring cyclopropanations.



See Science Come Alive



Introducing Project Prospect

Features include

IUPAC Gold Book terms linked Hyperlinked compound information in text Ontology terms linked to definitions and related papers

RSS feeds with ontology terms and compound structures

Benefits

Completely free service
At a glance HTML view with additional
features accessed by toolbox
Downloadable compound structures
Printer friendly

Scientists trawling through the thousands of research papers published every month must wish their computer could do the job for them. This could soon be a reality thanks to **Project Prospect**, an initiative developed by RSC Publishing together with academic partners. Readers can click on named compounds and scientific concepts in an electronic journal article to download structures, understand topics, or link through to electronic databases. Powerful functionality instantly helps researchers to find, understand and share (bio)chemical knowledge with each other quicker than ever before. See the science in journal articles *come alive*: visit the **Project Prospect** website for FAQs, examples, contact information and latest news.

Formal synthesis of (+)-SCH 351448: the Prins cyclization approach

Kok-Ping Chan, Yvonne Hui Ling and Teck-Peng Loh*


An efficient synthesis of the monomeric unit of (+)-SCH 351448 has been accomplished using catalytic Prins cyclization as one of the key steps. The convergence of two complex molecular fragments yielded the monomeric unit as a single isomer, illustrating a straightforward and efficient formal synthesis route.

942

Amperometric biosensor for xanthine with supramolecular architecture

Reynaldo Villalonga,* Conrado Camacho, Roberto Cao, Javier Hernández and Juan C. Matías

A novel non covalent strategy for preparing an enzyme biosensor with supramolecular architecture is described, based on the host-guest associations of chemically modified xanthine oxidase with Au nanoparticles coated with a β-cyclodextrin polymer.




945

Sub-micrometer polarimetry of chiral surfaces using near-field scanning optical microscopy

David H. Dressler, Asher Landau, Arie Zaban and Yitzhak Mastai*


In this work we have studied the optical activity of chiral crystal surfaces with polarized near-field scanning optical microscopy (NSOM). Our studies clearly demonstrated that NSOM can be utilized to determine chirality of surfaces. The sensitivity of this method allows us to measure chirality of nanostructures.



948

Shinji Harada, Ryo Takita, Takashi Ohshima, Shigeki Matsunaga and Masakatsu Shibasaki*

Indium(III)-catalyzed asymmetric alkynylation of aryl, heteroaryl, alkyl and alkenyl aldehydes with 2-methyl-3-butyn-2-ol as an ethyne equivalent donor was realized, giving products in up to 97% yield and 99% ee.



The right reagents ...





- High quality original and significant work
- Multidisciplinary appeal
- Fast times to publication
- Owned and published by learned societies

... yield a great product



RSCPublishing





Hear this

chemistryworldpodcast

The free monthly podcast from Chemistry World includes interviews and discussions on the latest topics in science: all in one bite sized chunk. Subscribe now at iTunes or download past and present podcasts directly from the Chemistry World website





A versatile building block for pyrazole-pyrrole hybrid macrocycles

Stamatia Katsiaouni, Sebastian Dechert, Christian Brückner* and Franc Meyer*


The synthesis of a pyrazole-pyrrole building block and its conversion into a Schiff base-type macrocycle incorporating H-bonding donor and acceptor functionalities on its inside and outside are described.

954

Urea-bearing copolymers for guest-dependent tunable self-assembly

Amanda C. Kamps, Teddie Magbitang and Alshakim Nelson*

Copolymers bearing urea side-chains were synthesized and investigated for their binding to carboxylate anions and their isosteres.



957

Dry and wet prolines for asymmetric organic solvent-free aldehyde-aldehyde and aldehyde-ketone aldol reactions

Yujiro Hayashi,* Seiji Aratake, Takahiko Itoh, Tsubasa Okano, Tatsunobu Sumiya and Mitsuru Shoji

Dry and wet prolines were found to catalyze the direct aldol reactions of aldehyde-aldehyde and aldehyde-ketone, respectively, to afford aldols with excellent diastereo- and enantioselectivities, and an organic solvent-free reaction was realized in some cases.

960

Inhibition of pyruvate decarboxylase from Z. mobilis by novel analogues of thiamine pyrophosphate: investigating pyrophosphate mimics

Karl M. Erixon, Chester L. Dabalos and Finian J. Leeper*

The triazoles shown inhibit pyruvate decarboxylase with $K_{\rm I}$ values down to 20 pM.


COMMUNICATIONS



Evidence of anion-induced dimerization of a squaramide-based host in protic solvents

M. Neus Piña, Carmen Rotger,* Bartomeu Soberats, Pablo Ballester, Pere M. Deyà and Antoni Costa*


The combination of squaramide units with tetraalkylammonium groups leads to two hosts that bind distinctively dianions in water-ethanol mixtures. The formation of complexes of 2:1 stoichiometry with host 2 was supported by ITC, fluorescence, and ¹H NMR data.



The use of electroosmotic flow as a pumping mechanism for semi-preparative scale continuous flow synthesis

Charlotte Wiles, Paul Watts* and Stephen J. Haswell

Employing a series of acid- and base-catalysed reactions, electroosmotic flow is shown as a continuous pumping mechanism suitable for semi-preparative scale synthesis, affording an array of small organic compounds in analytical purity.




The unusual nanostructure of nickel-boron catalyst

Junfeng Geng,* David A. Jefferson and Brian F. G. Johnson*

A highly unusual nanostructure of the nickel-boron particulate material, initially synthesised in the 1950s and well known to be an exceedingly active hydrogenation catalyst, has been identified for the first time.





0.5

Energy /keV

1.5

The effect of steric bulk in Sonogashira coupling reactions

Markus an der Heiden and Herbert Plenio*

Parallel multisubstrate screening allows the fast collection of kinetic data, whose evaluation ultimately leads to a better understanding of cross-coupling reactions.

٦ A

An expedient one-pot synthesis of *para-tert*-butylcalix[8]-and [9]arene

Sean P. Bew* and Sunil V. Sharma

The first example of a high yielding, up to 93%, one-pot synthesis of *para-tert*-calix[8]arene and *para-tert*-calix[9]arene is described. The reaction proceeds at ambient temperature and is mediated by tin(IV) chloride (1 eqⁿ).

978

New pincer-type diphosphinito (POCOP) complexes of Ni^{II} and Ni^{III}

Valerica Pandarus and Davit Zargarian*

The PCP-type square-pyramidal complex $\{(Pr^i_2POCH_2)_2CH\}Ni^{III}Br_2$ can be prepared by oxidation of its square-planar Ni^{II} precursor. This 17-electron pincer complex promotes the Kharasch type addition of CCl_4 to olefins with nearly 1000 turnovers.

981

Template controlled self-assembly of bidentate phosphine complexes with hemilabile coordination behaviour

Samir Chikkali, Dietrich Gudat* and Mark Niemeyer


Template-assisted assembly of ditopic catechol phosphines creates complexes containing a chelating diphosphine ligand, which display hemilabile coordination properties with prospects for applications in catalysis.

984

Water-induced morphology changes in BaO/ γ -Al₂O₃ NO $_x$ storage materials

János Szanyi,* Ja Hun Kwak, Do Heui Kim, Xianqin Wang, Jonathan Hanson, Ricardo J. Chimentao and Charles H. F. Peden

Morphology cycle: the dramatic effect of H_2O on the morphology of an NO_2 -saturated BaO/Al_2O_3 NO_x storage material.



Celebrating 5 years of publishing

An international, high quality journal covering the full breadth of synthetic, physical and biomolecular organic chemistry.

See for yourself - examples of articles are listed below.

For further details and free access to the whole of Issue 1, visit www.rsc.org/obc

Perspective

Density functional theory with dispersion corrections for supramolecular structures, aggregates, and complexes of (bio)organic molecules

Stefan Grimme, Germany

Emerging Area

Micro reactors: a new tool for the synthetic chemist

Paul Watts, UK

Advanced organic synthesis using microreactor technology

Thomas Wirth, UK

SO₂Na

Communications

Virtually epimerization-free synthesis of peptide-alphathioesters

Katja Michael, USA

A microwave enhanced cross-metathesis approach to peptidomimetics

Stephen Caddick, UK

Articles

Synthesis of cyclic bis- and trismelamine derivatives and their complexation properties with barbiturates

Shin-ichi Kondo, Japan

Synthesis of DOTA-conjugated multivalent cyclic-RGD peptide dendrimers *via* 1,3-dipolar cycloaddition and their biological evaluation: implications for tumor targeting and tumor imaging purposes

Rob Liskamp, The Netherlands

Structure and folding dynamics of a DNA hairpin with a stabilising d(GNA) trinucleotide loop: influence of base pair mis-matches and point mutations on conformational equilibria

Mark Searle, UK

Using singlet oxygen to synthesise a [6,6,5]-bis-spiroketal in one-pot from a simple 2,5-disubstituted furan

Georgios Vassilikogiannakis, Greece

Occasional Chamber No. 207000

AUTHOR INDEX

Ahlrichs, Reinhart, 927 an der Heiden, Markus, 972 Aoki, Takuya, 930 Aratake, Seiji, 957 Ballester, Pablo, 963 Bew, Sean P., 975 Brancour, Célia, 936 Brückner, Christian, 951 Camacho, Conrado, 942 Cao, Roberto, 942 Chan, Kok-Ping, 939 Chikkali, Samir, 981 Chimentao, Ricardo J., 984 Costa, Antoni, 963 Dabalos, Chester L., 960 Dechert, Sebastian, 951 Devin, Priscille, 936 Deyà, Pere M., 963 Dhimane, Anne-Lise, 936 Dressler, David H., 945 Erixon, Karl M., 960

Fensterbank, Louis, 936 Geng, Junfeng, 969 Gudat, Dietrich, 981 Hanson, Jonathan, 984 Harada, Shinji, 948 Harrak, Youssef, 936 Haswell, Stephen J., 966 Havashi, Yuiiro, 957 Hernández, Javier, 942 Itoh, Takahiko, 957 Jefferson, David A., 969 Johnson, Brian F. G., 969 Kamps, Amanda C., 954 Katsiaouni, Stamatia, 951 Kawamoto, Masuki, 930 Kim, Do Heui, 984 Konchenko, Sergey N., 927 Kwak, Ja Hun, 984 Landau, Asher, 945 Leeper, Finian J., 960 Ling, Yvonne Hui, 939

Loh, Teck-Peng, 939 Maddess, Matthew L., 936 Magbitang, Teddie, 954 Mainetti, Emily, 936 Malacria, Max, 936 Mastai, Yitzhak, 945 Matías, Juan C., 942 Matsunaga, Shigeki, 948 Meyer, Franc, 951 Morris, Gareth A., 933 Nava, Paola, 927 Nelson, Alshakim, 954 Niemeyer, Mark, 981 Nilsson, Mathias, 933 Ohshima, Takashi, 948 Okano, Tsubasa, 957 Pandarus, Valerica, 978 Peden, Charles H. F., 984 Piña, M. Neus, 963 Plenio, Herbert, 972 Roesky, Peter W., 927

Rotger, Carmen, 963 Sharma, Sunil V., 975 Shi, Yifeng, 897 Shibasaki, Masakatsu, 948 Shoji, Mitsuru, 957 Soberats, Bartomeu, 963 Sumiya, Tatsunobu, 957 Szanvi, János, 984 Takita, Ryo, 948 Villalonga, Reynaldo, 942 Wada, Tatsuo, 930 Wan, Ying, 897 Wang, Xianqin, 984 Watts, Paul, 966 Wiecko, Michal, 927 Wiles, Charlotte, 966 Zaban, Arie, 945 Zargarian, Davit, 978 Zhao, Dongyuan, 897

FREE E-MAIL ALERTS AND RSS FEEDS

Contents lists in advance of publication are available on the web via www.rsc.org/chemcomm - or take advantage of our free e-mail alerting service (www.rsc.org/ej_alert) to receive notification each time a new list becomes available.

Try our RSS feeds for up-to-the-minute news of the latest research. By setting up RSS feeds, preferably using feed reader software, you can be alerted to the latest Advance Articles published on the RSC web site. Visit www.rsc.org/ publishing/technology/rss.asp for details.

ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and electronic form of this journal is provided with a full-rate institutional subscription. See www.rsc.org/ejs for more information.

* Indicates the author for correspondence: see article for details.

Electronic supplementary information (ESI) is available via the online article (see http://www.rsc.org/esi for general information about ESI).