



Subject Index of Volume 73

- 2-Amino-2-methyl-1,3-propanediol
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
- Absorption
Weir flow and liquid height on sieve and valve trays, 191
- Activated carbon
External film control of the fixed bed adsorption, 85
- Airlift system
Mixing in circulating flows, 29
- Azeotropes
On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Azeotropic separation
Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
- BATNEEC
Life cycle assessment and its application to process selection, design and optimisation, 1
- Biodegradability
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Biofilm
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Bioreactor
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- BPEO
Life cycle assessment and its application to process selection, design and optimisation, 1
- Break-through curve
External film control of the fixed bed adsorption, 85
- Brine recycle
Multi-stage flash desalination: present and future outlook, 173
- Bubbleless membrane oxygenation
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Bypass
A general model for hydrocyclone partition curves, 53
- Calming zone
Weir flow and liquid height on sieve and valve trays, 191
- Carbon dioxide
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
- Catalysts
Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Catalytic combustion
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Cellulose protector
Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Circulatory flows
Mixing in circulating flows, 29
- Completely mixed reactor
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Crude oil
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- CVD
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Diffusing species
Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
- Diffusion
On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Dilute solution
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Direct methanol fuel cell
Pressure drop modelling for liquid feed direct methanol fuel cells . Part 1. Model development, 217
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Dissolution
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Distillation
Weir flow and liquid height on sieve and valve trays, 191
- Drag reduction
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Dyestuffs
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Dynamic surface effects
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Electrocatalytic
Towards an electrochemical process for recovering sulphur dioxide, 101
- Electrochemical
Towards an electrochemical process for recovering sulphur dioxide, 101
- Electrophoresis
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Emulsification energy
Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43

- Emulsifying agent concentration
 - Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43
- Emulsion drop size
 - Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43
- Enzyme–emulsion–liquid–membrane
 - Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43
- Evaporation
 - Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- External loop
 - Mixing in circulating flows, 29
- Extraction kinetics
 - Solid–liquid extraction from plants — experimental kinetics and modelling, 253
- Extraction
 - The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Fibre suspensions
 - Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fibres
 - Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fixed bed adsorption
 - External film control of the fixed bed adsorption, 85
- Flocculation
 - Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fluidization
 - Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Formic acid
 - On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Heat transfer coefficient
 - Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Heat transfer
 - Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Hindered amine
 - Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
- Hollow fibres
 - Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Hydrocyclones
 - A general model for hydrocyclone partition curves, 53
- Interfacial area
 - The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Kinetics
 - Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
 - Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Life cycle assessment
 - Life cycle assessment and its application to process selection, design and optimisation, 1
- Liquid height
 - Weir flow and liquid height on sieve and valve trays, 191
- Mass transfer coefficient
 - The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Mass transfer in adsorption
 - External film control of the fixed bed adsorption, 85
- Mass transfer
 - Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Mathematical model
 - Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Membrane distillation
 - Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
 - On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Mixing
 - Mixing in circulating flows, 29
- Model
 - Towards an electrochemical process for recovering sulphur dioxide, 101
- Modeling and simulation
 - Multi-stage flash desalination: present and future outlook, 173
- Modelling
 - Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
 - Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
 - Solid–liquid extraction from plants — experimental kinetics and modelling, 255
- Module design
 - Organophilic pervaporation: prospects and performance, 113
- Monolith
 - Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Multi-objective optimisation
 - Life cycle assessment and its application to process selection, design and optimisation, 1
- Multi-stage flashing
 - Multi-stage flash desalination: present and future outlook, 173
- Oil spill
 - Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Oxidation recycling
 - Towards an electrochemical process for recovering sulphur dioxide, 101
- Ozonation process
 - Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Ozone
 - Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Partition curve
 - A general model for hydrocyclone partition curves, 53
- Pellets
 - Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Pentachlorophenol
 - Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93

- Period of the bed protection
External film control of the fixed bed adsorption, 85
- Pervaporation
Organophilic pervaporation: prospects and performance, 113
- Petroleum products
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Plate
Towards an electrochemical process for recovering sulphur dioxide, 101
- Plug flow reactor
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Polarization effects
Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
- Porous powders
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Pressure drop modelling
Pressure drop modelling for liquid feed direct methanol fuel cells . Part 1. Model development, 217
- Pressure drop
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Process design
Life cycle assessment and its application to process selection, design and optimisation, 1
Organophilic pervaporation: prospects and performance, 113
- Process technology
Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Pseudocomponents
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Pulp bleaching
Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Pure oxygen
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Rate of disappearance
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Reactor design
Towards an electrochemical process for recovering sulphur dioxide, 101
- Reduced pressure
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Regime
Weir flow and liquid height on sieve and valve trays, 191
- Sedimentation
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Sieve tray
Weir flow and liquid height on sieve and valve trays, 191
- Silane
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Silicon
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Single-stage flashing
Multi-stage flash desalination: present and future outlook, 173
- Solid–liquid extraction
Solid–liquid extraction from plants — experimental kinetics and modelling, 255
- Spray
Weir flow and liquid height on sieve and valve trays, 191
- Stacks
Pressure drop modelling for liquid feed direct methanol fuel cells . Part 1. Model development, 217
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Stefan–Maxwell
On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Stopped-flow
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
- Sulphur dioxide
Towards an electrochemical process for recovering sulphur dioxide, 101
- Surfactant
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- System analysis
Life cycle assessment and its application to process selection, design and optimisation, 1
- Thermal spraying
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Toxicity
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Tracer studies
Mixing in circulating flows, 29
- Two-phase flow
Pressure drop modelling for liquid feed direct methanol fuel cells. Part 1. Model development, 217
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Two-phase
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Ultrasound
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Valve tray
Weir flow and liquid height on sieve and valve trays, 191
- Viscoelastic suspensions
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Waste minimisation
Life cycle assessment and its application to process selection, design and optimisation, 1
- Wastewater treatment
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Wastewater
Organophilic pervaporation: prospects and performance, 113

Water desalination

Multi-stage flash desalination: present and future outlook, 173

Water-to-oil volume ratio

Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43

Weir

Weir flow and liquid height on sieve and valve trays, 191

Wet air oxidation

Wet air oxidation: a review of process technologies and aspects in reactor design, 143

Wire mesh

Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205

Wood pulp

Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247