

Subject Index of Volume 81

- Absorption capacity
Experimental determination and liquid absorption capacities interpretation of biotextiles with complex absorbent structure — influence of superabsorptive gel polymer, 317
- Activated alumina
Novel technique to regenerate activated alumina bed saturated by fluoride ions, 153
- Activated carbon
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Adsorption
Pressure drop in fixed-bed adsorbers, 23
Minimization of cost of recycling in chemical processes, 137
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Agglomerate purity
Influences of seed crystals on agglomeration phenomena and product purity of *m*-chloronitrobenzene crystals in batch crystallization, 307
- Agglomeration phenomena
Influences of seed crystals on agglomeration phenomena and product purity of *m*-chloronitrobenzene crystals in batch crystallization, 307
- Aqueous solutions
Kinematic viscosity prediction for aqueous solutions with various solutes, 35
- Arsenic
Sorption on natural solids for arsenic removal, 187
- Artificial viscosity method
Computational modeling of pulverized coal combustion processes in tangentially fired furnaces, 261
- Azeotrope
Isobaric vapor–liquid equilibria of water–pyridine and water–pyridine–calcium chloride mixtures, 83
- Batch crystallization
Influences of seed crystals on agglomeration phenomena and product purity of *m*-chloronitrobenzene crystals in batch crystallization, 307
- Beer Lambert
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- Biochemical reaction calorimetry
Improvement of continuous calibration based on temperature oscillation and application to biochemical reaction calorimetry, 113
- Biotextile structures
Experimental determination and liquid absorption capacities interpretation of biotextiles with complex absorbent structure — influence of superabsorptive gel polymer, 317
- Bubble column
Gamma ray tomography design for the measurement of hold-up profiles in two-phase bubble columns, 251
- Calcium hydroxide
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of Ca(OH)₂ and Mg(OH)₂ particles, 203
- Calibration by temperature oscillations
Improvement of continuous calibration based on temperature oscillation and application to biochemical reaction calorimetry, 113
- Capillary number
Evaluation of theoretical viscosity models for concentrated emulsions at low capillary numbers, 15
- Cd recovery
Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction, 129
- Chordal and radial hold-up profiles
Gamma ray tomography design for the measurement of hold-up profiles in two-phase bubble columns, 251
- Cocomposting
A model system for cocomposting hydrocarbon contaminated soil by using water activity and porosity as response variables, 197
- Co-extraction
Co-extraction and selective stripping of copper (II) and molybdenum (VI) using LIX 622, 109
- Collocation
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Column
Novel technique to regenerate activated alumina bed saturated by fluoride ions, 153
- Concentrations
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- Concentrations de particules solides
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- Condensation
Minimization of cost of recycling in chemical processes, 137
- Copper (II)
Co-extraction and selective stripping of copper (II) and molybdenum (VI) using LIX 622, 109
- Cost minimization
Minimization of cost of recycling in chemical processes, 137
- Crystal size distribution
Effect of cooling mode on product crystal size in seeded batch crystallization of potassium alum, 313
- Crystallization
Mechanism of the solvent-mediated transformation of taltirelin polymorphs promoted by methanol, 1
Neural network simulation for non-MSMPR crystallization, 101
Minimization of cost of recycling in chemical processes, 137
Effect of cooling mode on product crystal size in seeded batch crystallization of potassium alum, 313
- Curvature
Curvature of the vapour pressure curve, 63
- Design
Neural network simulation for non-MSMPR crystallization, 101

- Desorption
Pressure drop in fixed-bed adsorbers, 23
- Di(2-ethylhexyl) phosphoric acid
Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction, 129
- Dihydrate process
Parametric study on the production of phosphoric acid by the dihydrate process, 231
- Distribution de temps de séjour phase solide
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- Dyes
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Electrodesorption
Novel technique to regenerate activated alumina bed saturated by fluoride ions, 153
- Electrodialysis
Factors affecting the current and the voltage efficiencies of the synthesis of quaternary ammonium hydroxides by electrolysis–electrodialysis, 161
- Electrolysis
Factors affecting the current and the voltage efficiencies of the synthesis of quaternary ammonium hydroxides by electrolysis–electrodialysis, 161
- Electrolytes
Kinematic viscosity prediction for aqueous solutions with various solutes, 35
- Elevated pressures
Liquid dispersion, gas holdup and frictional pressure drop in a packed bubble column at elevated pressures, 331
- Emulsion
Evaluation of theoretical viscosity models for concentrated emulsions at low capillary numbers, 15
- Enhancement
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of $\text{Ca}(\text{OH})_2$ and $\text{Mg}(\text{OH})_2$ particles, 203
- Ferri–ferrocyanide solution
Measurement of local and overall mass-transfer coefficients to a sphere in a quiescent liquid using a limiting current technique, 53
- Fixed-bed absorber
Pressure drop in fixed-bed adsorbers, 23
- Gas flow
Comparison of isothermal and non-isothermal pipeline gas flow models, 41
- Gas holdup
Liquid dispersion and gas holdup in packed bubble columns at atmospheric pressure, 69
A highly elevated mass transfer rate process for three-phase, liquid-continuous fluidized beds, 223
Liquid dispersion, gas holdup and frictional pressure drop in a packed bubble column at elevated pressures, 331
- Gas networks
Comparison of isothermal and non-isothermal pipeline gas flow models, 41
- Global solution algorithm
Minimization of cost of recycling in chemical processes, 137
- Hydrolysis
Kinetic study of the acetate-catalysed hydrolysis of phenyl acetate, 271
- Ion exchange
A modified Langmuir model for the prediction of the effects of ionic strength on the equilibrium characteristics of protein adsorption onto ion exchange/affinity adsorbents, 179
- Ionic strength
A modified Langmuir model for the prediction of the effects of ionic strength on the equilibrium characteristics of protein adsorption onto ion exchange/affinity adsorbents, 179
- Kinematic viscosity
Kinematic viscosity prediction for aqueous solutions with various solutes, 35
- Kinetic model
Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction, 129
- Kinetics
Kinetics identification of salicylic acid precipitation through experiments in a batch stirred vessel and a T-mixer, 91
- Langmuir isotherm
A modified Langmuir model for the prediction of the effects of ionic strength on the equilibrium characteristics of protein adsorption onto ion exchange/affinity adsorbents, 179
- Liquid absorption
Experimental determination and liquid absorption capacities interpretation of biotextiles with complex absorbent structure — influence of superabsorbent gel polymer, 317
- Liquid circulation
Liquid dispersion and gas holdup in packed bubble columns at atmospheric pressure, 69
- Liquid dispersion
Liquid dispersion and gas holdup in packed bubble columns at atmospheric pressure, 69
Liquid dispersion, gas holdup and frictional pressure drop in a packed bubble column at elevated pressures, 331
- Liquid film
Film wiping in the molecular evaporator, 9
- Lit transporté
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- LIX 622
Co-extraction and selective stripping of copper (II) and molybdenum (VI) using LIX 622, 109
- Magnesium hydroxide
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of $\text{Ca}(\text{OH})_2$ and $\text{Mg}(\text{OH})_2$ particles, 203
- Mass integration
Minimization of cost of recycling in chemical processes, 137
- Mass transfer
A highly elevated mass transfer rate process for three-phase, liquid-continuous fluidized beds, 223
- Mass-transfer coefficients
Measurement of local and overall mass-transfer coefficients to a sphere in a quiescent liquid using a limiting current technique, 53
- Mathematical modeling
Comparison of isothermal and non-isothermal pipeline gas flow models, 41
- Microwave
Kinetic study of the acetate-catalysed hydrolysis of phenyl acetate, 271
- Modeling
Kinetics identification of salicylic acid precipitation through experiments in a batch stirred vessel and a T-mixer, 91
A modified Langmuir model for the prediction of the effects of ionic strength on the equilibrium characteristics of protein adsorption onto ion exchange/affinity adsorbents, 179

- Modeling and simulation
Parametric study on the production of phosphoric acid by the dihydrate process, 231
- Molecular evaporator
Film wiping in the molecular evaporator, 9
- Molybdenum (VI)
Co-extraction and selective stripping of copper (II) and molybdenum (VI) using LIX 622, 109
- Mots-clés: Méthodes optiques
Nouvelles méthodes de mesure des distributions de temps de séjour d'une phase solide transportée, 301
- Multi-solute solutions
Kinematic viscosity prediction for aqueous solutions with various solutes, 35
- Natural solids
Sorption on natural solids for arsenic removal, 187
- Neural network
Neural network simulation for non-MSMPR crystallization, 101
- Non-dispersive solvent extraction
Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction, 129
- Non-Newtonian fluid
A highly elevated mass transfer rate process for three-phase, liquid-continuous fluidized beds, 223
- Non-staggered grid
Computational modeling of pulverized coal combustion processes in tangentially fired furnaces, 261
- On-line calibration
Improvement of continuous calibration based on temperature oscillation and application to biochemical reaction calorimetry, 113
- Packed bed*
Wall effect in laminar flow of non-Newtonian fluid through a packed bed, 323
- Packed bubble columns
Liquid dispersion and gas holdup in packed bubble columns at atmospheric pressure, 69
Liquid dispersion, gas holdup and frictional pressure drop in a packed bubble column at elevated pressures, 331
- Parametric study
Parametric study on the production of phosphoric acid by the dihydrate process, 231
- Particle dispersion
Computational modeling of pulverized coal combustion processes in tangentially fired furnaces, 261
- Penicillin
Minimization of cost of recycling in chemical processes, 137
- Permeation of gases
Permeation of gases in industrial porous catalysts, 281
- Phenol
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Phenol and kinetics
Kinetic comparison between subcritical and supercritical water oxidation of phenol, 287
- Phenyl acetate
Kinetic study of the acetate-catalysed hydrolysis of phenyl acetate, 271
- Phosphoric acid
Parametric study on the production of phosphoric acid by the dihydrate process, 231
- Pilot plant
Parametric study on the production of phosphoric acid by the dihydrate process, 231
- Polymorphism
Mechanism of the solvent-mediated transformation of taltirelin polymorphs promoted by methanol, 1
- Porosity
A model system for cocomposting hydrocarbon contaminated soil by using water activity and porosity as response variables, 197
- Porous materials
Permeation of gases in industrial porous catalysts, 281
- Potassium alum
Effect of cooling mode on product crystal size in seeded batch crystallization of potassium alum, 313
- Precipitation
Kinetics identification of salicylic acid precipitation through experiments in a batch stirred vessel and a T-mixer, 91
- Pressure drop
Pressure drop in fixed-bed adsorbers, 23
- Protein adsorption
A modified Langmuir model for the prediction of the effects of ionic strength on the equilibrium characteristics of protein adsorption onto ion exchange/affinity adsorbents, 179
- Pure liquids
Curvature of the vapour pressure curve, 63
- Pyridine
Isobaric vapor–liquid equilibria of water–pyridine and water–pyridine–calcium chloride mixtures, 83
- Quaternary ammonium hydroxides
Factors affecting the current and the voltage efficiencies of the synthesis of quaternary ammonium hydroxides by electrolysis–electrodialysis, 161
- Reactive solids
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of Ca(OH)₂ and Mg(OH)₂ particles, 203
- Recycling
Minimization of cost of recycling in chemical processes, 137
Solid/solid separation by selective agglomeration with agglomerant recovery by thermal desorption, 171
- Regeneration
Novel technique to regenerate activated alumina bed saturated by fluoride ions, 153
- Residence time distribution
Film wiping in the molecular evaporator, 9
- Response surface methodology
A model system for cocomposting hydrocarbon contaminated soil by using water activity and porosity as response variables, 197
- Rheology
Evaluation of theoretical viscosity models for concentrated emulsions at low capillary numbers, 15
- RNG $k-\epsilon$ model
Computational modeling of pulverized coal combustion processes in tangentially fired furnaces, 261
- Salicylic acid
Kinetics identification of salicylic acid precipitation through experiments in a batch stirred vessel and a T-mixer, 91
- Salt
Isobaric vapor–liquid equilibria of water–pyridine and water–pyridine–calcium chloride mixtures, 83
- Seed crystals
Influences of seed crystals on agglomeration phenomena and product purity of *m*-chloronitrobenzene crystals in batch crystallization, 307
- Selective agglomeration
Solid/solid separation by selective agglomeration with agglomerant recovery by thermal desorption, 171

- Selective stripping
Co-extraction and selective stripping of copper (II) and molybdenum (VI) using LIX 622, 109
- Sherwood number
Measurement of local and overall mass-transfer coefficients to a sphere in a quiescent liquid using a limiting current technique, 53
- Silica
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Simplex
Minimization of cost of recycling in chemical processes, 137
- Simulation
Comparison of isothermal and non-isothermal pipeline gas flow models, 41
Neural network simulation for non-MSMPR crystallization, 101
- Soil
A model system for cocomposting hydrocarbon contaminated soil by using water activity and porosity as response variables, 197
- Solid dissolution
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of $\text{Ca}(\text{OH})_2$ and $\text{Mg}(\text{OH})_2$ particles, 203
- Sorption
Sorption on natural solids for arsenic removal, 187
- Sulfur dioxide
Enhancement of gas–liquid mass transfer by small reactive particles at realistically high mass transfer coefficients: absorption of sulfur dioxide into aqueous slurries of $\text{Ca}(\text{OH})_2$ and $\text{Mg}(\text{OH})_2$ particles, 203
- Supercritical water oxidation
Kinetic comparison between subcritical and supercritical water oxidation of phenol, 287
- Surface diffusion model
Solution to the homogeneous surface diffusion model for batch adsorption systems using orthogonal collocation, 213
- Tailings de-ashing
Solid/solid separation by selective agglomeration with agglomerant recovery by thermal desorption, 171
- Taltirelin
Mechanism of the solvent-mediated transformation of taltirelin polymorphs promoted by methanol, 1
- Temperature deviation
Computational modeling of pulverized coal combustion processes in tangentially fired furnaces, 261
- Thermal desorption
Solid/solid separation by selective agglomeration with agglomerant recovery by thermal desorption, 171
- Three-phase fluidized beds
A highly elevated mass transfer rate process for three-phase, liquid-continuous fluidized beds, 223
- T-mixer
Kinetics identification of salicylic acid precipitation through experiments in a batch stirred vessel and a T-mixer, 91
- Tomography
Gamma ray tomography design for the measurement of hold-up profiles in two-phase bubble columns, 251
- Transformation
Mechanism of the solvent-mediated transformation of taltirelin polymorphs promoted by methanol, 1
- Transport parameters of porous solids
Permeation of gases in industrial porous catalysts, 281
- Urea-adduct process
Minimization of cost of recycling in chemical processes, 137
- Vapour pressure
Curvature of the vapour pressure curve, 63
- Vapour–liquid equilibria
Curvature of the vapour pressure curve, 63
- Viscosity
Evaluation of theoretical viscosity models for concentrated emulsions at low capillary numbers, 15
- Viscosity models
Evaluation of theoretical viscosity models for concentrated emulsions at low capillary numbers, 15
- VLE
Isobaric vapor–liquid equilibria of water–pyridine and water–pyridine–calcium chloride mixtures, 83
- Voidage variation
Wall effect in laminar flow of non-Newtonian fluid through a packed bed, 323
- Wall effect
Wall effect in laminar flow of non-Newtonian fluid through a packed bed, 323
- Water activity
A model system for cocomposting hydrocarbon contaminated soil by using water activity and porosity as response variables, 197
- Wet air oxidation
Kinetic comparison between subcritical and supercritical water oxidation of phenol, 287
- Wiper
Film wiping in the molecular evaporator, 9
- Zeolites
Sorption on natural solids for arsenic removal, 187