

## Subject Index of Volume 88

- Acoustic emissions  
Measurement of gas hold-up in bubble columns from low frequency acoustic emissions, 111
- Adsorption thermodynamic parameters  
Evaluation of the thermodynamic parameters for the adsorption of some hydrocarbons on 4A and 13X zeolites by inverse gas chromatography, 255
- Agitation  
Dissolution kinetics of crystals in suspension and its application to L-aspartic acid crystals, 53
- Alkane  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Analytical solution  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- Apparent tray efficiency  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- ASOG  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Bacteria  
Formation process of mixed fouling of microbe and CaCO<sub>3</sub> in water systems, 249
- Batch and semibatch reactor  
Comparative study of two chemical reactions with different behaviour in batch and semibatch reactors, 225
- Block copolymer  
Separation of phenol from aqueous solutions by polymeric reversed micelle extraction, 95
- Borage seed oil  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- Bubble columns  
Measurement of gas hold-up in bubble columns from low frequency acoustic emissions, 111
- 1-Butanol  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Calcium carbonate  
Formation process of mixed fouling of microbe and CaCO<sub>3</sub> in water systems, 249
- Carbon dioxide  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- Catalytic decomposition process  
Catalytic decomposition process of cumene hydroperoxide using sulfonic resins as catalyst, 215
- Change in crystal size distribution  
Dissolution kinetics of crystals in suspension and its application to L-aspartic acid crystals, 53
- Clear liquid height  
Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, 59
- Cluster frequency  
Characterizing particle aggregates in a high-density and high-flux CFB riser, 151
- Cluster time fraction  
Characterizing particle aggregates in a high-density and high-flux CFB riser, 151
- Coalescence  
Interdrop coalescence with mass transfer: comparison of the approximate drainage models with numerical results, 127
- Column hydraulics  
Column hydraulics: system limit/ultimate capacity, 11
- Concentration fiber optic probe  
Characterizing particle aggregates in a high-density and high-flux CFB riser, 151
- Configurational-bias Monte Carlo  
Investigation of entropy effects during sorption of mixtures of alkanes in MFI zeolite, 81
- Crystal phase dissolving  
Phase transitions in the active component of vanadium catalyst for sulfur dioxide oxidation: crystal phase dissolving, 201
- Cumene hydroperoxide  
Catalytic decomposition process of cumene hydroperoxide using sulfonic resins as catalyst, 215
- Diffusion flux  
Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, 59
- 1,3-Dioxolane  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Dissolution  
Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers, 119
- Dissolution kinetics  
Dissolution kinetics of crystals in suspension and its application to L-aspartic acid crystals, 53
- Dissolution of L-aspartic acid crystals  
Dissolution kinetics of crystals in suspension and its application to L-aspartic acid crystals, 53
- Distillation  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- Distillation column  
Effect of feed on optimal thermodynamic performance of a distillation column, 175

- Dynamic matrix control  
Application of model predictive control and dynamic analysis to a pilot distillation column and experimental verification, 163
- Estimation  
Viscosity estimation at low temperatures ( $T_r < 0.75$ ) for organic liquids from group contributions, 27
- Exergy analysis  
Effect of feed on optimal thermodynamic performance of a distillation column, 175
- Existence time  
Characterizing particle aggregates in a high-density and high-flux CFB riser, 151
- Extraction  
Separation of phenol from aqueous solutions by polymeric reversed micelle extraction, 95
- Feed condition  
Effect of feed on optimal thermodynamic performance of a distillation column, 175
- Film drainage  
Interdrop coalescence with mass transfer: comparison of the approximate drainage models with numerical results, 127
- Fixed bed  
Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers, 119
- Flow regimes  
Pressure drop and flow regimes in cocurrent gas–liquid upflow through packed beds, 233
- Gas hold-up  
Measurement of gas hold-up in bubble columns from low frequency acoustic emissions, 111
- Gas–liquid–solid three-phase flow  
Local overall gas–liquid mass transfer coefficient in a gas–liquid–solid reversed flow jet loop reactor, 209
- GLA  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- Group contributions  
Viscosity estimation at low temperatures ( $T_r < 0.75$ ) for organic liquids from group contributions, 27
- Hafnium  
Separation of zirconium and hafnium using hollow fibers. Part I. Supported liquid membranes, 37  
Separation of zirconium and hafnium using hollow fibres. Part II. Membrane chromatography, 45
- Heat of adsorption  
Evaluation of the thermodynamic parameters for the adsorption of some hydrocarbons on 4A and 13X zeolites by inverse gas chromatography, 255
- Heterogeneous distillation  
Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, 59
- High-density riser  
Characterizing particle aggregates in a high-density and high-flux CFB riser, 151
- Hollow fiber-supported liquid membrane  
Separation of zirconium and hafnium using hollow fibers. Part I. Supported liquid membranes, 37
- Hollow fibre  
Separation of zirconium and hafnium using hollow fibres. Part II. Membrane chromatography, 45
- Induction period  
Formation process of mixed fouling of microbe and  $\text{CaCO}_3$  in water systems, 249
- Inverse gas chromatography  
Evaluation of the thermodynamic parameters for the adsorption of some hydrocarbons on 4A and 13X zeolites by inverse gas chromatography, 255
- Irregular particles  
Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers, 119
- IRS curves  
Effect of feed on optimal thermodynamic performance of a distillation column, 175
- Linolenic acid  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- Liquid entrainment  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- Liquid–liquid  
Interdrop coalescence with mass transfer: comparison of the approximate drainage models with numerical results, 127
- Liquid-phase resistance  
Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, 59
- Liquid–solids circulating fluidized bed  
Radial solids flow structure in a liquid–solids circulating fluidized bed, 141
- Local overall gas–liquid mass transfer  
Local overall gas–liquid mass transfer coefficient in a gas–liquid–solid reversed flow jet loop reactor, 209
- Mass transfer  
Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers, 119  
Interdrop coalescence with mass transfer: comparison of the approximate drainage models with numerical results, 127
- Materials  
Formation process of mixed fouling of microbe and  $\text{CaCO}_3$  in water systems, 249
- Membrane chromatography  
Separation of zirconium and hafnium using hollow fibres. Part II. Membrane chromatography, 45
- MEMS  
Incorporating zeolites in microchemical systems, 187
- Methyl isobutyl ketone  
Study of the multicomponent system wet process phosphoric acid–methyl isobutyl ketone at 40 °C phase equilibria and extraction performances, 71
- MFI zeolite  
Investigation of entropy effects during sorption of mixtures of alkanes in MFI zeolite, 81
- Microchemical system  
Incorporating zeolites in microchemical systems, 187
- Microreactor  
Incorporating zeolites in microchemical systems, 187
- Microseparator  
Incorporating zeolites in microchemical systems, 187
- Mixed fouling  
Formation process of mixed fouling of microbe and  $\text{CaCO}_3$  in water systems, 249
- Mixing pool model  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- Modeling  
Interdrop coalescence with mass transfer: comparison of the approximate drainage models with numerical results, 127  
Comparative study of two chemical reactions with different behaviour in batch and semibatch reactors, 225

- Molecular sieve 4A  
Evaluation of the thermodynamic parameters for the adsorption of some hydrocarbons on 4A and 13X zeolites by inverse gas chromatography, 255
- Molecular sieve 13X  
Evaluation of the thermodynamic parameters for the adsorption of some hydrocarbons on 4A and 13X zeolites by inverse gas chromatography, 255
- Non-Newtonian fluids  
Mass transfer from solid particles to power law non-Newtonian fluid in granular bed at low Reynolds numbers, 119
- Optimization  
Effect of feed on optimal thermodynamic performance of a distillation column, 175
- Organic liquids  
Viscosity estimation at low temperatures ( $T_r < 0.75$ ) for organic liquids from group contributions, 27
- Packed bed reactors  
Pressure drop and flow regimes in cocurrent gas–liquid upflow through packed beds, 233
- PID  
Application of model predictive control and dynamic analysis to a pilot distillation column and experimental verification, 163
- Pilot distillation  
Application of model predictive control and dynamic analysis to a pilot distillation column and experimental verification, 163
- Pinch analysis  
Effect of feed on optimal thermodynamic performance of a distillation column, 175
- Polymeric reversed micelles  
Separation of phenol from aqueous solutions by polymeric reversed micelle extraction, 95
- Pressure drop  
Pressure drop and flow regimes in cocurrent gas–liquid upflow through packed beds, 233
- Radial non-uniformity  
Radial solids flow structure in a liquid–solids circulating fluidized bed, 141
- Reaction kinetic  
Comparative study of two chemical reactions with different behaviour in batch and semibatch reactors, 225
- Reversed flow jet loop reactors  
Local overall gas–liquid mass transfer coefficient in a gas–liquid–solid reversed flow jet loop reactor, 209
- Separation  
Separation of zirconium and hafnium using hollow fibers. Part I. Supported liquid membranes, 37
- Sieve tray  
Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, 59
- Solids acceleration  
Radial solids flow structure in a liquid–solids circulating fluidized bed, 141
- Solids holdup distribution  
Radial solids flow structure in a liquid–solids circulating fluidized bed, 141
- Solubilisation  
Separation of phenol from aqueous solutions by polymeric reversed micelle extraction, 95
- Solvent extraction  
Study of the multicomponent system wet process phosphoric acid–methyl isobutyl ketone at 40 °C phase equilibria and extraction performances, 71
- Sorption  
Investigation of entropy effects during sorption of mixtures of alkanes in MFI zeolite, 81
- Sulfonic resins  
Catalytic decomposition process of cumene hydroperoxide using sulfonic resins as catalyst, 215
- Sulfur dioxide oxidation  
Phase transitions in the active component of vanadium catalyst for sulfur dioxide oxidation: crystal phase dissolving, 201
- Supercritical fluid  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- Supercritical fluid extraction  
Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, 103
- System limit capacity  
Column hydraulics: system limit/ultimate capacity, 11
- Ternary mixture  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Transport  
Separation of zirconium and hafnium using hollow fibers. Part I. Supported liquid membranes, 37
- Tray  
Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, 21
- Two-phase upflow  
Pressure drop and flow regimes in cocurrent gas–liquid upflow through packed beds, 233
- Ultimate capacity  
Column hydraulics: system limit/ultimate capacity, 11
- UNIFAC  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Vanadium catalyst  
Phase transitions in the active component of vanadium catalyst for sulfur dioxide oxidation: crystal phase dissolving, 201
- Viscosity  
Viscosity estimation at low temperatures ( $T_r < 0.75$ ) for organic liquids from group contributions, 27
- VLE isobaric data  
Isobaric vapour–liquid equilibrium of binary and ternary mixtures containing cyclohexane, *n*-hexane, 1,3-dioxolane and 1-butanol at 40.0 and 101.3 kPa, 1
- Wet process phosphoric acid  
Study of the multicomponent system wet process phosphoric acid–methyl isobutyl ketone at 40 °C phase equilibria and extraction performances, 71
- Zeolite and MFI  
Incorporating zeolites in microchemical systems, 187
- Zirconium  
Separation of zirconium and hafnium using hollow fibers. Part I. Supported liquid membranes, 37  
Separation of zirconium and hafnium using hollow fibres. Part II. Membrane chromatography, 45