

Subject Index of Volume 95

- Activated sludge flocs
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Active component composition
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Activity coefficient
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Adsorption
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
A generalized shrinking core model applied to batch adsorption, 143
- Adsorption kinetics
Adsorption of carminic acid, a dye onto glass powder, 241
- Adsorption-enhanced reaction (AER) process
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Agitator speed
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Airlift loop reactor
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Alumina
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Anatase
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Biodegradation
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Bleaching
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Boundary layer
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Carminic acid
Adsorption of carminic acid, a dye onto glass powder, 241
- Catalyst characterisation
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Catalyst preparation methods
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Catalytic combustion
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Catalytic fin
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Catalytic heat exchanger
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Catalytic reduction
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Catalytic stability, activity and selectivity
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Charged drops
Trajectories of charged drops in a liquid–liquid system, 171
- Chemical reduction
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- 2-Chloro-5-methyl-pyridine
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- CO
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Coal fly ash
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Color removal
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Compressibility
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Continuous operation
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Copper and COD removal
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Coprecipitation
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Dense polymeric catalytic membrane
Simulation study of a dense polymeric catalytic membrane reactor with plug–flow pattern, 67
- Direct chlorination
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Distillery effluent
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Dye
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

- Effectiveness factor
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Electrocoagulation
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Emulsion liquid membrane
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- EPS
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Equilibrium reaction
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Extraction
Trajectories of charged drops in a liquid-liquid system, 171
- Extractor
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Filament index
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Filtrates
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Finite element model
Trajectories of charged drops in a liquid-liquid system, 171
- Fireproof products
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Flashback
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Floc size
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Flocculating ability
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Fractal dimension
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Freundlich isotherm
Adsorption of carminic acid, a dye onto glass powder, 241
- Gas-phase reaction
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Gas-solids two-phase flow
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Glass powder
Adsorption of carminic acid, a dye onto glass powder, 241
- Hydrodynamics
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Hydroisomerisation activity
Selectivity of platinum-zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Hydrophobicity
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Insulating plates
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Internal diffusivity
A generalized shrinking core model applied to batch adsorption, 143
- Inversion process
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Isobutane
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Isobutene
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Kinetic equation
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Kinetic theory of granular flow
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Kinetics
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Langmuir isotherm
Adsorption of carminic acid, a dye onto glass powder, 241
- Liquid membranes
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Liquid-liquid system
Trajectories of charged drops in a liquid-liquid system, 171
- Low pressure fluidization
The influence of low pressure operation on fluidization quality, 25
- M/E ratio
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Mass transfer coefficient
A generalized shrinking core model applied to batch adsorption, 143
- Mass-transfer
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Mathematical modeling
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Metal fiber burners
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Methyl acetate synthesis
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- 3-Methyl-pyridine
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Modeling
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Nano-Ag
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Natural gas
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Nitric acid(V)
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95

- NO
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Numerical simulation
Hydrodynamic simulation of gas–solid flow in a riser using kinetic theory of granular flow, 1
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Optimisation
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Oxidative dehydrogenation
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Pertraction
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Pervaporation membrane reactor
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Photocatalysis
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Platinum
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Plug–flow pattern reactor
Simulation study of a dense polymeric catalytic membrane reactor with plug–flow pattern, 67
- Polymeric constituents
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Pore diffusion
A generalized shrinking core model applied to batch adsorption, 143
- Porous media
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Premixed combustion modeling
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Preparation
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Pressure fluctuation analysis
The influence of low pressure operation on fluidization quality, 25
- Processes
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Pulp and paper
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Raman spectroscopy
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Reaction engineering
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Recycling
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Reduction
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Rutile
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Selectivity
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Selenate
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Semiconductor CMP wastewater
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Separation
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Settleability
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Shrinking core model
A generalized shrinking core model applied to batch adsorption, 143
- Simulation
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Slugging fluidization
The influence of low pressure operation on fluidization quality, 25
- SO₂
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Sodium nitrate(III)
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Solid solution
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Soot
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Surface charge
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Surface reaction
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- SVI
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Textile effluent
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Tin dioxide
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- TiO₂
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213

- Titania**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Titanium dioxide**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Titanium waste**
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Tungsten**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Turbidity reduction**
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Turbulence intensity**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Two-phase flow**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Tylosin**
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Vanadium-antimony oxide bulk and supported catalysts**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Viscosity**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Washing**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Waste recycling**
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Wood fibres**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Zirconia**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- ZSV**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221