

Subject Index of Volume 127

- Acoustic field
Modeling aspects of dual frequency sonochemical reactors, 71
- Activated carbon
Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
Adsorption of basic dye onto activated carbon prepared from durian shell: Studies of adsorption equilibrium and kinetics, 121
- Adsorption
Adsorption of basic dye onto activated carbon prepared from durian shell: Studies of adsorption equilibrium and kinetics, 121
- Adsorption isotherm
Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
- Advanced oxidation processes (AOPs)
Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO₂ on glass plates, 167
- Antagonism
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- Artificial neural networks
Model based control of a yeast fermentation bioreactor using optimally designed artificial neural networks, 95
- Binary biosorption
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- Biodegradation
Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
- Biotrickling filter
Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
- Bubble dynamics
Modeling aspects of dual frequency sonochemical reactors, 71
- C.I. Acid Red 27
Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO₂ on glass plates, 167
- Catalytic combustion
Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- CeO₂
Reactivity of high surface area CeO₂ synthesized by surfactant-assisted method to ethanol decomposition with and without steam, 31
- Chemical characterization
Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
- Chromophores
Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
- Color removal
Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
- Computation fluid dynamics
Modelling vortex formation in an unbaffled stirred tank reactors, 11
- Computer simulation
Rapid removal of trace HCHO from indoor air by an air purifier consisting of a continuous concentrator and photocatalytic reactor and its computer simulation, 157
- Continuous concentrator
Rapid removal of trace HCHO from indoor air by an air purifier consisting of a continuous concentrator and photocatalytic reactor and its computer simulation, 157
- Continuous-flow photoreactor
Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO₂ on glass plates, 167
- Copper(II)
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- Cr(VI)
Reclamation of Cr(VI) rich water and wastewater by wollastonite, 151
- Decolorization
Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO₂ on glass plates, 167
- Design model
Experimental behaviour and design model of a fluidized bed reactor with immobilized peroxidase for phenol removal, 47
- Dried sugar beet pulp
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- Dual frequency operation
Modeling aspects of dual frequency sonochemical reactors, 71
- Durian shell
Adsorption of basic dye onto activated carbon prepared from durian shell: Studies of adsorption equilibrium and kinetics, 121
- Electrical impedance tomography (EIT)
An experimental evaluation of state estimation with fluid dynamical models in process tomography, 23
- Equilibrium
Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
- Equilibrium modeling
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- ESP
A technical assessment of a particle hybrid collector in a pilot plant, 131
- Estimation
An experimental evaluation of state estimation with fluid dynamical models in process tomography, 23
- Ethanol
Reactivity of high surface area CeO₂ synthesized by surfactant-assisted method to ethanol decomposition with and without steam, 31

- Fermentation bioreactor model
 Model based control of a yeast fermentation bioreactor using optimally designed artificial neural networks, 95
- Filtration
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Flue gas
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Fluidized bed
 Experimental behaviour and design model of a fluidized bed reactor with immobilized peroxidase for phenol removal, 47
- Formaldehyde
 Rapid removal of trace HCHO from indoor air by an air purifier consisting of a continuous concentrator and photocatalytic reactor and its computer simulation, 157
- Free surface vortices
 Modelling vortex formation in an unbaffled stirred tank reactors, 11
- Gemazol Turquoise Blue-G
 Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- HCCI
 Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- Heterogeneous photocatalysis
 Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO₂ on glass plates, 167
- Hybrid collector
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Hydrogen
 Reactivity of high surface area CeO₂ synthesized by surfactant-assisted method to ethanol decomposition with and without steam, 31
- Hydrogenation-biological batch reactors
 Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
- Immobilized peroxidase
 Experimental behaviour and design model of a fluidized bed reactor with immobilized peroxidase for phenol removal, 47
- Intensification
 Modeling aspects of dual frequency sonochemical reactors, 71
- Internal reforming
 Reactivity of high surface area CeO₂ synthesized by surfactant-assisted method to ethanol decomposition with and without steam, 31
- Intraparticle diffusion
 Reclamation of Cr(VI) rich water and wastewater by wollastonite, 151
- Kinetics
 Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
 Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
 Reclamation of Cr(VI) rich water and wastewater by wollastonite, 151
- Mathematical model
 Rapid removal of trace HCHO from indoor air by an air purifier consisting of a continuous concentrator and photocatalytic reactor and its computer simulation, 157
- Metals
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Methane
 Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- Methyl *tert*-butyl ether (MTBE)
 Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
- Methylene blue
 Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
- Microbial community
 Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
- Microreactor
 Gas phase partial oxidation of toluene over modified V₂O₅/TiO₂ catalysts in a microreactor, 39
- Model based control
 Model based control of a yeast fermentation bioreactor using optimally designed artificial neural networks, 95
- Modification
 Gas phase partial oxidation of toluene over modified V₂O₅/TiO₂ catalysts in a microreactor, 39
- Multidimensional model
 Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- Multi-zone model
 Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- Nitrogen source
 Biodegradation kinetics and microbial communities associated with methyl *tert*-butyl ether removal in a biotrickling filter, 143
- Oil palm fibre
 Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, 111
- Partial oxidation
 Gas phase partial oxidation of toluene over modified V₂O₅/TiO₂ catalysts in a microreactor, 39
- Particulate matter
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Phenol removal
 Experimental behaviour and design model of a fluidized bed reactor with immobilized peroxidase for phenol removal, 47
- Photocatalytic reactor
 Rapid removal of trace HCHO from indoor air by an air purifier consisting of a continuous concentrator and photocatalytic reactor and its computer simulation, 157
- Pilot plant
 A technical assessment of a particle hybrid collector in a pilot plant, 131
- Process tomography
 An experimental evaluation of state estimation with fluid dynamical models in process tomography, 23
- Pulp effluent
 Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
 Raman spectroscopy
 Influence of the temperature on the properties of the soot formed from C₂H₂ pyrolysis, 1
- Reactivity
 Influence of the temperature on the properties of the soot formed from C₂H₂ pyrolysis, 1
- Reduction reaction
 Chromophores removal in pulp and paper mill effluent via hydrogenation-biological batch reactors, 59
- Removal
 Reclamation of Cr(VI) rich water and wastewater by wollastonite, 151
- Single-zone model
 Numerical investigation on the application of catalytic combustion to HCCI engines, 81
- SOFC
 Reactivity of high surface area CeO₂ synthesized by surfactant-assisted method to ethanol decomposition with and without steam, 31

- Sonochemical reactors
Modeling aspects of dual frequency sonochemical reactors, 71
- Soot
Influence of the temperature on the properties of the soot formed from C_2H_2 pyrolysis, 1
- Soybean peroxidase
Experimental behaviour and design model of a fluidized bed reactor with immobilized peroxidase for phenol removal, 47
- State
An experimental evaluation of state estimation with fluid dynamical models in process tomography, 23
- Stirred tanks
Modelling vortex formation in an unbaffled stirred tank reactors, 11
- Synergism
Use of dried sugar beet pulp for binary biosorption of Gemazol Turquoise Blue-G reactive dye and copper(II) ions: Equilibrium modeling, 177
- Thermodynamic parameters
Reclamation of Cr(VI) rich water and wastewater by wollastonite, 151
- Toluene
Gas phase partial oxidation of toluene over modified V_2O_5/TiO_2 catalysts in a microreactor, 39
- Transmission electron microscopy
Influence of the temperature on the properties of the soot formed from C_2H_2 pyrolysis, 1
- UV/ TiO_2
Photocatalytic degradation of an azo dye in a tubular continuous-flow photoreactor with immobilized TiO_2 on glass plates, 167
- V/Ti oxides catalysts
Gas phase partial oxidation of toluene over modified V_2O_5/TiO_2 catalysts in a microreactor, 39
- Volume of fluid
Modelling vortex formation in an unbaffled stirred tank reactors, 11
- X-ray diffraction
Influence of the temperature on the properties of the soot formed from C_2H_2 pyrolysis, 1