By using fluorinated aryl derivatives we examined in detail the stoichiometric and catalytic coupling of allylic derivatives and Bu₃SnC₆Cl₂F₃, in order to find the conditions that make the coupling efficient. We have been able to detect complex 1 in the course of a coupling reaction, synthesize it as well as 2, and study their decomposition in connection with the coupling process.

A. C. Albéniz, P. Espinet,*
B. Martín-Ruiz 2481 – 2489

The Pd-Catalyzed Coupling of Allyl Halides and Tin Aryls: Why the Catalytic Reaction Works and the Stoichiometric Reaction Does Not

All the Tables of Contents from 1996 onwards may be found on the WWW under http://www.wiley-vch.de/home/chemistry/

Issue number 10, 2001, was published online under http://www.interscience.wiley.com/ on May 10, 2001.

• Author Index 2490

• Keyword Index 2491

• **Preview** 2492

• Contents of other European Journals

CORRIGENDA

In the Full Paper by M. Bols et al. in *Chem. Eur. J.* **1997**, 3, 940–947 there is a mistake. 1-Azafagomine (**16**) was erroneously reported to have a pK_a of 3.9. Subsequent pK_a measurements^[1] have revealed that this is incorrect. The correct pK_a value of **16** is 5.3. The difference does not influence the conclusions, however. [1] H. H. Jensen, M. Bols, *J. Chem. Soc. Perkin Trans. 1* **2001**, 905–909.

In the Full Paper by B. Goldfuß et al. in *Chem. Eur. J.* **2001**, 7, 2028 – 2033, the structures of compounds **1**, **2**, **9**, and **10** were inadvertently depicted incorrectly. We apologize for this mistake. The correct structures are shown below:

Supporting information on the WWW (see article for access details).

^{*} Author to whom correspondence should be addressed