

Subject Index of Volume 79

- Acid pickling
Applications of electro dialysis for acid pickling wastewater treatment, 197
- Activity coefficient model
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
- Agitator speed
Effect of particle content on agitator speed for off-bottom suspension, 171
- Attrition
Identification of impact attrition mechanisms in solution by morphological analysis, 123
- Azeotropic distillation
Optimal design of complex azeotropic distillation columns, 219
- Batch sedimentation
Batch sedimentation of magnetic flocs in a magnetic field, 165
- Catalytic distillation
Cancellation of heat effects in catalytic distillation, 113
- Chromatography
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
- Circulating fluidized bed
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
- Column efficiency
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
- Composition profile
Cancellation of heat effects in catalytic distillation, 113
- Compression
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
- Continuous extraction
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
- Coupled beta distribution
Characterization of dynamic gas–solid distribution in fluidized beds, 133
- Cracks
Identification of impact attrition mechanisms in solution by morphological analysis, 123
- Crystal purity
Liquid inclusions in crystals produced in suspension crystallization, 53
- Crystallisation
Identification of impact attrition mechanisms in solution by morphological analysis, 123
- CSTR model
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
- Design
Scaling-up of fluidized-bed electrochemical reactors, 203
- Diffusion permeability
Porosity of microporous polyethylene membranes modified with polypyrrole and their diffusion permeability to low-molecular weight substances, 211
- Dispersion
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
- Distillation column
Optimal design of complex azeotropic distillation columns, 219
- Dynamic two-phase structure
Characterization of dynamic gas–solid distribution in fluidized beds, 133
- Electrochemical removal
Electrochemical removal of nickel ions from industrial wastewater, 187
- Electrode
Scaling-up of fluidized-bed electrochemical reactors, 203
- Electrodialysis
Applications of electro dialysis for acid pickling wastewater treatment, 197
- Emulsion liquid membrane
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
- Equation of state
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
- Extraction
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
- Flow field
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
- Fluidization
Characterization of dynamic gas–solid distribution in fluidized beds, 133
- Fluidized bed dryers
Pareto design of fluidized bed dryers, 1
- Fluidized-bed
Scaling-up of fluidized-bed electrochemical reactors, 203
- Free convective mass transfer
Free convective mass transfer in open upward-facing cylindrical cavities, 179
- Gas–solid distribution
Characterization of dynamic gas–solid distribution in fluidized beds, 133
- Grinding
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
- Group-contribution methods
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69

- Group-interaction contribution
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69
- Heat effects
Cancellation of heat effects in catalytic distillation, 113
- Heat transfer rates
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
- Helical ribbon agitator
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
- Hydrometallurgy
Scaling-up of fluidized-bed electrochemical reactors, 203
- Image analysis
Identification of impact attrition mechanisms in solution by morphological analysis, 123
- Impeller
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
- Industrial wastewater
Electrochemical removal of nickel ions from industrial wastewater, 187
- Isomers
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69
- Kinetic constants
Récupération de substances par pertraction à films tournants, 155
- Kinetics
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
- Limiting diffusion current technique
Free convective mass transfer in open upward-facing cylindrical cavities, 179
- Linearized theory
Cancellation of heat effects in catalytic distillation, 113
- Liquid inclusion
Liquid inclusions in crystals produced in suspension crystallization, 53
- Liquid–solids fluidization
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
- Local gas holdup
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- Magnetic flocs
Batch sedimentation of magnetic flocs in a magnetic field, 165
- Magnetic stabilization
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- Magnetically stabilized beds
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- Mass transfer
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- Mathematical modeling
Pareto design of fluidized bed dryers, 1
- Maximum solids circulation rate
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
- Mixing
Mixing time for a reciprocating plate agitator with flapping blades, 23
- Mixing time
Mixing time for a reciprocating plate agitator with flapping blades, 23
- Molybdenum
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
- Monte Carlo method
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
- Morphology
Identification of impact attrition mechanisms in solution by morphological analysis, 123
- Multicomponent mass transfer
Cancellation of heat effects in catalytic distillation, 113
- Multiobjective optimization
Pareto design of fluidized bed dryers, 1
- Newtonian and non-Newtonian fluids
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
- Nickel ions
Electrochemical removal of nickel ions from industrial wastewater, 187
- Noise
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
- Off-bottom suspension
Effect of particle content on agitator speed for off-bottom suspension, 171
- Open vertical cavities
Free convective mass transfer in open upward-facing cylindrical cavities, 179
- Operation window
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
- Optimal surfactant composition
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
- Optimization
Optimal design of complex azeotropic distillation columns, 219
- Oxidative polymerization
Porosity of microporous polyethylene membranes modified with pyrrole and their diffusion permeability to low-molecular weight substances, 211
- Pareto design
Pareto design of fluidized bed dryers, 1
- Penicillin G
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
- Pertraction
Récupération de substances par pertraction à films tournants, 155
- Phase holdups
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- PI controlled CSTR
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
- Polypyrrole/polyethylene membranes
Porosity of microporous polyethylene membranes modified with pyrrole and their diffusion permeability to low-molecular weight substances, 211
- Polystyrene
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
- Potassium chloride
Liquid inclusions in crystals produced in suspension crystallization, 53
- Pressure balance
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145

- Primary amine primene JMT
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
- Probability distribution model
Characterization of dynamic gas–solid distribution in fluidized beds, 133
- Reactive distillation
Cancellation of heat effects in catalytic distillation, 113
- Reciprocating plate agitator
Mixing time for a reciprocating plate agitator with flapping blades, 23
- Rotating Film
Récupération de substances par pertraction à films tournants, 155
- Scaling factor
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
- Size reduction
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
- Sodium chloride
Liquid inclusions in crystals produced in suspension crystallization, 53
- Suspension crystallization
Liquid inclusions in crystals produced in suspension crystallization, 53
- Swelling
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
- Three-phase airlift reactor
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
- Tungsten
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
- Vanadium
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
- Vapor–liquid equilibria
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
- Vibrated mill
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
- Viscosity prediction
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69
- Volumetric particle content
Effect of particle content on agitator speed for off-bottom suspension, 171
- Waste treatment
Scaling-up of fluidized-bed electrochemical reactors, 203
- Wastewater treatment
Applications of electrodialysis for acid pickling wastewater treatment, 197
- Water treatment
Batch sedimentation of magnetic flocs in a magnetic field, 165