

Subject Index of Volume 84

- Absorption
Sulfur dioxide absorption and desorption by water drops, 577
- Acoustic velocity
Characterization of slurry systems by ultrasonic techniques, 215
- Activated carbon
COD removal from textile industry effluent: pilot plant studies, 125
- Activation
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Adsorption
Film-pore diffusion modeling and contact time optimization for the adsorption of dyestuffs on pith, 77
COD removal from textile industry effluent: pilot plant studies, 125
Oxygenated aromatic compounds from renewable resources: motivation, opportunities, and adsorptive separations, 133
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275
Zinc adsorption from aqueous solutions using disposal sheep manure waste (SMW), 543
- Adsorption kinetics
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Adsorption rate
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Aerodynamics
Comparison of aerodynamics and mixing mechanisms of three mixers: Oxynator™ gas–gas mixer, KMA and SMI static mixers, 343
- Agglomerate
A note of the purity of crystals produced in batch suspension crystallization, 573
- Agitated boiling
The unsparged power demand of modern gas dispersing impeller in boiling liquids, 15
- Airlift bioreactors
Axial inhomogeneities in steady-state dissolved oxygen in airlift bioreactors: predictive models, 43
- Airlift contactor
Performance of airlift contactors with baffles, 551
- Airlift reactor
Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor, 57
- Amplitude
Natural convection along vertical wavy surfaces: an experimental study, 587
- Aqueous solution
Zinc adsorption from aqueous solutions using disposal sheep manure waste (SMW), 543
- Arbitrary kinetics
Solving design equations for a hollow fiber bioreactor with arbitrary kinetics, 445
- Aspect ratio
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Attenuation
Characterization of slurry systems by ultrasonic techniques, 215
- Axial dispersion
Axial inhomogeneities in steady-state dissolved oxygen in airlift bioreactors: predictive models, 43
- Baffle
Performance of airlift contactors with baffles, 551
- Bed depth service time model
COD removal from textile industry effluent: pilot plant studies, 125
- Bidisperse catalyst
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Boiling reactors
The unsparged power demand of modern gas dispersing impeller in boiling liquids, 15
- Bubble columns
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Bubble size
Bubble behavior in gas–liquid–solid three-phase circulating fluidized beds, 397
- Bubble velocity
Bubble behavior in gas–liquid–solid three-phase circulating fluidized beds, 397
- Butane
Oxidative dehydrogenation of butane using inert membrane reactor with a non-uniform permeation pattern, 497
- Carbon dioxide
Experimental study of hydrogen, carbon dioxide and nitrogen permeation through a microporous silica membrane, 593
- Catalyst
Theoretical analysis of a packed bed membrane reactor, 475
- Catalytic reactor
Applications of a moving finite element method, 23
Classification of static and dynamic behavior in a fluidized-bed catalytic reactor, 503
- Cavitation
The unsparged power demand of modern gas dispersing impeller in boiling liquids, 15
- Censored data
Reconciliation of censored measurements in chemical processes: an alternative approach, 309
- Ceramic membrane
Oxidative dehydrogenation of butane using inert membrane reactor with a non-uniform permeation pattern, 497
- Characteristic drying curve
The assessment of a characteristic drying curve for milk powder for use in computational fluid dynamics modelling, 69
- Chemical reaction
Modelling of a coiled tubular chemical reactor, 437
- Clinoptilolites
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275

- CO adsorption
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Coalescence
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Coiled tube
Laminar convection of non-Newtonian fluids in the thermal entrance region of coiled circular tubes, 223
Modelling of a coiled tubular chemical reactor, 437
- Collision
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Compartment model
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Composite powder
Morphological structure of nanometer TiO₂–Al₂O₃ composite powders synthesized in high temperature gas phase reactor, 405
- Computational fluid dynamics
The assessment of a characteristic drying curve for milk powder for use in computational fluid dynamics modelling, 69
- Concentration
Natural convection along vertical wavy surfaces: an experimental study, 587
- Condensation
A new diffusion and flow theory for activated carbon from low pressure to capillary condensation range, 295
- Conductivity
Investigation of the interaction of velocity and concentration fields by coupling LDV to conductivity probe in a continuous stirred tank reactor (CSTR), 239
- Convection
Natural convection along vertical wavy surfaces: an experimental study, 587
- Copper(II)
The application of montmorillonite clays impregnated with organic extractants for the removal of metals from aqueous solution. Part I. The preparation of clays impregnated with di-(2-ethylhexyl) phosphoric acid and their use for the removal of copper(II), 107
- Co-rotating twin-screw extruder
Application of an integral method to modelling of laminar micromixing, 413
- Cosmic flight aerodynamics
Radiation effects on free convection flow past a semi-infinite vertical plate with mass transfer, 335
- Cracking
An experimental study of fluid catalytic cracking in a downer reactor, 517
- Crossflow ultrafiltration
Ultrafiltration studies on solutions of pectin, glucose and their mixtures in a pilot scale crossflow membrane unit, 557
- Crystal purity
A note of the purity of crystals produced in batch suspension crystallization, 573
- Crystallization
A note of the purity of crystals produced in batch suspension crystallization, 573
- Data reconciliation
Reconciliation of censored measurements in chemical processes: an alternative approach, 309
- Deep-shaft reactor
Axial inhomogeneities in steady-state dissolved oxygen in airlift bioreactors: predictive models, 43
- Design integral equations
Solving design equations for a hollow fiber bioreactor with arbitrary kinetics, 445
- Detection limits
Reconciliation of censored measurements in chemical processes: an alternative approach, 309
- DHR impeller
Numerical investigation on dispersive mixing characteristics of MAXBLEND and double helical ribbons, 565
- Di-(2-ethylhexyl)phosphoric acid
The application of montmorillonite clays impregnated with organic extractants for the removal of metals from aqueous solution. Part I. The preparation of clays impregnated with di-(2-ethylhexyl) phosphoric acid and their use for the removal of copper(II), 107
- Diffusion
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275
A new diffusion and flow theory for activated carbon from low pressure to capillary condensation range, 295
- Direct-contact heat transfer
Heat transfer in gas–liquid–liquid three-phase direct-contact exchanger, 381
- Dividing flow
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Downer reactor
An experimental study of fluid catalytic cracking in a downer reactor, 517
- Droplet–droplet interaction
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Drops
Sulfur dioxide absorption and desorption by water drops, 577
- Drying kinetics
The assessment of a characteristic drying curve for milk powder for use in computational fluid dynamics modelling, 69
- Dyes
Film-pore diffusion modeling and contact time optimization for the adsorption of dyestuffs on pith, 77
- Dynamic
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275
Classification of static and dynamic behavior in a fluidized-bed catalytic reactor, 503
- Efficiency
A model for performance prediction of hydrocyclones, 7
- Electrostatic separation
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Entrainment
A capacity model for vertical pipes and packed columns based on entrainment, 355
- Entrance region
Laminar convection of non-Newtonian fluids in the thermal entrance region of coiled circular tubes, 223
- Equation of state
An efficient flash procedure using cubic equations of state, 201
Generalization of composition-dependent mixing rules for multicomponent systems: prediction of vapor–liquid and liquid–liquid equilibria, 283
- Equilibria
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275
- Excess function
Generalization of composition-dependent mixing rules for multicomponent systems: prediction of vapor–liquid and liquid–liquid equilibria, 283

- Excess Gibbs energy models
Modeling of microemulsion phase diagrams from excess Gibbs energy models, 257
- External-loop airlift
Phenomenological simulation model for gas hold-ups and volumetric mass transfer coefficients in external-loop airlift reactors, 599
- Extractive distillation
New process for separating propylene and propane by extractive distillation with aqueous acetonitrile, 581
- Fiber optic probe
Bubble behavior in gas–liquid–solid three-phase circulating fluidized beds, 397
- Film drainage
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Film rupture
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Film-pore diffusion
Film-pore diffusion modeling and contact time optimization for the adsorption of dyestuffs on pith, 77
- Floating solids
Suspension of floating solids with up-pumping pitched blade impellers; mixing time and power characteristics, 325
- Flooding
A capacity model for vertical pipes and packed columns based on entrainment, 355
- Flow distribution
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Fluid dynamics
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Fluidised bed systems
Study of leaches obtained from the disposal of fly ash from PFBC and AFBC processes, 167
- Fluidized bed
Study on mixing performance of municipal solid waste (MSW) in differential density fluidized beds (FBs), 161
- β -Galactosidase
A simulation study of dynamic neural filtering and control of a fed-batch bioreactor under nonideal conditions, 533
- Gas distributor
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Gas hold-up
Phenomenological simulation model for gas hold-ups and volumetric mass transfer coefficients in external-loop airlift reactors, 599
- Gas phase reaction
Morphological structure of nanometer $\text{TiO}_2\text{-Al}_2\text{O}_3$ composite powders synthesized in high temperature gas phase reactor, 405
- Gas-assisted displacement
Gas-assisted displacement of a Newtonian fluid confined in a Hele-Shaw cell, 193
- Gas–liquid interaction
A comprehensive model for the pressure drop in vertical pipes and packed columns, 367
- Gas–liquid interfacial area
Bubble behavior in gas–liquid–solid three-phase circulating fluidized beds, 397
Experimental study on gas–liquid interfacial area and mass transfer coefficient in three-phase circulating fluidized beds, 485
- Gas–liquid mass transfer
Performance of airlift contactors with baffles, 551
- Gas–liquid mass transfer coefficient
Experimental study on gas–liquid interfacial area and mass transfer coefficient in three-phase circulating fluidized beds, 485
- Gas–liquid–liquid three-phase flow
Heat transfer in gas–liquid–liquid three-phase direct-contact exchanger, 381
- Generalized predictive control
Application of optimal adaptive generalized predictive control to a packed distillation column, 389
- Geometrical proportions
A model for performance prediction of hydrocyclones, 7
- Gibbs free energy
An efficient flash procedure using cubic equations of state, 201
- Gibbs–Volmer theory
Phase transitions in a bed of vanadium catalyst for sulfuric acid production: experiment and modeling, 31
- Glucose
Ultrafiltration studies on solutions of pectin, glucose and their mixtures in a pilot scale crossflow membrane unit, 557
- Green's functions
Solving design equations for a hollow fiber bioreactor with arbitrary kinetics, 445
- Heat transfer
Laminar convection of non-Newtonian fluids in the thermal entrance region of coiled circular tubes, 223
- Heavy metal
Zinc adsorption from aqueous solutions using disposal sheep manure waste (SMW), 543
- Hele-Shaw cell
Gas-assisted displacement of a Newtonian fluid confined in a Hele-Shaw cell, 193
- Hexavalent chromium
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Hold-up profiles
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Hollow fiber bioreactor
Solving design equations for a hollow fiber bioreactor with arbitrary kinetics, 445
- Hydrocyclones
A model for performance prediction of hydrocyclones, 7
- Hydrodynamic behavior
Performance of airlift contactors with baffles, 551
- Hydrodynamics
Axial inhomogeneities in steady-state dissolved oxygen in airlift bioreactors: predictive models, 43
- Hydrogen
Experimental study of hydrogen, carbon dioxide and nitrogen permeation through a microporous silica membrane, 593
- Impellers
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Incineration
Study on mixing performance of municipal solid waste (MSW) in differential density fluidized beds (FBs), 161
- Inclusions
A note of the purity of crystals produced in batch suspension crystallization, 573
- Internal-loop airlift contactor
Performance of airlift contactors with baffles, 551
- Ion exchange
Innovations in separations technology for the recycling and re-use of liquid waste streams, 149

- Iterative computation method
Solving design equations for a hollow fiber bioreactor with arbitrary kinetics, 445
- Jet pump
Particle transport by jet pump in a new liquid–solid circulating moving bed reactor, 491
- KMA and SMI static mixers
Comparison of aerodynamics and mixing mechanisms of three mixers: Oxynator™ gas–gas mixer, KMA and SMI static mixers, 343
- Laminar free convection flow
Radiation effects on free convection flow past a semi-infinite vertical plate with mass transfer, 335
- Langmuir isotherm
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- LDV
Investigation of the interaction of velocity and concentration fields by coupling LDV to conductivity probe in a continuous stirred tank reactor (CSTR), 239
- Leaching
Study of leaches obtained from the disposal of fly ash from PFBC and AFBC processes, 167
- Lignin
Oxygenated aromatic compounds from renewable resources: motivation, opportunities, and adsorptive separations, 133
- Linear instability theory
Estimating the onset of natural convection in a horizontal layer of a fluid with a temperature-dependent viscosity, 63
- Liquid bridge
The effect of gravity on relative contributions of natural and Marangoni convections in a liquid bridge, 315
- Liquid–liquid equilibria
Generalization of composition-dependent mixing rules for multicomponent systems: prediction of vapor–liquid and liquid–liquid equilibria, 283
- Liquid-phase properties
Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor, 57
- Local dispersive mixing efficiency
Numerical investigation on dispersive mixing characteristics of MAX-BLEND and double helical ribbons, 565
- Lysimeter tests
Study of leaches obtained from the disposal of fly ash from PFBC and AFBC processes, 167
- Magnesium *ortho*-vanadate
Oxidative dehydrogenation of butane using inert membrane reactor with a non-uniform permeation pattern, 497
- Manifolds
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Marangoni convection
The effect of gravity on relative contributions of natural and Marangoni convections in a liquid bridge, 315
- Marangoni effect
Mass transfer with chemical reaction in conditions of spontaneous interfacial convection in processes of liquid extraction, 321
- Mass transfer
Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor, 57
Mass transfer with chemical reaction in conditions of spontaneous interfacial convection in processes of liquid extraction, 321
- Mathematical modeling
Phase transitions in a bed of vanadium catalyst for sulfuric acid production: experiment and modeling, 31
- MAXBLEND impeller
Numerical investigation on dispersive mixing characteristics of MAX-BLEND and double helical ribbons, 565
- Maxwell–Stefan theory
Verification of the Maxwell–Stefan theory for mixture diffusion in zeolites by comparison with MD simulations, 207
- MD simulation
Verification of the Maxwell–Stefan theory for mixture diffusion in zeolites by comparison with MD simulations, 207
- Membrane
Innovations in separations technology for the recycling and re-use of liquid waste streams, 149
Theoretical analysis of a packed bed membrane reactor, 475
Experimental study of hydrogen, carbon dioxide and nitrogen permeation through a microporous silica membrane, 593
- Membrane reactor
Oxidative dehydrogenation of butane using inert membrane reactor with a non-uniform permeation pattern, 497
- Microbial kinetics
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Microemulsion
Modeling of microemulsion phase diagrams from excess Gibbs energy models, 257
- Milk particles
The assessment of a characteristic drying curve for milk powder for use in computational fluid dynamics modelling, 69
- Mixing
Investigation of the interaction of velocity and concentration fields by coupling LDV to conductivity probe in a continuous stirred tank reactor (CSTR), 239
- Mixing impellers
The unsparged power demand of modern gas dispersing impeller in boiling liquids, 15
- Mixing performance
Study on mixing performance of municipal solid waste (MSW) in differential density fluidized beds (FBs), 161
- Mixing rule
Generalization of composition-dependent mixing rules for multicomponent systems: prediction of vapor–liquid and liquid–liquid equilibria, 283
- Mixing time
Suspension of floating solids with up-pumping pitched blade impellers; mixing time and power characteristics, 325
- Mixture diffusion
Verification of the Maxwell–Stefan theory for mixture diffusion in zeolites by comparison with MD simulations, 207
- Model
A model for performance prediction of hydrocyclones, 7
- Modeling
Sulfur dioxide absorption and desorption by water drops, 577
- Modeling and optimization
Film-pore diffusion modeling and contact time optimization for the adsorption of dyestuffs on pith, 77
- Moment technique
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Monolithic catalyst
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Montmorillonite clays
The application of montmorillonite clays impregnated with organic extractants for the removal of metals from aqueous solution. Part I.

- The preparation of clays impregnated with di-(2-ethylhexyl) phosphoric acid and their use for the removal of copper(II), 107
- Moving bed reactor
Particle transport by jet pump in a new liquid–solid circulating moving bed reactor, 491
- Moving finite elements
Applications of a moving finite element method, 23
- Multiple impellers
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Municipal solid waste
Study on mixing performance of municipal solid waste (MSW) in differential density fluidized beds (FBs), 161
- Nanometer powder
Morphological structure of nanometer $\text{TiO}_2\text{--Al}_2\text{O}_3$ composite powders synthesized in high temperature gas phase reactor, 405
- Natural convection
Estimating the onset of natural convection in a horizontal layer of a fluid with a temperature-dependent viscosity, 63
The effect of gravity on relative contributions of natural and Marangoni convections in a liquid bridge, 315
- Neural control
A simulation study of dynamic neural filtering and control of a fed-batch bioreactor under nonideal conditions, 533
- Neural filtering
A simulation study of dynamic neural filtering and control of a fed-batch bioreactor under nonideal conditions, 533
- Newtonian fluid
Gas-assisted displacement of a Newtonian fluid confined in a Hele-Shaw cell, 193
- NPD function
Numerical investigation on dispersive mixing characteristics of MAXBLEND and double helical ribbons, 565
- Numerical simulation
Numerical investigation on dispersive mixing characteristics of MAXBLEND and double helical ribbons, 565
- Optimization
Application of optimal adaptive generalized predictive control to a packed distillation column, 389
- Optimization methods
An efficient flash procedure using cubic equations of state, 201
- Oxidative dehydrogenation
Oxidative dehydrogenation of butane using inert membrane reactor with a non-uniform permeation pattern, 497
- Oxygen transfer
Axial inhomogeneities in steady-state dissolved oxygen in airlift bioreactors: predictive models, 43
- Oxygenated aromatic compounds (OACs)
Oxygenated aromatic compounds from renewable resources: motivation, opportunities, and adsorptive separations, 133
- Oxynator
Comparison of aerodynamics and mixing mechanisms of three mixers: OxynatorTM gas–gas mixer, KMA and SMI static mixers, 343
- Packed columns
A capacity model for vertical pipes and packed columns based on entrainment, 355
A comprehensive model for the pressure drop in vertical pipes and packed columns, 367
- Packed distillation
Application of optimal adaptive generalized predictive control to a packed distillation column, 389
- Parallel reactions
Application of an integral method to modelling of laminar micromixing, 413
- Partial differential equations
Applications of a moving finite element method, 23
- Particle
Particle transport by jet pump in a new liquid–solid circulating moving bed reactor, 491
- Peak frequency
Characterization of slurry systems by ultrasonic techniques, 215
- Pectin
Ultrafiltration studies on solutions of pectin, glucose and their mixtures in a pilot scale crossflow membrane unit, 557
- Perforated spargers
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Performance
A model for performance prediction of hydrocyclones, 7
- Permeability
A new diffusion and flow theory for activated carbon from low pressure to capillary condensation range, 295
Experimental study of hydrogen, carbon dioxide and nitrogen permeation through a microporous silica membrane, 593
- Phase equilibria
An efficient flash procedure using cubic equations of state, 201
Modeling of microemulsion phase diagrams from excess Gibbs energy models, 257
- Phase resistance
Mass transfer with chemical reaction in conditions of spontaneous interfacial convection in processes of liquid extraction, 321
- Phase transitions
Phase transitions in a bed of vanadium catalyst for sulfuric acid production: experiment and modeling, 31
- Phenomenological simulation model
Phenomenological simulation model for gas hold-ups and volumetric mass transfer coefficients in external-loop airlift reactors, 599
- Pilot plant
COD removal from textile industry effluent: pilot plant studies, 125
- Pitched blade turbines
Suspension of floating solids with up-pumping pitched blade impellers; mixing time and power characteristics, 325
- Pith
Film-pore diffusion modeling and contact time optimization for the adsorption of dyestuffs on pith, 77
- Plug flow
An experimental study of fluid catalytic cracking in a downer reactor, 517
- Plug flow model
Modelling of catalytically stabilised thermal combustion of chlorinated hydrocarbons, 525
- Pollutant removal
Sardinian natural clinoptilolites for heavy metals and ammonium removal: experimental and modeling, 275
- Polynomial approximations
Applications of a moving finite element method, 23
- Polyurethane foam
Solid-state fermentation and bioremediation: development of a continuous process for the production of fungal tannase, 115
- Porous pipe
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Power draw
The unsparged power demand of modern gas dispersing impeller in boiling liquids, 15
- Power law fluid
Laminar convection of non-Newtonian fluids in the thermal entrance region of coiled circular tubes, 223
Modelling of a coiled tubular chemical reactor, 437
- Pressure drop
A comprehensive model for the pressure drop in vertical pipes and packed columns, 367

- Pressure swing adsorption
Applications of a moving finite element method, 23
- PRO/II
New process for separating propylene and propane by extractive distillation with aqueous acetonitrile, 581
- Propane
New process for separating propylene and propane by extractive distillation with aqueous acetonitrile, 581
- Propylene
New process for separating propylene and propane by extractive distillation with aqueous acetonitrile, 581
- Pyrolysis
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Radial flow reactor
Analytical solution of flow coefficients for a uniformly distributed porous channel, 1
- Reactive extrusion
Application of an integral method to modelling of laminar micromixing, 413
- Reactor
Investigation of the interaction of velocity and concentration fields by coupling LDV to conductivity probe in a continuous stirred tank reactor (CSTR), 239
Theoretical analysis of a packed bed membrane reactor, 475
- Recombinant fermentation
A simulation study of dynamic neural filtering and control of a fed-batch bioreactor under nonideal conditions, 533
- Recycling
Innovations in separations technology for the recycling and re-use of liquid waste streams, 149
- Reduced lumped mechanism
Modelling of catalytically stabilised thermal combustion of chlorinated hydrocarbons, 525
- Renewable resources
Oxygenated aromatic compounds from renewable resources: motivation, opportunities, and adsorptive separations, 133
- Sawdust
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Scale-down
CMA: integration of fluid dynamics and microbial kinetics in modelling of large-scale fermentations, 463
- Secondary flow
Laminar convection of non-Newtonian fluids in the thermal entrance region of coiled circular tubes, 223
Modelling of a coiled tubular chemical reactor, 437
- Separations
Oxygenated aromatic compounds from renewable resources: motivation, opportunities, and adsorptive separations, 133
- Sheep manure waste (SMW)
Zinc adsorption from aqueous solutions using disposal sheep manure waste (SMW), 543
- Sherwood number
Radiation effects on free convection flow past a semi-infinite vertical plate with mass transfer, 335
- Silica
Experimental study of hydrogen, carbon dioxide and nitrogen permeation through a microporous silica membrane, 593
- Slant-hole tray
New process for separating propylene and propane by extractive distillation with aqueous acetonitrile, 581
- Slurry
Characterization of slurry systems by ultrasonic techniques, 215
- Solids concentration
Characterization of slurry systems by ultrasonic techniques, 215
- Solids density
Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor, 57
- Solids loading
Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor, 57
- Solvent extraction
Innovations in separations technology for the recycling and re-use of liquid waste streams, 149
- Sparger design
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Spontaneous interfacial convection
Mass transfer with chemical reaction in conditions of spontaneous interfacial convection in processes of liquid extraction, 321
- SSF process
Solid-state fermentation and bioremediation: development of a continuous process for the production of fungal tannase, 115
- Static
Classification of static and dynamic behavior in a fluidized-bed catalytic reactor, 503
- Sulfur dioxide
Sulfur dioxide absorption and desorption by water drops, 577
- Supported catalyst
A moment technique for adsorption rate on metal surfaces of supported catalysts. CO adsorption on Pt–Al₂O₃ washcoated monolith, 429
- Surface activity
Mass transfer with chemical reaction in conditions of spontaneous interfacial convection in processes of liquid extraction, 321
- Surfactants
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Suspension
Suspension of floating solids with up-pumping pitched blade impellers; mixing time and power characteristics, 325
- Tannase
Solid-state fermentation and bioremediation: development of a continuous process for the production of fungal tannase, 115
- Temperature-dependent viscosity
Estimating the onset of natural convection in a horizontal layer of a fluid with a temperature-dependent viscosity, 63
- Tertiary oil recovery
Modeling of microemulsion phase diagrams from excess Gibbs energy models, 257
- Textile process effluent
COD removal from textile industry effluent: pilot plant studies, 125
- Thermally and catalytically stabilised thermal combustion
Modelling of catalytically stabilised thermal combustion of chlorinated hydrocarbons, 525
- Thermodynamic parameters
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Three-phase circulating fluidized bed
Bubble behavior in gas–liquid–solid three-phase circulating fluidized beds, 397
Experimental study on gas–liquid interfacial area and mass transfer coefficient in three-phase circulating fluidized beds, 485
- Tomography
Gas hold-up profiles in foaming liquids in bubble columns, 247
- Torque
Suspension of floating solids with up-pumping pitched blade impellers; mixing time and power characteristics, 325

- Transport
Particle transport by jet pump in a new liquid–solid circulating moving bed reactor, 491
- Tubular ultrafiltration
Ultrafiltration studies on solutions of pectin, glucose and their mixtures in a pilot scale crossflow membrane unit, 557
- Turbulence
Investigation of the interaction of velocity and concentration fields by coupling LDV to conductivity probe in a continuous stirred tank reactor (CSTR), 239
- Ultrasonic
Characterization of slurry systems by ultrasonic techniques, 215
- Used tyres
Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tyres and sawdust, 95
- Vanadium catalysts
Phase transitions in a bed of vanadium catalyst for sulfuric acid production: experiment and modeling, 31
- Vapor–liquid equilibria
Generalization of composition-dependent mixing rules for multicomponent systems: prediction of vapor–liquid and liquid–liquid equilibria, 283
- Vertical tubes
A capacity model for vertical pipes and packed columns based on entrainment, 355
A comprehensive model for the pressure drop in vertical pipes and packed columns, 367
- Viscous liquids
Application of an integral method to modelling of laminar micromixing, 413
- Volumetric heat transfer coefficient
Heat transfer in gas–liquid–liquid three-phase direct-contact exchanger, 381
- Volumetric mass transfer coefficient
Phenomenological simulation model for gas hold-ups and volumetric mass transfer coefficients in external-loop airlift reactors, 599
- Waste treatment
Innovations in separations technology for the recycling and re-use of liquid waste streams, 149
- Water-in-oil emulsion
Electrostatic enhancement of coalescence of water droplets in oil: a review of the current understanding, 173
- Zeolites
Verification of the Maxwell–Stefan theory for mixture diffusion in zeolites by comparison with MD simulations, 207