

Subject Index of Volume 85

- ACN/C4
Process improvement on separating C4 by extractive distillation, 379
- Acorga M5640
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Activated carbon
Regeneration of exhausted activated carbon by electrochemical method, 81
- Adsorption
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
Regeneration of exhausted activated carbon by electrochemical method, 81
- Alkaline solution
Influence of cell construction on the electrochemical reduction of nitrate, 99
- Alternating current
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
25, 40 and 25 + 40 kHz
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- Axial dispersion coefficient
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Bacillus* sp.
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Baffles
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Basic data
Estimation of excess enthalpy for binary systems, 235
- Batch crystallizer
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Batch reactor
Optimal operation policies in batch reactors, 313
- Batch-settling experiment
Determination of a coalescence parameter from batch-settling experiments, 369
- Bidisperse adsorbent
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Biosorption
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Bubbles
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Carbon felt electrode
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Catalyst activation
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
- Catalytic pervaporation
Catalytic membrane reactor to simultaneously concentrate and react organics, 303
- Cathode
Influence of cell construction on the electrochemical reduction of nitrate, 99
- Cell type
Influence of cell construction on the electrochemical reduction of nitrate, 99
- Centrifugal force
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Chain-transfer agent
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- 4-Chlorophenol
Catalytic membrane reactor to simultaneously concentrate and react organics, 303
- Chromatography
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- CO₂ hydrogenation
Simulation of CO₂ hydrogenation with CH₃OH removal in a zeolite membrane reactor, 53
- Coalescence
Determination of a coalescence parameter from batch-settling experiments, 369
- Comminution
Changes of surface and volume properties of calcite during a batch wet grinding process, 177
- Condensation
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Conjugated Graetz problem
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Control polymorphs
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169

- Copolymer composition
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Copper
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Copper(II)
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Coriandrum sativum L.
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Corona discharge
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Critical permeation flux
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Crossflow filtration
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Crystal size distribution
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Crystallization
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Deionization
Continuous deionization of a dilute nickel solution, 127
- Deposition
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Desorption
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
- Disinfection
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Dispersions
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- DMF/C4
Process improvement on separating C4 by extractive distillation, 379
- Downstream processing
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Drag coefficient
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Dynamic optimisation
Optimal operation policies in batch reactors, 313
- Effluent treatment
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Electric fields
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Electrochemical flow cell
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Electrochemical method
Free convective mass transfer at up-pointing truncated cones, 147
- Electrochemical processes
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Electrochemical regeneration
Regeneration of exhausted activated carbon by electrochemical method, 81
- Electrocoalescence
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Electrodialysis
Continuous deionization of a dilute nickel solution, 127
- Electrolysis
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Electrolytic reactor
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Electroplating and surface finishing industry
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Emulsion polymerization
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Enantiomers
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Essential oil
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Esterification
Ethyl oleate synthesis by *Porcine pancreatic* lipase in organic solvents, 61
- Ethyl oleate
Ethyl oleate synthesis by *Porcine pancreatic* lipase in organic solvents, 61
- Excess enthalpy
Estimation of excess enthalpy for binary systems, 235
- Extraction
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Extractive distillation
Process improvement on separating C4 by extractive distillation, 379
- Facilitated transport
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Film drainage
Determination of a coalescence parameter from batch-settling experiments, 369
- Fixed bed
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Flow regime diagram
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Fouling
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Free convection
Free convective mass transfer at up-pointing truncated cones, 147
- Frequency
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Frequency effects
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327

- Gas adsorption
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Heat and mass transfer
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Heat flux
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- Heat of adsorption
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Heat transfer
Free convective mass transfer at up-pointing truncated cones, 147
- Heat transfer coefficient
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Heavy metal biosorption
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Heavy metal contamination
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Heavy metals
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Hot spot temperature
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Hydrodynamics
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Inert membrane reactor
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- In-line mixer
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Inverse approach
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- Ion exchange assisted electro dialysis
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Ion-exchange
Continuous deionization of a dilute nickel solution, 127
- Iterative dynamic programming
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- L-aspartic acid
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Latex
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Least-squares method
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- L-glutamic acid
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Liquid–liquid dispersion
Determination of a coalescence parameter from batch-settling experiments, 369
- Mass transfer
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
Free convective mass transfer at up-pointing truncated cones, 147
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Mathematical model
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Maxwell–Stefan theory
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7
- MD simulation
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7
- Membrane transport
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Methanol
Simulation of CO₂ hydrogenation with CH₃OH removal in a zeolite membrane reactor, 53
- Micro-porous membrane reactor
Simulation of CO₂ hydrogenation with CH₃OH removal in a zeolite membrane reactor, 53
- MMA/*n*-BA
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Model
Optimal operation policies in batch reactors, 313
- Modelling
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
Estimation of excess enthalpy for binary systems, 235
- Molecular distillation
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Molecular evaporator
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Momentum/mass equations
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Multivariable control
Structural design and operation of a fully thermally coupled distillation column, 289
- MWD
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Nickel ions
Continuous deionization of a dilute nickel solution, 127
- Nitrate acid
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Nitrate/nitric acid
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Nitrates
Influence of cell construction on the electrochemical reduction of nitrate, 99

- Nitric oxide
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Non-isothermal
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- p*-NP
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- Numerical analysis
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
- Numerical solution
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Onset of instability
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Opposing jets
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Optimal operation
Optimal operation policies in batch reactors, 313
- Optimization
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Orthogonal expansion techniques
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Oscillatory baffled column
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Oxidative dehydrogenation
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Parallel plate cell
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Partial competitive biosorption
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Path constraint
Optimal operation policies in batch reactors, 313
- Periodic flows
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Petlyuk column design
Structural design and operation of a fully thermally coupled distillation column, 289
- Petlyuk column operation
Structural design and operation of a fully thermally coupled distillation column, 289
- Plug flow with axial dispersion model
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Polymer membrane reactor
Catalytic membrane reactor to simultaneously concentrate and react organics, 303
- Porcine pancreatic* lipase
Ethyl oleate synthesis by *Porcine pancreatic* lipase in organic solvents, 61
- Process improvement
Process improvement on separating C4 by extractive distillation, 379
- Process intensification
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Process simulation
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Pulsed
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Pulsed direct current
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Radial dispersion
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Recycle
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Reduction
Influence of cell construction on the electrochemical reduction of nitrate, 99
- Regeneration of metal
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Relative volatility
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Schmidt number
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Separation
Simulation of CO₂ hydrogenation with CH₃OH removal in a zeolite membrane reactor, 53
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Simulated-moving-bed
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Solvent extraction
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Sonolysis
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- Steam distillation
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Stirred bead mill
Changes of surface and volume properties of calcite during a batch wet grinding process, 177
- Structural design
Structural design and operation of a fully thermally coupled distillation column, 289
- Sulfur dioxide
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Tanks-in-series model
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Thermally coupled distillation
Structural design and operation of a fully thermally coupled distillation column, 289
- Thermodynamics
Estimation of excess enthalpy for binary systems, 235
- Tracer density
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17

- Tracer diffusion
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7
- Transformation
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Truncated cone
Free convective mass transfer at up-pointing truncated cones, 147
- Turbulent mass transfer
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Two-dimensional model
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Ultrasonic wave
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- UV irradiation
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- VLE
Process improvement on separating C4 by extractive distillation, 379
- Wall Wetter
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Waste water
Biosorption of Cr⁶⁺, Pb²⁺ and Cu²⁺ ions in industrial waste water on *Bacillus* sp., 351
- Water treatment
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Water-in-oil emulsions
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Wet grinding
Changes of surface and volume properties of calcite during a batch wet grinding process, 177
- Wiped film
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- WWDJ batch crystallizer
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Yield
Simulation of CO₂ hydrogenation with CH₃OH removal in a zeolite membrane reactor, 53
- Zeolites
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7