

## Subject Index of Volume 87

- Acetic acid  
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO<sub>2</sub> catalyst, 403
- Activated carbon  
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Adsorption  
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Adsorption kinetics  
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- After-treatment system  
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Aqueous two-phase  
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Barium sulphate  
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Batch versus fed-batch fermentation  
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Bead mill  
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Biofilter  
Co-treatment of H<sub>2</sub>S and toluene in a biotrickling filter, 101
- Biotrickling filter  
Co-treatment of H<sub>2</sub>S and toluene in a biotrickling filter, 101
- Bovine serum albumin  
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Bubbling  
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- t*-Butanol  
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO<sub>2</sub> catalyst, 403
- C4  
Influence of salt added to solvent on extractive distillation, 149
- CaCO<sub>3</sub>  
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Calcium aluminate  
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- $\epsilon$ -Caprolactam  
Purification of  $\epsilon$ -caprolactam by means of a new dry-sweating technique, 187
- Carbon dioxide  
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Carbonation  
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Catalysts  
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- Cell disruption  
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Centrifuge  
Purification of  $\epsilon$ -caprolactam by means of a new dry-sweating technique, 187
- Characteristic time  
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Chlorinated aromatics  
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- 2-Chlorophenol  
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Claus process  
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Closed-form solution  
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- CO<sub>2</sub> diffusion  
Enhanced CO<sub>2</sub> diffusion in wedges, 31
- Coal gasification  
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Competitive transport  
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Computational fluid dynamics  
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- Copper  
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Copper/LIX system  
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Copy number variance  
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357

- Core–annulus structure
  - Dilute gas–solid flow in a riser, 41
- Correlation effects
  - Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Crosslinked-poly(sulfonated styrene)
  - Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Delignification
  - Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Design
  - Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Diffusion in wedge
  - Enhanced CO<sub>2</sub> diffusion in wedges, 31
- Dimensional analysis
  - Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Dissolution
  - A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Drag coefficient
  - Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Dry-sweating technique
  - Purification of  $\epsilon$ -caprolactam by means of a new dry-sweating technique, 187
- Dynamics
  - A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Electrochemistry
  - Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Electrokinetic
  - Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Electroremediation
  - Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Energy
  - Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Energy system
  - A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Environmental design
  - A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Equilibrium relation
  - Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Ethanol
  - Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Ethanol–water
  - Influence of salt added to solvent on extractive distillation, 149
- Ethylene
  - Modeling of catalytic reactor for oxidative coupling of methane using La<sub>2</sub>O<sub>3</sub>/CaO catalyst, 49
- Eucalyptus globulus*
  - Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- European transient cycle
  - Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Extractive distillation
  - Influence of salt added to solvent on extractive distillation, 149
- Extractor
  - Investigation in solid–liquid extraction: influence of ultrasound, 11
- Facilitated transport membranes
  - Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Fibre membrane
  - Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Fibre orientation
  - Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Filament rise
  - Enhanced CO<sub>2</sub> diffusion in wedges, 31
- Fixed bed catalytic reactor
  - Modeling of catalytic reactor for oxidative coupling of methane using La<sub>2</sub>O<sub>3</sub>/CaO catalyst, 49
- Flue gas
  - Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Fluidised bed reactors
  - Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Formic acid
  - A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Four-stage evaporator system
  - Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Free rise
  - Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Fuel cell
  - Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- GAPDH
  - Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Gas hold-up
  - Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Gas–liquid–solid (precipitation, crystallization)
  - A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Gas–solid flow
  - Dilute gas–solid flow in a riser, 41
- Glyceraldehyde 3-phosphate dehydrogenase
  - Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Halides
  - The solvent effect and the structural effect of halides on the quaternization Et<sub>3</sub>N + RX  $\rightarrow$  Et<sub>3</sub>RNX, 197

- Heat transfer  
 Particle morphology and transport phenomena in olefin polymerisation, 89  
 Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- n*-Heptane  
 Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- H<sub>2</sub>S  
 Co-treatment of H<sub>2</sub>S and toluene in a biotrickling filter, 101
- Hydrodynamics  
 Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Hydrogen sulphide  
 Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Hydrometallurgical wastes  
 Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Hydroquinone  
 Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO<sub>2</sub> catalyst, 403
- Hydroxyapatite  
 Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Image analysis  
 Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Impingement zone  
 A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging jets  
 A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging streams  
 A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Integral transform  
 Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Intracellular proteins  
 Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Kinetic Monte Carlo simulations  
 Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Kinetics  
 Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Langmuir–Hinshelwood type  
 A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Lanthanum oxysulfide  
 Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Life cycle assessment  
 A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Lignite  
 Drying kinetics of single porous particles in superheated steam under pressure, 329
- Lindane  
 Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Liquid membrane  
 Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Liquid–liquid extraction  
 A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Mass transfer  
 Particle morphology and transport phenomena in olefin polymerisation, 89
- Mass transfer model  
 Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Mathematical modelling  
 Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Maxwell–Stefan theory  
 Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- MCFC  
 Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- MEA  
 A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Melt down  
 Particle morphology and transport phenomena in olefin polymerisation, 89
- Methanol  
 Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Microfiltration  
 Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Mixing  
 Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Mixture diffusion  
 Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Model predictive control  
 Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Modeling  
 Modeling of catalytic reactor for oxidative coupling of methane using La<sub>2</sub>O<sub>3</sub>/CaO catalyst, 49  
 Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Morphology  
 Particle morphology and transport phenomena in olefin polymerisation, 89  
 Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Nitric oxide  
 Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- NO<sub>x</sub> reduction  
 Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Noisy measurements  
 Reaction heat estimation in continuous chemical reactors using high gain observers, 351

- Nonlinear control  
 Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Non-Newtonian flow  
 Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Non-Newtonian liquids  
 Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Numerical analysis  
 Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Odor  
 Co-treatment of H<sub>2</sub>S and toluene in a biotrickling filter, 101
- Olefin polymerisation  
 Particle morphology and transport phenomena in olefin polymerisation, 89
- Open-loop unstable process  
 Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Operational conditions  
 Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Opposed jets  
 A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Organosolv pulping  
 Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Oxidative coupling of methane  
 Modeling of catalytic reactor for oxidative coupling of methane using La<sub>2</sub>O<sub>3</sub>/CaO catalyst, 49
- Ozonation  
 A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Phenol  
 Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO<sub>2</sub> catalyst, 403
- Photocatalysis  
 A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Poly(pyrrole)  
 Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Population-balance equations  
 A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Potassium carbonate  
 Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- ζ-Potential  
 Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- POTW  
 Co-treatment of H<sub>2</sub>S and toluene in a biotrickling filter, 101
- Power-law fluids  
 Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Precipitation  
 Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Pressure  
 Drying kinetics of single porous particles in superheated steam under pressure, 329
- Pressure fluctuations  
 Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Process integration  
 Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Protein recovery  
 Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Pulsations  
 CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- Pyrethrum flower  
 Investigation in solid–liquid extraction: influence of ultrasound, 11
- Pyrolysis  
 Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- Quaternization  
 The solvent effect and the structural effect of halides on the quaternization Et<sub>3</sub>N + RX → Et<sub>3</sub>RNX, 197
- Radioactive wastes  
 Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Recombinant fermentation  
 Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Relative volatilities at infinite dilution  
 Influence of salt added to solvent on extractive distillation, 149
- Reverse-flow operation  
 Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Riser  
 Dilute gas–solid flow in a riser, 41
- Robustness  
 Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Self-propagating reactions  
 Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Silicon sludge  
 Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Simultaneously developing laminar flow  
 Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Single particle  
 Drying kinetics of single porous particles in superheated steam under pressure, 329
- Soil remediation  
 Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Solid sphere  
 Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Solid–liquid extraction  
 Investigation in solid–liquid extraction: influence of ultrasound, 11
- Solvent effect  
 The solvent effect and the structural effect of halides on the quaternization Et<sub>3</sub>N + RX → Et<sub>3</sub>RNX, 197

- Spinning cone distillation column  
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- SPME  
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Steam drying  
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Streamfunction formulation  
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Structural effect  
The solvent effect and the structural effect of halides on the quaternization  $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$ , 197
- Sulfur  
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Sulfur condensation  
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Sulfur dioxide  
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Sustained disturbances  
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Synergistic effect  
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Triethylamine  
The solvent effect and the structural effect of halides on the quaternization  $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$ , 197
- Ultrasound  
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Uncertainty observer  
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Vapor–liquid equilibria  
Influence of salt added to solvent on extractive distillation, 149
- VOC  
Co-treatment of  $\text{H}_2\text{S}$  and toluene in a biotrickling filter, 101
- W/O emulsion  
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Waste air treatment  
Co-treatment of  $\text{H}_2\text{S}$  and toluene in a biotrickling filter, 101
- Wastewater treatment  
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/ $\text{TiO}_2$  catalyst, 403
- Wet oxidation  
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/ $\text{TiO}_2$  catalyst, 403
- Woad seeds  
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Zeolites  
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1