

Subject Index of Volume 92

- Aftertreatment
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
- Airlift contactor
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
- Alum sludge
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Anionic and cationic resins
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Apparent drag force
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
- Aqueous acidic waste
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
- Axial dispersion coefficient
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- Axial dispersion flow
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
- Basset force
On the rise velocity of an interactive bubble in liquids, 169
- Binary mixture
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
- Biodegradability
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Bubble
Application of Doppler ultrasound velocimetry in multiphase flow, 111
- Bubble rise velocity
On the rise velocity of an interactive bubble in liquids, 169
- Bubble size
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
- Bubble size distribution
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
- Bubble wake
On the rise velocity of an interactive bubble in liquids, 169
- Bubble–bubble interaction
On the rise velocity of an interactive bubble in liquids, 169
- Bubble–liquid systems
On the rise velocity of an interactive bubble in liquids, 169
- Cell residence time
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- CFB downer
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
- Chromic acid recovery
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Column adsorption
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Compressible fluid
Mathematical modeling of gas release through holes in pipelines, 237
- Conditioning
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Control
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
- Controllability
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
- Curved tube
Influence of secondary flow on diffusion with heterogeneous reaction, 15
- Cyclohexene oxide
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone[®] system, 131
- Decomposition
Reaction mechanism of 1,2-dichloroethane/O₂/Ar in the cold plasma environment, 177
- Dense ring
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
- Dewatering
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- 1,2-Dichloroethane
Reaction mechanism of 1,2-dichloroethane/O₂/Ar in the cold plasma environment, 177
- Diesel exhaust
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
- Diffusion
Oxygen diffusion in ceramic suspensions for stereolithography, 55
- Dioxirane
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone[®] system, 131
- Doppler angle
Application of Doppler ultrasound velocimetry in multiphase flow, 111
- Doppler ultrasound velocimetry
Application of Doppler ultrasound velocimetry in multiphase flow, 111
- Dynamics
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69

- Effective gravitational force
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
- Enhanced gas absorption
The application of fine TiO₂ particles for enhanced gas absorption, 151
- Epoxidation
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone[®] system, 131
- Equilibrium
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Expansion
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
- Extractive reaction
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone[®] system, 131
- FCC
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Modeling of a non-isothermal FCC riser, 101
- Fickian diffusion
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
- Fixed bed reactor
Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141
- Fixed-bed reactor
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
- Floc density
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Floc size
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Fluidization
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
- Four-step ion exchange process
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Fractal dimension
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Freundlich isotherm
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
- Heat of reaction
Modeling of a non-isothermal FCC riser, 101
- Heterogeneous azeotropic distillation
Synthesis and design of heterogeneous separation systems with recycle streams, 201
- Hydrogenation
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a C₃–C₄ stream, 41
- HZSM-5 zeolite
Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141
- Interface transfer
Influence of secondary flow on diffusion with heterogeneous reaction, 15
- Isotherms
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
- Jetting fluidized bed
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
- Jetting transition gas velocity
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
- Kinetic reaction parameters
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
- Kinetics
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
- Landfill leachate
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Large-scale
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
- Laser induced fluorescence
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- Liquid membrane
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
- Macropore diffusion control
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
- Mass transfer
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
- Mixing time
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- Modeling
Mathematical modeling of gas release through holes in pipelines, 237
- NO_x reduction
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
- Non-isothermal
Modeling of a non-isothermal FCC riser, 101
- Nonlinear driving force
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
- Olefins and di-olefins
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a C₃–C₄ stream, 41
- Optimum dose
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Oscillatory baffled column
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- Oxygen inhibition
Oxygen diffusion in ceramic suspensions for stereolithography, 55

- Paper mill wastewaters
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Particle and liquid velocity
 Application of Doppler ultrasound velocimetry in multiphase flow, 111
- Particle to interface adhesion isotherm
 The application of fine TiO₂ particles for enhanced gas absorption, 151
- Pd catalyst
 Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a C₃–C₄ stream, 41
- Pentachlorophenol
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Plasma
 Reaction mechanism of 1,2-dichloroethane/O₂/Ar in the cold plasma environment, 177
- Plug-flow model
 Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
- Polymer
 Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Polystyrene pyrolysis
 Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91
- Post-oxidation
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Power spectrum density function
 Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
- Pre-oxidation
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- PZT
 Oxygen diffusion in ceramic suspensions for stereolithography, 55
- Radio frequency (rf)
 Reaction mechanism of 1,2-dichloroethane/O₂/Ar in the cold plasma environment, 177
- Reaction mechanism
 Reaction mechanism of 1,2-dichloroethane/O₂/Ar in the cold plasma environment, 177
- Reactors
 Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
- Recycles
 Synthesis and design of heterogeneous separation systems with recycle streams, 201
- Regeneration stage
 Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141
- Release rate
 Mathematical modeling of gas release through holes in pipelines, 237
- Riser modeling
 Modeling of a non-isothermal FCC riser, 101
- Secondary flows
 Influence of secondary flow on diffusion with heterogeneous reaction, 15
- Sludge properties
 Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
- Sodium carbonate
 Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
- Solid concentration
 Application of Doppler ultrasound velocimetry in multiphase flow, 111
- Solids fraction distribution
 The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
- Sonic flow
 Mathematical modeling of gas release through holes in pipelines, 237
- Spectral method
 Influence of secondary flow on diffusion with heterogeneous reaction, 15
- Steady state
 Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
- Stereolithography
 Oxygen diffusion in ceramic suspensions for stereolithography, 55
- Stirred cell reactor
 The application of fine TiO₂ particles for enhanced gas absorption, 151
- Surface renewal model
 The application of fine TiO₂ particles for enhanced gas absorption, 151
- Suspensions
 Oxygen diffusion in ceramic suspensions for stereolithography, 55
- Synthesis
 Synthesis and design of heterogeneous separation systems with recycle streams, 201
- Tanks-in-series-model
 On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
- Temperature profiles
 Modeling of a non-isothermal FCC riser, 101
- Thermal degradation
 Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91
- Three-phase reactor
 Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a C₃–C₄ stream, 41
- TiO₂ particles
 The application of fine TiO₂ particles for enhanced gas absorption, 151
- Toxicity
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Transient modelling
 Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
- Tri-*n*-octylphosphine oxide (TOPO)
 Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
- Ultrasound
 High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
- Unsteady state
 Mathematical modeling of gas release through holes in pipelines, 237
- Uranium(VI) recovery
 Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
- Voidage
 A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
- Wall absorption
 Influence of secondary flow on diffusion with heterogeneous reaction, 15
- Waste plastics
 Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91