

Subject Index of Volume 98

- Acetone
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Activated alumina
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165
- Activated sludge
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Adsorption systems
Comparison of solutions for the homogeneous surface diffusion model applied to adsorption systems, 255
- Alpha alumina
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Axial dispersion
Liquid phase mixing in 2-phase liquid–solid inverse fluidized bed, 213
- Batch reactor
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- Bed porosity
Influence of the bed mass on its fluidization characteristics, 81
- Bimetallic
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Biocrude
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Biomass
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Bound water
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Breakthrough
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165
- Calcination
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
The kinetics of surface area reduction during isothermal sintering of hydroxyapatite adsorbent, 141
- Carbon number distribution
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Cartesian collocation model
Comparison of solutions for the homogeneous surface diffusion model applied to adsorption systems, 255
- Catalyst particle
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Catalyst preparation
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Chi alumina
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Coefficient de traînée
Détermination de la traînée engendrée par une sphère fluide en translation, 175
- Coimpregnation
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Consolidation
Influence of the bed mass on its fluidization characteristics, 81
- CST
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- CSTR
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- Deactivation
Study of the end point of photocatalytic degradation of landfill leachate containing refractory matter, 245
- Deconvolution method
Liquid phase mixing in 2-phase liquid–solid inverse fluidized bed, 213
- Dehydration
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Desorption kinetic model
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Dewaterability
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Diffusion
The kinetics of surface area reduction during isothermal sintering of hydroxyapatite adsorbent, 141
- Dissolved oxygen
Study of the end point of photocatalytic degradation of landfill leachate containing refractory matter, 245
- DMF
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Down stream processing
Effect of ultrasonication on the humic acids extracted from lignocellulose substrate decomposed by anaerobic digestion, 153
- Drinking water
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165

- Electronic packaging material
Kinetics study of thermal decomposition of electronic packaging material, 39
- Emulsion polymerization
Multimonomer emulsion copolymerization in presence of inhibitors, 183
- Environment
Effect of ultrasonication on the humic acids extracted from lignocellulose substrate decomposed by anaerobic digestion, 153
- EPS
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Equation of state
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Ethanol reforming
Bio-ethanol steam reforming on Ni/Al₂O₃ catalyst, 61
- Extinction
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Filament index
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Floc size
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Flocculating ability
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Fluid-bed calciner
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Fluidization
Influence of the bed mass on its fluidization characteristics, 81
- Fluoride
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165
- Fractal dimension
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Fuel cell
Bio-ethanol steam reforming on Ni/Al₂O₃ catalyst, 61
- Fuel gas
Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265
- Gamma alumina
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Gas phase reactions
Micro-structured reactors for gas phase reactions, 1
- Gibbsite
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- Hazardous states
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- HTU
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Humic acids
Effect of ultrasonication on the humic acids extracted from lignocellulose substrate decomposed by anaerobic digestion, 153
- Hydrogen adsorption
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Hydrogen production
Bio-ethanol steam reforming on Ni/Al₂O₃ catalyst, 61
- Hydrophobicity
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Hydroxyapatite
The kinetics of surface area reduction during isothermal sintering of hydroxyapatite adsorbent, 141
- Ignition
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Inhibition
Multimonomer emulsion copolymerization in presence of inhibitors, 183
- Input–output linearizing control
Biobjective control of emulsion polymerizations: control of the polymer composition and the concentration of monomer in the polymer particles, 69
- Inventory
Influence of the bed mass on its fluidization characteristics, 81
- Inverse fluidized bed
Liquid phase mixing in 2-phase liquid–solid inverse fluidized bed, 213
- Kinetics
Kinetics study of thermal decomposition of electronic packaging material, 39
The kinetics of surface area reduction during isothermal sintering of hydroxyapatite adsorbent, 141
- Landfill leachate
Study of the end point of photocatalytic degradation of landfill leachate containing refractory matter, 245
- Liquid–solid fluidization
Liquid phase mixing in 2-phase liquid–solid inverse fluidized bed, 213
- Mass and heat transfer
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Mathematical modeling
Multimonomer emulsion copolymerization in presence of inhibitors, 183
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Mechanism
Kinetics study of thermal decomposition of electronic packaging material, 39
- Metallic ions
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Methanol
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Micro-structured
Micro-structured reactors for gas phase reactions, 1
- Micro-fabrication
Micro-structured reactors for gas phase reactions, 1
- Minimum fluidization velocity
Influence of the bed mass on its fluidization characteristics, 81
- MMW model
Comparison of solutions for the homogeneous surface diffusion model applied to adsorption systems, 255

- Modeling**
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165
- Multimonomer system**
Multimonomer emulsion copolymerization in presence of inhibitors, 183
- Multiphase reactions**
Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219
- Navier–Stokes**
Détermination de la traînée engendrée par une sphère fluide en translation, 175
- Neural networks**
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- Ni-based catalyst**
Bio-ethanol steam reforming on Ni/Al₂O₃ catalyst, 61
- Parameter sensitivity analysis**
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- Phenol**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Photocatalysis**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
Study of the end point of photocatalytic degradation of landfill leachate containing refractory matter, 245
- Platinum–tin**
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Polymer constituents**
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Polymeric ferric sulfate**
Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265
- Polymerization processes**
Biobjective control of emulsion polymerizations: control of the polymer composition and the concentration of monomer in the polymer particles, 69
- Polypropylene**
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Polystyrene**
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Pulse chemisorption**
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Pyrolysis**
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Regeneration**
Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed, 165
- Residence time distribution**
Liquid phase mixing in 2-phase liquid–solid inverse fluidized bed, 213
- Rotary-kiln calciner**
Determination of the gibbsite dehydration reaction pathway at conditions relevant to Bayer refineries, 89
- SAFT**
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Salicylic acid**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
- SCWG**
Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105
- Sequential impregnation**
Pt–Sn/Al₂O₃ catalysts: effect of catalyst preparation and chemisorption methods on H₂ and O₂ uptake, 99
- Silica**
Kinetics study of thermal decomposition of electronic packaging material, 39
- Silver**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
- Sintering**
The kinetics of surface area reduction during isothermal sintering of hydroxyapatite adsorbent, 141
- SO₂**
Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265
- Spent activated carbon**
Apparent desorption kinetics of phenol in organic solvents from spent activated carbon saturated with phenol, 237
- Sphère fluide**
Détermination de la traînée engendrée par une sphère fluide en translation, 175
- State observer**
Biobjective control of emulsion polymerizations: control of the polymer composition and the concentration of monomer in the polymer particles, 69
An integrated strategy for early detection of hazardous states in chemical reactors, 199
- Stirred batch reactor**
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Sucrose**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
- Sulfur dioxide**
Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265
- Surface charge**
Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115
- Surface metallisation**
Silver metallisation of titania particles: effects on photoactivity for the oxidation of organics, 127
- TGA**
Pyrolysis characteristics of polystyrene and polypropylene in a stirred batch reactor, 53
- Thermal decomposition**
Kinetics study of thermal decomposition of electronic packaging material, 39
- Ultrasound**
Effect of ultrasonication on the humic acids extracted from lignocellulose substrate decomposed by anaerobic digestion, 153

Vaporization

Experimental study of heat regimes on a dry, partially or completely wetted and liquid filled catalyst particle, 219

Vapor–liquid equilibria

Phase equilibria for biomass conversion processes in subcritical and supercritical water, 105

Viscosity

Impacts of morphological, physical and chemical properties of sludge flocs on dewaterability of activated sludge, 115

WAMM model

Comparison of solutions for the homogeneous surface diffusion model applied to adsorption systems, 255

Wastewater treatment

Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265

Water treatment

Absorption of dilute SO₂ gas stream with conversion to polymeric ferric sulfate for use in water treatment, 265