

Subject Index of Volume 111

- Aggregation
Forward light scattering to characterise structure of flocs composed of large particles, 145
- Atrazine
Removal of pesticides from soil by supercritical extraction—a preliminary study, 167
- Attrition
Characterisation of an attrition scrubber for the removal of high molecular weight contaminants in sand, 71
- Batchelor model
Applications of polydisperse sedimentation models, 105
- Benzene oxidation
Deactivation of zeolite catalysts for benzene oxidation to phenol, 1
- Blood separation
Magnetic classification in health sciences and in chemical engineering, 85
- Bubble column
Effect of fiber type on gas holdup in a cocurrent air–water–fiber bubble column, 21
- By-product of magnesite production (BMP)
Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production, 45
- Catalysis
Magnetic classification in health sciences and in chemical engineering, 85
- Centrifugation
Numerical identification of parameters for a flocculated suspension from concentration measurements during batch centrifugation, 91
- Ceramic membrane
Treatment of titanium white waste acid using ceramic microfiltration membrane, 31
- Chemical reactors
Estimation of trickle-to-pulse flow regime transition and pressure drop in high-pressure trickle bed reactors with organic liquids, 5
- Clarification
Treatment of titanium white waste acid using ceramic microfiltration membrane, 31
- Clarifier–thickener units
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- Coking
Deactivation of zeolite catalysts for benzene oxidation to phenol, 1
- Compressive rheology
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Compressive yield stress
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Critical pore length
Permeability–porosity relationship from a geometrical model of shrinking and lattice Boltzmann and Monte Carlo simulations of flow in two-dimensional pore networks, 225
- Crossflow filtration
Physico-mathematical modeling of crossflow filtration, 199
- Deactivation
Deactivation of zeolite catalysts for benzene oxidation to phenol, 1
- Decoloration
Evaluation of a novel electrochemical pilot plant process for azodyes removal from textile wastewater, 63
- Degenerate diffusion
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- Degradation
Evaluation of a novel electrochemical pilot plant process for azodyes removal from textile wastewater, 63
- Design concepts
Ozone transfer and design concepts for NOM decolourization in tubular membrane contactor, 53
- Dewatering
Further development of software for the design and simulation of industrial thickeners, 135
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Discharge angle
Numerical prediction of outlet velocity patterns in solid–liquid separators, 173
- Discontinuous flux
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- Dissolved oxygen
Fuzzy control of dissolved oxygen in a sequencing batch reactor pilot plant, 13
- Drainage
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Drying front
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Efficient and robust control
Fuzzy control of dissolved oxygen in a sequencing batch reactor pilot plant, 13
- Effluent treatment
Magnetic classification in health sciences and in chemical engineering, 85
- Electrochemical treatment
Evaluation of a novel electrochemical pilot plant process for azodyes removal from textile wastewater, 63

- Evaporation
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Fiber suspension
Effect of fiber type on gas holdup in a cocurrent air–water–fiber bubble column, 21
- Film flow
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Finite-difference scheme
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- First-order kinetics
Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production, 45
- Floc
In situ measurement of fractal dimension using focussed beam reflectance measurement, 181
- Flocculated suspensions
Numerical identification of parameters for a flocculated suspension from concentration measurements during batch centrifugation, 91
- Flocculation
Forward light scattering to characterise structure of flocs composed of large particles, 145
- Flow map
Estimation of trickle-to-pulse flow regime transition and pressure drop in high-pressure trickle bed reactors with organic liquids, 5
- Fluidization
Applications of polydisperse sedimentation models, 105
- Fractal
Forward light scattering to characterise structure of flocs composed of large particles, 145
- Fuzzy logic
Fuzzy control of dissolved oxygen in a sequencing batch reactor pilot plant, 13
- Gas holdup
Effect of fiber type on gas holdup in a cocurrent air–water–fiber bubble column, 21
- Gravity effect
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Heap leaching
Flow through porous media with applications to heap leaching of copper ores, 151
- Heating rate
Thermal degradation kinetics of poly(ethylene terephthalate) from waste soft drinks bottles, 39
- Hindered settling function
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Hydrocyclone design
Numerical prediction of outlet velocity patterns in solid–liquid separators, 173
- Hydrocyclone
An investigation of the effect of the particle–fluid and particle–particle interactions on the flow within a hydrocyclone, 189
The role of wave propagation in hydrocyclone operations I: An axisymmetric streamfunction formulation for a conical hydrocyclone, 205
The role of wave propagation in hydrocyclone operations II: Wave propagation in the air–water interface of a conical hydrocyclone, 213
- Hydrodynamics
Effect of fiber type on gas holdup in a cocurrent air–water–fiber bubble column, 21
- Light scattering
Forward light scattering to characterise structure of flocs composed of large particles, 145
- Magnetic classification
Magnetic classification in health sciences and in chemical engineering, 85
- Magnetic separation
Magnetic classification in health sciences and in chemical engineering, 85
- Membrane contactor
Ozone transfer and design concepts for NOM decolourization in tubular membrane contactor, 53
- Microfiltration
Treatment of titanium white waste acid using ceramic microfiltration membrane, 31
- MLB model
Applications of polydisperse sedimentation models, 105
- Modeling
Further development of software for the design and simulation of industrial thickeners, 135
- Multiphase flow
Effect of fiber type on gas holdup in a cocurrent air–water–fiber bubble column, 21
- Nitrous oxide
Deactivation of zeolite catalysts for benzene oxidation to phenol, 1
- NOM decolourization
Ozone transfer and design concepts for NOM decolourization in tubular membrane contactor, 53
- Non-Newtonian
Physico-mathematical modeling of crossflow filtration, 199
- Numerical simulation
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
Numerical prediction of outlet velocity patterns in solid–liquid separators, 173
- Numerical technique
Numerical identification of parameters for a flocculated suspension from concentration measurements during batch centrifugation, 91
- Operating parameters
Treatment of titanium white waste acid using ceramic microfiltration membrane, 31
- Ozone
Ozone transfer and design concepts for NOM decolourization in tubular membrane contactor, 53
- Parameter identification
Numerical identification of parameters for a flocculated suspension from concentration measurements during batch centrifugation, 91
- Particle–fluid interaction
An investigation of the effect of the particle–fluid and particle–particle interactions on the flow within a hydrocyclone, 189
- Permeability–porosity relation
Permeability–porosity relationship from a geometrical model of shrinking and lattice Boltzmann and Monte Carlo simulations of flow in two-dimensional pore networks, 225
- Pesticides
Removal of pesticides from soil by supercritical extraction—a preliminary study, 167
- PET
Thermal degradation kinetics of poly(ethylene terephthalate) from waste soft drinks bottles, 39

- Phenol
Deactivation of zeolite catalysts for benzene oxidation to phenol, 1
- Phosphorus removal
Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production, 45
- Physico-mathematical modeling
Physico-mathematical modeling of crossflow filtration, 199
- Pilot plant
Evaluation of a novel electrochemical pilot plant process for azodyes removal from textile wastewater, 63
- Polydisperse suspension
Applications of polydisperse sedimentation models, 105
- Polystyrene latex
In situ measurement of fractal dimension using focussed beam reflectance measurement, 181
- Pore size and shape effect
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Pore space microstructure transitions
Permeability–porosity relationship from a geometrical model of shrinking and lattice Boltzmann and Monte Carlo simulations of flow in two-dimensional pore networks, 225
- Pore-level drying
Pore-level modeling of isothermal drying of pore networks. Effects of gravity and pore shape and size distributions on saturation and transport parameters, 237
- Pore-level flow
Permeability–porosity relationship from a geometrical model of shrinking and lattice Boltzmann and Monte Carlo simulations of flow in two-dimensional pore networks, 225
- Porous Media
Flow through porous media with applications to heap leaching of copper ores, 151
- Pressure drop
Estimation of trickle-to-pulse flow regime transition and pressure drop in high-pressure trickle bed reactors with organic liquids, 5
- Pyrolysis
Thermal degradation kinetics of poly(ethylene terephthalate) from waste soft drinks bottles, 39
- Reflectance
In situ measurement of fractal dimension using focussed beam reflectance measurement, 181
- Remediation
Characterisation of an attrition scrubber for the removal of high molecular weight contaminants in sand, 71
- Sand
Characterisation of an attrition scrubber for the removal of high molecular weight contaminants in sand, 71
- SBR pilot plant
Fuzzy control of dissolved oxygen in a sequencing batch reactor pilot plant, 13
- Scrubbing
Characterisation of an attrition scrubber for the removal of high molecular weight contaminants in sand, 71
- Shear yield stress
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Simulation
Further development of software for the design and simulation of industrial thickeners, 135
- Soil decontamination
Removal of pesticides from soil by supercritical extraction—a preliminary study, 167
- Solid matrices
Removal of pesticides from soil by supercritical extraction—a preliminary study, 167
- Solid–liquid separators
Numerical prediction of outlet velocity patterns in solid–liquid separators, 173
- Stabilized finite element
The role of wave propagation in hydrocyclone operations I: An axisymmetric streamfunction formulation for a conical hydrocyclone, 205
- Stationary solutions
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- Steady state thickener modelling
Steady state thickener modelling from the compressive yield stress and hindered settling function, 253
- Streamfunction
The role of wave propagation in hydrocyclone operations I: An axisymmetric streamfunction formulation for a conical hydrocyclone, 205
- Struvite
Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production, 45
- Supercritical extraction
Removal of pesticides from soil by supercritical extraction—a preliminary study, 167
- Tailings
Further development of software for the design and simulation of industrial thickeners, 135
- Temperature effect
Ozone transfer and design concepts for NOM decolourization in tubular membrane contactor, 53
- TGA
Thermal degradation kinetics of poly(ethylene terephthalate) from waste soft drinks bottles, 39
- Thermal degradation
Thermal degradation kinetics of poly(ethylene terephthalate) from waste soft drinks bottles, 39
- Thickening
Further development of software for the design and simulation of industrial thickeners, 135
- Time of reaction
Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production, 45
- Time-scale analysis
An investigation of the effect of the particle–fluid and particle–particle interactions on the flow within a hydrocyclone, 189
- Titanium white waste acid
Treatment of titanium white waste acid using ceramic microfiltration membrane, 31
- Trickle bed reactor
Estimation of trickle-to-pulse flow regime transition and pressure drop in high-pressure trickle bed reactors with organic liquids, 5
- Two-phase flow
Flow through porous media with applications to heap leaching of copper ores, 151
- Uniqueness
Mathematical model and numerical simulation of the dynamics of flocculated suspensions in clarifier–thickeners, 119
- Wastewater treatment plant
Fuzzy control of dissolved oxygen in a sequencing batch reactor pilot plant, 13
- Wave motion
The role of wave propagation in hydrocyclone operations II: Wave propagation in the air–water interface of a conical hydrocyclone, 213