

Subject Index of Volume 115

- Absorption**
A new efficient absorption liquid to treat exhaust air loaded with toluene, 225
- Activated carbon**
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by $ZnCl_2$ activation, 121
Surface properties of chemically modified activated carbons for adsorption rate of Cr (VI), 133
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu^{2+} from aqueous solution, 213
- Activity**
Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst, 1
- Adsorption properties**
Surface properties of chemically modified activated carbons for adsorption rate of Cr (VI), 133
- Axial distribution**
The axial distribution of holdups in an industrial-scale bubble column with evaluated pressure using γ -ray attenuation approach, 45
- Bacillus sp.**
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- Biosorption**
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- Brönsted acidity**
Wet peroxide oxidation of phenol over mixed pillared montmorillonites, 139
- Bubble column reactor**
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Catalysis**
Mathematical analysis of TAP models for porous catalysts, 51
- Catalytic hydrogenation**
Kinetics of the catalytic hydrogenation of D-fructose over a CuO-ZnO catalyst, 93
- CFD**
Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank, 85
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Chemical activation**
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by $ZnCl_2$ activation, 121
- CO₂ reduction**
Hybrid artificial neural network—First principle model formulation for the unsteady state simulation and analysis of a packed bed reactor for CO₂ hydrogenation to methanol, 113
- Comparative simulation**
Comparative study of oxidative coupling of methane modeling in various types of reactor, 63
- Competitive biosorption**
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- Conjugated linoleic acid (CLA)**
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Continuous flow**
Determination of the kinetic parameters of fast exothermal reactions using a novel microreactor-based calorimeter, 73
- Copper adsorption**
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu^{2+} from aqueous solution, 213
- Cu(II)**
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- Density**
Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst, 1
- Double bond migration**
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Drag force**
Fluidized-bed and packed-bed characteristics of gel beads, 103
- Empirical correlation**
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Esterification**
Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst, 1
- ETBE**
Purification of ethyl *tert*-butyl ether from its mixtures with ethanol by using an ionic liquid, 219
- Exothermal reaction**
Determination of the kinetic parameters of fast exothermal reactions using a novel microreactor-based calorimeter, 73
- Fischer–Tropsch**
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Fluid mechanics**
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Fluidized bed combustion**
Fragmentation on batches of coke or char particles during fluidized bed combustion, 147
- Free radicals**
Wet peroxide oxidation of phenol over mixed pillared montmorillonites, 139
- D-Fructose**
Kinetics of the catalytic hydrogenation of D-fructose over a CuO-ZnO catalyst, 93

- Fuel processing
Microfibrinous entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- Gas distributor
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Gas holdup
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Gas-liquid column
The axial distribution of holdups in an industrial-scale bubble column with evaluated pressure using γ -ray attenuation approach, 45
- Gel beads
Fluidized-bed and packed-bed characteristics of gel beads, 103
- H₂-preactivation
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- H₂S removal
Microfibrinous entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- Hazelnut shell
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu²⁺ from aqueous solution, 213
- Henry
A new efficient absorption liquid to treat exhaust air loaded with toluene, 225
- Holdup
The axial distribution of holdups in an industrial-scale bubble column with evaluated pressure using γ -ray attenuation approach, 45
- Holdup of large gas bubbles
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Holdup of small gas bubbles
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Hydrogenation
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Impeller design
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Impeller types
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Ionic liquid
Purification of ethyl *tert*-butyl ether from its mixtures with ethanol by using an ionic liquid, 219
- Isomerization
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Jet
Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank, 85
- Kinetic modeling
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Kinetics
Mathematical analysis of TAP models for porous catalysts, 51
- Langmuir isotherm
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- Liquid-fluidized bed
Fluidized-bed and packed-bed characteristics of gel beads, 103
- LLE
Purification of ethyl *tert*-butyl ether from its mixtures with ethanol by using an ionic liquid, 219
- D-Mannitol
Kinetics of the catalytic hydrogenation of D-fructose over a CuO-ZnO catalyst, 93
- Mathematical modeling
Mathematical analysis of TAP models for porous catalysts, 51
- Membrane reactor
Comparative study of oxidative coupling of methane modeling in various types of reactor, 63
- Methanol synthesis
Hybrid artificial neural network—First principle model formulation for the unsteady state simulation and analysis of a packed bed reactor for CO₂ hydrogenation to methanol, 113
- Microcalorimeter
Determination of the kinetic parameters of fast exothermal reactions using a novel microreactor-based calorimeter, 73
- Microfibrinous materials
Microfibrinous entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- Microreactor
Determination of the kinetic parameters of fast exothermal reactions using a novel microreactor-based calorimeter, 73
- Mixing
Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank, 85
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Modeling
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Neural network
Hybrid artificial neural network—First principle model formulation for the unsteady state simulation and analysis of a packed bed reactor for CO₂ hydrogenation to methanol, 113
- Ni fibers
Microfibrinous entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- Optimization
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu²⁺ from aqueous solution, 213
- Oxidative coupling of methane
Comparative study of oxidative coupling of methane modeling in various types of reactor, 63
- Packed bed
Fluidized-bed and packed-bed characteristics of gel beads, 103
- Packed bed reactor
Hybrid artificial neural network—First principle model formulation for the unsteady state simulation and analysis of a packed bed reactor for CO₂ hydrogenation to methanol, 113
- Particle fragmentation
Fragmentation on batches of coke or char particles during fluidized bed combustion, 147
- Pb(II)
Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, 203
- PEM fuel cells
Microfibrinous entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195

- Phenol hydroxylation
Wet peroxide oxidation of phenol over mixed pillared montmorillonites, 139
- Phenol removal
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by ZnCl₂ activation, 121
- Pillared clays
Wet peroxide oxidation of phenol over mixed pillared montmorillonites, 139
- Polymer-supported sulphonic acid catalyst
Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst, 1
- Preferential oxidation (PROX) of CO
Microfibrillar entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- Pressure drop
Fluidized-bed and packed-bed characteristics of gel beads, 103
- Pt-Co/Al₂O₃
Microfibrillar entrapment of small catalyst or sorbent particulates for high contacting-efficiency removal of trace contaminants including CO and H₂S from practical reformates for PEM H₂-O₂ fuel cells, 195
- γ-Ray attenuation
The axial distribution of holdups in an industrial-scale bubble column with evaluated pressure using γ-ray attenuation approach, 45
- Reaction kinetics
Determination of the kinetic parameters of fast exothermal reactions using a novel microreactor-based calorimeter, 73
- Ru/Al₂O₃ catalyst
Linoleic acid isomerization on Ru/Al₂O₃ catalyst. 2. Elementary step mechanism and data fitting, 23
- Settling velocity
Fluidized-bed and packed-bed characteristics of gel beads, 103
- Sliding mesh
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Slurry bubble column reactor
Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures, 157
- Solid oxide fuel cell
Comparative study of oxidative coupling of methane modeling in various types of reactor, 63
- Statistical modeling
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu²⁺ from aqueous solution, 213
- Stirred tanks
Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank, 85
- Stirred vessel
Effect of impeller design on the flow pattern and mixing in stirred tanks, 173
- Surface area
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by ZnCl₂ activation, 121
- Surface properties
Surface properties of chemically modified activated carbons for adsorption rate of Cr (VI), 133
- TAP reactor
Mathematical analysis of TAP models for porous catalysts, 51
- Tectona grandis* sawdust
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by ZnCl₂ activation, 121
- Temporal analysis of products
Mathematical analysis of TAP models for porous catalysts, 51
- Toluene
A new efficient absorption liquid to treat exhaust air loaded with toluene, 225
- Transient response
Mathematical analysis of TAP models for porous catalysts, 51
- Turbulence model
Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank, 85
- Ultrasound
Ultrasound-assisted preparation of activated carbon from alkaline impregnated hazelnut shell: An optimization study on removal of Cu²⁺ from aqueous solution, 213
- Viscosity
Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst, 1
A new efficient absorption liquid to treat exhaust air loaded with toluene, 225
- Voidage
Fluidized-bed and packed-bed characteristics of gel beads, 103
- Wastewater treatment
Adsorption of phenol from aqueous solutions using activated carbons prepared from *Tectona grandis* sawdust by ZnCl₂ activation, 121
- X-ray photoelectron spectroscopy
Surface properties of chemically modified activated carbons for adsorption rate of Cr (VI), 133