

Subject Index of Volume 117

- Acid dyes
Adsorption behaviors of acid and basic dyes on crosslinked amphoteric starch, 161
- Activated sludge
Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Adsorbed phase diffusion
Modeling of a gas catalytic chemical reaction, taking into account the diffusion in the adsorbed phase, 31
- Adsorbent
Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- Adsorbent characterisation
Investigations on the adsorption of acidic gases using activated dolomite, 239
- Adsorption
Combined adsorption and ion exchange equilibrium of phenol on Amberlite IRA-420, 155
Adsorption behaviors of acid and basic dyes on crosslinked amphoteric starch, 161
Investigations on the adsorption of acidic gases using activated dolomite, 239
- Agitated dispersion
Comparison of mean drop sizes and drop size distributions in agitated liquid–liquid dispersions produced by disk and open type impellers, 117
- Amphoteric starch
Adsorption behaviors of acid and basic dyes on crosslinked amphoteric starch, 161
- Analytical model
Transport study of pure and mixed gases through PDMS membrane, 51
- α -Pinene isomerization
 α -Pinene isomerization to camphene. Effect of thermal treatment on sulfated zirconia, 93
- Atomization
Development of a new technology for the production of microcapsules based in atomization processes, 137
- Axial dispersion coefficient
CFD simulation of homogeneous reactions in turbulent pipe flows—Tubular non-catalytic reactors, 23
- Axial dispersion model
Axial dispersion model for solid flow in liquid suspension in system of two mixers in total recycle, 101
- Bagasse fly ash (BFA)
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Basic dyes
Adsorption behaviors of acid and basic dyes on crosslinked amphoteric starch, 161
- Batch processes
Optimisation of solvent replacement procedures according to economic and environmental criteria, 169
- Bimetallic Pd–Ag catalysts
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Binary adsorption
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Biodegradation
Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Biosorption
Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- Breakthrough curve
Removal of Cr³⁺ in fixed bed using zeolite NaY, 253
- Bubble diameter
Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Bubble wake
Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Cadmium(II)
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Camphene
 α -Pinene isomerization to camphene. Effect of thermal treatment on sulfated zirconia, 93
- Carbon dioxide
Investigations on the adsorption of acidic gases using activated dolomite, 239
- Catalytic reaction
Modeling of a gas catalytic chemical reaction, taking into account the diffusion in the adsorbed phase, 31
- CFD
CFD simulation of homogeneous reactions in turbulent pipe flows—Tubular non-catalytic reactors, 23
- Chaos analysis
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Chemical dissolution
Investigation of dissolution kinetics of natural magnesite in gluconic acid solutions, 109
Dissolution of periclase in excess of hydrochloric acid: Study of inhibiting effect of acid concentration on the dissolution rate, 205
- Chromium
Removal of Cr³⁺ in fixed bed using zeolite NaY, 253
- Cleaning
Solvent-based cleaning of emulsion polymerization reactors, 61
- Control size
Development of a new technology for the production of microcapsules based in atomization processes, 137
- Cr(VI) removal
Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- Diffusion
A diffusional analysis for the oxidation on a plane metal–oxide interface, 143

- Disk type impeller
Comparison of mean drop sizes and drop size distributions in agitated liquid–liquid dispersions produced by disk and open type impellers, 117
- Dolomite
Investigations on the adsorption of acidic gases using activated dolomite, 239
- Downer
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Drop size distribution
Comparison of mean drop sizes and drop size distributions in agitated liquid–liquid dispersions produced by disk and open type impellers, 117
- Dynamic optimisation
Optimisation of solvent replacement procedures according to economic and environmental criteria, 169
Dynamic optimization of electrochemical reactors for the exact optimal control of consecutive electrochemical reactions, 213
- Effective pressure drop
A theoretical model for calculating pressure drop in the cone area of light dispersion hydrocyclones, 231
- Electrochemical reactor
Dynamic optimization of electrochemical reactors for the exact optimal control of consecutive electrochemical reactions, 213
- EMMS model
Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Emulsion polymerization
Solvent-based cleaning of emulsion polymerization reactors, 61
- Environment
Optimisation of solvent replacement procedures according to economic and environmental criteria, 169
- Equilibrium data
Removal of Cr^{3+} in fixed bed using zeolite NaY, 253
- Ethanol
Insight into steam reforming of ethanol to produce hydrogen for fuel cells, 39
- Ethyl lactate
Reactive residue curve maps. A new study case, 123
- Ethylene oxide
Large-scale fatty amine ethoxylation reactor: A dynamic model, 197
- Exhaust gas recirculation
Sensitivity of process efficiency to reaction routes in exhaust-gas reforming of diesel fuel, 131
- Fatty amine
Large-scale fatty amine ethoxylation reactor: A dynamic model, 197
- Flow dynamics
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Forming
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Freundlich isotherm
Investigations on the adsorption of acidic gases using activated dolomite, 239
- Fuel cells
Insight into steam reforming of ethanol to produce hydrogen for fuel cells, 39
- Fuel reforming
Sensitivity of process efficiency to reaction routes in exhaust-gas reforming of diesel fuel, 131
- Gas–liquid–solid
Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Gas–solids flow dynamics
Influence of magnetic field on the fluidization characteristics of circulating fluidized bed, 223
- Gluconic acid
Investigation of dissolution kinetics of natural magnesite in gluconic acid solutions, 109
- Heavy metal removal
Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- High flux
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Homogeneous reaction
CFD simulation of homogeneous reactions in turbulent pipe flows—Tubular non-catalytic reactors, 23
- Hydrochloric acid
Dissolution of periclase in excess of hydrochloric acid: Study of inhibiting effect of acid concentration on the dissolution rate, 205
- Hydrocyclone
A theoretical model for calculating pressure drop in the cone area of light dispersion hydrocyclones, 231
- Hydrodechlorination
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Hydrodynamics
Influence of magnetic field on the fluidization characteristics of circulating fluidized bed, 223
- Hydrogen
Insight into steam reforming of ethanol to produce hydrogen for fuel cells, 39
- Image analysis
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Inhibition
Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Internal combustion
Sensitivity of process efficiency to reaction routes in exhaust-gas reforming of diesel fuel, 131
- Ion exchange
Combined adsorption and ion exchange equilibrium of phenol on Amberlite IRA-420, 155
- Kinetics
Investigation of dissolution kinetics of natural magnesite in gluconic acid solutions, 109
- Landau transformation
A diffusional analysis for the oxidation on a plane metal–oxide interface, 143
- Langmuir
Combined adsorption and ion exchange equilibrium of phenol on Amberlite IRA-420, 155
- Liquid–liquid dispersion
Comparison of mean drop sizes and drop size distributions in agitated liquid–liquid dispersions produced by disk and open type impellers, 117
- Low Reynolds number k – ϵ model
CFD simulation of homogeneous reactions in turbulent pipe flows—Tubular non-catalytic reactors, 23
- Magnesite
Investigation of dissolution kinetics of natural magnesite in gluconic acid solutions, 109
- Magnesium oxide
Dissolution of periclase in excess of hydrochloric acid: Study of inhibiting effect of acid concentration on the dissolution rate, 205
- Magnetically assisted circulating fluidized bed
Influence of magnetic field on the fluidization characteristics of circulating fluidized bed, 223
- Mechanism
Dissolution of periclase in excess of hydrochloric acid: Study of inhibiting effect of acid concentration on the dissolution rate, 205

- Metabolic intermediates
Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Metal–oxide interface
A diffusional analysis for the oxidation on a plane metal–oxide interface, 143
- Methyl acetate
Reactive residue curve maps. A new study case, 123
- Microencapsulation
Development of a new technology for the production of microcapsules based in atomization processes, 137
- Mixed-gas permeation
Transport study of pure and mixed gases through PDMS membrane, 51
- Mixing
Axial dispersion model for solid flow in liquid suspension in system of two mixers in total recycle, 101
- Modeling
Modeling of a gas catalytic chemical reaction, taking into account the diffusion in the adsorbed phase, 31
Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Monolith catalysts
Sensitivity of process efficiency to reaction routes in exhaust-gas reforming of diesel fuel, 131
- MTBE
Reactive residue curve maps. A new study case, 123
- Multi-component isotherms
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Multi-scale
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Multi-scale method
Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Nickel(II)
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Nitrogen dioxide
Investigations on the adsorption of acidic gases using activated dolomite, 239
- On-site trial-plant
Solvent extraction process development and on-site trial-plant for phenol removal from industrial coal-gasification wastewater, 179
- Open type impeller
Comparison of mean drop sizes and drop size distributions in agitated liquid–liquid dispersions produced by disk and open type impellers, 117
- Optimal control
Dynamic optimization of electrochemical reactors for the exact optimal control of consecutive electrochemical reactions, 213
- Oxidation
A diffusional analysis for the oxidation on a plane metal–oxide interface, 143
- PDMS membrane
Transport study of pure and mixed gases through PDMS membrane, 51
- Perturbation analysis
A diffusional analysis for the oxidation on a plane metal–oxide interface, 143
- Pharmaceutical application
Optimisation of solvent replacement procedures according to economic and environmental criteria, 169
- Phenol
Combined adsorption and ion exchange equilibrium of phenol on Amberlite IRA-420, 155
Solvent extraction process development and on-site trial-plant for phenol removal from industrial coal-gasification wastewater, 179
- Two-step modeling of the biodegradation of phenol by an acclimated activated sludge, 245
- Plug flow
Large-scale fatty amine ethoxylation reactor: A dynamic model, 197
- Polyelectrolyte complexes
Development of a new technology for the production of microcapsules based in atomization processes, 137
- Polymers
Solvent-based cleaning of emulsion polymerization reactors, 61
- Pontryagin maximum principle
Dynamic optimization of electrochemical reactors for the exact optimal control of consecutive electrochemical reactions, 213
- Porosity
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Porous solid catalyst
Modeling of a gas catalytic chemical reaction, taking into account the diffusion in the adsorbed phase, 31
- Pressure drop
A theoretical model for calculating pressure drop in the cone area of light dispersion hydrocyclones, 231
- Pressure fluctuation
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Process design
Reactive residue curve maps. A new study case, 123
- Process development
Solvent extraction process development and on-site trial-plant for phenol removal from industrial coal-gasification wastewater, 179
- Rate
Dissolution of periclase in excess of hydrochloric acid: Study of inhibiting effect of acid concentration on the dissolution rate, 205
- Reaction kinetics
Large-scale fatty amine ethoxylation reactor: A dynamic model, 197
- Reactive distillation
Reactive residue curve maps. A new study case, 123
- Residence time distribution
Axial dispersion model for solid flow in liquid suspension in system of two mixers in total recycle, 101
- Residue curves
Reactive residue curve maps. A new study case, 123
- Series of reactions
Dynamic optimization of electrochemical reactors for the exact optimal control of consecutive electrochemical reactions, 213
- Simulation
Large-scale fatty amine ethoxylation reactor: A dynamic model, 197
- Simultaneous metal removal
Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, 79
- Sol–gel process
Pd–Ag/SiO₂ xerogel catalyst forming by impregnation on alumina foams, 13
- Solid–liquid flow
Axial dispersion model for solid flow in liquid suspension in system of two mixers in total recycle, 101
- Solids concentration
Multi-scale flow behavior in gas–solids two-phase flow systems, 187
- Solids distributions
Influence of magnetic field on the fluidization characteristics of circulating fluidized bed, 223
- Solvent extraction
Solvent extraction process development and on-site trial-plant for phenol removal from industrial coal-gasification wastewater, 179
- Solvent replacement
Optimisation of solvent replacement procedures according to economic and environmental criteria, 169
- Steam reforming
Insight into steam reforming of ethanol to produce hydrogen for fuel cells, 39

- Sulfated zirconia
 - α -Pinene isomerization to camphene. Effect of thermal treatment on sulfated zirconia, 93
- Swelling
 - Solvent-based cleaning of emulsion polymerization reactors, 61
- Theoretical model
 - A theoretical model for calculating pressure drop in the cone area of light dispersion hydrocyclones, 231
- Three-phase fluidization
 - Multi-scale modeling of gas–liquid–solid three-phase fluidized beds using the EMMS method, 1
- Transport phenomena
 - Transport study of pure and mixed gases through PDMS membrane, 51
- Turbulent region
 - CFD simulation of homogeneous reactions in turbulent pipe flows—Tubular non-catalytic reactors, 23
- Waste water treatment
 - Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- Wastewater
 - Combined adsorption and ion exchange equilibrium of phenol on Amberlite IRA-420, 155
- Water pollution control
 - Biosorption of Cr(VI) from aqueous solutions by *Eichhornia crassipes*, 71
- Zeolite
 - Removal of Cr³⁺ in fixed bed using zeolite NaY, 253