

Subject Index of Volume 119

Adsorption

- Cr(VI) adsorption by waste acorn of *Quercus ithaburensis* in fixed beds:
Prediction of breakthrough curves, 61
- Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175

Agitated reactors

- Hydrodynamic and transport parameter sensitivity in the simulation of non-isothermal agitated gas–liquid reactors, 27

Airlift loop reactor

- Mathematical models for macro-scale mass transfer in airlift loop reactors, 19

Axial dispersion model

- Mathematical models for macro-scale mass transfer in airlift loop reactors, 19

Azodyes

- A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127

Binary sorption

- Sorption isotherm model for binary component sorption of copper, cadmium, and lead ions using dried green macroalga, *Caulerpa lentillifera*, 135

Biosorption

- Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead *streptomyces rimosus*: Effect of temperature, 121
- Sorption isotherm model for binary component sorption of copper, cadmium, and lead ions using dried green macroalga, *Caulerpa lentillifera*, 135

BOD/COD

- Chemical oxidation with hydrogen peroxide for domestic wastewater treatment, 161

Cetyl pyridinium chloride

- Hexavalent chromium ion removal through micellar enhanced ultrafiltration, 45

Chemisorption

- Self-heating of coal: The diminishing reaction rate, 83

Chromium

- Cr(VI) adsorption by waste acorn of *Quercus ithaburensis* in fixed beds:
Prediction of breakthrough curves, 61

CO formation

- Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93

Coal

- Self-heating of coal: The diminishing reaction rate, 83

Copper particle suspension

- Electrochemical reduction of CO₂ in copper particle-suspended methanol, 107

CSTR

- Dynamic behaviour of a CSTR with reactive distillation, 113

Decoloration

- A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127

Decolorization

- Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175

Decomposition of methanol

- Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93

Degradation

- Degradation of phenol by nanomaterial TiO₂ in wastewater, 55
- A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127

Deodorization and disinfection

- Chemical oxidation with hydrogen peroxide for domestic wastewater treatment, 161

Desulphurization

- Development of an active sorbent from fly ash for dry desulphurization of simulated flue gas in a fluidized-bed reactor, 147

Diminishing reaction rate

- Self-heating of coal: The diminishing reaction rate, 83

Direct internal reforming

- Theoretical performance analysis of ethanol-fuelled solid oxide fuel cells with different electrolytes, 11

Dissipative particle dynamics simulation

- Mesoscale simulation of drug molecules distribution in the matrix of solid lipid microparticles (SLM), 99

Drug release

- Mesoscale simulation of drug molecules distribution in the matrix of solid lipid microparticles (SLM), 99

Dynamic analysis

- Dynamic behaviour of a CSTR with reactive distillation, 113

Efficiency

- Theoretical performance analysis of ethanol-fuelled solid oxide fuel cells with different electrolytes, 11

Ejector

- Studies on ejector-venturi fume scrubber, 153

Electrochemical reduction of CO₂

- Electrochemical reduction of CO₂ in copper particle-suspended methanol, 107

Electrochemical treatment

- A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127

Electrolysis

- A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127

Equilibrium constant

- Solvent extraction of La(III) and Nd(III) from nitrate solutions with 2-ethylhexylphosphonic acid mono-2-ethylhexyl ester, 167

Extraction kinetics

- Solvent extraction of La(III) and Nd(III) from nitrate solutions with 2-ethylhexylphosphonic acid mono-2-ethylhexyl ester, 167

Fixed-bed column

- Cr(VI) adsorption by waste acorn of *Quercus ithaburensis* in fixed beds:
Prediction of breakthrough curves, 61

Fluidization

- Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1

- Fluidized bed
Development of an active sorbent from fly ash for dry desulphurization of simulated flue gas in a fluidized-bed reactor, 147
- Flux
Hexavalent chromium ion removal through micellar enhanced ultrafiltration, 45
- Fly ash
Development of an active sorbent from fly ash for dry desulphurization of simulated flue gas in a fluidized-bed reactor, 147
- Fume
Studies on ejector-venturi fume scrubber, 153
- Gas–liquid reaction
Hydrodynamic and transport parameter sensitivity in the simulation of non-isothermal agitated gas–liquid reactors, 27
- Heavy metals
Sorption isotherm model for binary component sorption of copper, cadmium, and lead ions using dried green macroalga, *Caulerpa lentillifera*, 135
- Hexavalent chromium
Hexavalent chromium ion removal through micellar enhanced ultrafiltration, 45
- Hydrogen peroxide
Chemical oxidation with hydrogen peroxide for domestic wastewater treatment, 161
- Lanthanum extraction
Solvent extraction of La(III) and Nd(III) from nitrate solutions with 2-ethylhexylphosphonic acid mono-2-ethylhexyl ester, 167
- Macroalgae
Sorption isotherm model for binary component sorption of copper, cadmium, and lead ions using dried green macroalga, *Caulerpa lentillifera*, 135
- Mass transfer
Mathematical models for macro-scale mass transfer in airlift loop reactors, 19
- Mechanism
Degradation of phenol by nanomaterial TiO₂ in wastewater, 55
- MESH model
Dynamic behaviour of a CSTR with reactive distillation, 113
- Methane
Electrochemical reduction of CO₂ in copper particle-suspended methanol, 107
- Methanol
Electrochemical reduction of CO₂ in copper particle-suspended methanol, 107
- Methanol-steam reforming
Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93
- Methylene blue
Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead *streptomyces rimosus*: Effect of temperature, 121
- Micellar enhanced ultrafiltration
Hexavalent chromium ion removal through micellar enhanced ultrafiltration, 45
- Microchannel reactor
Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93
- Micron particle
Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1
- Modeling
Cr(VI) adsorption by waste acorn of *Quercus ithaburensis* in fixed beds: Prediction of breakthrough curves, 61
- Modelization
Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead *streptomyces rimosus*: Effect of temperature, 121
- MTBE
Dynamic behaviour of a CSTR with reactive distillation, 113
- Multiple steady states
Dynamic behaviour of a CSTR with reactive distillation, 113
- Nanoparticles
Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1
Synthesis and surface modification of ZnO nanoparticles, 71
- Neodymium extraction
Solvent extraction of La(III) and Nd(III) from nitrate solutions with 2-ethylhexylphosphonic acid mono-2-ethylhexyl ester, 167
- Nitrate
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Nitrite
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Oleic acid
Synthesis and surface modification of ZnO nanoparticles, 71
- Optimization
Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175
- Oxygen ion conductor
Theoretical performance analysis of ethanol-fuelled solid oxide fuel cells with different electrolytes, 11
- Pb and Zn electrodes
Electrochemical reduction of CO₂ in copper particle-suspended methanol, 107
- PC88A
Solvent extraction of La(III) and Nd(III) from nitrate solutions with 2-ethylhexylphosphonic acid mono-2-ethylhexyl ester, 167
- pH effect
Sorption isotherm model for binary component sorption of copper, cadmium, and lead ions using dried green macroalga, *Caulerpa lentillifera*, 135
- Phenol
Degradation of phenol by nanomaterial TiO₂ in wastewater, 55
- Phosphate
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Power-law model
Self-heating of coal: The diminishing reaction rate, 83
- Proton conductor
Theoretical performance analysis of ethanol-fuelled solid oxide fuel cells with different electrolytes, 11
- Quercus ithaburensis*
Cr(VI) adsorption by waste acorn of *Quercus ithaburensis* in fixed beds: Prediction of breakthrough curves, 61
- Reactive distillation
Dynamic behaviour of a CSTR with reactive distillation, 113
- Reactive dye
Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175
- Retention
Hexavalent chromium ion removal through micellar enhanced ultrafiltration, 45
- Reverse osmosis
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Safety analysis
Dynamic behaviour of a CSTR with reactive distillation, 113
- Scrubber
Studies on ejector-venturi fume scrubber, 153
- Self-heating
Self-heating of coal: The diminishing reaction rate, 83
- SiO₂
Synthesis and surface modification of ZnO nanoparticles, 71
- Solid lipid microparticles
Mesoscale simulation of drug molecules distribution in the matrix of solid lipid microparticles (SLM), 99
- Solid oxide fuel cells
Theoretical performance analysis of ethanol-fuelled solid oxide fuel cells with different electrolytes, 11

- Sorption kinetics
Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead *streptomyces rimosus*: Effect of temperature, 121
- Sound frequency
Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1
- Sound pressure level
Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1
- Sound wave configuration
Influence of sound wave characteristics on fluidization behaviors of ultrafine particles, 1
- Statistical modeling
Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175
- Steady states analysis
Dynamic behaviour of a CSTR with reactive distillation, 113
- Steady-state multiplicity
Hydrodynamic and transport parameter sensitivity in the simulation of non-isothermal agitated gas–liquid reactors, 27
- Sulfite
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Surface modification
Synthesis and surface modification of ZnO nanoparticles, 71
- Taguchi method
Application of taguchi method in the optimization of wastewater treatment using spiral-wound reverse osmosis element, 37
- Textile wastewater
A comparative study of platinised titanium and niobe/synthetic diamond as anodes in the electrochemical treatment of textile wastewater, 127
- Titanium dioxide
Degradation of phenol by nanomaterial TiO₂ in wastewater, 55
- Ultrasound
Optimization and modeling of decolorization and COD reduction of reactive dye solutions by ultrasound-assisted adsorption, 175
- Venturi
Studies on ejector-venturi fume scrubber, 153
- Wastewater
Chemical oxidation with hydrogen peroxide for domestic wastewater treatment, 161
- Water gas-shift
Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93
- ZnO
Synthesis and surface modification of ZnO nanoparticles, 71
ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst
Methanol-steam reforming over a ZnO–Cr₂O₃/CeO₂–ZrO₂/Al₂O₃ catalyst, 93