

CHEMISTRY 
A EUROPEAN JOURNAL

Supporting Information

© Copyright Wiley-VCH Verlag GmbH & Co. KGaA, 69451 Weinheim, 2008

Cephalosol, an Antimicrobial Metabolite with an Unprecedented Skeleton from Endophytic *Cephalosporium acremonium* IFB-E007

Hua Wei Zhang,^[a] Wu Yang Huang,^[a] Jing Rong Chen,^[a] Wei Zhong Yan,^[b] Dai Qian Xie,^[b] and Ren Xiang Tan^{*[a]}

[a] *Institute of Functional Biomolecules, State Key Laboratory of Pharmaceutical Biotechnology, Nanjing University, Nanjing 210093, P. R. China*

Fax: +86-25-8330 2728

E-mail: rxtan@nju.edu.cn

[b] *Institute of Theoretical and Computational Chemistry, School of Chemistry and Chemical Engineering, Nanjing University*

Nanjing 210093, P. R. China

Table of Contents

Figure S1. ^1H NMR spectrum of cephalosol at 500MHz in CDCl_3	S3
Figure S2. ^{13}C NMR spectrum of cephalosol at 125MHz in CDCl_3	S4
Figure S3. HSQC spectrum of cephalosol at 500MHz in CDCl_3	S5
Figure S4. HMBC spectrum of cephalosol at 500MHz in CDCl_3	S6
Figure S5. FT-IR spectrum of cephalosol.....	S7
Figure S6. EIMS spectrum of cephalosol.....	S8

Figure S1. ¹H NMR spectrum of cephalosol at 500MHz in CDCl₃




Figure S2. ^{13}C NMR spectrum of cephalosol at 125MHz in CDCl_3




Figure S3. HSQC spectrum of cephalosol at 500MHz in CDCl₃




Figure S4. HMBC spectrum of cephalosol at 500MHz in CDCl₃




Figure S5. FT-IR spectrum of cephalosol




Figure S6. EIMS spectrum of cephalosol

