

CHEMISTRY 
A EUROPEAN JOURNAL

Supporting Information

© Copyright Wiley-VCH Verlag GmbH & Co. KGaA, 69451 Weinheim, 2008

Heterometal Alkoxides as Precursors for Preparation of Porous Fe- and Mn-TiO₂ Photocatalysts with High Efficiencies

Xiao-Xin Zou^[a], Guo-Dong Li^[a], Ming-Yi Guo^[a], Xin-Hao Li^[a], Da-Peng Liu^[a], Juan Su^[a] and Jie-Sheng Chen^{*[a,b]}

[a] State Key Laboratory of Inorganic Synthesis and Preparative Chemistry, College of Chemistry, Jilin University, Changchun 130012, People's Republic of China

[b] School of Chemistry and Chemical Technology, Shanghai Jiao Tong University, Shanghai 200240, People's Republic of China

E-mail: chemcj@sjtu.edu.cn

Fax: (+86)-21-5474-1297




Figure S1. XRD pattern (a) for Ti(OCH₂CH₂O)₂ (TG) obtained by our method and (b) the simulated XRD pattern on the basis of the single crystal structure of TG.




Figure S2. XRD patterns for Mn-TiO₂ with different $R_{\text{Mn}/(\text{Ti}+\text{Mn})}$ obtained at 400 °C.




Figure S3. XRD patterns for 0.25% Fe-TiO₂ obtained at 350 °C and 400 °C.