


CHEMISTRY

A EUROPEAN JOURNAL



2008 Index

 WILEY-VCH

DOI: 10.1002/chem.200812345



CHEMISTRY

A EUROPEAN JOURNAL

Issue	Pagination	Print publication*	Issue	Pagination	Print publication*
1	1–404	December 28, 2007	19	5697–6008	June 27, 2008
2	405–768	January 7, 2008	20	6009–6276	July 7, 2008
3	769–1052	January 18, 2008	21	6277–6560	July 18, 2008
4	1053–1364	January 28, 2008	22	6561–6820	July 28, 2008
5	1365–1672	February 8, 2008	23	6821–7088	August 8, 2008
6	1673–1988	February 18, 2008	24	7089–7384	August 18, 2008
7	1989–2292	February 27, 2008	25	7385–7720	August 28, 2008
8	2293–2632	March 7, 2008	26	7721–8040	September 8, 2008
9	2633–2924	March 17, 2008	27	8041–8424	September 19, 2008
10	2925–3220	March 27, 2008	28	8425–8736	September 26, 2008
11	3221–3496	April 7, 2008	29	8737–9080	October 10, 2008
12	3497–3812	April 18, 2008	30	9081–9448	October 20, 2008
13	3813–4124	April 28, 2008	31	9449–9796	October 29, 2008
28	4125–4440	May 9, 2008	32	9797–10164	November 10, 2008
15	4441–4748	May 19, 2008	33	10165–10500	November 17, 2008
16	4749–5084	May 29, 2008	34	10501–10856	November 26, 2008
17	5085–5364	June 9, 2008	35	10857–11248	December 8, 2008
18	5365–5696	June 20, 2008	36	11249–11724	December 19, 2008

* All the articles were previously available in EarlyView.

AUTHOR INDEX

The entry for correspondence authors includes the complete information regarding the article. For the co-authors, the type of article and the page numbers are listed.

(C) = Concept (F) = Full Paper (L) = Correspondence (M) = Minireview (R) = Review (S) = Communication



- Aamer, K. A. (F) 3904–3907
- Abad, A. (F) 212–222
- Abad-Somovilla, A. (F) 10683–10704
- Abakumov, G. A. (F) 10085–10093
- Abboud, J.-L. M. Corrigendum: 417
- Abboud, K. A. (F) 1452–1463
- Abd-El-Aziz, A. S. (F) 8341–8352
- Abdel-Hadi, M. (F) 2443–2452
- Abe, H. (F) 829–837
- Abell, A. D.
- Improved Photocontrol of α -Chymotrypsin Activity: Peptidomimetic Tri-fluoromethylketone Photoswitch Enzyme Inhibitors (F) 7358–7365
DOI: 10.1002/chem.200800082
- Åberg, J. B. (F) 9169–9174
- Abliz, Z. (S) 10211–10218
- Abo-Riziq, A. G. (F) 4886–4898
- Abrahams, B. F. (F) 2805–2810
- Abrahamsson, C.-O. (F) 3954–3960
- Abu-Much, R.
- Sonochemical Synthesis under a Magnetic Field: Fabrication of Nickel and Cobalt Particles and Variation of Their Physical Properties (F) 10115–10122
DOI: 10.1002/chem.200801469
- Adamo, C. (F) 11385–11405
- Addis, D. (S) 9491–9494
- Addy, D. A. (S) 7525–7529
- Agasti, S. S. (F) 143–150
- Agosta, E. (F) 4647–4656
- Agouridas, E. (F) 11092–11112
- Aguirre, A. (S) 5401–5404
- Ahles, S. (S) 11310–11313
- Ahrlrichs, R.
- DFT Modeling of Silver Disorder and Mobility in the Semiconductor Cluster $[\text{Ag}_{28}\text{S}_{26}(\text{P}(\text{O})\text{PhOMe})_{12}(\text{PPh}_3)_{12}]$ (F) 319–324
DOI: 10.1002/chem.200701119
 - Theoretical Investigation of Clusters of Phosphorus and Arsenic: Fascination and Temptation of High Symmetries (F) 4039–4045
DOI: 10.1002/chem.200701927
- Aillaud, I. (F) 2189–2200
- Aime, S. (F) 4551–4561
- Airiau, E. (F) 10938–10948
- Ajayaghosh, A.
- Self-Assembly of Oligo(*para*-phenylene-vinylene)s through Arene–Perfluoroarene Interactions: π Gels with Longitudi-
- nally Controlled Fiber Growth and Supramolecular Exciplex-Mediated Enhanced Emission (F) 9577–9584
DOI: 10.1002/chem.200801255
- Ajellal, N. (F) 5440–5448
- Akasaka, T. (F) 2709–2718
- Åkermark, B. (S) 7500–7503
- Akita, T. (S) 8456–8460
- Akiyama, M. (F) 8892–8897
- Akó, A. M. (F) 3577–3584
- Akutagawa, T.
- Homochiral Laminar Europium Metal–Organic Framework with Unprecedented Giant Dielectric Anisotropy (F) 3452–3456
DOI: 10.1002/chem.200701449
- Akutagawa, T. (F) 8169–8176
- Al Abbas, A. (F) 1452–1463
- Alam, S. (F) 11529–11538
- Alavi, S.
- Simulations of *p*-*tert*-Butylcalix[4]arene with Multiple Occupancies of Small Guest Molecules (F) 1965–1971
DOI: 10.1002/chem.200701339
- Albéniz, A. C.
- Stannylated Polynorbornenes as New Reagents for a Clean Stille Reaction (F) 10141–10148
DOI: 10.1002/chem.200800558
- Albéniz, A. C. (F) 3323–3329
- Albericio, F.
- Protection by Conformationally Restricted Mobility: First Solid-Phase Synthesis of Triostin A (S) 4475–4478
DOI: 10.1002/chem.200800372
- Alberti, M. N. (F) 9697–9705
- Albinati, A. (F) 5617–5629
- Albini, A.
- Modeling the Photochemistry of the Reference Phototoxic Drug Lomefloxacin by Steady-State and Time-Resolved Experiments, and DFT and Post-HF Calculations (F) 653–663
DOI: 10.1002/chem.200701099
 - Revealing Phenylum, Phenonium, Vinylenphenonium, and Benzenium Ions in Solution (F) 1029–1039
DOI: 10.1002/chem.200701043
- Albinsson, B.
- Temperature Dependence of Electronic Coupling through Oligo-*p*-phenylene-ethynylene Bridges (F) 2819–2826
DOI: 10.1002/chem.200701477
- Albrecht-Gary, A.-M. (F) 6742–6753
- Alcaide, B.
- Chemodivergence in Alkene/Allene Cycloetherification of Enallenols: Iron versus Noble Metal Catalysis (S) 7756–7759
DOI: 10.1002/chem.200801166
 - New Regiocontrolled Synthesis of Functionalized Pyrroles from 2-Azetidinone-Tethered Allenols (F) 637–643
DOI: 10.1002/chem.200700788
- Alcaraz, C. (S) 4779–4783
- Aldridge, S.
- AND/NOT Sensing of Fluoride and Cyanide Ions by Ferrocene-Derivatized Lewis Acids (S) 7525–7529
DOI: 10.1002/chem.200801381
 - Synthesis and Characterization of Amidinate–Iron(I) Complexes: Analogies with β -Diketiminato Chemistry (S) 8477–8480
DOI: 10.1002/chem.200801071
- Alemáb, J. (F) 10958–10966
- Alemán, C.
- A Rigid, Chiral, Dendronized Polymer with a Thermally Stable, Right-Handed Helical Conformation (F) 6924–6934
DOI: 10.1002/chem.200800325
- Aleshchenkov, S. (S) 9846–9850
- Alesi, S. (F) 513–521
- Alexakis, A.
- Diversity-Oriented Synthesis towards Conceptually New Highly Modular Aminal–Pyrrolidine Organocatalysts (S) 7504–7507
DOI: 10.1002/chem.200801212
 - High Diversity on Simple Substrates: 1,4-Dihalo-2-butenes and Other Difunctionalized Allylic Halides for Copper-Catalyzed $\text{S}_{\text{N}}2'$ Reactions (F) 10615–10627
DOI: 10.1002/chem.200801309
- Alexander, N. (F) 7358–7365
- Alfonso, I.
- Designed Folding of Pseudopeptides: The Transformation of a Configurationally Driven Preorganization into a Stereoselective Multicomponent Macrocyclization Reaction (F) 8879–8891
DOI: 10.1002/chem.200800726
- Alhamadsheh, M. M. (F) 570–581
- Ali, M. M. (F) 7250–7258
- Alibés, R. (F) 9754–9763
- Alix, A. (F) 6713–6721
- Alkorta, I. (F) 1342–1350, 8555–8561
- Allard, M. M. (F) 9665–9674
- Allemann, R. K.
- Solvent Effects on Environmentally Coupled Hydrogen Tunnelling During

- Catalysis by Dihydrofolate Reductase from *Thermotoga maritima* (F) 10782–10788
DOI: 10.1002/chem.200801804
- Almeida Paz, F. A. (F) 2340–2348
- Almendros, P.
– Chemodivergence in Alkene/Allene Cycloetherification of Enallenols: Iron versus Noble Metal Catalysis (S) 7756–7759
DOI: 10.1002/chem.200801166
– New Regiocontrolled Synthesis of Functionalized Pyrroles from 2-Azetidinone-Tethered Allenols (F) 637–643
DOI: 10.1002/chem.200700788
- Alonso, J. (F) 325–332
- Alonso, J. M. (F) 9038–9045
- Alonso-Gómez, J. L. (S) 10564–10568
- Alphonse, F.-A. (F) 886–894
- Altmannshofer, S. (F) 8013–8024
- Altobello, S. (F) 1107–1116
- Aluri, B. R. (F) 4328–4335
- Álvarez, E. (S) 9856–9859
- Alvarez, S.
– Polyhedral Structures with an Odd Number of Vertices: Nine-Coordinate Metal Compounds (F) 1291–1303
DOI: 10.1002/chem.200701137
- Alvaro, M. (F) 5030–5038
- Aly, S. M. (F) 8341–8352
- Amadei, G. (F) 3418–3426
- Amatore, C.
– Is there an Intrinsic Limit to the Size of 2D Supracrystals Built from Weakly Interacting Nanoparticles? (F) 8615–8623
DOI: 10.1002/chem.200801074
– Reactivity and Antiproliferative Activity of Ferrocenyl-Tamoxifen Adducts with Cyclodextrins against Hormone-Independent Breast-Cancer Cell Lines (F) 8195–8203
DOI: 10.1002/chem.200800507
– Theoretical Trends of Diffusion and Reaction into Tubular Nano- and Mesoporous Structures: General Physicochemical and Physicomathematical Modeling (F) 5449–5464
DOI: 10.1002/chem.200701635
- Amemiya, F. (F) 10382–10387
- Amendola, V. (F) 9683–9696
- Amorín, M. (F) 2100–2111
- Amorós, P.
– A Mesoporous 3D Hybrid Material with Dual Functionality for Hg²⁺ Detection and Adsorption (F) 8267–8278
DOI: 10.1002/chem.200800632
- Amrein, W. (F) 1628–1637
- Amsharov, K. Yu. (F) 9585–9590
- An, L. (F) 522–528
- An, M. J. (F) 2075–2083
- An, Y. (S) 9131–9134
- an der Heiden, M. R. (F) 2857–2866
- Ananias, D. (F) 8157–8168
- Ananikov, V. P.
– Remarkable Ligand Effect in Ni- and Pd-Catalyzed Bisthiolation and Bisseleation of Terminal Alkynes: Solving the Problem of Stereoselective Dialkyldi-chalcogenide Addition to the C≡C Bond (F) 2420–2434
DOI: 10.1002/chem.200701278
- Anastasi, C. (F) 2375–2388
- Anderson, D. R. (F) 7536–7544
- Anderson, J. C. (F) 10683–10704
- Anderson, K. M. (F) 7296–7305
- André, J. P. (F) 3026–3034
- Andrés, J. (F) 596–602
- Andrés, J. M. (S) 5116–5119
- Andreu, J. M. (F) 7557–7569
- Andrews, L.
– Reactions of Uranium Atoms with Ammonia: Infrared Spectra and Quasi-Relativistic Calculations of the U:NH₃, H₂N–UH, and HN=UH₂ Complexes (F) 9192–9201
DOI: 10.1002/chem.200800875
- Andrysiak, A. (F) 10675–10682
- Angiolini, L.
– Supramolecular Chirality and Reversible Chiroptical Switching in New Chiral Liquid-Crystal Azopolymers (F) 11209–11221
DOI: 10.1002/chem.200801246
- Angulo, G. (F) 6213–6221
- Anilkumar, G. (F) 7687–7698
- Anquetin, G. (F) 1592–1600
- Ansyn, E. V.
– A Pattern Recognition Based Fluorescence Quenching Assay for the Detection and Identification of Nitrated Explosive Analytes (F) 1822–1827
DOI: 10.1002/chem.200701546
- Anson, C. E. (F) 3577–3584
- Antczak, C. (F) 4293–4306
- Antipin, M. Yu. (F) 2420–2434
- Antoine, R. (F) 7351–7357
- Antonietti, M. (F) 2025–2033, 8177–8182
- Antonius, W. (F) 7822–7827
- Antus, S. (F) 4913–4923
- Anwander, R.
– Elusive Trimethylanthanum: Snapshots of Extensive Methyl Group Degradation in La–Al Heterobimetallic Complexes (F) 9555–9564
DOI: 10.1002/chem.200801174
– Half-Sandwich Bis(tetramethylaluminate) Complexes of the Rare-Earth Metals: Synthesis, Structural Chemistry, and Performance in Isoprene Polymerization (F) 7266–7277
DOI: 10.1002/chem.200800492
- Anzahae, M. Y. (F) 6352–6368
- Anzenbacher Jr., P.
– Harnessing a Ratiometric Fluorescence Output from a Sensor Array (F) 8540–8546
DOI: 10.1002/chem.200800775
- Aoki, F. (F) 664–673, 3371–3379
- Aoki, H. (F) 3977–3986
- Aoyagi, S. (F) 6994–6999
- Appelhans, D.
– The Influence of Densely Organized Maltose Shells on the Biological Properties of Poly(propylene imine) Dendrimers: New Effects Dependent on Hydrogen Bonding (F) 7030–7041
DOI: 10.1002/chem.200800342
- Aprahamian, I. (F) 3889–3895
- Aprile, C. (F) 5030–5038
- Arai, M.
– Synthesis of Nanocrystalline MFI-Zeolites with Intracrystal Mesopores and Their Application in Fine Chemical Synthesis Involving Large Molecules (S) 9507–9511
DOI: 10.1002/chem.200801113
- Arai, T.
– A Library of Chiral Imidazoline–Aminophenol Ligands: Discovery of an Efficient Reaction Sphere (F) 2052–2059
DOI: 10.1002/chem.200701439
– Organic–Inorganic Hybrid Polymer-Encapsulated Magnetic Nanobead Catalysts (F) 882–885
DOI: 10.1002/chem.200701371
- Araki, K. (F) 2709–2718
- Araki, Y. (F) 2827–2841, 3776–3784
- Aranzaes, J. R. (F) 50–64, 5577–5587
- Arata, H. F. (F) 1891–1896
- Aratani, N. (F) 582–595, 8279–8289
- Aravinda, S. (F) 6192–6204
- Ardisson, J.
– Total Synthesis of Discodermolide: Optimization of the Effective Synthetic Route (F) 11092–11112
DOI: 10.1002/chem.200801478
- Arduini, A.
– Self-Assembly of a Double Calix[6]arene Pseudorotaxane in Oriented Channels (F) 98–106
DOI: 10.1002/chem.200700748
- Ariafard, A.
– A Molecular Orbital Rationalization of Ligand Effects in N₂ Activation (F) 6119–6124
DOI: 10.1002/chem.200800235
- Aridomi, T. (S) 7752–7755
- Ariga, K. (F) 3200–3212, 11529–11538
- Arimoto, S. (F) 10348–10356
- Arion, V. B. (F) 9046–9057
- Armélin, M. (F) 5229–5236
- Armstrong, D. R. (F) 8025–8034
- Arnal-Hérault, C. (F) 1776–1783
- Arnaut, L. G.
– Understanding Chemical Reactivity: The Case for Atom, Proton and Methyl Transfers (C) 6578–6587
DOI: 10.1002/chem.200701986
- Arndt, H.-D.
– Synthesis and Conformational Analysis of Stevastelin C3 Analogues and Their Activity Against the Dual-Specific Vacuina H1-Related Phosphatase (F) 8847–8860
DOI: 10.1002/chem.200800692
- Arndt, M. (S) 8082–8085
- Arnold, P. L.
– Functionalized Saturated-Backbone Carbene Ligands: Yttrium and Uranyl Alkoxo–Carbene Complexes and Bicyclic Carbene–Alcohol Adducts (F) 10415–10422
DOI: 10.1002/chem.200801321
- Aromí, G.
– A Novel Ni₄ Complex Exhibiting Microsecond Quantum Tunneling of the Mag-

- netization
(F) 11158–11166
DOI: 10.1002/chem.200801450
- Aronica, C. (F) 9540–9548
- Aroulanda, C. (F) 4082–4092
- Arrio, M.-A. (F) 7530–7535
- Arteaga, O. (F) 6438–6443
- Asanoi, Y. (F) 1492–1498
- Asensio, G.
– Water Compatible Gold(III)-Catalysed Synthesis of Unsymmetrical Ethers from Alcohols
(F) 1518–1523
DOI: 10.1002/chem.200701134
- Asensio, J. L. (F) 2435–2442
- Ashby, J. (F) 8213–8219
- Astakhova, I. V. (F) 9968–9980, 11010–11026
- Astruc, D.
– “Click” Dendrimers: Synthesis, Redox Sensing of Pd(OAc)₂, and Remarkable Catalytic Hydrogenation Activity of Precise Pd Nanoparticles Stabilized by 1,2,3-Triazole-Containing Dendrimers
(F) 50–64
DOI: 10.1002/chem.200701410
- Four Generations of Water-Soluble Dendrimers with 9 to 243 Benzoate Tethers: Synthesis and Dendritic Effects on Their Ion Pairing with Acetylcholine, Benzyltriethylammonium, and Dopamine in Water
(F) 5577–5587
DOI: 10.1002/chem.200701607
- Athans, A. J. (F) 4594–4599
- Atienza, C. (F) 6379–6390
- Atilla-Gokcumen, G. E. (F) 4816–4822
- Atobe, M.
– A Novel Electrosynthetic System for Anodic Substitution Reactions by Using Parallel Laminar Flow in a Microflow Reactor
(F) 10382–10387
DOI: 10.1002/chem.200801511
- Atsumi, N. (F) 8500–8506
- Atwood, J. L. (F) 3931–3938
- Aubert, C. (F) 1482–1491
- Audebrand, N. (F) 11328–11342
- Auer, G. (F) 11512–11528
- Augugliaro, V.
– Oxidation of Aromatic Alcohols in Irradiated Aqueous Suspensions of Commercial and Home-Prepared Rutile TiO₂: A Selectivity Study
(F) 4640–4646
DOI: 10.1002/chem.200702044
- Aukauloo, A.
– Proton-Mediated Redox Control in a Nickel(II)–Bisimidazolate Complex: Spectroscopic Characterisation and Density Functional Analysis
(F) 4307–4317
DOI: 10.1002/chem.200701662
- Auner, N.
– Direct Formation of Element Chlorides from the Corresponding Element Oxides through Microwave-Assisted Carbohydrochlorination Reactions
(F) 3694–3702
DOI: 10.1002/chem.200701670
- Austeri, M. (S) 5737–5741
- Ávalos, M. (F) 5656–5669
- Avenoza, A. (F) 7042–7058
- Avi, M. (F) 11415–11422
- Aviñó, A. (F) 7828–7835
- Aviv, I. (F) 3995–4005
- Avola, S. (F) 2443–2452
- Awaga, K.
– Molecular, Crystal, and Thin-Film Structures of Octathio[8]circulene: Release of Antiaromatic Molecular Distortion and Lamellar Structure of Self-Assembling Thin Films
(S) 6053–6056
DOI: 10.1002/chem.200800519
- Awang, K. (F) 11376–11384
- Ay, S. (F) 11539–11556
- Ayats, C. (F) 10683–10704
- Ayers, P. W. (F) 8652–8660
- Azerraf, C. (F) 10364–10368
- Aznar, F.
– Diastereoselective Synthesis of Three-, Five-, Six-, and Seven-Membered Rings from Fischer Carbene Complexes and 4-Unsubstituted 1-Amino-1,3-Dienes
(F) 325–332
DOI: 10.1002/chem.200701109
- Aznar, F. (S) 4792–4795, 7508–7512



- Baba, C. (F) 5047–5056
- Baba, H. (F) 4256–4262
- Babiano, R. (F) 5656–5669
- Babu, S. S. (F) 9577–9584
- Babu, V. V. S. (F) 10462–10471
- Baca, M. (F) 6142–6148
- Bach, T.
– Concise Total Synthesis of the Thiazolyl Peptide Antibiotic GE2270 A
(F) 2322–2339
DOI: 10.1002/chem.200701823
- Bäcker, T. (F) 4657–4666
- Bäcktorp, C.
– Mechanisms of Air Oxidation of Ethoxylated Surfactants—Computational Estimations of Energies and Reaction Behaviors
(F) 9549–9554
DOI: 10.1002/chem.200800545
- Bäckvall, J.-E.
– Investigation of a Possible Solvent Cage Effect in the Reduction of 4-Aminocyclohexanone by a Hydroxycyclopentadienyl Ruthenium Hydride
(F) 9169–9174
DOI: 10.1002/chem.200801195
- Mechanism of the Palladium-Catalyzed Carbohydroxylation of Allene-Substituted Conjugated Dienes: Rationalization of the Recently Observed Nucleophilic Attack by Water on a (π -Allyl)palladium Intermediate
(F) 9175–9180
DOI: 10.1002/chem.200801294
- Synthesis of New Hybrid Hydroquinone/Cobalt Schiff Base Catalysts: Efficient Electron-Transfer Mediators in Aerobic Oxidation
(S) 7500–7503
DOI: 10.1002/chem.200800657
- Bacquet, G. (F) 4836–4850
- Bacsa, J. (F) 4521–4532, 7699–7715
- Badet, B. (F) 4551–4561
- Badía, C. (F) 2435–2442
- Badía, D.
– Organocatalytic Enantioselective Synthesis of Highly Functionalized Polysubstituted Pyrrolidines
(F) 9357–9367
DOI: 10.1002/chem.200800788
- Baerns, S. (F) 11194–11208
- Baffert, C. (F) 3013–3025
- Baffreau, J. (F) 4974–4992
- Bagno, A.
– Computational NMR Spectroscopy of Organoarsenicals and the Natural Polyarsenic Compound Arsenicin A
(F) 10445–10452
DOI: 10.1002/chem.200801272
- Bai, J. (F) 282–295
- Bai, M. (S) 5751–5754
- Baiker, A.
– Enantioselective Decarboxylation of β -Keto Esters with Pd/Amino Alcohol Systems: Successive Metal Catalysis and Organocatalysis
(F) 2699–2708
DOI: 10.1002/chem.200701652
- Bailey, D. M. (F) 6069–6077
- Bakac, A.
– Oxidative Homolysis of a Nitrosylchromium Complex
(F) 4906–4912
DOI: 10.1002/chem.200701750
- Bakardjiev, M. (F) 6529–6533
- Balaram, P.
– Designed Peptides with Homochiral and Heterochiral Diproline Templates as Conformational Constraints
(F) 6192–6204
DOI: 10.1002/chem.200702029
- Balasubramanian, V. V. (F) 3200–3212, 11529–11538
- Balbinot, D. (F) 3137–3145
- Baldino, S. (F) 9148–9160
- Balland, V.
– Oriented Immobilization of a Fully Active Monolayer of Histidine-Tagged Recombinant Laccase on Modified Gold Electrodes
(F) 7186–7192
DOI: 10.1002/chem.200800368
- Balland, V. (F) 9286–9291
- Ballard, T. E. (F) 10745–10761
- Ballav, N. (F) 4346–4360
- Ballester, P.
– A Combined Experimental and Theoretical Study of the Molecular Inclusion of Organometallic Sandwich Complexes in a Cavitand Receptor
(F) 7285–7295
DOI: 10.1002/chem.200800628
- Energy Migration in a Self-Assembled Nonameric Porphyrinic Molecular Box
(F) 4214–4224
DOI: 10.1002/chem.200800026
- Ballico, M. (F) 2557–2563, 5588–5595, 9148–9160

- Baluschev, S.
– Towards the IR Limit of the Triplet–Triplet Annihilation-Supported Up-Conversion: Tetraanthraporphyrin (S) 9846–9850
DOI: 10.1002/chem.200801305
- Balzani, V.
– Processing Energy and Signals by Molecular and Supramolecular Systems (C) 26–39
DOI: 10.1002/chem.200701397
- Balzani, V. (F) 8365–8373, 10357–10363, 10772–10781
- Bando, T. (F) 864–870
- Banfield, M. J. (F) 5820–5828
- Banse, F.
– Preparation and Characterization of a Microcrystalline Non-Heme Fe^{III}(OOH) Complex Powder: EPR Reinvestigation of Fe^{III}(OOH) Complexes—Improvement of the Perturbation Equations for the *g* Tensor of Low-Spin Fe^{III} (F) 3182–3188
DOI: 10.1002/chem.200701592
- Bänteli, R. (F) 10683–10704
- Banwell, M. G. (F) 7236–7249
- Bao, X.
– Textural Manipulation of Mesoporous Materials for Hosting of Metallic Nanocatalysts (C) 7478–7488
DOI: 10.1002/chem.200800823
- Baranov, E. V. (F) 10085–10093
- Baratta, W.
– New Benzo[*h*]quinoline-Based Ligands and their Pincer Ru and Os Complexes for Efficient Catalytic Transfer Hydrogenation of Carbonyl Compounds (F) 9148–9160
DOI: 10.1002/chem.200800888
- Osmium Pyme Complexes for Fast Hydrogenation and Asymmetric Transfer Hydrogenation of Ketones (F) 2557–2563
DOI: 10.1002/chem.200701719
- Role of the NH₂ Functionality and Solvent in Terdentate CNN Alkoxide Ruthenium Complexes for the Fast Transfer Hydrogenation of Ketones in 2-Propanol (F) 5588–5595
DOI: 10.1002/chem.200701870
- Barbarella, G.
– Water-Soluble, Electroactive, and Photoluminescent Quaterthiophene–Dinucleotide Conjugates (F) 513–521
DOI: 10.1002/chem.200700950
- Barbasiewicz, M.
– Is the Hoveyda–Grubbs Complex a Vinylogous Fischer-Type Carbene? Aromaticity-Controlled Activity of Ruthenium Metathesis Catalysts (F) 9330–9337
DOI: 10.1002/chem.200800704
- Barbe, J.-M.
– Face-to-Face Pacman-Type Porphyrin–Fullerene Dyads: Design, Synthesis, Charge-Transfer Interactions, and Photophysical Studies (F) 674–681
DOI: 10.1002/chem.200700936
- Barberá, J. (F) 11209–11221
- Barbieri, A. (F) 9389–9399
- Barbion, J. (F) 2842–2849, 11092–11112
- Barboiu, M.
– Ion-Conduction Pathways in Self-Organised Ureidoarene–Heteropolysiloxane Hybrid Membranes (F) 1776–1783
DOI: 10.1002/chem.200700943
- Bardají, G. G. (F) 9754–9763
- Barea, E.
– Polymorphic Coordination Networks Responsive to CO₂, Moisture, and Thermal Stimuli: Porous Cobalt(II) and Zinc(II) Fluoropyrimidinolates (F) 9890–9901
DOI: 10.1002/chem.200801048
- Barilone, N. (F) 8521–8529
- Barlow, S. (F) 11082–11091
- Barluenga, J.
– C–H Insertion Processes on Stabilized Indolyl and *ortho*-Aminophenyl Fischer Carbene Complexes: Synthesis of Azepino[3,2,1-*hi*] indole, Benzazepine and Indole Derivatives (S) 7508–7512
DOI: 10.1002/chem.200801132
- Mononuclear Biscarbene Complexes by Direct Nucleophile Addition to a CO Ligand of Fischer Arylcarbene Complexes (S) 5401–5404
DOI: 10.1002/chem.200800452
- Pd-Catalyzed Cross-Coupling Reactions with Carbonyls: Application in a Very Efficient Synthesis of 4-Aryltetrahydropyridines (S) 4792–4795
DOI: 10.1002/chem.200800390
- Synthesis of Furoquinolines by a One-Pot Multicomponent Cascade Reaction Catalyzed by Platinum Complexes (S) 10892–10895
DOI: 10.1002/chem.200802146
- Tandem Intramolecular Hydroalkoxylation–Hydroarylation Reactions: Synthesis of Enantiopure Benzofused Cyclic Ethers from the Chiral Pool (S) 4153–4156
DOI: 10.1002/chem.200800312
- Barman, S. (F) 6646–6655
- Barnard, P. J. (F) 5890–5907
- Barnhill, H. (F) 4939–4947
- Baroncini, M. (F) 8365–8373
- Barra, A.-L.
– Structure, Magnetic Properties, Polarized Neutron Diffraction, and Theoretical Study of a Copper(II) Cubane (F) 9540–9548
DOI: 10.1002/chem.200800557
- Barra, A.-L. (F) 1169–1177
- Barrault, J. (S) 10196–10200
- Barré, E. (S) 6606–6608
- Barrett, A. G. M.
– Bis(trimethylsilyl)methyl Derivatives of Calcium, Strontium and Barium: Potentially Useful Dialkyls of the Heavy Alkaline Earth Elements (S) 11292–11295
DOI: 10.1002/chem.200801957
- Barrett, S. A. (F) 223–233
- Barrière, F. (F) 11328–11342
- Barros, N. (F) 1881–1890, 2093–2099, 5507–5518
- Barroso, M. I. (F) 5198–5206 Corrigendum: 5709
- Barry, R. (F) 9951–9959
- Bartik, K.
– Aromatic–Carbohydrate Interactions: An NMR and Computational Study of Model Systems (F) 7570–7578
DOI: 10.1002/chem.200800247
- Bartlett, P. N.
– Covalent Tethering of Organic Functionality to the Surface of Glassy Carbon Electrodes by Using Electrochemical and Solid-Phase Synthesis Methodologies (F) 2548–2556
DOI: 10.1002/chem.200701559
- Bartoli, G. (S) 4788–4791
- Bartoschek, S. (S) 7517–7520
- Bartoszewicz, A. (S) 10547–10550
- Basit, H. (F) 6534–6545
- Basset, J.-M. (S) 3523–3526, (F) 9030–9037
- Batabyal, S. K. (F) 8822–8829
- Bats, J. W. (F) 2590–2601, 3703–3708, 6672–6678
- Batsanov, A. S. (F) 933–943, 2757–2770
- Battistini, E. (F) 4551–4561
- Bauch, S. (F) 4657–4666
- Baudendistel, N. (S) 6609–6613
- Baudouin, A. (S) 3523–3526
- Bauer, M. C. (F) 7836–7846
- Bauer, R. C. (F) 2499–2506
- Bauer, S. (F) 4511–4520
- Bauer, W. (F) 7913–7929
- Baumann, W. (F) 1445–1451, (S) 4469–4471
- Baumeister, U. (F) 6352–6368
- Baumgartner, T.
– Phosphorus-Based Heteropentacenes: Efficiently Tunable Materials for Organic *n*-Type Semiconductors (F) 9878–9889
DOI: 10.1002/chem.200801549
- Baumstark, D. (F) 6640–6645
- Baya, M. (F) 9921–9934
- Bayó-Puxan, N. (S) 4475–4478
- Baytekin, B. (F) 10012–10028
- Bazzicalupi, C. (F) 184–196
- Bean, J. F. (F) 2658–2667
- Beaume, A. (F) 1238–1252
- Becherer, T. (F) 169–183
- Becker, H. C.
– Single-Step Electron Transfer on the Nanometer Scale: Ultra-Fast Charge Shift in Strongly Coupled Zinc Porphyrin–Gold Porphyrin Dyads (F) 3467–3480
DOI: 10.1002/chem.200701335
- Beckmann, E. (F) 10683–10704
- Beckmann, M. (C) 9468–9480
- Bédard, M. (F) 8690–8695
- Bednar, J. (F) 3680–3686
- Bednarek, E. (F) 2788–2794
- Bednarova, L. (F) 3680–3686
- Beer, P. D.
– Cooperative AND Ion-Pair Recognition by Heteroditopic Calix[4]diquinone Receptors

- (F) 2248–2263
DOI: 10.1002/chem.200701347
- Beese, L. S. (F) 2125–2132
- Begum, G. (F) 6421–6427
- Behrens, M. (F) 5021–5029
- Beijer, B. (F) 8116–8130
- Bejan, I. (S) 7119–7122
- Belasco, L. G. (F) 6406–6412
- Beletskaya, I. P.
– Remarkable Ligand Effect in Ni- and Pd-Catalyzed Bisthiolation and Bissele-
nation of Terminal Alkynes: Solving the
Problem of Stereoselective Dialkyldi-
chalcogenide Addition to the C≡C Bond
(F) 2420–2434
DOI: 10.1002/chem.200701278
- Belkova, N. V. (F) 9921–9934
- Bell, H. P. (F) 2527–2535
- Bell, S. G. (S) 10905–10908
- Bellemin-Laponnaz, S.
– Exploiting Threefold Symmetry in
Asymmetric Catalysis: The Case of
Tris(oxazoliny)ethanes (“Trisox”)
(C) 4142–4152
DOI: 10.1002/chem.200701990
- Beller, M.
– A General and Environmentally Benign
Catalytic Reduction of Nitriles to Pri-
mary Amines
(S) 9491–9494
DOI: 10.1002/chem.200801600
- A General Synthesis of Diarylketones by
Means of a Three-Component Cross-
Coupling of Aryl and Heteroaryl Brom-
ides, Carbon Monoxide, and Boronic
acids
(F) 3645–3652
DOI: 10.1002/chem.200800001
- Biomimetic Iron-Catalyzed Asymmetric
Epoxidation of Aromatic Alkenes by
Using Hydrogen Peroxide
(F) 7687–7698
DOI: 10.1002/chem.200800595
- Controlling Iron-Catalyzed Oxidation
Reactions: From Non-Selective Radical
to Selective Non-Radical Reactions
(S) 8793–8797
DOI: 10.1002/chem.200801432
- Development of Palladium–Carbene
Catalysts for Telomerization and Dimer-
ization of 1,3-Dienes: From Basic
Research to Industrial Applications
(C) 7408–7420
DOI: 10.1002/chem.200800858
- Belov, V. N.
– Photostable, Amino Reactive and Water-
Soluble Fluorescent Labels Based on
Sulfonated Rhodamine with a Rigidized
Xanthene Fragment
(F) 1784–1792
DOI: 10.1002/chem.200701058
- Ben-David, Y. (F) 8183–8194
- Benavente, R. (F) 10141–10148
- Bencini, A. (F) 184–196
- Bendikov, M.
– Rubrenes: Planar and Twisted
(F) 10639–10647
DOI: 10.1002/chem.200800802
- Study of Hopping Transport in Long
Oligothiophenes and Oligoseleno-
phenes: Dependence of Reorganization
Energy on Chain Length
(F) 6734–6741
DOI: 10.1002/chem.200701182
- Benhamou, L. (F) 6742–6753
- Beni, A. (F) 1804–1813
- Benincori, T. (F) 459–471
- Benkő, Z. (F) 902–908
- Benniston, A. C. (F) 1710–1717
- Bensa, D. (F) 3078–3092
- Bensch, W.
– Tuning the Magnetic Properties of Li₂Cr-
Ti_{0.25}Se₂ (0.03 ≤ x ≤ 0.7) by Directed De-
intercalation of Lithium
(F) 5021–5029
DOI: 10.1002/chem.200701471
- Benvegnu, T.
– Folate-Equipped Pegylated Archaeal
Lipid Derivatives: Synthesis and Trans-
fection Properties
(F) 8330–8340
DOI: 10.1002/chem.200800950
- Bergamini, G. (F) 10357–10363
- Berger, I. (F) 9046–9057
- Berger, R. F. (F) 3908–3930, 6627–6639
- Berger, R. J. F. (F) 11027–11038
- Bergman, R. G.
– Mechanistic Investigations of the Acid-
Catalyzed Cyclization of a Vinyl *ortho*-
Quinone Methide
(S) 5405–5408
DOI: 10.1002/chem.200800662
- Bergwerf, J. A. (F) 2363–2374
- Bermejo, M. R.
– Metal-Catalysed Oxidation Processes in
Thiosemicarbazones: New Complexes
with the Ligand *N*-{2-([4-*N*-Ethylthiose-
micarbazone]methyl)phenyl}-*p*-toluene-
sulfonamide
(F) 500–512
DOI: 10.1002/chem.200700867
- Bernardi, Alessandro (F) 1924–1934
- Bernardi, Anna
– Interfering with the Sugar Code: Design
and Synthesis of Oligosaccharide Mimics
(C) 7434–7441
DOI: 10.1002/chem.200800597
- Bernardinelli, G. (F) 4585–4593
- Berners-Price, S. J.
– Effects of Geometric Isomerism and
Anions on the Kinetics and Mechanism
of the Stepwise Formation of Long-
Range DNA Interstrand Cross-Links by
Dinuclear Platinum Antitumor Com-
plexes
(F) 6391–6405
DOI: 10.1002/chem.200800408
- Bernhardt, S. (F) 6108–6118
- Bernot, K. (F) 2034–2043
- Bernstein, J.
– Polymorphism and Structural Mecha-
nism of the Phase Transformation of
Phenyl Carbamate (PC)
(F) 197–203
DOI: 10.1002/chem.200700463
- Berthelot, M. (F) 10656–10669
- Berthoud, R. (S) 3523–3526
- Bertrán, J. (F) 596–602
- Bertrand, G. (F) 4711–4718
- Bertrand, J.-R. (S) 9135–9138
- Besenius, P. (F) 9006–9019
- Besora, M. (F) 9921–9934
- Besseau, F. (F) 10656–10669
- Beton, P. H.
– Functionalized Supramolecular Nanopo-
rous Arrays for Surface Templating
(F) 7600–7607
DOI: 10.1002/chem.200800476
- Betzer, J.-F.
– Total Synthesis of Discodermolide: Op-
timization of the Effective Synthetic
Route
(F) 11092–11112
DOI: 10.1002/chem.200801478
- Beyeh, K. (F) 5220–5228
- Beyermann, M. (F) 1621–1627
- Bezzu, C. G. (F) 4810–4815
- Bhabak, K. P. (F) 8640–8651
- Bharadwaj, P. K.
– Attachment of Different Donor Groups
to a Cryptand for Modulation of Two-
Photon Absorption Cross-Section
(F) 10628–10638
DOI: 10.1002/chem.200801396
- Bhattacharya, S.
– Two-Component Hydrogels Comprising
Fatty Acids and Amines: Structure,
Properties, and Application as a Tem-
plate for the Synthesis of Metal Nano-
particles
(F) 6534–6545
DOI: 10.1002/chem.200800374
- Bhatthacharjee, A. (F) 3745–3758
- Bian, J.
– Isomeric Effect on Microscale Self-As-
sembly: Interplay between Molecular
Property and Solvent Polarity in the
Formation of 1D *n*-Type Microbelts
(S) 7760–7764
DOI: 10.1002/chem.200800396
- Bian, Y. (F) 4667–4674 Corrigendum: 6288
- Bianchi, A.
– DNA Binding by a New Metallointerca-
lator that Contains a Proflavine Group
Bearing a Hanging Chelating Unit
(F) 184–196
DOI: 10.1002/chem.200601855
- Bianco, A. (F) 3874–3882
- Biaso, F. (F) 7180–7185
- Biba, F. (F) 9046–9057
- Bickelhaupt, F. M.
– Hypervalent Silicon versus Carbon: Ball-
in-a-Box Model
(F) 819–828
DOI: 10.1002/chem.200701252
- Hypervalent versus Nonhypervalent
Carbon in Noble-Gas Complexes
(F) 6901–6911
DOI: 10.1002/chem.200800013
- Bieniek, M. (F) 806–818
- Biernat, A. (F) 6135–6141
- Bigmore, H. R. (F) 5918–5934
- Bihlmeier, A. (F) 4631–4639
- Bill, E. (F) 7608–7622, 8486–8499,
10839–10851
- Bircher, R. (F) 5144–5158
- Bisek, N. (F) 8847–8860
- Bishop, H. L. (F) 7808–7812
- Bishop, L. M. (S) 5405–5408
- Bisio, C. (S) 8098–8101
- Biswas, G. (F) 9161–9168
- Bittig, H. (F) 4511–4520
- Biver, T. (F) 184–196
- Blackman, A. G. (F) 11573–11583
- Blacque, O. (F) 7969–7977

- Blair, V. L. (F) 65–72
- Blake, A. J. (F) 2564–2576
- Blake, I. M. (F) 10967–10977
- Blanc, F. (F) 9030–9037
- Blanchard, J.
- Confinement in Nanopores at the Oxide/Water Interface: Modification of Alumina Adsorption Properties (F) 6142–6148
DOI: 10.1002/chem.200800032
- Blanchard, P.
- Structural Control of the Horizontal Double Fixation of Oligothiophenes on Gold (F) 6237–6246
DOI: 10.1002/chem.200800133
- Blanchard-Desce, M.
- Synthesis, Fluorescence, and Two-Photon Absorption of Bidentate Phosphane Oxide Derivatives: Complexation with Pb²⁺ and Cd²⁺ Cations (F) 5941–5950
DOI: 10.1002/chem.200800084
- Blart, E. (F) 3467–3480
- Blaskovich, M. A. (F) 1392–1401
- Blay, G.
- New Highly Asymmetric Henry Reaction Catalyzed by Cu^{II} and a C₁-Symmetric Aminopyridine Ligand, and Its Application to the Synthesis of Miconazole (F) 4725–4730
DOI: 10.1002/chem.200800069
- Blažej, S. (F) 6108–6118, 11113–11122
- Blériot, Y.
- Stereochemical Assignment and First Synthesis of the Core of Miharamycin Antibiotics (F) 10066–10073
DOI: 10.1002/chem.200801826
- Blom, R. (F) 2389–2397
- Blomberg, M. R. A. (F) 2264–2276
- Blume, A. (F) 6796–6804
- Bo, C.
- A Combined Experimental and Theoretical Study of the Molecular Inclusion of Organometallic Sandwich Complexes in a Cavitand Receptor (F) 7285–7295
DOI: 10.1002/chem.200800628
- Bo, C. (F) 1843–1853
- Board, A. (F) 2564–2576
- Boatz, J. A. (F) 11167–11173
- Boccaleri, E. (S) 8098–8101
- Bocian, W.
- Binding of Topotecan to a Nicked DNA Oligomer in Solution (F) 2788–2794
DOI: 10.1002/chem.200700732
- Bocian, W. (F) 6087–6097
- Bock, H. R. (F) 11557–11564
- Bodwell, G. J. (F) 240–249
- Boettcher, C. (F) 3311–3315
- Boev, N. V. (F) 9065–9073
- Bogdan, A. (F) 8514–8520
- Böge, N. (F) 11194–11208
- Bögge, H. (F) 1186–1195
- Boggioni, A. (F) 184–196
- Boglio, C. (F) 1532–1540
- Böhlmann, W. (F) 8980–8985
- Böhme, U. (F) 3164–3176
- Böhmer, V.
- Molecules with New Topologies Derived from Hydrogen-Bonded Dimers of Tetraurea Calix[4]arenes (F) 8514–8520
DOI: 10.1002/chem.200801268
 - Stepwise Synthesis and Selective Dimerisation of Bis- and Trisloop Tetra-urea Calix[4]arenes (F) 3346–3354
DOI: 10.1002/chem.200701694
- Boiocchi, M. (F) 3630–3636, 9683–9696
- Boisselier, E. (F) 5577–5587
- Boissière, C. (F) 7658–7669
- Boixel, J. (F) 3467–3480
- Bojdys, M. J. (F) 8177–8182
- Bolbach, G. (F) 10999–11009
- Boldron, C. (F) 682–696
- Bollermann, T. (F) 10789–10796
- Bolliger, J. L. (F) 7969–7977
- Bolm, C.
- Highly Chemo- and Enantioselective Hydrogenation of Linear α,β -Unsaturated Ketones (S) 7513–7516
DOI: 10.1002/chem.200801096
 - Iron-Catalyzed *N*-Arylations of Amides (S) 3527–3529
DOI: 10.1002/chem.200800293
 - Synthesis of Diarylamines Catalyzed by Iron Salts (S) 10919–10922
DOI: 10.1002/chem.200802018
- Boltalina, O. V.
- Synthesis, Spectroscopic and Electrochemical Characterization, and DFT Study of Seventeen C₇₀(CF₃)_{*n*} Derivatives (*n* = 2, 4, 6, 8, 10, 12) (F) 107–121
DOI: 10.1002/chem.200700970
- Bolte, M.
- Molecules with New Topologies Derived from Hydrogen-Bonded Dimers of Tetraurea Calix[4]arenes (F) 8514–8520
DOI: 10.1002/chem.200801268
- Bolte, M. (F) 2590–2601, 6754–6770, 8879–8891
- Bolz, I. (F) 9338–9346
- Bonacchi, S. (F) 184–196
- Bonaccorsi, C. (F) 847–856
- Bonazzi, S. (F) 10579–10584
- Bonduelle, C. (F) 5304–5312
- Boned, R. (F) 5039–5046
- Bonneau, C. (F) 10007–10011
- Bonner, M. (F) 714–720
- Bonnet, D.
- Solid-Phase Organic Tagging Resins for Labeling Biomolecules by 1,3-Dipolar Cycloaddition: Application to the Synthesis of a Fluorescent Non-Peptidic Vasopressin Receptor Ligand (F) 6247–6254
DOI: 10.1002/chem.200800273
- Bonrath, W. (F) 6805–6814
- Bontemps, S. (F) 731–740
- Boons, G.-J.
- Innate Immune Responses of Synthetic Lipid A Derivatives of *Neisseria meningitidis* (F) 558–569
DOI: 10.1002/chem.200701165
- Borchert, A. (F) 7066–7071
- Borel, A.
- Towards the Rational Design of MRI Contrast Agents: Electron Spin Relaxation Is Largely Unaffected by the Coordination Geometry of Gadolinium(III)–DOTA-Type Complexes (F) 2658–2667
DOI: 10.1002/chem.200701747
- Börje, A. (F) 9549–9554
- Borkovec, M. (F) 2994–3005
- Börner, A. (F) 1445–1451
- Börner, H. G.
- Tailor-Made Poly(amidoamine)s for Controlled Complexation and Condensation of DNA (F) 2025–2033
DOI: 10.1002/chem.200701223
- Borowski, T.
- Reaction Mechanism of Apocarotenoid Oxygenase (ACO): A DFT Study (F) 2264–2276
DOI: 10.1002/chem.200701344
- Borrelli, C. (F) 9516–9529
- Borrmann, H. (F) 5414–5422
- Borshch, S. A. (F) 697–705, 3189–3199
- Bosco, M. (F) 9530–9539
- Bose, S. K. (F) 9058–9064
- Bossi, M. (F) 1784–1792
- Bothe, E. (F) 7608–7622
- Botta, B.
- Modelling Amphetamine/Receptor Interactions: A Gas-Phase Study of Complexes Formed between Amphetamine and Some Chiral Amido[4]resorcinarenes (F) 3585–3595
DOI: 10.1002/chem.200701565
- Botta, M. (F) 3585–3595
- Böttcher, C. (F) 11442–11451
- Botuha, C. (S) 8784–8788
- Boudalis, A. K.
- A Family of Enneanuclear Iron(II) Single-Molecule Magnets (F) 2514–2526
DOI: 10.1002/chem.200701487
- Boudier, L. (F) 6247–6254
- Bouhadir, G. (F) 731–740
- Bouquin, N. (S) 5732–5736
- Bourin, A. (F) 11092–11112
- Bourissou, D.
- Ambiphilic Diphosphine–Borane Ligands: MetalBorane Interactions within Isoelectronic Complexes of Rhodium, Platinum and Palladium (F) 731–740
DOI: 10.1002/chem.200701027
 - Monomer versus Alcohol Activation in the 4-Dimethylaminopyridine-Catalyzed Ring-Opening Polymerization of Lactide and Lactic *O*-Carboxylic Anhydride (F) 5304–5312
DOI: 10.1002/chem.200800346
- Bournaud, C. (S) 7504–7507
- Boussard-Pledel, C. (C) 432–442
- Bousseksou, A. (F) 697–705
- Bouwman, E. (F) 11158–11166
- Bouziane, A. (F) 5630–5637
- Bowden, N. B.
- A Materials Approach to Site-Isolation of Grubbs Catalysts from Incompatible Solvents and *m*-Chloroperoxybenzoic

- Acid
(F) 6780–6788
DOI: 10.1002/chem.200800094
- Bowles, D. J.
– Discovery of New Biocatalysts for the Glycosylation of Terpenoid Scaffolds (F) 6656–6662
DOI: 10.1002/chem.200800548
- Boyarskiy, V. P. (F) 1784–1792
- Boyd, D. R.
– Toluene Dioxygenase-Catalyzed Synthesis of *cis*-Dihydrodiol Metabolites from 2-Substituted Naphthalene Substrates: Assignments of Absolute Configurations and Conformations from Circular Dichroism and Optical Rotation Measurements (F) 11500–11511
DOI: 10.1002/chem.200801686
- Boyer, A. (F) 10683–10704
- Brabec, V.
– Interaction of Dinuclear Ruthenium(II) Supramolecular Cylinders with DNA: Sequence-Specific Binding, Unwinding, and Photocleavage (F) 10408–10414
DOI: 10.1002/chem.200801364
- Unique Properties of DNA Interstrand Cross-Links of Antitumor Oxaliplatin and the Effect of Chirality of the Carrier Ligand (F) 1330–1341
DOI: 10.1002/chem.200701352
- Brade, H. (F) 10251–10258
- Brade, L. (F) 10251–10258
- Bradshaw, D. (F) 4521–4532
- Braga, D.
– Three Polymorphic Forms of the Co-Crystal 4,4'-Bipyridine/Pimelic Acid and their Structural, Thermal, and Spectroscopic Characterization (F) 10149–10159
DOI: 10.1002/chem.200801051
- Bramnik, K. G. (F) 11141–11148
- Brancolini, G. (F) 513–521
- Brand, S. (S) 6866–6869
- Brandel, J. (F) 3680–3686
- Brandes, S. (F) 1464–1471
- Brasca, M. G. (F) 10683–10704
- Bräse, S.
– Co-Metal-Free Enantioselective Conjugate Addition Reactions of Zinc Reagents (F) 11539–11556
DOI: 10.1002/chem.200801676
- Modular Syntheses of Diversonol-Type Tetrahydroxanthone Mycotoxins: Blennolide C (epi-Hemirugulotrosin A) and Analogues (S) 8086–8089
DOI: 10.1002/chem.200801507
- Braun, C. (F) 7892–7902
- Braunschweig, H.
– [2]Borometalocenophanes of Group 4 Metals: Synthesis and Structure (F) 8972–8979
DOI: 10.1002/chem.200800964
- T-Shaped Platinum Boryl Complexes: Synthesis and Structure (F) 7858–7866
DOI: 10.1002/chem.200800879
- Braunstein, P.
– Grafting and Thermal Stripping of Organo-Bimetallic Clusters on Au Surfaces: Toward Controlled Co/Ru Aggregates (F) 2355–2362
DOI: 10.1002/chem.200701500
- Brayshaw, S. K. (F) 1004–1022, 8383–8397
- Brechin, E. K.
– Ground Spin State Changes and 3D Networks of Exchange Coupled [Mn^{III}]₃ Single-Molecule Magnets (S) 9117–9121
DOI: 10.1002/chem.200801266
- Brédas, J.-L.
– Electronic and Vibronic Contributions to Two-Photon Absorption in Donor–Acceptor–Donor Squaraine Chromophores (F) 11082–11091
DOI: 10.1002/chem.200801055
- Breher, F.
– Syntheses, Reactivity and DFT Studies of Group 2 and Group 12 Metal Complexes of Tris(pyrazolyl)methanides Featuring “Free” Pyramidal Carbanions (F) 5918–5934
DOI: 10.1002/chem.200800181
- Breit, B.
– Supramolecular Bidentate Ligands by Metal-Directed in situ Formation of Antiparallel β -Sheet Structures and Application in Asymmetric Catalysis (F) 4488–4502
DOI: 10.1002/chem.200800359
- Brendler, E. (F) 3164–3176, (S) 11300–11304
- Brennfürher, A. (F) 3645–3652
- Bresner, C. (S) 7525–7529
- Briand, B. (F) 1621–1627
- Briand, J.-P. (F) 3874–3882
- Brice, A. (F) 10683–10704
- Bridges, N. J. (S) 11314–11319
- Brigaud, T.
– Fluorine \cdots and $\pi \cdots$ Alkali Metal Interactions Control in the Stereoselective Amide Enolate Alkylation with Fluorinated Oxazolidines (Fox) as a Chiral Auxiliary: An Experimental and Theoretical Study (F) 3363–3370
DOI: 10.1002/chem.200701604
- Briñas, R. P. (F) 4823–4835
- Bringmann, G.
– Joziknipholones A and B: The First Dimeric Phenylanthraquinones, from the Roots of *Bulbine frutescens* (F) 1420–1429
DOI: 10.1002/chem.200701328
- Synthesis, Resolution, and Absolute Configuration of Difunctionalized Tröger's Base Derivatives (F) 4246–4255
DOI: 10.1002/chem.200701960
- Xylogranatins F–R: Antifeedants from the Chinese Mangrove, *Xylocarpus granatum*, A New Biogenetic Pathway to Tetranortriterpenoids (F) 1129–1144
DOI: 10.1002/chem.200700663
- Britt, R. D. (F) 1402–1414
- Brodbeck, R. (F) 1155–1163
- Brook, M. A. (F) 10074–10084
- Brookes, N. J. (F) 6119–6124
- Broomsgrove, A. E. J. (S) 7525–7529
- Bröring, M.
– Bis(BF₂)-2,2'-Bidipyrrins (BisBODIPYs): Highly Fluorescent BODIPY Dimers with Large Stokes Shifts (F) 2976–2983
DOI: 10.1002/chem.200701912
- Iron Chelates of 2,2'-Bidipyrrin: Stable Analogues of the Labile Iron Bilins (F) 4006–4016
DOI: 10.1002/chem.200701919
- Brotherhood, P. R. (F) 10967–10977
- Broughton, H. B. (F) 10683–10704
- Brouwer, A. M.
– Infrared Study of Intercomponent Interactions in a Switchable Hydrogen-Bonded Rotaxane (F) 1935–1946
DOI: 10.1002/chem.200701531
- Brown, M. D. (F) 2615–2624
- Brown, P. H. (F) 6406–6412
- Browne, W. R. (F) 3146–3153
- Broyer, M. (F) 7351–7357
- Bru, M. (F) 8879–8891
- Brücher, O. (F) 8861–8868
- Brückner, A. (F) 7687–7698
- Brückner, C.
– Schiff Base Macrocycles Containing Pyrroles and Pyrazoles (F) 4823–4835
DOI: 10.1002/chem.200701769
- Bruhn, C. (F) 4346–4360
- Bruhn, T. (F) 1129–1144, 4246–4255
- Brühwiler, D.
– Dye-Modified Nanochannel Materials for Photoelectronic and Optical Devices (C) 7442–7449
DOI: 10.1002/chem.200800811
- Brujinincx, P. C. A. (F) 1228–1237, 5567–5576
- Brun, R. (F) 1420–1429
- Bruneau, C. (F) 5630–5637
- Brunklaus, G. (F) 282–295
- Brusilowskij, B. (F) 10012–10028
- Brusson, J.-M. (S) 8772–8775
- Brutschy, B. (F) 7030–7041
- Bryce, M. R.
– Cationic Bis-cyclometallated Iridium(III) Phenanthroline Complexes with Pendant Fluorenyl Substituents: Synthesis, Redox, Photophysical Properties and Light-Emitting Cells (F) 933–943
DOI: 10.1002/chem.200700308
- Combining High Electron Affinity and Intramolecular Charge Transfer in 1,3-Dithiole–Nitrofluorene Push–Pull Diads (F) 2757–2770
DOI: 10.1002/chem.200701459
- Contrasting Photodynamics between C₆₀–Dithiapyrene and C₆₀–Pyrene Dyads (F) 250–258
DOI: 10.1002/chem.200700837
- Bryzewska, M. (F) 7030–7041
- Bu, X. (S) 7771–7773
- Bu, X.-H.
– Partial Substitution of Hydroxyl by Azide: An Unprecedented 2D Azido–

- Copper–Hydroxyl Compound with a $[\text{Cu}_{24}]$ Macrocycle in the Presence of $[\text{Cu}(\text{H}_2\text{O})_6]^{2+}$ (S) 7127–7130
DOI: 10.1002/chem.200800068
- Selective Gas Adsorption and Unique Structural Topology of a Highly Stable Guest-Free Zeolite-Type MOF Material with N-rich Chiral Open Channels (F) 2771–2776
DOI: 10.1002/chem.200701447
- Bucher, J. P.
– Grafting and Thermal Stripping of Organo-Bimetallic Clusters on Au Surfaces: Toward Controlled Co/Ru Aggregates (F) 2355–2362
DOI: 10.1002/chem.200701500
- Buchet, F. F. (F) 2375–2388
- Buchholz, A. (F) 1571–1583
- Buděšínský, M. (F) 7836–7846
- Bueno, C. J. (S) 11284–11287
- Bühler, J. (F) 6490–6497
- Bula, W. P. (F) 136–142
- Bultinck, P.
– Correlation of Delocalization Indices and Current-Density Maps in Polycyclic Aromatic Hydrocarbons (F) 3093–3099
DOI: 10.1002/chem.200701534
- Buma, W. J. (F) 1935–1946
- Bundle, D. R.
– A Novel Linker Methodology for the Synthesis of Tailored Conjugate Vaccines Composed of Complex Carbohydrate Antigens and Specific T_H -Cell Peptide Epitopes (F) 5908–5917
DOI: 10.1002/chem.200800065
- Synthesis and Immunochemical characterization of S-linked Glycoconjugate Vaccines against *Candida albicans* (F) 6474–6482
DOI: 10.1002/chem.200800352
- Bunge, A. (S) 6849–6851
- Buniyamin, I. (F) 11376–11384
- Buntkowsky, G.
– A Novel Green Template for the Synthesis of Mesoporous Silica (F) 3311–3315
DOI: 10.1002/chem.200701806
- Bunya, M. (F) 5001–5020
- Bunz, U. H. F.
– Hydroxycruciforms: Amine-Responsive Fluorophores (F) 4503–4510
DOI: 10.1002/chem.200800296
- Bünzli, J.-C. G.
– A Versatile Ditopic Ligand System for Sensitizing the Luminescence of Bimetallic Lanthanide Bio-Imaging Probes (F) 1726–1739
DOI: 10.1002/chem.200701357
- Bünzli, J.-C. G. (F) 2994–3005
- Bureau, B. (C) 432–442
- Burello, E. (F) 2857–2866
- Burghaus, O. (F) 4006–4016
- Burguete, M. I. (F) 8879–8891
- Buriez, O.
– Reactivity and Antiproliferative Activity of Ferrocenyl–Tamoxifen Adducts with Cyclodextrins against Hormone-Independent Breast-Cancer Cell Lines (F) 8195–8203
DOI: 10.1002/chem.200800507
- Burke, B. J. (F) 10683–10704
- Burkhardt, U. (F) 5414–5422
- Burschka, C. (F) 4618–4630
- Burton, J. W.
– Synthesis of (+)-Obtusenyne (F) 2867–2885
DOI: 10.1002/chem.200701567
- Burzuri, E. (F) 11158–11166
- Busby, M. (F) 6912–6923
- Büsch, F. (F) 2125–2132
- Buschmann, I. (F) 3026–3034
- Busqué, F.
– Catechol Derivatives as Fluorescent Chemosensors for Wide-Range pH Detection (F) 9754–9763
DOI: 10.1002/chem.200800722
- Busseron, E. (S) 4784–4787
- Busto, J. H. (F) 7042–7058
- Butler, P. (S) 7521–7524
- Butschke, B. (F) 11050–11060
- Butts, C. P.
– BINOL-3,3'-Triflone *N,N*-Dimethyl Phosphoramidites: Through-Space ^{19}F , ^{31}P Spin–Spin Coupling with a Remarkable Dependency on Temperature and Solvent Internal Pressure (F) 7808–7812
DOI: 10.1002/chem.200800825
- Buurmans, I. L. C. (F) 1228–1237
- Cabrera, S. (F) 10958–10966
- Cadenbach, T. (F) 10789–10796
- Cadierno, V.
– Selective Ruthenium-Catalyzed Hydration of Nitriles to Amides in Pure Aqueous Medium Under Neutral Conditions (S) 6601–6605
DOI: 10.1002/chem.200800847
- Cador, O. (F) 2034–2043
- Cadot, E.
– Selective Inclusion of Cu^+ and Ag^+ Electron-Rich Metallic Cations within Supramolecular Polyoxometalates Based on $\{\text{AsW}_9\text{O}_{33}\}\{\text{Mo}_3\text{S}_4\}$ Combinations (F) 3457–3466
DOI: 10.1002/chem.200701152
- Caeiro, J. (F) 741–746
- Cafeo, G. (F) 11593–11600
- Caggiano, L. (S) 8798–8802
- Cai, F. (F) 1648–1653
- Cairns-Smith, A. G.
– Chemistry and the Missing Era of Evolution (C) 3830–3839
DOI: 10.1002/chem.200701215
- Calà, M. (F) 3709–3720
- Caltagirone, C. (F) 10236–10243
- Calzaferri, G.
– Dye-Modified Nanochannel Materials for Photoelectronic and Optical Devices (C) 7442–7449
DOI: 10.1002/chem.200800811
- Camaioni, N. (F) 513–521
- Camarasa, M.-J. (F) 9620–9632
- Camerano, J. A. (F) 1897–1905
- Caminade, A.-M.
– Dendrimers and DNA: Combinations of Two Special Topologies for Nanomaterials and Biology (C) 7422–7432
DOI: 10.1002/chem.200800584
- Optical Properties of Hybrid Dendritic–Mesoporous Titania Nanocomposite Films (F) 7658–7669
DOI: 10.1002/chem.200800606
- Tailored Control and Optimisation of the Number of Phosphonic Acid Termini on Phosphorus-Containing Dendrimers for the Ex-Vivo Activation of Human Monocytes (F) 4836–4850
DOI: 10.1002/chem.200701063
- Cammass-Marion, S. (F) 8330–8340
- Campagna, S.
– Luminescent Excited-State Intramolecular Proton-Transfer (ESIPT) Dyes Based on 4-Alkyne-Functionalized [2,2'-Bipyridine]-3,3'-diol Dyes (F) 4381–4392
DOI: 10.1002/chem.200701803
- Campbell, V. E. (S) 7140–7143
- Campelo, J. M. (F) 5988–5995
- Cañada, F. J. (F) 7570–7578
- Canal, I. (F) 2277–2285
- Canales, A. (F) 7557–7569
- Candy, J.-P. (S) 3523–3526
- Canillas, A.
– On the Mechano-Chiral Effect of Vortical Flows on the Dichroic Spectra of 5-Phenyl-10,15,20-tris(4-sulfonatophenyl)-porphyrin J-Aggregates (F) 6438–6443
DOI: 10.1002/chem.200800307
- Cano, J. Corrigendum: 1377
- Cao, H. (F) 11623–11633
- Cao, K. (S) 10201–10205
- Cao, L. (F) 3637–3644, 9633–9640
- Cao, Yi (F) 3442–3451
- Cao, Yong
– Gold Supported on Nanocrystalline β - Ga_2O_3 as a Versatile Bifunctional Catalyst for Facile Oxidative Transformation of Alcohols, Aldehydes, and Acetals into Esters (S) 7131–7135
DOI: 10.1002/chem.200800982
- Cao, Yudong (F) 3346–3354
- Cao, Z. (F) 1769–1775
- Capaccio, M. (F) 459–471
- Capobianco, M. L. (F) 513–521
- Capon, J.-F. (F) 1954–1964
- Caporuscio, F. (F) 3585–3595
- Caputi, L. (F) 6656–6662
- Capuzzi, M. (F) 128–135
- Caraballo, R. (F) 1776–1783
- Caradonna, J. P.
– Heterolytic Cleavage of Peroxide by a Diferrous Compound Generates Metal-



- Based Intermediates Identical to Those Observed with Reactions Utilizing Oxygen-Atom-Donor Molecules (F) 8303–8311
DOI: 10.1002/chem.200800283
- Caravan, P. (F) 7250–7258
- Carbó, J. J.
– Construction of Titanasiloxanes by Incorporation of Silanols to the Metal Oxide Model [$\text{Ti}(\eta^5\text{-C}_5\text{Me}_5)(\mu\text{-O})_3(\mu_3\text{-CR})$]: DFT Elucidation of the Reaction Mechanism (F) 7930–7938
DOI: 10.1002/chem.200800630
- Carbó, J. J. (F) 1843–1853
- Carbonell, E. (F) 7670–7679
- Carbonera, C. (F) 11158–11166
- Carboni, B. (F) 5630–5637
- Carboni, D. (F) 7059–7065
- Carda, M.
– Aldol Reactions between L-Erythrulose Derivatives and Chiral α -Amino and α -Fluoro Aldehydes: Competition between Felkin–Anh and Cornforth Transition States (F) 9240–9254
DOI: 10.1002/chem.200800956
- Cárdenas, D. J.
– Palladium-Catalysed [3 + 2] Cycloaddition of Alk-5-ynylidene cyclopropanes to Alkynes: A Mechanistic DFT Study (F) 272–281
DOI: 10.1002/chem.200700973
- Carell, T.
– Dissecting the Differences between the α and β Anomers of the Oxidative DNA Lesion FaPydG (F) 2125–2132
DOI: 10.1002/chem.200701373
- Carella, A. (F) 8147–8156
- Carlomagno, T.
– Specific Methyl Group Protonation for the Measurement of Pharmacophore-Specific Interligand NOE Interactions (S) 7517–7520
DOI: 10.1002/chem.200800880
- Carlone, A. (S) 4788–4791
- Carlos, L. D. (F) 8157–8168
- Carlson, C. N. (C) 422–431
- Carmichael, C. D. (F) 10415–10422
- Carmichael, I. (F) 3939–3953
- Carmoy, N. (F) 8330–8340
- Carniato, F. (S) 8098–8101
- Caronna, T. (F) 4640–4646
- Carpentier, J.-F.
– Bis(guanidinate) Alkoxide Complexes of Lanthanides: Synthesis, Structures and Use in Immortal and Stereoselective Ring-Opening Polymerization of Cyclic Esters (F) 5440–5448
DOI: 10.1002/chem.200800288
- Ultraproductive, Zinc-Mediated, Immortal Ring-Opening Polymerization of Trimethylene Carbonate (S) 8772–8775
DOI: 10.1002/chem.200801416
- Carrascosa, R. (F) 637–643
- Carreaux, F.
– Ruthenium-Catalyzed Synthesis of Allylic Alcohols: Boronic Acid as a Hydroxide Source (F) 5630–5637
DOI: 10.1002/chem.200702030
- Carreira, E. M.
– Synthesis and In Vitro Biological Properties of Novel Cationic Derivatives of Amphotericin B (F) 2465–2481
DOI: 10.1002/chem.200701237
- Carreño, M. C.
– Synthesis of 4-Aminotropones from [(Sulfinyl or Sulfonyl)methyl]-Substituted *p*-Quinamines (F) 621–636
DOI: 10.1002/chem.200700940
- Towards Configurational Stability [4]Helicenes: Enantioselective Synthesis of 12-Substituted 7,8-Dihydro[4]helicene Quinones (F) 603–620
DOI: 10.1002/chem.200700762
- Carrera, N. (F) 10141–10148
- Carrier, X. (F) 6142–6148
- Carril, M. (S) 10919–10922
- Carrillo, L. (F) 9357–9367
- Carroll, P. J. (F) 4816–4822
- Carruthers, C. (F) 10286–10296
- Carter, B. (F) 4521–4532
- Carter, K. R.
– Nickel-Catalyzed Coupling of Aryl Bromides in the Presence of Alkylolithium Reagents (S) 6845–6848
DOI: 10.1002/chem.200801008
- Cartier dit Moulin, C. (F) 7530–7535
- Carver, G. (F) 5144–5158
- Casado, M. A.
– Coordination Features of a Hybrid Scorpionate/Phosphane Ligand Exemplified with Iridium (F) 1897–1905
DOI: 10.1002/chem.200701209
- Casanova, D. (F) 1291–1303
- Casas-Arce, E. (S) 4157–4159
- Casasús, R. (F) 8267–8278
- Casella, L.
– Myoglobin Modification by Enzyme-Generated Dopamine Reactive Species (F) 8661–8673
DOI: 10.1002/chem.200801014
- Tyrosinase-Like Reactivity in a $\text{Cu}^{\text{III}}_2(\mu\text{-O})_2$ Species (S) 3535–3538
DOI: 10.1002/chem.200800229
- Casely, I. J. (F) 10415–10422
- Casey, M.
– Birch Reduction of Hexaphenyl- and Pentaphenylbenzene and an X-ray Crystallography and NMR Spectroscopy Study of *cis*- and *epi*-1,2,3,4,5,6-Hexaphenylcyclohexane and of 2,3,5,6-Tetra-phenyl-1,1'-bicyclohexylidene: Cannizzaro's Conundrum Revisited (F) 1552–1560
DOI: 10.1002/chem.200701306
- Castagner, B. (F) 3987–3994
- Castedo, L. (F) 272–281, 2100–2111, 9772–9778
- Castellano, R. K.
– Assessable Consequences of Through-Bond Donor–Acceptor Interactions in β -Aminoketones (F) 1452–1463
DOI: 10.1002/chem.200701220
- Castelletto, V. (F) 11369–11375
Corrigendum: 11268
- Castet, F. (F) 2744–2756
- Castro Villalobos, M. C. (F) 961–972
- Catlow, C. R. A. (F) 7699–7715
- Caulton, K. G.
– Spin State, Structure, and Reactivity of Terminal Oxo and Dioxygen Complexes of the (PNP)Rh Moiety (F) 7680–7686
DOI: 10.1002/chem.200800573
- Cavalli, A.
– Predicting Reactivity and Stereoselectivity in the Nazarov Reaction: A Combined Computational and Experimental Study (F) 9292–9304
DOI: 10.1002/chem.200801030
- Cavallotti, C.
– Oxoanion Binding by Guanidiniocarbonylpyrrole Cations in Water: A Combined DFT and MD Investigation (F) 5207–5219
DOI: 10.1002/chem.200701745
- Cecchi, L. (F) 7903–7912
- Čejka, J.
– The Role of Crystallization Parameters for the Synthesis of Germanosilicate with UTL Topology (F) 10134–10140
DOI: 10.1002/chem.200800416
- Ceroni, P.
– Polysulfurated Pyrene-Cored Dendrimers: Luminescent and Electrochromic Properties (F) 10357–10363
DOI: 10.1002/chem.200801198
- Ceroni, P. (F) 8365–8373, 10772–10781
- Cerpa, E. (S) 10232–10234
- Céspedes, E. (F) 9038–9045
- Chabaud, L. (F) 2744–2756
- Chabre, Y. M. (C) 7490–7499
- Champness, N. R.
– Functionalized Supramolecular Nanoporous Arrays for Surface Templating (F) 7600–7607
DOI: 10.1002/chem.200800476
- Champouret, Y. (F) 4046–4059
- Chan, H. S. O. (F) 1205–1215
- Chan, J. (F) 7579–7593
- Chan, K. H.-Y. (F) 4577–4584
- Chan, K.-M. (F) 2248–2263
- Chan, P. W. H.
– Gold- and Silver-Catalyzed Tandem Amination/Ring Expansion of Cyclopropyl Methanols with Sulfonamides as an Expedient Route to Pyrrolidines (F) 10486–10495
DOI: 10.1002/chem.200801242
- Chan, P. W. H. (F) 1164–1168
- Chan, T. H. (F) 7988–7996
- Chan, W. H. (F) 2112–2124
- Chan, W. Y. (F) 1253–1263
- Chang, C. K.
– High Catalytic Activities of Artificial Peroxidases Based on Supramolecular Hydrogels That Contain Heme Models (F) 5073–5078
DOI: 10.1002/chem.200702010
- Chang, L. (F) 3177–3181

- Chang, L.-C. (F) 9747–9753
 Chang, S. (F) 9161–9168
 Chapman, C. J. (F) 7808–7812
 Charlot, M.-F.
 – Proton-Mediated Redox Control in a Nickel(II)–Bisimidazole Complex: Spectroscopic Characterisation and Density Functional Analysis (F) 4307–4317
 DOI: 10.1002/chem.200701662
 Charlot, M.-F. (F) 3013–3025
 Charmier, M. A. J. (F) 9312–9322
 Charron, G. (F) 1169–1177
 Chassaing, S. (F) 6713–6721
 Chatgililoglu, C.
 – (Me₃Si)₃SiH: Twenty Years After Its Discovery as a Radical-Based Reducing Agent (C) 2310–2320
 DOI: 10.1002/chem.200701415
 Chatterjee, B. (F) 6192–6204
 Chatterjee, J. (F) 1508–1517
 Chatterjee, S. (F) 5935–5940
 Chau, F.-t. (F) 11452–11460
 Chaur, M. N. (F) 4594–4599, 8213–8219
 Chauvin, A.-S.
 – A Versatile Ditopic Ligand System for Sensitizing the Luminescence of Bimetallic Lanthanide Bio-Imaging Probes (F) 1726–1739
 DOI: 10.1002/chem.200701357
 Che, C.-M.
 – Density Functional Theory Study of *trans*-Dioxo Complexes of Iron, Ruthenium, and Osmium with Saturated Amine Ligands, *trans*-[M(O)₂(NH₃)₂(NMeH₂)₂]²⁺ (M = Fe, Ru, Os), and Detection of [Fe(qpy)(O)₂]ⁿ⁺ (n = 1, 2) by High-Resolution ESI Mass Spectrometry (F) 5495–5506
 DOI: 10.1002/chem.200701563
 – Gold(I)-Catalyzed Intermolecular Hydroarylation of Alkenes with Indoles under Thermal and Microwave-Assisted Conditions (F) 8353–8364
 DOI: 10.1002/chem.200800040
 – Homoleptic Copper(I) Arylthiolates as a New Class of p-Type Charge Carriers: Structures and Charge Mobility Studies (F) 2965–2975
 DOI: 10.1002/chem.200700723
 – Structures and Solvatochromic Phosphorescence of Dicationic Terpyridyl–Platinum(II) Complexes with Foldable Oligo(*ortho*-phenyleneethynylene) Bridging Ligands (F) 9736–9746
 DOI: 10.1002/chem.200800394
 Che, S.
 – Formation of Diverse Mesophases Templated by a Diprotic Anionic Surfactant (F) 11423–11428
 DOI: 10.1002/chem.200800766
 – Mesoporous Silicas by Self-Assembly of Lipid Molecules: Ribbon, Hollow Sphere, and Chiral Materials (F) 6413–6420
 DOI: 10.1002/chem.200701988
 Che, S. (F) 2909–2917
 Chelliserrykattil, J. (F) 7978–7987
 Chelucci, G. (F) 9148–9160
 Chemla, F.
 – Radical-Polar Crossover Domino Reaction Involving Alkynes: A Stereoselective Zinc Atom Radical Transfer (S) 8784–8788
 DOI: 10.1002/chem.200801451
 Chen, B.-S. (F) 5237–5245
 Chen, C.-A. (F) 2223–2231
 Chen, C.-F.
 – Mutual Responsive Hydrazide-Based Low-Molecular-Mass Organic Gelators: Probing Gelation on the Molecular Level (S) 5742–5746
 DOI: 10.1002/chem.200800540
 Chen, C.-T.
 – Preferential Formation of Homochiral Helical Sandwich-Shaped Architectures through the Metal-Mediated Assembly of Tris(imidazole) Ligands with a Set of d³–d¹⁰ Transition-Metal Ions (F) 11601–11609
 DOI: 10.1002/chem.200801154
 Chen, D. (S) 8780–8783
 Chen, G.
 – Carbon-Nanotube–Alginate Composite Modified Electrode Fabricated by In Situ Gelation for Capillary Electrophoresis (F) 9779–9785
 DOI: 10.1002/chem.200801124
 Chen, Haisheng (F) 2349–2354
 Chen, Haoyi (S) 9495–9498
 Chen, J.-C. (F) 2777–2787
 Chen, J. R. (F) 10670–10674
 Chen, J.-S.
 – Heterometal Alkoxides as Precursors for the Preparation of Porous Fe- and Mn-TiO₂ Photocatalysts with High Efficiencies (F) 11123–11131
 DOI: 10.1002/chem.200801236
 Chen, Jian (F) 4851–4860
 Chen, Jing (S) 10556–10559
 Chen, Jinping (F) 4256–4262
 Chen, Jiwei (F) 8374–8382
 Chen, Jun (F) 2507–2513
 Chen, K.-J. (F) 1615–1620
 Chen, L. (F) 11069–11075
 Chen, M.-Q. (F) 10297–10302
 Chen, M.-T. (F) 11601–11609
 Chen, N.-C. (F) 2904–2908, 6546–6552
 Chen, P.
 – A General Method for Constructing Optically Active Supramolecular Assemblies from Intrinsically Achiral Water-Insoluble Free-Base Porphyrins (F) 1793–1803
 DOI: 10.1002/chem.200701333
 Chen, Q. (F) 4851–4860
 Chen, R. (S) 6852–6856
 Chen, R.-K. (F) 6935–6947
 Chen, S.-F. (F) 8928–8938
 Chen, T. (S) 5742–5746
 Chen, W. (F) 10727–10734
 Chen, W.-B. (S) 9864–9867
 Chen, X.-D.
 – Ancillary Ligands and Spectator Cations as Controlling Factors in the Construction of Coordination and Hydrogen-Bonded Networks with the *tert*-BuC≡C Ag_n (n = 4, 5) Supramolecular Synthons (F) 10437–10444
 DOI: 10.1002/chem.200800968
 Chen, Xiaohong (S) 10896–10899
 Chen, Xinqi (F) 4719–4724
 Chen, Xuesi
 – Enolic Schiff Base Aluminum Complexes and Their Catalytic Stereoselective Polymerization of Racemic Lactide (F) 3126–3136
 DOI: 10.1002/chem.200701473
 Chen, Y. (F) 10727–10734
 Chen, Y.-B. (F) 11069–11075
 Chen, Y.-F. (S) 7136–7139
 Chen, Y.-S. (F) 7680–7686
 Chen, Ya-Chi (F) 9747–9753
 Chen, Ying-Chun
 – Discovery of Bifunctional Thiourea/Secondary-Amine Organocatalysts for the Highly Stereoselective Nitro-Mannich Reaction of α -Substituted Nitroacetates (S) 8094–8097
 DOI: 10.1002/chem.200801170
 – Reaction Control in the Organocatalytic Asymmetric One-Pot, Three-Component Reaction of Aldehydes, Diethyl α -Aminomalonate and Nitroalkenes: Toward Diversity-Oriented Synthesis (S) 9873–9877
 DOI: 10.1002/chem.200801410
 Chen, Zhenzhen (F) 522–528
 Chen, Zhi (F) 9779–9785
 Chen, Zhigang (F) 6892–6900
 Chen, Zili
 – Unprecedented Consecutive, Competitive Nucleophilic Addition to Construct Densely Functionalized Propargylic Alcohols (S) 9131–9134
 DOI: 10.1002/chem.200801452
 Cheng, C.-H.
 – Cobalt- and Nickel-Catalyzed Regio- and Stereoselective Reductive Coupling of Alkynes, Allenes, and Alkenes with Alkenes (C) 10876–10886
 DOI: 10.1002/chem.200800904
 – Cobalt-Catalyzed Regioselective Synthesis of Indenamine from *o*-Iodobenzaldimine and Alkyne: Intriguing Difference to the Nickel-Catalyzed Reaction (S) 9503–9506
 DOI: 10.1002/chem.200801457
 – Cobalt(II)-Catalyzed Regio- and Stereoselective Hydroarylation of Alkynes with Organoboronic Acids (S) 11296–11299
 DOI: 10.1002/chem.200801858
 Cheng, D. (F) 3110–3117
 Cheng, H.-Y. (F) 4074–4081
 Cheng, J.-P.
 – Noncovalently Supported Heterogeneous Chiral Amine Catalysts for Asymmetric Direct Aldol and Michael Addition Reactions (F) 1273–1281
 DOI: 10.1002/chem.200701129
 Cheng, J.-W. (F) 88–97
 Cheng, W.-D. (F) 1972–1981
 Cheng, Y.-M. (F) 5423–5434, 11231–11241
 Cheng, Y.-W. (S) 7136–7139

- Cheon, Y. E. (F) 3961–3967
- Cheong, H.-L. (F) 1875–1880
- Cheprakov, A.
- Towards the IR Limit of the Triplet–Triplet Annihilation-Supported Up-Conversion: Tetraanthraporphyrin (S) 9846–9850
DOI: 10.1002/chem.200801305
- Cherkasov, A. V. (F) 5440–5448
- Cherkasov, V. K. (F) 10085–10093
- Chernov, S. (S) 9846–9850
- Cheshev, P. (C) 7434–7441
- Cheung, K.-K. Corrigendum: 2644
- Chi, Y.
- Phosphorescent Iridium(III) Complexes with Nonconjugated Cyclometalated Ligands (F) 5423–5434
DOI: 10.1002/chem.200800050
- Chiang, C.-J. (F) 933–943
- Chiang, P.-T. (F) 6546–6552
- Chiaroni, A. (F) 996–1003
- Chiarucci, M. (S) 11288–11291
- Chierotti, M. R. (F) 10149–10159
- Chiesa, M. (F) 4404–4414
- Chifotides, H. T.
- Head-to-Head Right-Handed Cross-Links of the Antitumor-Active Bis(μ -*N,N'*-di-*p*-tolylformamidinato)dirhodium(II,II) Unit with the Dinucleotides d(GpA) and d(ApG) (F) 9902–9913
DOI: 10.1002/chem.200801139
- Chin, J. (F) 9935–9942
- Ching, L. K. (F) 11376–11384
- Chiodo, S. G. (F) 8674–8681
- Chiu, S.-H.
- Direct Observation of Mixed-Valence and Radical Cation Dimer States of Tetrathiafulvalene in Solution at Room Temperature: Association and Dissociation of Molecular Clip Dimers Under Oxidative Control (F) 6546–6552
DOI: 10.1002/chem.200800213
- Parking and Restarting a Molecular Shuttle In Situ (F) 2904–2908
DOI: 10.1002/chem.200701854
- Chiu, T.-H. (F) 5237–5245
- Chiu, Y.-C. (F) 5423–5434
- Chmielewski, M.
- Enantioselective Epoxidation of Electrophilic Olefins by Using Glycosyl Hydroperoxides (F) 6087–6097
DOI: 10.1002/chem.200800051
- Cho, B. R.
- Two-Photon Fluorescent Probes for Long-Term Imaging of Calcium Waves in Live Tissue (F) 2075–2083
DOI: 10.1002/chem.200701453
- Cho, W.-S. (F) 2668–2678
- Chochos, C. L. (F) 8715–8724
- Chou, P.-T.
- Phosphorescent Iridium(III) Complexes with Nonconjugated Cyclometalated Ligands (F) 5423–5434
DOI: 10.1002/chem.200800050
- Chrétien, J.-M. (F) 2548–2556
- Christoph, H. (F) 5604–5616
- Chu, Y.
- Controllable Synthesis of Nickel Hydroxide and Porous Nickel Oxide Nanostructures with Different Morphologies (F) 5064–5072
DOI: 10.1002/chem.200701627
- Chui, S. S.-Y. (F) 2965–2975
- Chumakov, Yu. (F) 9540–9548
- Chung, S.-J. (F) 11082–11091
- Chung, S.-K.
- Novel Guanidine-Containing Molecular Transporters Based on Lactose Scaffolds: Lipophilicity Effect on the Intracellular Organellar Selectivity (F) 9161–9168
DOI: 10.1002/chem.200801160
- Cid, J. J. (F) 9261–9273
- Cieniecka-Roslonkiewicz, A. (F) 9305–9311
- Cinčić, D. (F) 747–753
- Cintas, P.
- A Family of Hydrogels Based on Ureido-Linked Aminopolyol-Derived Amphiphiles and Bolaamphiphiles: Synthesis, Gelation under Thermal and Sonochemical Stimuli, and Mesomorphic Characterization (F) 5656–5669
DOI: 10.1002/chem.200701897
- Ciofini, I.
- Reaching Optimal Light-Induced Intramolecular Spin Alignment within Photomagnetic Molecular Device Prototypes (F) 11385–11405
DOI: 10.1002/chem.200801405
- Ciogli, A. (S) 5747–5750
- Cirera, J. Corrigendum: 1377
- Ciriano, M. A.
- Coordination Features of a Hybrid Scorpionate/Phosphane Ligand Exemplified with Iridium (F) 1897–1905
DOI: 10.1002/chem.200701209
- Ciriano, M. A. (S) 10932–10936, (F) 10985–10998
- Claesener, M. (F) 11557–11564
- Claessens, C. G. (F) 1342–1350
- Clapés, P.
- Serine Hydroxymethyl Transferase from *Streptococcus thermophilus* and L-Threonine Aldolase from *Escherichia coli* as Stereocomplementary Biocatalysts for the Synthesis of β -Hydroxy- α,ω -diamino Acid Derivatives (F) 4647–4656
DOI: 10.1002/chem.200800031
- Clare, J. P. (F) 9599–9606
- Clark, M. L. (F) 7168–7179
- Clark, R. J. (F) 2894–2903
- Clark, T.
- Why do Cationic Hydrido-iridium(III) Complexes with β -Aminophosphane Ligands Favour the Transfer Hydrogenation of Ketones over the Direct “H₂-Hydrogenation”?—A Computational Approach (F) 8898–8903
DOI: 10.1002/chem.200701921
- Clark, T. (F) 6379–6390
- Clark, T. E. (F) 3931–3938
- Clarkson, R. B. (F) 2658–2667
- Claus, P. (F) 3737–3744
- Cleator, E. (F) 10683–10704
- Clegg, J. K. (S) 10535–10538
- Clegg, W. (F) 65–72, 3035–3044
- Clement, N. D. (C) 7408–7420
- Clemente-Juan, J. M. (F) 2514–2526
- Clérac, R.
- Heterometallic [Mn₅-Ln₄] Single-Molecule Magnets with High Anisotropy Barriers (F) 3577–3584
DOI: 10.1002/chem.200800125
- Clodic, G. (F) 10999–11009
- Clot, E. (F) 5918–5934
- Cocherel, N. (F) 11328–11342
- Cocinero, E. J. (F) 8947–8955
- Coco, S.
- Self-Organization of Dendritic Supermolecules, Based on Isocyanide–Gold(I), –Copper(I), –Palladium(II), and –Platinum(II) Complexes, into Micellar Cubic Mesophases (F) 3544–3552
DOI: 10.1002/chem.200800128
- Codée, J. D. C.
- Stereoselective Synthesis of L-Guluronic Acid Alginates (F) 9400–9411
DOI: 10.1002/chem.200800960
- Codée, J. D. C. (F) 3987–3994
- Cohen, H. (F) 5880–5889
- Cohen, R. (F) 8183–8194
- Coinçon, M. (F) 8521–8529
- Coll, C. (F) 8267–8278
- Collin, J.
- New Chiral Lanthanide Amide Ate Complexes for the Catalysed Synthesis of Scalemic Nitrogen-Containing Heterocycles (F) 2189–2200
DOI: 10.1002/chem.200701090
- Collins, A. (S) 9117–9121
- Collins, S. K.
- Enantioselective Synthesis of [7]Helicene: Dramatic Effects of Olefin Additives and Aromatic Solvents in Asymmetric Olefin Metathesis (F) 9323–9329
DOI: 10.1002/chem.200801033
- Mechanistically Inspired Catalysts for Enantioselective Desymmetrizations by Olefin Metathesis (F) 8690–8695
DOI: 10.1002/chem.200800642
- Collison, D. (F) 5890–5907
- Collomb, M.-N. (F) 3013–3025, 6498–6509
- Colombo, G. (S) 4164–4166
- Coman, S. M. (F) 11488–11499
- Comba, P.
- Copper(II) Coordination Chemistry of Westiellamide and Its Imidazole, Oxazole, and Thiazole Analogues (F) 4393–4403
DOI: 10.1002/chem.200701778
- Copper(II)-Mediated Aromatic *ortho*-Hydroxylation: A Hybrid DFT and Ab Initio Exploration (F) 344–357
DOI: 10.1002/chem.200700865
- The Mechanism of the (Bispidine)copper(II)-Catalyzed Aziridination of Styrene: A Combined Experimental and

- Theoretical Study
(F) 5313–5328
DOI: 10.1002/chem.200701910
- Comby, S. (F) 1726–1739
- Comes, M. (F) 8267–8278
- Commerçon, A. (F) 11092–11112
- Company, A. (S) 3535–3538, 5727–5731
- Compton, N.
– Editorial: Communicating Chemistry in “Chemistry”
4–9
DOI: 10.1002/chem.200701846
– Editorial: Turin: A European Experience—Take Two
7388–7391
DOI: 10.1002/chem.200801617
- Concellón, J. M.
– Recent Synthetic Applications of Manganese in Organic Synthesis
(C) 10184–10191
DOI: 10.1002/chem.200800796
- Condell, M. (F) 1552–1560
- Congreve, M. S. (F) 2867–2885
- Conrath, K. (F) 8869–8878
- Conway, B. (F) 65–72
- Cooper, A. I. (F) 4521–4532
- Cooper, D. L. (F) 3338–3345
- Copéret, C.
– Mononuclear Ruthenium Hydride Species versus Ruthenium Nanoparticles: The Effect of Silane Functionalities on Silica Surfaces
(S) 3523–3526
DOI: 10.1002/chem.200800174
– Structure–Reactivity Relationship in Alkane Metathesis Using Well-Defined Silica-Supported Alkene Metathesis Catalyst Precursors
(F) 9030–9037
DOI: 10.1002/chem.200800864
- Coppel, Y. (F) 2514–2526, 4836–4850
- Coppens, P.
– Supramolecular Solids as a Medium for Single-Crystal-to-Single-Crystal *E/Z* Photoisomerization: Kinetic Study of the Photoreactions of Two Zn-Coordinated Tiglic Acid Molecules
(F) 706–713
DOI: 10.1002/chem.200701037
- Coquerel, Y.
– The MARDi Cascade: A Michael-Initiated Domino-Multicomponent Approach for the Stereoselective Synthesis of Seven-Membered Rings
(F) 3078–3092
DOI: 10.1002/chem.200701708
- Corberán, R. (F) 11474–11479
- Corbett, P. T. (F) 2153–2166
- Córdova, A.
– One-Pot Catalytic Asymmetric Cascade Synthesis of Cycloheptane Derivatives
(F) 2693–2698
DOI: 10.1002/chem.200701918
– One-Pot Catalytic Enantioselective Domino Nitro-Michael/Michael Synthesis of Cyclopentanes with Four Stereocenters
(F) 10007–10011
DOI: 10.1002/chem.200801082
– One-Pot Organocatalytic Domino Michael/ α -Alkylation Reactions: Direct Catalytic Enantioselective Cyclopropa-
- nation and Cyclopentane Reactions
(F) 7867–7879
DOI: 10.1002/chem.200800442
- Cordovilla, C. (F) 3544–3552
- Corma, A.
– Catalyst Parameters Determining Activity and Selectivity of Supported Gold Nanoparticles for the Aerobic Oxidation of Alcohols: The Molecular Reaction Mechanism
(F) 212–222
DOI: 10.1002/chem.200701263
– Specific Binding Effects for Cucurbit[8]uril in 2,4,6-Triphenylpyrylium–Cucurbit[8]uril Host–Guest Complexes: Observation of Room-Temperature Phosphorescence and their Application in Electroluminescence
(F) 1762–1768
DOI: 10.1002/chem.200701353
- Cormack, P. A. G.
– Tailored Polymer-Supported Templates in Dynamic Combinatorial Libraries: Simultaneous Selection, Amplification and Isolation of Synthetic Receptors
(F) 9006–9019
DOI: 10.1002/chem.200800326
- Cornia, A. (F) 7530–7535
- Cornil, D. (F) 11039–11049
- Cornil, J. (F) 11039–11049
- Correa, A. (S) 3527–3529, 10919–10922
- Corsaro, M. M.
– Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica*
(F) 9368–9376
DOI: 10.1002/chem.200800117
- Cortés-Gil, R. (F) 9038–9045
- Corzana, F.
– Non-natural Amino Acids as Modulating Agents of the Conformational Space of Model Glycopeptides
(F) 7042–7058
DOI: 10.1002/chem.200800460
- Cossío, F. P.
– Monomer versus Alcohol Activation in the 4-Dimethylaminopyridine-Catalyzed Ring-Opening Polymerization of Lactide and Lactic *O*-Carboxylic Anhydride
(F) 5304–5312
DOI: 10.1002/chem.200800346
- Costas, M.
– A Novel Platform for Modeling Oxidative Catalysis in Non-Heme Iron Oxygenases with Unprecedented Efficiency
(S) 5727–5731
DOI: 10.1002/chem.200800724
– Tyrosinase-Like Reactivity in a Cu^{III}₂(μ -O)₂ Species
(S) 3535–3538
DOI: 10.1002/chem.200800229
- Coulembier, O. (F) 6369–6378
- Courillon, C.
– Unprecedented Aromatic Homolytic Substitutions and Cyclization of Amide-Iminyl Radicals: Experimental and Theoretical Study
(F) 1238–1252
DOI: 10.1002/chem.200700884
- Courtois, J. (F) 9516–9529
- Cousson, A. (F) 9540–9548
- Coutrot, F.
– A New Glycerotaxane Molecular Machine Based on an Anilinium and a Triazolium Station
(S) 4784–4787
DOI: 10.1002/chem.200800480
- Couvreux, P. (F) 4551–4561
- Couzijn, E. P. A. (F) 1499–1507
- Cowley, A. R. (F) 2248–2263
- Craig, D. (F) 10683–10704
- Cramer, C. J.
– Helicate Extension as a Route to Molecular Wires
(F) 7180–7185
DOI: 10.1002/chem.200800503
- Crawford, N. R. M. (F) 319–324
- Credi, A.
– Electrochemically Controlled Formation/Dissociation of Phosphonate-Cavitand/Methylpyridinium Complexes
(F) 8964–8971
DOI: 10.1002/chem.200800966
– Self-Assembly of a Double Calix[6]arene Pseudorotaxane in Oriented Channels
(F) 98–106
DOI: 10.1002/chem.200700748
- Credi, A. (C) 26–39
- Creely, C. (F) 369–375
- Crimmin, M. R. (S) 11292–11295
- Crone, B. (C) 3514–3522
- Cronin, L.
– Design of Hydrophobic Polyoxometalate Hybrid Assemblies Beyond Surfactant Encapsulation
(F) 2349–2354
DOI: 10.1002/chem.200701629
– Hybrid Host–Guest Complexes: Directing the Supramolecular Structure through Secondary Host–Guest Interactions
(F) 8861–8868
DOI: 10.1002/chem.200801247
- Crossley, M. J.
– Regioselective Reactivity of an Asymmetric Tetraivalent Di[dihydroxotin(IV)] Bis-Porphyrin Host Driven by Hydrogen-Bond Templatation
(F) 10967–10977
DOI: 10.1002/chem.200801775
- Crowe, M. A. (F) 2375–2388
- Crusats, J. (F) 6438–6443
- Cruz, P. G. (F) 6948–6956
- Cruz-Cabeza, A. J. (F) 8830–8836
- Cuenca, A. B. (F) 1518–1523
- Cuesta, L. (S) 10206–10210
- Cuevas, G. (F) 7570–7578
- Cui, Y. (F) 5974–5980
- Cumpstey, I. (F) 4233–4245
- Curtis, N. R. (F) 2867–2885
- Cusano, A. M. (F) 7186–7192
- Cybulski, J. (F) 9305–9311
- Czaun, M. (F) 1312–1321



- da Rocha, S. R. P.
– Interfacial Behavior and Film Patterning of Redox-Active Cationic Copper(II)-Containing Surfactants (F) 9665–9674
DOI: 10.1002/chem.200801215
- da Silva, J. A. L. (F) 1828–1842
- da Silva Rocha, K. A. (F) 6166–6172
- Dabb, S. L. (F) 10058–10065
- D'Acquarica, I. (F) 3585–3595
- Dagher, R. (F) 6247–6254
- Daher, R. (F) 8521–8529
- Dahlenburg, L.
– Why do Cationic Hydrido-iridium(III) Complexes with β -Aminophosphane Ligands Favour the Transfer Hydrogenation of Ketones over the Direct “H₂-Hydrogenation”?—A Computational Approach (F) 8898–8903
DOI: 10.1002/chem.200701921
- Dai, L.-Z. (F) 7011–7018
- Dai, W.-M.
– Generation of an Aromatic Amide-Derived Phosphane (Aphos) Library by Self-Assisted Molecular Editing and Applications of Aphos in Room-Temperature Suzuki–Miyaura Reactions (F) 5538–5554
DOI: 10.1002/chem.200800318
- Dai, Y. (S) 10543–10546
- Dai, Z. (F) 1445–1451, (S) 4469–4471
- Daidouh, A. (F) 10829–10838
- Dailly, A. (F) 10280–10285
- Dalal, N. S.
– Nucleation Process in the Cavity of a 48-Tungstophosphate Wheel Resulting in a 16-Metal-Centre Iron Oxide Nanocluster (F) 1186–1195
DOI: 10.1002/chem.200701424
- Dalcanale, E.
– Electrochemically Controlled Formation/Dissociation of Phosphonate-Cavitand/Methylpyridinium Complexes (F) 8964–8971
DOI: 10.1002/chem.200800966
- Supramolecular Sensing with Phosphonate Cavitands (F) 5772–5779
DOI: 10.1002/chem.200800327
- Dalla-Favera, N. (F) 2994–3005
- Dallanegra, R. (F) 1004–1022
- Dambournet, D. (F) 6205–6212
- D'Amico, A. (S) 6057–6060
- D'Andrea, L. D.
– Structural Determinants of the Unusual Helix Stability of a De Novo Engineered Vascular Endothelial Growth Factor (VEGF) Mimicking Peptide (S) 4164–4166
DOI: 10.1002/chem.200800180
- Danesi, A. (F) 184–196
- D'Angelo, P.
– High-Energy X-ray Absorption Spectroscopy: A New Tool for Structural Investigations of Lanthanoids and Third-Row Transition Elements (F) 3045–3055
DOI: 10.1002/chem.200701282
- D'Angelo, P. (F) 3056–3066
- Dapporto, P. (S) 10915–10918
- Daranas, A. H.
– Belzeianic Acid: A Potent Protein Phosphatase 1 Inhibitor Belonging to the Okadaic Acid Class, with an Unusual Skeleton (F) 6948–6956
DOI: 10.1002/chem.200800593
- Darbha, G. K. (F) 3896–3903
- Darwich, C. (F) 5756–5771
- Das, P. (S) 8469–8472
- Das, P. K.
– Dipeptide-Based Low-Molecular-Weight Efficient Organogelators and Their Application in Water Purification (F) 6870–6881
DOI: 10.1002/chem.200800731
- Daschbach, M. M. (F) 5871–5879
- Daturi, M. (F) 11488–11499
- Daura, X.
– Estimating the Temperature Dependence of Peptide Folding Entropies and Free Enthalpies from Total Energies in Molecular Dynamics Simulations (F) 5039–5046
DOI: 10.1002/chem.200701380
- Dautel, O. J.
– Electroactive Nanorods and Nanorings Designed by Supramolecular Association of π -Conjugated Oligomers (F) 4201–4213
DOI: 10.1002/chem.200701638
- Dávalos, J. Z. Corrigendum: 417
- Davies, D. T. (S) 6862–6865
- Davies, E. S. (F) 2564–2576
- Davies, J. E. (F) 2867–2885
- Davies, R. S. G. (F) 5144–5158
- Davis, A. P.
– Structure–Activity Relationships in Cholapod Anion Carriers: Enhanced Transmembrane Chloride Transport through Substituent Tuning (F) 9599–9606
DOI: 10.1002/chem.200801163
- Davis, B. G.
– Conformational Choice and Selectivity in Singly and Multiply Hydrated Monosaccharides in the Gas Phase (F) 8947–8955
DOI: 10.1002/chem.200800474
- Davis, M. F. (F) 2615–2624
- Day, G. M. (F) 8830–8836
- De Angelis, F. (F) 459–471
- de Biani, F. F. (F) 847–856
- de Blas, A. (F) 5829–5838
- de Bruin, B.
– Intervalent Bis(μ -aziridinato)M^{II}–M^I Complexes (M = Rh, Ir): Delocalized Metallo-Radicals or Delocalized Aminyl Radicals? (F) 10985–10998
DOI: 10.1002/chem.200801615
- Ligand Oxidation of a Deprotonated Bis(picoly)amine Ir^I(cod) Complex (S) 10932–10936
DOI: 10.1002/chem.200801162
- Selective C–C Coupling of Ir–Ethene and Ir–Carbenoid Radicals (F) 7594–7599
DOI: 10.1002/chem.200800262
- de Castro, S. (F) 9620–9632
- De Feyter, S.
– Visualization of Various Supramolecular Assemblies of Oligo(*para*-phenylenevinylene)–Melamine and Perylene Bisimide (F) 8579–8589
DOI: 10.1002/chem.200800760
- de Hoog, P. (F) 3418–3426
- de Kanter, F. J. J. (F) 4961–4973
- De Kimpe, N.
– Highly Stereoselective Synthesis of β -Lactams Utilizing α -Chloroimines as New and Powerful Chiral Inductors (S) 6336–6340
DOI: 10.1002/chem.200800845
- De la Campa, R. (S) 5401–5404
- de la Lande, A. (F) 6465–6473
- de la Puente, M. L. (F) 10683–10704
- de Laorden, C. L. (F) 5313–5328
- de Lemos, E. (F) 11092–11112
- De Lorenzi, E. (F) 9516–9529
- de Meijere, A.
– Diversity-Oriented Synthesis of Enantiomerically Pure Steroidal Tetracycles Employing Stille/Diels–Alder Reaction Sequences (F) 7236–7249
DOI: 10.1002/chem.200800601
- de Melo, J. S. S.
– A Study in Mauve: Unveiling Perkin's Dye in Historic Samples (F) 8507–8513
DOI: 10.1002/chem.200800718
- De Panfilis, S. (F) 3045–3055, 3056–3066
- De Proft, F. (F) 8652–8660
- De Sarlo, F.
– Synthesis of 4,5-Dihydroisoxazoles by Condensation of Primary Nitro Compounds with Alkenes by Using a Copper/Base Catalytic System (F) 7903–7912
DOI: 10.1002/chem.200800554
- de Visser, S. P.
– Is the μ -Oxo- μ -Peroxodiiron Intermediate of a Ribonucleotide Reductase Biomimetic a Possible Oxidant of Epoxidation Reactions? (F) 4533–4541
DOI: 10.1002/chem.200701802
- de Vries, M. S. (F) 4886–4898
- De Winter, J. (F) 11039–11049
- Debarry, J. (F) 10251–10258
- Debart, F.
– A Base-Labile Group for 2'-OH Protection of Ribonucleosides: A Major Challenge for RNA Synthesis (S) 9135–9138
DOI: 10.1002/chem.200801392
- Debnath, S. (F) 6870–6881
- Debuigne, A. (F) 4046–4059, 7623–7637
- Dechert, S. (F) 4823–4835, (S) 5112–5115
- Decurtins, S. (S) 5732–5736
- Degée, P. (F) 6369–6378

- Dei, A.
 – Complete Direct and Reverse Optically Induced Valence Tautomeric Interconversion in a Cobalt–Dioxolene Complex (S) 10915–10918
 DOI: 10.1002/chem.200801120
 – Tuning the Charge Distribution and Photoswitchable Properties of Cobalt–Dioxolene Complexes by Using Molecular Techniques (F) 1804–1813
 DOI: 10.1002/chem.200701163
- Dejaegher, Y. (S) 6336–6340
- Dekeukeleire, S. (S) 6336–6340
- Dekowski, B. (F) 1621–1627
- del Amo, V. (C) 10184–10191
- del Pozo, C. (F) 7019–7029, (S) 9868–9872
- del Río, M. P. (S) 10932–10936
- del Villar-Guerra, R. (F) 2435–2442
- Del Zotto, A. (F) 2557–2563
- Delacour-Larose, M. (F) 8322–8329
- Delamplé, M. (S) 10196–10200
- Delgado, J. L. (F) 3093–3099
- Delgado, O. (F) 2322–2339
- Delori, A. (F) 6967–6977
- Delsuc, N. (S) 7140–7143
- Demerseman, B. (F) 5630–5637
- Demeshko, S. (F) 9377–9388
- Demourgues, A. (F) 6205–6212
- Denekamp, C.
 – Towards a Fully Conjugated, Double-Stranded Cycle: A Mass Spectrometric and Theoretical Study (F) 1628–1637
 DOI: 10.1002/chem.200701098
- Deng, J.-G. (S) 8094–8097, 9864–9867
- Deng, Y. (F) 4263–4266
- Denholm, A. A. (F) 10683–10704
- Denicourt-Nowicki, A. (S) 8090–8093
- Denmark, S. E.
 – Neutral and Cationic Phosphoramidate Adducts of Silicon Tetrachloride: Synthesis and Characterization of Their Solution and Solid-State Structures (F) 234–239
 DOI: 10.1002/chem.200701466
- Dennison, C.
 – The Importance of the Long Type 1 Copper-Binding Loop of Nitrite Reductase for Structure and Function (F) 5820–5828
 DOI: 10.1002/chem.200701997
- Denton, R. M. (F) 10683–10704
- Deraeve, C. (F) 682–696
- Derat, E. (F) 1238–1252
- Deronzier, A. (F) 3013–3025, 6498–6509
- Desai, A. (F) 3785–3803
- Desbenoit, N. (F) 8521–8529
- Desco, M. (S) 9126–9130
- Desimoni, G.
 – Asymmetric Friedel–Crafts Alkylation of Indoles with Methyl (*E*)-2-Oxo-4-aryl-3-butenates Catalyzed by Sc(OTf)₃/py-box (F) 3630–3636
 DOI: 10.1002/chem.200701908
- Despotopoulou, C. (F) 2499–2506
- Dessuge, P. (F) 1881–1890
- Detrembleur, C.
 – Cobalt-Mediated Radical Polymerization of Acrylonitrile: Kinetics Investigations and DFT Calculations (F) 7623–7637
 DOI: 10.1002/chem.200800371
 – Mechanistic Insights into the Cobalt-Mediated Radical Polymerization (CMRP) of Vinyl Acetate with Cobalt(III) Adducts as Initiators (F) 4046–4059
 DOI: 10.1002/chem.200701867
- Devlin, F. J. (S) 5747–5750
- Dewelle, J. (F) 3418–3426
- Dhar, S. (F) 10244–10250
- d'Hardemare, A. d. M. (F) 3680–3686
- D'hooghe, M. (S) 6336–6340
- Di, C.-a. (F) 4731–4740
- Di Bari, L. (F) 4913–4923
- Di Natale, C. (S) 6057–6060
- Di Pasquale, F. (F) 11194–11208
- Di Tommaso, D. (F) 7699–7715
- Di Valentin, C. (F) 4404–4414
- Diana, D. (S) 4164–4166
- Díaz, D. (F) 7570–7578
- Díaz, D. D.
 – Strength Enhancement of Nanostructured Organogels through Inclusion of Phthalocyanine-Containing Complementary Organogelator Structures and In Situ Cross-Linking by Click Chemistry (F) 9261–9273
 DOI: 10.1002/chem.200800714
- Díaz, I. (F) 7828–7835
- Díaz, J. F.
 – The Bound Conformation of Microtubule-Stabilizing Agents: NMR Insights into the Bioactive 3D Structure of Discodermolide and Dictyostatin (F) 7557–7569
 DOI: 10.1002/chem.200800039
- Díaz-Oltra, S. (F) 9240–9254
- Dichiarante, V. (F) 1029–1039
- Dichtel, W. R. (F) 4168–4177
- Dickman, M. H. (F) 1186–1195, (S) 9851–9855
- Dickson, S. J. (F) 7296–7305
- Diederich, F.
 – 1,3-Diethynylallenes (DEAs): Enantioselective Synthesis, Absolute Configuration, and Chiral Induction in 1,1,4,4-Tetracyanobuta-1,3-dienes (TCBDs) (S) 10564–10568
 DOI: 10.1002/chem.200801456
 – One-Electron-Reduced and -Oxidized Stages of Donor-Substituted 1,1,4,4-Tetracyanobuta-1,3-dienes of Different Molecular Architectures (F) 7638–7647
 DOI: 10.1002/chem.200800716
 – Supramolecular Synthons on Surfaces: Controlling Dimensionality and Periodicity of Tetraarylporphyrin Assemblies by the Interplay of Cyano and Alkoxy Substituents (F) 5794–5802
 DOI: 10.1002/chem.200800746
- Diéguez, A. (S) 4153–4156
- Diéguez, M.
 – Modular Phosphite–Oxazoline/Oxazine Ligand Library for Asymmetric Pd-Catalyzed Allylic Substitution Reactions: Scope and Limitations—Origin of Enantioselectivity (F) 3653–3669
 DOI: 10.1002/chem.200701636
 – Screening of a Phosphite–Phosphoramidite Ligand Library for Palladium-Catalyzed Asymmetric Allylic Substitution Reactions: The Origin of Enantioselectivity (F) 944–960
 DOI: 10.1002/chem.200700852
- Dienes, Y. (F) 9878–9889
- Dietzel, P. D. C.
 – Structural Changes and Coordinatively Unsaturated Metal Atoms on Dehydration of Honeycomb Analogous Microporous Metal–Organic Frameworks (F) 2389–2397
 DOI: 10.1002/chem.200701370
- Díez-González, S.
 – Synthesis and Characterization of [Cu(NHC)₂]X Complexes: Catalytic and Mechanistic Studies of Hydrosilylation Reactions (F) 158–168
 DOI: 10.1002/chem.200701013
- Dilip, M. (S) 11314–11319
- Dilworth, J. R.
 – Spectroelectrochemical and Computational Studies on the Mechanism of Hypoxia Selectivity of Copper Radiopharmaceuticals (F) 5890–5907
 DOI: 10.1002/chem.200800539
- Dincă, M. (F) 10280–10285
- Dinda, E. (F) 5528–5537
- Dinér, P. (F) 122–127
- Ding, H. (F) 1129–1144
- Ding, K.
 – Modular Chiral Bidentate Phosphonites: Design, Synthesis, and Application in Catalytic Asymmetric Hydroformylation Reactions (F) 7847–7857
 DOI: 10.1002/chem.200800388
- Ding, Y. (F) 2349–2354
- Ding, Z. (F) 3785–3803
- Dinkelaar, J. (F) 9400–9411
- DiPasquale, A. G. (F) 714–720
- Diring, S. (F) 7168–7179
- Diru, M. M. (F) 3745–3758
- Dishari, S. K. (F) 7366–7375
- Diskin-Posner, Y. (F) 8183–8194
- Dix, I. (F) 5604–5616
- Dixon, D. J.
 – Origin of Diastereocontrol in the Oxy-Michael Reactions of δ -Lactol Anions: A Computational and Experimental Study (F) 9607–9612
 DOI: 10.1002/chem.200801368
- Djaballah, H.
 – Synthesis of Antiproliferative *Cephalotaxus* Esters and Their Evaluation against Several Human Hematopoietic and Solid Tumor Cell Lines: Uncovering Differential Susceptibilities to Multidrug Resistance (F) 4293–4306
 DOI: 10.1002/chem.200701998
- Döblinger, M. (F) 6149–6154
- Dobner, B.
 – General Synthesis and Aggregation Behaviour of New Single-Chain Bolaphos-

- pholipids: Variations in Chain and Head-group Structures (F) 6796–6804
DOI: 10.1002/chem.200800033
- Dockendorff, C. (F) 2112–2124
- Dohi, H. (F) 9530–9539
- Doi, Yasuko (F) 981–986, 3427–3433, 5803–5811
- Doi, Yuki (F) 8892–8897
- Dolbecq, A.
– Fe₂ and Fe₄ Clusters Encapsulated in Vacant Polyoxotungstates: Hydrothermal Synthesis, Magnetic and Electrochemical Properties, and DFT Calculations (F) 3189–3199
DOI: 10.1002/chem.200700896
- Domingo, L. R. (F) 4725–4730
- Domingo, M. (F) 9890–9901
- Dommergue, A. (F) 8322–8329
- Dondi, D. (F) 1029–1039
- Dong, K. (F) 11174–11182
- Dong, L. (F) 5064–5072
- Dong, R. Y. (F) 4082–4092
- Dong, Shaojun
– A General Method for the Rapid Synthesis of Hollow Metallic or Bimetallic Nanoelectrocatalysts with Urchinlike Morphology (F) 4689–4695
DOI: 10.1002/chem.200800077
- Dong, Shaojun (F) 3687–3693
- Dong, Shunxi (F) 6789–6795
- Dong, X.-Q. (S) 8780–8783
- Dong, Y. (F) 6428–6437
- Donnadieu, B. (F) 2514–2526
- Donnio, B. (F) 3544–3552, 3562–3576
- Donohoe, T. J.
– Ring-Closing Metathesis: Novel Routes to Aromatic Heterocycles (C) 5716–5726
DOI: 10.1002/chem.200800130
- Doorley, G. W. (F) 369–375
- Dorlet, P.
– Preparation and Characterization of a Microcrystalline Non-Heme Fe^{III}(OOH) Complex Powder: EPR Reinvestigation of Fe^{III}(OOH) Complexes—Improvement of the Perturbation Equations for the *g* Tensor of Low-Spin Fe^{III} (F) 3182–3188
DOI: 10.1002/chem.200701592
- Doshi, A. (F) 444–458
- Dou, X. (F) 240–249
- Douglas, T. M. (F) 1004–1022
- Douliez, J.-P. (S) 10196–10200
- Dourado, D. F. A. R. (F) 9591–9598
- Doye, S.
– Mechanism of the Intramolecular Hydroamination of Alkenes Catalyzed by Neutral Indenyltitanium Complexes: A DFT Study (F) 10430–10436
DOI: 10.1002/chem.200801445
- Draeger, S. (F) 4913–4923
- Drapeau, J. (F) 3154–3163
- Drescher, S. (F) 6796–6804
- Dressel, M. (F) 3072–3077
- Drews, T. (F) 4280–4286
- Drexler, H.-J. (F) 1445–1451, (S) 4469–4471
- Drillon, M. (F) 2355–2362
- Driscoll, J. A. (F) 9665–9674
- Drouin, D. (F) 5941–5950
- D'Souza, D. M. (F) 529–547
- D'Souza, F.
– Face-to-Face Pacman-Type Porphyrin–Fullerene Dyads: Design, Synthesis, Charge-Transfer Interactions, and Photophysical Studies (F) 674–681
DOI: 10.1002/chem.200700936
- Du, D.-Y. (F) 9999–10006
- Du, H. (F) 3126–3136
- Du, W. (S) 9873–9877
- Du, X. (S) 9495–9498
- Duarte, H. A. (S) 6597–6600
- Dub, P. A. (F) 9921–9934
- Dubberley, S. R. (F) 296–310, 11565–11572
- Duboc, C.
– Definition of Magneto-Structural Correlations for the Mn^{II} Ion (F) 6498–6509
DOI: 10.1002/chem.200800426
- Dubois, L. (F) 3013–3025
- Dubois, P.
– Novel Biodegradable Adaptive Hydrogels: Controlled Synthesis and Full Characterization of the Amphiphilic Co-Networks (F) 6369–6378
DOI: 10.1002/chem.200800088
- Dübon, P. (F) 6722–6733
- Dubovik, I. (F) 2443–2452
- Ducruix, A. (F) 9530–9539
- Dudley, I. M. (F) 2248–2263
- Dugourd, P. (F) 7351–7357
- Duhayon, C. (F) 2189–2200
- Dumbuya, K. (F) 9412–9418
- Dunbar, K. R.
– Head-to-Head Right-Handed Cross-Links of the Antitumor-Active Bis(μ -*N,N'*-di-*p*-tolylformamidinato)dirhodium(II,II) Unit with the Dinucleotides d(GpA) and d(ApG) (F) 9902–9913
DOI: 10.1002/chem.200801139
- Dunsch, L.
– Synthesis, Spectroscopic and Electrochemical Characterization, and DFT Study of Seventeen C₇₀(CF₃)_{*n*} Derivatives (*n* = 2, 4, 6, 8, 10, 12) (F) 107–121
DOI: 10.1002/chem.200700970
- The Extended View on the Empty C₂(3)-C₈₂ Fullerene: Isolation, Spectroscopic, Electrochemical, and Spectroelectrochemical Characterization and DFT Calculations (F) 9960–9967
DOI: 10.1002/chem.200800591
- The Isomers of Gadolinium Scandium Nitride Clusterfullerenes Gd_{*x*}Sc_{3-*x*}N@C₈₀ (*x* = 1, 2) and Their Influence on Cluster Structure (F) 2084–2092
DOI: 10.1002/chem.200701598
- Dunsch, L. (F) 6231–6236
- Durand, E. (F) 6205–6212
- Durand, P.
– High-Relaxivity Magnetic Resonance Imaging (MRI) Contrast Agent Based on Supramolecular Assembly between a Gadolinium Chelate, a Modified Dextran, and Poly- β -Cyclodextrin (F) 4551–4561
DOI: 10.1002/chem.200701587
- Durand-Reville, T. (F) 10683–10704
- Durandetti, M. (F) 5159–5167
- Durka, M. (F) 9530–9539
- Durrant, J. R. (F) 3006–3012
- Dutasta, J.-P. (F) 5772–5779
- Dutot, L. (F) 3154–3163
- Dutta, S. (F) 6870–6881
- Duval, S. (F) 3457–3466
- Dyer, J. (F) 369–375
- Dyer, P. W.
– Amphiphilic Diphosphine–Borane Ligands: MetalBorane Interactions within Isoelectronic Complexes of Rhodium, Platinum and Palladium (F) 731–740
DOI: 10.1002/chem.200701027
- Dyke, J. M.
– Difluorocarbene Studied with Threshold Photoelectron Spectroscopy (TPES): Measurement of the First Adiabatic Ionization Energy (AIE) of CF₂ (F) 11452–11460
DOI: 10.1002/chem.200801699
- Synthesis, Structures and DFT Calculations on Alkaline-Earth Metal Azide-Crown Ether Complexes (F) 2615–2624
DOI: 10.1002/chem.200701502
- Dyson, P. J. (F) 9046–9057
- Dziadek, S. (F) 5908–5917
- Dziedzic, P. (F) 7867–7879, 10007–10011
- Dzik, W. I. (F) 7594–7599



- Eberhard, J. (F) 1155–1163
- Echavarren, A. M. Corrigendum: 5096
- Echegoyen, L.
– Lanthanum Nitride Endohedral Fullerenes La₃N@C_{2*n*} (43 ≤ *n* ≤ 55): Preferential Formation of La₃N@C₉₆ (F) 8213–8219
DOI: 10.1002/chem.200800881
- New M₃N@C_{2*n*} Endohedral Metallofullerene Families (M = Nd, Pr, Ce; *n* = 40–53): Expanding the Preferential Templating of the C₈₈ Cage and Approaching the C₉₆ Cage (F) 4594–4599
DOI: 10.1002/chem.200800044
- Screening Electronic Communication through *ortho*-, *meta*- and *para*-Substituted Linkers Separating Subphthalocyanines and C₆₀ (F) 7670–7679
DOI: 10.1002/chem.200800910
- Eckardt, R. (F) 10396–10407
- Eckelbarger, J. D. (F) 4293–4306
- Eckert, H.
– Self-Assemblies Based on [Cp₂Mo₂(CO)₄(μ , η^2 -P₂)]—Solid-State Structure and Dynamic Behaviour in Solution

- (F) 282–295
DOI: 10.1002/chem.200700715
- Eckhard, K. (F) 3968–3976
- Ecorchard, P. (F) 4948–4960
- Edge, R. (F) 5890–5907
- Efremenko, I. (F) 8183–8194
- Eggenstein, M. (F) 9878–9889
- Egger, M. (F) 10978–10984
- Eggert, U. (F) 2232–2247
- Ehlers, A. W. (F) 1499–1507
- Ehrlich, G. (F) 2232–2247
- Eichelsheim, T. (F) 1843–1853
- Eisenhut, M. (F) 8116–8130
- Eisfeld, W. (F) 1155–1163
- Eissen, M.
- Electrophilic Bromination of Alkenes: Environmental, Health and Safety Aspects of New Alternative Methods (M) 9830–9841
DOI: 10.1002/chem.200800462
- Eizaguirre, A. (F) 10423–10429
- Eklov, B. M. (F) 234–239
- Ekoue-Kovi, K. (R) 6302–6315 Corrigendum: 9463
- El-Hachemi, Z. (F) 6438–6443
- El Ojaimi, M. (F) 674–681
- Elbayed, K. (F) 3874–3882
- Elders, N. (F) 4961–4973
- Elguero, J.
- Synthesis, Characterization, Molecular Structure and Theoretical Studies of Axially Fluoro-Substituted Subazaporphyrins (F) 1342–1350
DOI: 10.1002/chem.200701542
- Elguero, J. (F) 4225–4232, 8555–8561
- Elhabiri, M. (F) 6742–6753
- Elias, B.
- Photooxidation of Guanine by a Ruthenium Dipyridophenazine Complex Intercalated in a Double-Stranded Polynucleotide Monitored Directly by Picosecond Visible and Infrared Transient Absorption Spectroscopy (F) 369–375
DOI: 10.1002/chem.200700564
- Elkassimi, K. (F) 3154–3163
- Eller, S. (F) 1304–1311
- Ellervik, U.
- Acid-Catalyzed Nucleophilic Aromatic Substitution: Experimental and Theoretical Exploration of a Multistep Mechanism (F) 3954–3960
DOI: 10.1002/chem.200701590
- Ellington, A. (F) 1822–1827
- Elliott, B. (F) 4594–4599, 8213–8219
- Elliott, E. K. (F) 5871–5879
- Elmore, S. (S) 3527–3529
- Elsegood, M. R. J. (S) 3530–3534
- Eltanamy, G. (F) 6205–6212
- Emgenbroich, M. (F) 9516–9529
- Emme, H. (F) 6149–6154
- Emmler, T. (F) 3311–3315
- Enders, C. (F) 6352–6368
- Enders, D.
- Asymmetric Synthesis of (+)-Altholactone: A Styryllactone Isolated from Various *Goniothalamus* Species (F) 2842–2849
DOI: 10.1002/chem.200701647
- Enders, M. (F) 8131–8146
- Eng, M. P. (F) 2819–2826
- Engelhardt, L. P. (F) 5144–5158
- Engelke, A. (F) 7202–7211
- Engeser, M. (S) 3855–3859
- Enkelmann, V. (S) 6322–6325
- Enríquez, A. (F) 603–620
- Enthaler, S. (S) 9491–9494
- Epperson, M. T. (F) 4293–4306
- Epstein, L. M. (F) 9921–9934
- Erathodiyil, N. (F) 3118–3125
- Ercolani, G. (F) 2994–3005
- Erdmenger, T. (F) 10396–10407
- Erichsen, T. (F) 3968–3976
- Eriksson, L. (F) 2693–2698, 3056–3066, 6687–6696, 7212–7217
- Eriksson, L. A.
- Theoretical Studies of Damage to 3'-Uridine Monophosphate Induced by Electron Attachment (F) 2850–2856
DOI: 10.1002/chem.200701324
- Eritja, R. (F) 7828–7835
- Erker, G.
- Mastering the Third Dimension of Silylaldimine-Type Ligand Systems: Development of a Convenient Route to Bis(“ferrocene–saliminato”)zirconium Chemistry (S) 9499–9502
DOI: 10.1002/chem.200801221
 - Structural Importance of Secondary Interactions in Molecules: Origin of Unconventional Conformations of Phosphine–Borane Adducts (F) 333–343 Corrigendum: 779
DOI: 10.1002/chem.200700649
- Erné, B. H. (F) 2016–2024
- Erre, G. (S) 9491–9494
- Esaki, H. (F) 3371–3379
- Escaich, S. (F) 9530–9539
- Escorihuela, L. (F) 1843–1853
- Escudero, C. (F) 6438–6443
- Espinete, P.
- Mechanism of the Rhodium-Catalyzed Asymmetric Isomerization of Allylamines to Enamines (F) 3323–3329
DOI: 10.1002/chem.200701762
 - Self-Organization of Dendritic Supermolecules, Based on Isocyanide–Gold(I), –Copper(I), –Palladium(II), and –Platinum(II) Complexes, into Micellar Cubic Mesophases (F) 3544–3552
DOI: 10.1002/chem.200800128
 - Stannylated Polynorbornenes as New Reagents for a Clean Stille Reaction (F) 10141–10148
DOI: 10.1002/chem.200800558
 - When Are Tricoordinated Pd^{II} Species Accessible? Stability Trends and Mechanistic Consequences (F) 8986–8994
DOI: 10.1002/chem.200800423
- Espinosa-Alonso, L. (F) 2363–2374
- Esposito, G. (F) 5588–5595
- Esseffar, M'H. Corrigendum: 417
- Esteban-Gómez, D.
- Protonated Macrobicyclic Hosts Containing Pyridine Head Units for Anion Recognition (F) 5829–5838
DOI: 10.1002/chem.200800092
- Estévez, M.-C. (F) 1906–1917
- Ettinger, A. (F) 1628–1637
- Eulgem, P. J. (F) 3727–3736
- Evangelio, E. (F) 9754–9763
- Evans, R. M. (F) 10782–10788
- Evrard, D. (F) 9286–9291
- Eypper, M. (F) 11452–11460
- Ezzaher, S. (F) 1954–1964



- Fabbrizzi, L.
- Metal-Controlled Anion-Binding Tendencies of the Thiourea Unit of Thiosemicarbazones (F) 9683–9696
DOI: 10.1002/chem.200800801
- Fabbrizzi, L. (F) 5829–5838
- Faber, K. (C) 8060–8072
- Faggi, C. (S) 5747–5750
- Fagnoni, M. (F) 1029–1039
- Faimani, G. (F) 98–106
- Fain, X. (F) 8322–8329
- Fairbanks, A. J.
- Endohexosaminidase-Catalysed Glycosylation with Oxazoline Donors: Fine Tuning of Catalytic Efficiency and Reversibility (F) 6444–6464
DOI: 10.1002/chem.200800365
- Faita, G. (F) 3630–3636
- Fakhoury, J. (F) 1145–1154
- Falciola, C. A. (F) 10615–10627
- Falciola, L. (F) 459–471
- Fallis, I. A.
- AND/NOT Sensing of Fluoride and Cyanide Ions by Ferrocene-Derivatised Lewis Acids (S) 7525–7529
DOI: 10.1002/chem.200801381
- Falomir, E. (F) 9240–9254
- Famulari, A. (F) 5207–5219
- Fan, C.-A. (S) 10201–10205
- Fan, F. (S) 5125–5129
- Fan, H. (F) 7680–7686
- Fan, K.-N. (S) 7131–7135
- Fan, Liyan (S) 9139–9142
- Fan, Louzhen
- Synthesis and Characterization of a Grapevine Nanostructure Consisting of Single-Walled Carbon Nanotubes with Covalently Attached [60]Fullerene Balls (F) 5981–5987
DOI: 10.1002/chem.200701655
- Fan, Q.-L.
- Supramolecule-Regulated Photophysics of Oligo(*p*-phenyleneethynylene)-Based Rod–Coil Block Copolymers: Effect of Molecular Architecture (F) 1205–1215
DOI: 10.1002/chem.200700305
- Fan, Yang (F) 1972–1981
- Fan, Yaoting (F) 1814–1821

- Fañanás, F. J.
– Diastereoselective Synthesis of Three-, Five-, Six-, and Seven-Membered Rings from Fischer Carbene Complexes and 4-Unsubstituted 1-Amino-1,3-Dienes (F) 325–332
DOI: 10.1002/chem.200701109
- Fañanás, F. J. (S) 4153–4156, 10892–10895
- Fañanás-Mastral, M. (F) 325–332, (S) 7508–7512
- Fang, C.-J. (F) 6342–6351
- Fang, J. (F) 10595–10602
- Fang, X. (F) 1769–1775
- Fantasia, S. (F) 6987–6993
- Farrell, N.
– Effects of Geometric Isomerism and Anions on the Kinetics and Mechanism of the Stepwise Formation of Long-Range DNA Interstrand Cross-Links by Dinuclear Platinum Antitumor Complexes (F) 6391–6405
DOI: 10.1002/chem.200800408
- Farrera, J.-A.
– Towards a Tunable Tautomeric Switch in Azobenzene Biomimetics: Implications for the Binding Affinity of 2-(4'-Hydroxyphenylazo)benzoic Acid to Streptavidin (F) 2277–2285
DOI: 10.1002/chem.200701407
- Fasani, E. (F) 653–663
- Fässler, T. F.
– [Cu@Sn₉]³⁻ and [Cu@Pb₉]³⁻: Intermetallic Clusters with Endohedral Cu Atoms in Spherical Environments (S) 4479–4483
DOI: 10.1002/chem.200800429
- Polar Intermetallic Compounds as Catalysts for Hydrogenation Reactions: Synthesis, Structures, Bonding, and Catalytic Properties of Ca_{1-x}Sr_xNi₄Sn₂ (x = 0.0, 0.5, 1.0) and Catalytic Properties of Ni₃Sn and Ni₃Sn₂ (F) 3737–3744
DOI: 10.1002/chem.200701547
- Fattorusso, R.
– Structural Determinants of the Unusual Helix Stability of a De Novo Engineered Vascular Endothelial Growth Factor (VEGF) Mimicking Peptide (S) 4164–4166
DOI: 10.1002/chem.200800180
- Faulkner, S. (F) 9389–9399
- Fedi, S. (F) 1924–1934
- Fedushkin, I. L.
– Synthesis, Molecular Structure and DFT Study of [(dpp-bian)Ga–M(Et₂O)₃] (M = Li, Na; dpp-bian = 1,2-bis[(2,6-diisopropylphenyl)imino]acenaphthene) (S) 8465–8468
DOI: 10.1002/chem.200801267
- Feeney, M. M. (F) 369–375
- Feiters, M. C.
– β -Cyclodextrin-Appended Giant Amphiphile: Aggregation to Vesicle Polymersomes and Immobilisation of Enzymes (F) 9914–9920
DOI: 10.1002/chem.200801429
- Felder, T. (F) 1216–1227
- Feldman, K. (F) 10797–10807
- Felici, M. (F) 9914–9920
- Felix, V. (F) 2248–2263
- Femoni, C. (F) 1924–1934
- Fenet, B. (S) 3523–3526
- Feng, J. (F) 7000–7010
- Feng, L. (F) 9764–9771
- Feng, P.
– A New Zeolitic Topology with Sixteen-Membered Ring and Multidimensional Large Pore Channels (S) 7771–7773
DOI: 10.1002/chem.200800736
- Feng, X.
– A Secondary Amine Amide Organocatalyst for the Asymmetric Nitroaldol Reaction of α -Ketophosphonates (S) 10896–10899
DOI: 10.1002/chem.200801958
- An Enantioselective Biginelli Reaction Catalyzed by a Simple Chiral Secondary Amine and Achiral Brønsted Acid by a Dual-Activation Route (F) 3177–3181
DOI: 10.1002/chem.200701581
- Asymmetric Three-Component Strecker Reactions Catalyzed by *trans*-4-Hydroxy-L-proline-Derived *N,N'*-Dioxides (F) 6789–6795
DOI: 10.1002/chem.200800319
- Direct Allylation of Aldimines Catalyzed by C₂-Symmetric *N,N'*-Dioxide–Sc^{III} Complexes: Highly Enantioselective Synthesis of Homoallylic Amines (S) 4796–4798
DOI: 10.1002/chem.200800534
- Highly Enantioselective Strecker Reaction of Ketoimines Catalyzed by an Organocatalyst from (*S*)-BINOL and L-Prolinamide (S) 4484–4486
DOI: 10.1002/chem.200800454
- Feng, Z. (S) 5125–5129
- Fenske, D. (F) 4346–4360
- Fensterbank, L.
– Alkyne versus Allene Activation in Platinum- and Gold-Catalyzed Cycloisomerization of Hydroxylated 1,5-Allenynes (F) 1482–1491
DOI: 10.1002/chem.200701522
- Ferdani, R. (F) 382–396
- Feringa, B. L.
– Asymmetric Total Synthesis of PDIM A: A Virulence Factor of *Mycobacterium tuberculosis* (S) 4157–4159
DOI: 10.1002/chem.200800243
- Autonomous Movement of Silica and Glass Micro-Objects Based on a Catalytic Molecular Propulsion System (F) 3146–3153
DOI: 10.1002/chem.200701227
- Biocatalytic Enantioselective Synthesis of *N*-Substituted Aspartic Acids by Aspartate Ammonia Lyase (F) 10094–10100
DOI: 10.1002/chem.200801407
- Light-Driven Rotary Molecular Motors on Gold Nanoparticles (F) 11610–11622
DOI: 10.1002/chem.200800814
- New Mechanistic Insight in the Thermal Helix Inversion of Second-Generation Molecular Motors (F) 11183–11193
DOI: 10.1002/chem.200800969
- Fermin, M. (S) 4475–4478
- Fernandes, P. A. (F) 9591–9598
- Fernández, A. (S) 4153–4156
- Fernández, E.
– Multifaceted Palladium Catalysts Towards the Tandem Diboration–Arylation Reactions of Alkenes (F) 10648–10655
DOI: 10.1002/chem.200800931
- Fernández, I.
– Transmetalation Reactions from Fischer Carbene Complexes to Late Transition Metals: A DFT Study (F) 11222–11230
DOI: 10.1002/chem.200801378
- Fernández, I. (F) 10789–10796
- Fernández, J. J.
– Belizeanic Acid: A Potent Protein Phosphatase 1 Inhibitor Belonging to the Okadaic Acid Class, with an Unusual Skeleton (F) 6948–6956
DOI: 10.1002/chem.200800593
- Fernández-Alonso, F. (F) 5144–5158
- Fernández-Alonso, M. C. (F) 7570–7578
- Fernández-Tejada, A. (F) 7042–7058
- Feroz, F. (F) 11376–11384
- Ferrante, F. (F) 2615–2624
- Ferrari, C. (F) 8322–8329
- Ferreira, F. (S) 8784–8788
- Fester, G. W. (F) 3164–3176
- Fettinger, J. C. (F) 7250–7258
- Fias, S. (F) 3093–3099
- Ficht, S. (F) 3620–3629
- Fiedler, J. (F) 10816–10828
- Fiedor, L.
– Interplay between Acetate Ions, Peripheral Groups, and Reactivity of the Core Nitrogens in Transmetalation of Tetrapyrroles (F) 9419–9430
DOI: 10.1002/chem.200800991
- Figuerola, A. Corrigendum: 1377
- Filichev, V. V.
– 1-, 2-, and 4-Ethynylpyrenes in the Structure of Twisted Intercalating Nucleic Acids: Structure, Thermal Stability, and Fluorescence Relationship (F) 9968–9980
DOI: 10.1002/chem.200800380
- Filipiak, P. (F) 7913–7929
- Filippakopoulos, P. (F) 4816–4822
- Filippini, D.
– Polychromatic Fingerprinting of Excitation Emission Matrices (S) 6057–6060
DOI: 10.1002/chem.200800590
- Filippini, M.-H. (F) 3078–3092
- Filippone, S. (F) 5198–5206 Corrigendum: 5709
- Filipponi, A. (F) 3045–3055
- Fillo, J. L. (F) 8131–8146
- Finazzi, E. (F) 4404–4414
- Findeisen, M. (F) 6805–6814
- Findley, T. J. K. (S) 6862–6865
- Fink, H. (F) 4346–4360
- Finn, M. G.
– Cowpea Mosaic Virus Capsid: A Promising Carrier for the Development of Carbohydrate Based Antitumor Vac-

- cines
(F) 4939–4947
DOI: 10.1002/chem.200800203
- Fiolka, R. (F) 10797–10807
- Firbank, S. J. (F) 5820–5828
- Fischer, C. (F) 1445–1451
- Fischer, R. A.
– Organometallic Chemistry of Ga⁺: Formation of an Unusual Gallium Dimer in the Coordination Sphere of Ruthenium (F) 10789–10796
DOI: 10.1002/chem.200801328
- Fishlock, L. P. (C) 5716–5726
- Fitzmaurice, D. (F) 1095–1106, 1107–1116, 1117–1128
- Fjellvåg, H. (F) 2389–2397
- Flamigni, L.
– Energy Migration in a Self-Assembled Nonameric Porphyrinic Molecular Box (F) 4214–4224
DOI: 10.1002/chem.200800026
- New and Efficient Arrays for Photoinduced Charge Separation Based on Perylene Bisimide and Corroles (F) 169–183
DOI: 10.1002/chem.200700866
- Flamigni, L. (F) 2976–2983
- Flammang, R. (F) 11039–11049
- Flavin, K. (F) 7059–7065
- Fleckenstein, C. A. (F) 4267–4279
- Fleming, M. J. (F) 2112–2124
- Fleury, M.-B. (F) 996–1003
- Flood, A. H. (S) 10211–10218
- Flores, J.-C. (F) 4201–4213
- Flórez, J. (S) 5401–5404
- Flörke, U. (F) 4913–4923
- Foegen, S. E. (S) 9860–9863
- Fojutowski, A. (F) 9305–9311
- Fonseca Guerra, C. (F) 819–828
- Fontes, G. N. (F) 7600–7607
- Fontrudona, X. (S) 5727–5731
- Fonvielle, M. (F) 8521–8529
- Ford, W. T. (F) 8837–8846 Corrigendum: 9810
- Formaggio, F. (F) 3154–3163
- Formosinho, S. J.
– Understanding Chemical Reactivity: The Case for Atom, Proton and Methyl Transfers (C) 6578–6587
DOI: 10.1002/chem.200701986
- Formoso, E. (F) 8547–8554
- Fortage, J. (F) 3467–3480
- Fortin, D. (F) 8341–8352
- Fournié, J.-J. (F) 4836–4850
- Fournier, P. (F) 3410–3417
- Fournier, P.-A. (F) 8690–8695
- Fowler, P. W. (F) 3093–3099
- Franc, G. (F) 7658–7669
- Francis, C. L. (F) 2867–2885
- Francisco, C. G. (F) 6704–6712 Corrigendum: 10871, 10369–10381
- Francos, J. (S) 6601–6605
- Frank, B. (F) 7638–7647
- Frank, W. (F) 2719–2729
- Franke, D. (S) 4160–4163
- Franke, P. T. (S) 6317–6321
- Frantz, M.-C. (F) 6247–6254
- Franz, A. W. (F) 2602–2614
- Fraschetti, C. (F) 3585–3595
- Frauenrath, H.
– A General Concept for the Preparation of Hierarchically Structured π -Conjugated Polymers (C) 2942–2955
DOI: 10.1002/chem.200701325
- Fraústo da Silva, J. J. R. (F) 1828–1842
- Freccero, M.
– Modeling the Photochemistry of the Reference Phototoxic Drug Lomefloxacin by Steady-State and Time-Resolved Experiments, and DFT and Post-HF Calculations (F) 653–663
DOI: 10.1002/chem.200701099
- Frech, C. M.
– Rationally Designed Pincer-Type Heck Catalysts Bearing Aminophosphine Substituents: Pd^{IV} Intermediates and Palladium Nanoparticles (F) 7969–7977
DOI: 10.1002/chem.200800441
- Fredrickson Takagi, R. (F) 3434–3441
- Freisinger, E.
– Comparison of the Surprising Metal-Ion-Binding Properties of 5- and 6-Uracilmethylphosphonate (5Umpa²⁻ and 6Umpa²⁻) in Aqueous Solution and Crystal Structures of the Dimethyl and Di(isopropyl) Esters of H₂(6Umpa) (F) 10036–10046
DOI: 10.1002/chem.200800998
- Frenking, G.
– Chemical Bonding in the Inclusion Complex of He in Adamantane, He@adam: Antithesis and Complement (S) 10227–10231
DOI: 10.1002/chem.200801351
- Divalent Carbon(0) Chemistry, Part 1: Parent Compounds (F) 3260–3272
DOI: 10.1002/chem.200701390
- Divalent Carbon(0) Chemistry, Part 2: Protonation and Complexes with Main Group and Transition Metal Lewis Acids (F) 3273–3289
DOI: 10.1002/chem.200701392
- Nonpolar Dihydrogen Bonds—On a Gliding Scale from Weak Dihydrogen Interaction to Covalent H–H in Symmetric Radical Cations [H_nE–H–EH_n]⁺ (F) 4028–4038
DOI: 10.1002/chem.200701613
- Frenking, G. (F) 10716–10721, 10789–10796
- Fressigné, C.
– A Case of *anti* Carbolithiation of Alkynes Resulting from Intramolecular Lithium Coordination (F) 5159–5167
DOI: 10.1002/chem.200701834
- Freund, H.-J. (F) 4404–4414
- Frey, G. D. (F) 4711–4718
- Frey, W. (F) 3703–3708, 5178–5197, 6672–6678
- Friedrich, M. (F) 8972–8979
- Frišćić, T. (F) 747–753
- Fröba, M.
– Synthesis and Characterization of Chiral Benzylic Ether-Bridged Periodic Mesoporous Organosilicas (F) 5935–5940
DOI: 10.1002/chem.200800239
- Fröhlich, R. (F) 333–343 Corrigendum: 779, 4246–4255, (S) 9499–9502, (F) 11512–11528
- Frost, C. G. (F) 7808–7812
- Fu, B. (F) 9431–9441
- Fu, C.
– Highly Stereoselective Iodolactonization of 4,5-Allenic Acids—An Efficient Synthesis of 5-(1'-Iodo-1'(Z)-alkenyl)-4,5-dihydro-2(3H)-furanones (F) 9656–9664
DOI: 10.1002/chem.200801363
- Fu, Da-W. (F) 1164–1168, 3452–3456
- Fu, H.
– Highly Efficient Copper-Catalyzed Amidation of Aldehydes by C–H Activation (F) 10722–10726
DOI: 10.1002/chem.200801620
- Fu, Y. (S) 4796–4798, (F) 6789–6795
- Fuchigami, T. (F) 10382–10387
- Fudickar, W. (F) 11429–11441
- Fuentes-Cabrera, M.
– Theoretical Study on the Factors Controlling the Stability of the Borate Complexes of Ribose, Arabinose, Lyxose, and Xylose (F) 9990–9998
DOI: 10.1002/chem.200800961
- Fujigaya, T. (F) 5966–5973
- Fujimoto, K.
– Development of a Series of Cross-Linking Agents that Effectively Stabilize α -Helical Structures in Various Short Peptides (F) 857–863
DOI: 10.1002/chem.200700843
- Fujimoto, T. (S) 6053–6056
- Fujimoto, Yasuhiro (F) 973–980
- Fujimoto, Yukari
– Synthesis of Diaminopimelic Acid Containing Peptidoglycan Fragments and Tracheal Cytotoxin (TCT) and Investigation of Their Biological Functions (F) 10318–10330
DOI: 10.1002/chem.200801121
- Fujioka, J. (S) 9512–9515
- Fujisawa, K. (F) 10735–10744
- Fujita, H. (F) 1891–1896
- Fujita, M. (F) 4875–4885
- Fujita, S.-i. (S) 9507–9511
- Fujitsuka, M. (F) 1492–1498, 3721–3726
- Fujiwara, K. (F) 5780–5793
- Fukase, K.
– Synthesis of Diaminopimelic Acid Containing Peptidoglycan Fragments and Tracheal Cytotoxin (TCT) and Investigation of Their Biological Functions (F) 10318–10330
DOI: 10.1002/chem.200801121
- Fukin, G. K. (F) 5440–5448, (S) 8465–8468, (F) 10085–10093
- Fukushima, T. (F) 8102–8115
- Fukuzumi, S.
– Accelerating and Decelerating Effects of Metal Ions on Electron-Transfer Reduction of Quinones as a Function of Temperature and Binding Modes of Metal Ions to Semiquinone Radical Anions

- (F) 1866–1874
DOI: 10.1002/chem.200701420
- Contrasting Photodynamics between C₆₀–Dithiapyrene and C₆₀–Pyrene Dyads (F) 250–258
DOI: 10.1002/chem.200700837
 - Face-to-Face Pacman-Type Porphyrin–Fullerene Dyads: Design, Synthesis, Charge-Transfer Interactions, and Photophysical Studies (F) 674–681
DOI: 10.1002/chem.200700936
 - (Pentamethylcyclopentadienyl)ruthenium π -Complexes of Metalloporphyrins: Platforms with Novel Photo- and Electrochemical Properties (S) 10206–10210
DOI: 10.1002/chem.200801748
 - Ruthenium(II) Pyridylamine Complexes with Diimine Ligands Showing Reversible Photochemical and Thermal Structural Change (F) 8904–8915
DOI: 10.1002/chem.200800827
 - Switchable Antenna: A Star-Shaped Ruthenium/Osmium Tetranuclear Complex with Azobis(bipyridine) Bridging Ligands (F) 2709–2718
DOI: 10.1002/chem.200701691
- Fürstner, A.
- A Gold-Catalyzed Entry into the Sesquibinene and Sesquithujene Families of Terpenoids and Formal Total Syntheses of Cedrene and Cedrol (F) 9181–9191
DOI: 10.1002/chem.200801382
- Furusho, H. (F) 5047–5056
- Furuta, H.
- Endocyclic Extension of Porphyrin π -System by Interior Functionalization of N-Confused Porphyrins (F) 10585–10594
DOI: 10.1002/chem.200801156
- Furuyama, T. (F) 10348–10356
- Fustero, S.
- Organocatalytic Approach to Benzofused Nitrogen-Containing Heterocycles: Enantioselective Total Synthesis of (+)-Angustureine (S) 9868–9872
DOI: 10.1002/chem.200801480
 - Solution-, Solid-Phase, and Fluorous Synthesis of β,β -Difluorinated Cyclic Quaternary α -Amino Acid Derivatives: A Comparative Study (F) 7019–7029
DOI: 10.1002/chem.200702009
- Fuzerova, S. (F) 4551–4561
- ium and Protons as Cations (F) 1918–1923
DOI: 10.1002/chem.200701427
- Gabriel, G. J. (F) 3904–3907
- Gade, L. H.
- Bonding and Bending in Zirconium(IV) and Hafnium(IV) Hydrazides (F) 8131–8146
DOI: 10.1002/chem.200800876
 - Exploiting Threefold Symmetry in Asymmetric Catalysis: The Case of Tris(oxazolonyl)ethanes (“Trisox”) (C) 4142–4152
DOI: 10.1002/chem.200701990
 - Living Radical Polymerization of Acrylates Mediated by 1,3-Bis(2-pyridylimino)isoindolatocobalt(II) Complexes: Monitoring the Chain Growth at the Metal (F) 10267–10279
DOI: 10.1002/chem.200801373
- Gadegaard, N. (F) 2349–2354
- Gademann, K.
- Protein-Resistant Surfaces through Mild Dopamine Surface Functionalization (F) 10579–10584
DOI: 10.1002/chem.200801134
- Gadenne, B. (F) 8964–8971
- Gaekwad, J. (F) 558–569
- Gagliardi, L.
- Helicate Extension as a Route to Molecular Wires (F) 7180–7185
DOI: 10.1002/chem.200800503
- Gagliardo, M. (F) 4800–4809
- Gahan, L. R. (F) 4393–4403
- Gais, H.-J.
- Anionic Cross-Coupling Reaction of α -Metallated Alkenyl Sulfoximines and Alkenyl Sulfoximines with Cuprates Featuring a 1,2-Metal-Ate Rearrangement of Sulfoximine-Substituted Higher Order Alkenyl Cuprates and an α -Metallation of Alkenyl Sulfoximines by Cuprates (F) 6510–6528
DOI: 10.1002/chem.200800455
- Galanski, M. (F) 9046–9057
- Gale, P. A.
- Cooperative Binding of Calix[4]pyrrole–Anion Complexes and Alkylammonium Cations in Halogenated Solvents (F) 7822–7827
DOI: 10.1002/chem.200800899
 - 1,3-Diindolylureas and 1,3-Diindolylthioureas: Anion Complexation Studies in Solution and the Solid State (F) 10236–10243
DOI: 10.1002/chem.200801639
- Galetskaia, M. (F) 6490–6497
- Galli, S.
- Polymorphic Coordination Networks Responsive to CO₂, Moisture, and Thermal Stimuli: Porous Cobalt(II) and Zinc(II) Fluoropyrimidinolates (F) 9890–9901
DOI: 10.1002/chem.200801048
- Galve, R. (F) 1906–1917
- Gamblin, D. P. (F) 8947–8955
- Gámez, J. A. (F) 2201–2208
- Gamez, P.
- Counterion Effect on the Spin-Transition Properties of the Cation [Fe(btzx)₃]²⁺ (btzx = *m*-Xylylenebis(tetrazole)) (F) 8486–8499
DOI: 10.1002/chem.200800990
- Gamez, P. (F) 3418–3426
- Gandon, V. (F) 1482–1491
- Gang, T. (F) 136–142
- Ganin, A. Y. (F) 4521–4532
- Gansäuer, A.
- Carbonyl-Substituted Titanocenes: A Novel Class of Cytostatic Compounds with High Antitumor and Antileukemic Activity (S) 4160–4163
DOI: 10.1002/chem.200800407
- Ganter, C.
- Hybrid Ligands with N-Heterocyclic Carbene and Chiral Phosphaferrrocene Components (F) 2719–2729
DOI: 10.1002/chem.200701513
- Ganzmann, C. (S) 5397–5400
- Gao, B. (F) 6789–6795, (S) 10896–10899
- Gao, C. (F) 11423–11428
- Gao, Haixiang (F) 1282–1290, 5596–5603
- Gao, Hongjun (F) 4404–4414
- Gao, Q. (F) 10340–10347
- Gao, S.
- Cobalt–Lanthanide Coordination Polymers Constructed with Metalloligands: A Ferromagnetic Coupled Quasi-1D Dy³⁺ Chain Showing Slow Relaxation (F) 10340–10347
DOI: 10.1002/chem.200800344
- Gao, Xin (F) 11601–11609
- Gao, Xing (F) 8374–8382
- Gao, Y. (F) 6892–6900
- Gao, Y.-L. (F) 6935–6947
- García, H.
- Catalyst Parameters Determining Activity and Selectivity of Supported Gold Nanoparticles for the Aerobic Oxidation of Alcohols: The Molecular Reaction Mechanism (F) 212–222
DOI: 10.1002/chem.200701263
 - Functional Macromolecules from Single-Walled Carbon Nanotubes: Synthesis and Photophysical Properties of Short Single-Walled Carbon Nanotubes Functionalised with 9,10-Diphenylanthracene (F) 5030–5038
DOI: 10.1002/chem.200800186
 - Specific Binding Effects for Cucurbit[8]uril in 2,4,6-Triphenylpyrylium–Cucurbit[8]uril Host–Guest Complexes: Observation of Room-Temperature Phosphorescence and their Application in Electroluminescence (F) 1762–1768
DOI: 10.1002/chem.200701353
- García, J. M. (S) 8768–8771
- García, Y.
- Rapid Cooling Experiments and Use of an Anionic Nuclear Probe to Sense the Spin Transition of the 1D Coordination Polymers [Fe(NH₂trz)₃][SnF₆·*n*H₂O] (NH₂trz = 4-amino-1,2,4-triazole) (F) 3745–3758
DOI: 10.1002/chem.200701305



Gabel, D.

- Trialkylammoniododecaborates: Anions for Ionic Liquids with Potassium, Lith-

- García-Bosch, I. (S) 3535–3538
 García-Casas, M. J. (F) 3544–3552
 García-Cerrada, S. (F) 603–620
 García-Fandiño, R. (F) 272–281
 García-Frutos, E. M. (F) 8555–8561
 García-Granda, S. (S) 5401–5404
 García-Lema, I. (F) 500–512
 García-Rubín, S. (F) 9772–9778
 Gardeniers, H. J. G. E. (F) 136–142
 Gardner, N. M. (F) 7557–7569
 Garrabou, X. (F) 4647–4656
 Garró, N. (F) 8267–8278
 Gasparrini, F. (S) 5747–5750
 Gassman, P. L. (F) 9951–9959
 Gates, B. C.
 – Probing Defect Sites on TiO₂ with [Re₃(CO)₁₂H₃]: Spectroscopic Characterization of the Surface Species (F) 1402–1414
 DOI: 10.1002/chem.200701514
 Gatteschi, D.
 – XAS and XMCD Investigation of Mn₁₂ Monolayers on Gold (F) 7530–7535
 DOI: 10.1002/chem.200800693
 Gatto, E. (S) 6057–6060
 Gatz, C. (F) 3670–3679
 Gau, H.-M.
 – A New Strategy for Designing Non-C₂-Symmetric Monometallic Bifunctional Catalysts and Their Application in Enantioselective Cyanation of Aldehydes (F) 2223–2231
 DOI: 10.1002/chem.200701660
 Gau, H.-M. (F) 11601–11609
 Gaucher, A.
 – Synthesis and Characterisation of Helical β-Peptide Architectures that Contain (S)-β³-HDOPA(Crown Ether) Derivatives (F) 3154–3163
 DOI: 10.1002/chem.200701360
 Gavrilenko, K. S. (F) 2034–2043
 Gavrilova, E. (S) 8098–8101
 Gawronski, J.
 – Toluene Dioxygenase-Catalyzed Synthesis of *cis*-Dihydrodiol Metabolites from 2-Substituted Naphthalene Substrates: Assignments of Absolute Configurations and Conformations from Circular Dichroism and Optical Rotation Measurements (F) 11500–11511
 DOI: 10.1002/chem.200801686
 Gayduk, K. A. (F) 2420–2434
 Ge, H. M. (F) 376–381
 Ge, J. (F) 3637–3644
 Geckeler, K. E.
 – Dispersion of Single-Walled Carbon Nanotubes by Using Surfactants: Are the Type and Concentration Important? (S) 6044–6048
 DOI: 10.1002/chem.200800357
 Gedanken, A.
 – Preparation and Properties of Proteinaceous Microspheres Made Sonochemically (R) 3840–3853
 DOI: 10.1002/chem.200701541
 – Sonochemical Synthesis under a Magnetic Field: Fabrication of Nickel and Cobalt Particles and Variation of Their Physical Properties (F) 10115–10122
 DOI: 10.1002/chem.200801469
 – Synthesis of Copper Dendrite Nanostructures by a Sonoelectrochemical Method (F) 4696–4703
 DOI: 10.1002/chem.200701744
 Gee, L. C. (F) 11376–11384
 Geerlings, P. (F) 5168–5177, 8652–8660
 Geertsema, E. M. (F) 11183–11193
 Geetharani, K. (F) 9058–9064
 Gehring, T. (F) 4631–4639
 Gehrman, T. (F) 8131–8146
 Geiger, S. (F) 10978–10984
 Gelalcha, F. G.
 – Biomimetic Iron-Catalyzed Asymmetric Epoxidation of Aromatic Alkenes by Using Hydrogen Peroxide (F) 7687–7698
 DOI: 10.1002/chem.200800595
 Gelman, D.
 – Exploring the Reactivity of C(sp³)-Cyclometalated Ir^{III} Compounds in Hydrogen Transfer Reactions (F) 10364–10368
 DOI: 10.1002/chem.200801728
 Gembicky, M. (F) 706–713
 Gemel, C. (F) 10789–10796
 Gemming, S. (F) 3562–3576
 Genêt, J.-P. (F) 9412–9418
 Geng, F. (F) 9255–9260
 Genre, C. (F) 697–705
 Geoffroy, M.
 – Helicate Extension as a Route to Molecular Wires (F) 7180–7185
 DOI: 10.1002/chem.200800503
 George, M. W.
 – Photooxidation of Guanine by a Ruthenium Dipyridophenazine Complex Intercalated in a Double-Stranded Polynucleotide Monitored Directly by Picosecond Visible and Infrared Transient Absorption Spectroscopy (F) 369–375
 DOI: 10.1002/chem.200700564
 Gérard, H. (F) 2730–2743, 6465–6473
 Gerbaux, P.
 – Noncovalent Interactions between ([18]Crown-6)-Tetracarboxylic Acid and Amino Acids: Electrospray-Ionization Mass Spectrometry Investigation of the Chiral-Recognition Processes (F) 11039–11049
 DOI: 10.1002/chem.200801372
 Gerber, L. C. H. (F) 9555–9564
 Gerhäuser, C. (S) 9860–9863
 Gescheidt, G.
 – One-Electron-Reduced and -Oxidized Stages of Donor-Substituted 1,1,4,4-Tetracyanobuta-1,3-dienes of Different Molecular Architectures (F) 7638–7647
 DOI: 10.1002/chem.200800716
 Ghanem, M. A. (F) 2548–2556
 Gheysen, K. (F) 8869–8878
 Ghiviriga, I. (F) 1452–1463
 Ghosh, Abhik
 – Models of the ox1 State of Methylcoenzyme M Reductase: Where are the Electrons? (F) 9981–9989
 DOI: 10.1002/chem.200800648
 Ghosh, Ashutosh Corrigendum: 1377
 Ghosh, P.
 – Highly Convenient Amine-Free Sonogashira Coupling in Air in a Polar Mixed Aqueous Medium by *trans*- and *cis*-[(NHC)₂PdX₂] (X = Cl, Br) Complexes of *N/O*-Functionalized N-Heterocyclic Carbenes (F) 6646–6655
 DOI: 10.1002/chem.200800301
 Ghosh, Suhrit (S) 8074–8078, (F) 11343–11357
 Ghosh, Sundargopal
 – Metallaboranes of the Early Transition Metals: Direct Synthesis and Characterization of [((η⁵-C₅Me₅)Ta)₂B_nH_m] (*n* = 4, *m* = 10; *n* = 5, *m* = 11), [((η⁵-C₅Me₅)Ta)₂B₅H₁₀(C₆H₄CH₃)], and [((η⁵-C₅Me₅)TaCl)₂B₅H₁₁] (F) 9058–9064
 DOI: 10.1002/chem.200800487
 Ghosh, Surajit (F) 1415–1419
 Ghumaan, S. (F) 10816–10828
 Giamello, E. (F) 4404–4414
 Gianolio, E. (F) 4551–4561
 Giansante, C. (F) 8365–8373, 10772–10781
 Gibb, B. C. (F) 4704–4710
 Gibb, C. L. D. (F) 4704–4710
 Gicquel, B. (F) 8521–8529
 Gidron, O. (F) 10639–10647
 Gieck, C. (F) 3745–3758
 Gierlich, J. (F) 2125–2132
 Gill, C. S. (F) 7306–7313
 Gill, R. (F) 7774–7781
 Gillon, B.
 – Structure, Magnetic Properties, Polarized Neutron Diffraction, and Theoretical Study of a Copper(II) Cubane (F) 9540–9548
 DOI: 10.1002/chem.200800557
 Gimeno, J.
 – Selective Ruthenium-Catalyzed Hydration of Nitriles to Amides in Pure Aqueous Medium Under Neutral Conditions (S) 6601–6605
 DOI: 10.1002/chem.200800847
 Gimeno, N. (F) 3006–3012
 Gin, D. Y.
 – Asymmetric Synthetic Access to the Hetsine Alkaloids: Total Synthesis of (+)-Nominine (F) 1654–1665
 DOI: 10.1002/chem.200701290
 – Synthesis of Antiproliferative *Cephalotaxus* Esters and Their Evaluation against Several Human Hematopoietic and Solid Tumor Cell Lines: Uncovering Differential Susceptibilities to Multidrug Resistance (F) 4293–4306
 DOI: 10.1002/chem.200701998
 Gingras, M.
 – Polysulfurated Pyrene-Cored Dendrimers: Luminescent and Electrochromic Properties (F) 10357–10363
 DOI: 10.1002/chem.200801198
 Giorgi, C. (F) 184–196

- Giorgini, L. (F) 11209–11221
- Girard, A.-L. (F) 5159–5167
- Girard, N. (F) 10938–10948
- Girerd, J.-J. (F) 3182–3188
- Gissibl, A. (F) 7259–7265
- Gladysz, J. A.
- Coordination-Driven Self-Assembly, Structures, and Dynamic Properties of Diplatinum Hexatrienediyl and Butadienediyl Complexes in which the sp³ Carbon Chains are Shielded by sp³ Carbon Chains: Towards Endgroup–Endgroup Interactions (F) 73–87
DOI: 10.1002/chem.200701268
 - Phase Transfer of Enantiopure Werner Cations into Organic Solvents: An Overlooked Family of Chiral Hydrogen Bond Donors for Enantioselective Catalysis (S) 5397–5400
DOI: 10.1002/chem.200800226
- Glaser, T. (F) 1186–1195
- Glasson, C. R. K. (S) 10535–10538
- Glenn, I. C. (F) 1822–1827
- Glettner, B. (F) 6352–6368
- Gloaguen, F. (F) 1954–1964
- Glueck, D. S.
- Catalytic Asymmetric Synthesis of Chiral Phosphanes (C) 7108–7117
DOI: 10.1002/chem.200800267
- Gobbi, L. B. (F) 10683–10704
- Göbel, M. (F) 10683–10704
- Gobetto, R.
- Three Polymorphic Forms of the Co-Crystal 4,4'-Bipyridine/Pimelic Acid and their Structural, Thermal, and Spectroscopic Characterization (F) 10149–10159
DOI: 10.1002/chem.200801051
- Goddard III, W. A. (F) 3954–3960
- Godey, S. (F) 6237–6246
- Goeke, A.
- Organocatalytic Multicomponent α -Methylenation/Diels–Alder Reactions: A Versatile Route to Substituted Cyclohexenecarbaldehyde Derivatives (F) 5335–5345
DOI: 10.1002/chem.200800145
- Gokel, G. W.
- Aggregation Behavior and Dynamics of Synthetic Amphiphiles That Self-Assemble to Anion Transporters (F) 5871–5879
DOI: 10.1002/chem.200800148
 - Carboxylate Anion Diminishes Chloride Transport through a Synthetic, Self-Assembled Transmembrane Pore (F) 382–396
DOI: 10.1002/chem.200701071
 - Fluorescent, Synthetic Amphiphilic Heptapeptide Anion Transporters: Evidence for Self-Assembly and Membrane Localization in Liposomes (F) 5861–5870
DOI: 10.1002/chem.200800147
- Gokulakrishnan, N. (F) 11529–11538
- Golhen, S. (F) 2034–2043
- Gómez, L. (S) 5727–5731
- Gómez-Carretero, A. (F) 5656–5669
- Gómez-Lor, B.
- Synthesis and Preferred All-*syn* Conformation of C₃-Symmetrical *N*-(Hetero)arylmethyl Triindoles (F) 8555–8561
DOI: 10.1002/chem.200800911
- Gómez-Ruiz, S. (F) 4511–4520, 8980–8985
- Gong, J.-Y. (F) 4074–4081
- González, A. (S) 8768–8771
- González, C. C.
- Fragmentation of Carbohydrate Anomeric Alkoxy Radicals: New Synthesis of Chiral 1-Fluoro-1-halo-1-iodoalditols (F) 6704–6712 Corrigendum: 10871
DOI: 10.1002/chem.200800734
- González, E. (F) 9981–9989
- González-Calbet, J. M.
- Magnetic Structure and Electronic Study of Complex Oxygen-Deficient Manganites (F) 9038–9045
DOI: 10.1002/chem.200800723
- González-Campo, A. (F) 4924–4938
- González-del Moral, O. (F) 7930–7938
- González-Noya, A. M. (F) 500–512
- González-Rodríguez, D. (F) 1342–1350, 7670–7679
- Goral, M. (F) 3189–3199
- Gordon, K. C.
- A Synthetic, Structural, Spectroscopic and DFT study of Re^I, Cu^I, Ru^{II} and Ir^{III} Complexes Containing Functionalised Dipyrido[3,2-*a*:2',3'-*c*]phenazine (dppz) (F) 11573–11583
DOI: 10.1002/chem.200801369
- Gordon, K. C. (F) 4415–4425
- Goretzki, G. (F) 7600–7607
- Görling, A. (F) 3765–3775
- Gornitzka, H. (F) 682–696
- Gosiewska, S. (F) 1228–1237
- Goswami, D. (F) 10628–10638
- Goto, A. (F) 472–477
- Goto, R. (F) 8500–8506
- Gottfried, J. M.
- Heterogeneous Gold Catalysts for Efficient Access to Functionalized Lactones (F) 9412–9418
DOI: 10.1002/chem.200801327
- Gottspöner, M. (C) 7470–7477
- Gou, X. (F) 5996–6002
- Goujon, A. (F) 9540–9548
- Goupil, J.-M. (F) 6205–6212
- Gourlaouen, C. (F) 2730–2743
- Gouverneur, V. (F) 7059–7065
- Gouzerh, P. (F) 1532–1540
- Grabner, G. (F) 1029–1039
- Graetz, S. (F) 10978–10984
- Graf, G. (F) 6796–6804
- Graf, R. (F) 3562–3576
- Graham, D. V. (F) 8025–8034
- Grampp, G.
- The Rehm–Weller Experiment in View of Distant Electron Transfer (F) 6213–6221
DOI: 10.1002/chem.200701841
- Grandbois, A. (F) 8690–8695, 9323–9329
- Granet, R. (S) 10196–10200
- Granja, J. R.
- Folding Control in Cyclic Peptides through N-Methylation Pattern Selection: Formation of Antiparallel β -Sheet Dimers, Double Reverse Turns and Supramolecular Helices by 3 α,γ Cyclic Peptides (F) 2100–2111
DOI: 10.1002/chem.200701059
- Granja, J. R. (F) 272–281
- Grass, R. N. (F) 8262–8266
- Graton, J.
- A Theoretical Evaluation of the p*K*_{HB} and ΔH_{HB}^{\ddagger} Hydrogen-Bond Scales of Nitrogen Bases (F) 10656–10669
DOI: 10.1002/chem.200800977
- Gratteri, P. (F) 184–196
- Grauer, A. (F) 8922–8927
- Graves, C. R. (F) 7782–7790
- Gray, B. L. (F) 10683–10704
- Grealis, J. P. (F) 1552–1560
- Green, J. C.
- Spectroelectrochemical and Computational Studies on the Mechanism of Hypoxia Selectivity of Copper Radiopharmaceuticals (F) 5890–5907
DOI: 10.1002/chem.200800539
- Greenhill-Hooper, M. (F) 2340–2348
- Gref, R. (F) 4551–4561
- Gregoriades, L. J. (F) 282–295
- Grela, K.
- In an Attempt to Provide a User's Guide to the Galaxy of Benzylidene, Alkoxybenzylidene, and Indenylidene Ruthenium Olefin Metathesis Catalysts (F) 806–818
DOI: 10.1002/chem.200701340
 - Is the Hoveyda–Grubbs Complex a Vinylogous Fischer-Type Carbene? Aromaticity-Controlled Activity of Ruthenium Metathesis Catalysts (F) 9330–9337
DOI: 10.1002/chem.200800704
- Grepioni, F.
- Three Polymorphic Forms of the Co-Crystal 4,4'-Bipyridine/Pimelic Acid and their Structural, Thermal, and Spectroscopic Characterization (F) 10149–10159
DOI: 10.1002/chem.200801051
- Griengl, H. (C) 8060–8072, (F) 11415–11422
- Griesinger, C. (S) 7517–7520
- Griesser, R. (F) 10036–10046
- Griffe, L. (F) 4836–4850
- Grills, D. C. (F) 369–375
- Grimm, S. K. (S) 7517–7520
- Grimme, S.
- Structural Importance of Secondary Interactions in Molecules: Origin of Unconventional Conformations of Phosphine–Borane Adducts (F) 333–343 Corrigendum: 779
DOI: 10.1002/chem.200700649
- Grimme, S. (F) 11512–11528
- Grin, Yu.
- The First Silicon-Based Cationic Clathrate III with High Thermal Stability: Si_{172-x}P_xTe_y ($x = 2y$, $y > 20$) (F) 5414–5422
DOI: 10.1002/chem.200800453
- Grizot, S. (F) 9530–9539
- Groen, J. C. (F) 1718–1725
- Groen, M. B. (F) 4961–4973

- Groessl, M. (F) 9046–9057
 Grohmann, A. (F) 7913–7929
 Gröhn, F.
 – Facile Route to Supramolecular Structures: Self-Assembly of Dendrimers and Naphthalene Dicarboxylic Acids (S) 6866–6869
 DOI: 10.1002/chem.200800650
 – Switchable Nanoassemblies from Macrocations and Multivalent Dye Counterions (S) 9112–9116
 DOI: 10.1002/chem.200801167
 Gros, C. P. (F) 674–681
 Gross, D. E. (F) 7822–7827
 Gross, J. H. (F) 10267–10279
 Gross, M. (F) 8972–8979
 Gross, Z.
 – Iron(III) Corroles and Porphyrins as Superior Catalysts for the Reactions of Diazoacetates with Nitrogen- or Sulfur-Containing Nucleophilic Substrates: Synthetic Uses and Mechanistic Insights (F) 3995–4005
 DOI: 10.1002/chem.200701885
 – The Electronic Structure of Iron Corroles: A Combined Experimental and Quantum Chemical Study (F) 10839–10851
 DOI: 10.1002/chem.200801265
 Große, C. (F) 8956–8963
 Grossheimann, G. Corrigendum: 3509
 Grossmann, R. B. (F) 10683–10704
 Grotevendt, A. (C) 7408–7420
 Grubbs, R. H.
 – Ruthenium-Based Olefin Metathesis Catalysts Coordinated with Unsymmetrical N-Heterocyclic Carbene Ligands: Synthesis, Structure, and Catalytic Activity (F) 7545–7556
 DOI: 10.1002/chem.200800470
 – Ruthenium Carbene Complexes Bearing an Anionic Carboxylate Chelated to a Hemilabile Ligand (F) 2686–2692
 DOI: 10.1002/chem.200701495
 – Ruthenium–Olefin Complexes: Effect of Ligand Variation upon Geometry (F) 7536–7544
 DOI: 10.1002/chem.200701362
 Gruber, K.
 – A Crystalline B₁₂ Dimer from β -Cyano-Neocobyrate (S) 7521–7524
 DOI: 10.1002/chem.200800809
 Gruene, P. (F) 5957–5965
 Grundl, L. (F) 5178–5197
 Grunenberg, J. (F) 5604–5616
 Grüner, B. (F) 10675–10682
 Gryko, D. T.
 – New and Efficient Arrays for Photoinduced Charge Separation Based on Perylene Bisimide and Corroles (F) 169–183
 DOI: 10.1002/chem.200700866
 Gschösser, S. (F) 3605–3619
 Gu, G. (F) 10727–10734
 Gu, Z. (F) 2453–2464
 Gudat, D.
 – A Promising Method for Phosphinidene Generation: Complexes of Phosphinidenes with N-Donor ligands (F) 902–908
 DOI: 10.1002/chem.200701077
 Güdel, H. U.
 – Studies of Finite Molecular Chains: Synthesis, Structural, Magnetic and Inelastic Neutron Scattering Studies of Hexa- and Heptanuclear Chromium Horseshoes (F) 5144–5158
 DOI: 10.1002/chem.200800227
 Guedes da Silva, M. F. C. (F) 1828–1842, 9312–9322
 Guégano, X. (S) 5732–5736
 Guella, G. (F) 10445–10452
 Guérin, D. (F) 4201–4213
 Guichard, G.
 – Exploring Helical Folding of Oligoureas During Chain Elongation by High-Resolution Magic-Angle-Spinning (HRMAS) NMR Spectroscopy (F) 3874–3882
 DOI: 10.1002/chem.200701923
 Guidotti, C. (F) 7774–7781
 Guidotti, M. (S) 8098–8101
 Guillaume, S. M.
 – A DFT Study of the Mechanism of Polymerization of ϵ -Caprolactone Initiated by Organolanthanide Borohydride Complexes (F) 5507–5518
 DOI: 10.1002/chem.200800377
 – New Insights into the Polymerization of Methyl Methacrylate Initiated by Rare-Earth Borohydride Complexes: A Combined Experimental and Computational Approach (F) 1881–1890
 DOI: 10.1002/chem.200701438
 – Ultraproductive, Zinc-Mediated, Immortal Ring-Opening Polymerization of Trimethylene Carbonate (S) 8772–8775
 DOI: 10.1002/chem.200801416
 Guillemin, J.-C.
 – α,β -Unsaturated and Saturated Derivatives of Be, Mg, and Ca: Are They Carbon or Metal Acids in the Gas Phase? (F) 10423–10429
 DOI: 10.1002/chem.200801012
 – Strong Dissimilarities Between the Gas-Phase Acidities of Saturated and α,β -Unsaturated Boranes and the Corresponding Alanes and Gallanes (F) 2201–2208
 DOI: 10.1002/chem.200701254
 Guillon, D. (F) 3544–3552
 Guillot, R. (F) 1169–1177, 2189–2200, 4307–4317
 Guillou, C.
 – Diastereoselective Total Synthesis of (\pm)-Codeine (S) 6606–6608
 DOI: 10.1002/chem.200800744
 Guldi, D. M.
 – Contrasting Photodynamics between C₆₀-Dithiapyrene and C₆₀-Pyrene Dyes (F) 250–258
 DOI: 10.1002/chem.200700837
 – Improving Photocurrent Generation: Supramolecularly and Covalently Functionalized Single-Wall Carbon Nanotubes – Polymer/Porphyrin Donor – Acceptor Nanohybrids (F) 8837–8846 Corrigendum: 9810
 DOI: 10.1002/chem.200801018
 – *p*-Phenyleneethynylene Molecular Wires: Influence of Structure on Photoinduced Electron-Transfer Properties (F) 6379–6390
 DOI: 10.1002/chem.200800159
 – Screening Electronic Communication through *ortho*-, *meta*- and *para*-Substituted Linkers Separating Subphthalocyanines and C₆₀ (F) 7670–7679
 DOI: 10.1002/chem.200800910
 – Synthesis and Photoinduced Electron-Transfer Properties of Phthalocyanine – [60]Fullerene Conjugates (F) 3765–3775
 DOI: 10.1002/chem.200701700
 – Testing Electron Transfer within Molecular Associates Built around Anionic C₆₀ and C₇₀ Dendrofullerenes and a Cationic Zinc Porphyrin (F) 3137–3145
 DOI: 10.1002/chem.200701462
 Guliás, M. (F) 272–281
 Gumy, F. (F) 2994–3005
 Guo, L.-R. (F) 10727–10734
 Guo, M.-Y. (F) 11123–11131
 Guo, S. (F) 4689–4695
 Guo, Yi (F) 2909–2917
 Guo, Yifei (F) 8939–8946
 Gupta, S. (F) 570–581
 Gurlo, A.
 – Metastability of Corundum-Type In₂O₃ (F) 3306–3310
 DOI: 10.1002/chem.200701830
 Gusevskaya, E. V.
 – Phosphotungstic Acid as a Versatile Catalyst for the Synthesis of Fragrance Compounds by α -Pinene Oxide Isomerization: Solvent-Induced Chemoselectivity (F) 6166–6172
 DOI: 10.1002/chem.200800184
 Guthmüller, J. (F) 7351–7357
 Gutiérrez, E. (F) 10141–10148
 Gutiérrez, M. L. (F) 4647–4656
 Gutiérrez-Puebla, E.
 – Synthesis, Characterization, Molecular Structure and Theoretical Studies of Axially Fluoro-Substituted Subzaporphyrins (F) 1342–1350
 DOI: 10.1002/chem.200701542
 Gutiérrez-Puebla, E. (F) 8555–8561
 Gütlich, P.
 – Rapid Cooling Experiments and Use of an Anionic Nuclear Probe to Sense the Spin Transition of the 1D Coordination Polymers [Fe(NH₂trz)₃]SnF₆ · nH₂O (NH₂trz = 4-amino-1,2,4-triazole) (F) 3745–3758
 DOI: 10.1002/chem.200701305
 Gutteridge, C. E. (F) 10683–10704
 Guy, R. T. (F) 3620–3629



- Ha-Thi, M.-H. (F) 5941–5950
- Haag, R.
– A Convergent Approach to Biocompatible Polyglycerol “Click” Dendrons for the Synthesis of Modular Core–Shell Architectures and Their Transport Behavior (F) 9202–9214
DOI: 10.1002/chem.200800892
- Haag, R. (F) 3311–3315
- Haaland, A.
– Chemical Bonding in the Inclusion Complex of He in Adamantane (He@adam): The Origin of the Barrier to Dissociation (S) 10223–10226
DOI: 10.1002/chem.200800715
- Haarmann, F. (F) 5414–5422
- Haas, I. (F) 4696–4703
- Haasnoot, J. G.
– Counterion Effect on the Spin-Transition Properties of the Cation [Fe(btzx)₃]²⁺ (btzx = *m*-Xylylenebis(tetrazole)) (F) 8486–8499
DOI: 10.1002/chem.200800990
- Haberhauer, G.
– Synthesis and Investigation of a Chiral Enterobactin Analogue Based on a Macrocyclic Peptide Scaffold (F) 11061–11068
DOI: 10.1002/chem.200801552
- Haberhauer, G. (F) 4393–4403
- Haberkorn, U. (F) 8116–8130
- Hada, M. (F) 7278–7284, 9647–9655
- Haddow, M. F. (F) 1253–1263
- Hadei, N. (F) 2443–2452
- Häfele, S. (F) 2025–2033
- Haga, R. (F) 4068–4073
- Hagemann, M. (F) 11027–11038
- Hagen, V.
– {7-[Bis(carboxymethyl)amino]coumarin-4-yl}methoxycarbonyl Derivatives for Photorelease of Carboxylic Acids, Alcohols/Phenols, Thioalcohols/Thiophenols, and Amines (F) 1621–1627
DOI: 10.1002/chem.200701142
- Hager, M. (F) 7259–7265
- Hahn, F. E.
– π -Bonding in Complexes of Benzannulated Biscarbenes, -germylenes, and -stannylenes: An Experimental and Theoretical Study (F) 10716–10721
DOI: 10.1002/chem.200801128
- Synthesis of Silver(I) and Gold(I) Complexes with Cyclic Tetra- and Hexacarbene Ligands (S) 10900–10904
DOI: 10.1002/chem.200801877
- Hahn, N. (F) 10683–10704
- Hahn, U. (F) 3093–3099
- Haiech, J. (F) 6247–6254
- Halcrow, M. A.
– Ammonium, Alkylammonium, and Amino Acid Complexes of a Hexacopper Fluoro-Metallacrown Cavitand (F) 223–233
DOI: 10.1002/chem.200701318
- Halder, G. J. (F) 10123–10133
- Hall, A. J. (F) 9516–9529
- Halligudi, S. B. (F) 3200–3212
- Ham, S.
– Stereoconversion of Amino Acids and Peptides in Uryl-Pendant Binol Schiff Bases (F) 9935–9942
DOI: 10.1002/chem.200801036
- Hamacek, J. (F) 2994–3005
- Hamachi, I.
– Photo Gel–Sol/Sol–Gel Transition and Its Patterning of a Supramolecular Hydrogel as Stimuli-Responsive Biomaterials (F) 3977–3986
DOI: 10.1002/chem.200701904
- Thermally Responsive Supramolecular Nanomeshes for On/Off Switching of the Rotary Motion of F₁-ATPase at the Single-Molecule Level (F) 1891–1896
DOI: 10.1002/chem.200701285
- Three-Dimensional Encapsulation of Live Cells by Using a Hybrid Matrix of Nanoparticles in a Supramolecular Hydrogel (F) 10808–10815
DOI: 10.1002/chem.200801144
- Hamann, H.-J.
– Reaction of Epoxyketones with Hydrogen Peroxide—Ethane-1,1-dihydroperoxide as a Surprisingly Stable Product (S) 6849–6851
DOI: 10.1002/chem.200800932
- Hamann, T. W. (C) 4458–4467
- Hamley, I. W.
– Nematic and Columnar Ordering of a PEG–Peptide Conjugate in Aqueous Solution (F) 11369–11375 Corrigendum: 11268
DOI: 10.1002/chem.200800817
- Hammar, P. (F) 8562–8571
- Hammarström, L.
– Single-Step Electron Transfer on the Nanometer Scale: Ultra-Fast Charge Shift in Strongly Coupled Zinc Porphyrin–Gold Porphyrin Dyads (F) 3467–3480
DOI: 10.1002/chem.200701335
- Hammerschmidt, F.
– Preparation of α -Aminobenzylphosphonic Acids with a Stereogenic Quaternary Carbon Atom via Microscopically Configurationally Stable α -Aminobenzylolithiums (F) 8603–8614
DOI: 10.1002/chem.200800475
- Hammond, G. B.
– On the Nature of Organoindium Intermediates: the Formation of Readily Isolable Difluoropropargylium Reagents and their Regioselectivity Towards Electrophilic Substitutions (F) 10029–10035
DOI: 10.1002/chem.200801367
- Hammond, K. (F) 8972–8979
- Hampel, F. (F) 73–87, 1472–1481
- Hampel, S. M. (F) 895–901
- Han, B. (S) 8094–8097
- Han, H. (F) 1814–1821
- Han, J.
– Ancillary Ligands and Spectator Cations as Controlling Factors in the Construction of Coordination and Hydrogen-Bonded Networks with the *tert*-Bu-C \equiv C \supset Ag_{*n*} (*n* = 4, 5) Supramolecular Synthon (F) 10437–10444
DOI: 10.1002/chem.200800968
- Han, J.-M. (S) 7760–7764
- Han, J.-Y. (F) 7324–7330
- Han, K.-L.
– Photoinduced Intramolecular Charge Transfer and S₂ Fluorescence in Thiophene- π -Conjugated Donor–Acceptor Systems: Experimental and TDDFT Studies (F) 6935–6947
DOI: 10.1002/chem.200701868
- Selectivity of Neutral/Weakly Basic P1 Group Inhibitors of Thrombin and Trypsin by a Molecular Dynamics Study (F) 8704–8714
DOI: 10.1002/chem.200800277
- Han, M. (F) 1615–1620, 6255–6259
- Han, Y. (F) 3118–3125
- Hanabusa, K. (F) 2133–2144
- Hanaoka, K. (F) 987–995
- Hanbauer, M. (F) 8603–8614
- Hanefeld, U.
– Zr-TuP-1: A Lewis Acidic, Three-Dimensional, Mesoporous, Zirconium-Containing Catalyst (F) 961–972
DOI: 10.1002/chem.200700725
- Häner, R.
– TTF-Modified DNA (S) 5732–5736
DOI: 10.1002/chem.200800505
- Hanif, M. (F) 9046–9057
- Hannon, M. J. (F) 10408–10414
- Hans, M. (F) 11429–11441
- Hansen, P. E. (F) 2788–2794
- Hanshaw, R. G. (C) 1690–1697
- Hanson, G. R. (F) 4393–4403
- Hanuszkiewicz, A. (F) 10251–10258
- Hao, J. (S) 10923–10927
- Hara, N. (S) 8079–8081
- Harada, K. (F) 1392–1401
- Harada, Takunori (F) 6438–6443
- Harada, Toshiro
– Catalytic Asymmetric Aryl Transfer Reactions to Aldehydes with Grignard Reagents as the Aryl Source (S) 10560–10563
DOI: 10.1002/chem.200801612
- Hardie, M. J.
– Synthesis and Complexation of Multiarmed Cyclohexatriene-Type Ligands: Observation of the “Boat” and “Distorted-Cup” Conformations of a Cyclohexatriene Derivative (F) 4415–4425
DOI: 10.1002/chem.200701892
- The Dimeric “Hand-Shake” Motif in Complexes and Metallo–Supramolecular Assemblies of Cyclotrimeratriene-

- Based Ligands
(F) 10286–10296
DOI: 10.1002/chem.200801264
- Harding, L. P. (F) 10286–10296
- Harding, S. L. (F) 10683–10704
- Hargittai, M.
– The Elusive Structure of CrCl_2 —A Combined Computational and Gas-Phase Electron-Diffraction Study
(F) 5130–5143
DOI: 10.1002/chem.200800331
- Harms, K. (F) 7608–7622
- Harriman, A.
– Electron Exchange in Conformationally Restricted Donor–Spacer–Acceptor Dyads: Angle Dependence and Involvement of Upper-Lying Excited States
(F) 1710–1717
DOI: 10.1002/chem.200701548
- Energy Flow in a Purpose-Built Cascade Molecule Bearing Three Distinct Chromophores Attached to the Terminal Acceptor
(F) 11461–11473
DOI: 10.1002/chem.200801384
- Hartinger, C. G.
– In Vitro Anticancer Activity and Biologically Relevant Metabolization of Organometallic Ruthenium Complexes with Carbohydrate-Based Ligands
(F) 9046–9057
DOI: 10.1002/chem.200801032
- Hartl, F. (F) 1935–1946, 6912–6923
- Hartmann, L. (F) 2025–2033
- Hartnagel, U. (F) 3137–3145
- Haruta, M.
– Deposition of Gold Clusters on Porous Coordination Polymers by Solid Grinding and Their Catalytic Activity in Aerobic Oxidation of Alcohols
(S) 8456–8460
DOI: 10.1002/chem.200800980
- Harvey, P. D.
– Intrachain Electron and Energy Transfer in Conjugated Organometallic Oligomers and Polymers
(F) 8341–8352
DOI: 10.1002/chem.200800304
- Hasegawa, M. (F) 10318–10330
- Hasenknopf, B. (F) 1532–1540
- Hashmi, A. S. K.
– Gold Catalysis: Deuterated Substrates as the Key for an Experimental Insight into the Mechanism and Selectivity of the Phenol Synthesis
(F) 3703–3708
DOI: 10.1002/chem.200701795
- Gold-Catalyzed Synthesis of Chroman, Dihydrobenzofuran, Dihydroindole, and Tetrahydroquinoline Derivatives
(F) 6672–6678
DOI: 10.1002/chem.200800210
- Haskouri, J. El (F) 8267–8278
- Hassfeld, J. (F) 2232–2247
- Hattori, K. (F) 664–673
- Hattori, M. (F) 2145–2152
- Hatzakis, N. S. (F) 9914–9920
- Häußler, M. (F) 6428–6437
- Hauer, B. (S) 6609–6613
- Hauke, F. (F) 1607–1614
- Haunschild, R. (F) 10716–10721
- Haupt, E. T. K.
– Confinement and Step-Wise Reopening of Channels in an Artificial Cell/Inorganic Capsule: A ^7Li NMR Study
(S) 8808–8811
DOI: 10.1002/chem.200801122
- Hause, G. (F) 6796–6804
- Häussinger, D. (F) 8530–8539
- Havlas, Z. (F) 7836–7846
- Hayashi, Satoko (F) 5645–5655, 7278–7284, 9647–9655
- Hayashi, Shinya (F) 4875–4885
- Hayes, S. A. (F) 11027–11038
- He, B. (F) 10595–10602
- He, H.-Y. (S) 7131–7135
- He, J. (S) 10211–10218
- He, Q. (F) 5974–5980
- He, W. (F) 9764–9771
- He, X. (F) 754–763
- Heath, J. R.
– A One-Pot Synthesis of Constitutionally Unsymmetrical Rotaxanes Using Sequential Cu^I -Catalyzed Azide–Alkyne Cycloadditions
(F) 4168–4177
DOI: 10.1002/chem.200800067
- Heeg, M. J. (F) 9665–9674
- Hegetschweiler, K. (F) 7202–7211
- Heidecke, C. D. (F) 6444–6464
- Heilmann, J. (F) 10978–10984
- Hein, B. (F) 1784–1792
- Heine, H. (F) 10251–10258
- Heine, T.
– H_2 Adsorption in Metal-Organic Frameworks: Dispersion or Electrostatic Interactions?
(S) 6597–6600
DOI: 10.1002/chem.200800878
- Heinemann, F. W. (F) 1472–1481
- Heiney, P. A. (F) 909–918, 3355–3362
- Heinicke, J.
– Sterically and Polarity-Controlled Reactions of $t\text{BuLi}$ with $\text{P}=\text{CH}-\text{NR}$ Heterocycles: Novel Heterocyclic P- and P,O-Ligands and Preliminary Tests in Transition-Metal Catalysis
(F) 4328–4335
DOI: 10.1002/chem.200702016
- Heinze, K.
– Platinum(II) Complexes with Non-Innocent Ligands: Solid-Phase Synthesis, Redox Chemistry and Luminescence
(S) 9482–9486
DOI: 10.1002/chem.200801288
- Solid-Phase Synthesis of Transition-Metal Complexes
(C) 9468–9480
DOI: 10.1002/chem.200800697
- Heldt, J. M. (F) 8195–8203
- Hell, S. W.
– Photostable, Amino Reactive and Water-Soluble Fluorescent Labels Based on Sulfonated Rhodamine with a Rigidized Xanthene Fragment
(F) 1784–1792
DOI: 10.1002/chem.200701058
- Heller, D.
– Novel Contributions to the Mechanism of the Enantioselective Hydrogenation of Dimethyl Itaconate with Rhodium Complexes
(S) 4469–4471
DOI: 10.1002/chem.200800389
- Rhodium-Complex-Catalyzed Asymmetric Hydrogenation: Transformation of Precatalysts into Active Species
(F) 1445–1451
DOI: 10.1002/chem.200701150
- Helliwell, M. (F) 2375–2388, 4810–4815
- Hellkamp, S. (F) 2527–2535
- Helm, L. (F) 2658–2667
- Helmchen, G.
– Preparation of 2,4-Disubstituted Cyclopentenones by Enantioselective Iridium-Catalyzed Allylic Alkylation: Synthesis of 2'-Methylcarbovir and *TEI-9826*
(F) 6722–6733
DOI: 10.1002/chem.200800495
- Hélou, M. (F) 5630–5637
- Helou, M. (S) 8772–8775
- Hempel, K. (C) 9468–9480
- Henderson, K. W.
– Homo- and Heterodimetallic Geminal Dianions Derived from the Bis(phosphinimine) $\{\text{Ph}_2\text{P}(\text{NSiMe}_3)_2\text{CH}_2$ and the Alkali Metals Li, Na, and K
(F) 3939–3953
DOI: 10.1002/chem.200701976
- Hendriks, C. C. J. (F) 7939–7950
- Hennig, A. (F) 6069–6077
- Hennig, M. (F) 3026–3034
- Henß, A. (F) 9714–9729
- Hepp, A. (F) 10716–10721, (S) 10900–10904
- Heppeler, A. (F) 3026–3034
- Herber, R. H.
– Examination of the Mixed-Valence State of the Doubly Boron-Bridged Diferrocene Cation $[(\text{FeCp})_2[\mu\text{-C}_{10}\text{H}_6(\text{BPh}_2)_2]]^+$
(F) 444–458
DOI: 10.1002/chem.200701219
- Herchel, R. (F) 7218–7235
- Herdtwick, E. (F) 6098–6107, 8013–8024, 9148–9160
- Herlyn, M. (F) 4816–4822
- Hermann, A. (F) 5130–5143
- Hernández-Juan, F. A. (F) 9607–9612
- Hernández-Olmos, V. (F) 4725–4730
- Hernando, A. (F) 9038–9045
- Hernando, J. (F) 9754–9763
- Hernando, M. (F) 9038–9045
- Herranz, F. (S) 9126–9130
- Herranz, M. A. (F) 7670–7679
- Herrera, A. J. (F) 10369–10381
- Herrero, R. Corrigendum: 417
- Herrero-Gómez, E. Corrigendum: 5096
- Herrmann, H. (F) 8131–8146
- Herrmannsdörfer, J. (F) 8204–8212
- Herscu-Kluska, R. (F) 5880–5889
- Herten, D.-P. (F) 529–547
- Hervieu, M.
– Decrypting the TEM Images for Deciphering the Microstructural Code of Complex Oxides
(C) 794–805
DOI: 10.1002/chem.200701023
- Hess, S. (F) 3330–3337
- Hetterscheid, D. G. H. (S) 10932–10936
- Heureux, N. (F) 3146–3153
- Hevia, E. (F) 65–72
- Hewitt, I. J. (F) 3577–3584

- Hey-Hawkins, E.
– Coordination Chemistry of the *cyclo*-(P₅tBu₄)[−] Ion: Monomeric and Oligomeric Copper(I), Silver(I) and Gold(I) Complexes (F) 4511–4520
DOI: 10.1002/chem.200800007
- P–P Bond Cleavage of Tetraphenyltetraphosphane-1,4-diide Facilitated by Nickel(0) (F) 8980–8985
DOI: 10.1002/chem.200801089
- Heydenreich, M. (F) 1420–1429
- Hibert, M. (F) 6247–6254
- Hibst, H. (F) 11141–11148
- Hidalgo-Fernández, P. (F) 2277–2285
- Hieda, M. (F) 2482–2498
- Hieringer, W.
– Synthesis and Photoinduced Electron-Transfer Properties of Phthalocyanine–[60]Fullerene Conjugates (F) 3765–3775
DOI: 10.1002/chem.200701700
- Higuchi, T.
– Novel Probes Showing Specific Fluorescence Enhancement on Binding to a Hexahistidine Tag (F) 8004–8012
DOI: 10.1002/chem.200701896
- Hijazi, A. K. (F) 7997–8003
- Hikita, M. (S) 5393–5396
- Hill, A. F. (S) 11300–11304
- Hill, L. M. R. (F) 2805–2810
- Hill, M. D. (C) 6836–6844
- Hill, M. S.
– Bis(trimethylsilyl)methyl Derivatives of Calcium, Strontium and Barium: Potentially Useful Dialkyls of the Heavy Alkaline Earth Elements (S) 11292–11295
DOI: 10.1002/chem.200801957
- Hill, R. H. (F) 7156–7167
- Hillebrecht, H.
– Li₂B₁₂Si₂: The First Ternary Compound in the System Li/B/Si: Synthesis, Crystal Structure, Hardness, Spectroscopic Investigations, and Electronic Structure (F) 7331–7342
DOI: 10.1002/chem.200701949
- Himeda, Y.
– pH-Dependent Catalytic Activity and Chemoselectivity in Transfer Hydrogenation Catalyzed by Iridium Complex with 4,4'-Dihydroxy-2,2'-bipyridine (F) 11076–11081
DOI: 10.1002/chem.200801568
- Himmel, D. (F) 9020–9029
- Himmel, H.-J.
– Mono- and Diprotonation of the Superbasic Bisguanidine 1,2-Bis(N,N,N',N'-tetramethylguanidino)benzene (btmgb) and Pt^{II} and Pt^{IV} Complexes of Chelating Bisguanidines and Guanidines (F) 7813–7821
DOI: 10.1002/chem.200800244
- Himo, F.
– Phosphoric Acid Catalyzed Enantioselective Transfer Hydrogenation of Imines: A Density Functional Theory Study of Reaction Mechanism and the Origins of Enantioselectivity (F) 8562–8571
DOI: 10.1002/chem.200800890
- Theoretical Investigation of the Reaction Mechanism of the Dinuclear Zinc Enzyme Dihydroorotase (F) 4287–4292
DOI: 10.1002/chem.200701948
- Hinatsu, Y. (F) 5780–5793
- Hirai, T. (F) 259–271
- Hirano, M. (S) 6593–6596
- Hirao, H. (F) 1740–1756
- Hirata, N. (F) 5519–5527
- Hirose, K.
– A Shuttling Molecular Machine with Reversible Brake Function (F) 3427–3433
DOI: 10.1002/chem.200702001
- An Anthracene-Based Photochromic Macrocycle as a Key Ring Component To Switch a Frequency of Threading Motion (F) 981–986
DOI: 10.1002/chem.200701291
- Highly Effective and Reversible Control of the Rocking Rates of Rotaxanes by Changes to the Size of Stimulus-Responsive Ring Components (F) 5803–5811
DOI: 10.1002/chem.200800257
- Hirose, Takuji (F) 11076–11081
- Hirose, Tomoyasu (F) 8220–8238
- Hirota, S. (F) 10735–10744
- Hirsch, A.
– Preferred Functionalization of Metallic and Small-Diameter Single-Walled Carbon Nanotubes by Nucleophilic Addition of Organolithium and -Magnesium Compounds Followed by Reoxidation (F) 1607–1614
DOI: 10.1002/chem.200701038
- Testing Electron Transfer within Molecular Associates Built around Anionic C₆₀ and C₇₀ Dendrofullerenes and a Cationic Zinc Porphyrin (F) 3137–3145
DOI: 10.1002/chem.200701462
- Hisaki, I.
– Superstructure-Dependent Optical and Electrical Properties of an Unusual Face-to-Face, π-Stacked, One-Dimensional Assembly of Dehydrobenzo[12]annulene in the Crystalline State (F) 4178–4187
DOI: 10.1002/chem.200800228
- Hisaki, I. (F) 2984–2993
- Hiscock, J. R. (F) 10236–10243
- Hlukhyy, V. (F) 3737–3744
- Hnyk, D. (F) 6529–6533
- Ho, C.-L. (F) 8341–8352
- Ho, K.-P. (F) 7988–7996
- Hoak, K. M. (F) 6780–6788
- Hobza, P.
– Potential-Energy and Free-Energy Surfaces of Glycyl-Phenylalanyl-Alanine (GFA) Tripeptide: Experiment and Theory (F) 4886–4898
DOI: 10.1002/chem.200800085
- Hoeben, F. J. M. (F) 8579–8589
- Hoefsloot, H. C. J. (F) 2857–2866
- Hoehne, J. L. (F) 6166–6172
- Hof, F.
– Insights into the Post-Translational Methylation of Arginine from Studies of Guanidinium–Water Nanodroplets (F) 6483–6489
DOI: 10.1002/chem.200800101
- Hoffmann, F. (F) 5935–5940
- Hoffmann, M. M. (F) 6805–6814
- Hoffmann, S. D. (S) 4479–4483
- Hofmann, M.
– Structural Paradigms in Macropolyhedral Boranes (F) 2886–2893
DOI: 10.1002/chem.200701369
- Hofstadt, W. (F) 4657–4666
- Hogendorf, W. F. J. (F) 9400–9411
- Holcomb, J. L. (F) 9943–9950
- Holland, J. P.
– Spectroelectrochemical and Computational Studies on the Mechanism of Hypoxia Selectivity of Copper Radiopharmaceuticals (F) 5890–5907
DOI: 10.1002/chem.200800539
- Holmes, A. B.
– Synthesis of (+)-Obtusenyne (F) 2867–2885
DOI: 10.1002/chem.200701567
- Holst, O.
– Structural and Immunochemical Analysis of the Lipopolysaccharide from *Acinetobacter lwoffii* F78 Located Outside *Chlamydiae* with a *Chlamydia*-Specific Lipopolysaccharide Epitope (F) 10251–10258
DOI: 10.1002/chem.200800958
- Holthausen, M. C.
– Aromatic Hydroxylation in a Copper Bis(imine) Complex Mediated by a μ-η²:η² Peroxo Dicopper Core: A Mechanistic Scenario (F) 9714–9729
DOI: 10.1002/chem.200800799
- Copper Complexes of Mono- and Ditungstic [(Methylthio)methyl]borates: Missing Links and Linked Systems En Route to Copper Enzyme Models (F) 6754–6770
DOI: 10.1002/chem.200800588
- The Phenoxy/Phenol/Copper Cation: A Minimalistic Model of Bonding Relations in Active Centers of Mononuclear Copper Enzymes (F) 4318–4327
DOI: 10.1002/chem.200800052
- Holub, J. (F) 6529–6533
- Hong, F.-E.
– Density Functional Studies on Palladium-Catalyzed Suzuki–Miyaura Cross-Coupling Reactions Assisted by N- or P-Chelating Ligands (F) 4426–4434
DOI: 10.1002/chem.200800011
- Hong, J. (F) 9935–9942
- Hong, J. H. (F) 2075–2083
- Hong, J.-I.
– Control of Macroscopic Helicity by Using the Sergeants-and-Soldiers Principle in Organogels (S) 6040–6043
DOI: 10.1002/chem.200800702

- Dimeric Capsules with a Nanoscale Cavity for [60]Fullerene Encapsulation (F) 5353–5359
DOI: 10.1002/chem.200701767
- Phosphorescent Thymidine Triphosphate Sensor Based on a Donor–Acceptor Ensemble System using Intermolecular Energy Transfer (F) 9613–9619
DOI: 10.1002/chem.200801260
- Hong, M.-C.
- Cobalt–Lanthanide Coordination Polymers Constructed with Metalloligands: A Ferromagnetic Coupled Quasi-1D Dy³⁺ Chain Showing Slow Relaxation (F) 10340–10347
DOI: 10.1002/chem.200800344
- Hong, M. S. (F) 3290–3296
- Hong, Y. (F) 6428–6437
- Hoogenboom, R. (F) 10396–10407
- Hopf, H.
- MP2 and DFT Calculations on Circulenes and an Attempt to Prepare the Second Lowest Benzolog, [4]Circulene (F) 5604–5616
DOI: 10.1002/chem.200701837
- Symmetrically Tetrasubstituted [2.2]Paracyclophanes: Their Systematization and Regioselective Synthesis of Several Types of Bis-Bifunctional Derivatives by Double Electrophilic Substitution (F) 4600–4617
DOI: 10.1002/chem.200701683
- Hopfgartner, G. (F) 1947–1953
- Hoppe, E. (F) 9377–9388
- Hori, K. (F) 2060–2066
- Hori, T. (F) 582–595
- Horii, D. (F) 10382–10387
- Hörner, G.
- Head-to-Tail Interactions in Tyrosine/Benzophenone Dyads in the Ground and the Excited State: NMR and Laser Flash Photolysis Studies (F) 7913–7929
DOI: 10.1002/chem.200800315
- Hornung, J.
- Supramolecular Synthons on Surfaces: Controlling Dimensionality and Periodicity of Tetraarylporphyrin Assemblies by the Interplay of Cyano and Alkoxy Substituents (F) 5794–5802
DOI: 10.1002/chem.200800746
- Horvat, J. (F) 5996–6002
- Hosoda, M. (F) 2709–2718
- Hou, H.
- Polymeric Zinc Ferrocenyl Sulfonate as a Molecular Aspirator for the Removal of Toxic Metal Ions (F) 1814–1821
DOI: 10.1002/chem.200700782
- Hou, J.-Z. (F) 8916–8921
- Hou, Zhaomin
- Half-Sandwich *o*-*N,N*-Dimethylaminobenzyl Complexes over the Full Size Range of Group 3 and Lanthanide Metals. Synthesis, Structural Characterization, and Catalysis of Phosphine P–H Bond Addition to Carbodiimides (F) 2167–2179
DOI: 10.1002/chem.200701300
- Hou, Zongrui (F) 3177–3181, (S) 4484–4486
- Houdard, R. (F) 10047–10057
- Houk, K. N. (S) 5405–5408
- Howard, J. A. K. (F) 731–740
- Howell, S. L. (F) 11573–11583
- Hsieh, C.-C. (F) 11231–11241
- Hsu, G. W. (F) 2125–2132
- Hu, B. (F) 8928–8938
- Hu, B.-W. (S) 7127–7130
- Hu, C.
- A Secondary Amine Amide Organocatalyst for the Asymmetric Nitroaldol Reaction of α -Ketophosphonates (S) 10896–10899
DOI: 10.1002/chem.200801958
- Hu, G. (F) 3785–3803
- Hu, K.-W. (F) 2956–2964
- Hu, X. (S) 7127–7130
- Hu, Y.
- Efficient Construction of Tri- and Tetracyclic Heterocycles from Linear 1,6-Dienes by a Domino Reaction (F) 3110–3117
DOI: 10.1002/chem.200702035
- Huang, B.
- Composite Semiconductor H₂WO₄·H₂O/AgCl as an Efficient and Stable Photocatalyst under Visible Light (S) 10543–10546
DOI: 10.1002/chem.200801733
- Huang, C.
- Highly Sensitive and Fast Responsive Fluorescence Turn-On Chemodosimeter for Cu²⁺ and Its Application in Live Cell Imaging (F) 6892–6900
DOI: 10.1002/chem.200800005
- Huang, C.-C. (F) 2956–2964
- Huang, J.-H.
- Aluminum Compounds Containing η^1 - and/or η^5 -Bidentate Dianionic Pyrrolyl–Methylamide Ligands (F) 9747–9753
DOI: 10.1002/chem.200800679
- Huang, Jing (S) 5751–5754
- Huang, Jingsong
- A Universal Model for Nanoporous Carbon Supercapacitors Applicable to Diverse Pore Regimes, Carbon Materials, and Electrolytes (F) 6614–6626
DOI: 10.1002/chem.200800639
- Huang, K.-H. (F) 6697–6703
- Huang, M.-R.
- Facile High-Yield Synthesis of Polyani-
line Nanosticks with Intrinsic Stability and Electrical Conductivity (F) 10309–10317
DOI: 10.1002/chem.200801025
- Huang, S. D. (F) 1164–1168
- Huang, S.-P. (F) 1972–1981
- Huang, T.-H. (F) 11231–11241
- Huang, W. Y. (F) 10670–10674
- Huang, Wei
- Supramolecule-Regulated Photophysics of Oligo(*p*-phenyleneethynylene)-Based Rod–Coil Block Copolymers: Effect of Molecular Architecture (F) 1205–1215
DOI: 10.1002/chem.200700305
- Huang, Weixin
- Restructuring-Induced Activity of SiO₂-Supported Large Au Nanoparticles in Low-Temperature CO Oxidation (F) 10595–10602
DOI: 10.1002/chem.200801199
- Huang, X.
- Cowpea Mosaic Virus Capsid: A Promising Carrier for the Development of Carbohydrate Based Antitumor Vaccines (F) 4939–4947
DOI: 10.1002/chem.200800203
- Pre-Activation-Based One-Pot Synthesis of an α -(2,3)-Sialylated Core-Fucosylated Complex Type Bi-Antennary N-Glycan Dodecasaccharide (F) 7072–7081
DOI: 10.1002/chem.200800757
- Huang, X.-C.
- Polymerizing Cluster Helicates into High-Connectivity Networks (F) 8916–8921
DOI: 10.1002/chem.200801300
- Huang, Y.-G. (F) 10340–10347
- Huang, Y.-X. (F) 1757–1761
- Huang, Yangen (F) 5596–5603, 11167–11173
- Huang, Yi-Lin (S) 5120–5124
- Huang, Yi-Luen (F) 4426–4434
- Huang, You
- A Novel Selective Aza-Morita–Baylis–Hillman (aza-MBH) Domino Reaction and Aza-MBH Reaction of N-Sulfonated Imines with Acrolein Catalyzed by a Bifunctional Phosphine Organocatalyst (S) 6852–6856
DOI: 10.1002/chem.200800753
- Huang, Zhegang (F) 6957–6966
- Huang, Zuyun (F) 7579–7593
- Huard, K. (F) 6222–6230
- Huber, V. (F) 7791–7807
- Hübner, G. (F) 10251–10258
- Hübner, O. (F) 7813–7821
- Huc, I.
- Metal-Directed Dynamic Formation of Tertiary Structure in Foldamer Assemblies: Orienting Helices at an Angle (S) 7140–7143
DOI: 10.1002/chem.200800988
- Hudhomme, P.
- Fullerene C₆₀–Perylene-3,4:9,10-bis(dicarboximide) Light-Harvesting Dyads: Spacer-Length and Bay-Substituent Effects on Intramolecular Singlet and Triplet Energy Transfer (F) 4974–4992
DOI: 10.1002/chem.200800156
- Hudson, R. A. (F) 570–581
- Hudson, S. P. (F) 151–157
- Huertas, O. (F) 2277–2285
- Hug, G. L. (F) 7913–7929
- Hughes, A. D. (F) 1822–1827
- Hule, R. A. (F) 11369–11375 Corrigendum: 11268
- Hull, K. L. (F) 3939–3953
- Humbert, N. (F) 6742–6753
- Hummert, M. (S) 8465–8468, (F) 10085–10093
- Hupp, J. T.
- New Architectures for Dye-Sensitized Solar Cells

- (C) 4458–4467
DOI: 10.1002/chem.200701667
Huppertz, H.
– Synthesis and Crystal Structure of the New High-Pressure Phase CdB_2O_4 (F) 6149–6154
DOI: 10.1002/chem.200800506
Hureau, C. (F) 7186–7192
Hursthouse, M. B. (F) 10236–10243
Huskens, J.
– Anchoring of Histidine-Tagged Proteins to Molecular Printboards: Self-assembly, Thermodynamic Modeling, and Pattern-
ing (F) 2044–2051
DOI: 10.1002/chem.200701478
– Multivalent Binding of Small Guest Molecules and Proteins to Molecular Printboards inside Microchannels (F) 136–142
DOI: 10.1002/chem.200701250
Hutin, M. (F) 4585–4593, (S) 7140–7143
Huuskonen, J. (F) 3297–3305, 10012–10028
Huybrechts, J. (S) 9122–9125
Hwang, S.-J. (F) 7324–7330
Hwu, J.-R. (F) 2956–2964
Hyder, Z. (F) 5555–5566

I

- Iapalucci, M. C. (F) 1924–1934
Ibrahim, I. (F) 2693–2698, 7867–7879, 10007–10011
Ibrahim, F. (F) 4810–4815
Iché-Tarrat, N. (F) 2093–2099
Ichinohe, M. (S) 7119–7122
Jeong, N. S. (F) 1253–1263
Igashira-Kamiyama, A. (S) 7752–7755, 9512–9515, 9842–9845
Iggo, J. A. (F) 7699–7715
Ignatov, S. K. (F) 296–310
Ihara, H.
– Synthesis, Self-Assembling Properties, and Atom Transfer Radical Polymerization of an Alkylated L-Phenylalanine-Derived Monomeric Organogel from Silica: A New Approach To Prepare Packing Materials for High-Performance Liquid Chromatography (F) 1312–1321
DOI: 10.1002/chem.200701302
Iida, M.
– Ionic Liquids of Bis(alkylethylenediamine)silver(I) Salts and the Formation of Silver(0) Nanoparticles from the Ionic Liquid System (F) 5047–5056
DOI: 10.1002/chem.200701764
Ikawa, K. (F) 664–673
Ikawa, T. (S) 5109–5111
Ikeda, A.
– Intracellular Uptake and Photodynamic Activity of Water-Soluble [60]- and [70]Fullerenes Incorporated in Liposomes (F) 8892–8897
DOI: 10.1002/chem.200801090
Ikeda, M. (F) 3977–3986, 10808–10815
Ikeuchi, H. (F) 1178–1185
Iko, Y. (F) 1891–1896, 3977–3986
Illigen, J. (F) 10012–10028
Im, C. (F) 6901–6911
Imahori, H.
– Clusterization, Electrophoretic Deposition, and Photoelectrochemical Properties of Fullerene-Functionalized Carbon Nanotube Composites (F) 4875–4885
DOI: 10.1002/chem.200702053
Imahori, H. (F) 8102–8115
Imahori, T.
– Acceleration Effect of an Allylic Hydroxy Group on Ring-Closing Enyne Metathesis of Terminal Alkynes: Scope, Application, and Mechanistic Insights (F) 10762–10771
DOI: 10.1002/chem.200801439
Imai, A. (F) 2709–2718
Imamoto, T.
– Synthesis of Substituted Benzenes and Phenols by Ring-Closing Olefin Metathesis (F) 8246–8261
DOI: 10.1002/chem.200800484
– Synthesis of Substituted Phenols by Using the Ring-Closing Metathesis/Isoaromatization Approach (F) 9706–9713
DOI: 10.1002/chem.200800943
Imanishi, M. (C) 3236–3249
Imaz, I. (F) 9754–9763
Imberly, A.
– Glycomimetics and Glycodendrimers as High Affinity Microbial Anti-adhesins (C) 7490–7499
DOI: 10.1002/chem.200800700
Immel, S. (F) 2857–2866
Inglis, R. (S) 9117–9121
Ingrain, A. M. (F) 184–196
Innocenti, F. (F) 11452–11460
Inohara, N. (F) 10318–10330
Inoue, M. (F) 5047–5056
Inoue, R. (F) 2067–2074
Inoue, S. (S) 7119–7122
Inouye, M.
– Development of a Series of Cross-Linking Agents that Effectively Stabilize α -Helical Structures in Various Short Peptides (F) 857–863
DOI: 10.1002/chem.200700843
Ionov, M. (F) 7030–7041
Iorga, B.
– Diastereoselective Total Synthesis of (\pm)-Codeine (S) 6606–6608
DOI: 10.1002/chem.200800744
Ireland, T. Corrigendum: 3509
Irgum, K. (F) 9516–9529
Isambert, N. (C) 8444–8454
Ishibashi, Kazuaki (F) 981–986, 3427–3433, 5803–5811
Ishibashi, Koichi (F) 6125–6134
Ishida, T. (S) 8456–8460
Ishida, Y.
– Cyclophane-Type Imidazolium Salts with Planar Chirality as a New Class of

- N-Heterocyclic Carbene Precursors (F) 9215–9222
DOI: 10.1002/chem.200800942
Ishikawa, M. (F) 829–837
Ishizuka, K. (F) 1891–1896, 3977–3986
Islam, K. M. D. (F) 3670–3679
Itazaki, M. (S) 5393–5396
Ito, O. (F) 2827–2841, 3776–3784
Ito, Satoshi (F) 5001–5020
Ito, Shinzaburo (F) 3977–3986
Ito, Shunji (F) 8398–8408
Ito, T. (F) 10453–10461
Itonaga, K. (F) 10705–10715
Itou, M. (F) 2827–2841
Ivanov, I. (F) 7066–7071
Ivasenko, O. (F) 2757–2770
Iwasa, N. (S) 9507–9511
Iwasa, Y. (F) 472–477
Iwasawa, Y.
– Acid-Base Bifunctional Catalysis of Silica-Alumina-Supported Organic Amines for Carbon-Carbon Bond-Forming Reactions (F) 4017–4027
DOI: 10.1002/chem.200702048
Iwashima, T. (F) 5246–5257
Iwatsuki, M. (F) 8220–8238
Iyi, N. (F) 9255–9260
Izumi, F. (F) 9255–9260

J

- Jabin, I.
– Highly Selective Synthesis of a 1,3,5-Trisubstituted Calix[6]arene-Type Molecular Platform through Coordination and Host-Guest Chemistry (F) 3316–3322
DOI: 10.1002/chem.200701770
– Synthesis and Study of Calix[6]cryptamides: A New Class of Heteroditopic Receptors that Display Versatile Host-Guest Properties Toward Neutral Species and Organic Associated Ion-Pair Salts (F) 548–557
DOI: 10.1002/chem.200701051
Jackson, M. (F) 8521–8529
Jackson, R. F. W.
– Ionisation of the Zinc-Iodine Bond of Alkylzinc Iodides in Dimethylformamide from Theory and Experiment (S) 8798–8802
DOI: 10.1002/chem.200801313
Jackstell, R. (C) 7408–7420
Jacobsen, M. I. (F) 11194–11208
Jacobsson, M. (F) 3954–3960
Jacques, S. (F) 5908–5917
Jadhav, V. D. (F) 6098–6107
Jäger, C. (S) 4469–4471
Jagesar, D. C. (F) 1935–1946
Jahnke, E. (C) 2942–2955
Jahr, M. (F) 3562–3576
Jäkle, F.
– Examination of the Mixed-Valence State of the Doubly Boron-Bridged Diferro-


- cene Cation [(FeCp)₂{μ-C₁₀H₆(BPh)₂}]⁺
(F) 444–458
DOI: 10.1002/chem.200701219
- Jakupec, M. A. (F) 9046–9057
- Jana, A. (F) 10628–10638
- Jana, B. (F) 3067–3071
- Jana, C. K. (S) 6326–6328
- Jang, D.-J.
– Dimeric Capsules with a Nanoscale Cavity for [60]Fullerene Encapsulation (F) 5353–5359
DOI: 10.1002/chem.200701767
- Jang, S. Y. (F) 8279–8289, 10628–10638
- Jankowska-Wajda, M. (F) 6679–6686
- Jansen, M.
– Chlorinated Derivatives of C₇₈-Fullerene Isomers with Unusually Short Intermolecular Halogen–Halogen Contacts (F) 9585–9590
DOI: 10.1002/chem.200801182
- Janssen, D. B.
– Biocatalytic Enantioselective Synthesis of *N*-Substituted Aspartic Acids by Aspartate Ammonia Lyase (F) 10094–10100
DOI: 10.1002/chem.200801407
- Jaouen, G. (F) 8195–8203
- Jarzemska, K. (F) 9330–9337
- Jaun, B.
– Solution Structure of a DNA Duplex Containing a Biphenyl Pair (F) 1080–1086
DOI: 10.1002/chem.200701304
- Jautze, S. (F) 1430–1444
- Jeanneau, E. (F) 697–705, 9540–9548
- Jeannerat, D. (F) 1947–1953, 2994–3005
- Jeganmohan, M. (C) 10876–10886, (S) 11296–11299
- Jeménez-Núñez, E. Corrigendum: 5096
- Jennens, D. C. (F) 10683–10704
- Jennens, L. (F) 10683–10704
- Jensen, P. (F) 10967–10977
- Jeon, O.-Y. (F) 9161–9168
- Jeong, K.-S.
– Folding and Anion-Binding Properties of Fluorescent Oligoindole Foldamers (F) 11406–11414
DOI: 10.1002/chem.200801713
- Jérôme, C. (F) 7623–7637
- Jérôme, F.
– Rational Design of Sugar-Based-Surfactant Combined Catalysts for Promoting Glycerol as a Solvent (S) 10196–10200
DOI: 10.1002/chem.200801495
- Jérôme, R.
– Synthesis of Eight- and Star-Shaped Poly(ϵ -caprolactone)s and Their Amphiphilic Derivatives (F) 358–368
DOI: 10.1002/chem.200700603
- Jérôme, R. (F) 4046–4059, 7623–7637
- Jess, A. (F) 8204–8212
- Jeżowska-Bojczuk, M. (F) 6663–6671
- Jhaveri, S. B. (S) 6845–6848
- Ji, K.-G. (F) 5282–5289, (S) 10556–10559
- Ji, L.-N. (F) 7193–7201
- Jiang, F.-L. (F) 10340–10347
- Jiang, H.
– Development, Scope and Mechanisms of Multicomponent Reactions of Asymmetric Electron-Deficient Alkynes with Amines and Formaldehyde (F) 11623–11633
DOI: 10.1002/chem.200801471
– First Synthesis of 1-Chlorovinyl Allenes via Palladium-Catalyzed Allenylation of Alkynoates with Propargyl Alcohols (S) 11305–11309
DOI: 10.1002/chem.200801843
- Jiang, H.-L. (F) 1972–1981
- Jiang, H.-Y. (S) 9131–9134
- Jiang, Jianhui
– A New Aptameric Biosensor for Cocaine Based on Surface-Enhanced Raman Scattering Spectroscopy (F) 8374–8382
DOI: 10.1002/chem.200701307
- Jiang, Jianzhuang
– Optically Active Mixed Phthalocyaninato–Porphyrinato Rare-Earth Double-Decker Complexes: Synthesis, Spectroscopy, and Solvent-Dependent Molecular Conformations (F) 4667–4674 Corrigendum: 6288
DOI: 10.1002/chem.200701853
- Jiang, Jianzhuang (F) 7000–7010
- Jiang, L. (F) 6255–6259
- Jiang, W. (S) 9139–9142
- Jiang, Xinpeng (F) 9656–9664
- Jiang, Xiue (F) 3687–3693
- Jiang, Xuefeng (F) 8572–8578
- Jiang, Y. (F) 10722–10726
- Jiang, Y.-J. (S) 10201–10205
- Jiang, Z. (F) 10595–10602
- Jiao, Z.-G. (F) 10297–10302
- Jiménez, D. (S) 9868–9872
- Jiménez, J. L. (F) 5656–5669
- Jiménez, M. A.
– Context-Dependence of the Contribution of Disulfide Bonds to β -Hairpin Stability (F) 488–499
DOI: 10.1002/chem.200700845
- Jiménez, M. C.
– Determination of Enantiomeric Compositions by Transient Absorption Spectroscopy using Proteins as Chiral Selectors (S) 11284–11287
DOI: 10.1002/chem.200801657
- Jiménez, P. Corrigendum: 417
- Jiménez-Aparicio, R.
– Valence-State Analysis through Spectroelectrochemistry in a Series of Quinonoid-Bridged Diruthenium Complexes [(acac)₂Ru(μ -L)Ru(acac)₂]^{*n*} (*n* = +2, +1, 0, –1, –2) (F) 10816–10828
DOI: 10.1002/chem.200800976
- Jiménez-Barbero, J.
– Aromatic–Carbohydrate Interactions: An NMR and Computational Study of Model Systems (F) 7570–7578
DOI: 10.1002/chem.200800247
– The Bound Conformation of Microtubule-Stabilizing Agents: NMR Insights into the Bioactive 3D Structure of Discodermolide and Dictyostatin (F) 7557–7569
DOI: 10.1002/chem.200800039
- Jiménez-Barbero, J. (F) 2435–2442, 10066–10073
- Jiménez-Osés, G. (F) 7042–7058
- Jin, B. (F) 10727–10734
- Jin, Haiying (F) 6413–6420
- Jin, Hao (S) 10543–10546
- Jin, S. (F) 2795–2804
- Jin, Y. (F) 2679–2685
- Jing, X. (F) 3126–3136
- Joglar, J. (F) 4647–4656
- Johar, Z. (F) 1080–1086
- John, K. D.
– Electronic and Magnetic Properties of Bimetallic Ytterbocene Complexes: The Impact of Bridging Ligand Geometry (C) 422–431
DOI: 10.1002/chem.200700986
- John, K. D. (F) 7782–7790
- John, R. O. (F) 9046–9057
- Johnsen, E. Ø. (S) 10909–10914
- Johnsen, R. E. (F) 2389–2397
- Johnson, J. (F) 3908–3930, 6627–6639
- Johnson, S. A.
– A Phosphine-Mediated Through-Space Exchange Coupling Pathway for Unpaired Electrons in a Heterobimetallic Lanthanide–Transition Metal Complex (F) 721–730
DOI: 10.1002/chem.200700355
- Johnsson, M. (F) 3434–3441
- Jones, C.
– Synthesis and Characterization of Amidinate–Iron(I) Complexes: Analogies with β -Diketiminato Chemistry (S) 8477–8480
DOI: 10.1002/chem.200801071
- Jones, C. W.
– Enhanced Cooperativity through Design: Pendant Co^{III}–Salen Polymer Brush Catalysts for the Hydrolytic Kinetic Resolution of Epichlorohydrin (Salen = *N,N*-Bis(salicylidene)ethylenediamine Dianion) (F) 7306–7313
DOI: 10.1002/chem.200800532
- Jones, L. F. (F) 223–233, (S) 9117–9121
- Jones, P. G. (F) 4328–4335, 5604–5616
- Jones, W.
– Isostructural Materials Achieved by Using Structurally Equivalent Donors and Acceptors in Halogen-Bonded Cocrystals (F) 747–753
DOI: 10.1002/chem.200701184
– Towards Prediction of Stoichiometry in Crystalline Multicomponent Complexes (F) 8830–8836
DOI: 10.1002/chem.200800668
- Joos, J.-B. (F) 9599–9606
- Jørgensen, K. A.
– Asymmetric 1,4-Addition of Oxazolones to Nitroalkenes by Bifunctional Cinchona Alkaloid Thiourea Organocatalysts: Synthesis $\alpha\alpha$ -Disubstituted α -Amino Acids (F) 10958–10966
DOI: 10.1002/chem.200801237
– Asymmetric Organocatalysed [1,3]-Sigmatropic Rearrangements (F) 1464–1471
DOI: 10.1002/chem.200701729
– Highly Enantioselective Approach to Geminal Bisphosphonates by Organocatalyzed Michael-Type Addition of β -Ketoesters

- (F) 128–135
DOI: 10.1002/chem.200701317
- On the Origin of the Stereoselectivity in Organocatalysed Reactions with Trimethylsilyl-Protected Diarylprolinol (F) 122–127
DOI: 10.1002/chem.200701244
 - Organocatalytic Asymmetric Synthesis of Functionalized 3,4-Dihydropyran Derivatives (S) 6317–6321
DOI: 10.1002/chem.200800850
- Joshi, A. (C) 7738–7747
- Ju, Y.
- Poly(*p*-phenylene ethynylene)s with Facially Amphiphilic Pendant Groups: Solvatochromism and Supramolecular Assemblies (F) 10331–10339
DOI: 10.1002/chem.200800986
- Juárez-Pérez, E. J. (F) 4924–4938
- Judd, L. W. (F) 9599–9606
- Juillerat-Jeanneret, L. (F) 9046–9057
- Jung, B. (F) 3290–3296
- Jung, T. A.
- Supramolecular Synthons on Surfaces: Controlling Dimensionality and Periodicity of Tetraarylporphyrin Assemblies by the Interplay of Cyano and Alkoxy Substituents (F) 5794–5802
DOI: 10.1002/chem.200800746
- Junge, K. (S) 9491–9494
- Jurczak, J.
- Bisamides Derived from Azulene-1,3- and -5,7-dicarboxylic Acids as New Building Blocks for Anion Receptors (F) 838–846
DOI: 10.1002/chem.200700592
- Justus, E. (F) 1918–1923
- Justus, J. (F) 3200–3212
- Jux, N.
- Testing Electron Transfer within Molecular Associates Built around Anionic C₆₀ and C₇₀ Dendrofullerenes and a Cationic Zinc Porphyrin (F) 3137–3145
DOI: 10.1002/chem.200701462
- Jux, N. (F) 8837–8846 Corrigendum: 9810
- 
- Kaden, T. A. (F) 3026–3034
- Kadish, K. M.
- (Pentamethylcyclopentadienyl) ruthenium π -Complexes of Metalloporphyrins: Platforms with Novel Photo- and Electrochemical Properties (S) 10206–10210
DOI: 10.1002/chem.200801748
- Kadota, N. (F) 4875–4885
- Kahnt, A. (F) 3765–3775
- Kai, N. (F) 2984–2993
- Kaifer, A. E.
- Encapsulation of Ferrocene and Peripheral Electrostatic Attachment of Viologens to Dimeric Molecular Capsules Formed by an Octaacid, Deep-Cavity Cavitand (F) 4704–4710
DOI: 10.1002/chem.200701961
- Kaifer, E. (F) 7813–7821
- Kaik, M. (F) 11500–11511
- Kaim, W.
- Valence-State Analysis through Spectroelectrochemistry in a Series of Quinonoid-Bridged Diruthenium Complexes [(acac)₂Ru(μ -L)Ru(acac)₂]ⁿ (*n* = +2, +1, 0, -1, -2) (F) 10816–10828
DOI: 10.1002/chem.200800976
- Kaiser, S. (F) 8530–8539
- Kaito, A. (F) 3776–3784
- Kaji, H. (F) 8102–8115
- Kajino, M. (F) 857–863
- Kajonkijya, W. (S) 10206–10210
- Kakuchi, R. (F) 10259–10266
- Kakuchi, T.
- Size-Specific, Colorimetric Detection of Counteranions by Using Helical Poly(phenylacetylene) Conjugated to L-Leucine Groups through Urea Acceptors (F) 10259–10266
DOI: 10.1002/chem.200801235
- Kalbáč, M.
- Doping of C₆₀ Fullerene Peapods with Lithium Vapor: Raman Spectroscopic and Spectroelectrochemical Studies (F) 6231–6236
DOI: 10.1002/chem.200701863
- Kalbáč, M. (F) 2084–2092, 9960–9967
- Kaldis, J. H. (F) 10074–10084
- Kalenius, E.
- Size- and Structure-Selective Noncovalent Recognition of Saccharides by Tetraethyl and Tetraphenyl Resorcinarenes in the Gas Phase (F) 5220–5228
DOI: 10.1002/chem.200800075
- Kalenius, E. (F) 5772–5779
- Kalesse, M.
- The Total Synthesis of (+)-Tedanolide—A Macrocyclic Polyketide from Marine Sponge *Tedania ignis* (F) 2232–2247
DOI: 10.1002/chem.200701529
- Kallitsis, J. K.
- Novel Hybrid Materials Consisting of Regioregular Poly(3-octylthiophene)s Covalently Attached to Single-Wall Carbon Nanotubes (F) 8715–8724
DOI: 10.1002/chem.200800683
- Kamer, P. C. J. (F) 1843–1853
- Kamoto, M. (F) 8004–8012
- Kampf, G. (F) 6882–6891
- Kamuro, S. (F) 2482–2498
- Kanase, N. (F) 5267–5274
- Kanazawa, Y. (F) 3776–3784
- Kane, R. S.
- Stable and Potent Polyvalent Anthrax Toxin Inhibitors: Raft-Inspired Domain Formation in Liposomes that Contain PEGylated Lipids (S) 7748–7751
DOI: 10.1002/chem.200801097
- The Design of Polyvalent Therapeutics (C) 7738–7747
DOI: 10.1002/chem.200800278
- Kaneko, Katsumi (F) 882–885
- Kaneko, Kenji (F) 2398–2404
- Kaneko, W. (F) 3481–3489
- Kang, J. (F) 3687–3693
- Kang, Q. (S) 3539–3542
- Kang, S. H.
- Asymmetric Iodocyclization Catalyzed by Salen–Cr^{III}Cl: Its Synthetic Application to Swainsonine (F) 1023–1028
DOI: 10.1002/chem.200701199
 - Enantioselective Formation of *tert*-Alkylamines by Desymmetrization of 2-Substituted Serinols (F) 3290–3296
DOI: 10.1002/chem.200701875
- Kania, A. (F) 9419–9430
- Kania, N. (S) 8090–8093
- Kanno, S.-i. (F) 829–837
- Kanoh, H. (F) 882–885
- Kantchev, E. A. B. (F) 2443–2452
- Kapoor, M. P. (F) 11529–11538
- Kapteijn, F. (F) 1718–1725
- Karam, A. (S) 10196–10200
- Karasudani, Y. (F) 10318–10330
- Karatas, B. (F) 11512–11528
- Karatsu, T. (F) 5246–5257
- Kardak, B. G. (S) 8768–8771
- Kareev, I. E. (F) 107–121
- Karim, K. (F) 9516–9529
- Karlberg, A.-T. (F) 9549–9554
- Karlsson, E. A. (F) 9175–9180
- Karnas, E. (S) 10206–10210
- Kárpáti, T. (F) 9878–9889
- Karpe, S. (F) 6237–6246
- Karr, P. A. (F) 674–681
- Karton, N. (S) 6857–6861
- Kasai, Y. (F) 1178–1185
- Kasapis, S.
- Fluorescent Magnesium(II) Coordination Polymeric Hydrogel (F) 8822–8829
DOI: 10.1002/chem.200801129
- Kashiwada, A.
- Construction of a pH-Responsive Artificial Membrane Fusion System by Using Designed Coiled-Coil Polypeptides (F) 7343–7350
DOI: 10.1002/chem.200701726
- Kasian, N. (F) 10134–10140
- Kasparkova, J. (F) 1330–1341
- Kastler, M. (S) 6322–6325
- Kasuga, K. (F) 11076–11081
- Kataoka, Y. (F) 5258–5266
- Katayev, E. A.
- Expanding Sapphyrin: Towards Selective Phosphate Binding (F) 9065–9073
DOI: 10.1002/chem.200800860
- Kato, Nobuki (F) 8004–8012
- Kato, Nobuo (F) 1392–1401
- Katoh, T.
- Highly Efficient Total Synthesis of the Marine Natural Products (+)-Avarone, (+)-Avarol, (-)-Neoavarone, (-)-Neoavarol and (+)-Aureol (F) 829–837
DOI: 10.1002/chem.200701386
- Katsiaouni, S. (F) 4823–4835

- Katterle, M. (F) 4110–4116
 Kattnig, D. R. (F) 6213–6221
 Kauffmann, B. (S) 7140–7143
 Kaufmann, L. (F) 10012–10028
 Kaumanns, O. (F) 9675–9682
 Kaur, N. (F) 1186–1195
 Kavan, L. (F) 6231–6236
 Kawai, H.
 – Ultralong Carbon–Carbon Bonds in Dispirobis(10-methylacridan) Derivatives with an Acenaphthene, Pyracene, or Dihydropyrycene Skeleton (F) 5780–5793
 DOI: 10.1002/chem.200702028
 Kawai, K.
 – Mechanism of Charge Separation in DNA by Hole Transfer through Consecutive Adenines (F) 3721–3726
 DOI: 10.1002/chem.200701835
 Kawai, K. (F) 1492–1498
 Kawai, T. (F) 582–595
 Kawakami, H. (F) 8169–8176
 Kawamoto, T.
 – Reversible Conversion of Electronic Structures in a Cyclic Octacopper Complex (S) 9842–9845
 DOI: 10.1002/chem.200801614
 Kawamoto, T. (S) 7752–7755, 9512–9515
 Kawasaki, A. (F) 10318–10330
 Kawęcki, R. (F) 2788–2794
 Kazmaier, U.
 – Influences on the Regioselectivity of Palladium-Catalyzed Allylic Alkylations (F) 1322–1329
 DOI: 10.1002/chem.200701332
 Kędziołek, M. (F) 838–846
 Keene, F. R. (S) 10535–10538
 Kehr, G. (F) 333–343 Corrigendum: 779, (S) 9499–9502
 Kehraus, S. (S) 9860–9863
 Keita, B. (F) 1186–1195
 Kekäläinen, T. (F) 5220–5228
 Kelarakis, A. (F) 11369–11375 Corrigendum: 11268
 Kelling, A. (F) 11429–11441
 Kelly, J. M.
 – Photooxidation of Guanine by a Ruthenium Dipyridophenazine Complex Intercalated in a Double-Stranded Polynucleotide Monitored Directly by Picosecond Visible and Infrared Transient Absorption Spectroscopy (F) 369–375
 DOI: 10.1002/chem.200700564
 Kelm, H. (F) 4006–4016
 Kemnitz, E.
 – Coupling Sol–Gel Synthesis and Microwave-Assisted Techniques: A New Route from Amorphous to Crystalline High-Surface-Area Aluminium Fluoride (F) 6205–6212
 DOI: 10.1002/chem.200701831
 – Novel Sol–Gel Synthesis of Acidic $\text{MgF}_{2-x}(\text{OH})_x$ Materials (F) 11488–11499
 DOI: 10.1002/chem.200801702
 Kempe, R.
 – Pt@MOF-177: Synthesis, Room-Temperature Hydrogen Storage and Oxidation Catalysis (F) 8204–8212
 DOI: 10.1002/chem.200801043
 Kennedy, A. R. (F) 65–72, 6704–6712
 Corrigendum: 10871, 8025–8034, 10369–10381
 Kennou, S. (F) 8715–8724
 Kepert, C. J. (F) 10123–10133
 Keppler, B. K. (F) 9046–9057
 Kern, C. (F) 8204–8212
 Kessler, H.
 – Conformational Preference and Potential Templates of *N*-Methylated Cyclic Pentaalanine Peptides (F) 1508–1517
 DOI: 10.1002/chem.200701029
 Ketkov, S. Yu. (S) 8465–8468
 Khrustalev, V. N. (F) 2420–2434, 9065–9073
 Khusniyarov, M. M.
 – Characterization of Three Members of the Electron-Transfer Series $[\text{Fe}(\text{pda})_2]^n$ ($n=2-, 1-, 0$) by Spectroscopy and Density Functional Theoretical Calculations [*pda* = Redox Non-innocent Derivatives of *N,N'*-Bis(pentafluorophenyl)-*o*-phenylenediamide ($2-, 1-, 0$)] (F) 7608–7622
 DOI: 10.1002/chem.200800546
 Kiani, F. A. (F) 2886–2893
 Kiebach, R. (F) 5021–5029
 Kiehne, U. (F) 4246–4255
 Kiel, A. (F) 529–547
 Kieltyka, R. (F) 1145–1154
 Kikuchi, K. (F) 987–995
 Kilburn, J. D.
 – Covalent Tethering of Organic Functionality to the Surface of Glassy Carbon Electrodes by Using Electrochemical and Solid-Phase Synthesis Methodologies (F) 2548–2556
 DOI: 10.1002/chem.200701559
 Kille, P. (F) 7579–7593
 Kilner, C. A. (F) 223–233
 Kim, B. R. (F) 2075–2083
 Kim, D.
 – Attachment of Different Donor Groups to a Cryptand for Modulation of Two-Photon Absorption Cross-Section (F) 10628–10638
 DOI: 10.1002/chem.200801396
 – Synthesis of Nanometer-Scale Porphyrin Wheels of Variable Size (F) 582–595
 DOI: 10.1002/chem.200701271
 – Two-Dimensionally Extended Porphyrin Tapes: Synthesis and Shape-Dependent Two-Photon Absorption Properties (F) 8279–8289
 DOI: 10.1002/chem.200800776
 Kim, D.-C. (F) 9161–9168
 Kim, H.-J. (F) 871–881, 3883–3888
 Kim, H. J. (F) 9613–9619
 Kim, H.-K. (F) 8696–8703
 Kim, H. M. (F) 2075–2083
 Kim, J. W. (F) 4104–4109, 11480–11487
 Kim, K. M.
 – Stereoconversion of Amino Acids and Peptides in Uryl-Pendant Binol Schiff Bases (F) 9935–9942
 DOI: 10.1002/chem.200801036
 Kim, K. S. (F) 8279–8289
 Kim, K.-T. (F) 9161–9168
 Kim, K. T. (F) 8624–8631
 Kim, M.-C. (F) 3883–3888
 Kim, M. G. (F) 3883–3888
 Kim, T. W. (F) 3290–3296
 Kim, U.-I. (F) 11406–11414
 Kim, Y. (S) 8461–8464
 Kimura, T. (F) 10585–10594
 Kimura, Y. (F) 8102–8115
 Kindermann, M. K. (F) 4328–4335
 King, G. C. (F) 11452–11460
 King, R. B.
 – Polyhedral Structures with Three-, Four-, and Five Fold Symmetry in Metal-Centered Ten-Vertex Germanium Clusters (F) 4542–4550
 DOI: 10.1002/chem.200701582
 – Unexpected Direct Iron-Fluorine Bonds in Trifluorophosphane Iron Complexes: An Alternative to Bridging Trifluorophosphane and Difluorophosphido Groups (F) 11149–11157
 DOI: 10.1002/chem.200801248
 Kiplinger, J. L.
 – 1,4-Dicyanobenzene as a Scaffold for the Preparation of Bimetallic Actinide Complexes Exhibiting Metal–Metal Communication (F) 7782–7790
 DOI: 10.1002/chem.200800585
 Király, P. (F) 6078–6086
 Kirchner, B.
 – How Can Rotaxanes Be Modified by Varying Functional Groups at the Axle?—A Combined Theoretical and Experimental Analysis of Thermochemistry and Electronic Effects (F) 1216–1227
 DOI: 10.1002/chem.200700479
 Kirchner, B. (F) 8980–8985
 Kirillova, M. V. (F) 1828–1842
 Kirmse, H. (F) 11488–11499
 Kirsch, S. F.
 – 1,2-Alkyl Migration as a Key Element in the Invention of Cascade Reactions Catalyzed by π -Acids (C) 3514–3522
 DOI: 10.1002/chem.200701985
 Kirsch-DeMesmaeker, A. (F) 369–375
 Kishikawa, K. (F) 5246–5257
 Kiss, R. (F) 3418–3426
 Kistemaker, J. C. M. (F) 11183–11193
 Kita, K. (F) 9305–9311
 Kita, T. (F) 5519–5527
 Kita-Tokarczyk, K. (F) 10797–10807
 Kitagawa, S.
 – Interpenetrated Three-Dimensional $\text{Mn}^{\text{II}}\text{M}^{\text{III}}$ Ferrimagnets, $[\text{Mn}(\text{4dmap})_4]_3\cdot[\text{M}(\text{CN})_6]_2\cdot 10\text{H}_2\text{O}$ ($\text{M}=\text{Cr}, \text{Mn}$): Structures, Magnetic Properties, and Pressure-Responsive Magnetic Modulation (F) 3481–3489
 DOI: 10.1002/chem.200701364
 Kitagawa, S. (F) 2771–2776, 9565–9576
 Kitamura, A. (F) 5246–5257
 Kivala, M. (F) 7638–7647
 Kivekäs, R. (F) 4924–4938
 Kjærsgaard, A. (F) 122–127

- Klajnert, B.
– The Influence of Densely Organized Maltose Shells on the Biological Properties of Poly(propylene imine) Dendrimers: New Effects Dependent on Hydrogen Bonding (F) 7030–7041
DOI: 10.1002/chem.200800342
- Klapötke, T. M.
– 1,2,4-Triazolium-Cation-Based Energetic Salts (F) 5756–5771
DOI: 10.1002/chem.200800340
- Klar, P. J. (F) 5935–5940
- Kleeberg, C. (F) 2976–2983
- Kleij, A. W.
– New Templating Strategies with Salen Scaffolds (Salen = *N,N'*-Bis(salicylidene)ethylenediamine Dianion) (C) 10520–10529
DOI: 10.1002/chem.200801149
- Klein, A.
– New Rare Earth Metal Complexes with Nitrogen-Rich Ligands: 5,5'-Bitetrazolate and 1,3-Bis(tetrazol-5-yl)triazenate—On the Borderline between Coordination and the Formation of Salt-Like Compounds (F) 3727–3736
DOI: 10.1002/chem.200702006
- Klein, K. (S) 6866–6869
- Klein Gebbink, R. J. M.
– Catalytic Performance of Symmetrical and Unsymmetrical Sulfur-Containing Pincer Complexes: Synthesis and Tandem Catalytic Activity of the First PCS-Pincer Palladium Complex (F) 4800–4809
DOI: 10.1002/chem.200800350
- Iron(II) Complexes with Bio-Inspired N,N,O Ligands as Oxidation Catalysts: Olefin Epoxidation and *cis*-Dihydroxylation (F) 1228–1237
DOI: 10.1002/chem.200700573
- Oxidative Double Dehalogenation of Tetrachlorocatechol by a Bio-Inspired Cu^{II} Complex: Formation of Chloranilic Acid (F) 5567–5576
DOI: 10.1002/chem.200701878
- Klein Gebbink, R. J. M. (F) 8995–9005
- Klett, J. (F) 65–72
- Klimo, K. (S) 9860–9863
- Klok, M. (F) 11183–11193
- Klopper, W.
– Nucleophilic Additions to Alkylidene Bis(sulfoxides)—Stereo-electronic Effects in Vinyl Sulfoxides (F) 4631–4639
DOI: 10.1002/chem.200701847
- Klumpp, D. A.
– Superelectrophiles: Charge–Charge Repulsive Effects (C) 2004–2015
DOI: 10.1002/chem.200701470
- Knapp, E.-M. (F) 8116–8130
- Knapp, S. (F) 4816–4822
- Kniep, R.
– Zn[BPO₄(OH)₂]: A Zinc Borophosphate with the Rare Moganite-Type Topology (F) 1757–1761
DOI: 10.1002/chem.200701349
- Knirel, Y. A. (F) 6184–6191
- Knobloch, B. (F) 3100–3109 Corrigendum: 3509, 6663–6671
- Knochel, P. Corrigendum: 3509
- Knochel, P.
– Selective Mono- and 1,2-Difunctionalization of Cyclopentene Derivatives via Mg and Cu Intermediates (F) 2499–2506
DOI: 10.1002/chem.200701431
- Knoppe, S. (F) 344–357
- Knudsen, K. R. (F) 6155–6165
- Knyrim, J. S. (F) 6149–6154
- Kobayashi, M. (F) 10348–10356
- Kobayashi, N.
– Application of MCD Spectroscopy and TD-DFT to Nonplanar Core-Modified Tetrabenzoporphyrins: Effect of Reduced Symmetry on Nonplanar Porphyrinoids (F) 5001–5020
DOI: 10.1002/chem.200701611
- Optically Active Mixed Phthalocyaninato–Porphyrinato Rare-Earth Double-Decker Complexes: Synthesis, Spectroscopy, and Solvent-Dependent Molecular Conformations (F) 4667–4674 Corrigendum: 6288
DOI: 10.1002/chem.200701853
- Kobbelgaard, S. (F) 1464–1471
- Kobuke, Y.
– Construction of Giant Porphyrin Macrorings Self-Assembled from Thiophenylene-Linked Bisporphyrins for Light-Harvesting Antennae (F) 10735–10744
DOI: 10.1002/chem.200801466
- Light-Harvesting Supramolecular Porphyrin Macrocyclic Accommodating a Fullerene–Tripodal Ligand (F) 2827–2841
DOI: 10.1002/chem.200701720
- Tandem Cofacial Stacks of Porphyrin–Phthalocyanine Dyads through Complementary Coordination (F) 4993–5000
DOI: 10.1002/chem.200701953
- Koch, R.
– Mechanism of the Intramolecular Hydroamination of Alkenes Catalyzed by Neutral Indenyltitanium Complexes: A DFT Study (F) 10430–10436
DOI: 10.1002/chem.200801445
- Kocharova, N. A. (F) 6184–6191
- Kociok-Köhn, G. (F) 1004–1022, 7808–7812
- Kockmann, N.
– Enabling Continuous-Flow Chemistry in Microstructured Devices for Pharmaceutical and Fine-Chemical Production (C) 7470–7477
DOI: 10.1002/chem.200800707
- Kočovský, P.
– Dynamic Kinetic Resolution in the Asymmetric Synthesis of β -Amino Acids by Organocatalytic Reduction of Enamines with Trichlorosilane (S) 8082–8085
DOI: 10.1002/chem.200801244
- Koda, T. (S) 10192–10195
- Koeckelberghs, G.
– Transfer of Supramolecular Chirality in Block Copoly(thiophene)s (S) 9122–9125
DOI: 10.1002/chem.200801537
- Koerkamp, C. K. (S) 10196–10200
- Köhler, F. H.
– Crystal-Packing-Induced Antiferromagnetic Interactions of Metallocenes: Cyanonickelocenes, -cobaltocenes, and -ferrocenes (F) 8013–8024
DOI: 10.1002/chem.200701538
- Köhler, K. (F) 7997–8003
- Köhler, S. (F) 2976–2983, 4006–4016
- Köhler, V. (F) 8530–8539
- Kohnke, F. H.
– pH-Controlled Molecular Switches and the Substrate-Directed Self-Assembly of Molecular Capsules with a Calix[4]pyrrole Derivative (F) 11593–11600
DOI: 10.1002/chem.200800819
- Koike, T. (F) 4104–4109, 11480–11487
- Kojima, T.
– Ruthenium(II) Pyridylamine Complexes with Diimine Ligands Showing Reversible Photochemical and Thermal Structural Change (F) 8904–8915
DOI: 10.1002/chem.200800827
- Kojima, Y. (F) 8220–8238
- Koksch, B.
– Intramolecular Charge Interactions as a Tool to Control the Coiled-Coil-to-Amyloid Transformation (F) 11442–11451
DOI: 10.1002/chem.200801206
- Kolb, H. C. (F) 10683–10704
- Kolehmainen, E. (F) 3297–3305
- Komatsu, H. (F) 3977–3986, 10808–10815
- Komatsu, K.
– Antiaromaticity and Reactivity of a Planar Cyclooctatetraene Fully Annelated with Bicyclo[2.1.1]hexane Units (F) 2067–2074
DOI: 10.1002/chem.200701405
- Komatsu, Teruyuki
– Protein Nanotubes Comprised of an Alternate Layer-by-Layer Assembly Using a Polycation as an Electrostatic Glue (F) 10303–10308
DOI: 10.1002/chem.200800771
- Komatsu, Toru (F) 987–995
- Komber, H. (F) 7030–7041
- Komobuchi, N. (F) 5001–5020
- Kondakova, A. N. (F) 6184–6191
- Kondo, Y.
– Chiral Bisphosphazides as Dual Basic Enantioselective Catalysts (F) 5267–5274
DOI: 10.1002/chem.200800230
- Kong, X. (F) 5996–6002
- König, B.
– Synthesis and Cannabinoid Receptor Activity of Ketoalkenes from *Echinacea pallida* and Nonnatural Analogues (F) 10978–10984
DOI: 10.1002/chem.200801579
- Synthetic Receptors for the Differentiation of Phosphorylated Peptides with

- Nanomolar Affinities
(F) 8922–8927
DOI: 10.1002/chem.200800432
- Thiourea-Enhanced Flavin Photooxidation of Benzyl Alcohol
(F) 1854–1865
DOI: 10.1002/chem.200701319
- Utilizing Reversible Copper(II) Peptide Coordination in a Sequence-Selective Luminescent Receptor
(F) 2536–2541
DOI: 10.1002/chem.200701442
- König, G. M.
– Noduliprevenone: A Novel Heterodimeric Chromanone with Cancer Chemopreventive Potential
(S) 9860–9863
DOI: 10.1002/chem.200801574
- Konno, T.
– A New Class of Hydroxo-Bridged Hep-tacopper(II) Clusters with an Acentrosymmetric Corner-Sharing Double-Cubane Framework Supported by D-Penicillaminedisulfides
(S) 9512–9515
DOI: 10.1002/chem.200801299
- Self-Assembly of L-Cysteinato Trinuclear Cations into Metallosupramolecular Architectures Controlled by Protons, Metal Ions, and Chirality
(S) 7752–7755
DOI: 10.1002/chem.200800887
- Konno, T. (S) 9842–9845
- Kooijman, H. (F) 8486–8499
- Kool, E. T.
– Steric Effects in RNA Interference: Probing the Influence of Nucleobase Size and Shape
(F) 7978–7987
DOI: 10.1002/chem.200800837
- Koot, W.-J. (F) 10683–10704
- Koptyug, I. V. (F) 2363–2374
- Kopylovich, M. N. (F) 9312–9322
- Kordel, E. (F) 4631–4639
- Korgel, B. A. (F) 1584–1591
- Korivi, R. P. (S) 9503–9506
- Kornatowski, J. (F) 11320–11327
- Korshun, V. A.
– Highly Fluorescent Conjugated Pyrenes in Nucleic Acid Probes: (Phenylethynyl)pyrenecarbonyl-Functionalized Locked Nucleic Acids
(F) 11010–11026
DOI: 10.1002/chem.200801077
- Korshun, V. A. (F) 9968–9980
- Kortz, U.
– Actinide Polyoxometalates: Incorporation of Uranyl–Peroxo in U-Shaped 36-Tungsto-8-Phosphate
(S) 9851–9855
DOI: 10.1002/chem.200801583
- Nucleation Process in the Cavity of a 48-Tungstophosphate Wheel Resulting in a 16-Metal-Centre Iron Oxide Nanocluster
(F) 1186–1195
DOI: 10.1002/chem.200701424
- Koshevoy, I. O. (F) 10648–10655
- Koshida, S. (S) 10192–10195
- Koshkakarayan, G. (S) 10211–10218
- Kosieradzka, K. (F) 8521–8529
- Košník, W. (F) 6087–6097
- Kotal, A. (F) 5528–5537
- Kotani, M. (F) 4104–4109
- Kothe, E. (F) 1571–1583
- Kotrba, P. (F) 7836–7846
- Kotzur, N. (F) 1621–1627
- Koulov, A. V. (F) 9599–9606
- Koumura, N. (F) 11610–11622
- Kovnir, K. A. (F) 5414–5422
- Kowalchuk, C. M. (F) 8157–8168
- Kox, M. H. F. (F) 1718–1725, 11320–11327
- Kozerski, L.
– Binding of Topotecan to a Nicked DNA Oligomer in Solution
(F) 2788–2794
DOI: 10.1002/chem.200700732
- Kozerski, L. (F) 6087–6097
- Kožíšek, M. (F) 7836–7846
- Kozłowski, H. (F) 6663–6671
- Kraft, M. (F) 8972–8979
- Kramer, J. P. (F) 382–396
- Krämer, K. (F) 1322–1329
- Krapp, A. (F) 4028–4038, (S) 10232–10234
- Krasovskiy, A. (F) 2499–2506
- Kratky, C. (S) 7521–7524
- Krausz, P. (S) 10196–10200
- Kräutler, B.
– A Crystalline B₁₂ Dimer from β-Cyano-Neocobyrate
(S) 7521–7524
DOI: 10.1002/chem.200800809
- B₁₂-retro-Riboswitches: Guanosyl-Induced Constitutional Switching of B₁₂ Coenzymes
(F) 3605–3619
DOI: 10.1002/chem.200701365
- Kreher, D. (F) 250–258
- Kretz, T. (F) 2590–2601
- Krewer, B. (F) 2811–2818
- Kricheldorf, H. R. (F) 358–368
- Krick, A. (S) 9860–9863
- Krill, S. (F) 1499–1507
- Krimmelbein, I. K. (F) 1541–1551, 3670–3679
- Krishnan, Y. (F) 8682–8689
- Kröck, L. (F) 3987–3994
- Krohn, K.
– New Mono- and Dimeric Members of the Secalonic Acid Family: Blennolidic A–G Isolated from the Fungus *Blennoria* sp.
(F) 4913–4923
DOI: 10.1002/chem.200800035
- Kroke, E.
– Octahedral Adducts of Dichlorosilane with Substituted Pyridines: Synthesis, Reactivity and a Comparison of Their Structures and ²⁹Si NMR Chemical Shifts
(F) 3164–3176
DOI: 10.1002/chem.200701412
- Kroll, P. (F) 3306–3310, 7892–7902
- Krossing, I.
– Self-Assemblies Based on [Cp₂Mo₂(CO)₄(μ,η²-P₂)]—Solid-State Structure and Dynamic Behaviour in Solution
(F) 282–295
DOI: 10.1002/chem.200700715
- Krossing, I. (F) 4488–4502
- Kruck, M. (F) 7808–7812
- Krueger, A.
– New Carbon Materials: Biological Applications of Functionalized Nanodiamond Materials
(C) 1382–1390
DOI: 10.1002/chem.200700987
- Krüger, H.-J. (F) 4006–4016
- Krüger, R. (F) 2976–2983
- Kruithof, C. A. (F) 8995–9005
- Krummenacher, I. (F) 5918–5934
- Krysiński, P.
– Synthesis, Surface Modifications, and Size-Sorting of Mixed Nickel–Zinc Ferrite Colloidal Magnetic Nanoparticles
(F) 7961–7968
DOI: 10.1002/chem.200800369
- Krysmann, M. J. (F) 11369–11375 Corrigendum: 11268
- Krzystek, J. (F) 11158–11166
- Ksenofontov, V. (F) 3745–3758
- Kubo, K. (S) 8079–8081
- Kubota, S. (F) 5246–5257
- Kuc, A. (S) 6597–6600
- Kudavalli, J. S. (F) 11500–11511
- Kudrik, E. V. (S) 7123–7126
- Kühn, F. E.
– Solvent-Ligated Copper(II) Complexes for the Homopolymerization of 2-Methylpropene
(F) 7997–8003
DOI: 10.1002/chem.200701928
- Kuhn, H.
– Synthesis of a New Seleninic Acid Anhydride and Mechanistic Studies into Its Glutathione Peroxidase Activity
(F) 7066–7071
DOI: 10.1002/chem.200800694
- Kuipers, B. W. M. (F) 2016–2024
- Kukula, P. (F) 2699–2708
- Kulicke, K. (F) 8530–8539
- Kulig-Adamiak, A. (F) 9305–9311
- Kuliszewska, E. (F) 8603–8614
- Kumaki, D. (S) 4472–4474
- Kumamoto, Y. (F) 9565–9576
- Kumar De, A. (F) 10628–10638
- Kumarraja, M. (F) 6713–6721
- Kumbhar, A. (F) 4594–4599, 8213–8219
- Kume, A. (S) 5109–5111
- Kume, S. (F) 6978–6986
- Kuntz, C. (F) 9020–9029
- Kunz, D.
– Highly Ylidic Imidazoline-Based Fulvenes as Suitable Precursors for the Synthesis of Imidazolium-Substituted Metallocenes
(S) 10909–10914
DOI: 10.1002/chem.200801956
- Kunze, B. (F) 3709–3720, 11132–11140
- Kuo, J.-L. (F) 1561–1570
- Kuppuswamy, S. (S) 3869–3873
- Kuramochi, Y. (F) 2827–2841
- Kurita, T. (F) 664–673, 3371–3379
- Kuroda, K.
– Self-Assembly of Alkyl-Substituted Cubic Siloxane Cages into Ordered Hybrid Materials
(F) 8500–8506
DOI: 10.1002/chem.200801106
- Stable Silanetriols That Contain *tert*-Alkoxy Groups: Versatile Precursors of Siloxane-Based Nanomaterials

- (F) 973–980
DOI: 10.1002/chem.200700914
- Kuroda, R. (F) 6438–6443, 10570–10578
- Kuroda, S.-i. (F) 472–477
- Kurtán, T. (F) 4913–4923
- Kuschel, A. (C) 9816–9829
- Kuschel, M. (F) 2405–2419
- Kusumoto, K.-i. (F) 10808–10815
- Kuz'mina, L. G. (F) 2757–2770
- Kuznetsov, M. L. (F) 1828–1842, 9046–9057
- Kwakernaak, C. (F) 961–972
- Kwit, M. (F) 11500–11511
- Kwon, H. Y. (F) 1023–1028
- Kwon, O.-H. (F) 5353–5359
- Kwon, T.-H. (F) 9613–9619
- 
- (F) 6546–6552
DOI: 10.1002/chem.200800213
- Lai, C.-C. (F) 2904–2908
- Lai, C.-H. (F) 5423–5434
- Lai, C.-P. (F) 7988–7996
- Lainé, C. (F) 8330–8340
- Lainé, P. P.
– Reaching Optimal Light-Induced Intramolecular Spin Alignment within Photomagnetic Molecular Device Prototypes (F) 11385–11405
DOI: 10.1002/chem.200801405
- Lam, J. W. Y. (F) 6428–6437
- Lam, K.-M. (F) 7988–7996
- Lam, W. H. (F) 4562–4576, (S) 10928–10931
- Lamanna, G. (S) 5747–5750
- Lambert, F. (F) 9286–9291
- Lambert, T. N. (F) 9599–9606
- Lämmermann, A. (F) 7913–7929
- Lammertsma, K.
– Fused Tricyclic Phosphiranes—Analysis of Phosphorus Chemical Shieldings (F) 1499–1507
DOI: 10.1002/chem.200700958
- Lampkins, A. J. (F) 1452–1463
- Lan, J. (F) 2223–2231, 11601–11609
- Lan, Y.-Q. (F) 9999–10006
- Lancelot, N. (F) 3874–3882
- Landais, Y.
– Carboazidation of Chiral Allylsilanes: Experimental and Theoretical Investigations (F) 2744–2756
DOI: 10.1002/chem.200701401
- Landgraf, S. (F) 6213–6221
- Lang, C. (F) 5313–5328
- Lang, H.
– Mixed-Transition-Metal Acetylides: Synthesis and Characterization of Complexes with up to Six Different Transition Metals Connected by Carbon-Rich Bridging Units (F) 4948–4960
DOI: 10.1002/chem.200701915
- Langhals, H.
– Anthracene Carboxyimides and Their Dimers (F) 5290–5303
DOI: 10.1002/chem.200701844
- New and Efficient Arrays for Photoinduced Charge Separation Based on Perylene Bisimide and Corroles (F) 169–183
DOI: 10.1002/chem.200700866
- Langlotz, B. K. (F) 10267–10279
- Lankhshear, M. D. (F) 2248–2263
- Lannou, M.-I. (F) 11092–11112
- Lanzetta, R.
– Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Largerón, M.
– Environmentally Friendly Chemoselective Oxidation of Primary Aliphatic Amines by Using a Biomimetic Electrocatalytic System (F) 996–1003
DOI: 10.1002/chem.200700876
- Laschi, S. (F) 1804–1813
- Lasri, J. (F) 9312–9322
- Lassalle-Kaiser, B. (F) 4307–4317
- Latos-Grażyński, L.
– Reactivity of Silole within a Core-Modified Porphyrin Environment: Synthesis of 21-Silaphlorin and its Conversion to Carbacorrole (F) 4861–4874
DOI: 10.1002/chem.200702002
- Latour, J.-M.
– Carboxylate Ligands Drastically Enhance the Rates of Oxo Exchange and Hydrogen Peroxide Disproportionation by Oxo Manganese Compounds of Potential Biological Significance (F) 3013–3025
DOI: 10.1002/chem.200701253
- Launay, J.-P. (F) 8147–8156
- Laungani, A. C. (F) 4488–4502
- Lautens, M.
– Concise Enantioselective Total Syntheses of (+)-Homochelidonine, (+)-Chelamidine, (+)-Chelidonine, (+)-Chelamine and (+)-Norchelidonine by a Pd^{II}-Catalyzed Ring-Opening Strategy (F) 2112–2124
DOI: 10.1002/chem.200701775
- Lauterbach, T. (S) 4160–4163
- Lavalley, J.-C. (F) 6205–6212
- Lavergne, T. (S) 9135–9138
- Lavilla, R.
– Heterocycles as Key Substrates in Multi-component Reactions: The Fast Lane towards Molecular Complexity (C) 8444–8454
DOI: 10.1002/chem.200800473
- Lay, F. (F) 3709–3720
- Layh, M. (F) 11557–11564
- Lazarides, T. (F) 9389–9399
- Lazraq, I. (F) 9516–9529
- le Floch, P.
– Why Platinum Catalysts Involving Ligands with Large Bite Angle Are so Efficient in the Allylation of Amines: Design of a Highly Active Catalyst and Comprehensive Experimental and DFT Study (F) 10047–10057
DOI: 10.1002/chem.200801197
- Le Gac, S. (F) 548–557, 3316–3322
- Le Goff, X.-F. (F) 10047–10057
- Le Goff, X. F. (F) 7314–7323
- Le Roux, E. (F) 9555–9564
- Leadbeater, N. E.
– Use of Raman spectroscopy as an In Situ Tool to Obtain Kinetic Data for Organic Transformations (F) 9943–9950
DOI: 10.1002/chem.200801158
- Lebedkin, S. F. (F) 107–121
- Lebel, H.
– *N*-Tosylloxycarbamates as Reagents in Rhodium-Catalyzed C–H Amination Reactions (F) 6222–6230
DOI: 10.1002/chem.200702027
- Lechler, R. (F) 1621–1627
- Lecomte, P. (F) 358–368
- Lee, A. F. (F) 5988–5995
- Lee, C. C. (F) 8579–8589
- Lee, E. (F) 871–881, 3883–3888, 6957–6966

- Lee, E. P. F. (F) 11452–11460
- Lee, G.-H. (S) 5120–5124, (F) 5237–5245
- Lee, H. Y. (S) 6040–6043
- Lee, K. J. (F) 2075–2083
- Lee, K.-S. (F) 5353–5359
- Lee, M.
- Folding of Coordination Polymers into Double-Stranded Helical Organization (F) 3883–3888
DOI: 10.1002/chem.200800056
 - Rigid–Flexible Block Molecules Based on a Laterally Extended Aromatic Segment: Hierarchical Assembly into Single Fibers, Flat Ribbons, and Twisted Ribbons (F) 6957–6966
DOI: 10.1002/chem.200800664
 - Supramolecular Helical Columns from the Self-Assembly of Chiral Rods (F) 871–881
DOI: 10.1002/chem.200701080
- Lee, S. B. (F) 1023–1028
- Lee, S. S. (F) 3118–3125
- Lee, Stephen
- Laves Phases, γ -Brass, and $2 \times 2 \times 2$ Superstructures: A New Class of Quasicrystal Approximants and the Suggestion of a New Quasicrystal (F) 6627–6639
DOI: 10.1002/chem.200800336
 - The Mystery of Perpendicular Fivefold Axes and the Fourth Dimension in Intermetallic Structures (F) 3908–3930
DOI: 10.1002/chem.200701396
- Lee, Suho (F) 9161–9168
- Lee, T. G.
- Probing the Surface of Organic and Bioconjugated Nanocrystals by Using Mass Spectrometric Imaging (S) 8461–8464
DOI: 10.1002/chem.200801301
- Lee, T.-S. (F) 2777–2787
- Lee, T.-Y. (F) 9747–9753
- Lee, W. S. (F) 9161–9168
- Lefebvre, J. (F) 721–730, 7156–7167
- Leffler, H. (F) 4233–4245
- Lehmann, M.
- Star-Shaped Oligobenzoates: Non-conventional Mesogens Forming Columnar Helical Mesophases (F) 3562–3576
DOI: 10.1002/chem.200700922
- Lehn, P. (F) 8330–8340
- Lei, C. (F) 11584–11592
- Lei, T. (S) 3860–3865
- Leiner, E. (F) 9020–9029
- Leino, R.
- Converting Unprotected Monosaccharides into Functionalised Lactols in Aqueous Media: Metal-Mediated Allylation Combined with Tandem Hydroformylation–Cyclisation (S) 10539–10542
DOI: 10.1002/chem.200801745
- Leita, B. A. (F) 10123–10133
- Leitao, E. M. (F) 11565–11572
- Leitus, G. (F) 8183–8194, 10639–10647
- Lelkes, P. I. (F) 2909–2917
- Lemaire, J. (F) 4318–4327
- Lemiègre, L. (F) 8330–8340
- Lenfant, S. (F) 4201–4213, 6237–6246
- Lenoble, G. (F) 1532–1540
- Lenoir, D.
- Electrophilic Bromination of Alkenes: Environmental, Health and Safety Aspects of New Alternative Methods (M) 9830–9841
DOI: 10.1002/chem.200800462
- León, E. (F) 488–499
- Leong, W. L. (F) 8822–8829
- Leoni, P.
- Site Selectivity in the Reactions of the Hexanuclear Platinum Cluster $[\text{Pt}_6(\mu\text{-PtBu}_2)_4(\text{CO})_6][\text{CF}_3\text{SO}_3]_2$ (F) 847–856
DOI: 10.1002/chem.200700765
- Leopoldini, M. (F) 8674–8681
- Leray, I.
- Synthesis, Fluorescence, and Two-Photon Absorption of Bidentate Phosphane Oxide Derivatives: Complexation with Pb^{2+} and Cd^{2+} Cations (F) 5941–5950
DOI: 10.1002/chem.200800084
- Lère-Porte, J.-P.
- Electroactive Nanorods and Nanorings Designed by Supramolecular Association of π -Conjugated Oligomers (F) 4201–4213
DOI: 10.1002/chem.200701638
- Lerner, H.-W. (F) 2590–2601, 6754–6770
- Leroy-Lhez, S. (F) 4974–4992
- Lescop, C. (F) 3391–3403
- Lesnikowski, Z. J.
- “Chemical Ligation”: A Versatile Method for Nucleoside Modification with Boron Clusters (F) 10675–10682
DOI: 10.1002/chem.200801053
- Lesot, P.
- ^2H NMR Studies on Two-Homopolypeptide Lyotropic Enantiodiscriminating Mesophases: Experimental Quantification of Solute–Fiber Affinities (F) 4082–4092
DOI: 10.1002/chem.200701543
- Lestini, E. (F) 1095–1106, 1107–1116, 1117–1128
- Leszczynski, J. (F) 9990–9998
- Létard, J.-F. (F) 10123–10133
- Leumann, C. J.
- Recognition Properties of Donor- and Acceptor-Modified Biphenyl-DNA (F) 1087–1094
DOI: 10.1002/chem.200701345
 - Solution Structure of a DNA Duplex Containing a Biphenyl Pair (F) 1080–1086
DOI: 10.1002/chem.200701304
- Leuthäuser, S. (F) 5465–5481
- Levason, W.
- Synthesis, Structures and DFT Calculations on Alkaline-Earth Metal Azide-Crown Ether Complexes (F) 2615–2624
DOI: 10.1002/chem.200701502
- Levy, C. (S) 6609–6613
- Levy, L. M. (F) 2527–2535
- Lewicka, L. (F) 9305–9311
- Ley, S. V.
- A General Organocatalytic Enantioselective Malonate Addition to α,β -Unsaturated Enones (F) 6155–6165
DOI: 10.1002/chem.200800673
 - The Synthesis of Azadirachtin: A Potent Insect Antifeedant (F) 10683–10704
DOI: 10.1002/chem.200801103
- Ley, S. V. (F) 2340–2348
- Leys, D.
- Structure and Mechanism of an Unusual Malonate Decarboxylase and Related Racemases (S) 6609–6613
DOI: 10.1002/chem.200800918
- Leznoff, D. B.
- A Closer Look: Magnetic Behavior of a Three-Dimensional Cyanometalate Coordination Polymer Dominated by a Trace Amount of Nanoparticle Impurity (F) 7156–7167
DOI: 10.1002/chem.200800259
- Leznoff, D. B. (F) 721–730
- Li, A. (F) 10309–10317
- Li, B.-J. (F) 1615–1620
- Li, C.-H. (F) 2965–2975
- Li, C.-Y. (F) 9747–9753
- Li, Can
- In Situ UV Raman Spectroscopic Studies on the Synthesis Mechanism of Zeolite X (S) 5125–5129
DOI: 10.1002/chem.200800560
- Li, Chan (F) 5820–5828
- Li, Chunxia (F) 4336–4345
- Li, Cuihong (F) 754–763
- Li, D.
- Polymerizing Cluster Helicates into High-Connectivity Networks (F) 8916–8921
DOI: 10.1002/chem.200801300
- Li, D.-M. (F) 2709–2718
- Li, F.
- Highly Sensitive and Fast Responsive Fluorescence Turn-On Chemodosimeter for Cu^{2+} and Its Application in Live Cell Imaging (F) 6892–6900
DOI: 10.1002/chem.200800005
- Li, F.-M. (S) 3860–3865
- Li, G.-D. (F) 11123–11131
- Li, G.-Q. (F) 8632–8639
- Li, G.-Y. (F) 6935–6947
- Li, Guangtao
- Label-Free Colorimetric Detection of Trace Atrazine in Aqueous Solution by Using Molecularly Imprinted Photonic Polymers (F) 11358–11368
DOI: 10.1002/chem.200801250
 - Poly(*p*-phenylene ethynylene)s with Facially Amphiphilic Pendant Groups: Solvatochromism and Supramolecular Assemblies (F) 10331–10339
DOI: 10.1002/chem.200800986
- Li, Guanna (S) 5125–5129
- Li, Guobao (F) 7212–7217
- Li, Haiying (F) 358–368
- Li, Hao (S) 6333–6335
- Li, Huaiyong (F) 4336–4345
- Li, Huanrong
- Dye-Modified Nanochannel Materials for Photoelectronic and Optical Devices

- (C) 7442–7449
DOI: 10.1002/chem.200800811
- Li, J.-R. (F) 2771–2776
- Li, Jianguying (F) 9786–9791
- Li, Jing (F) 3687–3693, 4263–4266, 8696–8703
- Li, Jingfa (F) 9786–9791
- Li, Jiuyuan (F) 1273–1281
- Li, Junbai
- Reversible Transitions between Peptide Nanotubes and Vesicle-Like Structures Including Theoretical Modeling Studies (F) 5974–5980
DOI: 10.1002/chem.200800012
- Li, Junbo (F) 754–763
- Li, Mian (F) 8916–8921
- Li, Minyong (F) 2795–2804
- Li, Peiyi (F) 1710–1717
- Li, Peng (F) 5951–5956
- Li, Q.-s.
- Unexpected Direct Iron-Fluorine Bonds in Trifluorophosphane Iron Complexes: An Alternative to Bridging Trifluorophosphane and Difluorophosphido Groups (F) 11149–11157
DOI: 10.1002/chem.200801248
- Li, Qiang (S) 10923–10927
- Li, Qingling (F) 3637–3644
- Li, Renjie (F) 7000–7010
- Li, Rui
- Discovery of Bifunctional Thiourea/Secondary-Amine Organocatalysts for the Highly Stereoselective Nitro-Mannich Reaction of α -Substituted Nitroacetates (S) 8094–8097
DOI: 10.1002/chem.200801170
- Li, Ruiqiong (F) 382–396
- Li, S. (F) 9730–9735
- Li, S.-L. (F) 9999–10006
- Li, T.-C. (F) 1205–1215
- Li, X.-G.
- Facile High-Yield Synthesis of Polyani-line Nanosticks with Intrinsic Stability and Electrical Conductivity (F) 10309–10317
DOI: 10.1002/chem.200801025
- Li, X.-H. (F) 11123–11131
- Li, X.-Q. (S) 8074–8078, (F) 11343–11357
- Li, Xiaoe (F) 3006–3012
- Li, Xiaohong (F) 2209–2222
- Li, Xing (S) 4796–4798
- Li, Xinxin (F) 6892–6900
- Li, Xiyou
- Cyclophanes of Perylene Tetracarboxylic Diimide with Different Substituents at Bay Positions (F) 7000–7010
DOI: 10.1002/chem.200800136
- Li, Y.-Z. Corrigendum: 1377
- Li, Y.-Z. (F) 9347–9356
- Li, Yadong
- Controlled Synthesis and Luminescence of Semiconductor Nanorods (F) 5951–5956
DOI: 10.1002/chem.200701958
 - Direct Thermal Decomposition of Metal Nitrates in Octadecylamine to Metal Oxide Nanocrystals (F) 2507–2513
DOI: 10.1002/chem.200701668
- Nucleation and Growth of $\text{BaF}_x\text{Cl}_{2-x}$ Nanorods (F) 9730–9735
DOI: 10.1002/chem.200800363
- Li, Yahong (F) 4361–4373
- Li, Yan (F) 1452–1463, 10331–10339
- Li, Yang (F) 7997–8003
- Li, Yannian (F) 5538–5554
- Li, Yuliang
- A Molecular Shuttle for Driving a Multi-level Fluorescence Switch (F) 754–763
DOI: 10.1002/chem.200701105
- Li, Yuning (C) 4766–4778
- Li, Z.-X. (F) 6342–6351
- Li, Zhen (F) 6428–6437
- Li, Zhendong (S) 7760–7764
- Li, Zhi (F) 9412–9418
- Li, Zhonghao (F) 8409–8417
- Li, Zuopeng (S) 8793–8797
- Lian, J. (F) 4404–4414
- Liang, X.
- TEMPO/HCl/ NaNO_2 Catalyst: A Transition-Metal-Free Approach to Efficient Aerobic Oxidation of Alcohols to Aldehydes and Ketones Under Mild Conditions (F) 2679–2685
DOI: 10.1002/chem.200701818
- Liang, Y. (F) 4361–4373
- Liang, Y.-M.
- Au-Catalyzed Tandem Cyclization/[1,2]-Alkyl Migration Reaction of Epoxy Alkynes: Synthesis of Spiropyranones (F) 5282–5289
DOI: 10.1002/chem.200800194
 - Synthesis of Naphthalenyl Acetate by Platinum-Catalyzed [1,5]-Sigmatropic Hydrogen Shift of Propargylic Esters (S) 10556–10559
DOI: 10.1002/chem.200801591
- Liao, F. (F) 7212–7217
- Liao, R.-Z. (F) 4287–4292
- Liao, T.-G. (F) 11584–11592
- Lidin, S.
- Single-Crystal X-ray Study of $\text{Ba}_2\text{Cu}_2\text{Te}_4\text{O}_{11}\text{Br}_2$ and Its Incommensurately Modulated Superstructure Companion (F) 3434–3441
DOI: 10.1002/chem.200701527
- Lie, M. A. (F) 122–127
- Lieberwirth, I. (F) 3330–3337
- Liebscher, J.
- Reaction of Epoxyketones with Hydrogen Peroxide—Ethane-1,1-dihydroperoxide as a Surprisingly Stable Product (S) 6849–6851
DOI: 10.1002/chem.200800932
- Lienkamp, K. (F) 3330–3337
- Light, M. E. (F) 10236–10243
- Lillo, V. (F) 10648–10655
- Lim, E.-K. (F) 6656–6662
- Lim, J. M. (F) 8279–8289
- Lim, S. J. (S) 8461–8464
- Limberg, C.
- A Dinuclear Iron Complex Based on Parallel Malonate Binding Sites: Cooperative Activation of Dioxxygen and Biomimetic Ligand Oxidation (F) 9377–9388
DOI: 10.1002/chem.200800955
- Limoges, B.
- Electrochemical Functionalization of Carbon Surfaces by Aromatic Azide or Alkyne Molecules: A Versatile Platform for Click Chemistry (F) 9286–9291
DOI: 10.1002/chem.200801168
 - Oriented Immobilization of a Fully Active Monolayer of Histidine-Tagged Recombinant Laccase on Modified Gold Electrodes (F) 7186–7192
DOI: 10.1002/chem.200800368
- Lin, C. (F) 10331–10339, 11358–11368
- Lin, C.-H.
- Syntheses of Ladder-Type Oligonaphthalene Derivatives and Their Photo-physical and Electrochemical Properties (F) 2777–2787
DOI: 10.1002/chem.200700830
- Lin, C.-Y. (F) 9747–9753
- Lin, J. T.
- Donor–Acceptor Interactions in Red-Emitting Thienylbenzene-Branched Dendrimers with Benzothiadiazole Core (F) 11231–11241
DOI: 10.1002/chem.200801694
- Lin, Jianhua
- $\text{Na}_8[\text{Cr}_4\text{B}_{12}\text{P}_8\text{O}_{44}(\text{OH})_4][\text{P}_2\text{O}_7] \cdot n\text{H}_2\text{O}$: A 3D Borophosphate Framework with Spherical Cages (F) 7212–7217
DOI: 10.1002/chem.200800789
- Lin, Jun
- Self-Assembled 3D Architectures of $\text{LuBO}_3:\text{Eu}^{3+}$: Phase-Selective Synthesis, Growth Mechanism, and Tunable Luminescent Properties (F) 4336–4345
DOI: 10.1002/chem.200701970
- Lin, L.-G. (S) 7136–7139
- Lin, L.-W. (S) 10551–10555
- Lin, P.-S. (S) 11296–11299
- Lin, W.-Q. (S) 9864–9867
- Lin, Yuanbin (S) 10923–10927
- Lin, Yuehe
- Nanoparticle-Based Electrochemical Immunosensor for the Detection of Phosphorylated Acetylcholinesterase: An Exposure Biomarker of Organophosphate Pesticides and Nerve Agents (F) 9951–9959
DOI: 10.1002/chem.200800412
- Lin, Z.-J. (F) 7218–7235
- Lin, Zhien (S) 7771–7773
- Lin, Zhiqun
- Organic–Inorganic Nanohybrids through the Direct Tailoring of Semiconductor Nanocrystals with Conjugated Polymers (C) 6294–6301
DOI: 10.1002/chem.200800078
- Linder, D. (S) 5737–5741
- Lindhardt, A. T. (C) 8756–8766
- Lindner, B.
- Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Lindner, B. (F) 6184–6191, 10251–10258
- Lindner, W. (S) 3855–3859

- Lindoy, L. F.
– Microwave Synthesis of a Rare $[Ru_2L_3]^{4+}$ Triple Helicate and Its Interaction with DNA (S) 10535–10538
DOI: 10.1002/chem.200801790
- Lindqvist-Reis, P. (F) 6687–6696
- Ling, X. Y. (F) 136–142
- Ling, Z. (F) 6444–6464
- Link, S. (F) 2976–2983, 4006–4016
- Linker, T.
– 9,10-Diarylanthracenes as Molecular Switches: Syntheses, Properties, Isomerisations and Their Reactions with Singlet Oxygen (F) 11429–11441
DOI: 10.1002/chem.200801355
- Linse, S. (F) 7836–7846
- Lipinski, T. (F) 6474–6482
- Lippert, B.
– Reactivity of Ammonia Ligands of the Antitumor Agent Cisplatin: A Unique Dodecanuclear $Pt_4Pd_4Ag_4$ Platform for Four Cytosine Model Nucleobases (F) 6882–6891
DOI: 10.1002/chem.200800586
- Lippert, B. (F) 10036–10046
- Liu, Baohong
– A Nanoporous Reactor for Efficient Proteolysis (F) 151–157
DOI: 10.1002/chem.200701102
- Liu, Bin
– Synthesis, Characterization, and Application of Cationic Water-Soluble Oligofluorenes in DNA-Hybridization Detection (F) 7366–7375
DOI: 10.1002/chem.200701906
- Liu, Bin (F) 1205–1215
- Liu, C.-C. (S) 9503–9506
- Liu, Da-P. (F) 11123–11131
- Liu, F.-C. (S) 7127–7130
- Liu, G.-J. (F) 10297–10302
- Liu, G.-Z. (F) 5057–5063
- Liu, Guodong (F) 9951–9959
- Liu, Guokun (F) 8374–8382
- Liu, H.-X. (F) 8632–8639
- Liu, Haiyang (F) 11623–11633
- Liu, Haiying
– Ultrasensitive Fluorescent Responses of Water-Soluble, Zwitterionic, Boronic Acid-Bearing, Regioregular Head-to-Tail Polythiophene to Biological Species (F) 1648–1653
DOI: 10.1002/chem.200701376
- Liu, Hao (S) 9873–9877
- Liu, Huaiyong (F) 4374–4380
- Liu, Huibiao (F) 754–763
- Liu, J.-Y. (F) 6935–6947
- Liu, Jianke
– A Multilateral Mechanistic Study into Asymmetric Transfer Hydrogenation in Water (F) 7699–7715
DOI: 10.1002/chem.200800559
- Liu, Jianke (F) 2209–2222
- Liu, Jianzhao (F) 6428–6437
- Liu, Jie (S) 9131–9134
- Liu, Jifeng (F) 3687–3693
- Liu, Jingyuan (F) 9006–9019
- Liu, L. (F) 5670–5679
- Liu, M.
– A General Method for Constructing Optically Active Supramolecular Assemblies from Intrinsically Achiral Water-Insoluble Free-Base Porphyrins (F) 1793–1803
DOI: 10.1002/chem.200701333
- Liu, P. (C) 4766–4778
- Liu, Q. (F) 3380–3390
- Liu, Q.-P. (S) 8094–8097
- Liu, Renhua (F) 2679–2685
- Liu, Rui (S) 7771–7773
- Liu, S. (F) 4361–4373
- Liu, S.-J. (F) 4074–4081, 8928–8938
- Liu, S.-X. (S) 5732–5736
- Liu, X.-W.
– Stereocontrolled Intramolecular Aziridination of Glycals: Ready Access to Aminoglycosides and Mechanistic Insights from DFT Studies (F) 1561–1570
DOI: 10.1002/chem.200701288
- Liu, X.-Y. (F) 5282–5289, (S) 10556–10559
- Liu, Xiangyang (F) 1196–1204
- Liu, Xiaohang (S) 11305–11309
- Liu, Xiaohua (F) 3177–3181, (S) 4484–4486, 4796–4798, (F) 6789–6795, (S) 10896–10899
- Liu, Y.-K. (S) 9873–9877
- Liu, Yen-Hsiang (S) 7136–7139
- Liu, Yi
– π -Stacking Enhanced Dynamic and Redox-Switchable Self-Assembly of Donor–Acceptor Metallo-[2]Catenanes from Diimide Derivatives and Crown Ethers (S) 10211–10218
DOI: 10.1002/chem.200801590
- Liu, Yi-Hung (F) 2904–2908
- Liu, Yingli (F) 7186–7192
- Liu, Yuanhong
– New Synthetic Approach for the Construction of Multisubstituted 2-Acyl Furans by the IBX-Mediated Cascade Oxidation/Cyclization of *cis*-2-En-4-yn-1-ols (IBX = 2-Iodoxybenzoic Acid) (S) 9495–9498
DOI: 10.1002/chem.200801561
- Liu, Yun (F) 151–157
- Liu, Yunqi
– Synthesis, Characterization, and Field-Effect Transistor Properties of Carbazolenovinylene Oligomers: From Linear to Cyclic Architectures (F) 4731–4740
DOI: 10.1002/chem.200800008
- Livendahl, M. (S) 10547–10550
- Lledós, A.
– Effect of the Nature of the Metal Atom on Hydrogen Bonding and Proton Transfer to $[Cp^*MH_3(dppe)]$: Tungsten versus Molybdenum (F) 9921–9934
DOI: 10.1002/chem.200801003
- When Are Tricoordinated Pd^{II} Species Accessible? Stability Trends and Mechanistic Consequences (F) 8986–8994
DOI: 10.1002/chem.200800423
- Lloret Fillol, J. (F) 10267–10279
- Lloyd-Jones, G. C.
– BINOL-3,3'-Trifluoro *N,N*-Dimethyl Phosphoramidites: Through-Space $^{19}F,^{31}P$ Spin–Spin Coupling with a Remarkable Dependency on Temperature and Solvent Internal Pressure (F) 7808–7812
DOI: 10.1002/chem.200800825
- Lobert, M. (F) 10396–10407
- Lobo-Checa, J. (F) 5794–5802
- Lobo-Lapidus, R. J. (F) 1402–1414
- Locatelli, M. (S) 4788–4791
- Lodder, G. (F) 9400–9411
- Loddo, V. (F) 4640–4646
- Loh, T.-P.
– Indium–Silver- and Zinc–Silver-Mediated Barbier–Grignard-Type Alkylation Reactions of Imines by Using Unactivated Alkyl Halides in Aqueous Media (F) 1875–1880
DOI: 10.1002/chem.200701468
- Loison, C.
– Microsolvation Effects on the Optical Properties of Crystal Violet (F) 7351–7357
DOI: 10.1002/chem.200800547
- Loison, S. (F) 6247–6254
- Lombardo, M.
– The First Enantioselective Addition of Diethylzinc to Aldehydes in Ionic Liquids Catalysed by a Recyclable Ion-Tagged Diphenylprolinol (S) 11288–11291
DOI: 10.1002/chem.200801984
- Long, De-L. (F) 2349–2354, 8861–8868
- Long, J. R.
– Structure and Charge Control in Metal–Organic Frameworks Based on the Tetrahedral Ligand Tetrakis(4-tetrazolylphenyl)methane (F) 10280–10285
DOI: 10.1002/chem.200801336
- Long, N. J. (F) 4346–4360
- Longoni, G. (F) 1924–1934
- Lönnecke, P. (F) 4511–4520
- Loo, R. (F) 6510–6528
- López, J. A. (F) 10985–10998
- López, L. A. (F) 11222–11230
- López, M. L.
– A Comparison of the Magnetic Structures of $KMn_4(PO_4)_3$ and $KCo_4(PO_4)_3$ Based on the Connectivity of the Coordination Polyhedra (F) 10829–10838
DOI: 10.1002/chem.200800763
- López, S. Corrigendum: 5096
- López, X. (F) 8547–8554
- Lorpitthaya, R. (F) 1561–1570
- Loska, R. (F) 2577–2589
- Lough, A. J. (F) 1253–1263
- Lovell, H. J. (F) 10683–10704
- Lovell, P. J. (F) 10683–10704
- Loveridge, E. J. (F) 10782–10788
- Low, K.-H. (F) 2965–2975
- Lowe, C. R.
– Complexation of L-Lactate with Boronic Acids: A Solution and Holographic Analysis (F) 4060–4067
DOI: 10.1002/chem.200701911
- Lozano, A. E. (F) 9620–9632
- Lozano, M. (F) 5656–5669

- Lu, G. (F) 10303–10308
- Lu, K.-L.
- Time-Evolving Self-Organization and Autonomous Structural Adaptation of Cobalt(II)–Organic Framework Materials with scu and pts Nets (S) 7136–7139
DOI: 10.1002/chem.200800758
- Lu, L. (S) 10556–10559
- Lu, Q. (F) 2909–2917
- Lu, S.-M. (S) 7513–7516
- Lu, W. (F) 9736–9746
- Lu, X.-M. (F) 1205–1215
- Lu, X.-X. Corrigendum: 2644
- Lu, Xianmao (F) 1584–1591
- Lu, Xiaowei (F) 4939–4947
- Lu, Xingmei (F) 11174–11182
- Lu, Yang (F) 11584–11592
- Lu, Yi
- Probing Metal Binding in the 8–17 DNAzyme by Tb^{III} Luminescence Spectroscopy (F) 8696–8703
DOI: 10.1002/chem.200701789
- Lu, Z. (F) 3785–3803
- Lucarini, M. (F) 2744–2756
- Lucas, J.
- Glasses for Seeing Beyond Visible (C) 432–442
DOI: 10.1002/chem.200700993
- Lucas, P. (C) 432–442
- Lucius, R. (F) 9675–9682
- Luck, I. J. (F) 10967–10977
- Ludden, M. J. W. (F) 136–142, 2044–2051
- Luis, F. (F) 11158–11166
- Luis, S. V.
- Designed Folding of Pseudopeptides: The Transformation of a Configurationally Driven Preorganization into a Stereoselective Multicomponent Macrocyclization Reaction (F) 8879–8891
DOI: 10.1002/chem.200800726
- Lukens, W. (S) 3523–3526
- Lukin, O. (F) 10797–10807
- Lukoyanov, A. N. (S) 8465–8468
- Luna, D. (F) 5988–5995
- Lundgren, R. J.
- Rapid Ketone Transfer Hydrogenation by Employing Simple, In Situ Prepared Iridium(I) Precatalysts Supported by “Non-N–H” P,N Ligands (F) 10388–10395
DOI: 10.1002/chem.200801530
- Lundin, N. J. (F) 11573–11583
- Lundström, I. (S) 6057–6060
- Luneau, D.
- Structure, Magnetic Properties, Polarized Neutron Diffraction, and Theoretical Study of a Copper(II) Cubane (F) 9540–9548
DOI: 10.1002/chem.200800557
- Luneau, D. (F) 697–705
- Luo, J. (S) 3860–3865
- Luo, S.
- Noncovalently Supported Heterogeneous Chiral Amine Catalysts for Asymmetric Direct Aldol and Michael Addition Reactions (F) 1273–1281
DOI: 10.1002/chem.200701129
- Luo, T.-T. (S) 7136–7139
- Luo, Z. (F) 10297–10302
- Luque, F. J.
- Towards a Tunable Tautomeric Switch in Azobenzene Biomimetics: Implications for the Binding Affinity of 2-(4'-Hydroxyphenylazo)benzoic Acid to Streptavidin (F) 2277–2285
DOI: 10.1002/chem.200701407
- Luque, R.
- Preparation of Highly Active and Dispersed Platinum Nanoparticles on Mesoporous Al-MCM-48 and Their Activity in the Hydroisomerisation of *n*-Octane (F) 5988–5995
DOI: 10.1002/chem.200800182
- Lutz, J.-F.
- Development of a Library of *N*-Substituted Maleimides for the Local Functionalization of Linear Polymer Chains (F) 10949–10957
DOI: 10.1002/chem.200801237
- Lutz, M. (F) 1228–1237, 1499–1507, 4899–4905, 5567–5576, (S) 8803–8807
- Lützen, A.
- Synthesis, Resolution, and Absolute Configuration of Difunctionalized Tröger's Base Derivatives (F) 4246–4255
DOI: 10.1002/chem.200701960
- Lv, H. (S) 8473–8476
- Lv, J. (F) 754–763
- Lv, S. (F) 10595–10602
- Lv, W. (F) 4667–4674 Corrigendum: 6288
- Lynch, V. M. (F) 7822–7827, (S) 10206–10210
- Lysova, A. A. (F) 2363–2374
- Lyssenko, K. A. (F) 4600–4617
- Lyubov, D. M. (F) 2189–2200, 5440–5448



M. C. Gérard, E. M. C. (S) 8086–8089

Ma, C. (F) 7314–7323

Ma, Heng (F) 9431–9441

Ma, Huimin

- pounds with Alkenes by Using a Copper/ Base Catalytic System
(F) 7903–7912
DOI: 10.1002/chem.200800554
- Machida, S. (F) 1392–1401
- McIndoe, J. S.
– Insights into the Post-Translational Methylation of Arginine from Studies of Guanidinium–Water Nanodroplets
(F) 6483–6489
DOI: 10.1002/chem.200800101
- McInnes, E. J. L. (F) 5890–5907
- Mack, J. (F) 5001–5020
- McKeown, N. B.
– Clathrate Formation from Octaazaphthalocyanines Possessing Bulky Phenoxyl Substituents: A New Cubic Crystal Containing Solvent-Filled, Nanoscale Voids
(F) 4810–4815
DOI: 10.1002/chem.200701980
- McMahon, K. (F) 1592–1600
- McMahon, T. B.
– Infrared Multiple-Photon Dissociation Mechanisms of Peptides of Glycine
(S) 7765–7770
DOI: 10.1002/chem.200800594
- McManus, H. A. (F) 2112–2124
- McMaster, J.
– Molecular and Electronic Structures of One-Electron Oxidized Ni^{II}–(Dithiosalicylidenediamine) Complexes: Ni^{III}–Thiolate versus Ni^{II}–Thiyl Radical States
(F) 2564–2576
DOI: 10.1002/chem.200701108
- McMillan, N. (F) 2349–2354
- McMillin, D. R.
– Spectroscopic Properties of Orthometalated Platinum(II) Bipyridine Complexes Containing Various Ethynylaryl Groups
(F) 7168–7179
DOI: 10.1002/chem.200701975
- McNally, B. A. (F) 9599–9606
- McNulty, J.
– A Direct Synthesis of Vinylphosphonium Salts from α -Trimethylsilyl Ylides and Non-Enolizable Aldehydes
(S) 8469–8472
DOI: 10.1002/chem.200801358
- McQuinn, K. (F) 6483–6489
- Maddaluno, J.
– A Case of *anti* Carbolithiation of Alkynes Resulting from Intramolecular Lithium Coordination
(F) 5159–5167
DOI: 10.1002/chem.200701834
- Madsen, R.
– Unsaturated Aldehydes as Alkene Equivalents in the Diels–Alder Reaction
(F) 5638–5644
DOI: 10.1002/chem.200800003
- Maecke, H. R.
– Metal-Ion-Dependent Biological Properties of a Chelator-Derived Somatostatin Analogue for Tumour Targeting
(F) 3026–3034
DOI: 10.1002/chem.200701264
- Maeda, H.
– Anion-Responsive Supramolecular Gels
(C) 11274–11282
DOI: 10.1002/chem.200801333
- Maeda, T. (F) 478–487
- Maegawa, T. (F) 664–673, 3371–3379, (S) 5109–5111, (F) 6994–6999
- Maehara, H. (F) 259–271
- Maejima, T. (F) 3371–3379
- Maggiarosa, N.
– New Rare Earth Metal Complexes with Nitrogen-Rich Ligands: 5,5'-Bitetrazolate and 1,3-Bis(tetrazol-5-yl)triazene—On the Borderline between Coordination and the Formation of Salt-Like Compounds
(F) 3727–3736
DOI: 10.1002/chem.200702006
- Magner, E. (F) 151–157
- Magnolia, S. (F) 2557–2563, 9148–9160
- Magri, D. C.
– A Radical-Anion Chain Mechanism Initiated by Dissociative Electron Transfer to a Bicyclic Endoperoxide: Insight into the Fragmentation Chemistry of Neutral Biradicals and Distonic Radical Anions
(F) 1698–1709
DOI: 10.1002/chem.200701740
- Magro, G. (F) 9599–9606
- Mahata, P. (F) 5839–5850
- Mahon, M. F. (S) 11292–11295
- Mahrwald, R.
– Total Syntheses of Carbohydrates: Organocatalyzed Aldol Additions of Dihydroxyacetone
(C) 40–48
DOI: 10.1002/chem.200701334
- Mai, C.-L. (S) 5120–5124
- Mai, H.-X. (F) 3380–3390
- Maid, H. (F) 1472–1481
- Maier, G. (F) 5604–5616
- Maier, M. E.
– Synthesis and Biological Evaluation of Cruentaren A Analogues
(F) 3709–3720
DOI: 10.1002/chem.200701673
- Total Synthesis and Biological Activity of Neopeltolide and Analogues
(F) 11132–11140
DOI: 10.1002/chem.200801398
- Maier, N. M. (S) 3855–3859
- Majewski, P. (F) 7961–7968
- Maji, S. (F) 10816–10828
- Majima, T.
– Mechanism of Charge Separation in DNA by Hole Transfer through Consecutive Adenines
(F) 3721–3726
DOI: 10.1002/chem.200701835
- Photocatalytic Cleavage of Single TiO₂/DNA Nanoconjugates
(F) 1492–1498
DOI: 10.1002/chem.200701030
- Majimel, J. (F) 6205–6212
- Major, F. (F) 2811–2818
- Major, J. (F) 8956–8963
- Majoral, J.-P.
– Dendrimers and DNA: Combinations of Two Special Topologies for Nanomaterials and Biology
(C) 7422–7432
DOI: 10.1002/chem.200800584
- Optical Properties of Hybrid Dendritic–Mesoporous Titania Nanocomposite Films
(F) 7658–7669
DOI: 10.1002/chem.200800606
- Tailored Control and Optimisation of the Number of Phosphonic Acid Termini on Phosphorus-Containing Dendrimers for the Ex-Vivo Activation of Human Monocytes
(F) 4836–4850
DOI: 10.1002/chem.200701063
- Mak, S. Y. F. (F) 2867–2885
- Mak, T. C. W.
– Ancillary Ligands and Spectator Cations as Controlling Factors in the Construction of Coordination and Hydrogen-Bonded Networks with the *tert*-Bu-C \equiv C \supset Ag_{*n*} (*n* = 4, 5) Supramolecular Synthons
(F) 10437–10444
DOI: 10.1002/chem.200800968
- Makal, A. (F) 9330–9337
- Makha, M. (F) 3931–3938
- Makhseed, S.
– Clathrate Formation from Octaazaphthalocyanines Possessing Bulky Phenoxyl Substituents: A New Cubic Crystal Containing Solvent-Filled, Nanoscale Voids
(F) 4810–4815
DOI: 10.1002/chem.200701980
- Małkowska, M.
– New Synthesis of 2-Heteroarylperfluoropropionic Acids Derivatives by Reaction of Azine *N*-Oxides with Hexafluoropropene
(F) 2577–2589
DOI: 10.1002/chem.200701416
- Reactions of Nitroheteroarenes with Carbanions: Bridging Aromatic, Heteroaromatic, and Vinylic Electrophilicity
(F) 6108–6118
DOI: 10.1002/chem.200800329
- Substituent Effects on the Electrophilic Activity of Nitroarenes in Reactions with Carbanions
(F) 11113–11122
DOI: 10.1002/chem.200800821
- Maksimenka, K. (F) 1420–1429
- Maksimovska, J. (F) 4816–4822
- Mal, S. S. (F) 1186–1195, (S) 9851–9855
- Malacria, M.
– Alkyne versus Allene Activation in Platinum- and Gold-Catalyzed Cycloisomerization of Hydroxylated 1,5-Allenynes
(F) 1482–1491
DOI: 10.1002/chem.200701522
- Sensing the Chirality of Dawson Lanthanide Polyoxometalates [α_1 -LnP₂W₁₇O₆₁]⁷⁻ by Multinuclear NMR Spectroscopy
(F) 1532–1540
DOI: 10.1002/chem.200701429
- Unprecedented Aromatic Homolytic Substitutions and Cyclization of Amide-Iminyl Radicals: Experimental and Theoretical Study
(F) 1238–1252
DOI: 10.1002/chem.200700884
- Malakhov, A. D. (F) 9968–9980
- Malhotra, S. (F) 7648–7657

- Malgaspe, E. (F) 674–681
- Malik, M. A. (S) 6057–6060
- Malina, J. (F) 10408–10414
- Malinovskii, V. L. (S) 5732–5736
- Malisova, B. (F) 10579–10584
- Malkov, A. V.
- Dynamic Kinetic Resolution in the Asymmetric Synthesis of β -Amino Acids by Organocatalytic Reduction of Enamines with Trichlorosilane (S) 8082–8085
DOI: 10.1002/chem.200801244
- Mallah, T.
- Large Magnetic Anisotropy in Penta-coordinate Ni^{II} Complexes (F) 1169–1177
DOI: 10.1002/chem.200701243
- Mallat, T. (F) 2699–2708
- Mallik, D. (F) 1351–1356
- Mallon, L. (F) 11461–11473
- Malo, S. (C) 794–805
- Mancha, G. (F) 1518–1523
- Mancheño, M. J. (F) 11222–11230
- Mancini, I. (F) 10445–10452
- Mandal, T. K.
- Novel Ascorbic Acid Based Ionic Liquids for the In Situ Synthesis of Quasi-Spherical and Anisotropic Gold Nanostructures in Aqueous Medium (F) 5528–5537
DOI: 10.1002/chem.200800006
- Mandon, D.
- Reactivity of Molecular Dioxygen towards a Series of Isostructural Dichloroiron(III) Complexes with Tripodal Tetraamine Ligands: General Access to μ -Oxodiiron(III) Complexes and Effect of α -Fluorination on the Reaction Kinetics (F) 6742–6753
DOI: 10.1002/chem.200701967
- Manet, I. (F) 653–663, 1029–1039
- Mann, A.
- A General Approach to Aza-Heterocycles by Means of Domino Sequences Driven by Hydroformylation (F) 10938–10948
DOI: 10.1002/chem.200801795
- Manners, I.
- Organometallic–Polypeptide Block Copolymers: Synthesis and Self-Assembly of Poly(ferrocenyldimethylsilane)-*b*-Poly(ϵ -benzyloxycarbonyl-L-Lysine) (F) 8624–8631
DOI: 10.1002/chem.200800762
 - Photoinduced Fe–Cp Bond Cleavage and Insertion Reactions of Strained Silicon- and Sulphur-Bridged [1]Ferrocenophanes in the Presence of Transition-Metal Carbonyls (F) 1253–1263
DOI: 10.1002/chem.200700961
- Mannervik, B. (F) 9591–9598
- Mannini, M. (F) 7530–7535
- Manorama, S. V. (F) 6421–6427
- Mantion, A. (F) 8409–8417
- Manzano, R. (S) 5116–5119
- Mao, J.-G.
- Explorations of New Types of Second-Order Nonlinear Optical Materials in Cd(Zn)-VV-Te^{IV}-O Systems (F) 1972–1981
DOI: 10.1002/chem.200701440
- Mao, Z.-W.
- Ester Hydrolysis by a Cyclodextrin Dimer Catalyst with a Metallophenanthroline Linking Group (F) 7193–7201
DOI: 10.1002/chem.200800237
- Maraval, A. (F) 682–696, 4836–4850
- Marcelli, T. (F) 8562–8571
- Marcelo, F. (F) 10066–10073
- Marchese, L.
- Titanosilsesquioxane Anchored on Mesoporous Silicas: A Novel Approach for the Preparation of Heterogeneous Catalysts for Selective Oxidations (S) 8098–8101
DOI: 10.1002/chem.200801241
- Marchetti, F. (F) 847–856
- Marchetti, L. (F) 847–856
- Marci, G. (F) 4640–4646
- Marciniak, B. (F) 7913–7929
- Marciniec, B.
- A New Catalytic Route to Boryl- and Borylsilyl-Substituted Buta-1,3-dienes (F) 6679–6686
DOI: 10.1002/chem.200800518
- Marco, J. A.
- Aldol Reactions between L-Erythrose Derivatives and Chiral α -Amino and α -Fluoro Aldehydes: Competition between Felkin–Anh and Cornforth Transition States (F) 9240–9254
DOI: 10.1002/chem.200800956
- Marco, M.-P.
- Disulfide Symmetric Dimers as Stable Pre-Hapten Forms for Bioconjugation: A Strategy to Prepare Immunoreagents for the Detection of Sulfohenyl Carboxylate Residues in Environmental Samples (F) 1906–1917
DOI: 10.1002/chem.200701232
- Marco-Contelles, J. (F) 6771–6779
- Marcos, M. D. (F) 8267–8278
- Marcucci, E. (S) 4475–4478
- Marder, S. R. (F) 11082–11091
- Marek, I.
- A Shift in Retrosynthetic Paradigm (C) 7460–7468
DOI: 10.1002/chem.200800580
- Mari, A. (F) 2514–2526
- Marin-Becerra, A. (F) 2564–2576
- Marinas, J. M. (F) 5988–5995
- Markert, M. (C) 40–48
- Maron, L.
- A DFT Study of the Mechanism of Polymerization of ϵ -Caprolactone Initiated by Organolanthanide Borohydride Complexes (F) 5507–5518
DOI: 10.1002/chem.200800377
 - How Elementary Mercury Reacts in the Presence of Halogen Radicals and/or Halogen Anions: A DFT Investigation (F) 8322–8329
DOI: 10.1002/chem.200800491
 - Linear Uranium Complexes X₂UL₅ with L = Cyanide, Isocyanate: DFT Evidence for Similarities between Uranyl (X = O) and Uranocene (X = Cp) Derivatives (F) 2093–2099
DOI: 10.1002/chem.200701511
- New Insights into the Polymerization of Methyl Methacrylate Initiated by Rare-Earth Borohydride Complexes: A Combined Experimental and Computational Approach (F) 1881–1890
DOI: 10.1002/chem.200701438
- Marrot, J. (F) 3189–3199, 3316–3322, 3457–3466, 10066–10073
- Marsden, C. J. (F) 2093–2099, 9192–9201
- Mårtensson, J. (F) 2819–2826
- Martí, S. (F) 596–602
- Martić, S. (F) 1196–1204
- Martín, Angeles
- Intramolecular 1,8-Hydrogen-Atom Transfer Reactions in (14)-*O*-Disaccharide Systems: Conformational and Stereochemical Requirements (F) 10369–10381
DOI: 10.1002/chem.200801414
- Martín, Avelino (F) 7930–7938
- Martin, B. (F) 344–357
- Martin, C. (C) 794–805
- Martin, J. M. L.
- The Impact of Weak C–H \cdots Rh Interactions on the Structure and Reactivity of *trans*-[Rh(CO)₂(phosphine)₂]⁺: An Experimental and Theoretical Examination (F) 8183–8194
DOI: 10.1002/chem.200801171
- Martín, N.
- On the Mechanism of the Thermal Retrocycloaddition of Pyrrolidinofullerenes (Retro-Prato Reaction) (F) 5198–5206 Corrigendum: 5709
DOI: 10.1002/chem.200800096
 - *p*-Phenyleneethynylene Molecular Wires: Influence of Structure on Photo-induced Electron-Transfer Properties (F) 6379–6390
DOI: 10.1002/chem.200800159
- Martín, R. (F) 5030–5038
- Martín, V. S.
- Factors Controlling the Alkyne Prins Cyclization: The Stability of Dihydropyranyl Cations (F) 6260–6268
DOI: 10.1002/chem.200800281
- Martín-Domeñech, Á. (F) 5198–5206 Corrigendum: 5709
- Martín-Matute, B.
- Efficient Synthesis of β -Hydroxy Ketones from Allylic Alcohols by Catalytic Formation of Ruthenium Enolates (S) 10547–10550
DOI: 10.1002/chem.200801690
- Martín-Vaca, B. (F) 5304–5312
- Martínez del Campo, T. (S) 7756–7759
- Martínez-Ferrero, E. (F) 7658–7669
- Martínez-Máñez, R.
- A Mesoporous 3D Hybrid Material with Dual Functionality for Hg²⁺ Detection and Adsorption (F) 8267–8278
DOI: 10.1002/chem.200800632
 - Squaraines as Reporter Units: Insights into their Photophysics, Protonation, and Metal-Ion Coordination Behaviour (F) 10101–10114
DOI: 10.1002/chem.200800300
- Martinho, M. (F) 3182–3188

- Martins, J. C.
– Rapid Identification of Common Hexapyranose Monosaccharide Units by a Simple TOCSY Matching Approach (F) 8869–8878
DOI: 10.1002/chem.200801081
- Martinson, A. B. F. (C) 4458–4467
- Marx, A. (F) 11194–11208
- Marzá-Pérez, M. (F) 9914–9920
- Mas-Ballesté, R. (S) 3535–3538
- Masarwa, A. (F) 5880–5889
- Mascareñas, J. L.
– Palladium-Catalysed [3+2] Cycloaddition of Alk-5-ynylidene cyclopropanes to Alkynes: A Mechanistic DFT Study (F) 272–281
DOI: 10.1002/chem.200700973
- Masciocchi, N. (F) 9890–9901
- Maseras, F. (F) 603–620
- Mashiko, T. (F) 2167–2179
- Mashima, K.
– Highly Enantio- and *s-trans* C=C Bond Selective Catalytic Hydrogenation of Cyclic Enones: Alternative Synthesis of (–)-Menthol (F) 2060–2066
DOI: 10.1002/chem.200701505
- Maslen, S. L. (F) 10683–10704
- Mason, K. (S) 9117–9121
- Massera, C. (F) 98–106, 5772–5779
- Masuda, T.
– Synthesis and Properties of DNA Complexes Containing 2,2,6,6-Tetramethyl-1-piperidinoxy (TEMPO) Moieties as Organic Radical Battery Materials (F) 3250–3259
DOI: 10.1002/chem.200800021
- Matano, Y.
– Comparative Study on the Structural, Optical, and Electrochemical Properties of Bithiophene-Fused Benzo[c]phospholes (F) 8102–8115
DOI: 10.1002/chem.200801017
- Matano, Y. (F) 4875–4885
- Mateo-Alonso, A. (F) 8837–8846 Corrigendum: 9810
- Materna, K. (F) 9305–9311
- Matesanz, R. (F) 7557–7569
- Matichak, J. (F) 11082–11091
- Matile, S.
– Interface Engineering of Synthetic Pores: Towards Hypersensitive Biosensors (F) 1947–1953
DOI: 10.1002/chem.200701520
- Matousek, P. (F) 369–375, 6912–6923
- Matoušek, V. (F) 2699–2708
- Matouzenko, G. S.
– First Dicyanamide-Bridged Spin-Cross-over Coordination Polymer: Synthesis, Structural, Magnetic, and Spectroscopic Studies (F) 697–705
DOI: 10.1002/chem.200700998
- Matsubayashi, T. (S) 10192–10195
- Matsuda, K. (F) 7343–7350
- Matsui, K. (F) 6125–6134
- Matsumori, N. (F) 1178–1185
- Matsumoto, M. (C) 3236–3249
- Matsumoto, S. (F) 1891–1896, 3977–3986, 10808–10815
- Matsumoto, T. (F) 582–595
- Matsumoto, Y. (F) 10348–10356
- Matsuoka, S. (F) 1178–1185
- Matsuoka, Y. (F) 9215–9222
- Matsushita, Y. (F) 9255–9260
- Matsuura, A. (F) 2067–2074
- Matsuya, Y.
– Kinetically Controlled Ring-Closing Metathesis: Synthesis of a Potential Scaffold for 12-Membered Salicylic Macrolides (F) 5275–5281
DOI: 10.1002/chem.200800249
- Matsuzaki, H. (F) 472–477
- Matt, D.
– Highly Regioselective Hydroformylation with Hemispherical Chelators (F) 7144–7155
DOI: 10.1002/chem.200800747
- Mattay, J.
– A New Fluorescent Calix Crown Ether: Synthesis and Complex Formation with Alkali Metal Ions (F) 1155–1163
DOI: 10.1002/chem.200701018
- Mattes, A. (F) 10683–10704
- Matxain, J. M.
– Magnetic Endohedral Transition-Metal-Doped Semiconducting-Nanoclusters (F) 8547–8554
DOI: 10.1002/chem.200800376
- Mauder, D. (F) 5935–5940
- Maurer, J. (F) 4346–4360
- Mavridis, I. M. (F) 4188–4200
- May, J. P. (F) 3404–3409, 3410–3417
- Mayer, P. (F) 2499–2506
- Mayoral, J. A. (F) 9274–9285
- Mayr, H.
– Ambident Reactivity of the Cyanate Anion (S) 3866–3868
DOI: 10.1002/chem.200800314
- Determination of the Electrophilicity Parameters of Diethyl Benzylidenemalonates in Dimethyl Sulfoxide: Reference Electrophiles for Characterizing Strong Nucleophiles (F) 9675–9682
DOI: 10.1002/chem.200801277
- Reactions of Nitroheteroarenes with Carbanions: Bridging Aromatic, Heteroaromatic, and Vinylic Electrophilicity (F) 6108–6118
DOI: 10.1002/chem.200800329
- Regio- and Stereoselective Ring-Opening Reactions of Epoxides with Indoles and Pyrroles in 2,2,2-Trifluoroethanol (F) 1638–1647
DOI: 10.1002/chem.200701366
- Mazaleyrat, J.-P. (F) 3154–3163
- Mazarguil, H. (F) 682–696
- Mazères, S. (F) 7658–7669
- Mazet, C. (F) 8530–8539
- Mazik, M.
– Highly Effective Acyclic Carbohydrate Receptors Consisting of Aminopyridine, Imidazole, and Indole Recognition Units (F) 2405–2419
DOI: 10.1002/chem.200701269
- Mazzanti, A. (S) 4788–4791
- Medda, R. (F) 1784–1792
- Medina, A. (F) 1342–1350
- Medio-Simón, M. (F) 1518–1523
- Meehan, G. V.
– Microwave Synthesis of a Rare [Ru₂L₃]⁴⁺ Triple Helicate and Its Interaction with DNA (S) 10535–10538
DOI: 10.1002/chem.200801790
- Meeldijk, J. D. (F) 2016–2024
- Meetsma, A. (F) 11183–11193, 11610–11622
- Meggers, E.
– Similar Biological Activities of Two Isostructural Ruthenium and Osmium Complexes (F) 4816–4822
DOI: 10.1002/chem.200800294
- Mehendale, N. C. (F) 4800–4809
- Meier, C.
– Synthesis of DNA Strands Site-Specifically Damaged by C8-Arylamine Purine Adducts and Effects on Various DNA Polymerases (F) 11194–11208
DOI: 10.1002/chem.200800979
- Meier, W. (F) 10797–10807
- Meijer, A. J. H. M. (S) 8798–8802
- Meijer, E. W.
– Visualization of Various Supramolecular Assemblies of Oligo(*para*-phenylenevinylene)–Melamine and Perylene Bisimide (F) 8579–8589
DOI: 10.1002/chem.200800760
- Meijer, E. W. (F) 6924–6934
- Meister, A. (F) 6796–6804
- Melander, C.
– Synthesis and Antibiofilm Activity of a Second-Generation Reverse-Amide Oroidin Library: A Structure–Activity Relationship Study (F) 10745–10761
DOI: 10.1002/chem.200801419
- Melchiorre, P.
– Quaternary Stereogenic Carbon Atoms in Complex Molecules by an Asymmetric, Organocatalytic, Triple-Cascade Reaction (S) 4788–4791
DOI: 10.1002/chem.200800440
- Melegari, M. (F) 5772–5779
- Melián, D. (F) 10369–10381
- Melin, F. (F) 4594–4599, 8213–8219
- Mella, M. (F) 653–663
- Melo, M. J.
– A Study in Mauve: Unveiling Perkin's Dye in Historic Samples (F) 8507–8513
DOI: 10.1002/chem.200800718
- Melucci, M. (F) 513–521
- Mena, M. (F) 7930–7938
- Mendez-Liñan, L. (F) 9890–9901
- Mendoza, A. (S) 10892–10895
- Meng, Xianggao (S) 10923–10927
- Meng, Xiangtai (S) 6852–6856
- Menichetti, S.
– Efficient Thia-Bridged Triarylamine Heterohelicenes: Synthesis, Resolution, and Absolute Configuration Determination (S) 5747–5750
DOI: 10.1002/chem.200800705
- Mentior, S. (F) 3745–3758

- Merca, A. (F) 1186–1195, (S) 8808–8811
 Mercero, J. M. (F) 8547–8554
 Mereacre, V. (F) 3577–3584
 Merino, E. (S) 6329–6332
 Merino, G.
 – The Implications of Symmetry of the External Potential on Bond Paths (S) 10232–10234
 DOI: 10.1002/chem.200800934
 Merkoulou, A. A. (F) 296–310
 Mescheryakova, I. N. (F) 10085–10093
 Mespouille, L. (F) 6369–6378
 Messerle, B. A.
 – Ruthenium Complexes of Substituted Hydrazine: New Solution- and Solid-State Binding Modes (F) 10058–10065
 DOI: 10.1002/chem.200801061
 Messerschmidt, M. (F) 706–713
 Meunier, B. (F) 682–696, 3418–3426
 Meunier, V. (F) 6614–6626
 Meyer, F.
 – Non-Innocence of *N*-Heterocyclic Carbene Ligands: Intermolecular C–H Activation in Allyl Palladium NHC Complexes (S) 5112–5115
 DOI: 10.1002/chem.200800564
 – Schiff Base Macrocycles Containing Pyrroles and Pyrazoles (F) 4823–4835
 DOI: 10.1002/chem.200701769
 Meyer, J. (F) 5918–5934
 Meyerstein, D.
 – Mechanism of the Reaction of Radicals with Peroxides and Dimethyl Sulfoxide in Aqueous Solution (F) 5880–5889
 DOI: 10.1002/chem.200800218
 Mézailles, N. (F) 10047–10057
 Mezzato, S. (F) 1304–1311
 Mi, L. (F) 1814–1821
 Mialane, P. (F) 3189–3199
 Miao, S. (F) 4503–4510
 Michau, M. (F) 1776–1783
 Michaux, C. (F) 7623–7637
 Michelet, V.
 – Heterogeneous Gold Catalysts for Efficient Access to Functionalized Lactones (F) 9412–9418
 DOI: 10.1002/chem.200801327
 – Synthesis, Fluorescence, and Two-Photon Absorption of Bidentate Phosphane Oxide Derivatives: Complexation with Pb²⁺ and Cd²⁺ Cations (F) 5941–5950
 DOI: 10.1002/chem.200800084
 Michinobu, T. (F) 7638–7647
 Michrowska, A. (F) 806–818
 Micklefield, J.
 – Structure and Mechanism of an Unusual Malonate Decarboxylase and Related Racemases (S) 6609–6613
 DOI: 10.1002/chem.200800918
 Midiwo, J. O. (F) 1420–1429
 Mier, W.
 – PAMAM Structure-Based Multifunctional Fluorescent Conjugates for Improved Fluorescent Labelling of Biomacromolecules (F) 8116–8130
 DOI: 10.1002/chem.200800328
 Mierke, D. F. (F) 1508–1517
 Miermont, A. (F) 4939–4947
 Mignon, P.
 – Understanding the Reactivity and Basicity of Zeolites: A Periodic DFT Study of the Disproportionation of N₂O₄ on Alkali-Cation-Exchanged Zeolite Y (F) 5168–5177
 DOI: 10.1002/chem.200701799
 Mihai, C. (F) 8869–8878
 Mijatovic, T. (F) 3418–3426
 Milelli, A. (F) 10958–10966
 Milko, P. (F) 4318–4327
 Miller, J. S.
 – Acetonitrile-Facilitated Reductive Dimerization of TCNE to Octacyanobutane diide, [C₄(CN)₈]²⁻, by Iron(II) Chloride (F) 714–720
 DOI: 10.1002/chem.200700574
 Miller, L. C. (S) 6862–6865
 Miller, R. (F) 8013–8024
 Miller, R. M. (F) 7978–7987
 Mills, A. J. (F) 2209–2222
 Milstein, D.
 – The Impact of Weak C–H···Rh Interactions on the Structure and Reactivity of *trans*-[Rh(CO)₂(phosphine)₂]⁺: An Experimental and Theoretical Examination (F) 8183–8194
 DOI: 10.1002/chem.200801171
 Min, H. (S) 8461–8464
 Mindt, T. L. (F) 6173–6183
 Ming, N. (F) 4374–4380
 Minnaard, A. J.
 – Asymmetric Total Synthesis of PDIM A: A Virulence Factor of *Mycobacterium tuberculosis* (S) 4157–4159
 DOI: 10.1002/chem.200800243
 Mino, T. (F) 7648–7657
 Minoshima, M. (F) 864–870
 Miqueu, K.
 – Ambiphilic Diphosphine–Borane Ligands: Metal–Borane Interactions within Isoelectronic Complexes of Rhodium, Platinum and Palladium (F) 731–740
 DOI: 10.1002/chem.200701027
 Miranda, M. A.
 – Determination of Enantiomeric Compositions by Transient Absorption Spectroscopy using Proteins as Chiral Selectors (S) 11284–11287
 DOI: 10.1002/chem.200801657
 Miranda, O. R. (F) 4503–4510
 Miranda, P. O. (F) 6260–6268
 Miserque, O. (S) 8772–8775
 Mitchell, C. E. T. (F) 6155–6165
 Miteva, T.
 – Towards the IR Limit of the Triplet–Triplet Annihilation-Supported Up-Conversion: Tetraanthraporphyrin (S) 9846–9850
 DOI: 10.1002/chem.200801305
 Mito, M. (F) 3481–3489
 Mitsunaga, S. (S) 9512–9515
 Mitzel, N. W.
 – *N,N*-Dimethylaminopropylsilane: A Case Study on the Nature of Weak Intramolecular Si···N Interactions (F) 11027–11038
 DOI: 10.1002/chem.200801273
 Miyajima, T. (F) 8102–8115
 Miyake, H.
 – A Chemical Device That Exhibits Dual Mode Motions: Dynamic Coupling of Amide Coordination Isomerism and Metal-Centered Helicity Inversion in a Chiral Cobalt(II) Complex (S) 5393–5396
 DOI: 10.1002/chem.200800625
 Miyake, H. (F) 5258–5266
 Miyata, M.
 – Superstructure-Dependent Optical and Electrical Properties of an Unusual Face-to-Face, π -Stacked, One-Dimensional Assembly of Dehydrobenzo[12]annulene in the Crystalline State (F) 4178–4187
 DOI: 10.1002/chem.200800228
 – Topological Classification and Supramolecular Chirality of 2₁-Helical Ladder-Type Hydrogen-Bond Networks Composed of Primary Ammonium Carboxylates: Bundle Control in 2₁-Helical Assemblies (F) 2984–2993
 DOI: 10.1002/chem.200701709
 Miyazaki, S. (F) 8904–8915
 Miyazawa, S. (F) 11076–11081
 Miyoshi, E. (F) 5258–5266
 Mizoguchi, K. (F) 3250–3259
 Mizumoto, T. (F) 664–673, 3371–3379
 Mizuno, N.
 – Highly Dispersed Ruthenium Hydroxide Supported on Titanium Oxide Effective for Liquid-Phase Hydrogen-Transfer Reactions (F) 11480–11487
 DOI: 10.1002/chem.200801655
 – Synthetic Scope of Ru(OH)_x/Al₂O₃-Catalyzed Hydrogen-Transfer Reactions: An Application to Reduction of Allylic Alcohols by a Sequential Process of Isomerization/Meerwein–Ponndorf–Verley-Type Reduction (F) 4104–4109
 DOI: 10.1002/chem.200701917
 Mizuno, T. (F) 7343–7350
 Mó, O. Corrigendum: 417
 Mó, O. (F) 2201–2208, 4225–4232, 10423–10429
 Mobin, S. M. (F) 9058–9064
 Moelands, M. A. H. (F) 1228–1237
 Moggach, S. A. (S) 9117–9121
 Mogridge, J.
 – Stable and Potent Polyvalent Anthrax Toxin Inhibitors: Raft-Inspired Domain Formation in Liposomes that Contain PEGylated Lipids (S) 7748–7751
 DOI: 10.1002/chem.200801097
 Moiani, D. (F) 5207–5219, 5772–5779
 Moir, J. W. B. (F) 6444–6464
 Moitessier, N. (F) 1145–1154
 Mok, D. K. W. (F) 11452–11460
 Moldenhauer, G. (F) 8116–8130

- Moliner, V.
– Theoretical Study of Catalytic Efficiency of a Diels–Alderase Catalytic Antibody: An Indirect Effect Produced During the Maturation Process (F) 596–602
DOI: 10.1002/chem.200700290
- Moliner, V. (F) 6465–6473
- Möller, R. (F) 8013–8024
- Moncho, S. (F) 8986–8994
- Monflier, E.
– Carbon-Supported Ruthenium Nanoparticles Stabilized by Methylated Cyclodextrins: A New Family of Heterogeneous Catalysts for the Gas-Phase Hydrogenation of Arenes (S) 8090–8093
DOI: 10.1002/chem.200801323
- Monge, Á. (F) 1342–1350, 8555–8561
- Monguchi, Y. (F) 664–673, 3371–3379, (S) 5109–5111, (F) 6994–6999
- Monkman, A. P. (F) 933–943
- Monsler, B. (S) 10909–10914
- Montag, M. (F) 8183–8194
- Montes-Navajas, P. (F) 1762–1768
- Monti, S.
– Modeling the Photochemistry of the Reference Phototoxic Drug Lomefloxacin by Steady-State and Time-Resolved Experiments, and DFT and Post-HF Calculations (F) 653–663
DOI: 10.1002/chem.200701099
- Revealing Phenylum, Phenonium, Vinylenphenonium, and Benzenium Ions in Solution (F) 1029–1039
DOI: 10.1002/chem.200701043
- Montier, T. (F) 8330–8340
- Monzani, E. (F) 8661–8673
- Moon, D. W. (S) 8461–8464
- Moore, A. J. (F) 2757–2770
- Moore, J. S.
– Reactive Sieving with Foldamers: Inspiration from Nature and Directions for the Future (C) 2650–2657
DOI: 10.1002/chem.200701503
- Mora, F. (F) 1947–1953
- Mora, G. (F) 10047–10057
- Morales, J. C.
– Experimental Measurement of Carbohydrate–Aromatic Stacking in Water by Using a Dangling-Ended DNA Model System (F) 7828–7835
DOI: 10.1002/chem.200800335
- Morales, M. P. (S) 9126–9130
- More O’Ferrall, R. A. (F) 11500–11511
- Moreau, F. (F) 9530–9539
- Moreau, J. J. E. (F) 4201–4213
- Morell, J. (F) 5935–5940
- Morell Cerdà, M. (F) 6882–6891
- Moreno, A. (F) 5617–5629
- Moreno-Luque, C. F. (F) 10036–10046
- Mores, D. (F) 11320–11327
- Morgenstern, B. (F) 7202–7211
- Morgner, N. (F) 7030–7041
- Mori, H. (F) 5258–5266
- Mori, R. (F) 8220–8238
- Mori, S. (S) 5109–5111, (F) 6994–6999
- Mori, T. (F) 11529–11538
- Moriel, P. (S) 4792–4795
- Moriggi, L. (F) 2658–2667
- Morimoto, T. (F) 8904–8915
- Morin, S. (F) 1351–1356
- Morisue, M. (F) 4993–5000
- Morita, N.
– Synthesis, Properties, and Redox Behavior of Mono-, Bis-, and Tris[1,1,4,4-tetracyano-2-(1-azulenyl)-3-butadienyl] Chromophores Binding with Benzene and Thiophene Cores (F) 8398–8408
DOI: 10.1002/chem.200701981
- Morita, R. (F) 3250–3259
- Mornet, E. (F) 8330–8340
- Morris, D. E.
– 1,4-Dicyanobenzene as a Scaffold for the Preparation of Bimetallic Actinide Complexes Exhibiting Metal–Metal Communication (F) 7782–7790
DOI: 10.1002/chem.200800585
- Electronic and Magnetic Properties of Bimetallic Ytterbocene Complexes: The Impact of Bridging Ligand Geometry (C) 422–431
DOI: 10.1002/chem.200700986
- Morris, P. J. T. (F) 8507–8513
- Mosca, L. (F) 9683–9696
- Moscárdó, J. (S) 9868–9872
- Motokura, K. (F) 4017–4027
- Motti, C. (S) 10535–10538
- Moubaraki, B. (F) 10123–10133
- Moucheron, C. (F) 369–375
- Mouillac, B. (F) 6247–6254
- Mountford, P.
– A DFT Study of the Mechanism of Polymerization of ϵ -Caprolactone Initiated by Organolanthanide Borohydride Complexes (F) 5507–5518
DOI: 10.1002/chem.200800377
- Non-Innocent Behaviour of Imido Ligands in the Reactions of Silanes with Half-Sandwich Imido Complexes of Nb and V: A Silane/Imido Coupling Route to Compounds with Nonclassical Si–H Interactions (F) 296–310
DOI: 10.1002/chem.200700271
- Syntheses, Reactivity and DFT Studies of Group 2 and Group 12 Metal Complexes of Tris(pyrazolyl)methanides Featuring “Free” Pyramidal Carbanions (F) 5918–5934
DOI: 10.1002/chem.200800181
- Mourtzis, N. (F) 4188–4200
- Movassaghi, M.
– New Strategies for the Synthesis of Pyrimidine Derivatives (C) 6836–6844
DOI: 10.1002/chem.200800014
- Moxham, G. L. (F) 1004–1022, 8383–8397
- Mu, W. (F) 5974–5980
- Muccini, M. (F) 459–471
- Mucha, A. (F) 6663–6671
- Muck, A. (F) 7836–7846
- Mück-Lichtenfeld, C. (F) 11512–11528
- Muehling, O. (F) 7951–7960
- Mugesh, G.
– A Simple and Efficient Strategy To Enhance the Antioxidant Activities of Amino-Substituted Glutathione Peroxidase Mimics (F) 8640–8651
DOI: 10.1002/chem.200800963
- Antioxidant Activity of the Anti-Inflammatory Compound Ebselen: A Reversible Cyclization Pathway via Selenenic and Seleninic Acid Intermediates (F) 10603–10614
DOI: 10.1002/chem.200801258
- Mulatier, J.-C. (F) 5772–5779
- Mulder, A. (F) 2044–2051
- Müllen, K.
– Entry to Coronene Chemistry—Making Large Electron Donors and Acceptors (S) 6322–6325
DOI: 10.1002/chem.200800832
- Reinforced Self-Assembly of Hexa-*peri*-hexabenzocoronenes by Hydrogen Bonds: From Microscopic Aggregates to Macroscopic Fluorescent Organogels (F) 240–249
DOI: 10.1002/chem.200700921
- Müller, A.
– Nucleation Process in the Cavity of a 48-Tungstophosphate Wheel Resulting in a 16-Metal-Centre Iron Oxide Nanocluster (F) 1186–1195
DOI: 10.1002/chem.200701424
- Müller, A. (S) 8808–8811
- Müller, Carsten (F) 10430–10436
- Müller, Christian
– Developing a New Class of Axial Chiral Phosphorus Ligands: Preparation and Characterization of Enantiopure Atropisomeric Phosphinines (F) 4899–4905
DOI: 10.1002/chem.200800175
- Diphosphinine Derivatives of Terpyridine: A New Class of Neutral π -Accepting PNP-Pincer Ligands (S) 8803–8807
DOI: 10.1002/chem.200801337
- Müller, Christian (S) 10539–10542
- Müller, H. M. (F) 2322–2339
- Müller, J.-O. (F) 8177–8182
- Müller, M. (S) 9860–9863
- Müller, T. J. J.
– Synthesis, Structure and Emission Properties of Spirocyclic Benzofuranones and Dihydroindolones: A Domino Insertion–Coupling–Isomerization–Diels–Alder Approach to Rigid Fluorophores (F) 529–547
DOI: 10.1002/chem.200700759
- Synthesis and Electronic Properties of Monodisperse Oligophenothiazines (F) 2602–2614
DOI: 10.1002/chem.200701341
- Müller, W. E. G. (F) 1420–1429
- Müller-Bunz, H. (F) 1095–1106, 1117–1128, 1552–1560
- Mulvey, R. E.
– A Structural and Computational Study of Synthetically Important Alkali-Metal/Tetramethylpiperidide (TMP) Amine Solvates (F) 8025–8034
DOI: 10.1002/chem.200800158
- Alkali-Metal-Mediated Manganation(II) of Functionalized Arenes and

- Applications of *ortho*-Manganated Products in Pd-Catalyzed Cross-Coupling Reactions with Iodobenzene (F) 65–72
DOI: 10.1002/chem.200701597
- Muñoz, E. (F) 2435–2442
- Muñoz, M. P. Corrigendum: 5096
- Munoz, M. P. (F) 7808–7812
- Münzenberg, C. (F) 10797–10807
- Murahashi, S.-I. (F) 2482–2498
- Muramatsu, Y. (S) 10560–10563
- Muranaka, A. (F) 4667–4674 Corrigendum: 6288
- Murata, M.
- Self-Assembled Amphotericin B Is Probably Surrounded by Ergosterol: Bimolecular Interactions as Evidenced by Solid-State NMR and CD Spectra (F) 1178–1185
DOI: 10.1002/chem.200701256
- Murga, J. (F) 9240–9254
- Murphy, E. P. (F) 1592–1600
- Murphy, P. V.
- Synthesis of Novel Migrastatin and Dorrigocin A Analogues from D-Glucal (F) 1592–1600
DOI: 10.1002/chem.200701033
- Murray, K. S.
- Understanding the Two-Step Spin-Transition Phenomenon in Iron(II) 1D Chain Materials (F) 10123–10133
DOI: 10.1002/chem.200800886
- Murtaza, S. (S) 7521–7524
- Muruganatham, A. (F) 5313–5328
- Murugavel, R.
- Water in Organoaluminum Chemistry! *Three-in-One* Aluminophosphate Clusters That Incorporate Boehmite Repeating Units (S) 3869–3873
DOI: 10.1002/chem.200800320
- Muryn, C. A. (F) 5144–5158
- Mussini, P. (F) 459–471
- Mutanyatta-Comar, J. (F) 1420–1429
- Mutka, H. (F) 5144–5158
- Mwangi, M. T. (F) 6780–6788
- Mylonakis, A. (F) 2909–2917
- Myshkovskaya, E. (F) 9065–9073
- Nacke, L. (F) 3670–3679
- Nadjo, L.
- Nucleation Process in the Cavity of a 48-Tungstophosphate Wheel Resulting in a 16-Metal-Centre Iron Oxide Nanocluster (F) 1186–1195
DOI: 10.1002/chem.200701424
- Nagaki, A.
- Flash Chemistry: Fast Chemical Synthesis by Using Microreactors (C) 7450–7459
DOI: 10.1002/chem.200800582
- Nagano, M. (F) 8892–8897
- Nagano, T.
- A Gd³⁺-Based Magnetic Resonance Imaging Contrast Agent Sensitive to β -Galactosidase Activity Utilizing a Receptor-Induced Magnetization Enhancement (RIME) Phenomenon (F) 987–995
DOI: 10.1002/chem.200700785
- Nagaoka, M. (S) 8456–8460
- Nagasaki, T. (F) 8892–8897
- Nagata, S. (F) 10259–10266
- Nagraj, N. (F) 8696–8703
- Naidu, V. R. (F) 11406–11414
- Nair, V.
- Pyridine-Catalyzed Stereoselective Addition of Acyclic 1,2-Diones to Acetylenic Esters: Synthetic and Theoretical Studies of an Unprecedented Rearrangement (F) 5851–5860
DOI: 10.1002/chem.200800250
- Naitabdi, A. (F) 2355–2362
- Naka, H.
- Chiral Bisphosphazides as Dual Basic Enantioselective Catalysts (F) 5267–5274
DOI: 10.1002/chem.200800230
- Nakade, H. (F) 10259–10266
- Nakamura, M. (F) 6062–6068
- Nakamura, Shinji
- Silylmethylation of Alkenes (C) 1068–1078
DOI: 10.1002/chem.200701118
- Nakamura, Shuichi
- Catalytic and Highly Enantioselective Reactions of α -Sulfonyl Carbanions with Chiral Bis(oxazoline)s (F) 5519–5527
DOI: 10.1002/chem.200800221
- Enantioselective C–C Bond Formation to Sulfonylimines through Use of the 2-Pyridinesulfonyl Group as a Novel Stereocontroller (F) 2145–2152
DOI: 10.1002/chem.200701425
- Enantioselective Synthesis of (*R*)-Convolutamydine A with New *N*-Heteroarylsulfonylprolinamides (S) 8079–8081
DOI: 10.1002/chem.200800981
- Nakamura, T.
- Fullerene Nanowires: Self-Assembled Structures of a Low-Molecular-Weight Organogelator Fabricated by the Langmuir–Blodgett Method (F) 8169–8176
DOI: 10.1002/chem.200800493
- Nakamura, T. (F) 3452–3456
- Nakamura, Y. (F) 204–211, 8279–8289
- Nakanishi, T. (F) 5246–5257
- Nakanishi, W.
- Contributions from Atomic p(Se), d(Se), and f(Se) Orbitals to Absolute Paramagnetic Shielding Tensors in Neutral and Charged SeH_{*n*} and Some Oxides Including the Effect of Methyl and Halogen Substitutions on $\sigma^p(\text{Se})$ (F) 9647–9655
DOI: 10.1002/chem.200800844
 - Evaluation of Electron Population Terms for $\langle r_{\text{Se}^{-3}}^{-3} \rangle_{4p}$, $\langle r_{\text{S}^{-3}}^{-3} \rangle_{3p}$, and $\langle r_{\text{O}^{-3}}^{-3} \rangle_{2p}$: How Do HOMO and LUMO Shrink or Expand Depending on Nuclear Charges? (F) 7278–7284
DOI: 10.1002/chem.200800264
- Torsional Angular Dependence of $^1J(\text{Se}, \text{Se})$ and Fermi Contact Control of $^4J(\text{Se}, \text{Se})$: Analysis of $^nJ(\text{Se}, \text{Se})$ ($n = 1 - 4$) Based on Molecular Orbital Theory (F) 5645–5655
DOI: 10.1002/chem.200701532
- Nakano, M. (S) 9512–9515
- Nakashima, H. (F) 2145–2152, (S) 8079–8081
- Nakashima, N.
- Regulation of the Near-IR Spectral Properties of Individually Dissolved Single-Walled Carbon Nanotubes in Aqueous Solutions of dsDNA (F) 5966–5973
DOI: 10.1002/chem.200800070
- Nakazawa, H. (S) 5393–5396
- Nam, S. R. (S) 6040–6043
- Nam, W. (F) 1740–1756
- Nandhakumar, R. (F) 9935–9942
- Naota, T.
- Switchable *C*- and *N*-Bound Isomers of Transition-Metal Cyanocarbanions: Synthesis and Interconversions of Cyclopentadienyl Ruthenium Complexes of Phenylsulfonylacetonitrile Anions (F) 2482–2498
DOI: 10.1002/chem.200701315
- Narahara, K. (F) 7278–7284, 9647–9655
- Narayana, V. V. (S) 9143–9147
- Narui, R. (F) 9706–9713
- Nastasi, F. (F) 4381–4392
- Nastopoulos, V. (F) 2514–2526
- Natarajan, S.
- Pillaring of CdCl₂-Like Layers in Lanthanide Metal–Organic Frameworks: Synthesis, Structure, and Photophysical Properties (F) 5839–5850
DOI: 10.1002/chem.200800240
- Näther, C. (F) 9714–9729
- Natile, G. (F) 1330–1341
- Nau, W. M.
- Supramolecular Tandem Enzyme Assays for Multiparameter Sensor Arrays and Enantiomeric Excess Determination of Amino Acids (F) 6069–6077
DOI: 10.1002/chem.200800463
- Naumann, D. (F) 3727–3736
- Nava, P. (F) 4039–4045
- Navarro, J. A. R. (F) 9890–9901
- Nawrot, B. (F) 3100–3109 Corrigendum: 3509
- Nawrot, J. (F) 9305–9311
- Nazarov, A. A.
- In Vitro Anticancer Activity and Biologically Relevant Metabolization of Organometallic Ruthenium Complexes with Carbohydrate-Based Ligands (F) 9046–9057
DOI: 10.1002/chem.200801032
- Neațu, F. (F) 9412–9418
- Nebgen, B. (F) 3908–3930, 6627–6639
- Nees, F.
- Definition of Magneto-Structural Correlations for the Mn^{II} Ion



- (F) 6498–6509
DOI: 10.1002/chem.200800426
- The Electronic Structure of Iron Corroles: A Combined Experimental and Quantum Chemical Study
(F) 10839–10851
DOI: 10.1002/chem.200801265
- Negi, S.
– New Redesigned Zinc-Finger Proteins: Design Strategy and Its Application
(C) 3236–3249
DOI: 10.1002/chem.200701320
- Negishi, E.-i.
– 1,4-Pentynone as a Five-Carbon Synthron for Efficient and Selective Syntheses of Natural Products Containing 2,4-Dimethyl-1-penten-1,5-ylidene and Related Moieties by Means of Zr-Catalyzed Carboalumination of Alkynes and Alkenes
(F) 311–318
DOI: 10.1002/chem.200701512
- Neitola, R. (F) 5220–5228
- Nelles, G. (S) 9846–9850
- Nellutla, S. (F) 1186–1195
- Nemoto, H.
– Kinetically Controlled Ring-Closing Metathesis: Synthesis of a Potential Scaffold for 12-Membered Salicylic Macrolides
(F) 5275–5281
DOI: 10.1002/chem.200800249
- Netscher, T. (F) 6805–6814
- Neuburger, M. (F) 8530–8539, (S) 11310–11313
- Neugebauer, P. (F) 9540–9548
- Neumann, H. (F) 3645–3652
- Nevado, C. Corrigendum: 5096
- Neveu, C. (F) 8330–8340
- Neville, S. M.
– Understanding the Two-Step Spin-Transition Phenomenon in Iron(II) 1D Chain Materials
(F) 10123–10133
DOI: 10.1002/chem.200800886
- Nevola, L. (F) 3585–3595
- Ng, S.-H. (F) 11141–11148
- Ng, S. W. (F) 376–381
- Ni, Ji (S) 7131–7135
- Ni, Jia (F) 8916–8921
- Nickl, K. (F) 10978–10984
- Niclós-Gutiérrez, J. (F) 10036–10046
- Nicolis, S. (F) 8661–8673
- Nieddu, I. (F) 8995–9005
- Nieger, M. (S) 3855–3859, (F) 11539–11556
- Nielsen, M. C. (S) 9487–9490
- Niemeyer, J. (S) 9499–9502
- Nieto, P. M. (F) 7828–7835
- Nieto-Oberhuber, C. Corrigendum: 5096
- Niidome, Y. (F) 5966–5973
- Nikitin, K.
– Introducing Negative Charges into Bis-*p*-phenylene Crown Ethers: A Study of Bipyridinium-Based [2]Pseudorotaxanes and [2]Rotaxanes
(F) 1095–1106
DOI: 10.1002/chem.200700387
- Quantitative Conformational Study of Redox-Active [2]Rotaxanes, Part 1: Methodology and Application to a Model [2]Rotaxane
(F) 1107–1116
DOI: 10.1002/chem.200700898
- Quantitative Conformational Study of Redox-Active [2]Rotaxanes, Part 2: Switching in Flexible and Rigid Bistable [2]Rotaxanes
(F) 1117–1128
DOI: 10.1002/chem.200701384
- Nikonov, G. I.
– Non-Innocent Behaviour of Imido Ligands in the Reactions of Silanes with Half-Sandwich Imido Complexes of Nb and V: A Silane/Imido Coupling Route to Compounds with Nonclassical Si–H Interactions
(F) 296–310
DOI: 10.1002/chem.200700271
- Nilsson, J. L. G. (F) 9549–9554
- Nilsson, U. J.
– Double Affinity Amplification of Galectin–Ligand Interactions through Arginine–Arene Interactions: Synthetic, Thermodynamic, and Computational Studies with Aromatic Diamido Thiogalactosides
(F) 4233–4245
DOI: 10.1002/chem.200701932
- Nishihara, H.
– Visible-Light Photochromism of Triarylamine- or Ferrocene-Bound Diethynylethenes that Switches Electronic Communication between Redox Sites and Luminescence
(F) 6978–6986
DOI: 10.1002/chem.200800732
- Nishijima, M. (S) 9842–9845
- Nishikiori, S.-i.
– Formation of 1D and 3D Coordination Polymers in the Solid State Induced by Mechanochemical and Annealing Treatments: Bis(3-cyano-pentane-2,4-dionato) Metal Complexes
(F) 10570–10578
DOI: 10.1002/chem.200801627
- Nishimoto, S.-i.
– The pH Effect on the Naphthoquinone-Photosensitized Oxidation of 5-Methylcytosine
(F) 10453–10461
DOI: 10.1002/chem.200800840
- Nishimura, G. (F) 259–271
- Nishimura, S.-I.
– FRET-Based Direct and Continuous Monitoring of Human Fucosyltransferases Activity: An Efficient synthesis of Versatile GDP-L-Fucose Derivatives from Abundant D-Galactose
(F) 478–487
DOI: 10.1002/chem.200700760
- Nishimura, S.-I. (S) 10192–10195
- Nishinaga, T.
– Antiaromaticity and Reactivity of a Planar Cyclooctatetraene Fully Annelated with Bicyclo[2.1.1]hexane Units
(F) 2067–2074
DOI: 10.1002/chem.200701405
- Nishiura, M. (F) 2167–2179
- Nishiwaki, M. (S) 9842–9845
- Nitschke, J. R.
– An Iminoboronate Construction Set for Subcomponent Self-Assembly
(F) 4585–4593
DOI: 10.1002/chem.200800074
- Helicate Extension as a Route to Molecular Wires
(F) 7180–7185
DOI: 10.1002/chem.200800503
- Metal-Directed Dynamic Formation of Tertiary Structure in Foldamer Assemblies: Orienting Helices at an Angle
(S) 7140–7143
DOI: 10.1002/chem.200800988
- Noble, C. J. (F) 4393–4403
- Noguchi, K. (S) 6593–6596
- Noguchi, Y. (F) 5966–5973
- Nohra, B. (F) 3391–3403
- Noirez, L. (F) 11369–11375 Corrigendum: 11268
- Noji, H. (F) 1891–1896, 3977–3986
- Nolan, S. P.
– A General Synthetic Route to Mixed NHC–Phosphane Palladium(0) Complexes (NHC = N-Heterocyclic Carbene)
(F) 6987–6993
DOI: 10.1002/chem.200800815
- Synthesis and Characterization of [Cu(NHC)₂]X Complexes: Catalytic and Mechanistic Studies of Hydrosilylation Reactions
(F) 158–168
DOI: 10.1002/chem.200701013
- Noll, B. C. (F) 3939–3953
- Nolte, R. J. M. (F) 9914–9920
- Nonell-Canals, A. (F) 603–620
- Noorbach, I. (F) 11376–11384
- Nordschild, S. (F) 3694–3702
- Noro, S.-i. (F) 8169–8176
- Norrby, P.-O.
– Acid-Catalyzed Nucleophilic Aromatic Substitution: Experimental and Theoretical Exploration of a Multistep Mechanism
(F) 3954–3960
DOI: 10.1002/chem.200701590
- Norrby, P.-O. (F) 9549–9554
- Norte, M.
– Belizeanic Acid: A Potent Protein Phosphatase 1 Inhibitor Belonging to the Okadaic Acid Class, with an Unusual Skeleton
(F) 6948–6956
DOI: 10.1002/chem.200800593
- Nova, A. (F) 3323–3329
- Novák, P.
– A Feasibility Study on the Use of Li₄V₃O₈ as a High Capacity Cathode Material for Lithium-Ion Batteries
(F) 11141–11148
DOI: 10.1002/chem.200800286
- Novara, F. R. (F) 5957–5965
- Nowik, I. (F) 444–458
- Nozaki, K. (S) 9842–9845
- Numata, M. (F) 2398–2404
- Núñez, R.
– Controlled Direct Synthesis of C-Mono- and C-Disubstituted Derivatives of [3,3'-Co(1,2-C₂B₉H₁₁)₂]⁻ with Organosilane Groups: Theoretical Calculations Compared with Experimental Results
(F) 4924–4938
DOI: 10.1002/chem.200702013

- Nuyken, O.
– Solvent-Ligated Copper(II) Complexes for the Homopolymerization of 2-Methylpropene (F) 7997–8003
DOI: 10.1002/chem.200701928
- Nyman, G. (F) 9549–9554
- Nyulászi, L.
– A Promising Method for Phosphinidene Generation: Complexes of Phosphinidenes with N-Donor ligands (F) 902–908
DOI: 10.1002/chem.200701077
- Phosphorus-Based Heteropentacenes: Efficiently Tunable Materials for Organic n-Type Semiconductors (F) 9878–9889
DOI: 10.1002/chem.200801549
- 
- Ober, M. (F) 2125–2132
- O'Brien, C. J. (F) 2443–2452
- Oçafraïn, M. (F) 6237–6246
- Occhiato, E. G.
– Predicting Reactivity and Stereoselectivity in the Nazarov Reaction: A Combined Computational and Experimental Study (F) 9292–9304
DOI: 10.1002/chem.200801030
- Ochocki, J. (F) 10036–10046
- Ochsenbein, S. T. (F) 5144–5158
- Odobel, F.
– Single-Step Electron Transfer on the Nanometer Scale: Ultra-Fast Charge Shift in Strongly Coupled Zinc Porphyrin–Gold Porphyrin Dyads (F) 3467–3480
DOI: 10.1002/chem.200701335
- Odrizola, J. M. (S) 8768–8771
- Oechsner, A. (F) 8972–8979
- Oeckler, O. (F) 6149–6154, 7892–7902
- Oeser, T. (F) 6672–6678
- Oestreich, M.
– Stereoselective Alcohol Silylation by Dehydrogenative Si–O Coupling: Scope, Limitations, and Mechanism of the Cu–H-Catalyzed Non-Enzymatic Kinetic Resolution with Silicon-Stereogenic Silanes (F) 11512–11528
DOI: 10.1002/chem.200801377
- Ogasawara, Y. (F) 11480–11487
- Ogata, K. (F) 2482–2498
- Ogata, N. (F) 3250–3259
- Ogawa, K. (F) 2827–2841
- Ogawa, T. (F) 8892–8897
- Ogden, J. S. (F) 2615–2624
- Oguchi, T. (F) 829–837
- Oguma, K. (F) 882–885
- O'Hara, C. T.
– A Structural and Computational Study of Synthetically Important Alkali-Metal/Tetramethylpiperidide (TMP) Amine Solvates (F) 8025–8034
DOI: 10.1002/chem.200800158
- Ohba, M.
– Interpenetrated Three-Dimensional Mn^{II}Mn^{III} Ferrimagnets, [Mn(4dmap)₄]₃·[M(CN)₆]₂·10H₂O (M = Cr, Mn): Structures, Magnetic Properties, and Pressure-Responsive Magnetic Modulation (F) 3481–3489
DOI: 10.1002/chem.200701364
- Ohira, S. (F) 11082–11091
- Ohkanda, J.
– Module Assembly for Protein-Surface Recognition: Geranylgeranyltransferase I Bivalent Inhibitors for Simultaneous Targeting of Interior and Exterior Protein Surfaces (F) 1392–1401
DOI: 10.1002/chem.200701634
- Ohkubo, Kei (F) 250–258, 674–681, (S) 10206–10210
- Ohkubo, Kimitaka (S) 4472–4474
- Ohkubo, T. (S) 5109–5111
- Ohshima, T. (F) 2060–2066
- Oiarbide, M. (S) 8768–8771
- Oishi, T. (F) 1178–1185
- Ojima, H. (F) 10762–10771
- Okamoto, H. (F) 472–477
- Okrasa, K. (S) 6609–6613
- Okruszek, A. (F) 3100–3109 Corrigendum: 3509
- Okujima, T. (F) 5001–5020
- O'Leary, D. J. (F) 7536–7544
- Oliva, A. I. (F) 4214–4224
- Olsbye, U. (F) 11320–11327
- Olsen, J.-C. (F) 3889–3895
- Ômura, S.
– Total Synthesis and Determination of the Absolute Configuration of Guadinomines B and C₂ (F) 8220–8238
DOI: 10.1002/chem.200801024
- Ondruschka, B.
– Thermal Isomerization of (+)-*cis*- and (–)-*trans*-Pinane Leading to (–)-β-Citronellene and (+)-Isocitronellene (F) 6805–6814
DOI: 10.1002/chem.200800298
- Ong, B. S.
– Thiophene Polymer Semiconductors for Organic Thin-Film Transistors (C) 4766–4778
DOI: 10.1002/chem.200701717
- Ono, N.
– Application of MCD Spectroscopy and TD-DFT to Nonplanar Core-Modified Tetrabenzoporphyrins: Effect of Reduced Symmetry on Nonplanar Porphyrinoids (F) 5001–5020
DOI: 10.1002/chem.200701611
- Onozawa-Komatsuzaki, N. (F) 11076–11081
- Ooi, S. (F) 3118–3125
- Opershall, B. P. (F) 10036–10046
- Opina, A. C. L. (F) 7250–7258
- Orfanopoulos, M.
– Solvent-Dependent Changes in the Triazolinedione–Alkene Ene Reaction Mechanism (F) 9697–9705
DOI: 10.1002/chem.200800920
- Organ, M. G.
– Assessing Synthetic Strategies: Total Syntheses of (±)-Neodolabellane-Type Diterpenoids (F) 8239–8245
DOI: 10.1002/chem.200801161
- Gold-Film-Catalysed Hydrosilylation of Alkynes by Microwave-Assisted, Continuous-Flow Organic Synthesis (MA-COS) (F) 9641–9646
DOI: 10.1002/chem.200801610
- Pd-Catalyzed Aryl Amination Mediated by Well Defined, N-Heterocyclic Carbene (NHC)–Pd Precatalysts, PEPPSI (F) 2443–2452
DOI: 10.1002/chem.200701621
- Pd PEPPSI-IPr-Mediated Reactions in Metal-Coated Capillaries Under MA-COS: The Synthesis of Indoles by Sequential Aryl Amination/ Heck Coupling (F) 1351–1356
DOI: 10.1002/chem.200701588
- Ornelas, C. (F) 50–64, 5577–5587
- Oro, L. A. (F) 1897–1905
- Orru, R. V. A.
– Selective Formation of 2-Imidazolines and 2-Substituted Oxazoles by Using a Three-Component Reaction (F) 4961–4973
DOI: 10.1002/chem.200800271
- Ortega-Guerra, M. (F) 621–636
- Ortin, Y. (F) 1552–1560
- Ortiz, A. L. (F) 5656–5669
- Orts, J. (S) 7517–7520
- Orzeł, Ł. (F) 9419–9430
- Osakada, Y. (F) 3721–3726
- Osuka, A.
– Bay-Area Selective Thermal [4+2] and [4+4] Cycloaddition Reactions of Triply Linked Zn^{II} Diporphyrin with *o*-Xylylene (F) 204–211
DOI: 10.1002/chem.200701398
- Efficient Rhodium-Catalyzed Installation of Unsaturated Ester Functions onto Porphyrins: Site-Specific Heck-Type Addition versus Conjugate Addition (F) 4256–4262
DOI: 10.1002/chem.200701943
- *meso*-Aryl Substituted Rubyrin and Its Higher Homologues: Structural Characterization and Chemical Properties (F) 2668–2678
DOI: 10.1002/chem.200701909
- Synthesis of Nanometer-Scale Porphyrin Wheels of Variable Size (F) 582–595
DOI: 10.1002/chem.200701271
- Two-Dimensionally Extended Porphyrin Tapes: Synthesis and Shape-Dependent Two-Photon Absorption Properties (F) 8279–8289
DOI: 10.1002/chem.200800776
- Osuna, S. (F) 5198–5206 Corrigendum: 5709
- Othman, M. (F) 4551–4561
- Otsuka, I. (F) 10259–10266
- Otsuka, Y. (F) 10318–10330

- Otsuki, J.
– Switchable Antenna: A Star-Shaped Ruthenium/Osmium Tetranuclear Complex with Azobis(bipyridine) Bridging Ligands (F) 2709–2718
DOI: 10.1002/chem.200701691
- Through-Bond Excited Energy Transfer Mediated by an Amidinium–Carboxylate Salt Bridge in Zn–Porphyrin Free-Base Porphyrin Dyads (F) 3776–3784
DOI: 10.1002/chem.200701486
- Otting, G. (F) 10058–10065
- Otto, S.
– Exploring the Relation between Amplification and Binding in Dynamic Combinatorial Libraries of Macrocyclic Synthetic Receptors in Water (F) 2153–2166
DOI: 10.1002/chem.200701413
- Otto, S. (F) 9006–9019
- Ou, Y.-C. (F) 7218–7235
- Ou, Z. (S) 10206–10210
- Ou-yang, Z.-c. (F) 5974–5980
- Ouahab, L.
– Delicate Crystal Structure Changes Govern the Magnetic Properties of 1D Coordination Polymers Based on 3d Metal Carboxylates (F) 2034–2043
DOI: 10.1002/chem.200701316
- Ouali, A. (F) 4836–4850
- Oudry, N. (F) 1947–1953
- Ovchinnikova, O. G.
– Full Structure of the Carbohydrate Chain of the Lipopolysaccharide of *Providencia rustigianii* O34 (F) 6184–6191
DOI: 10.1002/chem.200702039
- Overkleef, H. S. (F) 9400–9411
- Owa, M. (F) 2709–2718
- Owen, G. R. (F) 73–87
- Oxelbark, J. (F) 9516–9529
- Oxgaard, J.
– Acid-Catalyzed Nucleophilic Aromatic Substitution: Experimental and Theoretical Exploration of a Multistep Mechanism (F) 3954–3960
DOI: 10.1002/chem.200701590
- Özalp-Yaman, Ş. (F) 3418–3426
- Padrón, J. I.
– Factors Controlling the Alkyne Prins Cyclization: The Stability of Dihydropyranyl Cations (F) 6260–6268
DOI: 10.1002/chem.200800281
- Pagano, S. (F) 1524–1531
- Pagel, K. (F) 11442–11451
- Pal, A. (F) 6534–6545
- Palacios, J. C. (F) 5656–5669
- Palacios, M. A. (F) 8540–8546
- Palavicini, S. (S) 3535–3538
- Pale, P.
– “Click Chemistry” in Zeolites: Copper(I) Zeolites as New Heterogeneous and Ligand-Free Catalysts for the Huisgen [3 + 2] Cycloaddition (F) 6713–6721
DOI: 10.1002/chem.200800479
- Palkovits, R. (F) 8995–9005
- Palladino, G. (F) 10149–10159
- Palmisano, G. (F) 4640–4646
- Palmisano, L.
– Oxidation of Aromatic Alcohols in Irradiated Aqueous Suspensions of Commercial and Home-Prepared Rutile TiO₂: A Selectivity Study (F) 4640–4646
DOI: 10.1002/chem.200702044
- Palomo, C.
– Copper-Catalyzed Enantioselective Conjugate Addition of Dialkylzinc Reagents to α' -Oxy Enones (S) 8768–8771
DOI: 10.1002/chem.200801343
- Pàmies, O.
– Modular Phosphite–Oxazoline/Oxazine Ligand Library for Asymmetric Pd-Catalyzed Allylic Substitution Reactions: Scope and Limitations—Origin of Enantioselectivity (F) 3653–3669
DOI: 10.1002/chem.200701636
- Screening of a Phosphite–Phosphoramidite Ligand Library for Palladium-Catalyzed Asymmetric Allylic Substitution Reactions: The Origin of Enantioselectivity (F) 944–960
DOI: 10.1002/chem.200700852
- Pan, C.-Y. (F) 5057–5063
- Pan, H. (C) 4766–4778
- Pan, J. (F) 9786–9791
- Pan, W. (F) 7570–7578
- Pancrazi, A.
– Total Synthesis of Discodermolide: Optimization of the Effective Synthetic Route (F) 11092–11112
DOI: 10.1002/chem.200801478
- Panda, G.
– Total Synthesis of (–)-Balanol, All Stereoisomers, Their *N*-Tosyl Analogues, and Fully Protected Ophiocordin: An Easy Route to Hexahydroazepine Cores from Garner Aldehydes (F) 4675–4688
DOI: 10.1002/chem.200701991
- Paneva, D. (F) 6369–6378
- Pang, X. (F) 3126–3136
- Panknin, O. (F) 2811–2818
- Paolesse, R. (S) 6057–6060
- Papagelis, K. (F) 8715–8724
- Pape, A. R. (F) 10683–10704
- Pape, T. (F) 10716–10721, (S) 10900–10904
- Paquet, V. (F) 2465–2481
- Paraskar, A. S. (F) 10639–10647
- Paravatou, M. (F) 4188–4200
- Parella, T. (F) 4647–4656
- Parimal, K. (S) 10211–10218
- Paris, F. (F) 11209–11221
- Parisel, O.
– Theoretical Exploration of the Oxidative Properties of a [(tren^{Me1})CuO₂]⁺ Adduct Relevant to Copper Monooxygenase Enzymes: Insights into Competitive Dehydrogenation versus Hydroxylation Reaction Pathways (F) 6465–6473
DOI: 10.1002/chem.200701595
- Understanding Lead Chemistry from Topological Insights: The Transition between Holo- and Hemidirected Structures within the [Pb(CO)_n]²⁺ Model Series (F) 2730–2743
DOI: 10.1002/chem.200701265
- Park, C. M. (F) 1023–1028
- Park, H. J. (F) 8812–8821
- Park, Hyunjung (F) 9935–9942
- Park, Hyunsoo (F) 4521–4532
- Park, J. (F) 5996–6002
- Park, S. J. (F) 5353–5359
- Parker, A. W. (F) 369–375
- Parola, A. J. (F) 8507–8513
- Parrilli, E.
– Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Parrilli, M.
– Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Parsons, S. (S) 9117–9121
- Pârvulescu, V. I.
– Heterogeneous Gold Catalysts for Efficient Access to Functionalized Lactones (F) 9412–9418
DOI: 10.1002/chem.200801327
- Pasc, A. (F) 1776–1783
- Pascu, S. I.
– Supramolecular Assemblies of Tripodal Porphyrin Hosts and C₆₀ (F) 3035–3044
DOI: 10.1002/chem.200701686
- Pascu, S. I. (F) 2867–2885
- Passarelli, V. (F) 10985–10998
- Paszkievicz, E. (F) 6474–6482
- Patel, P. V. (F) 1710–1717
- Paterson, I. (F) 7557–7569
- Paterson, M. J. (F) 7296–7305
- Patil, M. P. (F) 10472–10485
- Patra, A. (F) 10639–10647
- Patrick, A. D. (F) 1822–1827
- Patrick, B. O. (F) 3410–3417
- Pattison, P. (F) 8157–8168
- Paul, A. (F) 8682–8689
- Paul, D. (F) 5258–5266
- Pavlishchuk, V. V. (F) 2034–2043



Pacchioni, G.

- Properties of Alkali Metal Atoms Deposited on a MgO Surface: A Systematic Experimental and Theoretical Study (F) 4404–4414

DOI: 10.1002/chem.200702012

Pace, R. J. (F) 5482–5494

Pacetti, A. (F) 9292–9304

Packheiser, R. (F) 4948–4960

- Payne, A. N. (F) 2867–2885
 Payne, R. J. (F) 3620–3629
 Paz, F. A. A. (F) 8157–8168
 Paz, N. R. (F) 6704–6712 Corrigendum: 10871
 Pearson, D. (F) 7358–7365
 Pécaut, J. (F) 3013–3025, 6498–6509
 Pedersen, E. B. (F) 9968–9980
 Pedireddi, V. R.
 – pK_a -Directed Host–Guest Assemblies: Rational Analysis of Molecular Adducts of 2,4-Diamino-6-methyl-1,3,5-triazine with Various Aliphatic Dicarboxylic Acids (F) 6967–6977
 DOI: 10.1002/chem.200800649
 Pedone, C. (S) 4164–4166
 Pedrido, R. (F) 500–512
 Pedro, J. R.
 – New Highly Asymmetric Henry Reaction Catalyzed by Cu^{II} and a C_1 -Symmetric Aminopyridine Ligand, and Its Application to the Synthesis of Miconazole (F) 4725–4730
 DOI: 10.1002/chem.200800069
 Pedrosa, R.
 – Novel Bifunctional Chiral Urea and Thiourea Derivatives as Organocatalysts: Enantioselective Nitro-Michael Reaction of Malonates and Diketones (S) 5116–5119
 DOI: 10.1002/chem.200800633
 Pedzinski, T. (F) 7913–7929
 Peedikakkal, A. M. P. (F) 5329–5334
 Peese, K. M. (F) 1654–1665
 Peggion, C. (F) 3154–3163
 Pei, J.
 – Isomeric Effect on Microscale Self-Assembly: Interplay between Molecular Property and Solvent Polarity in the Formation of 1D *n*-Type Microbelts (S) 7760–7764
 DOI: 10.1002/chem.200800396
 – Three-Dimensional Shape-Persistent Fluorescent Nanocages: Facile Dynamic Synthesis, Photophysical Properties, and Surface Morphologies (S) 3860–3865
 DOI: 10.1002/chem.200800154
 Pellett, P. (F) 10978–10984
 Pellin, M. J. (C) 4458–4467
 Pelzer, K. (S) 3523–3526
 Peñalver, P. (F) 2435–2442
 Peng, Q. (F) 2507–2513, 9730–9735
 Peng, S.-M. (F) 2904–2908, (S) 5120–5124
 Peng, X.-Q. (F) 9347–9356
 Peng, Xiaobin (F) 582–595
 Peng, Xingao (F) 7847–7857
 Penhoat, M. (F) 5941–5950
 Penno, D. (F) 10648–10655
 Penon, O. (S) 4788–4791
 Percec, V.
 – Supramolecular Structural Diversity among First-Generation Hybrid Dendrimers and Twin Dendrons (F) 3355–3362
 DOI: 10.1002/chem.200701658
 – Thixotropic Twin-Dendritic Organogelators (F) 909–918
 DOI: 10.1002/chem.200701273
 Perdicchia, D. (F) 128–135
 Perdigão, L. M. A. (F) 7600–7607
 Peregrina, J. M.
 – Non-natural Amino Acids as Modulating Agents of the Conformational Space of Model Glycopeptides (F) 7042–7058
 DOI: 10.1002/chem.200800460
 Peregichka, D. F.
 – Combining High Electron Affinity and Intramolecular Charge Transfer in 1,3-Dithiole–Nitrofluorene Push–Pull Diads (F) 2757–2770
 DOI: 10.1002/chem.200701459
 Peregichka, I. F.
 – Combining High Electron Affinity and Intramolecular Charge Transfer in 1,3-Dithiole–Nitrofluorene Push–Pull Diads (F) 2757–2770
 DOI: 10.1002/chem.200701459
 Peregichka, I. F. (F) 250–258, 933–943
 Perera, L. (F) 570–581
 Pérez, O. (C) 794–805
 Perez Barrio, J. (F) 4521–4532
 Pérez-Carrión, M. D. (S) 9868–9872
 Pérez-García, M. Ll.
 – Towards a Tunable Tautomeric Switch in Azobenzene Biomimetics: Implications for the Binding Affinity of 2-(4'-Hydroxyphenylazo)benzoic Acid to Streptavidin (F) 2277–2285
 DOI: 10.1002/chem.200701407
 Pérez-Luna, A.
 – Radical-Polar Crossover Domino Reaction Involving Alkynes: A Stereoselective Zinc Atom Radical Transfer (S) 8784–8788
 DOI: 10.1002/chem.200801451
 Pérez-Martín, I. (F) 10369–10381
 Perez-Mendoza, M. (F) 9890–9901
 Pérez-Ramírez, J. (F) 1718–1725
 Pérez-Sánchez, I. (S) 5401–5404
 Pérez-Sestelo, J.
 – Enantioselective Nickel-Catalyzed Cross-Coupling Reactions of Trialkynylindium Reagents with Racemic Secondary Benzyl Bromides (F) 741–746
 DOI: 10.1002/chem.200701035
 Péron, R. (F) 9530–9539
 Peris, E.
 – $[IrCl_2Cp^*(NHC)]$ Complexes as Highly Versatile Efficient Catalysts for the Cross-Coupling of Alcohols and Amines (F) 11474–11479
 DOI: 10.1002/chem.200801580
 Perlepes, S. P. (F) 2514–2526, (S) 9117–9121
 Pernak, J.
 – Long-Alkyl-Chain Quaternary Ammonium Lactate Based Ionic Liquids (F) 9305–9311
 DOI: 10.1002/chem.200800973
 Peromingo, M. T. (F) 9620–9632
 Perriat, P. (F) 1776–1783
 Perrin, D. M.
 – Intraannular Savige–Fontana Reaction: One-Step Conversion of One Class of Monocyclic Peptides into Another Class of Bicyclic Peptides (F) 3404–3409
 DOI: 10.1002/chem.200701088
 – Synthesis, Characterisation, and In Vitro Evaluation of Pro²-Ile³-S-Deoxo-Amaninamide and Pro²-D-*allo*-Ile³-S-Deoxo-Amaninamide: Implications for Structure–Activity Relationships in Amanitin Conformation and Toxicity (F) 3410–3417
 DOI: 10.1002/chem.200701297
 Persson, I.
 – An EXAFS Spectroscopic, Large-Angle X-Ray Scattering, and Crystallographic Study of Hexahydrated, Dimethyl Sulfoxide and Pyridine 1-Oxide Hexasolvated Mercury(II) Ions (F) 6687–6696
 DOI: 10.1002/chem.200800225
 – Hydration of Lanthanoid(III) Ions in Aqueous Solution and Crystalline Hydrates Studied by EXAFS Spectroscopy and Crystallography: The Myth of the “Gadolinium Break” (F) 3056–3066
 DOI: 10.1002/chem.200701281
 Persson, I. (F) 3045–3055
 Persson, P. (F) 6687–6696
 Peschka-Süss, R. (F) 2025–2033
 Pescitelli, G. (F) 4913–4923
 Pesesse, G. (F) 11039–11049
 Peter, M. G. (F) 1420–1429
 Peterca, M. (F) 909–918, 3355–3362
 Peters, A. (F) 7813–7821
 Peters, R.
 – Synthesis of Nearly Enantiopure Allylic Amines by Aza-Claisen Rearrangement of *Z*-Configured Allylic Trifluoroacetimidates Catalyzed by Highly Active Ferrocenylbisphaladacycles (F) 1430–1444
 DOI: 10.1002/chem.200701642
 Petersen, C. (F) 9951–9959
 Petersen, J. L. (F) 158–168
 Pétilion, F. Y. (F) 1954–1964
 Petoud, S.
 – Azulene-Moiety-Based Ligand for the Efficient Sensitization of Four Near-Infrared Luminescent Lanthanide Cations: Nd³⁺, Er³⁺, Tm³⁺, and Yb³⁺ (F) 1264–1272
 DOI: 10.1002/chem.200701068
 Petraki, F. (F) 8715–8724
 Petrie, S. (F) 5482–5494
 Pettman, A. (F) 2209–2222
 Pfaltz, A.
 – Chiral Boron-Bridged Bisoxazoline (Borabox) Ligands: Structures and Reactivities of Pd and Cu Complexes (F) 8530–8539
 DOI: 10.1002/chem.200800822
 Pfeifer, D. (S) 4469–4471
 Pfeifer, S. (F) 10949–10957
 Pfeleiderer, W. (F) 6490–6497
 Pfoh, R. (F) 895–901
 Phan, N. T. S. (F) 7306–7313
 Philip, I. (F) 4704–4710
 Phillips, A. G. (F) 7600–7607
 Pianet, I. (F) 5577–5587
 Pichon, C. (F) 3189–3199
 Pickup, B. T. (S) 8798–8802
 Pico, C. (F) 10829–10838

- Pidko, E. A. (F) 4899–4905, 5168–5177, (S) 8803–8807
- Piechaczyk, O. (F) 10047–10057
- Pieck, J. C. (F) 2125–2132
- Piera, J. (F) 7019–7029, (S) 7500–7503
- Pieretti, G.
- Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Pierre, J.-L.
- Vesicles to Concentrate Iron in Low-Iron Media: An Attempt to Mimic Marine Siderophores (F) 3680–3686
DOI: 10.1002/chem.200701644
- Pierrefixe, S. C. A. H. (F) 819–828, 6901–6911
- Piers, W. E.
- Thermal Decomposition Modes for Four-Coordinate Ruthenium Phosphonium Alkylidene Olefin Metathesis Catalysts (F) 11565–11572
DOI: 10.1002/chem.200801584
- Pietruszka, J.
- Diastereo- and Enantiomerically Pure Allylboronates: Their Synthesis and Scope (F) 5178–5197
DOI: 10.1002/chem.200800034
- Pietzonka, C. (F) 4006–4016
- Pignataro, B.
- Editorial: The European Young Chemist Award 2008 11252–11256
DOI: 10.1002/chem.200802091
- Piguet, C.
- Linear Polynuclear Helicates as a Link between Discrete Supramolecular Complexes and Programmed Infinite Polymetallic Chains (F) 2994–3005
DOI: 10.1002/chem.200701465
- Pilette, M.-A. (F) 3457–3466
- Pillai, A. N. (F) 5851–5860
- Pilzak, G. S. (F) 7939–7950
- Pinazo, A. (F) 5656–5669
- Pineider, F. (F) 7530–7535
- Pink, M. (F) 7680–7686
- Pintér, Á. (F) 11061–11068
- Pinto, A. (F) 10683–10704
- Piotto, M. (F) 3874–3882
- Piquemal, J.-P. (F) 2730–2743
- Piris, M. (F) 8547–8554
- Pirondini, L. (F) 5772–5779, 8964–8971
- Piskunov, A. V.
- Oxidation by Oxygen and Sulfur of Tin(IV) Derivatives Containing a Redox-Active *o*-Amidophenolate Ligand (F) 10085–10093
DOI: 10.1002/chem.200801203
- Pistolis, G. (F) 8715–8724
- Pisula, W. (F) 240–249
- Pitié, M.
- Preparation and Study of New Poly-8-Hydroxyquinoline Chelators for an anti-Alzheimer Strategy (F) 682–696
DOI: 10.1002/chem.200701024
- Pitié, M. (F) 3418–3426
- Pittman Jr., C. U. (F) 11584–11592
- Pizzano, A.
- Highly Enantioselective Hydrogenation of Enol Ester Phosphonates: A Versatile Procedure for the Preparation of Chiral β -Hydroxyphosphonates (S) 9856–9859
DOI: 10.1002/chem.200801588
- Placide, V. (F) 10357–10363
- Plass, W.
- Directed Synthesis of a Heterobimetallic Complex Based on a Novel Unsymmetric Double-Schiff-Base Ligand: Preparation, Characterization, Reactivity and Structures of Hetero- and Homobimetallic Nickel(II) and Zinc(II) Complexes (F) 1571–1583
DOI: 10.1002/chem.200701124
- Platas-Iglesias, C. (F) 5829–5838
- Plefka, O. (F) 11512–11528
- Plenio, H.
- Highly Efficient Suzuki–Miyaura Coupling of Heterocyclic Substrates through Rational Reaction Design (F) 4267–4279
DOI: 10.1002/chem.200701877
 - Insights into Sonogashira Cross-Coupling by High-Throughput Kinetics and Descriptor Modeling (F) 2857–2866
DOI: 10.1002/chem.200701418
 - π -Face Donor Properties of N-Heterocyclic Carbenes in Grubbs II Complexes (F) 5465–5481
DOI: 10.1002/chem.200800139
- Poater, J. (F) 6901–6911
- Poblet, J.-M. (F) 7930–7938
- Pochan, D. J. (F) 11369–11375
Corrigendum: 11268
- Pochini, A. (F) 98–106
- Podkosielnny, D. (F) 4704–4710
- Podlech, J.
- Nucleophilic Additions to Alkylidene Bis(sulfoxides)—Stereochemical Effects in Vinyl Sulfoxides (F) 4631–4639
DOI: 10.1002/chem.200701847
- Podlesnyak, A. (F) 5144–5158
- Poelarends, G. J.
- Biocatalytic Enantioselective Synthesis of *N*-Substituted Aspartic Acids by Aspartate Ammonia Lyase (F) 10094–10100
DOI: 10.1002/chem.200801407
- Pogocki, D. (F) 7913–7929
- Pohl, R. W. H. (F) 3727–3736
- Pokharkar, V.
- Natural Gum Reduced/Stabilized Gold Nanoparticles for Drug Delivery Formulations (F) 10244–10250
DOI: 10.1002/chem.200801093
- Pokhodnya, K. I. (F) 714–720
- Polarz, S.
- Chemistry in Confining Reaction Fields with Special Emphasis on Nanoporous Materials (C) 9816–9829
DOI: 10.1002/chem.200800674
- Pölborn, K. (F) 5290–5303
- Poli, R.
- Cobalt-Mediated Radical Polymerization of Acrylonitrile: Kinetics Investigations and DFT Calculations (F) 7623–7637
DOI: 10.1002/chem.200800371
 - Mechanistic Insights into the Cobalt-Mediated Radical Polymerization (CMRP) of Vinyl Acetate with Cobalt(III) Adducts as Initiators (F) 4046–4059
DOI: 10.1002/chem.200701867
- Poli, R. (F) 9921–9934
- Polcar, C. (F) 9286–9291
- Polito, M. (F) 10149–10159
- Pollard, M. M. (F) 11610–11622
- Pombeiro, A. J. L.
- Amavadin and Other Vanadium Complexes as Remarkably Efficient Catalysts for One-Pot Conversion of Ethane to Propionic and Acetic Acids (F) 1828–1842
DOI: 10.1002/chem.200700980
 - Metal-Free and Pd^{II}-Promoted [2 + 3] Cycloadditions of a Cyclic Nitron to Phthalonitriles: Syntheses of Oxadiazolines as well as Phthalamide–Pd^{II} and Dihydropyrrolyl-iminoisindolinone–Pd^{II} Complexes with High Catalytic Activity in Suzuki–Miyaura Cross-Coupling Reactions (F) 9312–9322
DOI: 10.1002/chem.200800510
- Ponchel, A. (S) 8090–8093
- Ponec, R.
- Analytic Models of Domain-Averaged Fermi Holes: A New Tool for the Study of the Nature of Chemical Bonds (F) 3338–3345
DOI: 10.1002/chem.200701727
- Poneti, G. (S) 10915–10918
- Ponti, A. (F) 459–471
- Pontius, A. (S) 9860–9863
- Pool-Davis-Tourneir, J. A. (F) 7782–7790
- Poon, V. (S) 7748–7751
- Popov, A. A.
- Synthesis, Spectroscopic and Electrochemical Characterization, and DFT Study of Seventeen C₇₀(CF₃)_{*n*} Derivatives (*n* = 2, 4, 6, 8, 10, 12) (F) 107–121
DOI: 10.1002/chem.200700970
- Popov, A. A. (F) 2084–2092, 9960–9967
- Popov, I. (F) 3562–3576
- Porée, F.-H. (F) 11092–11112
- Poriel, C.
- New 3π -2Spiro Ladder-Type Phenylene Materials: Synthesis, Physicochemical Properties and Applications in OLEDs (F) 11328–11342
DOI: 10.1002/chem.200801428
- Poschalko, A. (F) 3874–3882
- Poteau, R. (F) 8147–8156
- Pouderoijen, M. J. (F) 8579–8589
- Poupot, M. (F) 4836–4850
- Poupot, R.
- Tailored Control and Optimisation of the Number of Phosphonic Acid Termini on Phosphorus-Containing Dendrimers for the Ex-Vivo Activation of Human Monocytes

- (F) 4836–4850
DOI: 10.1002/chem.200701063
- Powell, A. K.
– Heterometallic [Mn₅-Ln₄] Single-Molecule Magnets with High Anisotropy Barriers
(F) 3577–3584
DOI: 10.1002/chem.200800125
- Poyatos, M. (F) 11474–11479
- Prades, A. (F) 11474–11479
- Prandi, C. (F) 9292–9304
- Prasad, B. L. V.
– Natural Gum Reduced/Stabilized Gold Nanoparticles for Drug Delivery Formulations
(F) 10244–10250
DOI: 10.1002/chem.200801093
- Prasad, P. N.
– Conformationally Restricted Dipyrromethene Boron Difluoride (BODIPY) Dyes: Highly Fluorescent, Multicolored Probes for Cellular Imaging
(F) 5812–5819
DOI: 10.1002/chem.200800309
- Prasad, S. K. (F) 10462–10471
- Prasanthkumar, S. (F) 9577–9584
- Praserthdam, P. (F) 1402–1414
- Prato, M.
– Improving Photocurrent Generation: Supramolecularly and Covalently Functionalized Single-Wall Carbon Nanotubes–Polymer/Porphyrin Donor–Acceptor Nanohybrids
(F) 8837–8846 Corrigendum: 9810
DOI: 10.1002/chem.200801018
- Prato, M. (F) 8715–8724
- Praveen, V. K. (F) 9577–9584
- Pretz, A. (F) 1445–1451
- Pregosin, P. S.
– PGSE NMR Diffusion Overhauser Studies on [Ru(Cp*)(η⁶-arene)][PF₆], Plus a Variety of Transition-Metal, Inorganic, and Organic Salts: An Overview of Ion Pairing in Dichloromethane
(F) 5617–5629
DOI: 10.1002/chem.200800222
- Prehm, M. (F) 6352–6368
- Premkumar, T. (S) 6044–6048
- Priebe, A. (F) 4346–4360
- Prieto, C. (F) 9038–9045
- Prins, F. (F) 8486–8499
- Prior, T. J. (F) 10286–10296
- Proch, S. (F) 8204–8212
- Procopiou, P. A. (C) 5716–5726, (S) 11292–11295
- Procter, D. J.
– A Flexible, Stereoselective Approach to the Decorated *cis*-Hydrindane Skeleton: Synthesis of the Proposed Structure of Faurinone
(S) 6862–6865
DOI: 10.1002/chem.200800930
- Prokop, A.
– Carbonyl-Substituted Titanocenes: A Novel Class of Cytostatic Compounds with High Antitumor and Antileukemic Activity
(S) 4160–4163
DOI: 10.1002/chem.200800407
- Prots, Yu. (F) 1757–1761
- Protti, S. (F) 1029–1039
- Prunet, J.
– Ring-Closing Metathesis in the Synthesis of BC Ring-Systems of Taxol
(F) 7314–7323
DOI: 10.1002/chem.200800774
- Prykota, T. (F) 6490–6497
- Pu, J.-X. (F) 11584–11592
- Pu, K.-Y. (F) 1205–1215
- Pu, S.-C. (F) 11231–11241
- Puchta, R. (F) 8898–8903
- Puntoriero, F. (F) 4381–4392
- Puranik, V. G. (F) 10816–10828
- Purse, B. W. (S) 7500–7503
- Puschmann, H. (F) 731–740
- Pytkowicz, J. (F) 3363–3370



- Qi, X.-Y. (F) 1205–1215
- Qian, K. (F) 10595–10602
- Qian, Y.
– Tetraethylenepentamine-Directed Controllable Synthesis of Wurtzite ZnSe Nanostructures with Tunable Morphology
(F) 9786–9791
DOI: 10.1002/chem.200801041
- Qiao, L. (F) 151–157
- Qin, A. (F) 6428–6437
- Qin, X. (S) 10543–10546
- Qiu, H. (F) 6413–6420
- Qu, D.
– Investigation of Hydrogen Physisorption Active Sites on the Surface of Porous Carbonaceous Materials
(F) 1040–1046
DOI: 10.1002/chem.200701042
- Qu, J. (F) 3250–3259
- Qu, Xiaogang
– Single-Walled Carbon Nanotubes Binding to Human Telomeric i-Motif DNA Under Molecular-Crowding Conditions: More Water Molecules Released
(F) 5435–5439
DOI: 10.1002/chem.200800280
- Qu, Xue (F) 10303–10308
- Qu, Z.-R. (F) 1164–1168, 3452–3456
- Quan, Z. (F) 4336–4345
- Que Jr., L.
– Tyrosinase-Like Reactivity in a Cu^{III}(μ-O)₂ Species
(S) 3535–3538
DOI: 10.1002/chem.200800229
- Que Jr., L. (F) 1740–1756
- Quesada, M. (F) 8486–8499
- Quintanal, L. M. (F) 10369–10381
- Quintanilla, E. Corrigendum: 417
- Quintard, A. (S) 7504–7507
- Quintiliani, M. (F) 3765–3775
- Raatikainen, K. (F) 3297–3305
- Rabinovitz, M. (F) 2067–2074
- Rabu, P. (F) 8409–8417
- Radacki, K. (F) 7858–7866, 8972–8979
- Radhakrishnan, N. (F) 7997–8003
- Radloff, C. (S) 10900–10904
- Raducan, M. Corrigendum: 5096
- Raftery, J. (F) 2375–2388
- Raghothama, S. (F) 6192–6204
- Rahman, G. M. A. (F) 8837–8846 Corrigendum: 9810
- Rahman, M. M. (F) 1312–1321
- Rahmeh, R. (F) 6247–6254
- Rai, P. (C) 7738–7747, (S) 7748–7751
- Rai, R. (F) 6192–6204
- Rai, U. S. (F) 3896–3903
- Raif, F. (F) 3737–3744
- Raimundo, J.-M. (F) 10357–10363
- Raith, C. (F) 8956–8963
- Raithby, P. R. (F) 3035–3044
- Raja, R.
– Facile, One-Step Production of Niacin (Vitamin B₃) and Other Nitrogen-Containing Pharmaceutical Chemicals with a Single-Site Heterogeneous Catalyst
(F) 2340–2348
DOI: 10.1002/chem.200701679
- Rajapaksa, N. S. (F) 7648–7657
- Rajaraman, G. (F) 344–357, 5313–5328
- Ramachandar, T. (F) 3670–3679
- Ramachary, D. B.
– Amino Acid-Catalyzed Cascade [3 + 2]-Cycloaddition/Hydrolysis Reactions Based on the Push–Pull Dienamine Platform: Synthesis of Highly Functionalized NH-1,2,3-Triazoles
(S) 9143–9147
DOI: 10.1002/chem.200801325
- Ramakumar, K. (S) 9143–9147
- Ramanathan, A. (F) 961–972
- Ramírez, M. A.
– Factors Controlling the Alkyne Prins Cyclization: The Stability of Dihydropyranyl Cations
(F) 6260–6268
DOI: 10.1002/chem.200800281
- Ramos, M. J.
– Glutathione Transferase: New Model for Glutathione Activation
(F) 9591–9598
DOI: 10.1002/chem.200800946
- Ramya, K. V. (F) 5839–5850
- Rana, R. K.
– Morphology-Controlled Assembly of ZnO Nanostructures: A Bioinspired Method and Visible Luminescence
(F) 6421–6427
DOI: 10.1002/chem.200800129
- Rancan, M. (F) 5144–5158
- Randell-Sly, H. (F) 8383–8397
- Rang, A. (S) 3855–3859
- Ranta, J. (F) 10012–10028
- Ranuzzi, F. (F) 1924–1934
- Rao, A. M. (F) 8213–8219

- Rao, C. V. (F) 6510–6528
 Rao, D. S. S. (F) 10462–10471
 Rao, R. V. R. (F) 10462–10471
 Rao, W. (F) 10486–10495
 Rapenne, G.
 – Synthesis and Reactivity of [Penta(4-halogenophenyl)cyclopentadienyl][hydrotris(indazolyl)borato]ruthenium(II) Complexes: Rotation-Induced Fosbury Flop in an Organometallic Molecular Turnstile (F) 8147–8156
 DOI: 10.1002/chem.200800689
 Rapta, P. (F) 9960–9967
 Rasappan, R. (F) 7259–7265
 Rashkov, I. (F) 6369–6378
 Raston, C. L.
 – Engineering Nanorrafts of Calixarene Polyphosphonates (F) 3931–3938
 DOI: 10.1002/chem.200701472
 Raturi, R. (F) 721–730
 Rault-Berthelot, J.
 – New 3π -2Spiro Ladder-Type Phenylene Materials: Synthesis, Physicochemical Properties and Applications in OLEDs (F) 11328–11342
 DOI: 10.1002/chem.200801428
 Raushel, F. M.
 – Theoretical Investigation of the Reaction Mechanism of the Dinuclear Zinc Enzyme Dihydroorotase (F) 4287–4292
 DOI: 10.1002/chem.200701948
 Rauter, A. P.
 – Stereochemical Assignment and First Synthesis of the Core of Miharamycin Antibiotics (F) 10066–10073
 DOI: 10.1002/chem.200801826
 Ravicini, K. (F) 11039–11049
 Rawe, S. L. (F) 1592–1600
 Ray, L. (F) 6646–6655
 Ray, M. S. Corrigendum: 1377
 Ray, P. C.
 – Gold-Nanorod-Based Sensing of Sequence Specific HIV-1 Virus DNA by Using Hyper-Rayleigh Scattering Spectroscopy (F) 3896–3903
 DOI: 10.1002/chem.200701850
 Raya, J. (F) 3874–3882
 Razkin, J. (S) 8768–8771
 Razuvaev, A. G. (F) 296–310
 Réau, R.
 – Chemistry of Bridging Phosphanes: Cu^I Dimers Bearing 2,5-Bis(2-pyridyl)phosphole Ligands (F) 3391–3403
 DOI: 10.1002/chem.200701423
 Rebilly, J.-N. (F) 1169–1177, 4521–4532
 Recanatini, M. (F) 9292–9304
 Reddy, A. R. (F) 10639–10647
 Reddy, E. M. (F) 10244–10250
 Redert, T. (F) 2527–2535
 Redondo, M. C. (F) 637–643
 Redshaw, C.
 – Alkylzinc Hydrazides: Self-Assembly of Hexanuclear Ring Systems in Acetonitrile (S) 3530–3534
 DOI: 10.1002/chem.200800183
 Reed, C. A.
 – IR Spectroscopic Properties of H(MeOH)_n⁺ Clusters in the Liquid Phase: Evidence for a Proton Wire (F) 3596–3604
 DOI: 10.1002/chem.200701746
 – The Basicity of Unsaturated Hydrocarbons as Probed by Hydrogen-Bond-Acceptor Ability: Bifurcated N–H⁺⋯ π Hydrogen Bonding (F) 7880–7891
 DOI: 10.1002/chem.200800337
 Reedijk, J.
 – Platinated Copper(3-Clip-Phen) Complexes as Effective DNA-Cleaving and Cytotoxic Agents (F) 3418–3426
 DOI: 10.1002/chem.200702021
 Reedijk, J. (F) 5567–5576, 8486–8499
 Reek, J. N. H. (F) 7594–7599
 Rees, N. H. (F) 296–310
 Reha, D. (F) 4886–4898
 Rehder, D.
 – Confinement and Step-Wise Reopening of Channels in an Artificial Cell/Inorganic Capsule: A ⁷Li NMR Study (S) 8808–8811
 DOI: 10.1002/chem.200801122
 Reina, J. J. (F) 7828–7835
 Reinaud, O. (F) 6465–6473
 Reinhardt, S. (S) 9482–9486
 Reinhoudt, D. N. (F) 136–142
 Reiser, O.
 – Dependence of Enantioselectivity on the Ligand/Metal Ratio in the Asymmetric Michael Addition of Indole to Benzylidene Malonates: Electronic Influence of Substrates (F) 7259–7265
 DOI: 10.1002/chem.200800508
 – TEMPO Supported on Magnetic C/Carbon Nanoparticles: A Highly Active and Recyclable Organocatalyst (F) 8262–8266
 DOI: 10.1002/chem.200801001
 Rémy, P. (F) 1532–1540
 Ren, H. (S) 8481–8485
 Ren, Jie (F) 11584–11592
 Ren, Jinsong (F) 5435–5439
 Ren, L. (F) 9764–9771
 Renaud, J.-L.
 – Ruthenium-Catalyzed Synthesis of Allylic Alcohols: Boronic Acid as a Hydroxide Source (F) 5630–5637
 DOI: 10.1002/chem.200702030
 Renaud, P.
 – Carboazidation of Chiral Allylsilanes: Experimental and Theoretical Investigations (F) 2744–2756
 DOI: 10.1002/chem.200701401
 Rendler, S. (F) 11512–11528
 Renneberg, R. (F) 6428–6437
 Resmini, M.
 – The First Example of Molecularly Imprinted Nanogels with Aldolase Type I Activity (F) 7059–7065
 DOI: 10.1002/chem.200800675
 Restorp, P. (F) 3072–3077
 Retailleau, P. (F) 4381–4392, 7168–7179
 Retoux, R. (C) 794–805
 Reubi, J.-C. (F) 3026–3034
 Revin, P. O. (F) 9921–9934
 Reyes, Efraim (F) 9357–9367, 10958–10966
 Rezac, J. (F) 4886–4898
 Rezaei Araghi, R. (F) 11442–11451
 Rheingold, A. L. (F) 444–458, 714–720
 Rheinheimer, J. (F) 4913–4923
 Ribagorda, M. (F) 621–636
 Ribal, C. (F) 3182–3188
 Ribas, X. (S) 3535–3538, 5727–5731
 Ribó, J. M.
 – On the Mechano-Chiral Effect of Vortical Flows on the Dichroic Spectra of 5-Phenyl-10,15,20-tris(4-sulfonatophenyl)-porphyrin J-Aggregates (F) 6438–6443
 DOI: 10.1002/chem.200800307
 Richards, J. J. (F) 10745–10761
 Richards, R. (F) 9412–9418
 Richardson, R. D.
 – Origin of Diastereocontrol in the Oxy-Michael Reactions of δ -Lactol Anions: A Computational and Experimental Study (F) 9607–9612
 DOI: 10.1002/chem.200801368
 Riché, S. (F) 6247–6254
 Richter, B. (S) 6317–6321
 Richter, S. (F) 7030–7041
 Ricketts, C. L. (S) 4779–4783
 Rico, M. (F) 488–499
 Riechers, A. (F) 2536–2541, 8922–8927
 Riedel, R. (F) 3306–3310
 Riedle, E. (S) 3866–3868
 Rieger, R. (S) 6322–6325
 Rigo, P. (F) 2557–2563, 5588–5595, 9148–9160
 Ringer, A. L. (F) 2542–2547
 Rios, R. (F) 2693–2698, 7867–7879
 Ripmeester, J. A. (F) 1965–1971
 Rischka, K. (F) 1918–1923
 Rising, T. W. D. F. (F) 6444–6464
 Rissanen, K.
 – Helicate Extension as a Route to Molecular Wires (F) 7180–7185
 DOI: 10.1002/chem.200800503
 – Molecular Pacman: Folding, Inclusion, and X-ray Structures of Tri- and Tetra-amino Piperazine Cyclophanes (F) 3297–3305
 DOI: 10.1002/chem.200701862
 Rissanen, K. (F) 5220–5228, 10012–10028
 Risse, T. (F) 4404–4414
 Ritter, S. (F) 8922–8927
 Riva, R. (F) 358–368
 Rivera-Fuentes, P. (S) 10564–10568
 Rivière, E. (F) 1169–1177, 3182–3188, 3189–3199
 Rizkallah, P. (F) 10286–10296
 Rizzato, S. (F) 5617–5629
 Rizzitano, M. (F) 1804–1813
 Roberge, D. M. (C) 7470–7477
 Robert, F. (F) 2744–2756
 Roberts, M. L. (F) 4188–4200
 Robitzer, M. (F) 4201–4213
 Roca, A. G. (S) 9126–9130
 Rocchigiani, L. (S) 6589–6592

- Rocha, J.
– Photoluminescent Microporous Lanthanide Silicate AV-21 Frameworks (F) 8157–8168
DOI: 10.1002/chem.200800172
- Rodrigo, V. (F) 7019–7029
- Rodríguez, F. (S) 4153–4156, 10892–10895
- Rodríguez, J.
– The MARDi Cascade: A Michael-Initiated Domino-Multicomponent Approach for the Stereoselective Synthesis of Seven-Membered Rings (F) 3078–3092
DOI: 10.1002/chem.200701708
- Rodríguez-Blas, T.
– Protonated Macrobicyclic Hosts Containing Pyridine Head Units for Anion Recognition (F) 5829–5838
DOI: 10.1002/chem.200800092
- Rodríguez-Carvajal, J. (F) 10829–10838
- Rodríguez-Morgade, M. S. (F) 1342–1350
- Rodríguez-Rodríguez, S. (F) 9274–9285
- Rodríguez-Ropero, F. (F) 6924–6934
- Rodríguez-Sanz, E. (F) 3391–3403
- Rodríguez-Solla, H. (C) 10184–10191
- Roelofs, F. (F) 3311–3315
- Roewer, G. (F) 3164–3176
- Rogers, R. D.
– Direct, Atom Efficient, and Halide Free Syntheses of Azolium Azolate Energetic Ionic Liquids and Their Eutectic Mixtures, and Method for Determining Eutectic Composition (S) 11314–11319
DOI: 10.1002/chem.200801811
- Röhr, C. (F) 7331–7342
- Rohrs, H. (F) 3931–3938
- Roithová, J.
– Gas-Phase Study on the C–C Coupling of Naphthol Catalyzed by Cu^{II}·TME-DA: Evidence for the Key Role of Binuclear Clusters (F) 2180–2188
DOI: 10.1002/chem.200701277
- Growth of Larger Hydrocarbons in the Ionosphere of Titan (S) 4779–4783
DOI: 10.1002/chem.200800524
- The Phenoxy/Phenol/Copper Cation: A Minimalistic Model of Bonding Relations in Active Centers of Mononuclear Copper Enzymes (F) 4318–4327
DOI: 10.1002/chem.200800052
- Rolland, O. (F) 4836–4850
- Rolli, C. (F) 344–357
- Romanelli, A. (S) 4164–4166
- Römer, S. R. (F) 7892–7902
- Romero, A. A. (F) 5988–5995
- Romero, M. J. (F) 500–512
- Rominger, F. (F) 529–547, 6672–6678, (S) 10909–10914
- Roncali, J.
– Structural Control of the Horizontal Double Fixation of Oligothiophenes on Gold (F) 6237–6246
DOI: 10.1002/chem.200800133
- Ronconi, C. M. (F) 8365–8373
- Ronson, T. K. (F) 10286–10296
- Ros-Lis, J. V. (F) 8267–8278, 10101–10114
- Rosa, M. (F) 6438–6443
- Rosa, P. (F) 2034–2043
- Rosé, J. (F) 2355–2362
- Rose, R. P. (S) 8477–8480
- Rosseinsky, M. J.
– Control of Porosity Geometry in Amino Acid Derived Nanoporous Materials (F) 4521–4532
DOI: 10.1002/chem.200701556
- Rossi, A. (F) 10797–10807
- Rosspeintner, A. (F) 6213–6221
- Rotello, V. M.
– Isomeric Control of Protein Recognition with Amino Acid- and Dipeptide-Functionalized Gold Nanoparticles (F) 143–150
DOI: 10.1002/chem.200701234
- Rotello, V. M. (F) 4503–4510
- Roth, A. (F) 1571–1583
- Rothe, C. (F) 933–943
- Rothenberg, G. (F) 2857–2866
- Rothenberger, A. (F) 319–324, 4346–4360
- Rother, D. (F) 4346–4360
- Rotthaus, O. (F) 6742–6753
- Rotzinger, F. Corrigendum: 9463
- Roubeau, O. (F) 8486–8499
- Roubelakis, M. M. (F) 9697–9705
- Roucoux, A. (S) 8090–8093
- Roué, Y. (F) 9530–9539
- Routaboul, L. (C) 7408–7420
- Rowe, G. T. (F) 8303–8311
- Roy, D. (S) 10530–10534
- Roy, R. (C) 7490–7499
- Roy, V. A. L. (F) 2965–2975
- Rozalski, A. (F) 6184–6191
- Rozenberg, V. I.
– Symmetrically Tetrasubstituted [2.2]Paracyclophanes: Their Systematization and Regioselective Synthesis of Several Types of Bis-Bifunctional Derivatives by Double Electrophilic Substitution (F) 4600–4617
DOI: 10.1002/chem.200701683
- Ruan, J. (F) 5555–5566
- Ruangsupapichat, N. (F) 11183–11193
- Rubini, K. (F) 10149–10159
- Rubinstein, I. (F) 10999–11009
- Rudick, J. G. (F) 909–918, 3355–3362
- Rudiger, S. (F) 6205–6212
- Rudolph, A. (F) 2112–2124
- Rudolph, Manfred (F) 1571–1583
- Rudolph, Matthias (F) 3703–3708, 6672–6678
- Rudra, I. (F) 11082–11091
- Rudzevich, V. (F) 3346–3354
- Rudzevich, Y.
– Stepwise Synthesis and Selective Dimerisation of Bis- and Trisloop Tetra-urea Calix[4]arenes (F) 3346–3354
DOI: 10.1002/chem.200701694
- Rüegger, H. (F) 5918–5934
- Rueping, M.
– Asymmetric Organocatalysis: An Efficient Enantioselective Access to Benzopyranes and Chromenes (S) 6329–6332
DOI: 10.1002/chem.200800836
- Rüffer, T. (F) 4948–4960
- Rühl, S. (F) 895–901
- Ruhland, K. (S) 4479–4483
- Ruijter, E. (F) 4961–4973
- Ruiz, E. Corrigendum: 1377
- Ruiz, E.
– Structure, Magnetic Properties, Polarized Neutron Diffraction, and Theoretical Study of a Copper(II) Cubane (F) 9540–9548
DOI: 10.1002/chem.200800557
- Ruiz, J. (F) 2112–2124
- Ruiz, N. (F) 9357–9367
- Ruiz-Cabello, J.
– A New Method for the Rapid Synthesis of Water Stable Superparamagnetic Nanoparticles (S) 9126–9130
DOI: 10.1002/chem.200800755
- Ruiz-González, M. L. (F) 9038–9045
- Ruiz-Martínez, A. (F) 1291–1303
- Ruiz-Molina, D.
– Catechol Derivatives as Fluorescent Chemosensors for Wide-Range pH Detection (F) 9754–9763
DOI: 10.1002/chem.200800722
- Rulišek, L.
– Molecular Design of Specific Metal-Binding Peptide Sequences from Protein Fragments: Theory and Experiment (F) 7836–7846
DOI: 10.1002/chem.200800178
- Ruml, T. (F) 7836–7846
- Runge, M. B. (F) 6780–6788
- Ruppert, A. M. (F) 2016–2024
- Rurack, K.
– A Mesoporous 3D Hybrid Material with Dual Functionality for Hg²⁺ Detection and Adsorption (F) 8267–8278
DOI: 10.1002/chem.200800632
- Squaraines as Reporter Units: Insights into their Photophysics, Protonation, and Metal-Ion Coordination Behaviour (F) 10101–10114
DOI: 10.1002/chem.200800300
- Rusch, D. (F) 4280–4286
- Russo, L. (F) 65–72, 10012–10028
- Russo, N.
– Reaction Mechanism of Molybdoenzyme Formate Dehydrogenase (F) 8674–8681
DOI: 10.1002/chem.200800906
- Ruth, K. (F) 6754–6770
- Rybak-Akimova, E. V.
– Tyrosinase-Like Reactivity in a Cu^{III}₂(μ-O)₂ Species (S) 3535–3538
DOI: 10.1002/chem.200800229
- Rybak-Akimova, E. V. (F) 8303–8311
- Ryu, J.-H. (F) 871–881, 6957–6966
- Rzepa, H. S. (F) 8507–8513



- Saá, C.
– Recent Advances in “Formal” Ruthenium-Catalyzed [2 + 2 + 2] Cycloaddition Reactions of Dienes to Alkenes

- (F) 9772–9778
DOI: 10.1002/chem.200801088
- Saalfrank, R. W.
– Enantiospecific Syntheses of Copper Cubanes, Double-Stranded Copper/Palladium Helicates, and a (Dilithium)–Dinickel Coronate from Enantiomerically Pure Bis-1,3-diketones—Solid-State Self-Organization Towards Wire-like Copper/Palladium Strands (F) 1472–1481
DOI: 10.1002/chem.200701537
- Sabaté, C. M. (F) 5756–5771
- Sadamoto, R.
– Bacterial Surface Engineering Utilizing Glucosamine Phosphate Derivatives as Cell Wall Precursor Surrogates (S) 10192–10195
DOI: 10.1002/chem.200801734
- Saeki, A. (F) 4178–4187
- Saffrich, R. (F) 8116–8130
- Sagi, A. (S) 6857–6861
- Saha, I. (F) 6192–6204
- Saielli, G. (F) 10445–10452
- Saigo, K.
– Cyclophane-Type Imidazolium Salts with Planar Chirality as a New Class of N-Heterocyclic Carbene Precursors (F) 9215–9222
DOI: 10.1002/chem.200800942
- Sailer, M. (F) 2602–2614
- Saintavit, P. (F) 7530–7535
- Sainton, J. (F) 4307–4317
- Saito, M.
– New Reactions of a Dibenzo[*a,e*]pentalene (F) 6062–6068
DOI: 10.1002/chem.200800451
- Stepwise Oxidation of the Stannole Dianion (F) 4068–4073
DOI: 10.1002/chem.200800010
- Sajiki, H.
– Efficient and Convenient Heterogeneous Palladium-Catalyzed Regioselective Deuteration at the Benzylic Position (F) 664–673
DOI: 10.1002/chem.200701147
- Facile and Convenient Method of Deuterium Gas Generation Using a Pd/C-Catalyzed H₂–D₂ Exchange Reaction and Its Application to Synthesis of Deuterium-Labeled Compounds (F) 3371–3379
DOI: 10.1002/chem.200701245
- Ligand-Free Sonogashira Coupling Reactions with Heterogeneous Pd/C as the Catalyst (F) 6994–6999
DOI: 10.1002/chem.200800387
- Partial Hydrogenation of Alkynes to *cis*-Olefins by Using a Novel Pd⁰–Polyethyleneimine Catalyst (S) 5109–5111
DOI: 10.1002/chem.200800535
- Sakai, N. (F) 1947–1953
- Sakai, R. (F) 10259–10266
- Sakai, T. (F) 2984–2993
- Sakamoto, H. (F) 2771–2776
- Sakamoto, J. (F) 10772–10781, 10797–10807
- Sakamoto, R. (F) 6978–6986
- Sakamoto, T. (F) 8904–8915
- Sakamoto, Yasuhiro (F) 6413–6420, 11423–11428
- Sakamoto, Youichi (S) 4472–4474
- Sakamoto, Yuu (F) 4178–4187
- Sakurai, J. (F) 829–837
- Salas, J. M. (F) 9890–9901
- Salatelli, E. (F) 11209–11221
- Sali, S. (F) 3137–3145
- Salmon, L. (F) 50–64
- Salomonsson, E. (F) 4233–4245
- Saloranta, T. (S) 10539–10542
- Salvadori, J. (F) 10938–10948
- Salvatella, L.
– Theoretical Insights into Enantioselective Catalysis: The Mechanism of the Kharasch–Sosnovsky Reaction (F) 9274–9285
DOI: 10.1002/chem.200800638
- Sambri, L. (S) 4788–4791
- Samec, J. S. M. (F) 2686–2692
- Sams, C. A. (F) 1710–1717
- Samuel, J. (F) 4810–4815
- Samuely, T. (F) 5794–5802
- Sanakis, Y.
– A Family of Enneanuclear Iron(II) Single-Molecule Magnets (F) 2514–2526
DOI: 10.1002/chem.200701487
- Sanaú, M. (F) 10648–10655
- Sancenón, F. (F) 8267–8278, 10101–10114
- Sánchez, C.
– Optical Properties of Hybrid Dendritic–Mesoporous Titania Nanocomposite Films (F) 7658–7669
DOI: 10.1002/chem.200800606
- Sánchez-Baeza, F. (F) 1906–1917
- Sánchez-Roselló, M. (F) 7019–7029, (S) 9868–9872
- Sander, O. (F) 9714–9729
- Sanders, J. K. M.
– Supramolecular Assemblies of Tripodal Porphyrin Hosts and C₆₀ (F) 3035–3044
DOI: 10.1002/chem.200701686
- Sanders, J. K. M. (F) 2153–2166, 9006–9019
- Sandström, M. (F) 3056–3066, 6687–6696
- Sani Soua Sido, A. (F) 6713–6721
- Sannicolò, F.
– Spider-Like Oligothiophenes (F) 459–471
DOI: 10.1002/chem.200701117
- Sano, H. (F) 2145–2152
- Santafianos, D. (F) 10683–10704
- Santamaría, C.
– Construction of Titanasiloxanes by Incorporation of Silanols to the Metal Oxide Model $[\{\text{Ti}(\eta^5\text{-C}_5\text{Me}_5)(\mu\text{-O})\}_3(\mu_3\text{-CR})]$: DFT Elucidation of the Reaction Mechanism (F) 7930–7938
DOI: 10.1002/chem.200800630
- Santiveri, C. M. (F) 488–499
- Santos, S. M. (F) 2248–2263
- Sañudo, E. C. (S) 7127–7130
- Sanz, P. (F) 4225–4232
- Sanz-Cervera, J. F. (F) 7019–7029
- Sanz-Cuesta, M. J. (F) 603–620, 621–636
- Sanz Miguel, P. J. (F) 6882–6891
- Saphier, M. (F) 5880–5889
- Sarandeses, L. A.
– Enantioselective Nickel-Catalyzed Cross-Coupling Reactions of Trialkynyl-indium Reagents with Racemic Secondary Benzyl Bromides (F) 741–746
DOI: 10.1002/chem.200701035
- Sarkar, Biprajit (F) 10816–10828
- Sarkar, Biswarup Corrigendum: 1377
- Sarma, B. K. (F) 10603–10614
- Sarmentero, M. A. (F) 7285–7295
- Sarova, G. H. (F) 3137–3145
- Sartain, F. K. (F) 4060–4067
- Sasaki, D. (F) 9215–9222
- Sasaki, S. (F) 864–870
- Sasaki, T.
– New Layered Rare-Earth Hydroxides with Anion-Exchange Properties (F) 9255–9260
DOI: 10.1002/chem.200800127
- Sasse, F. (F) 3709–3720, 11132–11140
- Satake, A.
– Construction of Giant Porphyrin Macrorings Self-Assembled from Thiophenylene-Linked Bisporphyrins for Light-Harvesting Antennae (F) 10735–10744
DOI: 10.1002/chem.200801466
- Satake, A. (F) 2827–2841
- Sato, Katsuhiko (F) 2709–2718
- Sato, Katsuko (F) 5820–5828
- Sato, T. (F) 882–885
- Satoh, M. (F) 3250–3259
- Satoh, T. (F) 10259–10266
- Satrústegui, A. (S) 4153–4156
- Savin, A. (F) 3338–3345
- Savoie, J. (F) 8690–8695
- Sawant, D. P. (F) 3200–3212
- Sayah, M. (F) 2443–2452
- Sayo, N. (F) 2060–2066
- Saywell, A. (F) 7600–7607
- Scaiano, J. C.
– Functional Macromolecules from Single-Walled Carbon Nanotubes: Synthesis and Photophysical Properties of Short Single-Walled Carbon Nanotubes Functionalised with 9,10-Diphenylanthracene (F) 5030–5038
DOI: 10.1002/chem.200800186
- Scanlan, E. M. (F) 8947–8955
- Scarabelli, G. (S) 4164–4166
- Scarpi, D. (F) 9292–9304
- Schaefer III, H. F. (F) 11149–11157
- Schaffner, S. (F) 8530–8539
- Schafmeister, C. E.
– Observation of Contraction and Expansion in a Bis(peptide)-Based Mechanical Molecular Actuator (F) 6406–6412
DOI: 10.1002/chem.200701942
- Schakel, M. (F) 1499–1507
- Schaller, H. F. (S) 3866–3868
- Schalley, C. A.
– A Modular “Toolbox” Approach to Flexible Branched Multimacrocyclic Hosts as Precursors for Multiply Interlocked Architectures (F) 10012–10028
DOI: 10.1002/chem.200801289
- How Can Rotaxanes Be Modified by Varying Functional Groups at the Axle?—A Combined Theoretical and

- Experimental Analysis of Thermochemistry and Electronic Effects (F) 1216–1227
DOI: 10.1002/chem.200700479
- Synthesis of Axially Chiral 4,4'-Bipyridines and Their Remarkably Selective Self-Assembly into Chiral Metallo-Supramolecular Squares (S) 3855–3859
DOI: 10.1002/chem.200800113
- Schanen, P. (S) 10564–10568
- Schappacher, M. (F) 1881–1890
- Scharfe, S. (S) 4479–4483
- Schätz, A. (F) 7259–7265, 8262–8266
- Scheele, U. J. (S) 5112–5115
- Scheer, M.
- Reactivity of Transition Metal–Phosphorus Triple Bonds towards Triply Bonded $[\{\text{CpMo}(\text{CO})_2\}_2]$: Formation of Heteronuclear Cluster Compounds (F) 9020–9029
DOI: 10.1002/chem.200800804
- Self-Assemblies Based on $[\text{Cp}_2\text{Mo}_2(\text{CO})_4(\mu, \eta^2\text{-P}_2)]$ —Solid-State Structure and Dynamic Behaviour in Solution (F) 282–295
DOI: 10.1002/chem.200700715
- Scheidt, E.-W. (F) 8013–8024
- Schelter, E. J. (F) 7782–7790
- Schelwies, M. (F) 6722–6733
- Schenk, K. (F) 2744–2756
- Schenning, A. P. H. J.
- Visualization of Various Supramolecular Assemblies of Oligo(*para*-phenylenevinylene)–Melamine and Perylene Bisimide (F) 8579–8589
DOI: 10.1002/chem.200800760
- Scherer, W. (F) 8013–8024
- Scheschkewitz, D.
- 1,2-Disilacyclobut-2-enes: Donor-Free Four-Membered Cyclic Silenes from Reaction of Disilenides with Vinylbromides (S) 7119–7122
DOI: 10.1002/chem.200800919
- Scheuermann, S. (F) 2590–2601
- Scheurer, A.
- Enantiospecific Syntheses of Copper Cubanes, Double-Stranded Copper/Palladium Helicates, and a (Dilithium)–Dinickel Coronate from Enantiomerically Pure Bis-1,3-diketones—Solid-State Self-Organization Towards Wire-like Copper/Palladium Strands (F) 1472–1481
DOI: 10.1002/chem.200701537
- Schibli, R.
- “Click-to-Chelate”: Design and Incorporation of Triazole-Containing Metal-Chelating Systems into Biomolecules of Diagnostic and Therapeutic Interest (F) 6173–6183
DOI: 10.1002/chem.200702024
- Schilde, U. (F) 11429–11441
- Schiltz, S. (F) 7314–7323
- Schindler, S.
- Aromatic Hydroxylation in a Copper Bis(imine) Complex Mediated by a $\mu^2\text{-}\eta^2$ Peroxo Dicopper Core: A Mechanistic Scenario (F) 9714–9729
DOI: 10.1002/chem.200800799
- Schisler, A. (F) 4511–4520
- Schlangen, M. (F) 5229–5236, 11050–11060
- Schlecker, A. (F) 9181–9191
- Schlegel, C. (F) 11158–11166
- Schlüter, A. D.
- A Rigid, Chiral, Dendronized Polymer with a Thermally Stable, Right-Handed Helical Conformation (F) 6924–6934
DOI: 10.1002/chem.200800325
- Synthesis of Compounds Presenting Three and Four Anthracene Units as Potential Connectors To Mediate Infinite Lateral Growth at the Air/Water Interface (F) 10797–10807
DOI: 10.1002/chem.200800478
- Towards a Fully Conjugated, Double-Stranded Cycle: A Mass Spectrometric and Theoretical Study (F) 1628–1637
DOI: 10.1002/chem.200701098
- Schlüter, A. D. (F) 10772–10781
- Schmaderer, H. (F) 1854–1865
- Schmidhammer, U. (S) 3866–3868
- Schmidt, B.
- The Tandem Ring-Closing Metathesis–Isomerization Approach to 6-Deoxyglycals (F) 6135–6141
DOI: 10.1002/chem.200800567
- Schmidt, K. (F) 11082–11091
- Schmidt, P. J. (F) 7892–7902
- Schmidt, T. (S) 4469–4471
- Schmidtchen, F. P.
- Addressing Association Entropy by Reconstructing Guanidinium Anchor Groups for Anion Binding: Design, Synthesis, and Host–Guest Binding Studies in Polar and Protic Solutions (F) 6098–6107
DOI: 10.1002/chem.200702036
- Cooperative Binding of Calix[4]pyrrole–Anion Complexes and Alkylammonium Cations in Halogenated Solvents (F) 7822–7827
DOI: 10.1002/chem.200800899
- Schmidts, V. (F) 5465–5481
- Schmink, J. R. (F) 9943–9950
- Schmitt, F. (F) 9046–9057
- Schmuck, C.
- Oxoanion Binding by Guanidiniocarbonylpyrrole Cations in Water: A Combined DFT and MD Investigation (F) 5207–5219
DOI: 10.1002/chem.200701745
- Schnakenburg, G. (F) 4246–4255
- Schneider, A. (F) 6882–6891
- Schnelle, W. (F) 5414–5422
- Schnick, W.
- HP- $\text{Ca}_2\text{Si}_5\text{N}_8$ —A New High-Pressure Nitridosilicate: Synthesis, Structure, Luminescence, and DFT Calculations (F) 7892–7902
DOI: 10.1002/chem.200800602
- Precursor Approach to Lanthanide Dioxo Monocarbodiimides $\text{Ln}_2\text{O}_2\text{CN}_2$ ($\text{Ln} = \text{Y}, \text{Ho}, \text{Er}, \text{Yb}$) by Insertion of CO_2 into Organometallic $\text{Ln}-\text{N}$ Compounds (F) 1524–1531
DOI: 10.1002/chem.200701310
- Schnölzer, M. (F) 8116–8130
- Schoeller, W. W.
- Tuning the Nucleophilicity in Cyclopropenylidenes (F) 4711–4718
DOI: 10.1002/chem.200701926
- Schoenfelder, A. (F) 10938–10948
- Schollhammer, P. (F) 1954–1964
- Scholtissek, M. (F) 5604–5616
- Scholz, G. (F) 11488–11499
- Schöne, N. (F) 5178–5197
- Schönmann, G. (F) 5290–5303
- Schoonheydt, R. A.
- Understanding the Reactivity and Basicity of Zeolites: A Periodic DFT Study of the Disproportionation of N_2O_4 on Alkali-Cation-Exchanged Zeolite Y (F) 5168–5177
DOI: 10.1002/chem.200701799
- Schröder, D.
- Generation and Reactivity of Enantiomeric (BINOLato)Ni⁺ Complexes with Chiral Secondary Alcohols in the Gas Phase (F) 5957–5965
DOI: 10.1002/chem.200800090
- Growth of Larger Hydrocarbons in the Ionosphere of Titan (S) 4779–4783
DOI: 10.1002/chem.200800524
- Schröder, D. (F) 2180–2188, 4318–4327, 11050–11060
- Schröder, M.
- Molecular and Electronic Structures of One-Electron Oxidized Ni^{II}–(Dithiosalicylidenediamine) Complexes: Ni^{III}–Thiolate versus Ni^{II}–Thiyl Radical States (F) 2564–2576
DOI: 10.1002/chem.200701108
- Schrodt, C. (F) 319–324
- Schroeder, M. (F) 7331–7342
- Schroeder, S. L. M. (F) 11488–11499
- Schubert, U. S.
- Synthesis, Microwave-Assisted Polymerization, and Polymer Properties of Fluorinated 2-Phenyl-2-oxazolines: A Systematic Study (F) 10396–10407
DOI: 10.1002/chem.200800671
- Schuberth, R. (F) 1304–1311
- Schuhmann, W.
- Frequency-Dependent Alternating-Current Scanning Electrochemical Microscopy (4D AC-SECM) for Local Visualisation of Corrosion Sites (F) 3968–3976
DOI: 10.1002/chem.200701861
- Schulten, C. (S) 8477–8480
- Schultz, D. (F) 7180–7185
- Schulz, B. (F) 4913–4923
- Schulz, E.
- New Chiral Lanthanide Amide Ate Complexes for the Catalysed Synthesis of Scalemic Nitrogen-Containing Heterocycles (F) 2189–2200
DOI: 10.1002/chem.200701090
- Schulz, M. D. (F) 6780–6788
- Schulze, K. (F) 2044–2051

- Schumacher, A. L. (F) 674–681
- Schumann, H.
- Synthesis, Molecular Structure and DFT Study of [(dpp-bian)Ga–M(Et₂O)₃] (M = Li, Na; dpp-bian = 1,2-bis[(2,6-diisopropylphenyl)imino]acenaphthene) (S) 8465–8468
DOI: 10.1002/chem.200801267
- Schuster, H. J. (F) 895–901
- Schütze, E. (F) 1571–1583
- Schwab, H.
- Improvement of a Stereoselective Biocatalytic Synthesis by Substrate and Enzyme Engineering: 2-Hydroxy-(4'-oxocyclohexyl)acetonitrile as the Model (F) 11415–11422
DOI: 10.1002/chem.200800609
- Schwarz, H.
- Generation and Reactivity of Enantiomeric (BINOLato)Ni⁺ Complexes with Chiral Secondary Alcohols in the Gas Phase (F) 5957–5965
DOI: 10.1002/chem.200800090
 - On the Mechanisms of Degenerate Ligand Exchange in [M(CH₃)₂]/CH₄ Couples (M = Fe, Co, Ni, Ru, Rh, Pd, Os, Ir, Pt) as Explored by Mass Spectrometric and Computational Studies: Oxidative Addition/Reductive Elimination versus σ -Complex-Assisted Metathesis (F) 5229–5236
DOI: 10.1002/chem.200800029
 - “Roll-over” Cyclometalation of 2,2'-Bipyridine Platinum(II) Complexes in the Gas Phase: A Combined Experimental and Computational Study (F) 11050–11060
DOI: 10.1002/chem.200801658
- Schwarz, H. (F) 4318–4327
- Schwarz, S. (F) 7030–7041
- Schwarz, U. (F) 5414–5422
- Schwerdtfeger, P.
- The Elusive Structure of CrCl₂—A Combined Computational and Gas-Phase Electron-Diffraction Study (F) 5130–5143
DOI: 10.1002/chem.200800331
- Scott, B. L. (F) 7782–7790
- Scott, J. S. (F) 10683–10704
- Scott, N. M. (F) 158–168
- Seayad, A. M. (F) 3118–3125
- Sebti, S. M. (F) 1392–1401
- Secchi, A. (F) 98–106
- Secco, F.
- DNA Binding by a New Metallointercalator that Contains a Proflavine Group Bearing a Hanging Chelating Unit (F) 184–196
DOI: 10.1002/chem.200601855
- Sécheresse, F. (F) 3189–3199
- Seeberger, P. H.
- Automated Solid-Phase Synthesis of Protected Oligosaccharides Containing β -Mannosidic Linkages (F) 3987–3994
DOI: 10.1002/chem.200701864
- Seeliger, F. (F) 6108–6118
- Seibold, B. (F) 4393–4403
- Seidel, S. (F) 4280–4286
- Seifert, G. (S) 6597–6600
- Seifert, R. (F) 10978–10984
- Seiler, P. (F) 1430–1444, (S) 10564–10568
- Seki, Saori (F) 664–673
- Seki, Shu (F) 4178–4187
- Sekiguchi, A.
- 1,2-Disilacyclobut-2-enes: Donor-Free Four-Membered Cyclic Silenes from Reaction of Disilenides with Vinylbromides (S) 7119–7122
DOI: 10.1002/chem.200800919
- Selander, N. (F) 4800–4809
- Selig, A. (S) 4160–4163
- Sellergren, B.
- A Phosphotyrosine-Imprinted Polymer Receptor for the Recognition of Tyrosine Phosphorylated Peptides (F) 9516–9529
DOI: 10.1002/chem.200801046
- Semeraro, M. (F) 98–106, 8964–8971
- Sémeril, D.
- Highly Regioselective Hydroformylation with Hemispherical Chelators (F) 7144–7155
DOI: 10.1002/chem.200800747
- Sen, S. (F) 6534–6545
- Sengupta, P. (F) 8682–8689
- Sengupta, S. (F) 7791–7807
- Senker, J. (F) 8204–8212
- Seppelt, K.
- Systematic Reactions of [Pt(PF₃)₄] (F) 4280–4286
DOI: 10.1002/chem.200701786
- Serein-Spirau, F. (F) 4201–4213
- Sergeeva, E. V. (F) 4600–4617
- Serrano, M. D. (F) 1169–1177
- Serratrice, G.
- Vesicles to Concentrate Iron in Low-Iron Media: An Attempt to Mimic Marine Siderophores (F) 3680–3686
DOI: 10.1002/chem.200701644
- Servant, A. (F) 7059–7065
- Servi, S. (F) 4647–4656
- Sessler, J. L.
- Cooperative Binding of Calix[4]pyrrole–Anion Complexes and Alkylammonium Cations in Halogenated Solvents (F) 7822–7827
DOI: 10.1002/chem.200800899
 - *meso*-Aryl Substituted Rubyrin and Its Higher Homologues: Structural Characterization and Chemical Properties (F) 2668–2678
DOI: 10.1002/chem.200701909
 - (Pentamethylcyclopentadienyl)ruthenium π -Complexes of Metalloporphyrins: Platforms with Novel Photo- and Electrochemical Properties (S) 10206–10210
DOI: 10.1002/chem.200801748
- Sessoli, R. (F) 2034–2043, 7530–7535
- Seyfarth, L. (F) 8204–8212
- Sgarlata, V. (F) 9599–9606
- Sgobba, V. (F) 8837–8846 Corrigendum: 9810
- Sha, F. (F) 3908–3930
- Shabat, D.
- Self-Immolative Comb-Polymers: Multiple-Release of Side-Reporters by a Single Stimulus Event (S) 6857–6861
DOI: 10.1002/chem.200800917
- Shafiqul Islam, D.-M. (F) 3776–3784
- Shahi, A. R. M. (F) 7180–7185
- Shaik, S.
- A Two-State Reactivity Rationale for Counterintuitive Axial Ligand Effects on the C–H Activation Reactivity of Non-heme Fe^{IV}=O Oxidants (F) 1740–1756
DOI: 10.1002/chem.200701739
- Shaikh, M. M. (F) 6646–6655
- Shamala, N.
- Designed Peptides with Homochiral and Heterochiral Diproline Templates as Conformational Constraints (F) 6192–6204
DOI: 10.1002/chem.200702029
- Shang, D. (F) 3177–3181, (S) 10896–10899
- Shanguan, D. (F) 1769–1775
- Shanker, G. (F) 10462–10471
- Shanmugam, S. (F) 4696–4703, (S) 8776–8779
- Shao, F. (F) 8632–8639
- Shao, K.-Z. (F) 9999–10006
- Shapiro, B. (F) 344–357
- Sharma, N. D. (F) 11500–11511
- Shashkov, A. S. (F) 6184–6191
- Shavyrin, A. S. (F) 10085–10093
- Shen, D. (F) 11358–11368
- Shen, G. (F) 8374–8382
- Shen, Y. (F) 7218–7235
- Shen, Z.-L. (F) 1875–1880
- Shenderovich, I. (F) 5935–5940
- Sherrill, C. D.
- First Principles Computation of Lattice Energies of Organic Solids: The Benzene Crystal (F) 2542–2547
DOI: 10.1002/chem.200701622
- Sherrington, D. C.
- Tailored Polymer-Supported Templates in Dynamic Combinatorial Libraries: Simultaneous Selection, Amplification and Isolation of Synthetic Receptors (F) 9006–9019
DOI: 10.1002/chem.200800326
- Sherry, A. D.
- Synthesis and Relaxometric Studies of a Dendrimer-Based pH-Responsive MRI Contrast Agent (F) 7250–7258
DOI: 10.1002/chem.200800402
- Sherry, A. D. (F) 2658–2667
- Shevelkov, A. V.
- The First Silicon-Based Cationic Clathrate III with High Thermal Stability: Si_{172-x}P_xTe_y (x = 2y, y > 20) (F) 5414–5422
DOI: 10.1002/chem.200800453
- Shi, Da H. (F) 376–381
- Shi, F. (S) 8793–8797
- Shi, L. (S) 10201–10205
- Shi, Mei (F) 6892–6900
- Shi, Min
- A Gold(I)-Catalyzed Intramolecular Reaction of Propargylic/Homopropargylic Alcohols with Oxirane (F) 7011–7018
DOI: 10.1002/chem.200701954
 - Chiral Bidentate Bis(N-Heterocyclic Carbene)-Based Palladium Complexes Bearing Carboxylate Ligands: Highly Effective Catalysts for the Enantioselective

- tive Conjugate Addition of Arylboronic Acids to Cyclic Enones (F) 3759–3764
DOI: 10.1002/chem.200701982
- Gold(I)-Catalyzed Cycloisomerization of Arylvinylicyclopropenes: An Efficient Synthetic Protocol for the Construction of Indene Skeletons (S) 10219–10222
DOI: 10.1002/chem.200801370
- Lewis Acid Catalyzed Cascade Reactions of Diarylvinylicyclopropanes and 1,1,3-Triarylprop-2-yn-1-ols or Their Methyl Ethers (F) 8725–8731
DOI: 10.1002/chem.200800421
- Shi, N. (F) 6255–6259
- Shi, N.-E. (F) 1615–1620
- Shi, Weifeng (F) 319–324
- Shi, Wen (F) 4719–4724
- Shiba, Y. (F) 981–986, 3427–3433, 5803–5811
- Shibata, N. (F) 2145–2152, 5519–5527, (S) 8079–8081
- Shieh, D.-B. (F) 2956–2964
- Shigematsu, T. (F) 8892–8897
- Shigemitsu, H. (F) 4178–4187
- Shimizu, M. (S) 10192–10195
- Shimizu, S. (F) 2668–2678
- Shimizu, T. (F) 472–477
- Shimizu, Y. (F) 5001–5020, 10808–10815
- Shimojima, A.
- Self-Assembly of Alkyl-Substituted Cubic Siloxane Cages into Ordered Hybrid Materials (F) 8500–8506
DOI: 10.1002/chem.200801106
- Stable Silanetriols That Contain *tert*-Alkoxy Groups: Versatile Precursors of Siloxane-Based Nanomaterials (F) 973–980
DOI: 10.1002/chem.200700914
- Shimon, L. J. W. (F) 8183–8194, 10639–10647
- Shin, C.-C. (F) 6697–6703
- Shin, Jae-Yoon (F) 10628–10638
- Shin, Ji-Yong (S) 6044–6048
- Shin, S. K.
- Probing the Surface of Organic and Bioconjugated Nanocrystals by Using Mass Spectrometric Imaging (S) 8461–8464
DOI: 10.1002/chem.200801301
- Shinde, S. (F) 9516–9529
- Shinkai, S.
- Creation of Hierarchical Carbon Nanotube Assemblies through Alternative Packing of Complementary Semi-Artificial β -1,3-Glucan/Carbon Nanotube Composites (F) 2398–2404
DOI: 10.1002/chem.200701205
- Shinoda, S. (F) 5258–5266
- Shinohara, K.-i. (F) 864–870
- Shinokubo, H.
- Efficient Rhodium-Catalyzed Installation of Unsaturated Ester Functions onto Porphyrins: Site-Specific Heck-Type Addition versus Conjugate Addition (F) 4256–4262
DOI: 10.1002/chem.200701943
- Shinokubo, H. (F) 2668–2678
- Shirai, H. (F) 2133–2144
- Shiraishi, Y.
- A Fluorescent Molecular Switch Driven by the Input Sequence of Metal Cations: An Azamacrocyclic Ligand Containing Bipolar Anthracene Fragments (F) 259–271
DOI: 10.1002/chem.200700797
- Shiras, A.
- Natural Gum Reduced/Stabilized Gold Nanoparticles for Drug Delivery Formulations (F) 10244–10250
DOI: 10.1002/chem.200801093
- Shoji, T.
- Synthesis, Properties, and Redox Behavior of Mono-, Bis-, and Tris[1,1,4,4-tetracyano-2-(1-azulenyl)-3-butadienyl] Chromophores Binding with Benzene and Thiophene Cores (F) 8398–8408
DOI: 10.1002/chem.200701981
- Shome, A. (F) 6870–6881
- Shore, G. (F) 1351–1356, 9641–9646
- Shreeve, J. n. M.
- Energetic Ionic Liquids based on Lanthanide Nitrate Complex Anions (F) 11167–11173
DOI: 10.1002/chem.200800828
- Polycyano-Anion-Based Energetic Salts (F) 1282–1290
DOI: 10.1002/chem.200701133
- The Synthesis of Di(aminoguanidine) 5-Nitroiminotetrazolate: Some Diprotic or Monoprotic Acids as Precursors of Energetic Salts (F) 5596–5603
DOI: 10.1002/chem.200800238
- Shu, P. (F) 6413–6420
- Shu, X.-Z. (F) 5282–5289, (S) 10556–10559
- Shubina, E. S.
- Effect of the Nature of the Metal Atom on Hydrogen Bonding and Proton Transfer to [Cp* $\text{MH}_3(\text{dppe})$]: Tungsten versus Molybdenum (F) 9921–9934
DOI: 10.1002/chem.200801003
- Shum, D. (F) 4293–4306
- Shunmugam, R. (F) 3904–3907, (S) 5409–5412
- Shustova, N. B. (F) 107–121
- Shvets, O. V. (F) 10134–10140
- Si, S. (F) 5528–5537
- Sieber, A. (F) 5144–5158
- Siega, K. (F) 2557–2563, 9148–9160
- Siegbahn, P. E. M.
- A Structure-Consistent Mechanism for Dioxygen Formation in Photosystem II (F) 8290–8302
DOI: 10.1002/chem.200800445
- Siegbahn, P. E. M. (F) 2264–2276
- Siehl, H.-U.
- Gold Catalysis: Deuterated Substrates as the Key for an Experimental Insight into the Mechanism and Selectivity of the Phenol Synthesis (F) 3703–3708
DOI: 10.1002/chem.200701795
- Siemeling, U.
- Dipodal Ferrocene-Based Adsorbate Molecules for Self-Assembled Monolayers on Gold (F) 4346–4360
DOI: 10.1002/chem.200701936
- Sierra, M. A.
- Transmetalation Reactions from Fischer Carbene Complexes to Late Transition Metals: A DFT Study (F) 11222–11230
DOI: 10.1002/chem.200801378
- Siewert, I. (F) 9377–9388
- Sigel, H.
- Comparison of the Surprising Metal-Ion-Binding Properties of 5- and 6-Uracil-methylphosphonate (5Umpa²⁻ and 6Umpa²⁻) in Aqueous Solution and Crystal Structures of the Dimethyl and Di(isopropyl) Esters of H₂(6Umpa) (F) 10036–10046
DOI: 10.1002/chem.200800998
- Sigel, R. K. O.
- Comparison of the Acid-Base Properties of Ribose and 2'-Deoxyribose Nucleotides (F) 6663–6671
DOI: 10.1002/chem.200800496
- Discrimination in Metal-Ion Binding to RNA Dinucleotides with a Non-Bridging Oxygen or Sulfur in the Phosphate Diester Link (F) 3100–3109 Corrigendum: 3509
DOI: 10.1002/chem.200701491
- Silaghi-Dumitrescu, I. (F) 4542–4550
- Silla, E. (F) 596–602
- Sillanpää, R. (F) 4924–4938
- Silverman, A. P. (F) 7978–7987
- Silvi, S. (F) 98–106
- Sim, E.
- Folding of Coordination Polymers into Double-Stranded Helical Organization (F) 3883–3888
DOI: 10.1002/chem.200800056
- Simanova, A. (F) 9516–9529
- Simeonov, K. S. (F) 9585–9590
- Simkhovich, L. (F) 10839–10851
- Simon, D. (F) 7351–7357
- Simon, U.
- An Easy Single-Step Synthesis of Platinum Nanoparticles Embedded in Carbon (S) 8776–8779
DOI: 10.1002/chem.200801263
- Simón-Fuentes, A. (F) 7019–7029
- Simonnet-Jégat, C. (F) 3457–3466
- Simons, J. P.
- Conformational Choice and Selectivity in Singly and Multiply Hydrated Monosaccharides in the Gas Phase (F) 8947–8955
DOI: 10.1002/chem.200800474
- Sin, K. K. (F) 6428–6437
- Sinäy, P.
- Stereochemical Assignment and First Synthesis of the Core of Miharamycin Antibiotics (F) 10066–10073
DOI: 10.1002/chem.200801826
- Sinenkov, M. A. (F) 5440–5448
- Singh, A. K. (F) 3896–3903
- Singh, S. (F) 6421–6427
- Sini, G.
- Fluorine... and π ... Alkali Metal Interactions Control in the Stereoselective


- Amide Enolate Alkylation with Fluorinated Oxazolidines (Fox) as a Chiral Auxiliary: An Experimental and Theoretical Study (F) 3363–3370
DOI: 10.1002/chem.200701604
- Sircoglou, M. (F) 731–740
- Sironi, A. (F) 9890–9901
- Sissi, C. (F) 184–196
- Sisson, A. L. (F) 9599–9606
- Sitkowski, J. (F) 2788–2794
- Sitzmann, H. (F) 7266–7277
- Sivasankar, C. (F) 644–652
- Skonieczny, J. (F) 4861–4874
- Skrydstrup, T.
- Classical Reagents: New Surprises in Palladium-Catalyzed C–C Coupling Reactions (C) 8756–8766
DOI: 10.1002/chem.200800608
- Slattery, J. M. (F) 4488–4502
- Slawin, A. M. Z. (F) 11328–11342
- Sleiman, H. F.
- Platinum Phenanthroimidazole Complexes as G-Quadruplex DNA Selective Binders (F) 1145–1154
DOI: 10.1002/chem.200700783
- Slootweg, J. C. (F) 1499–1507
- Smaldone, R. A. (C) 2650–2657
- Smalley, K. S. M. (F) 4816–4822
- Smidrkal, J. (F) 3355–3362
- Smiglak, M. (S) 11314–11319
- Smirnova, J. (F) 6490–6497
- Smith, B. D.
- Noncovalent Keystone Interactions Controlling Biomembrane Structure (C) 1690–1697
DOI: 10.1002/chem.200701589
- Structure–Activity Relationships in Cholapod Anion Carriers: Enhanced Transmembrane Chloride Transport through Substituent Tuning (F) 9599–9606
DOI: 10.1002/chem.200801163
- Smith, C. E. (F) 3904–3907
- Smith, J. A. (S) 10535–10538
- Smith, S. C. (F) 10683–10704
- Smits, J. M. M. (S) 10932–10936
- So, A. C.-Y. (F) 6627–6639
- Sobolev, A. N. (F) 3931–3938
- Sokolov, M.
- Selective Inclusion of Cu⁺ and Ag⁺ Electron-Rich Metallic Cations within Supramolecular Polyoxometalates Based on {AsW₉O₃₃}{Mo₃S₄} Combinations (F) 3457–3466
DOI: 10.1002/chem.200701152
- Sokolov, N. I. (F) 2757–2770
- Solà, M.
- On the Mechanism of the Thermal Retrocycloaddition of Pyrrolidinofullerenes (Retro-Prato Reaction) (F) 5198–5206 Corrigendum: 5709
DOI: 10.1002/chem.200800096
- Solntsev, K. M. (F) 4503–4510
- Somers, A. Q. (F) 10683–10704
- Somfai, P.
- Total Synthesis of (+)-Alexine by Utilizing a Highly Stereoselective [3 + 2] Annulation Reaction of an *N*-Tosyl- α -Amino Aldehyde and a 1,3-Bis(silyl)propene (F) 3072–3077
DOI: 10.1002/chem.200701776
- Sommer, J.
- “Click Chemistry” in Zeolites: Copper(I) Zeolites as New Heterogeneous and Ligand-Free Catalysts for the Huisgen [3 + 2] Cycloaddition (F) 6713–6721
DOI: 10.1002/chem.200800479
- Somoza, A. (F) 7978–7987
- Song, B. (F) 1726–1739
- Song, F. (F) 3110–3117
- Song, K.-S. (F) 10297–10302
- Song, S.-Y. (F) 4093–4103
- Song, W. (F) 4906–4912
- Song, W.-G. (F) 3380–3390
- Song, Y.-F. (F) 2349–2354
- Song, Y.-H. (F) 5423–5434
- Song, Yabin (F) 4731–4740
- Song, You Corrigendum: 1377
- Song, Zhibin (S) 5751–5754
- Song, Zhiyong (F) 1814–1821
- Soós, T.
- Edge-to-Face CH/ π Aromatic Interaction and Molecular Self-Recognition in *epi*-Cinchona-Based Bifunctional Thiourea Organocatalysis (F) 6078–6086
DOI: 10.1002/chem.200800197
- Sorace, L. (F) 1804–1813, (S) 10915–10918
- Soriano, E.
- New Insights on the Mechanism of the Transition-Metal Stereoselective Olefin Cyclopropanation (F) 6771–6779
DOI: 10.1002/chem.200800305
- Sorokin, A. B.
- N-Bridged Diiron Phthalocyanine Catalyzes Oxidation of Benzene with H₂O₂ via Benzene Oxide with NIH Shift Evidenced by Using 1,3,5-[D₃]Benzene as a Probe (S) 7123–7126
DOI: 10.1002/chem.200800504
- Soto, J. (F) 8267–8278, 10101–10114
- Souard, F. (F) 2435–2442
- Sousa, M. M. (F) 8507–8513
- Spange, S.
- An Enolisable Barbiturate with Adjustable Hydrogen-Bonding Structure for UV/Vis Detection of Nucleic Acid Bases and Related Compounds (F) 9338–9346
DOI: 10.1002/chem.200800626
- Spangenberg, T. (F) 10938–10948
- Spänig, F. (F) 250–258
- Spannenberg, A. (F) 1445–1451
- Späth, A. (F) 2536–2541
- Spek, A. L. (F) 1228–1237, 1499–1507, 4899–4905, 5567–5576, 8486–8499, (S) 8803–8807
- Speranza, M.
- Modelling Amphetamine/Receptor Interactions: A Gas-Phase Study of Complexes Formed between Amphetamine and Some Chiral Amido[4]resorcinarenes (F) 3585–3595
DOI: 10.1002/chem.200701565
- Spickermann, C. (F) 1216–1227
- Spiegel, D. A. (F) 8956–8963
- Spieles, M. (F) 10101–10114
- Spies, P. (F) 333–343 Corrigendum: 779
- Spiller, M. (F) 7250–7258
- Spilling, C. D. (F) 10683–10704
- Spingler, B. (F) 6173–6183
- Spiteller, P.
- Chemical Defence Strategies of Higher Fungi (C) 9100–9110
DOI: 10.1002/chem.200800292
- Spitzlei, C. (F) 1472–1481
- Spiwok, V. (F) 4886–4898
- Splithoff, B. (F) 4657–4666
- Šponer, J. (F) 9990–9998
- Sponer, J. E.
- Theoretical Study on the Factors Controlling the Stability of the Borate Complexes of Ribose, Arabinose, Lyxose, and Xylose (F) 9990–9998
DOI: 10.1002/chem.200800961
- Spruell, J. M. (F) 4168–4177
- Srinivasan, B. (F) 7072–7081
- Srinivasu, P. (F) 3200–3212, 3553–3561
- Srivastava, A. K. (F) 4675–4688
- Srivastava, R. (S) 9507–9511
- Stadlbauer, S. (F) 2536–2541
- Stahelin, R. V. (C) 1690–1697
- Stahl, J. (F) 73–87
- Stammler, H.-G. (F) 11027–11038
- Stanca-Kaposta, E. C. (F) 8947–8955
- Stanger, A.
- Towards a Fully Conjugated, Double-Stranded Cycle: A Mass Spectrometric and Theoretical Study (F) 1628–1637
DOI: 10.1002/chem.200701098
- Staniec, P. A. (F) 7600–7607
- Stanoeva, T. (F) 7638–7647
- Starikova, Z. A. (F) 4600–4617
- Staring, A. J. P. M. (F) 4899–4905
- Stark, W. J.
- TEMPO Supported on Magnetic C/Co-Nanoparticles: A Highly Active and Recyclable Organocatalyst (F) 8262–8266
DOI: 10.1002/chem.200801001
- Stasch, A. (S) 8477–8480
- Stavitski, E. (F) 1718–1725, 11320–11327
- Stecker, F. (F) 8956–8963
- Steed, J. W.
- Anion Binding and Luminescent Sensing using Cationic Ruthenium(II) Aminopyridine Complexes (F) 7296–7305
DOI: 10.1002/chem.200800772
- Stefopoulos, A. A. (F) 8715–8724
- Stegmaier, S. (S) 4479–4483
- Steiner, U. E.
- Intramolecular Sensitization of Photocleavage of the Photolabile 2-(2-Nitrophenyl)propoxycarbonyl (NPPOC) Protecting Group: Photoproducts and Photokinetics of the Release of Nucleosides (F) 6490–6497
DOI: 10.1002/chem.200800613
- Steinreiber, J.
- De-racemization of Enantiomers versus De-epimerization of Diastereomers—Classification of Dynamic Kinetic Asymmetric Transformations (DYKAT)

- (C) 8060–8072
DOI: 10.1002/chem.200701643
- Steinrück, H.-P. (F) 9412–9418
- Stellwag, S. (F) 8972–8979
- Stelzer, F. (F) 10683–10704
- Stemmer, A. (F) 10797–10807
- Stengele, K.-P. (F) 6490–6497
- Stenne, B. (F) 8690–8695
- Stenson, P. A. (F) 2564–2576
- Stepanenko, V. (F) 11343–11357
- Stephan, G. C. (F) 644–652
- Stephens, P. J. (S) 5747–5750
- Stedel, R.
- Complexation of the Vulcanization Accelerator Tetramethylthiuram Disulfide and Related Molecules with Zinc Compounds Including Zinc Oxide Clusters (Zn_4O_4) (F) 919–932
DOI: 10.1002/chem.200701089
- Stedel, Y. (F) 919–932
- Stevens, E. D. (F) 158–168
- Štíbr, B.
- Reductive Degradation of *nido*-1- CB_8H_{12} into Smaller-Cage Carborane Systems via New Monocarbaboranes [*arachno*-5- CB_8H_{13}][−] and *closo*-2- CB_6H_8 (F) 6529–6533
DOI: 10.1002/chem.200800233
- Stillman, M. J.
- Application of MCD Spectroscopy and TD-DFT to Nonplanar Core-Modified Tetrabenzoporphyrins: Effect of Reduced Symmetry on Nonplanar Porphyrinoids (F) 5001–5020
DOI: 10.1002/chem.200701611
 - Metallobiological Necklaces: Mass Spectrometric and Molecular Modeling Study of Metallation in Concatenated Domains of Metallothionein (F) 7579–7593
DOI: 10.1002/chem.200800787
- Stivers, J. T.
- Extrahelical Damaged Base Recognition by DNA Glycosylase Enzymes (C) 786–793
DOI: 10.1002/chem.200701501
- Stochel, G.
- Interplay between Acetate Ions, Peripheral Groups, and Reactivity of the Core Nitrogens in Transmetalation of Tetrapyrroles (F) 9419–9430
DOI: 10.1002/chem.200800991
- Stock, C. (F) 3146–3153
- Stoddart, J. F.
- A One-Pot Synthesis of Constitutionally Unsymmetrical Rotaxanes Using Sequential Cu^I -Catalyzed Azide–Alkyne Cycloadditions (F) 4168–4177
DOI: 10.1002/chem.200800067
 - Polyviologen Dendrimers as Hosts and Charge-Storing Devices (F) 8365–8373
DOI: 10.1002/chem.200800773
 - Tetrathiafulvalene Radical Cation Dimerization in a Bistable Tripodal [4]Rotaxane (F) 3889–3895
DOI: 10.1002/chem.200800191
- Stöhr, M. (F) 5794–5802
- Stolarczyk, J. K.
- Quantitative Conformational Study of Redox-Active [2]Rotaxanes, Part 1: Methodology and Application to a Model [2]Rotaxane (F) 1107–1116
DOI: 10.1002/chem.200700898
 - Quantitative Conformational Study of Redox-Active [2]Rotaxanes, Part 2: Switching in Flexible and Rigid Bistable [2]Rotaxanes (F) 1117–1128
DOI: 10.1002/chem.200701384
- Stoll, I. (F) 1155–1163
- Stolle, A. (F) 6805–6814
- Stolz, D. (F) 1322–1329
- Stoncius, S. (S) 8082–8085
- Stork, T. (F) 344–357
- Stoyanov, E. S.
- IR Spectroscopic Properties of $H(MeOH)_n^+$ Clusters in the Liquid Phase: Evidence for a Proton Wire (F) 3596–3604
DOI: 10.1002/chem.200701746
 - The Basicity of Unsaturated Hydrocarbons as Probed by Hydrogen-Bond-Acceptor Ability: Bifurcated $N-H^+ \cdots \pi$ Hydrogen Bonding (F) 7880–7891
DOI: 10.1002/chem.200800337
- Stoyanova, I. V. (F) 3596–3604, 7880–7891
- Strable, E. (F) 4939–4947
- Stradiotto, M.
- Rapid Ketone Transfer Hydrogenation by Employing Simple, In Situ Prepared Iridium(I) Precatalysts Supported by “Non-N–H” P,N Ligands (F) 10388–10395
DOI: 10.1002/chem.200801530
- Stranger, R.
- Structural, Magnetic Coupling and Oxidation State Trends in Models of the $CaMn_4$ Cluster in Photosystem II (F) 5482–5494
DOI: 10.1002/chem.200701865
- Stranger, R. (F) 6119–6124
- Stranges, S. (F) 11452–11460
- Strassnig, C. (F) 7202–7211
- Stratmann, M. (F) 3968–3976
- Strauch, P. (F) 8409–8417
- Strauss, S. H.
- Synthesis, Spectroscopic and Electrochemical Characterization, and DFT Study of Seventeen $C_{70}(CF_3)_n$ Derivatives ($n = 2, 4, 6, 8, 10, 12$) (F) 107–121
DOI: 10.1002/chem.200700970
- Streb, C. (F) 8861–8868
- Strenalyuk, T. (S) 10223–10226
- Struthers, H. (F) 6173–6183
- Stryker, J. M. (F) 2499–2506
- Studer, A.
- Total Synthesis of (+)-*trans*-Dihydronarciclasine by a Catalytic Enantioselective Regiodivergent Nitroso Diels–Alder Reaction (S) 6326–6328
DOI: 10.1002/chem.200800903
- Studt, F. (F) 644–652
- Stuparu, M. (F) 1628–1637
- Su, F.-Z. (S) 7131–7135
- Su, J. (F) 11123–11131
- Su, W.-C. (F) 2956–2964
- Su, Z. (S) 10896–10899
- Su, Z.-M.
- Spontaneous Resolution of Chiral Polyoxometalate-Based Compounds Consisting of 3D Chiral Inorganic Skeletons Assembled from Different Helical Units (F) 9999–10006
DOI: 10.1002/chem.200800666
- Su, Z.-M. (F) 4093–4103
- Suárez, A. (S) 9856–9859
- Suárez, E.
- Fragmentation of Carbohydrate Anomeric Alkoxy Radicals: New Synthesis of Chiral 1-Fluoro-1-halo-1-iodoalditols (F) 6704–6712 Corrigendum: 10871
DOI: 10.1002/chem.200800734
 - Intramolecular 1,8-Hydrogen-Atom Transfer Reactions in (14)-*O*-Disaccharide Systems: Conformational and Stereochemical Requirements (F) 10369–10381
DOI: 10.1002/chem.200801414
- Subramaniam, V. (F) 2044–2051
- Sucunza, D. (S) 6862–6865
- Suda, T. (S) 6593–6596
- Sudhölter, E. J. R. (F) 7939–7950
- Suenobu, T. (F) 2709–2718
- Sugihara, H. (F) 11076–11081
- Sugikawa, K. (F) 2398–2404
- Sugimoto, A. (F) 1492–1498
- Sugimoto, H. (F) 2145–2152, (S) 5393–5396
- Sugiono, E. (S) 6329–6332
- Sugiura, Y.
- New Redesigned Zinc-Finger Proteins: Design Strategy and Its Application (C) 3236–3249
DOI: 10.1002/chem.200701320
- Sugiyama, H.
- Sequence-Specific Alkylation by Y-Shaped and Tandem Hairpin Pyrrole–Imidazole Polyamides (F) 864–870
DOI: 10.1002/chem.200700571
- Suh, M. P.
- Mixed-Ligand Metal–Organic Frameworks with Large Pores: Gas Sorption Properties and Single-Crystal-to-Single-Crystal Transformation on Guest Exchange (F) 8812–8821
DOI: 10.1002/chem.200801064
 - Multifunctional Fourfold Interpenetrating Diamondoid Network: Gas Separation and Fabrication of Palladium Nanoparticles (F) 3961–3967
DOI: 10.1002/chem.200701813
- Suizu, R. (S) 6053–6056
- Suk, J.-m. (F) 11406–11414
- Suman, M. (F) 5772–5779
- Sumby, C. J.
- Synthesis and Complexation of Multiarmed Cyclohexatriene-Type Ligands: Observation of the “Boat” and “Distorted-Cup” Conformations of a Cyclotetra-*veratrylene* Derivative (F) 4415–4425
DOI: 10.1002/chem.200701892

- Sumbly, C. J. (F) 10286–10296
- Sumpster, B. G. (F) 6614–6626, 9990–9998
- Sun, B. (F) 7072–7081
- Sun, H.-D.
- Structure Elucidation and Theoretical Investigation of Key Steps in the Biogenetic Pathway of Schisanartane Nor-triterpenoids by Using DFT Methods (F) 11584–11592
DOI: 10.1002/chem.200801092
- Sun, Hao (S) 7131–7135
- Sun, Huaxing (F) 10595–10602
- Sun, J.-H. (F) 1615–1620
- Sun, Jian
- A Highly Enantioselective Organocatalytic Method for Reduction of Aromatic *N*-Alkyl Ketimines (S) 8789–8792
DOI: 10.1002/chem.200801479
- Sun, Junliang (F) 7212–7217, 10007–10011
- Sun, Junming (C) 7478–7488
- Sun, K. (S) 5125–5129
- Sun, L.
- Photoinduced Intramolecular Charge Transfer and S₂ Fluorescence in Thiophene- π -Conjugated Donor–Acceptor Systems: Experimental and TDDFT Studies (F) 6935–6947
DOI: 10.1002/chem.200701868
- Sun, L. B. (F) 3442–3451
- Sun, M.-T. (F) 6935–6947
- Sun, Wei (F) 6342–6351
- Sun, Wendong (F) 5064–5072
- Sun, X. (F) 3380–3390
- Sunazuka, T.
- Total Synthesis and Determination of the Absolute Configuration of Guadinomines B and C₂ (F) 8220–8238
DOI: 10.1002/chem.200801024
- Sundén, H. (F) 7867–7879
- Sundermeyer, J.
- Characterization of Three Members of the Electron-Transfer Series [Fe(pda)₂]ⁿ (*n* = 2–, 1–, 0) by Spectroscopy and Density Functional Theoretical Calculations [pda = Redox Non-innocent Derivatives of *N,N'*-Bis(pentafluorophenyl)-*o*-phenylenediamide(2–, 1–, 0)] (F) 7608–7622
DOI: 10.1002/chem.200800546
- Sundin, A. (F) 4233–4245
- Sünnemann, H. W. (F) 7236–7249
- Sunoj, R. B.
- The Role of Noninnocent Solvent Molecules in Organocatalyzed Asymmetric Michael Addition Reactions (F) 10472–10485
DOI: 10.1002/chem.200800877
 - Water Catalysis in the Morita–Baylis–Hillman Reaction: A Mechanistic Perspective (S) 10530–10534
DOI: 10.1002/chem.200801822
- Suresh, C. H.
- Pyridine-Catalyzed Stereoselective Addition of Acyclic 1,2-Diones to Acetylenic Esters: Synthetic and Theoretical Studies of an Unprecedented Rearrangement (F) 5851–5860
DOI: 10.1002/chem.200800250
- Suresh, E. (F) 6967–6977
- Suriye, K. (F) 1402–1414
- Sutherland, J. D.
- The Search for a Potentially Prebiotic Synthesis of Nucleotides via Arabinose-3-phosphate and Its Cyanamide Derivative (F) 2375–2388
DOI: 10.1002/chem.200701351
- Sutherland, T. C. (F) 9878–9889
- Suzuki, J. (F) 973–980
- Suzuki, M.
- Supramolecular Gels Formed by Amphiphilic Low-Molecular-Weight Gelators of *N α ,N ϵ* -Diacyl-L-Lysine Derivatives (F) 2133–2144
DOI: 10.1002/chem.200701111
- Suzuki, Takanori
- Ultralong Carbon–Carbon Bonds in Dispirobis(10-methylacridan) Derivatives with an Acenaphthene, Pyracene, or Dihydropyrycene Skeleton (F) 5780–5793
DOI: 10.1002/chem.200702028
- Suzuki, Toshiyasu
- Synthesis, Structure, and Transport Property of Perfluorinated Oligofluorenes (S) 4472–4474
DOI: 10.1002/chem.200800406
- Svatoš, A. (F) 7836–7846
- Svoboda, J. (F) 1854–1865
- Sygusch, J. (F) 8521–8529
- Sykes, D. (F) 9389–9399
- Szabelski, P.
- Extended Surface Chirality for Enantio-specific Adsorption (F) 8312–8321
DOI: 10.1002/chem.200800444
- Szabó, K. J.
- Catalytic Performance of Symmetrical and Unsymmetrical Sulfur-Containing Pincer Complexes: Synthesis and Tandem Catalytic Activity of the First PCS-Pincer Palladium Complex (F) 4800–4809
DOI: 10.1002/chem.200800350
- Szadkowska, A. (F) 9330–9337
- Szombati, Z. (F) 11194–11208
- Szterenber, L. (F) 4861–4874
-
- Taarning, E. (F) 5638–5644
- Tabata, K. V. (F) 1891–1896, 3977–3986
- Tachikawa, T. (F) 1492–1498
- Tacke, R.
- Optically Active Zwitterionic $\lambda^5\text{Si}, \lambda^5\text{Si}'$ -Disilicates: Syntheses, Crystal Structures, and Behavior in Aqueous Solution (F) 4618–4630
DOI: 10.1002/chem.200701858
- Tada, M. (F) 4017–4027
- Tadaoka, H. (F) 2060–2066
- Taddei, M. (F) 10938–10948
- Tafi, A.
- Modelling Amphetamine/Receptor Interactions: A Gas-Phase Study of Complexes Formed between Amphetamine and Some Chiral Amido[4]resorcinarenes (F) 3585–3595
DOI: 10.1002/chem.200701565
- Tagawa, S. (F) 4178–4187
- Tagliabue, G. (F) 9890–9901
- Taguchi, E. (F) 5047–5056
- Tähtinen, P. (F) 10445–10452
- Tai, C. P.
- Donor–Acceptor Interactions in Red-Emitting Thienylbenzene-Branched Dendrimers with Benzothiadiazole Core (F) 11231–11241
DOI: 10.1002/chem.200801694
- Taillefer, M.
- Copper- or Iron-Catalyzed Arylation of Phenols from respectively Aryl Chlorides and Aryl Iodides (S) 6037–6039
DOI: 10.1002/chem.200800436
- Tajima, T. (F) 6062–6068
- Takafuji, M. (F) 1312–1321
- Takagi, A. (F) 582–595
- Takahashi, Hidetoshi (F) 8246–8261
- Takahashi, Hiroki (F) 6125–6134
- Takahata, H.
- Acceleration Effect of an Allylic Hydroxy Group on Ring-Closing Enyne Metathesis of Terminal Alkynes: Scope, Application, and Mechanistic Insights (F) 10762–10771
DOI: 10.1002/chem.200801439
- Takaishi, S.
- One-Dimensional Bromo-Bridged Ni^{III} Complexes [Ni(*S,S*-bn)₂Br]Br₂ (*S,S*-bn = 2*S,3S*-diaminobutane): Synthesis, Physical Properties, and Electrostatic Carrier Doping (F) 472–477
DOI: 10.1002/chem.200701299
- Takamura, K. (S) 7752–7755
- Takaya, H. (F) 2482–2498
- Takayanagi, S.-i. (F) 5275–5281
- Takeda, T. (F) 5780–5793
- Takenobu, T. (F) 472–477
- Takeya, T. (F) 8892–8897
- Talarmin, J.
- Electrochemical Insights into the Mechanisms of Proton Reduction by [Fe₂(CO)₆{ μ -SCH₂N(R)CH₂S}] Complexes Related to the [2Fe]_H Subsite of [FeFe]-Hydrogenase (F) 1954–1964
DOI: 10.1002/chem.200701454
- Tam, A. Y.-Y. (F) 4562–4576
- Tampé, R.
- Anchoring of Histidine-Tagged Proteins to Molecular Printboards: Self-assembly, Thermodynamic Modeling, and Patterning (F) 2044–2051
DOI: 10.1002/chem.200701478
- Tamura, R. (F) 6125–6134
- Tan, R. X.
- Cephalosol: An Antimicrobial Metabolite with an Unprecedented Skeleton from Endophytic *Cephalosporium acremonium* IFB-E007

- (F) 10670–10674
DOI: 10.1002/chem.200801000
- Hopeahainol A: An Acetylcholinesterase Inhibitor from *Hopea hainanensis* (F) 376–381
DOI: 10.1002/chem.200700960
- Tan, W.
– Cell-Specific Internalization Study of an Aptamer from Whole Cell Selection (F) 1769–1775
DOI: 10.1002/chem.200701330
- Tanabe, K.
– The pH Effect on the Naphthoquinone-Photosensitized Oxidation of 5-Methylcytosine (F) 10453–10461
DOI: 10.1002/chem.200800840
- Tanaka, H. (F) 472–477
- Tanaka, K.
– Highly Enantioselective Synthesis of *N,N*-Dialkylbenzamidates with Aryl-Carbonyl Axial Chirality by Rhodium-Catalyzed [2 + 2 + 2] Cycloaddition (S) 6593–6596
DOI: 10.1002/chem.200800953
- Tanaka, Masahiko (F) 9255–9260
- Tanaka, Masato (F) 3703–3708
- Tanaka, Takayuki (F) 204–211, 8279–8289
- Tanaka, Toshiaki (F) 8220–8238
- Tanaka, Toshiki
– Construction of a pH-Responsive Artificial Membrane Fusion System by Using Designed Coiled-Coil Polypeptides (F) 7343–7350
DOI: 10.1002/chem.200701726
- Tanase, S. (F) 11158–11166
- Tancini, F. (F) 8964–8971
- Tang, B.
– A New Nanobiosensor for Glucose with High Sensitivity and Selectivity in Serum Based on Fluorescence Resonance Energy Transfer (FRET) between CdTe Quantum Dots and Au Nanoparticles (F) 3637–3644
DOI: 10.1002/chem.200701871
- A New Route to the Considerable Enhancement of Glucose Oxidase (GOx) Activity: The Simple Assembly of a Complex from CdTe Quantum Dots and GOx, and Its Glucose Sensing (F) 9633–9640
DOI: 10.1002/chem.200800681
- Probing Hydroxyl Radicals and Their Imaging in Living Cells by Use of FAM-DNA-Au Nanoparticles (F) 522–528
DOI: 10.1002/chem.200700455
- Tang, B. Z.
– Label-Free Fluorescent Probing of G-Quadruplex Formation and Real-Time Monitoring of DNA Folding by a Quaternized Tetraphenylethene Salt with Aggregation-Induced Emission Characteristics (F) 6428–6437
DOI: 10.1002/chem.200701723
- Tang, L. (F) 871–881
- Tang, R. P.-L. Corrigendum: 2644
- Tannna, A. (F) 2482–2498
- Tao, C.-a. (F) 11358–11368
- Tao, C.-H. Corrigendum: 1377
- Tao, G.-H. (F) 11167–11173
- Tao, Y. (F) 2771–2776
- Tappe, K. Corrigendum: 3509
- Tarassishin, L. (F) 4293–4306
- Tárkányi, G.
– Edge-to-Face CH/ π Aromatic Interaction and Molecular Self-Recognition in *epi*-Cinchona-Based Bifunctional Thio-urea Organocatalysis (F) 6078–6086
DOI: 10.1002/chem.200800197
- Tasior, M. (F) 169–183
- Tatewaki, H. (F) 5258–5266
- Taubert, A.
– Uniform Metal (Hydr)Oxide Particles from Water/Ionic Liquid Precursor (ILP) Mixtures (F) 8409–8417
DOI: 10.1002/chem.200800106
- Tavasli, M. (F) 933–943
- Tchoul, M. N. (F) 8837–8846 Corrigendum: 9810
- Teat, S. J. (F) 11158–11166
- Teixidor, F. (F) 4924–4938
- Tejedor, R. M. (F) 11209–11221
- Tejel, C.
– Intervalent Bis(μ -aziridinato)M^{II}-M^I Complexes (M = Rh, Ir): Delocalized Metallo-Radicals or Delocalized Aminyl Radicals? (F) 10985–10998
DOI: 10.1002/chem.200801615
- Ligand Oxidation of a Deprotonated Bis(picoyl)amine Ir^{IV}(cod) Complex (S) 10932–10936
DOI: 10.1002/chem.200801162
- Tejel, C. (F) 1897–1905
- Teki, Y. (F) 11385–11405
- Telalovic, S. (F) 961–972
- ter Horst, B. (S) 4157–4159
- ter Wiel, M. K. J. (F) 11610–11622
- Terai, T. (F) 987–995
- Terakura, F. (F) 3250–3259
- Terasaki, O. (F) 6413–6420, 11423–11428
- Tercero, J. (F) 9540–9548
- Teruel, L. (F) 1762–1768
- Tessier, A. (F) 3363–3370
- Tew, G. N.
– A Highly Selective Colorimetric Aqueous Sensor for Mercury (F) 3904–3907
DOI: 10.1002/chem.200701895
- Terpyridine-Lanthanide Complexes Respond to Fluorophosphate Containing Nerve Gas G-Agent Surrogates (S) 5409–5412
DOI: 10.1002/chem.200800461
- Textor, M. (F) 10579–10584
- Tezuka, N. (F) 4875–4885
- Thakur, C. S. (F) 4293–4306
- Thallaj, N. K. (F) 6742–6753
- Thede, R. (F) 1445–1451
- Theis, B. (F) 4618–4630
- Therisod, M.
– Synthesis and Biochemical Evaluation of Selective Inhibitors of Class II Fructose Biphosphate Aldolases: Towards New Synthetic Antibiotics (F) 8521–8529
DOI: 10.1002/chem.200800857
- Thibon, A. (F) 3182–3188
- Thiel, J. (F) 2349–2354
- Thiel, W.
– The Electronic Structure of Iron Corroles: A Combined Experimental and Quantum Chemical Study (F) 10839–10851
DOI: 10.1002/chem.200801265
- Thiele, C. (F) 7202–7211
- Thiele, C. M.
– π -Face Donor Properties of N-Heterocyclic Carbenes in Grubbs II Complexes (F) 5465–5481
DOI: 10.1002/chem.200800139
- Thijs, H. M. L. (F) 10396–10407
- Thilgen, C. (F) 5794–5802
- Thivolle-Cazat, J. (F) 9030–9037
- Thiyagarajan, A. (C) 7738–7747
- Thomas, A.
– Ionothermal Synthesis of Crystalline, Condensed, Graphitic Carbon Nitride (F) 8177–8182
DOI: 10.1002/chem.200800190
- Thomas, C. M. (F) 5440–5448
- Thomas, D. S. (F) 6391–6405
- Thomas, J. M.
– Facile, One-Step Production of Niacin (Vitamin B₃) and Other Nitrogen-Containing Pharmaceutical Chemicals with a Single-Site Heterogeneous Catalyst (F) 2340–2348
DOI: 10.1002/chem.200701679
- Thomas, K. R. J. (F) 11231–11241
- Thompson, A. L. (S) 7525–7529
- Thompson, J. D. (F) 7782–7790
- Thorimbert, S. (F) 1532–1540
- Thouvenot, R.
– Sensing the Chirality of Dawson Lanthanide Polyoxometalates [α_1 -LnP₂W₁₇O₆₁]⁷⁻ by Multinuclear NMR Spectroscopy (F) 1532–1540
DOI: 10.1002/chem.200701429
- Tian, X. (S) 8094–8097
- Tian, Z.-J.
– Ionothermal Synthesis of Magnesium-Containing Aluminophosphate Molecular Sieves and their Catalytic Performance (S) 10551–10555
DOI: 10.1002/chem.200801383
- Tiesmeyer, I. (F) 11557–11564
- Tietze, L. F.
– Efficient Synthesis of the Structural Core of Tetracyclines by a Palladium-Catalyzed Domino Tsuji-Trost-Heck-Mizoroki Reaction (F) 2527–2535
DOI: 10.1002/chem.200701676
- Enantio- and Diastereoselective Synthesis of Duocarmycine-Based Prodrugs for a Selective Treatment of Cancer by Epoxide Opening (F) 895–901
DOI: 10.1002/chem.200700988
- Enantioselective Total Synthesis of the Oral Contraceptive Desogestrel by a Double Heck Reaction (F) 1541–1551
DOI: 10.1002/chem.200700182
- Stereoselective Synthesis of 4-Dehydroxydiversonol Employing Enantioselective Palladium-Catalysed Domino Reactions

- (F) 8956–8963
DOI: 10.1002/chem.200800967
- Synthesis of a Novel Pentagastrin-Drug Conjugate for a Targeted Tumor Therapy (F) 2811–2818
DOI: 10.1002/chem.200701521
 - Synthesis of Novel Structurally Simplified Estrogen Analogues (F) 3670–3679
DOI: 10.1002/chem.200701600
- Tillard, M. (F) 4201–4213
- Tillekeratne, L. M. V.
- Total Synthesis and Selective Activity of a New Class of Conformationally Restrained Epothilones (F) 570–581
DOI: 10.1002/chem.200701143
- Timchalk, C. (F) 9951–9959
- Timco, G. A. (F) 5144–5158
- Tobe, Y. (F) 981–986, 3427–3433, 5803–5811
- Tobisch, S.
- Is an M–N σ -Bond Insertion Route a Viable Alternative to the M=N [2 + 2] Cycloaddition Route in Intramolecular Aminoallene Hydroamination/Cyclisation Catalysed by Neutral Zirconium Bis(amido) Complexes? A Computational Mechanistic Study (F) 8590–8602
DOI: 10.1002/chem.200800750
- Todea, A. M. (F) 1186–1195
- Toffanin, S. (F) 459–471
- Togano, M. (F) 10585–10594
- Tohnai, N.
- Topological Classification and Supramolecular Chirality of 2₁-Helical Ladder-Type Hydrogen-Bond Networks Composed of Primary Ammonium Carboxylates: Bundle Control in 2₁-Helical Assemblies (F) 2984–2993
DOI: 10.1002/chem.200701709
- Tohnai, N. (F) 4178–4187
- Tojo, S. (F) 1492–1498
- Tokita, S. (F) 6125–6134
- Tokito, S. (S) 4472–4474
- Tolbert, L. M. (F) 4503–4510
- Toma, K. (F) 8169–8176
- Tomás-Gamasa, M. (S) 4792–4795
- Tomita, M. (F) 4017–4027
- Tondelier, D. (F) 4201–4213
- Tong, G. S. M. (F) 5495–5506
- Tong, H. (F) 6428–6437
- Tong, L. (F) 9633–9640
- Tong, L. H. (F) 3035–3044
- Tong, M.-L.
- Coordination Chemistry of Conformation-Flexible 1,2,3,4,5,6-Cyclohexanhexacarboxylate: Trapping Various Conformations in Metal–Organic Frameworks (F) 7218–7235
DOI: 10.1002/chem.200800430
- Tong, Z. (F) 4851–4860
- Toniolo, C.
- Synthesis and Characterisation of Helical β -Peptide Architectures that Contain (S)- β^3 -HDOPA(Crown Ether) Derivatives (F) 3154–3163
DOI: 10.1002/chem.200701360
- Tonkikh, A. K. (F) 7030–7041
- Tonner, R. (F) 3260–3272, 3273–3289, 10716–10721
- Toogood, P. L. (F) 10683–10704
- Törnroos, K. W. (F) 7266–7277, 9555–9564
- Torrent-Sucarrat, M.
- Do the Local Softness and Hardness Indicate the Softest and Hardest Regions of a Molecule? (F) 8652–8660
DOI: 10.1002/chem.200800570
- Torres, T.
- Screening Electronic Communication through *ortho*-, *meta*- and *para*-Substituted Linkers Separating Subphthalocyanines and C₆₀ (F) 7670–7679
DOI: 10.1002/chem.200800910
 - Strength Enhancement of Nanostructured Organogels through Inclusion of Phthalocyanine-Containing Complementary Organogelator Structures and In Situ Cross-Linking by Click Chemistry (F) 9261–9273
DOI: 10.1002/chem.200800714
 - Synthesis, Characterization, Molecular Structure and Theoretical Studies of Axially Fluoro-Substituted Subzaporphyrins (F) 1342–1350
DOI: 10.1002/chem.200701542
 - Synthesis and Photoinduced Electron-Transfer Properties of Phthalocyanine–[60]Fullerene Conjugates (F) 3765–3775
DOI: 10.1002/chem.200701700
- Toru, T.
- Catalytic and Highly Enantioselective Reactions of α -Sulfonyl Carbanions with Chiral Bis(oxazoline)s (F) 5519–5527
DOI: 10.1002/chem.200800221
 - Enantioselective C–C Bond Formation to Sulfonylimines through Use of the 2-Pyridinesulfonyl Group as a Novel Stereocontroller (F) 2145–2152
DOI: 10.1002/chem.200701425
 - Enantioselective Synthesis of (R)-Convolutamydine A with New *N*-Heteroarylsulfonylprolinamides (S) 8079–8081
DOI: 10.1002/chem.200800981
- Tosatti, S. (F) 10579–10584
- Toscanini, M. (F) 3630–3636
- Toscano, M. (F) 8674–8681
- Toulemonde, O. (F) 2355–2362
- Toullec, P. Y. (F) 9412–9418
- Toupet, L. (F) 7144–7155
- Toussaint, A. (F) 8530–8539
- Towrie, M. (F) 369–375, 6912–6923
- Toyota, K. (F) 8398–8408
- Trabanco, A. A. (S) 5401–5404
- Trabolsi, A. (F) 3889–3895
- Train, C. (F) 8013–8024
- Traldi, P. (F) 459–471
- Tran, D.-H. (F) 1947–1953
- Tran, L.-H. (S) 7500–7503
- Tran, N. (F) 11141–11148
- Tran, T. K. (F) 6237–6246
- Trapp, O.
- High-Throughput Kinetic Study of Hydrogenation over Palladium Nanoparticles: Combination of Reaction and Analysis (F) 4657–4666
DOI: 10.1002/chem.200701780
- Trauner, D.
- Mechanistic Investigations of the Acid-Catalyzed Cyclization of a Vinyl *ortho*-Quinone Methide (S) 5405–5408
DOI: 10.1002/chem.200800662
- Treitel, N. (F) 2067–2074
- Tressaud, A.
- Coupling Sol–Gel Synthesis and Microwave-Assisted Techniques: A New Route from Amorphous to Crystalline High-Surface-Area Aluminium Fluoride (F) 6205–6212
DOI: 10.1002/chem.200701831
- Trewin, A. (F) 4521–4532
- Trifonov, A. A.
- Bis(guanidinate) Alkoxide Complexes of Lanthanides: Synthesis, Structures and Use in Immortal and Stereoselective Ring-Opening Polymerization of Cyclic Esters (F) 5440–5448
DOI: 10.1002/chem.200800288
- Trifonov, A. A. (F) 2189–2200
- Troeger, A. (F) 8837–8846 Corrigendum: 9810
- Trombini, C. (S) 11288–11291
- Tron, T. (F) 7186–7192
- Trost, B. M.
- Dinuclear Zinc-Catalyzed Asymmetric Desymmetrization of Acyclic 2-Substituted-1,3-Propanediols: A Powerful Entry into Chiral Building Blocks (F) 7648–7657
DOI: 10.1002/chem.200800623
- Trudel, S. (F) 7156–7167
- Tsai, M.-H. (F) 5423–5434
- Tsang, D. S. (F) 886–894
- Tschierske, C.
- Distinct Columnar and Lamellar Liquid Crystalline Phases Formed by New Bolaamphiphiles with Linear and Branched Lateral Hydrocarbon Chains (F) 6352–6368
DOI: 10.1002/chem.200800141
- Tse, M. K. (F) 7687–7698, (S) 8793–8797
- Tsichlis i Spithas, N. (S) 10932–10936
- Tsuchida, E.
- Protein Nanotubes Comprised of an Alternate Layer-by-Layer Assembly Using a Polycation as an Electrostatic Glue (F) 10303–10308
DOI: 10.1002/chem.200800771
- Tsuchiya, S. (F) 8220–8238
- Tsue, H.
- Azacalix[6]arene Hexamethyl Ether: Synthesis, Structure, and Selective Uptake of Carbon Dioxide in the Solid State (F) 6125–6134
DOI: 10.1002/chem.200800502
- Tsukamoto, S. (F) 5258–5266
- Tsukube, H.
- Experimental and Theoretical Approaches Toward Anion-Responsive Tripod–Lanthanide Complexes: Mixed-

- Donor Ligand Effects on Lanthanide Complexation and Luminescence Sensing Profiles (F) 5258–5266
DOI: 10.1002/chem.200701898
- Tsakube, H. (S) 5393–5396
- Tsunashima, R. (F) 8169–8176
- Tsuzuki, T. (S) 4472–4474
- Tu, Y.-Q.
– Cross-Coupling Reaction between Alcohols through sp^3 C–H Activation Catalyzed by a Ruthenium/Lewis Acid System (S) 10201–10205
DOI: 10.1002/chem.200801317
- Tuan, H.-Y. (F) 1584–1591
- Tuchagues, J.-P. (F) 2514–2526
- Tuczek, F.
– Aromatic Hydroxylation in a Copper Bis(imine) Complex Mediated by a μ - η^2 : η^2 Peroxo Dicopper Core: A Mechanistic Scenario (F) 9714–9729
DOI: 10.1002/chem.200800799
- Energetics and Mechanism of Ammonia Synthesis through the Chatt Cycle: Conditions for a Catalytic Mode and Comparison with the Schrock Cycle (F) 644–652
DOI: 10.1002/chem.200700849
- Tulla-Puche, J.
– Protection by Conformationally Restricted Mobility: First Solid-Phase Synthesis of Triostin A (S) 4475–4478
DOI: 10.1002/chem.200800372
- Tüllmann, S. (F) 6754–6770
- Tuna, F. (F) 5144–5158
- Tuncel, D.
– pH-Triggered Dethreading–Rethreading and Switching of Cucurbit[6]uril on Bistable [3]Pseudorotaxanes and [3]Rotaxanes (F) 4110–4116
DOI: 10.1002/chem.200702003
- Tuñón, I.
– Theoretical Study of Catalytic Efficiency of a Diels–Alderase Catalytic Antibody: An Indirect Effect Produced During the Maturation Process (F) 596–602
DOI: 10.1002/chem.200700290
- Turner, P. (F) 10967–10977
- Turner, R. M. (F) 10683–10704
- Turner, Z. R. (F) 10415–10422
- Turrin, C.-O.
– Tailored Control and Optimisation of the Number of Phosphonic Acid Termini on Phosphorus-Containing Dendrimers for the Ex-Vivo Activation of Human Monocytes (F) 4836–4850
DOI: 10.1002/chem.200701063
- Turrin, C.-O. (C) 7422–7432, (F) 7658–7669
- Tutino, M. L.
– Highly Phosphorylated Core Oligosaccharide Structures from Cold-Adapted *Psychromonas arctica* (F) 9368–9376
DOI: 10.1002/chem.200800117
- Tuttle, T. (F) 10839–10851
- Tuyères, F. (F) 11385–11405
- Tvaroška, I. (F) 6087–6097
- Twamley, B. (F) 1282–1290, 5596–5603
- Tzeng, B.-C.
– Novel Single-Crystal-to-Single-Crystal Anion Exchange and Self-Assembly of Luminescent d^{10} Metal (Cd^{II} , Zn^{II} , and Cu^I) Complexes Containing C_3 -Symmetrical Ligands (F) 5237–5245
DOI: 10.1002/chem.200701852
- 
- Ubeda, M. A.
– Multifaceted Palladium Catalysts Towards the Tandem Diboration–Arylation Reactions of Alkenes (F) 10648–10655
DOI: 10.1002/chem.200800931
- Uchiyama, M.
– Development of Highly Chemoselective Bulky Zincate Complex, tBu_4ZnLi_2 : Design, Structure, and Practical Applications in Small-/Macromolecular Synthesis (F) 10348–10356
DOI: 10.1002/chem.200800536
- Silylmatalation of Alkenes (C) 1068–1078
DOI: 10.1002/chem.200701118
- Ueda, T. (S) 10192–10195
- Uemura, K.
– Zipped-Up Chain-Type Coordination Polymers: Unsymmetrical Amide-Containing Ligands Inducing β -Sheet or Helical Structures (F) 9565–9576
DOI: 10.1002/chem.200800806
- Ueno, H. (F) 1178–1185
- Ueno, M. (F) 5267–5274
- Ueno, S. (F) 3977–3986, 10808–10815
- Ugalde, J. M. (F) 8547–8554
- Uggerud, E.
– Nonpolar Dihydrogen Bonds—On a Gliding Scale from Weak Dihydrogen Interaction to Covalent H–H in Symmetric Radical Cations $[H_nE-H-H-EH_n]^+$ (F) 4028–4038
DOI: 10.1002/chem.200701613
- Ugozzoli, F.
– Self-Assembly of a Double Calix[6]arene Pseudorotaxane in Oriented Channels (F) 98–106
DOI: 10.1002/chem.200700748
- Ugozzoli, F. (F) 5772–5779
- Uhl, W.
– A Persistent Alkylaluminum Peroxide: Surprising Stability of a Molecule with Strong Reducing and Oxidizing Functions in Close Proximity (F) 3067–3071
DOI: 10.1002/chem.200701916
- *cis/trans* Isomerism of Hydroalumination and Hydrogallation Products—Reflections on Stability and Rearrangement Mechanism (F) 11557–11564
DOI: 10.1002/chem.200801257
- Ujaque, G.
– Mechanism of the Rhodium-Catalyzed Asymmetric Isomerization of Allyl-amines to Enamines (F) 3323–3329
DOI: 10.1002/chem.200701762
- Ujaque, G. (F) 8986–8994
- Ulbricht, C. (F) 10396–10407
- Ulrich, G.
– Luminescent Excited-State Intramolecular Proton-Transfer (ESIPT) Dyes Based on 4-Alkyne-Functionalized [2,2'-Bipyridine]-3,3'-diol Dyes (F) 4381–4392
DOI: 10.1002/chem.200701803
- Ulven, T.
– Selective Extraction of G-Quadruplex Ligands from a Rationally Designed Scaffold-Based Dynamic Combinatorial Library (S) 9487–9490
DOI: 10.1002/chem.200801109
- Um, I.-H.
– Analysis of Linear Free-Energy Relationships Combined with Activation Parameters Assigns a Concerted Mechanism to Alkaline Hydrolysis of X-Substituted Phenyl Diphenylphosphinates (F) 7324–7330
DOI: 10.1002/chem.200800553
- Umegawa, Y. (F) 1178–1185
- Umeyama, T. (F) 4875–4885
- Umezawa, N.
– Novel Probes Showing Specific Fluorescence Enhancement on Binding to a Hexahistidine Tag (F) 8004–8012
DOI: 10.1002/chem.200701896
- Uno, H.
– Application of MCD Spectroscopy and TD-DFT to Nonplanar Core-Modified Tetrabenzoporphyrins: Effect of Reduced Symmetry on Nonplanar Porphyrinoids (F) 5001–5020
DOI: 10.1002/chem.200701611
- Unverzagt, C.
– A Double Regio- and Stereoselective Glycosylation Strategy for the Synthesis of N-Glycans (F) 1304–1311
DOI: 10.1002/chem.200701251
- Uoyama, H. (F) 5001–5020
- Urbano, A.
– Towards Configurationally Stable [4]Helicenes: Enantioselective Synthesis of 12-Substituted 7,8-Dihydro[4]helicene Quinones (F) 603–620
DOI: 10.1002/chem.200700762
- Urbanos, F. A. (F) 10816–10828
- Uria, U. (F) 9357–9367
- Usanov, D. L. (F) 806–818
- Ustynyuk, Yu. A. (F) 9065–9073
- Usaba, K. (F) 1392–1401
- Uță, M.-M. (F) 4542–4550
- Uto, T. (F) 2067–2074
- Uttinger, K. (F) 7858–7866
- Uzunova, V. D. (F) 6069–6077





- Vadivelu, P. (F) 1004–1022
- Vaidhyanathan, R. (F) 4521–4532
- Vainiotalo, P. (F) 5220–5228, 5772–5779
- Vakulya, B. (F) 6078–6086
- Valdés, C.
- Pd-Catalyzed Cross-Coupling Reactions with Carbonyls: Application in a Very Efficient Synthesis of 4-Aryltetrahydropyridines (S) 4792–4795
DOI: 10.1002/chem.200800390
- Valdes, H. (F) 4886–4898
- Valente, C. (F) 2443–2452, 8239–8245
- Valenti, L. (F) 11593–11600
- Vallet-Regí, M. (F) 9038–9045
- Valtanoli, B. (F) 184–196
- Vân Anh, N. (F) 4974–4992
- Van Brabandt, W. (S) 6336–6340
- van Delden, R. A. (F) 11610–11622
- Van den Bergh, K. (S) 9122–9125
- van den Bos, L. J. (F) 9400–9411
- van den Brenk, A. L. (F) 4393–4403
- van den Brom, C. R. (F) 11610–11622
- van der Lee, A. (F) 1776–1783
- van der Marel, G. A.
- Stereoselective Synthesis of L-Guluronic Acid Alginates (F) 9400–9411
DOI: 10.1002/chem.200800960
- van der Pol, C. (F) 250–258
- van Eldik, R.
- Interplay between Acetate Ions, Peripheral Groups, and Reactivity of the Core Nitrogens in Transmetalation of Tetrapyrroles (F) 9419–9430
DOI: 10.1002/chem.200800991
- van Gunsteren, W. F. (F) 5039–5046
- van Koten, G. (F) 1228–1237, 4800–4809, 5567–5576
- van Lagen, B. (F) 7939–7950
- van Leeuwen, P. W. N. M.
- The Rate-Determining Step in the Rhodium–Xantphos-Catalysed Hydroformylation of 1-Octene (F) 1843–1853
DOI: 10.1002/chem.200700727
- Van Santen, R. A. (F) 5168–5177
- van Santen, R. A. (F) 4899–4905
- van Slageren, J.
- A Novel Ni₄ Complex Exhibiting Microsecond Quantum Tunneling of the Magnetization (F) 11158–11166
DOI: 10.1002/chem.200801450
- van Slageren, J. (F) 1169–1177
- van Tol, J. (F) 1186–1195
- Vance, D. (C) 7738–7747, (S) 7748–7751
- Vande Velde, C. M. L. (F) 706–713
- Vandenbussche, S. (F) 7570–7578
- Vandevyver, C. D. B.
- A Versatile Ditopic Ligand System for Sensitizing the Luminescence of Bimetallic Lanthanide Bio-Imaging Probes (F) 1726–1739
DOI: 10.1002/chem.200701357
- Varela, J. A. (F) 9772–9778
- Varga, S. (F) 6078–6086
- Varga, Z. (F) 5130–5143
- Vargas, S. (S) 9856–9859
- Varghese, B. (F) 9058–9064
- Varin, M. (S) 6606–6608
- Vasseur, J.-J. (S) 9135–9138
- Vayá, I. (S) 11284–11287
- Vázquez, P. (F) 3765–3775, 9261–9273
- Veauthier, J. M. (C) 422–431, (F) 7782–7790
- Veiga, M. L. (F) 10829–10838
- Veiros, L. F. (F) 5617–5629
- Veitch, G. E. (F) 10683–10704
- Vela, A. (S) 10232–10234
- Velázquez, S.
- Reactivity of the 4-Amino-5*H*-1,2-Oxathiole-2,2-Dioxide Heterocyclic System: A Combined Experimental and Theoretical Study (F) 9620–9632
DOI: 10.1002/chem.200800433
- Velmathi, S. (F) 3200–3212
- Velu, S. S.
- Regio- and Stereoselective Biomimetic Synthesis of Oligostilbenoid Dimers from Resveratrol Analogues: Influence of the Solvent, Oxidant, and Substitution (F) 11376–11384
DOI: 10.1002/chem.200801575
- Vendier, L. (F) 682–696
- Venkatasubbaiah, K. (F) 444–458, 7306–7313
- Ventura, B. (F) 169–183, 2976–2983, 4214–4224
- Venturi, M.
- Polyviologen Dendrimers as Hosts and Charge-Storing Devices (F) 8365–8373
DOI: 10.1002/chem.200800773
 - Shape-Persistent Macrocycles Functionalised with Coumarin Dyes: Acid-Controlled Energy- and Electron-Transfer Processes (F) 10772–10781
DOI: 10.1002/chem.200801519
- Venturi, M. (C) 26–39
- Venturini, A. (F) 513–521
- Venturini, M. (F) 184–196
- Verani, C. N.
- Interfacial Behavior and Film Patterning of Redox-Active Cationic Copper(II)-Containing Surfactants (F) 9665–9674
DOI: 10.1002/chem.200801215
- Verat, A. Y. (F) 7680–7686
- Verbiest, T. (S) 9122–9125
- Verhage, J. (F) 9516–9529
- Verma, S.
- Templated Growth of Hybrid Structures at the Peptide–Peptide Interface (F) 1415–1419
DOI: 10.1002/chem.200701736
- Vesely, J. (F) 2693–2698, 7867–7879
- Vessières, A. (F) 8195–8203
- Vest, B. (F) 5130–5143
- Vicario, J. (F) 11610–11622
- Vicario, J. L.
- Organocatalytic Enantioselective Synthesis of Highly Functionalized Polysubstituted Pyrrolidines (F) 9357–9367
DOI: 10.1002/chem.200800788
- Vicent, C.
- Sugar–Oligoamides: Bound-State Conformation and DNA Minor-Groove-Binding Description by TR-NOESY and Differential-Frequency Saturation-Transfer-Difference Experiments (F) 2435–2442
DOI: 10.1002/chem.200701103
- Vicente, R. (F) 11222–11230
- Viciano-Chumillas, M. (F) 5567–5576
- Vigalok, A.
- Metal-Mediated Formation of Carbon–Halogen Bonds (C) 5102–5108
DOI: 10.1002/chem.200701738
- Vignau, L. (F) 11328–11342
- Vilar, R.
- Cyanide Sensing with Organic Dyes: Studies in Solution and on Nanostructured Al₂O₃ Surfaces (F) 3006–3012
DOI: 10.1002/chem.200700412
- Vilela, F. (F) 9516–9529
- Villandier, N. (S) 10196–10200
- Villani, C. (S) 5747–5750
- Villavieja, M. M. (F) 10141–10148
- Vimont, A. (F) 6205–6212, 11488–11499
- Viñas, C. (F) 4924–4938
- Vincent, S. P.
- Stereoselective Glycol Fluorophosphorylation: Synthesis of ADP-2-fluorohexose, an Inhibitor of the LPS Biosynthesis (F) 9530–9539
DOI: 10.1002/chem.200801279
- Vincent, S. P. (F) 7570–7578
- Vinogradov, E. (F) 6184–6191, 10251–10258
- Vintonyak, V. V. (F) 3709–3720, 11132–11140
- Vinu, A.
- Heteropoly Acid Encapsulated SBA-15/TiO₂ Nanocomposites and Their Unusual Performance in Acid-Catalysed Organic Transformations (F) 3200–3212
DOI: 10.1002/chem.200701562
 - Three-Dimensional Mesoporous Gallosilicate with *Pm3n* Symmetry and its Unusual Catalytic Performances (F) 3553–3561
DOI: 10.1002/chem.200701946
 - Three-Dimensional Ultralarge-Pore *Ia3d* Mesoporous Silica with Various Pore Diameters and Their Application in Biomolecule Immobilization (F) 11529–11538
DOI: 10.1002/chem.200801304
- Violette, A. (F) 3874–3882
- Vittal, J. J.
- Fluorescent Magnesium(II) Coordination Polymeric Hydrogel (F) 8822–8829
DOI: 10.1002/chem.200801129
 - Solid-State Photochemical [2 + 2] Cycloaddition in a Hydrogen-Bonded Metal Complex Containing Several Parallel and Crisscross C=C bonds

- (F) 5329–5334
DOI: 10.1002/chem.200701494
- Vitze, H. (F) 2590–2601, 6754–6770
- Vlček Jr., A.
– Ultrafast Excited State Dynamics Controlling Photochemical Isomerization of *N*-Methyl-4-*[trans*-2-(4-pyridyl)ethenyl]-pyridinium Coordinated to a {Re^I(CO)₃(2,2'-bipyridine)} Chromophore (F) 6912–6923
DOI: 10.1002/chem.200800188
- Vock, C. A. (F) 3670–3679
- Vogt, D.
– Converting Unprotected Monosaccharides into Functionalised Lactols in Aqueous Media: Metal-Mediated Allylation Combined with Tandem Hydroformylation–Cyclisation (S) 10539–10542
DOI: 10.1002/chem.200801745
- Vogt, D. (F) 4899–4905, (S) 8803–8807
- Voigt, T. (F) 5794–5802
- Voit, B. (F) 7030–7041, 7997–8003
- Vojteer, N. (F) 7331–7342
- Vojtiskova, M. (F) 1330–1341
- Volkov, A. (F) 706–713
- Volmer, A. A. (F) 2465–2481
- von Berlepsch, H. (F) 11442–11451
- von Hopffgarten, M. (S) 10227–10231
- Voon, L. T. (F) 7997–8003
- Vorontsov, E. V. (F) 4600–4617
- Vorontsova, N. V. (F) 4600–4617
- Vougioukalakis, G. C. (F) 7545–7556, 9697–9705
- Vranková, K. (S) 8082–8085
- Vuillaume, D.
– Electroactive Nanorods and Nanorings Designed by Supramolecular Association of π -Conjugated Oligomers (F) 4201–4213
DOI: 10.1002/chem.200701638
- Vuillaume, D. (F) 6237–6246
- Wach, J.-Y. (F) 10579–10584
- Wada, J. (F) 3250–3259
- Wadepohl, H. (F) 5313–5328, 8131–8146, 10267–10279
- Wagenknecht, H.-A.
– Fluorescent Hydrophobic Zippers inside Duplex DNA: Interstrand Stacking of Perylene-3,4,9,10-tetracarboxylic Acid Bisimides as Artificial DNA Base Dyes (F) 6640–6645
DOI: 10.1002/chem.200800514
- Wagler, J.
– A Donor-Stabilized Silanethione or a Si-Substituted *N*-Heterocyclic Platinum Carbene? (S) 11300–11304
DOI: 10.1002/chem.200802032
- Wagler, J. (F) 3164–3176, 10058–10065
- Wagner, L. (S) 4160–4163
- Wagner, M.
– Copper Complexes of Mono- and Ditungstic [(Methylthio)methyl]borates: Missing Links and Linked Systems En Route to Copper Enzyme Models (F) 6754–6770
DOI: 10.1002/chem.200800588
- Redox-Active *p*-Quinone-Based Bis(pyrazol-1-yl)methane Ligands: Synthesis and Coordination Behaviour (F) 2590–2601
DOI: 10.1002/chem.200701615
- Wagner, S. C. (F) 11442–11451
- Wahab, I. A. (F) 11376–11384
- Wakeshima, M. (F) 5780–5793
- Wakselman, M. (F) 3154–3163
- Waldmann, H.
– Synthesis and Conformational Analysis of Stevastelin C3 Analogues and Their Activity Against the Dual-Specific Vaccinia H1-Related Phosphatase (F) 8847–8860
DOI: 10.1002/chem.200800692
- Waldmann, O. (F) 5144–5158
- Walko, M. (F) 11183–11193
- Walkowiak, J. (F) 6679–6686
- Wall, K. A. (F) 4939–4947
- Walsh, P. J. (F) 11573–11583
- Walsh, T. J. (F) 4415–4425
- Wan, C.-Q.
– Ancillary Ligands and Spectator Cations as Controlling Factors in the Construction of Coordination and Hydrogen-Bonded Networks with the *tert*-Bu-C \equiv C \supset Ag_{*n*} (*n* = 4, 5) Supramolecular Synthon (F) 10437–10444
DOI: 10.1002/chem.200800968
- Wan, L.-J.
– Mutual Responsive Hydrazone-Based Low-Molecular-Mass Organic Gelators: Probing Gelation on the Molecular Level (S) 5742–5746
DOI: 10.1002/chem.200800540
- Wang, B.-C. (S) 10551–10555
- Wang, Binghe
– Synthesis, Evaluation, and Computational Studies of Naphthalimide-Based Long-Wavelength Fluorescent Boronic Acid Reporters (F) 2795–2804
DOI: 10.1002/chem.200701785
- Wang, Bolin (F) 5974–5980
- Wang, C.-J.
– Fine-Tunable Organocatalysts Bearing Multiple Hydrogen-Bonding Donors for Construction of Adjacent Quaternary and Tertiary Stereocenters via a Michael Reaction (S) 8780–8783
DOI: 10.1002/chem.200801420
- Wang, C.-M. (F) 9223–9239
- Wang, Chao (S) 8789–8792
- Wang, Chen (F) 1205–1215
- Wang, Cheng (F) 5680–5686
- Wang, Congyang (F) 5670–5679
- Wang, D.-S. (F) 2507–2513
- Wang, E.
– [Ru(bpy)₃]²⁺-Doped Silica Nanoparticles within Layer-by-Layer Biomolecular Coatings and Their Application as a Biocompatible Electrochemiluminescent Tag Material (F) 3687–3693
DOI: 10.1002/chem.200701518
- Wang, E. (F) 4689–4695
- Wang, E.-B.
– Spontaneous Resolution of Chiral Polyoxometalate-Based Compounds Consisting of 3D Chiral Inorganic Skeletons Assembled from Different Helical Units (F) 9999–10006
DOI: 10.1002/chem.200800666
- Wang, G.
– Flutelike Porous Hematite Nanorods and Branched Nanostructures: Synthesis, Characterisation and Application for Gas-Sensing (F) 5996–6002
DOI: 10.1002/chem.200701705
- Wang, J.-Y. (S) 7760–7764
- Wang, Jian (S) 6333–6335
- Wang, Jing (F) 7218–7235
- Wang, Joseph (F) 9779–9785
- Wang, Jun (S) 4484–4486, (F) 9951–9959, (S) 10896–10899
- Wang, Junfeng (F) 2795–2804
- Wang, Ke (F) 4719–4724
- Wang, Kewei (F) 5974–5980
- Wang, Lei
– Ionothermal Synthesis of Magnesium-Containing Aluminophosphate Molecular Sieves and their Catalytic Performance (S) 10551–10555
DOI: 10.1002/chem.200801383
- Wang, Leyu (F) 5951–5956
- Wang, Lijia (S) 4796–4798
- Wang, Long (F) 10722–10726
- Wang, Lun (F) 5951–5956
- Wang, M.-Z. (F) 8353–8364
- Wang, P. (S) 10543–10546
- Wang, Qian (F) 4939–4947
- Wang, Qigang (F) 5073–5078
- Wang, Quanrui
– Organocatalytic Multicomponent α -Methylenation/Diels–Alder Reactions: A Versatile Route to Substituted Cyclohexenecarbaldehyde Derivatives (F) 5335–5345
DOI: 10.1002/chem.200800145
- Wang, S.-J. (S) 10551–10555
- Wang, Shaowu
– Efficient Construction of Tri- and Tetracyclic Heterocycles from Linear 1,6-Dienes by a Domino Reaction (F) 3110–3117
DOI: 10.1002/chem.200702035
- Wang, Shu (F) 754–763
- Wang, Shujuan (F) 4719–4724
- Wang, Suning
– Self-Assembly of N²-Modified Guanosine Derivatives: Formation of Discrete G-Octamers (F) 1196–1204
DOI: 10.1002/chem.200701411
- Wang, Sunxi (F) 1601–1606
- Wang, Wei
– Chiral Amine-Catalyzed Enantioselective Cascade Aza–Ene-Type Cyclization Reactions (S) 6333–6335
DOI: 10.1002/chem.200800829



- Self-Assembled Structures in Organogels of Amphiphilic Diblock Codendrimers (F) 3330–3337
DOI: 10.1002/chem.200701731
- Wang, Wenbei (F) 9730–9735
- Wang, X.-L. (F) 9999–10006
- Wang, X.-T. (F) 10340–10347
- Wang, Xianhong (F) 3126–3136
- Wang, Xiaochun (F) 4719–4724
- Wang, Xiaolin (S) 5751–5754
- Wang, Xin (F) 1615–1620
- Wang, Xinliang (F) 2679–2685
- Wang, Xinyan (F) 10331–10339
- Wang, Xiujun (F) 11623–11633
- Wang, Xuefeng (F) 9192–9201
- Wang, Xuejuan (F) 3026–3034
- Wang, Y.-H. (S) 9131–9134
- Wang, Ying
- Efficient CO₂ Capturer Derived from As-Synthesized MCM-41 Modified with Amine (F) 3442–3451
DOI: 10.1002/chem.200701467
- Wang, Yishan (F) 8624–8631
- Wang, Z. J. (F) 3442–3451
- Wang, Zhen (F) 11601–11609
- Wang, Zheng (F) 7847–7857
- Wang, Zhenlin (F) 4374–4380
- Wang, Zhuo (F) 8540–8546
- Wängler, B. (F) 8116–8130
- Wängler, C. (F) 8116–8130
- Wanjohi, J. M. (F) 1420–1429
- Ward, J. W. (F) 9607–9612
- Ward, M. D.
- On the Mechanism of d–f Energy Transfer in Ru^{II}/Ln^{III} and Os^{II}/Ln^{III} Dyads: Dexter-Type Energy Transfer Over a Distance of 20 Å (F) 9389–9399
DOI: 10.1002/chem.200800600
- Warren, J. E. (F) 4521–4532, 4810–4815
- Wascholowski, V. (F) 6155–6165
- Watanabe, K. (F) 829–837
- Watt, I. (F) 7579–7593
- Weber, J.-F. (F) 11376–11384
- Weber, S. K. (F) 4657–4666
- Webster, M. (F) 2615–2624
- Webster, R. D. (F) 4816–4822
- Weck, M. (F) 7306–7313
- Weckhuysen, B. M.
- Glycerol Etherification over Highly Active CaO-Based Materials: New Mechanistic Aspects and Related Colloidal Particle Formation (F) 2016–2024
DOI: 10.1002/chem.200701757
- Monitoring Transport Phenomena of Paramagnetic Metal-Ion Complexes Inside Catalyst Bodies with Magnetic Resonance Imaging (F) 2363–2374
DOI: 10.1002/chem.200700990
- Palladium-Based Telomerization of 1,3-Butadiene with Glycerol Using Methoxy-Functionalized Triphenylphosphine Ligands (F) 8995–9005
DOI: 10.1002/chem.200800792
- Space- and Time-Resolved In-situ Spectroscopy on the Coke Formation in Molecular Sieves: Methanol-to-Olefin Conversion over H-ZSM-5 and H-SAPO-34 (F) 11320–11327
DOI: 10.1002/chem.200801293
- Visualizing the Crystal Structure and Locating the Catalytic Activity of Micro- and Mesoporous ZSM-5 Zeolite Crystals by Using In Situ Optical and Fluorescence Microscopy (F) 1718–1725
DOI: 10.1002/chem.200701591
- Wedel, T. (F) 4631–4639
- Wegner, G.
- Self-Assembled Structures in Organogels of Amphiphilic Diblock Codendrimers (F) 3330–3337
DOI: 10.1002/chem.200701731
- Wegner, H. A.
- A New Gold-Catalyzed Domino Cyclization and Oxidative Coupling Reaction (S) 11310–11313
DOI: 10.1002/chem.200801848
- Wei, B. (F) 9779–9785
- Wei, H. (F) 3687–3693
- Wei, J. (S) 10543–10546
- Wei, Shiqiang (F) 10595–10602
- Wei, Siping (F) 2223–2231
- Wei, W. (F) 10340–10347
- Wei, Yen
- Templated Synthesis of Electroactive Periodic Mesoporous Organosilica Bridged with Oligoaniline (F) 2909–2917
DOI: 10.1002/chem.200701605
- Wei, Yongge
- DCC-Assisted Esterification of a Polyoxometalate-Functionalized Phenol with Carboxylic Acids (DCC: Dicyclohexylcarbodiimide) (S) 10923–10927
DOI: 10.1002/chem.200801836
- Wei, Z. (F) 4731–4740
- Weidner, T. (F) 4346–4360
- Weil, M. (F) 6149–6154
- Weiner, B. (F) 10094–10100
- Weinstain, R. (S) 6857–6861
- Weissbuch, I. (F) 10999–11009
- Weller, A. S.
- Intermolecular Alkene and Alkyne Hydroacylation with β -S-Substituted Aldehydes: Mechanistic Insight into the Role of a Hemilabile P–O–P Ligand (F) 8383–8397
DOI: 10.1002/chem.200800738
- Intramolecular Alkyl Phosphine Dehydrogenation in Cationic Rhodium Complexes of Tris(cyclopentylphosphine) (F) 1004–1022
DOI: 10.1002/chem.200700954
- Welter, R. (F) 2355–2362, 6742–6753
- Wen, Y. (F) 6789–6795
- Wen, Y.-S. (S) 7136–7139
- Wendt, K. U. (S) 7517–7520
- Weng, C.-M. (F) 4426–4434
- Weng, L. (S) 5751–5754
- Weng, X. (S) 5751–5754, (F) 9431–9441
- Wengel, J.
- Highly Fluorescent Conjugated Pyrenes in Nucleic Acid Probes: (Phenylethynyl)pyrenecarbonyl-Functionalized Locked Nucleic Acids (F) 11010–11026
DOI: 10.1002/chem.200801077
- Wenz, G.
- Recognition of Ionic Guests by Ionic β -Cyclodextrin Derivatives (F) 7202–7211
DOI: 10.1002/chem.200800295
- Werner, K. (F) 1918–1923
- Wernsdorfer, W.
- Ground Spin State Changes and 3D Networks of Exchange Coupled [Mn^{III}]₃ Single-Molecule Magnets (S) 9117–9121
DOI: 10.1002/chem.200801266
- Wernsdorfer, W. (F) 3577–3584
- Wessig, P.
- Stereoselective Synthesis of Cyclopropanes Based on a 1,2-Chirality Transfer (F) 7951–7960
DOI: 10.1002/chem.200801002
- Westcott, A. (F) 10286–10296
- Westermaier, M. (F) 1638–1647
- Wetzel, S. (F) 8847–8860
- Wexler, D. (F) 5996–6002
- Weyhermüller, T. (F) 7608–7622
- Whangbo, M.-H. (S) 10543–10546
- White, A. J. P. (F) 11593–11600
- Whitehouse, C. J. C. (S) 10905–10908
- Widenhofer, R. A.
- Recent Developments in Enantioselective Gold(I) Catalysis (C) 5382–5391
DOI: 10.1002/chem.200800219
- Wieckowska, A. (F) 7774–7781
- Wiedner, R. M. (F) 11415–11422
- Wiegand, J. M. (F) 3670–3679
- Wiegardt, K.
- Characterization of Three Members of the Electron-Transfer Series [Fe(pda)₂]ⁿ (n = 2–, 1–, 0) by Spectroscopy and Density Functional Theoretical Calculations [pda = Redox Non-innocent Derivatives of N,N'-Bis(pentafluorophenyl)-o-phenylenediamide(2–, 1–, 0)] (F) 7608–7622
DOI: 10.1002/chem.200800546
- Wielopolski, M. (F) 6379–6390
- Wiesner, B. (F) 1621–1627
- Wietor, J.-L. (F) 3035–3044
- Wijsboom, Y. H. (F) 10639–10647
- Wild, U. (F) 7813–7821
- Wildsmith, A. J. (F) 2867–2885
- Wilkinson, K. A. (S) 8798–8802
- Willans, C. E. (F) 7296–7305
- Willemsen, S. (F) 4280–4286
- Willerich, I. (S) 9112–9116
- Willermann, M. (F) 6882–6891
- Williams, D. S. (F) 4816–4822
- Williams, R. M.
- Fullerene C₆₀–Perylene-3,4:9,10-bis(dicarboximide) Light-Harvesting Dyads: Spacer-Length and Bay-Substituent Effects on Intramolecular Singlet and Triplet Energy Transfer (F) 4974–4992
DOI: 10.1002/chem.200800156
- Williamson, M. P. (F) 2788–2794
- Willis, A. (F) 10058–10065
- Willis, M. C.
- Intermolecular Alkene and Alkyne Hydroacylation with β -S-Substituted Aldehydes: Mechanistic Insight into the Role

- of a Hemilabile P–O–P Ligand
(F) 8383–8397
DOI: 10.1002/chem.200800738
- Willms, H. (F) 2719–2729
- Willner, I.
– Probing Kinase Activities by Electrochemistry, Contact-Angle Measurements, and Molecular-Force Interactions (F) 7774–7781
DOI: 10.1002/chem.200800765
- Wilmot, J. T. (F) 4293–4306
- Wilner, O. I. (F) 7774–7781
- Wilson, C. (F) 2564–2576
- Winfield, J. M. (F) 6205–6212
- Winkler, I. (S) 4160–4163
- Winkler, M.
– Mechanistic Investigations of the Acid-Catalyzed Cyclization of a Vinyl *ortho*-Quinone Methide (S) 5405–5408
DOI: 10.1002/chem.200800662
- Winnik, M. A.
– Organometallic–Polypeptide Block Copolymers: Synthesis and Self-Assembly of Poly(ferrocenyldimethylsilane)-*b*-Poly(*ε*-benzyloxycarbonyl-L-Lysine) (F) 8624–8631
DOI: 10.1002/chem.200800762
- Winpenny, R. E. P.
– Studies of Finite Molecular Chains: Synthesis, Structural, Magnetic and Inelastic Neutron Scattering Studies of Hexa- and Heptanuclear Chromium Horseshoes (F) 5144–5158
DOI: 10.1002/chem.200800227
- Winter, R. (F) 4346–4360
- Winter, R. E. K. (F) 382–396
- Wintjes, N.
– Supramolecular Synthons on Surfaces: Controlling Dimensionality and Periodicity of Tetraarylporphyrin Assemblies by the Interplay of Cyano and Alkoxy Substituents (F) 5794–5802
DOI: 10.1002/chem.200800746
- Wishart, J. F. (F) 1918–1923
- Wishkerman, S. (F) 197–203
- Wiśniewska, A. (F) 9305–9311
- Wojtczak, B. A. (F) 10675–10682
- Wolak, M. (F) 9419–9430
- Wolf, C.
– One-Pot Oxidative Esterification and Amidation of Aldehydes (R) 6302–6315 Corrigendum: 9463
DOI: 10.1002/chem.200800353
- Wolf, R. (F) 4511–4520
- Wolfe, A. L. (F) 10745–10761
- Wolfert, M. A. (F) 558–569
- Wolffs, M. (F) 8579–8589
- Wölflé, T. (F) 3765–3775
- Wöll, D.
– Intramolecular Sensitization of Photocleavage of the Photolabile 2-(2-Nitrophenyl)propoxycarbonyl (NPOC) Protecting Group: Photoproducts and Photokinetics of the Release of Nucleosides (F) 6490–6497
DOI: 10.1002/chem.200800613
- Wondimagegn, T. (F) 1004–1022
- Wong, C.-H.
– Solid-Phase Synthesis of Peptide and Glycopeptide Thioesters through Side-Chain-Anchoring Strategies (F) 3620–3629
DOI: 10.1002/chem.200701978
- Wong, E. L.-M. (F) 5495–5506
- Wong, K. M.-C. Corrigendum: 2644
- Wong, K. M.-C. (F) 4562–4576, 4577–4584, (S) 10928–10931
- Wong, K.-T. (F) 5423–5434
- Wong, K.-Y.
– A Simple and Effective Catalytic System for Epoxidation of Aliphatic Terminal Alkenes with Manganese(II) as the Catalyst (F) 7988–7996
DOI: 10.1002/chem.200800759
- Wong, L.-L.
– Desaturation of Alkylbenzenes by Cytochrome P450_{BM3} (CYP102A1) (S) 10905–10908
DOI: 10.1002/chem.200801927
- Wong, M.-K.
– Gold(I)-Catalyzed Intermolecular Hydroarylation of Alkenes with Indoles under Thermal and Microwave-Assisted Conditions (F) 8353–8364
DOI: 10.1002/chem.200800040
- Wong, M. W.
– Complexation of the Vulcanization Accelerator Tetramethylthiuram Disulfide and Related Molecules with Zinc Compounds Including Zinc Oxide Clusters (Zn₄O₄) (F) 919–932
DOI: 10.1002/chem.200701089
- Wong, W.-L. (F) 7988–7996
- Wong, W.-Y.
– Intrachain Electron and Energy Transfer in Conjugated Organometallic Oligomers and Polymers (F) 8341–8352
DOI: 10.1002/chem.200800304
- Wontcheu, J. (F) 5021–5029
- Wontorra, C. (S) 8808–8811
- Wood, A. (F) 10683–10704
- Woods, M.
– Towards the Rational Design of MRI Contrast Agents: Electron Spin Relaxation Is Largely Unaffected by the Coordination Geometry of Gadolinium(III)–DOTA-Type Complexes (F) 2658–2667
DOI: 10.1002/chem.200701747
- Woods, M. (F) 7250–7258
- Worgull, D. (S) 4160–4163
- Workentin, M. S.
– A Radical-Anion Chain Mechanism Initiated by Dissociative Electron Transfer to a Bicyclic Endoperoxide: Insight into the Fragmentation Chemistry of Neutral Biradicals and Distonic Radical Anions (F) 1698–1709
DOI: 10.1002/chem.200701740
- Woźniak, K. (F) 9330–9337
- Wu, C.-C.
– Phosphorescent Iridium(III) Complexes with Nonconjugated Cyclometalated Ligands (F) 5423–5434
DOI: 10.1002/chem.200800050
- Wu, E. L. (F) 8704–8714
- Wu, F. (F) 3110–3117
- Wu, G.
– Self-Assembly of N²-Modified Guanosine Derivatives: Formation of Discrete G-Octamers (F) 1196–1204
DOI: 10.1002/chem.200701411
- Wu, J.-Y. (S) 7136–7139
- Wu, Jinlong (F) 5538–5554
- Wu, Jishan (F) 240–249
- Wu, Jun
– Xylogranatins F–R: Antifeedants from the Chinese Mangrove, *Xylocarpus granatum*, A New Biogenetic Pathway to Tetranortriterpenoids (F) 1129–1144
DOI: 10.1002/chem.200700663
- Wu, K.
– Three-Dimensional Shape-Persistent Fluorescent Nanocages: Facile Dynamic Synthesis, Photophysical Properties, and Surface Morphologies (S) 3860–3865
DOI: 10.1002/chem.200800154
- Wu, L. (F) 9665–9674
- Wu, L.-M.
– The Structure-Controlling Solventless Synthesis and Optical Properties of Uniform Cu₂S Nanodisks (F) 11069–11075
DOI: 10.1002/chem.200801447
- Wu, M.-Y. (F) 10340–10347
- Wu, N. (F) 11601–11609
- Wu, Q. (F) 11565–11572
- Wu, Q.-S. (F) 8928–8938
- Wu, R. (S) 7765–7770
- Wu, S.
– A Core–Shell Nanoparticle Approach to Photoreversible Fluorescence Modulation of a Hydrophobic Dye in Aqueous Media (F) 4851–4860
DOI: 10.1002/chem.200701994
- Wu, T. (S) 7771–7773
- Wu, T.-C. (F) 6697–6703
- Wu, W. (F) 5981–5987
- Wu, Xiangyang (F) 6474–6482
- Wu, Xiaochun
– Well-Controlled Synthesis of Au@Pt Nanostructures by Gold-Nanorod-Seeded Growth (F) 9764–9771
DOI: 10.1002/chem.200800544
- Wu, Xiaofeng (F) 2209–2222, 7699–7715
- Wu, Xinjun (S) 8789–8792
- Wu, Y. (C) 4766–4778
- Wu, Y.-T.
– Palladium-Catalyzed Formation of Highly Substituted Naphthalenes from Arene and Alkyne Hydrocarbons (F) 6697–6703
DOI: 10.1002/chem.200800538
- Wu, Z.-J. (S) 9864–9867
- Wu, Zhen (F) 11358–11368
- Wu, Zhengcui (F) 5346–5352
- Wulff, W. D.
– Catalytic Asymmetric Aziridination with Borate Catalysts Derived from VANOL and VAPOL Ligands: Scope and Mechanistic Studies (F) 3785–3803
DOI: 10.1002/chem.200701558
- Wunderlich, D. (F) 1607–1614

- Würtele, C. (F) 9714–9729
 Würthner, F.
 – Control of H- and J-Type π Stacking by Peripheral Alkyl Chains and Self-Sorting Phenomena in Perylene Bisimide Homo- and Heteroaggregates (F) 11343–11357
 DOI: 10.1002/chem.200801454
 – Highly Fluorescent Lyotropic Mesophases and Organogels Based on J-Aggregates of Core-Twisted Perylene Bisimide Dyes (S) 8074–8078
 DOI: 10.1002/chem.200800915
 – Structure–Property Relationships for Self-Assembled Zinc Chlorin Light-Harvesting Dye Aggregates (F) 7791–7807
 DOI: 10.1002/chem.200800764
 Würthner, F. (F) 8579–8589
 Würthwein, E.-U.
 – *cis/trans* Isomerism of Hydroaluminum and Hydrogallation Products—Reflections on Stability and Rearrangement Mechanism (F) 11557–11564
 DOI: 10.1002/chem.200801257
 Wuttke, S. (F) 11488–11499
 Wyrwalski, F. (S) 8090–8093
 Wyszogrodzka, M. (F) 9202–9214
- 
- Xi, B. (F) 9786–9791
 Xi, P. (F) 2223–2231
 Xi, Z.
 – Diverse Reactions of 1,4-Dithio-1,3-dienes with Nitriles: Facile Access to Tricyclic Δ^1 -Bipyrrolines, Multiply Substituted Pyridines, Siloles, and (Z,Z)-Dienylsilanes by Tuning of Substituents on the Butadienyl Skeleton (F) 5670–5679
 DOI: 10.1002/chem.200701742
 Xia, C.
 – Modular Chiral Bidentate Phosphonites: Design, Synthesis, and Application in Catalytic Asymmetric Hydroformylation Reactions (F) 7847–7857
 DOI: 10.1002/chem.200800388
 Xia, N. (S) 6037–6039
 Xia, X.-H.
 – Hemoglobin on Phosphonic Acid Terminated Self-Assembled Monolayers at a Gold Electrode: Immobilization, Direct Electrochemistry, and Electrocatalysis (F) 10727–10734
 DOI: 10.1002/chem.200801503
 Xia, Younan
 – Facile Synthesis of Gold Nanoparticles with Narrow Size Distribution by Using AuCl or AuBr as the Precursor (F) 1584–1591
 DOI: 10.1002/chem.200701570
 Xia, Yuanzhi (F) 4361–4373
- Xiang, J. (F) 5680–5686
 Xiang, J.-F. (S) 5742–5746
 Xiang, Y. (F) 9764–9771
 Xiao, H.-Q. (F) 5282–5289
 Xiao, J.
 – A Multilateral Mechanistic Study into Asymmetric Transfer Hydrogenation in Water (F) 7699–7715
 DOI: 10.1002/chem.200800559
 – Hydrogen-Bond-Directed Catalysis: Faster, Regioselective and Cleaner Heck Arylation of Electron-Rich Olefins in Alcohols (F) 5555–5566
 DOI: 10.1002/chem.200800411
 – Rh^{III}- and Ir^{III}-Catalyzed Asymmetric Transfer Hydrogenation of Ketones in Water (F) 2209–2222
 DOI: 10.1002/chem.200701258
 Xiao, Q. (F) 1129–1144
 Xiao, W.-L. (F) 11584–11592
 Xiao, Y. (S) 8481–8485
 Xiao, Z. (F) 1769–1775
 Xie, D. Q. (F) 376–381, 10670–10674
 Xie, H. (S) 6333–6335
 Xie, S.
 – Well-Controlled Synthesis of Au@Pt Nanostructures by Gold-Nanorod-Seeded Growth (F) 9764–9771
 DOI: 10.1002/chem.200800544
 Xie, T. (F) 2507–2513, 9730–9735
 Xie, X. (F) 2976–2983
 Xie, Y.-P. (F) 4093–4103
 Xie, Yaoming (F) 11149–11157
 Xie, Yi
 – Self-Assembled Double-Shelled Ferrhydrite Hollow Spheres with a Tunable Aperture (F) 5346–5352
 DOI: 10.1002/chem.200701945
 – Surfactant-Free Synthesis of Hyperbranched Monoclinic Bismuth Vanadate and its Applications in Photocatalysis, Gas Sensing, and Lithium-Ion Batteries (F) 1601–1606
 DOI: 10.1002/chem.200701053
 Xie, Z.-Z. (F) 1561–1570
 Xin, H. (F) 9255–9260
 Xin, J. (F) 3177–3181
 Xiong, R.-G.
 – Homochiral Laminar Europium Metal–Organic Framework with Unprecedented Giant Dielectric Anisotropy (F) 3452–3456
 DOI: 10.1002/chem.200701449
 – Huge Deuterated Effect on Permittivity in a Metal–Organic Framework (F) 1164–1168
 DOI: 10.1002/chem.200701044
 Xiong, S.
 – Tetraethylenepentamine-Directed Controllable Synthesis of Wurtzite ZnSe Nanostructures with Tunable Morphology (F) 9786–9791
 DOI: 10.1002/chem.200801041
 Xiong, X.-F. (S) 8094–8097
 Xu, B.-H. (F) 9347–9356
- Xu, Bing
 – High Catalytic Activities of Artificial Peroxidases Based on Supramolecular Hydrogels That Contain Heme Models (F) 5073–5078
 DOI: 10.1002/chem.200702010
 Xu, Bo
 – On the Nature of Organoindium Intermediates: the Formation of Readily Isolable Difluoropropargylindium Reagents and their Regioselectivity Towards Electrophilic Substitutions (F) 10029–10035
 DOI: 10.1002/chem.200801367
 Xu, C.-H. (F) 6342–6351
 Xu, D. (F) 9786–9791
 Xu, G. (F) 5812–5819
 Xu, H. (F) 1273–1281
 Xu, Jia (F) 6892–6900
 Xu, Jiaqi (F) 3908–3930
 Xu, K. (F) 522–528, 3637–3644
 Xu, S. (F) 3311–3315
 Xu, W.
 – Synthesis, Characterization, and Field-Effect Transistor Properties of Carbazole-enevinylene Oligomers: From Linear to Cyclic Architectures (F) 4731–4740
 DOI: 10.1002/chem.200800008
 Xu, W. (F) 7000–7010
 Xu, X. (S) 3860–3865
 Xu, Y. (F) 3311–3315
 Xu, Y.-P. (S) 10551–10555
 Xu, Z.
 – Large-Scale Synthesis of Single-Crystalline RE₂O₃ (RE = Y, Dy, Ho, Er) Nanobelts by a Solid–Liquid-Phase Chemical Route (F) 1615–1620
 DOI: 10.1002/chem.200700808
 – Self-Assembly of Two Different Hierarchical Nanostructures on Either Side of an Organic Supramolecular Film in One Step (F) 6255–6259
 DOI: 10.1002/chem.200702032
 Xue, C. (F) 1648–1653
 Xun, G.-L. (F) 8632–8639
- 
- Yagai, S.
 – Supramolecular Polymerization and Polymorphs of Oligo(*p*-phenylene vinylene)-Functionalized Bis- and Monoureas (F) 5246–5257
 DOI: 10.1002/chem.200701782
 Yaita, T. (F) 5258–5266
 Yakutkin, V. (S) 9846–9850
 Yam, V. W.-W. Corrigendum: 1377, Corrigendum: 2644
 Yam, V. W.-W.
 – A Luminescent Trinuclear Platinum(II) Pt₃C₂ System with a “Naked” C \equiv C²⁻ Ligand That Fluctuates amongst Three Unsupported Platinum(II) Moieties

- (S) 10928–10931
DOI: 10.1002/chem.200801842
- Luminescent Alkynylplatinum(II) Complexes of 2,6-Bis(*N*-alkylbenzimidazol-2'-yl)pyridine-Type Ligands with Ready Tunability of the Nature of the Emissive States by Solvent and Electronic Property Modulation (F) 4562–4576
DOI: 10.1002/chem.200701914
 - Polyelectrolyte-Induced Self-Assembly of Positively Charged Alkynylplatinum(II)–Terpyridyl Complexes in Aqueous Media (F) 4577–4584
DOI: 10.1002/chem.200800276
- Yamada, H. (F) 10453–10461
Yamada, R. (F) 5519–5527
Yamada, S. (F) 1866–1874
Yamada, T.
– Flash Chemistry: Fast Chemical Synthesis by Using Microreactors (C) 7450–7459
DOI: 10.1002/chem.200800582
- Yamada, Y. (F) 664–673
Yamaguchi, Kazuya (F) 4104–4109, 11480–11487
Yamaguchi, Kentaro (F) 5353–5359
Yamaguchi, S. (F) 1891–1896, 3977–3986
Yamaki, D. (F) 7278–7284
Yamamoto, Y.
– Versatile Friedel–Crafts-Type Alkylation of Benzene Derivatives Using a Molybdenum Complex/*ortho*-Chloranil Catalytic System (F) 10705–10715
DOI: 10.1002/chem.200801105
- Yamashita, M.
– One-Dimensional Bromo-Bridged Ni^{III} Complexes [Ni(*S,S*-bn)₂Br]Br₂ (*S,S*-bn = 2*S,3S*-diaminobutane): Synthesis, Physical Properties, and Electrostatic Carrier Doping (F) 472–477
DOI: 10.1002/chem.200701299
- Yamazaki, S.
– Efficient Synthesis of Methylenetetrahydrofurans and Methylenepyrrolidines by Formal [3 + 2] Cycloadditions of Propargyl Substrates (C) 6026–6036
DOI: 10.1002/chem.200800195
- Yan, C.-H.
– A Fluorescent-Switch-Based Computing Platform in Defending Information Risk (F) 6342–6351
DOI: 10.1002/chem.200800576
- Spontaneous Organization of Uniform CeO₂ Nanoflowers by 3D Oriented Attachment in Hot Surfactant Solutions Monitored with an In Situ Electrical Conductance Technique (F) 3380–3390
DOI: 10.1002/chem.200701348
- Yan, H.
– Reactions of 16e CpCo Half-Sandwich Complexes Containing a Chelating 1,2-Dicarba-*closo*-dodecaborane-1,2-dichalcogenolate Ligand with Ethynylferrocene and Dimethyl Acetylenedicarboxylate (F) 9347–9356
DOI: 10.1002/chem.200801136
- Yan, H.-J. (S) 5742–5746
Yan, J. (S) 7760–7764
Yan, L. (F) 11601–11609
Yan, S. (F) 1601–1606
Yan, W. Z. (F) 10670–10674
Yan, X. (F) 5974–5980
Yanagisawa, A. (F) 882–885, 2052–2059
Yanase, T. (F) 6994–6999
Yañez, M. Corrigendum: 417
Yáñez, M.
– α,β -Unsaturated and Saturated Derivatives of Be, Mg, and Ca: Are They Carbon or Metal Acids in the Gas Phase? (F) 10423–10429
DOI: 10.1002/chem.200801012
- Bonding in Tropolone, 2-Aminotropone, and Aminotroponimine: No Evidence of Resonance-Assisted Hydrogen-Bond Effects (F) 4225–4232
DOI: 10.1002/chem.200701827
 - Strong Dissimilarities Between the Gas-Phase Acidities of Saturated and α,β -Unsaturated Boranes and the Corresponding Alanes and Gallanes (F) 2201–2208
DOI: 10.1002/chem.200701254
- Yang, D.
– Disulfide Bond Creates a Small Connecting Loop in Aminoxy Peptide Backbone (F) 10297–10302
DOI: 10.1002/chem.200800095
- Yang, F. (F) 2223–2231
Yang, G.-Y.
– Combination of Lacunary Polyoxometalates and High-Nuclear Transition Metal Clusters under Hydrothermal Conditions: IX. A Series of Novel Polyoxotungstates Sandwiched by Octa-Copper Clusters (F) 9223–9239
DOI: 10.1002/chem.200800856
- GeB₄O₉·H₂en: An Organically Templated Borogermanate with Large 12-Ring Channels Built by B₄O₉ Polyanions and GeO₄ Units: Host–Guest Symmetry and Charge Matching in Triangular-Tetrahedral Frameworks (F) 5057–5063
DOI: 10.1002/chem.200701796
 - Linking Two Distinct Layered Networks of Nanosized {Ln₁₃} and {Cu₂₄} Wheels through Isonicotinate Ligands (F) 88–97
DOI: 10.1002/chem.200700600
- Yang, Guangfu (S) 5751–5754
Yang, Guiwen (F) 522–528
Yang, Guoliang (F) 2909–2917
Yang, H. (F) 6892–6900
Yang, Jaesung (F) 582–595
Yang, Jie (F) 376–381
Yang, Jin (F) 4093–4103
Yang, Juan (F) 5996–6002
Yang, Jun (F) 4336–4345
Yang, L. (F) 2223–2231
Yang, M. (F) 3330–3337
Yang, P. (F) 151–157
Yang, S.-L. (S) 7136–7139
- Yang, Shangfeng
– The Isomers of Gadolinium Scandium Nitride Clusterfullerenes Gd_xSc_{3-x}N@C₈₀ (*x* = 1, 2) and Their Influence on Cluster Structure (F) 2084–2092
DOI: 10.1002/chem.200701598
- Yang, Sharon (F) 886–894
Yang, Shihe
– Synthesis and Characterization of a Grapevine Nanostructure Consisting of Single-Walled Carbon Nanotubes with Covalently Attached [60]Fullerene Balls (F) 5981–5987
DOI: 10.1002/chem.200701655
- Yang, T. (F) 7212–7217
Yang, X.-C.
– Photoinduced Intramolecular Charge Transfer and S₂ Fluorescence in Thiophene- π -Conjugated Donor–Acceptor Systems: Experimental and TDDFT Studies (F) 6935–6947
DOI: 10.1002/chem.200701868
- Yang, X.-J. (F) 10727–10734
Yang, Xiaoping (F) 4060–4067
Yang, Xiurong (F) 3687–3693
Yang, Y. (S) 5742–5746
Yang, Y.-L. (F) 1205–1215
Yang, Y.-Q. (S) 10888–10891
Yang, Z. (F) 5073–5078
Yannakopoulou, K.
– Synthesis, Characterization, and Remarkable Biological Properties of Cyclodextrins Bearing Guanidinoalkylamino and Aminoalkylamino Groups on Their Primary Side (F) 4188–4200
DOI: 10.1002/chem.200701650
- Yano, A. (F) 1392–1401
Yao, H. (F) 11174–11182
Yao, L.-F. (F) 8725–8731
Yao, W.-T. (F) 8928–8938
Yao, Z.-J.
– Tuning the Acyclic Ether Moiety of Anticancer Agent AA005 with Conformationally Constrained Fragments (F) 8632–8639
DOI: 10.1002/chem.200801298
- Yasunami, M. (F) 8398–8408
Yates, B. F.
– A Molecular Orbital Rationalization of Ligand Effects in N₂ Activation (F) 6119–6124
DOI: 10.1002/chem.200800235
- Ye, C. (F) 5596–5603
Ye, H.-Y. (F) 3452–3456
Ye, J. (F) 9633–9640
Ye, Q.
– Huge Deuterated Effect on Permittivity in a Metal–Organic Framework (F) 1164–1168
DOI: 10.1002/chem.200701044
- Ye, Q. (F) 3452–3456
Ye, Shengfa (F) 10839–10851
Ye, Song
– Chiral *N*-Heterocyclic Carbene-Catalyzed Formal [4 + 2] Cycloaddition of Ketenes with Enones: Highly Enantioselective Synthesis of *trans*- and *cis*- δ -Lactones

- (S) 8473–8476
DOI: 10.1002/chem.200801165
- Yeagle, G. J. (F) 1402–1414
- Yebeutchou, R. M. (F) 8964–8971
- Yeh, C.-S.
– A New Photothermal Therapeutic Agent: Core-Free Nanostructured Au_xAg_{1-x} Dendrites (F) 2956–2964
DOI: 10.1002/chem.200800114
- Yeh, C.-Y.
– Porphyrin Dimers Bridged by an Electrochemically Switchable Unit (S) 5120–5124
DOI: 10.1002/chem.200800517
- Yelamagad, C. V.
– Supramolecular Helical Fluid Columns from Self-Assembly of Homomeric Dipeptides (F) 10462–10471
DOI: 10.1002/chem.200801607
- Yenesew, A.
– Joziknipholones A and B: The First Dimeric Phenylanthraquinones, from the Roots of *Bulbine frutescens* (F) 1420–1429
DOI: 10.1002/chem.200701328
- Yeong, H. Y. (F) 7997–8003
- Yi, T. (F) 6892–6900
- Yin, G. (F) 6255–6259
- Ying, J. Y.
– Palladium Nanoclusters Supported on Propylurea-Modified Siliceous Mesocellular Foam for Coupling and Hydrogenation Reactions (F) 3118–3125
DOI: 10.1002/chem.200701361
- Ying, P. (S) 5125–5129
- Yokoyama, N. (F) 2052–2059
- Yonehara, M.
– Silylmetalation of Alkenes (C) 1068–1078
DOI: 10.1002/chem.200701118
- Yonehara, M. (F) 10348–10356
- Yoon, H.-J. (S) 8461–8464
- Yoon, M.-C. (F) 582–595
- Yoon, Z. S. (F) 582–595
- Yoshida, H. (F) 5047–5056
- Yoshida, J. (F) 10570–10578
- Yoshida, J.-i.
– Flash Chemistry: Fast Chemical Synthesis by Using Microreactors (C) 7450–7459
DOI: 10.1002/chem.200800582
- Yoshida, K.
– Synthesis of Substituted Benzenes and Phenols by Ring-Closing Olefin Metathesis (F) 8246–8261
DOI: 10.1002/chem.200800484
- Synthesis of Substituted Phenols by Using the Ring-Closing Metathesis/Isoaromatization Approach (F) 9706–9713
DOI: 10.1002/chem.200800943
- Yoshikawa, H. (S) 6053–6056
- Yoshikawa, I. (F) 2709–2718
- Yoshimura, Y. (F) 10762–10771
- Yoshioka, M. (F) 4068–4073
- You, C.-C. (F) 143–150
- You, J.
– A New Strategy for Designing Non- C_2 -Symmetric Monometallic Bifunctional Catalysts and Their Application in Enantioselective Cyanation of Aldehydes (F) 2223–2231
DOI: 10.1002/chem.200701660
- Preferential Formation of Homochiral Helical Sandwich-Shaped Architectures through the Metal-Mediated Assembly of Tris(imidazoline) Ligands with a Set of d^3 – d^{10} Transition-Metal Ions (F) 11601–11609
DOI: 10.1002/chem.200801154
- You, L. (F) 382–396, 5861–5870
- You, S.-L.
– Highly Enantioselective Friedel–Crafts Reaction of 4,7-Dihydroindoles with Imines by Chiral Phosphoric Acids: Facile Access to 2-Indolyl Methanamine Derivatives (S) 3539–3542
DOI: 10.1002/chem.200800263
- Youn, J.-H. (F) 1023–1028
- Young, C. G.
– A Mixed-Valence, Hexadecamolybdenum Cluster With an Mo^{VI} Cubane “Jewel” in a “Setting” of Five Molybdate VI -Linked Dinuclear Mo^V Units (F) 2805–2810
DOI: 10.1002/chem.200701766
- Yu, C. (F) 4577–4584
- Yu, H. (S) 8461–8464
- Yu, J.-G. (F) 4287–4292
- Yu, J.-Y. (S) 10551–10555
- Yu, K. (F) 5346–5352
- Yu, L. (F) 3637–3644
- Yu, M. (F) 6892–6900
- Yu, N. (F) 5670–5679
- Yu, Q. (F) 2771–2776
- Yu, R.
– A New Aptameric Biosensor for Cocaine Based on Surface-Enhanced Raman Scattering Spectroscopy (F) 8374–8382
DOI: 10.1002/chem.200701307
- Yu, S.-C. (F) 7066–7071
- Yu, S.-H.
– Controllable Synthesis of VSB-5 Microspheres and Microrods: Growth Mechanism and Selective Hydrogenation Catalysis (F) 4074–4081
DOI: 10.1002/chem.200701822
- Controllable Synthesis of Zinc-Substituted α - and β -Nickel Hydroxide Nanostructures and Their Collective Intrinsic Properties (F) 8928–8938
DOI: 10.1002/chem.200800458
- Yu, Xinhong
– Chiral Amine-Catalyzed Enantioselective Cascade Aza–Ene-Type Cyclization Reactions (S) 6333–6335
DOI: 10.1002/chem.200800829
- Yu, Xiuzhao (S) 8481–8485
- Yu, Y. (F) 11174–11182
- Yu, Z.-X.
– Mechanism, Regioselectivity, and the Kinetics of Phosphine-Catalyzed [3+2] Cycloaddition Reactions of Allenates and Electron-Deficient Alkenes (F) 4361–4373
DOI: 10.1002/chem.200701725
- Yuan, C.
– A Concise and First Synthesis of α -Aminophosphinates with Two Stereogenic Atoms Leading to Optically Pure α -Amino-*H*-phosphinic Acids (S) 6049–6052
DOI: 10.1002/chem.200800690
- Yuan, F. (F) 3330–3337
- Yuan, W.-C. (S) 9864–9867
- Yuasa, J. (F) 1866–1874
- Yudin, A. K.
– Stereoselective Isomerisation of *N*-Allyl Aziridines into Geometrically Stable *Z* Enamines by Using Rhodium Hydride Catalysis (F) 886–894
DOI: 10.1002/chem.200701322
- Yue, C. (F) 5538–5554
- Yue, L. (S) 9873–9877
- Yue, M. B. (F) 3442–3451
- Yuge, T. (F) 2984–2993
- Yumoto, M. (F) 2133–2144
- Yurchenko, M. E. (F) 909–918, 3355–3362
- Yurdakal, S. (F) 4640–4646



- Zabel, M. (F) 282–295
- Zabula, A. V. (F) 10716–10721
- Zacchini, S.
– Synthesis, Molecular Structure and Properties of the $[H_{6-n}Ni_{30}C_4(CO)_{34}(CdCl_2)_n]^{n-}$ ($n=3-6$) Bimetallic Carbide Carbonyl Cluster: A Model for the Growth of Noncompact Interstitial Metal Carbides (F) 1924–1934
DOI: 10.1002/chem.200701519
- Zade, S. S. (F) 6734–6741
- Zahn, A. (F) 1080–1086, 1087–1094
- Zahn, S. (F) 8980–8985
- Zaikina, J. V. (F) 5414–5422
- Zajackowski, M. (F) 5313–5328
- Zalibera, M. (F) 9960–9967
- Zanello, P. (F) 847–856, 1924–1934
- Zanotti-Gerosa, A. (F) 2209–2222
- Zanuy, D. (F) 6924–6934
- Zaragoza, G. (F) 500–512
- Zava, O. (F) 9046–9057
- Zehm, D. (F) 11429–11441
- Zeng, F. (F) 4851–4860
- Zeng, X. (F) 933–943
- Zeng, Y.-F. (S) 7127–7130
- Zeng, Z. (F) 1282–1290
- Zeuner, M. (F) 1524–1531
- Zhan, S. (F) 9020–9029
- Zhan, S.-Z. (F) 8916–8921
- Zhang, A.
– A Rigid, Chiral, Dendronized Polymer with a Thermally Stable, Right-Handed Helical Conformation (F) 6924–6934
DOI: 10.1002/chem.200800325

- High Stability of the Polyproline II Helix in Polypeptide Bottlebrushes (F) 8939–8946
DOI: 10.1002/chem.200801191
- Zhang, Chao (F) 6342–6351
- Zhang, Cuimiao (F) 4336–4345
- Zhang, D.-W.
- Disulfide Bond Creates a Small Connecting Loop in Aminoxy Peptide Backbone (F) 10297–10302
DOI: 10.1002/chem.200800095
- Zhang, Dan (F) 9431–9441
- Zhang, Dehui (S) 6049–6052
- Zhang, Deqing
- An Hg²⁺-Gated Chiral Molecular Switch Created by Using Binaphthalene Molecules with Two Anthracene Units and Two 1,3-Dithiole-2-thione (1,3-Dithiole-2-one) Units (F) 5680–5686
DOI: 10.1002/chem.200800216
- Zhang, Deqing (F) 4731–4740
- Zhang, E. (S) 10201–10205
- Zhang, G. (F) 5680–5686
- Zhang, H. W. (F) 10670–10674
- Zhang, J. Z. H.
- Selectivity of Neutral/Weakly Basic P1 Group Inhibitors of Thrombin and Trypsin by a Molecular Dynamics Study (F) 8704–8714
DOI: 10.1002/chem.200800277
- Zhang, Jian (F) 1264–1272, (S) 7771–7773, (F) 8579–8589
- Zhang, Jianhui
- Au-Induced Polyvinylpyrrolidone Aggregates with Bound Water for the Highly Shape-Selective Synthesis of Silica Nanostructures (F) 4374–4380
DOI: 10.1002/chem.200701507
- Zhang, Jie (F) 88–97, 9223–9239
- Zhang, Junliang
- Efficient Assembly of Allenes, 1,3-Dienes, and 4*H*-Pyrans by Catalytic Regioselective Nucleophilic Addition to Electron-Deficient 1,3-Conjugated Enynes (S) 8481–8485
DOI: 10.1002/chem.200801004
- One-Pot Synthesis of Fused Tricyclic Heterocycles with Quaternary Carbon Stereocenter by Sequential Pauson–Khand Reaction and Formal [3 + 3] Cycloaddition (S) 9139–9142
DOI: 10.1002/chem.200801453
- Zhang, Junyong (F) 6391–6405
- Zhang, K. (F) 2850–2856, 9764–9771
- Zhang, L. D. (F) 376–381
- Zhang, L.-P. (F) 4093–4103
- Zhang, Long (F) 1273–1281
- Zhang, Lu (F) 2894–2903
- Zhang, Miao (F) 5346–5352
- Zhang, Min (S) 10206–10210, (F) 11623–11633
- Zhang, Ming (F) 9431–9441
- Zhang, N. (F) 522–528
- Zhang, Q. (F) 11082–11091
- Zhang, R. b. (F) 2850–2856
- Zhang, Shao-Yan (F) 2507–2513
- Zhang, Shu-Yu (S) 10201–10205
- Zhang, Shudong (F) 5346–5352
- Zhang, Si (F) 1129–1144
- Zhang, Suojiang
- Biodegradable Naphthenic Acid Ionic Liquids: Synthesis, Characterization, and Quantitative Structure–Biodegradation Relationship (F) 11174–11182
DOI: 10.1002/chem.200800620
- Zhang, T. (F) 3759–3764
- Zhang, W. (F) 4913–4923
- Zhang, W.-L. (F) 1615–1620
- Zhang, W.-X. (F) 2167–2179, 5670–5679
- Zhang, X.-M.
- Highly Enantioselective Synthesis of β -Amino Acid Derivatives by the Lewis Base Catalyzed Hydrosilylation of β -Enamino Esters (S) 9864–9867
DOI: 10.1002/chem.200801582
- Zhang, XiangHua (C) 432–442
- Zhang, Xiaomei (F) 4667–4674 Corrigendum: 6288
- Zhang, Xiaoming (F) 4336–4345
- Zhang, Xiaoyang (S) 10543–10546
- Zhang, Xin (S) 8074–8078
- Zhang, Xiyun (F) 10211–10218
- Zhang, Y.-R. (S) 8473–8476
- Zhang, Y.-W.
- Spontaneous Organization of Uniform CeO₂ Nanoflowers by 3D Oriented Attachment in Hot Surfactant Solutions Monitored with an In Situ Electrical Conductance Technique (F) 3380–3390
DOI: 10.1002/chem.200701348
- Zhang, Y.-X. (S) 9131–9134
- Zhang, Yanghui (F) 558–569
- Zhang, Ye (F) 5538–5554
- Zhang, Yihe (F) 10331–10339
- Zhang, Yiqun (F) 1793–1803
- Zhang, Yu (F) 3785–3803
- Zhang, Yuexing (F) 4667–4674 Corrigendum: 6288, 7000–7010
- Zhang, Z.-H. (S) 8780–8783
- Zhang, Zijian (F) 3330–3337
- Zhang, Zongtao (F) 2909–2917
- Zhao, B. (F) 7847–7857
- Zhao, Chao (F) 5435–5439
- Zhao, Chuntao (F) 7000–7010
- Zhao, F. (F) 5670–5679
- Zhao, F.-Y. (F) 4074–4081
- Zhao, G.
- Organocatalyzed Highly Enantioselective Michael Additions of Malonates to Enones by Using Novel Primary–Secondary Diamine Catalysts (S) 10888–10891
DOI: 10.1002/chem.200801749
- Zhao, G.-J. (F) 6935–6947
- Zhao, G.-L. (F) 2693–2698, 7867–7879, 10007–10011
- Zhao, H. (F) 1164–1168, 3452–3456
- Zhao, J.-P. (S) 7127–7130
- Zhao, J.-W. (F) 9223–9239
- Zhao, L.
- Ancillary Ligands and Spectator Cations as Controlling Factors in the Construction of Coordination and Hydrogen-Bonded Networks with the *tert*-Bu-C \equiv C \supset Ag_{*n*} (*n* = 4, 5) Supramolecular Synthon (F) 10437–10444
DOI: 10.1002/chem.200800968
- Zhao, M. (F) 7193–7201
- Zhao, S.-C. (S) 10556–10559
- Zhao, T. (F) 4731–4740
- Zhao, W. (S) 9139–9142
- Zhao, Yu (F) 1601–1606
- Zhao, Yufen (F) 10722–10726
- Zharnikov, M. (F) 4346–4360
- Zheng, H.-J. (S) 9864–9867
- Zheng, L.-M.
- Hemoglobin on Phosphonic Acid Terminated Self-Assembled Monolayers at a Gold Electrode: Immobilization, Direct Electrochemistry, and Electrocatalysis (F) 10727–10734
DOI: 10.1002/chem.200801503
- Zheng, Q.
- Conformationally Restricted Dipyrromethene Boron Difluoride (BODIPY) Dyes: Highly Fluorescent, Multicolored Probes for Cellular Imaging (F) 5812–5819
DOI: 10.1002/chem.200800309
- Zheng, S.-L.
- Supramolecular Solids as a Medium for Single-Crystal-to-Single-Crystal *E/Z* Photoisomerization: Kinetic Study of the Photoreactions of Two Zn-Coordinated Tiglic Acid Molecules (F) 706–713
DOI: 10.1002/chem.200701037
- Zheng, S.-T. (F) 88–97, 5057–5063, 9223–9239
- Zheng, X.-J. (S) 3539–3542
- Zheng, Y.-T. (F) 11584–11592
- Zheng, Z. (F) 8572–8578
- Zheng, Z.-J. (S) 10556–10559
- Zhou, C. (F) 6342–6351
- Zhou, D. (S) 8473–8476
- Zhou, H. (F) 9786–9791
- Zhou, H.-P. (F) 3380–3390
- Zhou, Lei (S) 11305–11309
- Zhou, Li (S) 8789–8792
- Zhou, Lin (S) 4796–4798
- Zhou, Lingling (F) 3687–3693
- Zhou, Q. (F) 11174–11182
- Zhou, Weidong (F) 754–763
- Zhou, Weiya (F) 9764–9771
- Zhou, X.
- Cationic Metal–Corrole Complexes: Design, Synthesis, and Properties of Guanine-Quadruplex Stabilizers (F) 9431–9441
DOI: 10.1002/chem.200800835
- Synthesis and Oxidation-Induced DNA Cross-Linking Capabilities of Bis(catechol) Quaternary Ammonium Derivatives (S) 5751–5754
DOI: 10.1002/chem.200800783
- Zhou, Y. (S) 5751–5754
- Zhou, Y.-H. (F) 7193–7201
- Zhou, Z. (F) 6892–6900
- Zhou, Z.-Y. (S) 10928–10931
- Zhu, C. H. (F) 376–381
- Zhu, D.
- An Hg²⁺-Gated Chiral Molecular Switch Created by Using Binaphthalene Molecules with Two Anthracene Units and Two 1,3-Dithiole-2-thione (1,3-Dithiole-2-one) Units

- (F) 5680–5686
DOI: 10.1002/chem.200800216
- Synthesis, Characterization, and Field-Effect Transistor Properties of Carbazolevinylene Oligomers: From Linear to Cyclic Architectures
(F) 4731–4740
DOI: 10.1002/chem.200800008
- Zhu, D. (F) 754–763
- Zhu, G. (F) 311–318
- Zhu, H. (F) 5981–5987
- Zhu, H.-J.
– Structure Elucidation and Theoretical Investigation of Key Steps in the Biogenetic Pathway of Schisanartane Nortriterpenoids by Using DFT Methods
(F) 11584–11592
DOI: 10.1002/chem.200801092
- Zhu, J. H.
– Efficient CO₂ Capturer Derived from As-Synthesized MCM-41 Modified with Amine
(F) 3442–3451
DOI: 10.1002/chem.200701467
- Zhu, J.-M. (F) 1615–1620
- Zhu, Lei
– A Heteroditopic Fluoroionophoric Platform for Constructing Fluorescent Probes with Large Dynamic Ranges for Zinc Ions
(F) 2894–2903
DOI: 10.1002/chem.200701419
- Zhu, Li (S) 10923–10927
- Zhu, M.-X. (F) 9736–9746
- Zhu, N. Corrigendum: 1377, Corrigendum: 2644
- Zhu, N. (F) 4562–4576, 9736–9746
- Zhu, Q. (F) 11623–11633
- Zhu, S. S. (F) 10012–10028
- Zhu, W. (S) 10206–10210
- Zhu, X. (F) 1601–1606
- Zhu, Yin (S) 10896–10899
- Zhu, Yulin (S) 10923–10927
- Zhu, Z.-B. (S) 10219–10222
- Zhuo, L. (F) 522–528, 3637–3644
- Zia-Ullah (F) 4913–4923
- Ziaco, B. (S) 4164–4166
- Zieliński, T. (F) 838–846
- Ziessel, R.
– Energy Flow in a Purpose-Built Cascade Molecule Bearing Three Distinct Chromophores Attached to the Terminal Acceptor
(F) 11461–11473
DOI: 10.1002/chem.200801384
- Luminescent Excited-State Intramolecular Proton-Transfer (ESIPT) Dyes Based on 4-Alkyne-Functionalized [2,2'-Bipyridine]-3,3'-diol Dyes
(F) 4381–4392
DOI: 10.1002/chem.200701803
- Spectroscopic Properties of Orthometalated Platinum(II) Bipyridine Complexes Containing Various Ethynylaryl Groups
(F) 7168–7179
DOI: 10.1002/chem.200701975
- Žilková, N. (F) 10134–10140
- Zimmermann, B. (C) 7470–7477
- Zimmermann, M. (F) 7266–7277
- Zou, R. (F) 11149–11157
- Zou, S. (F) 8624–8631
- Zou, X. (F) 7212–7217
- Zou, X.-X. (F) 11123–11131
- Zou, Y. (F) 5335–5345
- Zriba, R. (F) 1482–1491
- Zu, L. (S) 6333–6335
- Zuccaccia, C. (S) 6589–6592
- Zuccaccia, D. (S) 6589–6592
- Zucchelli, M. (F) 8661–8673
- Zueva, E. (F) 3189–3199
- Zuidema, E. (F) 1843–1853, 7285–7295
- Zuillhof, H.
– Synthesis and Optical Properties of all-*trans*-Oligodiacetylenes
(F) 7939–7950
DOI: 10.1002/chem.200800241
- Zukal, A. (F) 10134–10140
- Zukalová, M. (F) 6231–6236
- Zumbrunn, C. (F) 10683–10704
- Zumpe, F. L. (F) 1322–1329
- Zürcher, S. (F) 10579–10584
- Zynek, M. (F) 3189–3199
- Zyryanov, G. (F) 8540–8546

A full Keyword Index can be found on our homepage (www.chemeurj.org) in Wiley InterScience.