

Publications of Margaret C. Etter

- (1) Kwart, H.; Latimore, M. C. Kinetic deuterium isotope criterion for concertedness. *J. Am. Chem. Soc.* 1971, 93, 3770-1.
- (2) Gougoutas, J. Z.; Chang, K. H.; Etter, M. C. Solid-state chemistry of organic polyvalent iodine compounds. VI. The crystal structure and topotactic hydrolysis of 3-oxo-3H-2,1-benzoxiodol-1-yl *o*-fluorobenzoate. *J. Solid State Chem.* 1976, 16, 283-91.
- (3) Etter, M. C. Solid-state chemistry of organic polyvalent iodine compounds. VII. The relationships between crystal packing modes, solid-state intermolecular interactions, and infrared spectra of benzoxiodole compounds. *J. Solid State Chem.* 1976, 16, 399-411.
- (4) Etter, M. C. Solid-state chemistry of organic polyvalent iodine compounds. 8. Solid-state chemistry and molecular and crystal structures of two polymorphs of 1-methoxy-1,2-benziodoxolin-3-one. *J. Am. Chem. Soc.* 1976, 98, 5326-31.
- (5) Etter, M. C. Solid-state chemistry of organic polyvalent iodine compounds. 9. Topotactic reactions of two polymorphs of 1-methoxy-1,2-benziodoxolin-3-one. *J. Am. Chem. Soc.* 1976, 98, 5331-9.
- (6) Kress, R. B.; Duesler, E. N.; Etter, M. C.; Paul, I. C.; Curtin, D. Y. Solid-state resolution of binaphthyl: crystal and molecular structures of the chiral (A)¹ form and racemic (B)¹ form and the study of the rearrangement of single crystals. Requirements for development of hemihedral faces for enantiomer identification. *J. Am. Chem. Soc.* 1980, 102, 7709-14.
- (7) Schultz, W. J.; Etter, M. C.; Pocius, A. V.; Smith, S. A new family of cation-binding compounds: *threo- α,ω -poly(cyclooxalkane)diyl*. *J. Am. Chem. Soc.* 1980, 102, 7981-2.
- (8) Errede, L. A.; Etter, M. C.; Williams, R. C.; Darnauer, S. M. Solid-state transformations and crystal structure analysis of α - and β -*o*-acetamidobenzamide. *J. Chem. Soc., Perkin Trans. 2* 1981, 233-8.
- (9) Etter, M. C. A new role for hydrogen-bond acceptors in influencing packing patterns of carboxylic acids and amides. *J. Am. Chem. Soc.* 1982, 104, 1095-6.
- (10) Siedle, A. R.; Etter, M. C.; Jones, M. E.; Filipovich, G.; Mishmash, H. E.; Bahmet, W. Partially oxidized cation radical complexes of platinum(II). *Inorg. Chem.* 1982, 21, 2624-9.
- (11) Etter, M. C.; Errede, L. A.; Vicens, J. Structure and solid-state hydrolysis of 2-methyl-4H-benzoxazin-4-one (acetyl anthranil), C₉H₇NO₂. *Cryst. Struct. Commun.* 1982, 11, 885-8.
- (12) Etter, M. C.; Siedle, A. R. Solid-state rearrangement of (phenylazophenyl)palladium hexafluoroacetylacetonate. *J. Am. Chem. Soc.* 1983, 105, 641-3.
- (13) Buhro, W. E.; Patton, A. T.; Strouse, C. E.; Gladysz, J. A.; McCormick, F. B.; Etter, M. C. Syntheses, chemical properties, and X-ray crystal structures of rhenium formaldehyde and thioformaldehyde complexes. *J. Am. Chem. Soc.* 1983, 105, 1056-8.
- (14) Vicens, J.; Etter, M. C.; Errede, L. A. Solid state hydrolysis of acetyl anthranil. Assistance by hydrogen bonding. *Tetrahedron Lett.* 1983, 24, 723-4.
- (15) Etter, M. C.; Siedle, A. R. Crystal expansion during a thermochromic transformation. *Mol. Cryst. Liq. Cryst.* 1983, 96, 35-8.
- (16) Etter, M. C. The role of hydrogen bonds in the solid-state reactions of acetyl anthranilamide. *Mol. Cryst. Liq. Cryst.* 1983, 93, 95-100.
- (17) Etter, M. C. Hydrogen bond rearrangements in organic solids. Part 2. Cyclodehydration of *o*-acetamidobenzamide. *J. Chem. Soc., Perkins Trans. 2* 1983, 115-21.
- (18) Vicens, J.; Decoret, C.; Gaget, C.; Etter, M. C.; Errede, L. A. Structure and solid hydrolysis of 3,1-benzoxazin-4-ones. *Mol. Cryst. Liq. Cryst.* 1983, 96, 39-43.
- (19) Smith, S.; Etter, M. C.; Kinney, R. J.; Pocius, A. V.; Schultz, W. J. 2,5-Poly-THF diyls via the anionic and cationic transformations of fully epoxidized 1,4-polybutadiene. In *Cationic Polym. Relat. Processes, Proc. Int. Symp., 6th, Meeting Date*; Goethals, E. J., Ed.; Academic: London, 1984; pp 411-24.
- (20) Bryant, R. G.; Chacko, V. P.; Etter, M. C. Carbon-13 CP/MAS NMR and crystallographic investigations of the structure and solid-state transformations of lead(II) acetate trihydrate. *Inorg. Chem.* 1984, 23, 3580-4.
- (21) Etter, M. C.; Kress, R. B.; Bernstein, J.; Cash, D. J. Solid-state chemistry and structures of a new class of mixed dyes. Cyanine-oxonol. *J. Am. Chem. Soc.* 1984, 106, 6921-7.
- (22) Etter, M. C.; Richman, J. E. Synthesis and crystal structure of an oxidizable polycyclic metacyclopheane derived from hexacyclene and hexafluorobenzene. *J. Org. Chem.* 1985, 50, 112-14.
- (23) Etter, M. C.; Kress, R. B. The study of dye crystal chemistry using optical microscopy and X-ray crystallography. *Microscope* 1985, 33, 23-35.
- (24) Etter, M. C.; Holmes, B. N.; Kress, R. B.; Filipovich, G. Solid-state chemistry of cyanine-type dyes and the effect of two novel counterions on their crystal properties. *Isr. J. Chem.* 1985, 25, 264-73.
- (25) Etter, M. C. Aggregate structures of carboxylic acids and amides. *Isr. J. Chem.* 1985, 25, 312-19.
- (26) Vicens, J.; Decoret, C.; Royer, J.; Etter, M. C. Solid state hydrolysis of 2-methyl-4H-benzoxazin-4-one. Mode of propagation of the reaction process during the hydrolysis. *Isr. J. Chem.* 1985, 25, 306-11.
- (27) Ganapathy, S.; Chacko, V. P.; Bryant, R. G.; Etter, M. C. Carbon CP-MASS NMR and X-ray crystal structure of paramagnetic lanthanide acetates. *J. Am. Chem. Soc.* 1986, 108, 3159-65.
- (28) Etter, M. C.; Urbánczyk-Lipkowska, Z.; Baer, S.; Barbara, P. F. The crystal structures and hydrogen-bond properties of three 3-hydroxy-flavone derivatives. *J. Mol. Struct.* 1986, 144, 155-67.
- (29) Etter, M. C.; Urbánczyk-Lipkowska, Z.; Jahn, D. A. Solid-state structural characterization of 1,3-cyclohexanedione and of a 6:1 cyclohexanedione-benzene cyclamer complex, a novel host-guest species. *J. Am. Chem. Soc.* 1986, 108, 5871-6.
- (30) Etter, M. C.; Jahn, D. A.; Donahue, B. S.; Johnson, R. B.; Ojala, C. Growth and characterization of small molecule organic crystals. *J. Cryst. Growth* 1986, 76, 645-55.
- (31) Etter, M. C.; Gillard, R. D.; Gleason, W. B.; Rasmussen, J. K.; Duerst, R. W.; Johnson, R. B. An enolized

- sulfonamide formed by strong hydrogen bonding to triphenylphosphine oxide. *J. Org. Chem.* **1986**, *51*, 5405–8.
- (32) Etter, M. C.; Hoyer, R. C. The study of hydrogen-bonded structures using high resolution solid-state NMR. *Trans. Am. Crystallogr. Assoc.* **1986**, *22*, 31–48.
- (33) Etter, M. C.; Jahn, D. A.; Urbánczyk-Lipkowska, Z. A new polymorph of dibenzoylmethane. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1987**, *C43*, 260–3.
- (34) Buhro, W. E.; Etter, M. C.; Georgiou, S.; Gladysz, J. A.; McCormick, F. B. Synthesis, structure, and reactivity of the thioformaldehyde complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\eta^2\text{-H}_2\text{C}=\text{S})]^+\text{PF}_6^-$. *Organometallics* **1987**, *6*, 1150–6.
- (35) Urbánczyk-Lipkowska, Z.; Lipkowski, A. W.; Etter, M. C.; Hahn, E. F.; Pasternak, G. W.; Portoghese, P. S. X-ray crystal structure of the opioid ligand naltrexonazine. *J. Med. Chem.* **1987**, *30*, 1489–94.
- (36) Urbánczyk-Lipkowska, Z.; Etter, M. C.; Lipkowski, A. W.; Portoghese, P. S. The crystal structure of a bimirphan with highly selective kappa opioid receptor antagonist activity. *J. Mol. Struct.* **1987**, *159*, 287–95.
- (37) Panunto, T. W.; Urbánczyk-Lipkowska, Z.; Johnson, R.; Etter, M. C. Hydrogen-bond formation in nitroanilines: The first step in designing acentric materials. *J. Am. Chem. Soc.* **1987**, *109*, 7786–97.
- (38) Bayard, F.; Decoret, C.; Royer, J.; Vicens, J.; Errede, L. A.; Etter, M. C.; Lipkowska, Z. U.; Leroy, F.; Precigoux, G. Theoretical study of the reactivity of molecular crystals: Hydrolysis of benzoxazinones and naphthoxazinones. *J. Chim. Phys. Phys.-Chim. Biol.* **1987**, *84*, 759–61.
- (39) Etter, M. C.; Baures, P. W. Triphenylphosphine oxide as a crystallization aid. *J. Am. Chem. Soc.* **1988**, *110*, 639–40.
- (40) Etter, M. C.; Panunto, T. W. 1,3-Bis(*m*-nitrophenyl)urea: An exceptionally good complexing agent for proton acceptors. *J. Am. Chem. Soc.* **1988**, *110*, 5896–7.
- (41) Etter, M. C.; Urbánczyk-Lipkowska, Z.; Fish, P. A.; Panunto, T. W.; Baures, P. W.; Frye, J. S. Solution and solid-state hydrogen bond patterns of *o*-methoxy- and *o*-ethoxybenzoic acids. *J. Crystallogr. Spectrosc. Res.* **1988**, *18*, 311–25.
- (42) Etter, M. C.; Urbánczyk-Lipkowska, Z.; Ameli, T. M.; Panunto, T. W. Intra- versus intermolecular hydrogen bonds in salicylamide derivatives. *J. Crystallogr. Spectrosc. Res.* **1988**, *18*, 491–507.
- (43) Etter, M. C.; Lipkowska, Z. U.; Decoret, C.; Royer, J.; Bayard, F.; Vicens, J. A study of the mechanism of hydrolysis of single crystals of 2-phenyl-4H-3,1-benzoxazin-4-one. *Mol. Cryst. Liq. Cryst.* **1988**, *161*, 43–53.
- (44) Etter, M. C.; Lipkowska, Z. U.; Precigoux, G.; Leroy, F.; Decoret, C.; Bayard, F.; Royer, J.; Vicens, J. Organic gas-solid reactions. Hydrolysis of benzoxazinones and naphthoxazinones. *J. Mol. Cryst. Liq. Cryst.* **1988**, *161*, 67–76.
- (45) Etter, M. C., Ed. Transactions of the American Crystallographic Association, Vol. 24. Proceedings of the Symposium on NMR and X-ray Crystallography: Interfaces and Challenges; 1988, 172pp.
- (46) Etter, M. C.; Frankenbach, G. M. Hydrogen-bond directed cocrystallization as a tool for designing acentric organic solids. *Chem. Mater.* **1989**, *1*, 10–12.
- (47) Ok, J. H.; Vold, R. R.; Vold, R. L.; Etter, M. C. Deuterium NMR measurements of rotation and libration of benzene in a solid-state cyclamer. *J. Phys. Chem.* **1989**, *93*, 7618–24.
- (48) Etter, M. C.; Vojta, G. M. The use of solid-state NMR and X-ray crystallography as complementary tools for studying molecular recognition. *J. Mol. Graphics* **1989**, *7*, 3–11.
- (49) Etter, M. C.; Frankenbach, G. M.; Bernstein, J. Solid-state nucleophilic aromatic substitution reaction of a carboxylic acid cocrystal. *Tetrahedron Lett.* **1989**, *30*, 3617–20.
- (50) Etter, M. C. Encoding and decoding hydrogen-bond patterns of organic compounds. *Acc. Chem. Res.* **1990**, *23*, 120–6.
- (51) Etter, M. C.; MacDonald, J. C.; Bernstein, J. Graph-set analysis of hydrogen-bond patterns in organic crystals. *Acta Crystallogr. Sect. B: Struct. Sci.* **1990**, *B46*, 256–62.
- (52) Etter, M. C.; Admond, D. A.; Britton, D. 2-Aminopyrimidine-succinic acid (1/1) cocrystal. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1990**, *C46*, 933–4.
- (53) Bernstein, J.; Etter, M. C.; MacDonald, J. C. Decoding hydrogen-bond patterns. The case of iminodiacetic acid. *J. Chem. Soc., Perkin Trans. 2* **1990**, 695–8.
- (54) Etter, M. C.; Admond, D. A. The use of cocrystallization as a method of studying hydrogen bond preferences of 2-aminopyrimidine. *J. Chem. Soc., Chem. Commun.* **1990**, 589–91.
- (55) Etter, M. C.; Parker, D. L.; Ruberu, S. R.; Panunto, T. W.; Britton, D. J. Solid-state and inclusion properties of hydrogen-bonded 1,3-cyclohexanedione cyclamers. *J. Inclusion Phenom. Mol. Recognit. Chem.* **1990**, *8*, 395–407.
- (56) Etter, M. C.; Urbánczyk-Lipkowska, Z.; Zia-Ebrahimi, M.; Panunto, T. W. Hydrogen bond-directed cocrystallization and molecular recognition properties of diarylureas. *J. Am. Chem. Soc.* **1990**, *112*, 8415–26.
- (57) Etter, M. C.; Frankenbach, G. M.; Admond, D. A. Using hydrogen bonds to design acentric organic materials for nonlinear optical users. *Mol. Cryst. Liq. Cryst.* **1990**, *187*, 25–39.
- (58) Etter, M. C.; Reutzel, S. M.; Vojta, G. M. Analysis of isotropic chemical shift data from high-resolution solid-state NMR studies of hydrogen-bonded organic compounds. *J. Mol. Struct.* **1990**, *237*, 165–85.
- (59) Etter, M. C.; Reutzel, S. M. Hydrogen bond directed cocrystallization and molecular recognition properties of acyclic imides. *J. Am. Chem. Soc.* **1991**, *113*, 2586–98.
- (60) Frankenbach, G. M.; Britton, D.; Etter, M. C. 2,6-Dimethoxy-3-nitrobenzoic acid. A hydrogen-bonded chain structure. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1991**, *C47*, 553–5.
- (61) Etter, M. C.; Britton, D.; Reutzel, S. M. Structures of *N*-acetylbenzamide, *N*-propionylbenzamide and *N*-butyrylbenzamide and analysis of imide hydrogen-bond patterns. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1991**, *C47*, 556–61.
- (62) Etter, M. C.; Huang, K. S.; Frankenbach, G. M.; Admond, D. A. Control of symmetry and asymmetry in hydrogen-bonded nitroaniline materials. *ACS Symp. Ser.* **1991**, *455* (*Mater. Nonlinear Opt.*), 446–56.
- (63) Etter, M. C. Hydrogen bonds as design elements in organic chemistry. *J. Phys. Chem.* **1991**, *95*, 4601–10.

- (64) Gleason, W. B.; Brostrom, M.; Etter, M. C.; Johnson, R. B. Structure of 4-bromo-4'-fluorobiphenyl. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1991**, *C47*, 1473-6.
- (65) Etter, M. C.; Vojta, G. M.; Bronniman, C. E. Combined use of proton CRAMPS NMR and X-ray crystallography to detect a strong intermolecular aromatic shielding effect in 2-acetyl-1,3-diphenyl-1,3-propanedione. *J. Magn. Reson.* **1991**, *93*, 609-13.
- (66) Murray, J. S.; Grice, M. E.; Politzer, P.; Etter, M. C. A computational analysis of some diaryl ureas in relation to their observed crystalline hydrogen bonding patterns. *Mol. Eng.* **1991**, *1*, 75-87.
- (67) Gleason, W. B.; Brostrom, M.; Etter, M. C.; Johnson, R. B. Structure of 4-cyano-4'-fluorobiphenyl. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1991**, *C47*, 2131-4.
- (68) Görbitz, C. H.; Etter, M. C. Hydrogen bonds to carboxylate groups. Syn/anti distributions and steric effects. *J. Am. Chem. Soc.* **1992**, *114*, 627-31.
- (69) Görbitz, C. H.; Etter, M. C. Hydrogen bonds to carboxylate groups. The question of three-center interactions. *J. Chem. Soc., Perkin Trans. 2* **1992**, 131-5.
- (70) Reutzel, S. M.; Etter, M. C. Evaluation of the conformational, hydrogen bonding, and crystal packing preferences of acyclic imides. *J. Phys. Org. Chem.* **1992**, *5*, 44-54.
- (71) Frankenbach, G. M.; Etter, M. C. Relationship between symmetry in hydrogen-bonded benzoic acids and the formation of acentric crystal structures. *Chem. Mater.* **1992**, *4*, 272-8.
- (72) Etter, M. C.; Ranawake, G. Equivalent Li...O and H...O electronic effects in the lithium enolate of 1,3-cyclohexanedione. *J. Am. Chem. Soc.* **1992**, *114*, 4430-2.
- (73) Görbitz, C. H.; Etter, M. C. Hydrogen bond connectivity patterns and hydrophobic interactions in crystal structures of small, acyclic peptides. *Int. J. Pept. Protein Res.* **1992**, *39*, 93-110.
- (74) Etter, M. C.; MacDonald, J. C.; Wanke, R. A. Solution and solid-state aggregation properties of 4-mercaptopyridine-4-thiopyridone. *J. Phys. Org. Chem.* **1992**, *5*, 191-200.
- (75) Etter, M. C.; Huang, K. S. Induction of noncentrosymmetry by polar hydrogen-bonded chains in nitroaniline crystals. *Chem. Mater.* **1992**, *4*, 824-7.
- (76) Görbitz, C. H.; Etter, M. C. Structure of L-phenylalanine L-phenylalaninium formate. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1992**, *C48*, 1317-20.
- (77) Dvorak, D.; Zavada, J.; Etter, M. C.; Loehlin, J. H. Clathrate formation from 3-(2',2'-dihalovinyl)-2,2-dimethylcyclopropanecarboxylic acid and aromatic compounds: preparation, structure, and application in separation of stereoisomers. *J. Org. Chem.* **1992**, *57*, 4839-41.
- (78) Ojala, W. H.; Etter, M. C. Polymorphism in anthranilic acid: A reexamination of the phase transitions. *J. Am. Chem. Soc.* **1992**, *114*, 10288-93.
- (79) Etter, M. C.; Reutzel, S. M.; Choo, C. G. Self-organization of adenine and thymine in the solid state. *J. Am. Chem. Soc.* **1993**, *115*, 4411-12.
- (80) Görbitz, C. H.; Etter, M. C. Structure of a 1:1 complex between L-Asp-L-Phe and L-His-Gly. *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1993**, *C49*, 1673-6.
- (81) Russell, V. A.; Etter, M. C.; Ward, M. D. Layered Materials by Molecular Design: Structural Enforcement by Hydrogen Bonding in Guanidinium Alkane- and Arenesulfonates. *J. Am. Chem. Soc.* **1994**, *116*, 1941-52.
- (82) Bernstein, J.; Etter, M. C.; Leiserowitz, L. "The Role of Hydrogen Bonding in Molecular Assemblies". In *Structure Correlation*; Bürgi, H.-B., Dunitz, J. D., Eds.; VCH Publishers, Inc.: 1994, New York; Vol. 2, pp 431-507.
- (83) Sudbeck, E. A.; Etter, M. C.; Gleason, W. B. Growth of High Quality Crystals Containing Peptides: Arenesulfonate Salts of L-Alanyl-L-Alanine, Glycylglycine, and L-Leucyl-L-Alanine. *Chem. Mater.* **1994**, *6*, 1192-1199.
- (84) Choo, C. G.; Rychnovsky, S. D.; Etter, M. C. Crystal and Molecular Studies of Succinimide-Lithium Salt Complexes. *Chem. Mater.* **1994**, *6*, 1200-1205.
- (85) Loehlin, J. H.; Etter, M. C.; Gendreau, C.; Cervasio, E. Hydrogen-Bond Patterns in Several 2:1 Amine-Phenol Cocrystals. *Chem. Mater.* **1994**, *6*, 1218-1221.
- (86) Russell, V. A.; Etter, M. C.; Ward, M. D. Guanidinium Para-Substituted Benzenesulfonates: Competitive Hydrogen Bonding in Layered Structures and the Design of Nonlinear Optical Materials. *Chem. Mater.* **1994**, *6*, 1206-1217.