

SUBJECT INDEX

Analytical Chemistry

| | |
|--|------|
| A high sensitivity detection method of singlet oxygen and superoxide anion..... | 679 |
|M. HAO, D. XING, Q. CHEN, J. WANG | |
| A kind of electrode enhanced the electrochemiluminescence | 101 |
|G. H. YAN, D. XING, S. C. TAN | |
| A modified chitosan adsorbent for selective removal of low density lipoprotein.....G. Q. FU, K. Y. SHI, Z. YUAN, W. Q. NIU, B. L. HE, B. LIU, B. SHEN, Y. LIU | 347 |
|Q. ZHAO, R. YUAN, C. L. MO, Y. Q. CHAI, X. ZHONG | |
| A new dual-electrode and multichannel electrochemical detection system for capillary electrophoresis | 439 |
|B. Y. YANG , J. Y. MO, R. LAI | |
| A new method of separation of four benzodiazepines by RP-CEC..... | 208 |
|J. L. ZHANG, T. H. ZHOU | |
| A novel method for making NiO nanofibres <i>via</i> an electrospinning technique... | 935 |
|C. L. SHAO, H. Y. GUAN, S. B. WEN, B. CHEN, X. H. YANG, J. GONG | |
| A novel method for quantification of circulating DNA in serum by capillary zone electrophoresis.....P. ZHANG, J. C. REN Z. J. SHEN | 365 |
|A novel method for the selective determination of silver (I) ion..... | 1091 |
|J. G. LIANG, H. Y. XIE, X. P. AI, Z. K. HE, D. W. PANG | |
| A novel optical properties of molecular “light switch” and its analytical application.....F. CHEN, J. P. HUANG, X. P. AI, Z. K. HE | 1319 |
| Adsorption behavior of a water-soluble porphyrin at the glass-water interface as studied by synchronous total internal reflection fluorescence spectroscopy.... | 1201 |
|M. N. YAO, Y. Q. LI | |
| Ammonia decomposition over bimetallic nitrides supported on γ -Al ₂ O ₃ | 109 |
|C. S. LU, X. N. LI, Y. F. ZHU, H. Z. LIU, C. H. ZHOU | |
| Analysis of hydrolysis reaction of N-phosphoryl phenylalanine by HPLC-ESI-MS/MS.....S. X. CAO, J. C. ZHANG, J. XU, X. C. LIAO, Y. F. ZHAO | 817 |
| Analysis of the aconitine alkaloids in chuanwu by electrospray ionization/tandem mass spectrometry..... | 1071 |
|A. M. SUN, H. LI, Z. M. HUANG, P. P. H. BUT, X. Q. DING | |
| Anthracylmethyl benzoazacrown ether as selective fluorescence sensors for Zn ²⁺ | 118 |
|L. H. JIA, X. F. GUO, Y. Y. LIU, X. H. QIAN | |
| Beaded fiber mats of PVA containing unsaturated heteropoly salt..... | 1212 |
|G. C. YANG, Y. PAN, J. GONG, C. L. SHAO, S. B. WEN, C. SHAO, L. Y. QU | |
| Capillary column coated with heptakis(2, 3, 6-tri- <i>O</i> -octyl)- β -cyclodextrin using sol-gel technology.....X. X. GE, R. N. FU, R. J. DAI, L. W. LIU, M. L. QI | 428 |
| Capillary electrochromatography of molecularly imprinted monolithic column using <i>p</i> -hydroxybenzoic acid as templates..... | 1469 |
|Z. S. LIU, Y. L. XU, C. YAN, R. Y. GAO | |
| Capillary electrophoretic immunoassay with laser-induced fluorescence detection for interferon-gamma.....H. ZHANG, H. M. WEI, W. R. JIN | 121 |
| Carboxymethyl- β -cyclodextrin for chiral separation of amino acids derivatized with fluorescene-5-isothiocyanate by capillary electrophoresis and laser-induced fluorescence detection..... | |
|Y. Y. CHEN, W. WANG, W. P. YANG, Z. J. ZHANG | 112 |
| Characterization of the interaction between bovine serum albumin and lomefloxacin by capillary zone electrophoresis..... | |
|M. GUO, Q. S. YU, J. W. YAN, F. TAN, G. Z. MA | 1331 |

| | |
|---|------|
| Chemically modified chitosan beads as molecularly imprinted polymer matrix for adsorptive separation of proteins..... | 1339 |
|T. Y. GUO, Y. Q. XIA, G. J. HAO, B. H. ZHANG | |
| Competitive adsorption between bovine serum albumin and collagen observed by atomic force microscope.....Y. YU, P. Q. YING, G. JIN | 1465 |
| Determination of baicalin in traditional chinese preparation by high performance liquid chromatography with chemiluminescence detection..... | |
|E. B. LIU, H. Q. WEI, X. L. ZHAO, X. X. LI, F. X. JIANG | 1067 |
| Determination of surface pKa of pure mercaptoacetic acid and 2-mercaptopbenzothiazole mixed monolayers by impedance titration..... | |
|G. H. LU, C. Y. LIU, H. Y. ZHAO, W. LIU, L. P. JIANG, L. Y. JIANG | 827 |
| Direct electrochemistry with nitrate reductase in chitosan films..... | |
|X. X. CHEN, Y. R. SONG , H. WU, H. B. SHAO | 447 |
| Direct fluorescence sensing of metal ions in aqueous solution using intramolecular charge transfer emission from aggregates of pentaerythrityl tetra(<i>p</i> -dimethylaminobenzoate).....Z. C. WEN, Y. B. JIANG | 551 |
| Direct observation of non-covalent complexes for phosphorylated flavonoid-protein interaction by ESI..... | |
|X. L. CHEN, T. ZHANG, H. X. LIU, L. B. QU, Y. Z. YU, Y. F. ZHAO | 343 |
| Effects of the liquid conductivity on pulsed high-voltage discharge modes in water.....B. YANG, L. C. LEI, M. H. ZHOU | 1215 |
| Electrochemical detection of alkaline phosphatase in BALB/c mouse fetal liver stromal cells with capillary electrophoresis..... | |
|X. M. SUN, D. LI, Z. L. BAI, W. R. JIN | 212 |
| Enantiomeric separation of epinephrine and salbutamol by micellar electrokinetic chromatography using β -cyclodextrin as chiral additive..... | |
|Y. P. ZHENG, J. Y. MO | 1209 |
| Extraction of cesium from the irradiated nuclear waste by 4(5),4' (5')-bis [1-hydroxyalkylbenzo]-21-crown-7.....Y. DU, W. J. CHEN, S. Y. QIN | 1219 |
| Gas chromatographic enantiomer separation of cyclopropane derivatives on three 2, 6-di- <i>O</i> -allyl-3- <i>O</i> -acylated- β -cyclodextrins chiral stationary phases..... | |
|M. M. YIN, X. Y. SHI, Q. H. BIAN, N. LI, M. WANG | 1327 |
| Highly sensitive chemiluminescence detection for PDMS/glass microchip electrophoresis.....X. Y. HUANG, J. N. WANG, L. CHEN, J. C. REN | 683 |
| Imaging of activity of horseradish peroxidase at β -cyclodextrin polymer by scanning electrochemical microscopy..... | |
|X. L. WANG, Y. X. SHI, Z. L. BAI, W. R. JIN | 214 |
| <i>In-situ</i> FTIR spectroelectrochemical and electrochemical studies of ferrocene and derivatives at a platinum electrode...P. DU, B. K. JIN, J. X. YANG, X. Q. LIN | 204 |
| Ion recognition and analytical application of a fibroin modified electrode..... | |
|Q. CHENG, T. Z. PENG, X. B. HU, C. F. YANG | 1473 |
| MALDI-TOF mass spectrometry study of the phosphorylated tau peptides..... | |
|J. T. DU, Y. M. LI, Y. F. ZHAO, M. NAKAGAWA, X. R. QIN, T. NEMOTO, H. NAKANISHI | 927 |
| Metabolites of a novel antibiotic bitespiramycin in rat urine and bile..... | |
|X. G. SHI, D. F. ZHONG, Y. M. SUN, Y. F. ZHANG | 431 |
| Method of spectrophotometric microanalysis based on HRP/PET selfassembly film.....X. M. JIANG, Z. C. CHEN, S. M. YANG, H. F. LIN, X. F. LIN | 547 |
| Molecular spectroscopic study on the interaction between heparin and neutral red.....L. ZHANG, N. LI, F. L. ZHAO, K. A. LI | 671 |
| Multianalyte biosensors for the simultaneous determination of glucose and galactose based on thin film electrodes..... | |
|N. Q. JIA, Z. R. ZHANG, J. Z. ZHU, G. X. ZHANG | 322 |

| | | |
|--|--|------|
| New phase transfer agent for dye: application for hyperbranched poly (ester-amine)..... | T. QIU, L. M. TANG, X. L. TUO, D. S. LIU | 931 |
| Noninvasive detection of the gases inside the sealed batteries by the online mass spectrometry..... | X. R. ZHOU, P. F. LIU, L. ZHUANG, J. T. LU | 823 |
| Preparation and adsorption properties of PAM based adsorbents for plasma-lipoproteins..... | H. T. LI, Z. YUAN, X. F. CHEN, B. LIU, B. SHEN, B. L. HE | 449 |
| Preparation and application of an immunoaffinity column for direct extraction of morphine and its analogs from opium..... | X. H. QI, J. Q. MI, X. X. ZHANG, W. B. CHANG | 1323 |
| Preparation of monolithic column and its application in p-CEC..... | J. J. YANG, K. ZHANG, R. Y. GAO, Y. K. ZHANG, C. YAN | 435 |
| Preparation of polymeric monolithic column and application to the resolution of aromatic compounds in capillary electrochromatography..... | X. WANG, W. Z. LI, C. H. LIU, Y. M. LI, L. R. CHEN | 1477 |
| Production of polyclonal antibody of morphine and determination of morphine in urine by capillary electrophoresis immunoassay with laser-induced fluorescence detection..... | J. Q. MI, X. H. QI, X. X. ZHANG, W. B. CHANG | 943 |
| Promotion of the direct electron transfer of hemoglobin by the carbon nanotube..... | J. CHEN, C. X. CAI | 813 |
| Protonation of 5, 10, 15, 20-tetra(4-hydroxyphenyl)-porphyrin in SDS micellar solution..... | X. H. ZHAO, Y. H. ZHANG | 1205 |
| Purification and structure identification of hyaluronic acid..... | S. S. HONG, J. CHEN, J. G. ZHANG, Y. C. TAO, L. Y. LIU | 811 |
| Room temperature phosphorescence of 1-bromo-4-(bromoacetyl) naphthalene induced by sodium deoxycholate..... | Y. WANG, W. J. JIN, J. B. CHAO, L. P. QIN | 339 |
| Selective determination of nanogram γ -globulin in human blood serum by resonance light scattering of functionalized nano-PbS..... | L. Y. WANG, H. Q. CHEN, L. LI, L. DONG, T. T. XIA, L. WANG | 319 |
| Separation of aniline derivatives by micellar electrokinetic capillary chromatography..... | J. LI, Z. B. YUAN | 947 |
| Separation of biphenyl nitrile compounds by microemulsion electrokinetic chromatography with mixed surfactants..... | S. X. GONG, T. BO, L. HUANG, K. A. LI, H. W. LIU | 1063 |
| Separation of felted explosives by pressurized microemulsion electrokinetic chromatography..... | J. JIANG, S. X. GONG, H. W. LIU, Y. ZHANG, Y. L. DENG, J. L. GU, A. Q. LUO, L. X. WANG | 831 |
| Studies of Ce(III)-ALC-F ⁻ interacting with herring sperm DNA by electrochemical, fluorimetric and UV-spectrophotometric method..... | G. H. LU, W. LIU, C. Y. LIU, L. P. JIANG, F. SONG | 443 |
| Studies on chromatography fingerprint of Hongqi by high-performance liquid chromatography..... | S. L. FENG, F. D. HU, J. X. ZHAO, J. W. XU, L. R. CHEN | 1335 |
| Studies on the phenylfluorone-Mo(VI) complex as interacting mode spectroscopic probe of protein in OP microemulsion medium..... | Q. WEI, D. WU, B. DU, Q. Y. OU | 667 |
| Studies on the preparation of polymer spherical symmetry GRIN sphere and controlling its gradient index distribution..... | R. XIA, Y. C. ZHANG, Y. M. YI, Q. YANG, Q. YU | 555 |
| Study of electron transfer reactions between a water/1,2-dichloroethane interface by scanning electrochemical microscopy..... | X. Q. LU, L. N. HU, X. Q. WANG, J. CHEN | 1461 |
| Study of immunoassay methods for recombinant human erythropoietin (rhEPO) using competitive ELISA..... | J. YAN, J. B. MI, W. B. CHANG | 939 |

| | |
|--|------|
| Study of interaction between red-tide toxin, domoic acid and double stranded DNA by capillary zone electrophoresis..... | 1079 |
|D. Z. LI, X. Y. HE, H. WANG, L. SUN, B. C. LIN | |
| Surface confined ionic liquid—a new stationary phase for the separation of ephedrines in high-performance liquid chromatography..... | 1060 |
|S. J. LIU, F. ZHOU, X. H. XIAO, L. ZHAO, X. LIU, S. X. JIANG | |
| Synthesis of ethyl β -arylaminoacetonates catalyzed by inorganic solid support under microwave irradiation..... | 127 |
|Z. Y. SONG, D. R. BAI, H. T. YU, L. L. XU, W. X. ZHANG, J. B. MENG, T. MATSUURA | |
| The chemical speciation and behavior of mercury and selenium in the insoluble fraction of striped dolphin liver..... | 326 |
|X. R. HU, H. LI, Y. X. ZHANG | |
| The different fluorescent response of Quin 2 to the binding of Ca^{2+} and La^{3+} and its application..... | 1197 |
|J. HU, X. D. YANG, K. WANG | |
| The direct resolution of the enantiomers of four chiral pesticides..... | 1457 |
|P. WANG, S. R. JIANG, Z. Q. ZHOU | |
| The electrooxidation of tetracycline at acetylene black electrode in the presence of sodium dodecyl sulfate..... | 821 |
|X. P. DANG, C. G. HU, Y. L. WEI, S. S. HU | |
| Thermokinetic behaviour degenerated from limit cycle oscillation of isothermal B-Z reaction system due to temperature controlling of heat compensation type.. | 1075 |
|W. H. ZHANG, J. L. LUO | |
| Trace determination of zirconium(IV) by anodic adsorptive voltammetry at a carbon paste electrode..... | 1315 |
|X. MAO, H. X. LAI, J. N. LI, P. GAO, Z. H. YAN | |
| Using the chiral organophosphorus derivatizing agents for determination of the enantiomeric composition of chiral carboxylic acids by ^{31}P NMR spectroscopy.. | 675 |
|C. CHE, Z. N. ZHANG, G. L. HUANG, X. X. WANG, Z. H. QIN | |
| Applied Chemistry | |
| A mesoscopic selfassembled ring of a femtomole fluorescein sessile droplet on glass slide support..... | 559 |
|C. Z. HUANG, Y. LIU, Y. F. LI | |
| A mixed plasticizer for the preparation of thermoplastic starch..... | 741 |
|X. F. MA, J. G. YU, J. FENG | |
| A new method for the synthesis of selenium nanoparticles and the application to construction of H_2O_2 biosensor..... | 1345 |
|J. ZHANG, S. Y. ZHANG, J. J. XU, H. Y. CHEN | |
| A novel approach for the surface modification of polymeric membrane with phospholipid polymer..... | 993 |
|Q. W. DAI, Z. K. XU, J. WU | |
| A novel approach to the prediction of transmembrane proteins..... | 711 |
|J. D. QIU, R. P. LIANG, X. Y. ZOU, J. Y. MO | |
| A novel method for preparing polyurethane based conductive composites with low percolation threshold..... | 1001 |
|J. W. HU, M. W. LI, M. Q. ZHANG, G. S. CHENG, M. Z. RONG | |
| A SAPO-11 silicoaluminophosphate molecular sieve with stable crystal structure..... | 1258 |
|Y. M. LIU, F. M. ZHANG, H. H. WU, H. J. ZHANG, J. G. YANG, X. T. SHU, M. Y. HE | |
| A selective colorimetric anion sensor based on di(hydroxymethyl) di(2-pyrrolyl)methane -TCBQ system..... | 1117 |
|Y. GUO, S. J. SHAO, J. XU, Y. P. SHI, S. X. JIANG | |
| Composite electrode $\text{SnO}_2/\text{TiO}_2$ for dye-sensitized solar cells..... | 619 |
|J. B. XIA, F. Y. LI, S. M. YANG, C. H. HUANG | |
| Covalent functionalization of carbon nanotube by tetrasubstituted amino manganese phthalocyanine..... | 717 |
|Z. L. YANG, H. Z. CHEN, L. CAO, H. Y. LI, M. WANG | |
| Covalently attached monolayer of phthalocyanine on chemically modified silicon oxide surface..... | 1233 |
|Q. ZHOU, H. Z. CHEN, J. Z. SUN, M. WANG, D. L. QUE | |
| DNA nano-netting intertexture on carbon electrodes..... | 997 |
|X. Q. LIN, X. H. JIANG, L. P. LU | |

| | |
|---|------|
| Enhancement of H ₂ sensing properties of In ₂ O ₃ -based gas sensor by chemical modification with SiO ₂Z. L. ZHAN, D. G. JIANG, J. Q. XU | 1509 |
| Enhancing the deactivation durability of nano-sized HZSM-5 for aromatization by adjusting its ratio of Lewis/Brønsted acid sites.....Z. B. XU, H. C. GUO, X. S. WANG, P. Q. ZHANG, L. P. ZHAO, Y. K. HU | 1123 |
| Enlarged area A-type zeolite membranes prepared by vacuum seeding method.....A. S. HUANG, J. LIU, W. S. YANG | 1120 |
| Fabrication of layer-by-layer films of polyhedral oligomeric silsesquioxanes.....X. M. WANG, H. M. DING, Y. K. SHAN, M. Y. HE | 1227 |
| Formation and characterization of europium bisphthalocyanine organic nanowires by electrochemical deposition.....H. B. ZHOU, H. Z. CHEN, L. CAO, Y. RONG, J. Z. SUN, M. WANG | 1365 |
| Green oxygenation degradation of rhodamine B by using activated molecule oxygen.....K. J. DENG, F. HUANG, D. Y. WANG, Z. H. PENG, Y. H. ZHOU | 1223 |
| Low sheet resistance counter electrode in dye-sensitized solar cell.....G. Q. WANG, R. F. LIN, M. WANG, C. N. ZHANG, Y. LIN, X. R. XIAO, X. P. LI | 1369 |
| Molecular simulation on transport properties of confined water.....Y. C. LIU, G. Z. XIAO, Q. WANG | 879 |
| Molybdenum disulfide sheathed carbon nanotubes.....X. C. SONG, Z. D. XU, Y. F. ZHENG, G. HAN, B. LIU, W. X. CHEN | 623 |
| Novel carbon nanotubes-supported NiB amorphous alloy catalyst for benzene hydrogenation.....M. H. YANG, R. B. ZHANG, F. Y. LI | 1230 |
| Photoelectrochemical properties of highly oriented ZnO nanotube array films on ITO substrates.....M. GUO, P. DIAO, S. M. CAI | 1113 |
| Preparation and characterization of microencapsulated hexadecane used for thermal energy storage.....G. L. ZOU, Z. C. TAN, X. Z. LAN, L. X. SUN, T. ZHANG | 729 |
| Preparation and characterization of nano-polymer porous MgO.....X. L. ZHAI, A. D. ZHAO, M. Y. JIA | 1342 |
| Preparation of a new fiber by sol-gel technology in solid-phase microextraction (SPME).....L. M. WEI, Q. Y. OU, J. B. LI | 1127 |
| Preparation of a new polyoxometalate-based nanoparticles.....X. H. WANG, F. LI, J. F. LIU, M. T. POPE | 714 |
| Preparation of Pt/C catalyst with a new and simple organic sol method.....Y. W. TANG, G. LI, C. P. LIU, W. XING, T. H. LU | 875 |
| Rheological behavior for mica-filled polypropylene composite melts.....Y. X. CAO, M. DU, Q. ZHENG | 567 |
| Room temperature phosphorescence pH switch based on photo-induced electron transfer.....L. X. MU, Y. WANG, Z. ZHANG, W. J. JIN | 1131 |
| Selection of anodic material used in electrolytic process for producing hypophosphorous acid.....F. S. WANG, B. K. SONG, X. L. HAN, B. G. ZHANG | 1487 |
| Selenium nanoparticles prepared from reverse microemulsion process.....M. Z. LIU, S. Y. ZHANG, Y. H. SHEN, M. L. ZHANG | 1249 |
| Simultaneous impedance analysis of three parallel piezoelectric quartz crystals for electrochemical depletion layer effect study.....H. Y. LIU, Q. J. XIE | 563 |
| Spillover on a platinum electrode modified by MWNTs.....X. F. WANG, D. P. ZHAN, Y. Y. FU, R. HUANG, X. ZHANG, Y. H. SHAO | 1480 |
| Studying aggregate in lysozyme solution by atomic force microscope.....G. L. DAI, Y. YU, Q. KANG, W. R. HU | 1237 |
| Synthesis of a new polyoxometalate loaded stearic acid nanoparticles.....Y. YANG, L. ZHANG, W. FAN, X. H. WANG, B. LI, J. F. LIU | 1255 |
| Synthesis of a novel organic soluble and thermal-stable fullerene-perylene dyad.....J. L. HUA, F. DING, F. S. MENG, H. TIAN | 1373 |

| | | |
|--|--|------|
| The deactivation of nickel hydroxide to hypophosphite electrooxidation on a nickel electrode..... | Y. ZENG, M. MO, J. L. YI, X. J. TANG, H. X. WANG | 1483 |
| The preparation and properties of thermosensitive hydrogels based on chitosan grafted N-isopropylacrylamide <i>via</i> γ -radiation..... | H. CAI, J. ZHANG, Z. P. ZHANG, Y. G. ZHANG, B. L. HE | 1253 |
| The preparation of perovskite nano powder by sol-gel from DTPA and the mechanism of thermal decomposition..... | Z. L. MO, H. CHEN, K. J. WANG, Z. H. SHI, H. J. LI | 721 |
| Inorganic Chemistry | | |
| A novel borophosphate coordination polymer with sandwich-type supramolecular architecture..... | M. F. LI, H. Z. SHI, Y. K. SHAN, M. Y. HE | 863 |
| A novel synthesis of titania-silica mixed oxide with mesoporous structure..... | W. P. HUANG, H. LI, B. Q. LI, F. GAO, X. C. ZHENG, S. M. ZHANG, S. H. WU | 725 |
| A novel white light emitting long-lasting phosphor..... | B. F. LEI, Y. L. LIU, Z. R. YE, C. S. SHI | 335 |
| A simple method for the preparation of ZnO prickly spheres..... | D. Z. LI, X. Y. SONG, S. X. SUN, J. X. GUO | 733 |
| Chitosan-immobilized palladium complex: a green and highly active heterogeneous catalyst for Heck reaction | P. LIU, L. WANG, X. Y. WANG | 475 |
| Fabrication of BaTiO ₃ inverse opal photonic crystal..... | A. XIANG, J. P. GAO, H. K. CHEN, J. G. YU, R. X. LIU | 228 |
| High activity SnO ₂ /Al ₂ O ₃ catalyst for NO reduction in the presence of oxygen... | J. H. LI, J. M. HAO, L. X. FU, T. L. ZHU, Z. M. LIU, X. Y. CUI | 695 |
| Hydrothermal synthesis and structural characterization of the cage-based arsenic-vanadium microporous material: [As ₂ V ^{IV} ₈ V ^V ₂ O ₂₆] · 8H ₂ O..... | S. T. ZHENG, Y. Q. SUN, G. Y. YANG | 220 |
| Identification of different cobalt nucleation on glassy carbon..... | M. GU, F. Z. YANG, L. HUANG, S. B. YAO, S. M. ZHOU | 981 |
| <i>In situ</i> fabrication of ZnS semiconductor nanoparticles in layered organic-inorganic solid template..... | B. L. ZHU, X. CHEN, Z. M. SUI, L. M. XU, C. J. YANG, J. K. ZHAO, J. LIU | 97 |
| Large pore mesoporous MCM-41 templated from cetyltriethylammonium bromide..... | L. LIU, G. Y. ZHANG, J. X. DONG | 737 |
| Manufacture of boron-free magnesia with high purity from residual brine..... | F. Q. LI, B. P. LING, P. H. MA | 1353 |
| Microwave synthesis, characterization and DNA-binding properties of a new cobalt(II) complex with 2,6-bis(benzimidazol-2-yl)pyridine..... | N. Y. TAN, X. M. XIAO, Z. L. LI, T. MATSUMURA-INOUE | 687 |
| New photoluminescence phenomena of Ge/SiO ₂ glass synthesized by solgel method..... | Y. Y. FENG, X. T. GU, J. H. ZHOU, J. C. BAO, G. LI, T. H. LU | 1505 |
| Preparation of carbon nanotubes with high yield and narrow diameter distribution from C ₂ H ₂ over LaCu _{0.2} Ni _{0.8} Ox..... | C. X. TANG, M. Z. QU, B. L. ZHANG, Z. L. YU | 231 |
| Preparation of Co ₃ O ₄ nanofibers <i>via</i> an electrospinning technique..... | C. L. SHAO, H. Y. GUAN, S. B. WEN, B. CHEN, X. H. YANG, J. GONG, Y. C. LIU | 492 |
| Preparation of Mn ₃ O ₄ nanofibres <i>via</i> an electrospinning technique..... | C. L. SHAO, H. Y. GUAN, S. B. WEN, B. CHEN, X. H. YANG, J. GONG | 471 |
| Preparation of PO ₄ ³⁻ , P ₂ O ₇ ⁴⁻ anion-pillared nanocrystalline Mg-Al and Zn-Al layered double hydroxides in microwave fields..... | Z. J. ZHANG, X. J. MEI, L. R. FEN, S. J. LU, F. L. QIU | 867 |
| Preparation of PVA/H ₃ PW ₁₂ O ₄₀ fiber mats..... | J. GONG, C. L. SHAO, G. C. YANG, Y. PAN, L. Y. QU | 330 |

| | |
|--|------|
| Removal of heavy metals in effluent by adsorption and coagulation..... | 83 |
| Silica-supported poly- γ -aminopropylsilane Cu ²⁺ -Pd ²⁺ complex: A new catalyst system for Heck vinylation reaction..... | 856 |
| Study on synthesis and intercalation behavior of layered zirconium proline-N-methylphosphonate-phosphate..... | 871 |
| Synthesis and anion recognition of a novel heterocyclic organotin complex..... | 954 |
|L. X. ZHANG, G. Z. LI, Z. Q. LI | |
| Synthesis and characterization of organophosphazene polyoxotungstate [(N ₃ P ₃)(SiW ₁₁ O ₃₉ H ₂) ₃] ¹²⁻J. GONG, C. L. SHAO, L. Y. QU | 333 |
| Synthesis and crystal structure of a novel compound of (C ₂ N ₂ H ₈ O ₂) H ₆ V ₁₀ O ₂₈J. T. LIU, X. H. WANG, J. F. LIU | 859 |
| Synthesis and crystal structures of novel Keggin and Dawson polyoxometalates containing amantadine..... | 216 |
|S. X. LIU, C. M. WANG, H. J. ZHAI, D. H. LI, E. B. WANG | |
| Synthesis and photoluminescence of a new red phosphorescent iridium (III) quinoxaline complex.....G. L. ZHANG, Z. H. LIU, H. Q. GUO | 1349 |
| Synthesis of nickel sulfide particles by solvothermal process..... | 79 |
|D. Q. WANG, D. R. CHEN, X. L. JIAO | |
| The adsorption of NO _x on magnesium aluminium hydrotalcite..... | 989 |
|Z. M. NI, W. H. YU, S. F. ZHAO, Z. H. GE | |
| The isoelectric point and the points of zero charge of Fe-Al-Mg hydrotalcite-like compounds.....D. X. LI, W. G. HOU, S. P. LI, M. T. HAO, G. Y. ZHANG | 224 |
| The new-generation of green surfactant (alkylpolyglucoside) as an inhibitor to the corrosion of 907 steel in seawater...M. DU, R. J. GAO, P. GONG, Q. Z. WANG | 985 |
| The research on the stability of TiO ₂ , MoO ₃ , PEO doped four-member tungstic acid sols.....K. RAO, X. K. FU, X. P. RAO | 957 |
| Organic Chemistry | |
| A concise and stereoselective synthesis of the cathasterone's side chain..... | 762 |
|T. S. MEI, L. Z. PENG, T. ZHANG, Y. L. LI | |
| A concise total synthesis of S-(+)-tylophorine..... | 1164 |
|Z. JIN, S. P. LI, Q. M. WANG, R. Q. HUANG | |
| A convenient synthesis and properties of Ru(bpy) ₂ [bpy(CO ₂ H)-(CO ₂ Et)] (PF ₆) ₂ photosensitive dye....S. G. SUN, X. J. PENG, Y. Q. XU, L. SHI, Z. GUO, L. C. SUN | 969 |
| A facile and efficient oxidation of α,β -unsaturated alcohols with manganese dioxide in ionic liquids under mild conditions..... | 1029 |
|W. L. BAO, Q. WANG, Y. F. ZHENG | |
| A facile synthesis of N-phosphoryl amino acids containing hydroxy group..... | 646 |
|J. C. ZHANG, S. X. CAO, X. L. YANG, Y. F. ZHAO | |
| A facile synthetic method for biphenyltetracarboxylic dianhydrides..... | 787 |
|X. E. WU, C. L. GAO, M. X. DING, S. B. ZHANG, L. X. GAO | |
| A green and facile solid-state synthesis method for the preparation of diazene-carboxamide azo compounds with potassium ferricyanide and sodium hydroxide system.....W. X. XUE , J. P. LI, Y. L. WANG | 1137 |
| A lignan glucoside from <i>Bupleurum scorzonerifolium</i> | 1053 |
|L. TAN, B. WANG, Y. Y. ZHAO | |
| A mild and efficient oxidation of alcohols in water..... | 1149 |
|C. Z. XU, L. CHEN, Z. LI, W. SUN, C. G. XIA | |
| A new anthranquinone glycoside from the seeds of <i>Cassia obtusifolia</i> | 1448 |
|C. H. LI, X. Y. WEI, X. E. LI, P. WU, B. J. GUO | |
| A new benzofuran derivative from the bark of mulberry tree..... | 951 |
|S. J. DAI, Z. B. MA, S. LI, R. Y. CHEN, D. Q. YU | |

| | | |
|---|--|------|
| A new biflavonoid from <i>Stellera chamaejasme</i> L..... | B. M. FENG, Y. H. PEI, H. M. HUA | 61 |
| A new bromophenol from the brown alga <i>Leathesia nana</i> | X. L. XU, X. FAN, F. H. SONG, J. L. ZHAO, L. J. HAN, J. G. SHI | 661 |
| A new cytotoxic sterol produced by an endophytic fungus from <i>Castaniopsis fissa</i> at the south china sea coast..... | H. J. LI, Y. C. LIN, L. L. P. VRIJMOED, E. B. G. JONES | 419 |
| A new deoxygenation method for taxanes using hypophosphorous acid..... | J. GU, M. ZHANG, D. L. YIN, J. Y. GUO, X. T. LIANG | 649 |
| A new dihydroflavone glycoside from <i>Glycyrrhiza uralensis</i> | H. X. LIU, W. H. LIN, J. S. YANG | 925 |
| A new diterpenoid glucoside from <i>Aster smithianus</i> | S. J. GUO, X. H. ZHAO, D. L. CHENG | 1451 |
| A new efficient synthesis of p-nitrocalix[4]arene..... | Y. LI, J. S. WANG, Q. WANG, D. S. LI | 400 |
| A new furobenzopyranone from <i>Anaphalis lactea</i> | A. X. WANG, F. L. YAN, Z. J. JIA | 1185 |
| A new furostanol saponin from the water-extract of <i>Dioscorea nipponica</i> Mak., the raw material of the traditional Chinese herbal medicine Wei Ao Xin..... | C. B. CUI, C. XU, Q. Q. GU, S. D. CHU, H. H. JI, G. JING | 1191 |
| A new guaianolide from <i>Saussurea macrota</i> | M. YANG, Z. J. JIA | 417 |
| A new labdane diterpenoid from the bark of <i>Larix olgensis</i> Henry var. koreana nakai..... | B. H. YANG, W. D. ZHANG, Z. B. GU, T. Z. LI, C. ZHANG, Y. ZHOU | 919 |
| A new lignan from <i>Boschniakia himalaica</i> | L. H. LIU, J. X. PU, J. F. ZHAO, S. X. MEI, X. D. YANG, Y. B. WANG, H. B. ZHANG, L. LI | 43 |
| A new phytosterone from <i>Passiflora wilsonii</i> | G. P. LI, J. F. ZHAO, Y. Q. TU, X. D. YANG, H. B. ZHANG, L. LI | 659 |
| A new picrotoxane type sesquiterpene from <i>Dendrobium densiflorum</i> | J. TANG, Q. F. LIU, J. Q. DAI, W. M. ZHAO | 63 |
| A new sesquiterpene lactone from <i>Ainsliaea bonati</i> | J. X. PU, J. F. ZHAO, X. D. YANG, S. X. MEI, H. B. ZHANG, L. LI | 1454 |
| A new sesquiterpene lactone from <i>Scorzonera austriaca</i> | J. LI, Q. X. WU, Y. P. SHI, Y. ZHU | 1309 |
| A new sesquiterpene polyol ester from <i>Celastrus angulatus</i> | M. J. WU, T. Z. ZHAO, Y. J. SHANG, J. G. FU, H. Y. ZHANG | 41 |
| A new sesquiterpene-substituted benzoic acid from the brown alga <i>Dicty-opteris divaricata</i> | F. H. SONG, X. FAN, X. L. XU, J. L. ZHAO, L. J. HAN, J. G. SHI | 316 |
| A new sesquiterpenoid from <i>Magnolia delavayi</i> | J. X. CAO, G. F. LAI, Y. F. WANG, Y. F. HUANG, S. D. LUO | 791 |
| A new stigmasterol and a new eremophilolide from <i>Ligularia dolichobotrys</i> | E. W. LI, K. GAO, Z. J. JIA | 194 |
| A new synthetic route for preparation of 2-chloro-6-fluorobenzonitrile and 2-chloro-6-fluorobenzoic acid..... | X. Y. LI, Q. ZHENG, P. YU, C. HUANG, J. L. DUAN, J. Q. PENG | 895 |
| A new synthetic route to 12-oxo-1, 15-pentadecanactam..... | J. X. HUANG, X. M. LIANG, D. Q. WANG | 169 |
| A new taxoid from leaves and branches of <i>Taxus chinensis</i> | F. S. WANG, L. Y. PENG, Y. ZHAO, Q. S. ZHAO, K. GU, H. D. SUN | 307 |
| A new triterpene from the orchid <i>Pholidota yunnanensis</i> | Z. M. BI, Z. T. WANG, L. S. XU | 1179 |
| A new triterpenoid from <i>Doellingeria scaber</i> | S. P. BAI, L. DONG, Z. A. HE, L. YANG | 1303 |
| A novel and efficient catalytic system for aerobic oxidative coupling of 2-naphthol derivatives..... | CHEN, J. B. LAN, Z. H. MAO, X. Q. YU, R. G. XIE | 903 |

| | |
|---|------|
| A novel cardiac glycoside from <i>Parepigynum funingesis</i> | 797 |
| A novel green synthesis of quinolines through acid-catalyzed Friedlander reaction in ionic liquids..... | 1170 |
| A novel isoenzyme of CuZn-superoxide dismutase from <i>Nicotiana tabacum</i> | 543 |
| A novel method of preparing unsymmetrical thioether from disulfides..... | 1143 |
| A novel peptide from <i>Buthus martensii</i> Karch..... | 413 |
| A novel prenylchalcone from <i>Humulus lupulus</i> | 1195 |
| A novel protoilludane sesquiterpene from the wood of <i>Xanthoceras sorbifolia</i> | 65 |
| A novel synthesis of (-)-10- <i>epi</i> - α -cyperone..... | 1273 |
| A novel synthesis of N-methyl-N-aryl carbamates from aromatic amines and dimethyl carbonate catalyzed by K_2CO_3/Bu_4NBr | 889 |
| A novel terpenoid from <i>Lappula anocarpa</i> | 664 |
| A rapid parallel synthesis of 2-dialkylamino-4(3H)-quinazolinones..... | 280 |
| A short and stereoselective synthesis of the (-)-(5 <i>R</i> , 6 <i>S</i>)-6-acetoxy hexadecane-5-olide..... | 1177 |
| A study of heteropoly complexes of rare earths as catalyst promoter in the synthesis of ethyl acetate..... | 1095 |
| A styrylpyrone dimer from the bark of <i>Goniothalamus leiocarpus</i> | 191 |
| Ambient ionic liquids used in the reduction of aldehydes and ketones..... | 579 |
| An efficient and chemoselective deprotection of <i>tert</i> -butyldimethylsilyl protected alcohols using $SnCl_2 \cdot 2H_2O$ as catalyst..... | 643 |
| An efficient and green procedure for the preparation of <i>gem</i> -dicarboxylates from aldehydes catalyzed by $Fe_2(SO_4)_3 \cdot xH_2O$ | 1430 |
| An efficient and mild preparation of vinyl diazo carbonyl compounds..... | 508 |
| An efficient approach to 6, 7-disubstituted-1 <i>H</i> -quinoxalin-2-ones..... | 911 |
| An efficient preparation of 2, 3-disubstituted indole derivatives induced by low-valent titanium..... | 1400 |
| An efficient route to iodohydrin using polymer-supported hypervalent iodine (III) reagent..... | 518 |
| An unusual formation of cyclic sulfite at C-4 and C-5 positions of taxane..... | 1387 |
| An unusual reductive ring-opening reaction of phthalimide with sodium hydride in DMF..... | 1033 |
| Anodic cyanation of 1-(1-methoxycarbonyl ethyl) piperidine..... | 777 |
| P. ZHAO, Y. W. YIN | 1043 |

| | |
|---|------|
| Assembly of a library of trisaccharides as mimics of sialyl Lewis X <i>via</i> random combination strategy.....X. B. MENG, H. LI, Q. LI, T. M. CHENG, Z. J. LI | 379 |
| Asymmetric induction of chiral 1,1'-bis(oxazolinyl)ferrocenes as ligands in metal-catalyzed cyclopropanation and Diels-Alder reactions.....Z. QIAO, X. Y. SHI, Q. H. BIAN, S. C. HOU, M. WANG | 1015 |
| Asymmetric Pictet-Spengler reactions:synthesis of tetrahydroisoquinoline derivatives from L-DOPA.....Y. WANG, Z. Z. LIU, S. Z. CHEN, X. T. LIANG | 505 |
| Biphasic catalytic hydroformylation of 1-dodecene in micellar system with cationic gemini surfactants.....M. LI, B. XU, H. CHEN, H. J. ZHENG, X. Y. HUANG, Y. Z. LI, X. J. LI | 1022 |
| Bischler-Napieralski reaction of 2-(3,4-dimethoxy-2-nitrophenyl)-n-[2-(3,4-dimethoxyphenyl)ethyl]-n-[(S)-1-phenylethyl]acetamide accompanied by elimination of chiral auxiliary.....H. M. MA, Z. Z. LIU, S. Z. CHEN | 253 |
| Catechol-bisphosphonate conjugates: new potential chelating agents for metal intoxication therapy.....G. Y. XU, C. H. YANG, B. LIU, X. H. WU, Y. Y. XIE | 1403 |
| Ceric ammonium nitrate-mediated oxidative cycloaddition of 1,3-dicarbonyls to β -aryl- α , β -unsaturated ketones.....W. ZHANG, C. D. HUO, Z. G. LIU, Z. L. LIU | 389 |
| Chiral salen manganese complex immobilized on SBA-15:A new heterogenized enantioselective catalyst for the epoxidation of alkenes.....X. M. ZHENG, Y. X. QI, X. M. ZHANG, J. S. SUO | 655 |
| Clean aerobic liquid oxidation of aldehydes with solid catalyst.....H. B. JI, D. G. HE, J. SONG, Y. QIAN | 1241 |
| Comparative study on the inclusion interaction between <i>meso</i> -tetrakis (4-N-ethylpyridiniumyl) porphyrin and β -cyclodextrin derivatives.....X. L. GUO, S. M. SHUANG, J. B. CHAO, D. X. LI | 961 |
| Construction and analysis of N-phosphoryl peptide libraries.....S. X. CAO, J. C. ZHANG, M. Y. NIU, K. LU, X. C. LIAO, Y. F. ZHAO | 652 |
| Convenient synthesis of bis(oxazoline) dicarboxylate derivatives.....B. FU, D. M. DU, Q. XIA | 383 |
| Dehydroaromatization of methane with a small amount of ethane for higher yield of benzene.....W. CHU, X. Y. DAI, X. D. LI, W. W. JIANG | 591 |
| Design and synthesis of novel molecular tweezers derived from chenodeoxycholic acid.....Z. G. ZHAO, Q. M. MU, S. H. CHEN | 1285 |
| Design, synthesis and antifungal activity of novel triazole derivatives.....C. Q. SHENG, W. N. ZHANG, H. T. JI, Y. L. SONG, M. ZHANG, Y. J. ZHOU, J. G. LU, J. ZHU | 404 |
| Design, synthesis, and hypnotic activity of pyrazolo[1,5-a]pyrimidine derivatives.....S. Q. WANG, L. FANG, X. J. LIU, K. ZHAO | 885 |
| Dihydrochalcones from <i>Symplocos vaccinifolia</i>T. J. LING, L. D. LIN, P. WU, W. H. ZHOU, H. G. YE, M. F. LIU, X. Y. WEI | 1182 |
| Dioxygen affinities and biomimetic catalytic oxidation performance of transition-metal complexes with unsymmetrical bis-Schiff bases.....X. Y. WEI, J. Z. LI, Y. DU, S. Y. QING | 529 |
| Direct synthesis of oxygenates from water and methane <i>via</i> dielectric barrier discharge.....B. W. WANG, G. H. XU | 779 |
| Effect of catalase on biocatalytic synthesis of pyruvate by enzymes from <i>Pseudomonas sp.</i>J. S. GU, Y. X. WANG, Q. JIAO | 1299 |
| Effect of different dopant in the Mo-V-Te-O catalyst on the performance of selective oxidation propane to acrolein.....H. C. JIANG, W. M. LU, H. L. WAN | 977 |
| Effect of fluorination on aggregate structure of perylene diimide.....M. M. SHI, H. Z. CHEN, J. Z. SUN, J. YE, M. WANG | 575 |
| Efficient esterification of ferrocenecarboxylic acid in ionic liquids.....W. Y. CHEN, J. LU | 1146 |

| | |
|--|------|
| Enantioselective synthesis of (+)-nuciferal, (+)-(E)-nuciferol and (+)- α -curcumene by chiral hydrogenesterification reaction..... | 1389 |
|Z. T. DU, X. G. SHE, G. R. YUE, J. Y. MA, Y. LI, X. F. PAN | |
| Enantioselective total synthesis of the (+) antipode of zeylenone..... | 1433 |
|A. LIU, Z. Z. LIU, Z. M. ZOU, S. Z. CHEN, L. Z. XU, S. L. YANG | |
| Enzymatic synthesis of a CCK-8 tetrapeptide fragment..... | 768 |
|G. Y. XIANG, H. ECKSTEIN | |
| Facile synthesis of 1, 2-diazepine derivatives under microwaveirradiation..... | 284 |
|J. X. WANG, X. N. SHI, K. H. WANG, X. Q. MEN | |
| Facile synthesis of isoamericanol and isoamericanin A..... | 1392 |
|X. B. JING, C. G. YAN, J. SUN, L. WANG, L. AN | |
| Facile synthesis of ureas in ionic liquid..... | 1269 |
|W. X. QIAN, F. Y. JU, Y. M. ZHANG, W. L. BAO | |
| First total synthesis of (\pm)-3-(5-hydroxy-4,7,8-trimethyl-3E, 8-nonadiene) Δ 2-butenoide.....T. ZHANG, Y. LI, L. Z. PENG, H. W. LIU, T. S. MEI, Y. L. LI | 141 |
| First total synthesis of (\pm)-aiphanol.....X. L. WANG, J. P. FENG, X. G. XIE, X. P. CAO, X. F. PAN | 1036 |
| Formation of α,α' -bis(substituted benzylidene)cycloalkanones from masked aldehydes promoted by samarium(III) triiodide.....X. X. WANG, Y. M. ZHANG | 511 |
| Friedel-Crafts acylation reactions using catalytic SbCl ₅ -TEBA complex as an efficient catalyst..... | 1415 |
|A. P. HUANG, X. Y. LIU, L. H. LI, X. L. WU, W. M. LIU, Y. M. LIANG | |
| Huperzine V, a new <i>lycopodium</i> alkaloid from <i>Huperzia serrata</i> | 303 |
|H. Q. LIU, C. H. TAN, S. H. JIANG, D. Y. ZHU | |
| Hydroaminomethylation of 1-dodecene catalyzed by water-soluble rhodium complex.....Y. Y. WANG, M. M. LUO, Y. Z. LI, H. CHEN, X. J. LI | 774 |
| Indium-mediated facile synthesis of (6-chloropyridine-3-yl)methyl heterocyclic thioether derivatives in aqueous media..... | 1140 |
|B. A. SONG, G. LIU, D. Y. HU, H. ZHANG | |
| Intercedenol A and B, two new triterpenoids from the sea cucumber <i>Mensamaria intercedens</i> | 309 |
|Z. R. ZOU, Y. H. YI, H. M. WU, J. H. WU, D. Z. ZHOU, S. Y. ZHANG | |
| Intermolecular phosphoryl transfer between serine and histidine residues..... | 1289 |
|Y. Q. SU, M. Y. NIU, S. X. CAO, J. C. ZHANG, Y. F. ZHAO | |
| Isolation of 2-chloro-5-methylpyridine from its isomer 2-chloro-3-methylpyridine by formation of its copper(II) complex..... | 181 |
|R. C. XUAN, W. X. HU, Z. Y. YANG, Y. P. LU | |
| Mechanochemical reaction of aromatic ketones and aldehydes in the presence of Zn-ZnCl ₂G. W. WANG, L. LIU | 587 |
| Michael addition of alkyl amine to α,β -unsaturated carbonyl compounds catalyzed by KF/Al ₂ O ₃D. B. TIAN, J. ZHU, J. F. ZHU, Y. X. SHI, J. T. WANG | 883 |
| Microwave-assisted palladium catalyzed cross-coupling reaction of sodium tetraphenylborate with carboxylic anhydrides.....J. X. WANG, Y. Q. ZHANG | 641 |
| Microwave-promoted palladium catalyzed Suzuki cross-coupling reaction in water.....L. BAI, J. X. WANG | 286 |
| N-Alkoxy templates for diastereoselective pyrrolidine synthesis..... | |
|S. Q. WANG, O. A. IBRAHIMI, P. LI, K. ZHAO | 1 |
| Neo-lignans in the seed crusts of <i>Trewia nudiflora</i>P. J. ZHAO, Y. M. SHEN | 921 |
| New approach to synthesis of tetrahydroisoquinol[2,1-c] [1,3]- benzodiazepine.. | 759 |
|H. M. MA, Z. Z. LIU, S. Z. CHEN, X. T. LIANG | |
| New chiral pyridine prolinol derivatives and preliminary study on asymmetric catalytic reaction.....X. CHEN, Y. X. ZHANG, D. M. DU, W. T. HUA | 167 |
| New condensation reaction of β -keto- δ -valerolactones, carbon disulfide and alkyl halides.....Y. M. WANG, Y. X. LI, S. H. WANG, Z. M. LI | 1135 |

| | |
|---|------|
| New sesquiterpenes from <i>Cacalia ainsliaeflora</i> | 794 |
| Nickel chloride promoted Glaser coupling reaction in hot water..... | 1295 |
| Novel analogues of α -terthienyl, thienyl 1, 3, 4-thia(oxa)diazoles as potential photoactivated insecticides: synthesis and bioactivity..... | 7 |
|L. G. LIU, Y. F. XU, X. H. QIAN, Q. C. HUANG | |
| Octopus manganese porphyrin with polyglycol chains as a catalyst for the β -selective epoxidation of cholesterol derivatives..... | 915 |
|R. H. LI, Y. C. ZHAO, J. WU, J. S. YOU, X. Q. YU | |
| Oldhamioside, a new phenolic glucoside from <i>Daphniphyllum oldhamii</i> | 52 |
| One-pot synthesis of 2,5-disubstituted oxazoles using poly[styrene(iodosodiacetate)]..... | 143 |
| Oxidation of styrene with molecular oxygen in supercritical CO_2 | 296 |
|T. JIANG, B. X. HAN, G. Y. ZHAO, Z. H. LI, Y. H. CHANG, H. X. GAO, J. C. LI | |
| Photoaffinity probe candidates for gamma-aminobutyric acid (GABA_A)gated chloride channel..... | 771 |
| Photo-induced coupling reaction of 1, 1-diphenyl-2, 2- dicyanoethylene with 10-methyl-9, 10-dihydroacridine..... | 159 |
|H. JIANG, Y. C. LIU, G. W. WANG, S. W. LUO, Q. M. WANG, T. C. W. MAK | |
| Photopromoted methoxycarbonylation of olefins under ambient conditions in DMF..... | 1245 |
| Poly(ethylene glycol)-supported liquid-phase parallel synthesis of di(aryloxyacetyl) thiosemicarbazides..... | 635 |
|X. C. WANG, J. K. WANG, Z. LI | |
| Poly(ethylenimine)-grafted-poly[(aspartic acid)-co-lysine]: a non-viral polymer with potential for DNA delivery..... | 37 |
| Polystyrene-supported selenomethyl-sulfonates: efficient reagents for stereocontrolled synthesis of substituted vinyl sulfones..... | 1047 |
|W. M. XU, L. L. WU, X. HUANG | |
| Preparation and characterization of super-paramagnetic nano-beads for DNA isolation..... | 597 |
| Preparation of D-phenylalanine by asymmetric transformation..... | 411 |
|B. M. WEI, L. J. JIANG, Y. P. ZHENG, H. Q. XU | |
| Preparation of silver nanoshells on silica particles by a simple two-step process..... | 1005 |
|Y. ZHANG, M. MA, N. GU, L. XU, K. J. CHEN | |
| Purification and primary structure determination of a novel polypeptide isolated from mistletoe <i>Viscum coloratum</i> | 1311 |
|J. L. KONG, X. B. DU, C. X. FAN, Y. CAO, H. JIANG, J. F. XU, X. J. ZHENG | |
| Reaction of nitrosonium (NO^+) with Schiff bases..... | 801 |
|Y. L. ZHOU, C. D. HUO, S. MIAO, L. M. WU | |
| Reductive cyclodimerization of arylideneacyanoacetates promoted by $\text{Sm}/\text{InCl}_3 \cdot 4\text{H}_2\text{O}$ system in aqueous media..... | 148 |
|H. Y. WU, J. C. DING, L. P. FANG, J. GAO | |
| Regioselective synthesis of multi-substituted phenylselenomethyl isoxazolines.. | 1279 |
|W. M. XU, L. L. WU, X. HUANG | |
| Regioselective synthesis of polymerizable vinyl guaifenesin esters catalyzed by an alkaline protease of <i>bacillus subtilis</i> | 175 |
|N. WANG, Q. WU, J. M. XU, X. M. JIANG, X. F. LIN | |
| Regiospecific addition of uracil to acrylates catalyzed by alkaline protease from <i>Bacillus subtilis</i> | 594 |
| Room temperature ionic liquid: a powerful additive of Mn(Salen) catalyzed oxidation of <i>sec</i> -alcohols..... | 1437 |
|J. W. LI, W. SUN, L. W. XU, C. G. XIA, H. W. WANG | |

| | |
|---|------|
| Segetoside L, a new triterpenoid saponin from <i>Vaccaria segetalis</i> | 55 |
| Simple, mild and convenient synthesis of two novel N-dichloro acetyl oxazolidines and their biological activities..... | 1167 |
| Solid-phase synthesis of acrylamide using polymer-supported β -selenopropionic acid..... | 275 |
| Solid-phase synthesis of unsaturated β -dicarbonyl compounds from polymer-supported 4-(phenylseleno)morpholine..... | 1009 |
| Solvent-free mechanochemical and liquid-phase reaction of [60]fullerene with ethyl 2-diazopropionate..... | 1265 |
| Stereoselective synthesis of (E)-1, 3-enynyl bromides via Pd/Cu-catalyzed cross-coupling reaction of (Z)- α -bromovinylstannanes..... | 1157 |
| Stereoselective synthesis of (Z)- α -bromovinylstannanes and (E)- α -iodovinylstannanes via hydrozirconation of alkynylstannanes..... | 257 |
| Stereoselective synthesis of piperamide alkaloids by modified Ramberg-Bäcklund reaction..... | 631 |
| Stereospecifical preparation of (E)- α -stannyll-1-alkenylphosphonates and their application in Stille reaction..... | 35 |
| Structural features of a polysaccharide from <i>Centella asiatica</i> | 187 |
| Studies on the synthesis of penazetidine A, an alkaloid inhibitor of protein kinase | 138 |
| Studies on the total synthesis of hainanolide (VIII) –introducing C4-methoxy group, and forming the ring E (lactone)..... | 397 |
| Study on bicoordination chiral inducement catalysis of (R)-4-thiazolidine-carboxylic acid..... | 1419 |
| Study on the novel dicyanate ester resin containing naphthalene unit..... | 1050 |
| Study on the stereoselective synthesis of carbapenem sidechain (2S, 4S)-4-acetylsulphonyl-2-[(S)-1-phenylethylcarbamoyl]-pyrrolidine-1-carboxylic acid 4-nitrobenzyl ester..... | 1395 |
| Supramolecular architecture from the self-assembly of one-dimensional coordination polymers and hydrogen bonds..... | 183 |
| Synthesis and antibacterial activity of new tetracyclic triazolothiadiazino fluoroquinolones..... | 23 |
| Synthesis and anti-influenza virus activity of ethyl 6-bromo-5-hydroxyindole-3-carboxylate derivatives..... | 1039 |
| Synthesis and bioactivity of novel aminomethyl-2-(1,2,4-triazol)-4, 4-dimethyl-3-pentanone (ol) | 261 |
| Synthesis and catalytic application of chiral 1, 1'-binaphthyl polymers..... | 32 |
| Synthesis and CD spectra of chiral molybdenum-fullerenyl complexes with pineno-bipyridine ligands..... | 1411 |
| Synthesis and characterization of a novel aqueous dispersion poly[urethane (disperse blue14)-urethane] dye..... | 515 |
| Synthesis and characterization of a novel biomaterial: maleic anhydride-modified poly(dl-lactic acid)..... | 521 |

| | |
|--|------|
| Synthesis and characterization of C ₆₀ -containing poly(ethylene oxide)..... | 11 |
| Z. LI, P. SHAO, X. YANG, J. G. QIN | |
| Synthesis and characterization of ion-exchange copolyimide..... | 17 |
| L. R. ZHANG, C. Q. ZHANG, Y. GAO, Z. Y. JIA | |
| Synthesis and characterization of new UV-curable liquid crystalline diacrylates.. | 639 |
| H. B. LIU, M. C. CHEN, Z. T. HUANG, K. XU | |
| Synthesis and characterization of novel mercapto-end ferrocenyl derivatives with Schiff base linkage..... | 1087 |
| H. F. SONG, M. CHEN, Y. M. LIANG, L. SHI, G. S. HUANG | |
| Synthesis and characterization of star-like liquid crystals centered by silicon..... | 1423 |
| J. Q. LIU, Q. Z. ZHANG, J. Z. ZHANG | |
| Synthesis and color-tunable fluorescence properties of Schiff base zinc (II) complexes used as electroluminescent materials..... | 525 |
| Y. YI, X. Q. WEI, M. G. XIE, Z. Y. LU | |
| Synthesis and crystal structure of 2-amino-1, 1-diferrocenylethanol..... | 1276 |
| H. Y. ZHAO, Z. X. BIAN, B. G. LI | |
| Synthesis and crystal structure of triacetyltribenzylhexaazaisowurtzitane (TATBIW • 0.5 H ₂ O)..... | 1153 |
| W. R. HAN, Y. X. OU, J. Q. LIU, J. L. WANG | |
| Synthesis and <i>in vitro</i> antiviral activities of some new 2-arylthio-methyl- 4-tertiaryaminomethylsubstituted derivatives of 6-bromo-3-ethoxycarbonyl-5-hydroxyindoles..... | 19 |
| D. WANG, D. S. YU, F. QIN, L. FANG, P. GONG | |
| Synthesis and mesomorphic properties of novel γ -substituted β -diketonates..... | 155 |
| J. HAN, L. F. ZHANG, W. WAN | |
| Synthesis and photochemical properties of a new substituted phenol covalently linked to ruthenium (II) <i>tris</i> -bipyridine containing four ester groups as sensitizer..... | 1407 |
| F. SHI, H. Y. LI, X. J. PENG, R. ZHANG, X. Q. CHEN, J. L. FAN, L. C. SUN | |
| Synthesis and photocytotoxicity of mono-functionalised porphyrin with valine moiety..... | 1427 |
| W. M. SHI, J. WU, Y. F. WU, K. X. QIAN | |
| Synthesis of 1-bromo-3-methoxy-4-propoxy-5-iodobenzene-a novel efficient process for the synthesis of brominated aromatic compound..... | 288 |
| H. X. SHI, H. LIN, G. MANDVILLE | |
| Synthesis of 2-aryl(aryl)-3-methylthio-6-methyl-6-arylpyrano-[4, 3-c]pyrazol-4(2H)ones..... | 14 |
| Y. X. LI, Y. M. WANG, X. P. YANG, S. H. WANG, Z. M. LI | |
| Synthesis of 5,10,15,20-tetra (N-methyl-6-quinolyl)-21, 23-dithiaporphyrin chloride as cationic core-modified porphyrin..... | 1261 |
| T. LU, L. H. HURLEY | |
| Synthesis of 7a-aza-benzo[fg]naphthacen-7-one..... | 269 |
| C. G. ZHANG, B. G. LI, X. G. ZHOU, G. L. ZHANG | |
| Synthesis of a new kind of acetylenic polysilazane..... | 29 |
| J. D. HU, Z. M. ZHENG, L. H. LIU, Z. J. ZHANG, W. GAO, Z. M. XIE | |
| Synthesis of a novel conjugate of dibenzoyldiazomethane and polyamide containing N-methylimidazoles | 392 |
| D. LIU, G. YUAN | |
| Synthesis of a photolabeling probe for the study of antiviral mechanism of ribavirin | 907 |
| Q. Y. WU, X. ZHU, J. Q. WAN, F. Q. QU, L. PENG | |
| Synthesis of arylsubstituted imidazolin-2-one analogues..... | 1281 |
| Y. F. CHENG, Y. Z. HU | |
| Synthesis of calix[4]resorcinarene amide derivatives..... | 1019 |
| C. G. YAN, Y. GE | |
| Synthesis of chiral N-ferrocenylmethylaminoalcohols and their application in enantioselective addition of diethylzinc to aldehydes..... | 1025 |
| J. F. GE, Z. X. SHEN, Y. W. ZHANG | |
| Synthesis of C-nucleoside analogues: 2-[2-(hydroxymethyl)-1,3-dioxolan-5-yl] 1,3-thiazole-4-carboxamide and 2-[2-(mercaptomethyl)-1,3-dioxolan-5-yl] 1,3-thiazole-4-carboxamide..... | 163 |
| D. M. CAI, M. J. LI, D. L. LI, T. P. YOU | |
| Synthesis of hymecromone derivatives containing chiral 1,1'-bi-2-naphthyl moiety for dual-mode molecular switch..... | 892 |
| Z. X. SHAN, C. G. XIAO | |

| | | |
|--|---|------|
| Synthesis of large-ring cycloalkaneketones from bis-Grignard reagent and dinitriles..... | B. Q. YANG, J. L. JIANG, Y. J. BAI, J. LU, Z. SHI | 5 |
| Synthesis of micron-size functional polystyrene fluorescent microspheres and their adsorbability to human serum albumin..... | D. Q. WANG, H. LI, J. HU, X. F. LIAO, B. L. LIU | 571 |
| Synthesis of new 13-O-acylivermectin B1 aglycones..... | Q. A. WU, Z. Y. XU, M. ZHENG, D. Q. XU, J. XU, Y. C. SHEN | 765 |
| Synthesis of new fluorinated podophyllotoxin derivatives..... | X. Y. HE, T. YI, Y. G. WANG | 131 |
| Synthesis of novel antifungal triazole compounds..... | Y. CHU, M. X. XU, D. LU | 1011 |
| Synthesis of novel monomeric dyes with anthraquinone residue..... | J. X. WANG, C. Y. KAN, D. S. LIU | 1161 |
| Synthesis of novel nucleoside analog (3R)-2,3-dideoxy-3-(N-hydroxy-N-methylamino)-L-arabinofuranosyl uracil..... | J. C. CHU, H. S. GUO, J. B. CHANG, K. ZHAO | 785 |
| Synthesis of nucleoside derivatives containing benzophenoxazinone moiety..... | Y. GAO, W. X. ZOU, L. WU, J. S. LI, J. T. WANG, J. B. MENG | 300 |
| Synthesis of PAMAM dendrimers bearing BINOL derivative..... | X. D. LIU, M. X. DING, L. X. GAO | 151 |
| Synthesis of quinolone analogues: 7-[(2S, 4R)-2-aminomethyl-4- hydroxyl-pyrrolidin-1-yl] quinolones..... | J. Y. LIU, H. Y. GUO | 535 |
| Synthesis of RGD-aPEG-lactoside, a potential antimetastasis glycolconjugate... | S. C. LI, L. M. NIU, H. LI, Z. J. LI, Q. LI | 532 |
| Synthesis of silica-anchored sensitizer and its application in the preparation of previtamin D ₃ from tachysterol..... | C. J. YOU, R. XIE, Y. Y. GAO, Y. B. HAN, G. Q. YANG, Y. LI | 601 |
| Synthesis of some potential antiangiogenic 1,3-dihydro-1,3-dioxo-2H-isodindole derivatives..... | Y. DENG, Y. YANG, H. JIN, Y. G. ZHONG | 1173 |
| Synthesis of substituted 3H-indole-modified β-cyclodextrin..... | Q. CHEN, X. H. SHEN, H. C. GAO | 179 |
| Synthesis of surface-active substituted 3H-indole quaternary ammonium molecules..... | T. K. XU, X. H. SHEN, H. C. GAO | 26 |
| Synthesis of three novel chiral binuclear Mn(III)-Schiff-base complexes and the application in asymmetric epoxidation of <i>trans</i> -stilbene..... | Y. SUN, N. TANG, X. W. LIU, W. S. LIU | 973 |
| Synthesis of tigogenyl 2-deoxy-2-phthalimido-D-glucopyranoside derivatives and study of their ¹ H-NMR spectrum.... | S. J. HOU, C. C. ZOU, P. S. LEI, D. Q. YU | 781 |
| Synthesis of two novel rhenium(I) bipyridyl photosensitive dyes..... | S. G. SUN, X. J. PENG, M. W. FAN, Y. Q. XU, L. SHI, L. C. SUN | 965 |
| Synthesis of β-L-2',3'-dideoxy-2'-fluoro-3'-hydroxy-methylarabinofuranosyl pyrimidine nucleosides..... | J. SONG, X. L. WANG, Y. J. XIANG, C. K. CHU, R. SCHINAZI, K. ZHAO | 135 |
| Synthesis, structures and coordination behavior of central hydroxyl group containing polydentate ligands | J. JIA, X. W. WANG, Y. L. ZHAO, Y. ZHU, J. C. TAO | 292 |
| Synthesize of 2, 6-di-O-acetyl sucrose by regioselective acetylation with dibutyltin oxide..... | Y. KE, H. M. LIU, Z. Z. LIU | 273 |
| Terresoxazine, a novel compound with benzoxazine skeleton from <i>Tribulus terrestris</i> | J. W. HUANG, C. H. TAN, S. H. JIANG, D. Y. ZHU | 305 |
| The effect of 19-substituent on the stereospecific hydroxylation of Δ ⁵ -steroids using performic acid as oxidant..... | W. G. LU, J. Y. SU, L. M. ZENG, H. LI | 899 |
| The effects of CO ₂ addition on the partial oxidation of heptane for hydrogen generation..... | R. RAN, G. X. XIONG, S. S. SHENG, W. S. YAN | 605 |

| | |
|---|------|
| The first and facile synthesis of (\pm) syringaresinol..... | 408 |
| Z. H. YAN, C. H. YANG, X. H. WU, Y. Y. XIE | |
| The preparation of α -phosphonovinylzirconocenes and their application in the stereospecific synthesis of α -halo-1-alkenylphosphonates..... | 386 |
| Z. C. XIONG , L. L. WU , X. HUANG | |
| The selective reduction of 4-propylthio-2-nitroaniline with CO using Ru3(CO)12/PEDPA complex as catalyst.....J. Y. JIANG, Q. MIAO, Y. H. WANG , Z. L. JIN | 394 |
| The stabilization effect of glutaraldehyde on the <i>Spirulina platensis</i> phycobilisomes.....X. Y. ZHANG, X. L. CHEN, W. LIU, Y. Z. ZHANG, B. C. ZHOU | 1083 |
| The study of alcoholysis of 1,2-thiazetidine-1,1-dioxide with quantum chemical method.....M. X. HE, F. ZHU, D. C. FENG, Z. T. CAI | 745 |
| The synthesis and activity <i>in vitro</i> of a series of 5-amino-8-methoxyquinolones.....J. Y. LIU, Y. LÜ, Y. C. WANG, H. Y. GUO | 1397 |
| Z. H. YAN, C. H. YANG, X. H. WU, Y. Y. XIE | |
| The synthesis of a new dumbbell-shaped compound of bis-4, 4'-bipyridine bridged by 2, 2'-bipyridine.....X. H. XU, R. L. LU, B. ZHOU, J. P. LI, Y. Q. DENG | 145 |
| The synthesis of bis(carboxyalkylmethyl) diselenides by selenium transfer reaction of aryl selenoamides.....H. R. ZHAO, X. F. LI, X. J. ZHAO, Y. P. NIU | 1292 |
| The synthesis of glycosyl phosphite-Pt(II) complexes.....L. H. CAO., H. Y. GAO, C. J. ZHOU, Y. T. LIU | 171 |
| Three new C ₂₁ steroidal glycosides from the roots of <i>Cynanchum komarovii</i> Al.Iljinski.....L. Q. WANG, Y. M. SHEN, Y. Q. WEI, X. XU, J. ZHOU | 200 |
| Three new dammarane glycosides from <i>Gynostemma pentaphyllum</i>X. LIU, R. M. YU, W. L. HSIAO, S. X. ZHAO, W. C. YE | 46 |
| Three novel eremophilanolides from <i>Ligularia virgaurea</i> spp. <i>oligocephala</i>Q. X. WU, Y. P. SHI, L. YANG | 1441 |
| Toward total synthesis of yohimbine and reserpine alkaloids; part 1. An improved synthesis of <i>cis</i> -5,8-dihydroxy-1,4,5,8,9,10 hexahydronaphthalene-1, 8-lactone <i>via</i> selective reduction of the conjugated ketone with Zn(BH ₄) ₂ | |
| Y. Y. LI, M. XU, F. E. CHEN | 265 |
| Two new 9, 10-seco-cycloartanes from the seeds of <i>Sphaerophysa salsula</i>Z. J. MA, I. FUJII, Y. EBIZUKA, X. LI | 58 |
| Two new benzofuran derivatives from <i>Ligularia stenocephala</i>F. L. YAN, A. X. WANG, Z. J. JIA | 423 |
| Two new diarylheptanoids from the rhizomes of <i>Zingiber officinale</i>J. P. MA, X. L. JIN, L. YANG, Z. L. LIU | 1306 |
| Two new diterpene acetylxylosides from <i>Aster veitchianus</i>E. W. LI, K. GAO, Z. J. JIA | 425 |
| Two new iridoid glucosides from <i>Lagotis yunnanensis</i>X. D. YANG, J. F. ZHAO, S. X. MEI, J. X. PU, H. B. ZHANG, L. LI | 49 |
| Two new isoquinoline alkaloids from <i>Carduus crispus</i>W. D. XIE, Z. J. JIA | 1057 |
| Two new phloroglucinol glycosides from <i>Lysidice rhodostegia</i> hance.....S. GAO, S. S. YU, D. Q. YU | 313 |
| Two new pyrrolizidines from <i>Ligularia lankongensis</i>A. M. TAN, Y. S. LI, H. YANG, Z. T. WANG, H. P. HE, M. ZHANG, X. J. HAO | 68 |
| Two new sesquiterpenes from <i>Euonymus nanoides</i>Z. L. LIU, Z. J. JIA, X. TIAN, H. WANG | 197 |
| Two new tetranortriterpenoids from <i>Amoora dasyclada</i>S. M. YANG, Y. B. MA, X. D. LUO, S. H. WU, D. G. WU | 1187 |
| Two novel sub-skeleton types of <i>ent</i> -kauranoids from <i>Isodon gesneroides</i>S. N. CHEN, S. Y. CHEN, H. D. SUN, W. Z. LIN, Y. Z. CHEN | 539 |
| Yb(OTf) ₃ catalyzed nucleophilic conjugate addition of pyrrole to α , β -unsaturated ketones and nitro-compoundsP. P. SUN, Y. P. XIAO | 277 |
| Two new steroidal glycosides from <i>Caryopteris terniflora</i>Y. H. ZHANG, Q. Y. WEI, Z. L. LIU, L. YANG, D. L. CHENG | 1445 |

Physical Chemistry

| | |
|--|------|
| A new quaternary ammonium heteropolyoxotungstate catalyst for propylene epoxidation to propylene oxide.....Y. LÜ, M. LI, R. H. ZHANG, Z. W. XI, S. GAO | 1491 |
| A new reaction-controlled phase-transfer catalyst system.....M. Q. LI, X. G. JIAN, G. M. WANG, Y. YU | 350 |
| A novel exact fixed-node quantum Monte Carlo algorithm.....H. X. HUANG | 501 |
| Calculations of hyperpolarizabilities for <i>para</i> -disubstituted benzenes with the QSPR.....X. D. ZENG, X. XU, B. F. WANG, B. C. WANG | 753 |
| Crystal structures of two potential tumor imaging agents and therapeutic agents —copper(II) ternary complexes with salicylidene-tyrosinato Schiff base and nitrogen-donor chelating Lewis base.....M. Z. WANG, G. L. CAI, L. XIA, J. J. YAO, H. Y. CHEN, Z. X. MENG, B. L. LIU | 495 |
| Direct electrochemical reaction of horseradish peroxidase immobilized on the surface of active carbon powders.....D. M. SUN, C. X. CAI, W. XING, T. H. LU | 453 |
| 3D-QSAR analysis of agonists of nAChRs: epibatidine analogues.....H. B. ZHANG, C. P. LIU | 1380 |
| Effect of addition of cosurfactant on the phase behaviour of oil-in-water amino-silicone oil microemulsion.....Z. H. LUO, X. L. ZHAN, P. Y. YU | 1101 |
| Effect of different organic modifiers on the tensile properties of PVC/EVA/montmorillonite compositesC. Y. WAN, Y. ZHANG, Y. X. ZHANG | 77 |
| Effect of TiO ₂ support on the composition, morphology and catalytic property of the NiB amorphous alloy catalyst.....L. J. WANG, M. H. ZHANG, W. LI, K. Y. TAO | 1357 |
| Effect of transition metals on selective hydrogenation of cinnamaldehyde over Pt/ZrO ₂ catalysts.....G. H. LAI, R. X. ZHOU, X. X. HAN, X. M. ZHENG | 1494 |
| Efficient synthesis of the C1- C7 fragment of didemnaketal A.....X. Q. LI, X. Z. ZHAO, P. N. LIU, Y. Q. TU | 757 |
| Electrical percolation of carbon black filled poly (ethylene oxide) composites in relation to the matrix morphology.....G. S. CHENG, J. W. HU, M. Q. ZHANG, M. W. LI, D. S. XIAO, M. Z. RONG | 1501 |
| Electrochemical reduction of oxygen on multi-walled carbon nanotubes electrode in alkaline solution.....Y. Q. CHU, C. A. MA, F. M. ZHAO, H. HUANG | 805 |
| Formation and oxidation of hydrogen molybdenum bronze on platinum electrode in sulfuric acid solution.....J. LU, J. H. DU, W. S. Li, J. M. FU | 703 |
| Immobilization of glucose oxidase on cellulose/cellulose acetate membrane and its detection by scanning electrochemical microscope (SECM).....J. S. ZHAO, Z. Y. YANG, Y. H. ZHANG, Z. Y. YANG | 1361 |
| Increase the degradation efficiency of organic pollutants with a radical scavenger (Cl ⁻) in a novel photoelectrocatalytic reactor.....T. C. AN, W. B. ZHANG, G. Y. LI, J. M. FU, G. Y. SHENG | 455 |
| Influence of addition of ZnO on property of Fe ₂ O ₃ -K ₂ O system catalyst for ethylbenzene dehydrogenation to styrene.....C. X. MIAO, M. SHAN | 93 |
| Kinetics of the esterification reaction catalyzed by lipase in W/O microemulsions of alkyl polyglucoside.....J. L. CHAI, S. Q. WANG, G. Z. LI, Q. XU, G. Y. ZHANG | 699 |
| One-step synthesis of <i>n</i> -butanol from ethanol condensation over alumina-supported metal catalysts.....K. W. YANG, X. Z. JIANG, W. C. ZHANG | 1497 |
| Prediction of the aqueous solubilities of polychlorinated biphenyls.....S. S. LIU, S. H. CUI, L. S. WANG | 467 |
| Preliminary study on the dynamic properties of PMVS filled with surface treated silica.....Q. ZHENG, H. G. HU, X. L. TAO | 71 |
| Rate constants for the reactions of NO ₃ ⁻ and SO ₄ ²⁻ radicals with oxalic acid and oxalate anions in aqueous solution.....X. K. YANG, J. Q. WANG, T. D. WANG | 583 |

| | |
|---|------|
| Reaction of 1,1-di- <i>p</i> -methoxyphenyl-2,2-dinitroethylene and 1,1-di- <i>O</i> -methoxyphenyl-2,2-dinitroethylene with 1-benzyl-1,4-dihydronicotinamide: evidence for concerted electronhydrogen atom transfer mechanism..... | 353 |
|D. M. DAI, Y. C. LIU, J. LI, P. WANG, X. D. CHEN, T. C. W. MAK | |
| Singlet H-cCNC-C: a potential interstellar molecule..... | 498 |
|H. T. YU, M. X. LI, H. G. FU, B. F. XING, J. Z. SUN | |
| Studies on phase behavior of alkyl polyglucoside based on microemulsions with modified fishlike phase diagram..... | 361 |
|J. L. CHAI, G. Z. LI, Z. Y. DIAO, G. Y. ZHANG | |
| Study on interaction between chitosan and CdS quantum dots <i>via</i> photoluminescence spectra..... | 463 |
|Z. LI, Y. M. DU, Y. WEN | |
| Superoxide anion radical scavenging ability of quaternary ammonium salt of chitosan..... | 808 |
|X. Y. ZHU, J. M. WU, Z. S. JIA | |
| Synthesis of metal porphyrins tailed with salicylic acid and their interaction with bovine serum albumin | 357 |
|T. JIA, K. WANG, Y. M. ZHAO, Z. Y. LI | |
| The dynamic viscoelasticity of polyethylene based montmorillonite intercalated nanocomposites..... | 74 |
|H. M. YANG, Q. ZHENG | |
| The effect of cyclodextrins in polymer particles synthesis..... | 459 |
|J. HU, B. L. LIU | |
| The effect of ionic liquids on the CaCO ₃ crystal growth..... | 707 |
|Z. G. HU, S. L. SONG, J. J. WANG, L. YANG | |
| The study of one carbon unit transfer from imidazolidine to dUMP analogue with ONIOM theory | 123 |
|C. S. QI, D. C. FENG, Z. T. CAI | |
| Theoretical studies on stabilities of C ₂₆ BN isomers..... | 246 |
|H. Y. RAO, Z. G. LE | |
| Theoretical study on intramolecular proton transfer of perylenequinonoid derivatives..... | 1383 |
|L. SHEN, D. Z. CHEN | |
| Theoretical study on the long-lived complexes for the Na + I ₂ collision system..... | 749 |
|X. M. SUN, D. C. FENG, Z. T. CAI | |
| Thermodynamic and kinetic studies on the SiH + XH ₃ (X=N, P) reactions..... | 627 |
|W. J. SI, S. P. ZHUO, G. Z. JU | |
| Three novel isomers of FCH ₂ CP system..... | 250 |
|M. X. LI, H. T. YU, H. G. FU, Z. S. LI, J. Z. SUN | |

Polymer Chemistry

| | |
|---|------|
| A nano-scale study on film stability..... | 845 |
|C. TAO, G. L. TIAN, R. V. KLITZING, P. BEHRENBRUCH | |
| A novel approach for observing morphology of polypropylene under ultrasonic vibration by SALS..... | 841 |
|L. F. TONG, Y. SHEN, Q. ZHENG, Y. G. SHANGGUAN | |
| A novel method for preparing approximately micron-sized polymethyl methacrylate microspheres with clear surface..... | 371 |
|D. Q. WANG, B. L. LIU, J. HU, X. Q. LIN, M. ZHANG | |
| A novel substrate for <i>in situ</i> synthesis of oligonucleotides: hydrolyzed micro-porous polyamide-6 membrane..... | 837 |
|S. LI, J. X. TANG, M. J. JI, P. HOU, P. F. XIAO, N. Y. HE | |
| An electrochemical study on the corrosion inhibition of stainless steel by poly-aniline film..... | 486 |
|H. WANG, L. NIU, Q. H. LI, S. X. WU, F. H. WEI | |
| Crystal structures and magnetic properties of two new Schiff base complexes.... | 1105 |
|G. X. LIU, X. M. REN, H. XU, C. Y. TANG, G. H. WU, Y. C. CHEN | |
| Cyclic oligomers of phenolphthalein polyarylene ether sulfone (ketone): preparation through cyclo-depolymerisation of corresponding polymers..... | 1377 |
|H. H. WANG, J. Y. DING, T. L. CHEN | |
| Effect of rotation rate on the formation of platinum-modified polyaniline film and electrocatalytic oxidation of methanol..... | 115 |
|Q. H. LI, L. NIU, C. Q. ZHANG, F. H. WEI, H. ZHANG | |
| Effect of sodium alginate concentration on membrane strength and permeating | |

| | |
|---|------|
| property of poly- <i>l</i> -arginine group microcapsule..... | 849 |
|S. B. WANG, Y. G. LIU, L. J. WENG, X. J. MA | |
| Electropolymerization of <i>O</i> -phenylenediamine in an ionic liquid..... | 1098 |
|Y. F. DU, X. M. QI, P. ZHAO, J. X. LU, M. Y. HE | |
| Novel fluorene-based conjugated copolymer containing cyclobutenedione unit for light emitting diodes.....Q. PENG, Y. HUANG, Z. Y. LU, P. ZOU, M. G. XIE | 482 |
| Photocatalytic hydrogen and oxygen formation from water over Ga-modified zeolite | 368 |
|C. H. HE, O. B. YANG | |
| Preparation and catalytic property of MoO _x with meso-porosity..... | 611 |
|X. P. WANG, Y. J. WANG, S. H. CHAI, T. X. CAI | |
| Preparation and characterization of single crystals of MAPO-43 molecular sieve.....J. J. LI, G. D. LI, C. Y. XI, J. S. CHEN | 615 |
| Preparation of composite charge-mosaic hollow fiber membrane by interfacial polymerization.....H. Q. ZHANG, J. D. LIU | 609 |
| Synthesis and characterization of a novel polymer electrolyte for lithiumion battery.....Y. P. LIANG, H. Z. MA, B. WANG | 234 |
| Synthesis and characterization of samarium (III) containing poly(N-vinylacet- amide) complex..... | 1109 |
|Y. CAI, M. Q. CHEN, J. XU, P. F. WU, A. MITSURU, X. H. HUANG | |
| Synthesis and ionic conductivity of network polymer electrolytes with internal plasticizers.....J. J. KANG, S. B. FANG | 87 |
| Synthesis and nonlinear optical property of a polyphosphazene with high glass transition temperatureZ. LI, J. G. QIN, Z. YANG, C. YE | 489 |
| Synthesis of barium lithium fluoride nanocrystals using reverse micelles as microemulsion.....R.N. HUA, D. M. XIE, C. S. SHI | 238 |
| Synthesis of bowl-like particles by emulsion polymerization and release beha- vior of solvent from the particles..... | 834 |
|G. J. HAO, X. Y. SHEN, Z. W. LIANG, T. Y. GUO, B. H. ZHANG | |
| Synthesis of new naphthaline-type chromophores with strong green-emitting or the blue-emitting in β -cyclodextrin..... | 375 |
|Q. F. SHI, X. M. WANG, K. J. PAN, W. L. JIANG, D. J. WEN, X. B. WANG | |
| Template polymerization-solvent extraction: a new method for fabrication of hollow polysiloxane particles.....H. G. WANG, P. CHEN, X. M. ZHENG | 478 |
| The catalysis of sodium dodecyl sulfate/1-pentanol/water W/O microemulsion on the photoisomerization of <i>trans</i> -stilbeneX. GUO, L. LIN, R. GUO | 691 |
| The preparation of B-type starch spherocrystals by freezing crystallization..... | 853 |
|Y. Q. LIU, J. G. YU, X. P. SUN | |
| The surface imprinted polystyrene beads prepared <i>via</i> emulsion templates..... | 242 |
|G. X. CHENG, G. L. PEI, L. G. ZENG, L. Y. ZHANG, C. LIU | |
| Urea decomposition method to synthesize hydrotalcites..... | 90 |
|P. P. YANG, J. F. YU, T. H. WU, G. Z. LIU, T. S. CHANG, D. K. LEE, D. H. CHO | |