Choosing The Best Educational Software

\$2.95 \$eptember 1984 Issue 52 Vol. 6, No. 9 \$22.5 UK \$325 Canada 02193 ISSN 0194-347X ©

The Leading Magazine Of Home, Educational, And Recreational Computing


Two Exciting Games:
Missile Math For Apple,
IBM PC And PCjr, Atari,
Commodore 64, TI-99/4A,
And VIC-20
Lightsaver For
Commodore 64, IBM PC
And PCjr, VIC-20,
And Atari

Lightning And Bulldozer Sort: For Apple, Commodore 64, VIC-20, IBM PC And PCjr, And Atari


Autoboot For Commodore 64 And VIC-20: Load Programs And They RUN Themselves

Atari Speed-Reading: Improve Your Speed And Comprehension






TEST DRIVE ANELEPHANT



Elephant Floppy Disks are the perfect vehicle for storing and protecting data. Because Elephant never forgets. You'll get high performance that's 100% guaranteed for a lifetime of heavy use. So take them for a test drive. They're available now at your local computer showroom. And there's no waiting for delivery. For the Elephant dealer nearest you, call 1-800-343-8413. In Massachusetts, call collect |617| 769-8150.

Dennison

ELEPHANT NEVER FORGETS.



You bought a computer to cultivate your kids'minds. Make sure it's bearing fruit, not growing vegetables.

Introducing a whole crop of Learning Adventure games from Spinnaker.

When it comes to cultivating adventurous young minds, the computer's potential is endless.

Unfortunately, the search for software that makes the most of that potential has been endless, too.

That is, until Spinnaker created the Learning Adventure Series. A unique collection of games that reward curiosity with



It's New! TRAINS.™

You're in charge of an old-time railroad—and whether it turns into a bonanza or a bust depends on how well you run it. But either way you'll find that working on this railroad is a challenge—and a lot of fun! Ages 10-Adult.

hours of adventure and learning. So the time kids spend with our games will help them develop valuable skills. Instead of just tired thumbs.

But what really makes our Learning Adventure games unique—educational value aside—is how much fun they are. Which isn't too surprising when you consider you can do things like bargain with aliens, search a haunted house, or build your own railroad empire.



It's New! ADVENTURE

CREATOR.™
Design a challenging adventure game that you or a friend can tackle – or let the computer design one for you. It's complex, exciting – utterly addictive!

Ages 12-Adult.

In fact, our games are so much fun, kids will really enjoy developing some very important skills. Deductive reasoning, note taking, and problem solving, for instance.

So, if you're in the market for software that will truly cultivate young minds, pick the Spinnaker Learning Adventure Series.

It's the best way to be sure your search will be fruitful.

Spinnaker Learning Adventure games are available for Apple,® Atari,® IBM® and Commodore 64™ home computers.



IN SEARCH OF THE MOST AMAZING THING."

It isn't easy to find — even in your B-liner. But you'll have help from your Uncle Smoke Bailey as you search the universe to find the Most Amazing Thing. Ages 10-Adult.



Disks for: Apple, Atari, IBM, and Commodore 64.

Cartridges for: Atari and Commodore 64.

(ADVENTURE CREATOR only).



Modern times have create

We've cleverly disguised them as funny creatures from a computer game. But underneath the funny exterior is one of the most serious approaches to home education vou've ever heard of.

INTRODUCING SPROUT™ SOFTWARE.
GAMES THAT TEACH.


Your kid's new teachers are called Tink and Tonk. They come from Sprout. Software for kids 4 to 8.

The beauty of Sprout software is how

entertainment is balanced with a healthy dose of education.

While kids are having fun at home, they're actually reinforcing what they've learned at school. Things like the alphabet, spelling, vocabulary, counting, adding, and pattern recognition.

You'll also like how Sprout prevents boredom. Our games grow up, instead of wear out. As kids get older, the game adjusts and gets harder. Because there are many



la new breed of teachers.

variations and many decisions to make.

Knowing how to do all this isn't something Sprout learned overnight.

You see, we've got a hundred years of experience to lean on. (Our parent company is SFN, the country's #1 text-

book publisher for elementary and high schools.)


We've also got the expe-

rience of Mercer Mayer, who has written or illustrated 80 children's books. He dazzles kids with ideas and pictures that keep them coming back for more.

With TINK!TONK!™ software, kids see that learning can be more fun than destroying space creatures.

sproul

Games that grow up. Instead of wear out.




Advanced spreadsheet

SynCalc™



Database management

SynFile+™



Graphing and statistics

SynTrend™

Now your Atari computer gets down to business. late means and standard deviation linear and mult sions. It's pretty ed stand eb? And als

If you're a serious home manager, a student, or run a small business at home, now you can get sophisticated, integrated software for your ATARI computer with the same features as the more expensive IBM and Apple packages.

SynCalc makes a spreadsheet more manageable.

First, there's SynCalc, the most advanced spreadsheet program ever created for ATARI Home Computers. Not only does SynCalc help you get all your numbers down easily, it also comes with a sorting feature, and the ability to label and name your formulas like "beginning inventory + goods purchased-goods sold = inventory on hand," as well as standard entries. And SynCalc also comes with "expert" commands, to use once you've become more familiar with its procedures. Plus many other

features found in the more expensive programs.

SynFile + keeps information more organized.

SynFile+ can function as your database, your filing system. With SynFile+, you can reorganize and sort parts or whole files instantly. Not only can you enter text, you can calculate and update data as well. And files from both SynCalc and SynFile+ can also be used by the ATARI word processor, AtariWriter, for uses such as mail merge.

SynTrend gives you a more graphic way to look at data.

Next, there's SynTrend, which can be the graphing and statistical arm of your operation. SynTrend allows you to visualize your data from SynCalc or SynFile+ with either bar graphs, pie charts, line graphs or scatter plots. To do statistical analysis, you can quickly calcu-

late means and variances, standard deviations, or even linear and multiple regressions. It's pretty easy to understand, eh? And also pretty easy to operate because all three programs come replete with easy-to-understand "pop-up" menus, to take you through their paces step by step. And remember, all three programs can share data, which helps you get the job done even faster.

So get down to business with SynCalc, SynFile+, SynTrend, developed exclusively for ATARI by Synapse. And see for yourself why the cost of taking care of business doesn't have to put you out of it.

SynCalc, SynFile+, SynTrend are trademarks of Synapse Software. Synapse is a registered trademark of Synapse Software Corporation. IBM and Apple are respective trademarks of International Business Machines Corp., and Apple Computer.



© 1984 Atari Inc. All Rights Reserved A Warner Communications Company

September 1984 Vol. 6, No. 9

FFATURES

37	The Educational Software Explosion	Kathy Ya	ikal
44	The Latest In Learning: Now Trends In	Educational Computing Selby Batem	nan

The Latest in Learning: New Trends in Educational Computing Selby Bateman and Sharon Darling

Choosing The Best Educational Software Selby Bateman and Sharon Darling

EDUCATION AND RECREATION

58	The Tester .	Joseph Kattan
	Missile Math	
- D. C.	Lightsaver	John Rhees

REVIEWS

106	Exodus: Ultima III For Commodore 64 David K. Peacock
100	The Seven Cities Of GoldJames V. Trunzo
1 107 (274)	Word Flyer

COLUMNS AND DEPARTMENTS

6	The Editor's Notes
10	Readers' Feedback
24	Computers And Society:
	Discovery-Based Learning And Teenagers David D. Thornburg
30	Questions Beginners Ask
33	The Beginner's Page: ROM And RAM
102	The World Inside The Computer: Build A Computer In Your Mind Fred D'Ignazio
122	Learning With Computers: Aids For The Blind
125	INSIGHT: Atari Bill Wilkinson
134	Machine Language: Math And Tables Jim Butterfield
138	Programming The TI: Writing An Educational Program
142	64 Explorer Larry Isaacs

THE JOURNAL

114	Lightning Sort
116	Atari Bubble And Bulldozer Sorting Christine C. Genet
130	Commodore Autoboot
131	Atari Paddle Fixer William Griner
132	Apple Editing HintsPatrick Moyer
136	Commodore Disk Pattern Matching, Part 1
146	SYSound
148	Musical Tl Keyboard Randal J. Reifsnider

68 A Beginner's Guide To Typing In Programs

69 How To Type COMPUTE!'s Programs

70 The Automatic Proofreader For VIC, 64, And Atari

150 CAPUTEI Modifications Or Corrections To Previous Articles

151 Tiny MLX: Machine Language Entry Program For Unexpanded VIC-20

152 MLX: Machine Language Entry Program For VIC-20

159 Product Mart

160 Advertisers Index

GUIDE TO ARTICLES AND PROGRAMS

•

64/V/P/AP/C/AD/IBM/TI AT/V/64/TI/AP/PC/PCjr 64/V/AT/PC/PCjr

> 64 AT/64 AT/64

> > *

AT

TI 64

V/64/PC/PCjr/AT/AP

V/64 AT AP P/V/64 64

NOTE: See page 69 before typing in programs.

> AP Apple AT Atari, P PET/ CBM, V VIC-20, C Radio Shack Color Computer, 64 Commodore 64, TS Timex/ Sinclair, TI Texas Instruments, PCjr IBM PCjr, PC IBM PC, AD Coleco Adam, *All or several of the above.

TOLL FREE Subscription Order Line , 800-334-0868 (In NC 919-275-9809)

COMPUTE! Publications, Inc.

One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton 1330 Avenue of the Americas, New York, New York 10019 COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. form 3579) to COMPUTE! Magazine, P.O. Box 914, Farmingdale, NY 11737. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright © 1984 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

EDITOR'S NOTES

We recently received a letter from a long-time subscriber that thoughtfully raises some concerns about the present composition of COMPUTE!. It is excerpted and addressed here.

"Dear Mr. Lock,

I felt compelled to write to you to express my feelings about the disappointing changes which have been coming over my once favorite magazine, COMPUTE!. I have been reading COMPUTE! since January 1981 and have a subscription which is paid through August 1985.

In recent months, since January 1984, you have been 'spread too thin' by attempting to cover so many types of computers that I feel none have been done adequately. The technical content of the magazine, for the Commodore computers, and computer use in the home, is what had interested me the most, and the quantity and the quality have dwindled so much . . .".

Our reader goes on to discuss concerns in specific about the breadth of our articles, and the size of our columns. We thought this presented a good opportunity to address these concerns and hopefully explain some of what we see happening from here, and where it will take us.

The Case Of The Dwindling Magazine

In December of 1983, COMPUTE! had 392 pages. This issue, September 1984, has 160. The December issue had 215 pages of advertising; this issue has 60.5. During the course of 1984, we've seen a massive shakeout, not unexpected of course, in the industry. Where there once was an advertiser base of thousands

of companies, there is now an advertiser base measured in the hundreds. All well and good, you may say, but is it really a problem or concern for you, the readers? In the sense that we must attend to some economic realities in planning and publishing our magazines, the answer is yes. Do we subjugate our concerns to formula? No, absolutely not.

A typical rule of thumb for the publishing business is a 50/50 advertising mix. As size increases, this ratio gives over to an increased percentage of advertising. In our case, the December 1983 issue of COM-PUTE! was over 55 percent advertising. The September issue, by rule of thumb, should be at most 128 pages. Given the overhead we carry in fixed page content (i.e., everything from columns to MLX), this was not acceptable. The result is that our editorial percentage in this issue approaches 65 percent.

The Future

Certainly all of this makes sense, but it still doesn't solve the problem/question at hand: more content. What else can we do? We're working on it. In our "fixed overhead" areas, we're whittling down column sizes. We're trying to expand the scope of some columns so they're more useful to more of you. And we're evaluating all of our columns with an eye toward further reductions.

One of your complaints, in essence, is that some of the "meat" of our content is diminished. Upon reflection, I think that's an offshoot of our at-

tempts to provide continued breadth. We probably have a tendency to run shorter articles to enhance variety. The unfortunate by-product of this is that some of the more technical, lengthy articles are bypassed. This we can address immediately, and we will begin to do so with our October issue. We would welcome some additional input from readers. One suggestion here has been that we start to run some of our "fixed" material on an every-other-issue basis. This would mean that "Beginner's Guide To Typing In Programs," for example, might appear on alternate months. We are open to your thoughts. Your comments?

Editor In Chief

Tobert Jock

Your Personal

Its only business is managing your home finances. No program does it more quickly, more easily, more directly.

Your Personal Net Worth systematizes the management of your household income, expenses, credit cards and check books using methods tested for accuracy by Touche Ross, one of the nation's leading accounting firms.

Your Personal Net Worth puts your computer to work, keeps your records straight, including your personal inventory of valuables and stock portfolio, tells you where and how you're spending your money or if you're making a shambles of your budget. And does it all

in less time than it takes you to balance your check book.

Nothing else — no other program at twice the price — makes handling your personal money matters simpler, faster and more direct than Your Personal Net Worth.

You'll find it at your favorite software retailer in the silver box with the real silver dollar on the front. It could be the single most valuable purchase you'll ever make.

Record all banking and any credit card transactions, reconcile bank statements instantly (up to 10 separate bank accounts can be handled), - print checks, too.

Set up a budget (as many as 350 categories) — and then compare your actual income and expenses to the budget.

Never forget a tax-deductible item. Today or at tax return time.

Display or print every financial report you'll ever need.

The Scarborough System Charles of the same The home money manager. The program that manages important money matters; income, expenses, investments IBM PC, XT, PCjr (128K, 80 column display); Apple II, II+, IIe, IIc (64K); Atari 800, 1200 and all XLs (48K); Commodore 6

Record stock, bond and other investment transactions. Inventory household valuables, collectibles and important papers for insurance and other purposes.

Your Personal Net Worth works fast because it's in machine language. Documentation in plain English is referenced for easy use. "Help" functions on screen at all times.

Available for:

IBM-PC/XT/PCjr (128K) Apple II + /IIe/IIc (64K) Commodore 64 Atari (48K) The Program comes with two disks, one of which has accounts already set up for entry. However, only one disk drive is necessary.

You'll grow with us. © 1984, Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, NY 10591

Editor in Chief Director of Administration Alice S. Wolfe Richard Mansfield

Kathleen Martinek

Tony Roberts

Tom R. Halfhill

Ottis R. Cowpe

Charles Brannon

Selby Bateman

Kathy Yakal

Sharon Darlina

Patrick Parrish

Gregg Peele

Ann Davies

Jim Butterfield.

Harvey Herman Greensboro, NC Fred D'Ignazio, 2117 Carter Road, S.W., Roanoke, VA 24015

Bill Wilkinson

Stephen Levy

Randall Fosner

Steve Voyatzis

Carol Dickerson

Ima Swain

Janice Fary

Ken Woodard

Patti Williams

Joyce Marac

Patty Jones

Fran Lyons

Dorothy Bogan

Savage

Bonnie Valentino

Mindy K. Kutchei

Lee Noel

De Potter

Laura MacFodden

Janice Farv, Debbie Bray

Leslie Jessup, Larry Sullivan

Terry Cash, Carole Dunton

Chris Patty, Sharon Sebastian, Rosemarie Davis

Gall Jones, Sharon Minor, Rhonda

Goforth, Jenna Nash, Elizabeth White Mary Hunt, Gavle Benbow, Beth

Atkins, Sandra Jenkins, Chris Gordon

Jim Coward, Larry O'Connor, Dai Rees, John B. McConnell, Eric Staley

Sam Parker, Eddle Rice, David Hensley, John Archibald, Mary Sprague (Mail Room Coordinator)

Judy Taylor, Anita Roop, Debi

Toronto, Canada

John Krause, George Miller

Dan Carmichael, Robert Sims, Todd Heimarck, J. Blake Lambert, Robert Alonso

Kevin Martin, Chris Poer, Tim Victor, Kevin Mykytyn

Mark Tuttle, David Florance

Juanita Lewis, Joan Rouleau,

Young, Iris Brooks, Jan Kretlov

Ethel Silver, Dwight Smith, Karen Uhlendorf, Marty Selby

Vicki Jenninas, Julia Flemina, Susan

David Thomburg, P.O. Box 1317, Los Altos, CA 94022

Gregg Keizer, Stephen Hudson

Gail Walker

Lance Elko

Senior Editor Managing Editor Production Director Production Editor

Editor, COMPUTEI'S PC & PCJr Editor, COMPUTEI'S GAZETTE Technical Editor **Assistant Technical Editors** Program Editor

Features Editor Assistant Editors Editorial Assistant

Research Assistant Programming Supervisor Assistant Programming Supervisor Editorial Programmers

Programming Assistants Copy Editors Proofreaders

Administrative Assistants Associate Editors

Contributing Editor

COMPUTEI's Book Division Editor Assistant Editors Assistant Managing Editor Administrative Assistant Artists

Assistant Production Manager Art & Design Director

Director, Books Sales & Marketing

Assistant Editor, Art & Design Mechanical Art Supervisor Artists Typesetting

Illustrator Director of Advertising Sales Assistant Advertising Manager Production Coordinator Production Assistant

Promotion Manager Subscriber Services Supervisor

Assistants Dealer Sales Supervisor

Assistants

Individual Order Supervisor

Shipping & Receiving

Data Processing Manager Vice President, Finance &

Director, Finance & Planning Accountant Purchasing Manager Financial Analyst Staff

Paul J. Megliola R. Steven Vetter Robert L. Bean Greg L. Smith Karen K. Rogalski

TO PA

Leon Stokes

Chris Cain

Linda Miller, Doris Hall, Jill Pope, Anna Harris, Anne Ferguson, Pat Fuller, Tracey Hutchins, Susan Booth, Sybil

Robert C. Lock, Chief Executive Office Gary R. Ingersoll, President Paul J. Megliola, Vice President, Finance and Planning Debi Nash, Executive Assistant Cassandra Robinson, Assistant



Coming In Future Issues

The New Wave Of Computer Games

Chess: A Sophisticated Program That Pits You Against Your Computer

Two Exciting Games: Space Caverns And Horse Racing All About The Status Register Apple Disk Checker Commodore Unicopy **Multiscreen Atari Animation TI Disassembler**

COMPUTE! Publications, Inc. publishes

COMPUTE COMPUTE'S GAZETTE

COMPUTE! Books COMPUTE'S GAZETTE DISK

Corporate Office: 324 West Wendover Ave., Suite 200 Greensboro, NC 27408 USA

Mailing address: COMPUTE! Post Office Box 5406 Greensboro, NC 27403 USA Telephone: 919-275-9809

Subscription Orders COMPUTE! Circulation Dept. P.O. Box 914 Farmingdale, NY 11737

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

COMPUTE! Subscription Rates (12 Issue Year):

Africa


(one yr.) \$24 (two yrs.) \$45 (three yrs.) \$65

Canada and Foreign Surface Mail \$30 Europe, Australia Middle East, Central America and North

\$52 South America, South Africa, Far East \$72

Advertising Sales

US



617-451-0822 2. Mid Atlantic

Sharon Brooks Joe Porter Kathy Hicks 215-646-5700 212-567-6717 (NY)

3. Southeast & Foreign Harry Blair 919-275-9809

5. Northwest/Mountain/Texas

Phoebe Thompson 408-354-5553 Jerry Thompson 415-348-8222

Ed Winchell 213-378-8361 JoAnn Sullivan 619-941-2313

6. Southwest

Director of Advertising Sales Ken Woodard

COMPUTE! Home Office 919-275-9809.

Address all advertising materials to: Patti Williams

Advertising Production Coordinator **COMPUTE!** Magazine 324 West Wendover Ave., Suite 200 Greensboro, NC 27408

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI, P.O. Box 914, Farmingdale, NY 11737, Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTEI Publications, inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1984 COMPUTEI Publications, inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTEI will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTEI assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI. not necessarily those of COMPUTE!

PET. CBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, inc., and/or Commodore Electronics Limited. Apple is a trademark of Apple Computer Company.

ATARI is a trademark of Atari, Inc.
T199/4A is a trademark of Texas Instruments, Inc.
Radio Shack Color Computer is a trademark of Tandy, Inc.



Scott Lamb's Interactive Space Fantasy Adventure

The sequel to JUPITER MISSION 1999®

When the government agents knocked on your door early one morning (at the beginning of **JUPITER MISSION 1999**) and rudely whisked you away in the starship Space Beagle, you had no idea of what was to follow. As the lone survivor of Jupiter Mission and the Earth's savior from an impending alien invasion, you unwittingly thought the worst was behind you. SLIM CHANCE! A mysterious beam has cast you into the nether reaches of space; cold, lifeless, forbidding. You long for the amenities of Mother Earth, which you had always taken for granted . . . until now!



- Befriended by the Faunians, a peaceful race being invaded by the evil Gentuzians, they have decided that YOU must launch a pre-emptive strike against the Gentuzian homeworld. You must command 10 Faunian robot fighters against the Gentuzian battle fleet which outnumbers you four to one! It won't be easy; you'll need the right tactics and all the skill and patience you can muster.
- Assuming you are successful and conquer the Gentuzians, they will want you to become their Emperor. The only thing you want is to repair the Space Beagle and get back home. But they are insistent creatures; refuse the crown, and you can forget leaving. Reluctantly you accept and, to prove your claim, they drop you into the Labyrinth of Kamerra! Find your way out, and they'll let you go home as Emperor of Gentuza. No problem, you think, until you soon realize that Kamerra is a cruel maze deficient of adequate food and oxygen, yet aplenty with dangerous pits and "Ardillian Whipstingers."
- SHOOT THE STARS! Fortunately, you are able to save your game in progress every step of the way in QUEST OF THE SPACE BEAGLE.

Your greatest challenge is about to begin. As you settle into the commander's chair of the Space Beagle, you set your sights for home! But which way? Before you spans 200,000,000 light years of Superclusters. On board is an authentic matrix computer calibrated to simulate the actual dimensions of the universe. You must identify the one Supercluster containing Sol, and hyperwarp from one end of space to another. Once you lock into the right Supercluster, you must find the Milky Way Galaxy, your assurance that Mother Earth is within reach, and home sweet home!

THE QUEST OF THE SPACE BEAGLE is ready to run on your Atari® Home Computer with 48K memory, one disk drive and joystick. \$35.00


Available everywhere at computer and hobby stores, or call toll free **1-800-638-9200** for more information.




Space Battle Display



The Labyrinths of Kamerra



Hyperwarp Temporal Imbalance Sensor Grid



Galactic Starmap Display



READERS' FEEDBACK

The Editors and Readers of COMPUTE

Automatic Conversions?

Many of the programs you publish in COMPUTE! are for several different microcomputers. Do you have utilities that automatically convert a program to another type of computer? Are they available for sale?

J.B. Allen

We call the process of converting a computer program to another computer homogenization. Unfortunately, we do not have, nor have we seen, any utilities that will automatically homogenize a program.

We have a staff of talented programmers that manually goes through programs and homogenizes them. The process can be a laborious one, particularly with machine language programs which often require a byte-by-byte translation.

Missing Commodore Ribbons

I am the owner of a Commodore MPS-801 printer. Until recently, I have had trouble finding a replacement ribbon. It seems that the dealers selling the printers are not able to get the ribbons.

I have some good news for you to pass on to your readers. You can find a replacement ribbon at your local Radio Shack store. It is the ribbon for the DMP-110 printer, part number 26-1283. This ribbon is identical to the one for the MPS-801 printer.

Frank W. Fife

Many readers have mentioned difficulty locating replacement ribbons for the 801. Thanks for the tip.

Atari Monitor Hookup

I have ordered a BMC monitor and an Atari 800XL. Very recently, I was told that the Atari is designed for use with a standard TV set. How can I make the Atari work with the BMC monitor. Will the monitor be totally useless?

Benedict V. Sulit

Although optimized for use with a television set, the Atari 800XL looks even better on a composite color monitor. You can also hook up a black-and-white (monochrome) monitor. You'll need a special cable that plugs into the round, five-pin DIN plug on the back of your 800XL. For a color monitor, get a cable that feeds the chroma (composite video) signal into Video In on your monitor. For a monochrome screen, you'll get best results using the LUMA (luminance) signal. Some cables bring out all five pins to RCA phono jacks. With trial and error you can easily find which wire controls which signal. You can get a video cable at your local computer store or possibly a TV/video store.

Musical Apples

I am an Apple IIe user and would like to know how to program my computer to make music. Can you do it in Applesoft BASIC or do you need another language?

Denny Hays

It's a fairly simple matter to make elementary sounds on the Apple in BASIC. You can tweak the speaker by accessing location —16336 (i.e., POKE—16336,0) or ring the bell by PRINTing CHR\$(7). But to do much more than this, you need a short machine language (ML) routine. Fortunately, this ML routine can be POKEd in from BASIC.

You can find such an ML routine in an article by Blaine Mathieu (COMPUTE!, October and November 1983). The tutorial explains both fundamental and complex Apple sound generation.


More Open Commodore Files

The "64 Explorer" by Larry Isaacs in the March 1984 issue concerning the maximum number of files which can be open at one time on the 1541 disk drive caught my interest. I have discovered some further information.

The number of sequential files opened for writing can be increased to three if the filename is prefixed with a 0:. When this is not the case, the drive acts as Isaacs described.

Since the Disk Operating System was originally used on a dual disk drive, I always add the prefix 0: to any disk operation to insure that it will work properly.

Mitchell S. Comstock



Autobooting Atari

Is there any way you can make a program run right after it has been loaded into your computer from tape or disk? This would prevent anyone from seeing the special codes in the program.

Mark Zobel

We assume you are using a password or are disabling the break key and system reset. If the program didn't run automatically, anyone could LIST the program and remove the protection. Although you can't completely bar an experienced, enthusiastic invader, you can make a program run automatically from disk when you boot up your system. See "Automate Your Atari" in COMPUTE's Third Book of Atari.

Although it is possible to create a boot tape that does the same thing, we don't know of a specific program. There are techniques for making BASIC programs RUN automatically when LOADed on Commodore machines (for example, having the program load in memory low enough to change some vectors), but the technique is too involved to cover here. See "Commodore Autoboot" elsewhere in this issue.

TI Memory Maps

I write this in reply to the letter from Davin A. Trulsen in the May issue of COMPUTE!. If he or any other TI user wants a comprehensive memory map for the TI, they should write to Miller Graphics, 1475 West Cypress Avenue, San Dimas, CA 91773. Miller Graphics offers a monthly newsletter, called *The Smart Programmer*, for \$12.50 a year. They have published four so far and I have found them quite useful.

Bill Grant

Incomplete NEXTs

I have a VIC-20 and I have a question about the NEXT statement. I've seen some programs that had a NEXT statement with nothing after the next. For example:

FOR A=1TO10:NEXT

Why doesn't it include the variable after the NEXT as in:

FOR A=1TO10:NEXT A

Kevin Biebor

The NEXT statement increments or completes a loop that was started by a FOR statement. If a variable is placed after the NEXT, that loop is incremented. In the following example, the B loop will be incremented (and completed) ten times each time the A loop is incremented.

FOR A=1TO10 FOR B=1TO10 NEXT B NEXT A

If the NEXT statement is not followed by a variable name, the loop completed will be the one most recently started. In the following example, the NEXT will complete the B loop even though the A loop was the first one started.

FOR A=1TO10 FOR B=1TO10 NEXT

Nested loops (loops within other loops) should be written with care. If they're programmed incorrectly, one or more of the loops may not be completed. For instance, the B loop in the following example will never be completed.

FOR A=1TO10 FOR B=1TO10 NEXTA NEXTB

Don't Blame The Hardware

I am having a problem reading arrays on the Atari. This simple program is an example:

10 DIM X(5)

20 FOR I=1 TO 5

30 READ X(I)

40 PRINT X(I)

50 NEXT I 60 DATA 3,5,-2,7,4

I always get an error in line 30. I wonder if my computer memory has gone bad.

Lloyd R. Holmes

When faced with a particularly stubborn bug, most programmers start to suspect the hardware—but it's almost never the culprit.

As a general programming rule, never assume the hardware is bad except as a last resort. Some program bugs are so obscure, so hard to track down, that it becomes pretty tempting to blame the hardware. Nevertheless, true hardware errors almost always exhibit outrageous behavior, such as lockups when you turn the machine on, screens that suddenly go haywire, an eerie, inexplicable hum when you use SOUND, etc. Hardware errors are obvious, except when just a few bytes of RAM go bad. You can buy memory test programs, but it would probably be an unnecessary investment.

The specific problem you're having here is syntactic. On the Atari, you cannot READ a data item directly into an array. READ X(I) is just as illegal as INPUT X(I). It's a lamentable eccentricity, but it is easy to get around. Just read the item into a temporary variable, then assign that variable to

X(I). To wit: READ T:X(I) = T.

Get SAT.

Go for higher Scholastic Aptitude Test scores in math and English with Micro Learn's teach-and-test instructional programs.


Learn more and learn faster. Other tutorials just test you; Micro Learn's teach-and-test SAT programs explain why your answers are right or wrong.

They're the next best thing to having a personal tutor. With three separate programs for math and three for English, you can really be ready for your exam!

In the tutorial mode, a wrong answer triggers help screens and extra practice. (If you answer correctly, you can still ask for this extra help.) The test mode asks questions without giving help. Then the questions you missed are given again with help.

Micro Learn's SAT programs are a great learning aid — and, at only \$30 each, a great value. You'll be making a smart move by getting them today!

For Commodore 64, Apple II & IIe, IBM PC & jr, Atari 800, Adam. Suggested retail \$30 each.



Math SAT increases understanding of arithmetic, algebra, geometry, ratios, probabilities, exponents, square roots, fractions, quantitative comparisons, negative numbers, least common multipliers, graphs.

English SAT develops the verbal skills of vocabulary, reasoning and interpretation. Improves grammar; expands knowledge of synonyms, antonyms and root words; strengthens grasp of analogies; increases reading comprehension.

micro lesen

Micro Learn, Commodore 64, Apple II & IIe. IBM PC & jr, Atari 800 and Adam are registered trademarks of MicroLab, Inc., Commodore Electronics, Ltd., Apple Computer, Inc., IBM Corp., Atari, Inc. and Coleco Industries, Ltd., respectively.

micro learn'

THE COMPUTER EDUCATION DIVISION OF MICROLAB, INC. 2699 Skokie Valley Road, Highland Park, IL 60035 • (312) 433-7550

HE REAL TRICK IS GETTING OUT.



Expect the unexpected the first time you experience Infocom's interactive fiction. Because you won't

be booting up a computer game. You'll be stepping into a story.

You'll find yourself at the center of an exciting world that continually challenges you with surprising

twists, unique characters (many of whom possess ex-







traordinarily developed personalities) and original, logical, often hilarious puzzles.

Communication is carried on just as it is in a book—in prose. And interaction is easy-you type in full English sentences.

But if you think getting inside a story is a pretty neat trick, just try getting out.

The most remarkable thing about Infocom's inter-

active fiction is that you become almost inextricably involved with it. That's not our opinion—it's the testimony of our customers. They tell us their pulse rates have skyrocketed and their palms have sweated as they've striven to solve the mysteries of our tales. And even when they've paused in the course of their adventures to attend to their everyday lives, their minds have continued to





churn away at what the next step should be, how to

alter strategy, where the ultimate solution lies.

Obsessions? Yes, but magnificent ones. For the first time, you can be more than a passive reader—you can become the story's main character and driving force. You can shape its



course of events by what you choose to do. And you enjoy enormous freedom in your choice of actions—you have

hundreds, even thousands of alternatives at every step. In fact, an Infocom interactive story is roughly the





length of a short novel in content. but because you take an active

role in the plot, your adventure can last for weeks and months. (Or longer. Frankly, some folks find being inside our stories so fascinating, they just don't seem to want to get out.)

As hard as getting out may be, though, we've made it easy for everyone to get into Infocom's interactive fiction.



ou are in the kitchen of seems to have been used of food. A passage leads to case can be seen leading leads down and to the east it open. On the table is an elon of hot peppers. A bottle

Take the sack then open it.

Opening the brown sack reveals a lunch and a clove of > Fat the garl

What the heck! You won't make triends this way, but not is too triendly anyhow. Gulp!

> Walk west

Living Room

You are in the living room. There is a doorway to the east, a with strange gothic lettering to the west, which appears to be not appear to be not appeared. trophy case and a closed trap door at your feet. Above the the hangs an elvish sword of great antiquity. A battery-powered bri is on the trophy case.

> Take all but the trophy case.

sword: Taken. brass lantern: Taken.

carpet. The rug is extremely heavy and cannot be carried.

> Examine the brass lantern. The lamp is turned off.

> Light the lamp.
The brass lantern is now on.

> Open the trap door and climb down.

The door reluctantly opens to reveal a rickety staircase descending i

We write everything from fantasy to mystery to science fiction to high adventure, for everyone from the first-time adventurer to the most experienced veteran of our interactive stories.

So find out what it's like to get inside a story. Get one from Infocom. Because with Infocom's interactive fiction,

there's room for you on every disk.

Ease into interactive fiction with our Can't-Lose Sampler Offer! Watch for Infocom's new sampler disk at your favorite dealer-and get your first taste of interactive fiction for just \$7.95 (suggested retail price). You've got nothing to lose (in fact, you can make a shiny new nickel in the bargain) because your Infocom sampler disk even comes

with a coupon entitling you to \$8 off the purchase of your first complete Infocom story, plus coupons for other exciting bonuses!

55 Wheeler St., Cambridge, MA 02138

For your: Apple II, Macintosh, Atari, Commodore 64, CP/M 8", DECmate, DEC Rainbow, DEC RT-11, HP 150 & 110, IBM PC* & PCjr, KAYPRO II, MS-DOS 2.0*, NEC APC, NEC PC-8000, Osborne, TRS-80 Color Computer, Tandy 2000, TI Professional, TI 99/4A, TRS-80 Models I & III.

*Use the IBM PC version for your Compaq and the MS-DOS 2.0 version for your Wang, Mindset, Data General System 10, GRiD and many others.



And remember The Programmer's Debugging Rule: Hardware problems are as obvious as they are rare.

Commodore Plus/4

Since you published the article on the new Commodore computers (COMPUTE!, April 1984), I have been giving serious thought to purchasing one. I will be enrolling in college, and feel that the new Commodore 264 would be a good choice for my major: electronics. However, I have a number of questions about the 264.

- 1. I know that the 1541 disk drive works with the Commodore 64 and the VIC-20, but will it also be compatible with the 264?
- 2. How far can I expand the RAM or ROM memory in the 264?
- 3. Can I buy an Eprom burner for the 264?
- 4. Is there any software available for the new 264?
- 5. Is it possible to increase the baud rate of the 1541 disk drive?

Don Maxwell

The new Commodore Plus/4 (renamed from the 264) has not been released for sale as of this writing. It is, however, expected to hit the retail shelves sometime this fall.

About the same time, Commodore is planning to market a new disk drive, the SFS-481. SF stands for super fast because it has an advertised baud rate of 1675. However, a 1541 disk drive will be compatible with the new Plus/4 as well.

Although the Plus/4 will support (memory) bank switching, Commodore has not announced any memory expansion for the Plus/4. However, third-party companies might eventually offer something.

Regarding EPROM burners, again Commodore has no current market plans, but undoubtedly third-party manufacturers will offer this peripheral. Also, there will be software available for the Plus/4. There already exists a considerable amount of both application and entertainment software.

As to the baud rate change on the 1541 disk drive, a Commodore representative said that the baud rate (the speed that information is transmitted to or from the disk drive) on the 1541 cannot be changed on the drive as is. The current baud rate is dictated by the serial port interface on the computer. In other words, no matter how you modify the disk drive, the computer will only be able to receive data at its preprogrammed rate.

The 1541's rate can be increased by converting it to a parallel interface. But this is a major engineering project, and might prove to be both impractical and costly.

Buying The Right Modem

I am thinking of buying a modem. Do I need a rotary-dial phone, or will modems work with a Touch-Tone system?

Steve Milewski

Most modems will work with both the Touch-Tone and the older rotary phones. Some modems, in fact, work on Touch-Tone phones by emulating the rotary system. The Commodore 1650 auto-dial modem is one.

Before buying, however, it's always best to ask your dealer, or call the modem manufacturer for further information.

Commodore Service

I am an electronics repair technician, and own a Commodore 64. I cannot find anyone in my area who can repair my computer.

Where can I obtain the technical information to service my Commodore computer, and all of its related peripheral equipment?

Gordon Bates

The addresses and phone numbers of the Commodore service centers are as follows:

1200 Wilson Drive West Chester, PA 19380 (215) 431-9105

2246 North Palmer Drive Schaumburg, Il 60195 (312) 397-0075

4350 Beltwood Parkway South Dallas, TX 75234 (214) 458-1000

3330 Scott Blvd. Santa Clara, CA 95051 (408) 727-1130

Technical information on some of Commodore's products is also available. They offer packages which include schematics, technical information, troubleshooting instructions, etc. For price and availability information, contact the parts department at the West Chester, PA, address listed above.

Cassette Filenames And Built-In BASIC

I own an Atari 400 computer. Can you specify a filename for the 410 program recorder? Also, how do you run a program that asks you to remove the BASIC cartridge on the 600XL? Since BASIC is built-in, it seems like it might be impossible.

Doug Stevens

The tape operating system could have been written to allow filenames, but since tape access is sequen-



Get the jump on the weatherman by accurately forecasting the local weather yourself!



A scientifically proven way to develop an awesome memory.



You are trapped in a fivestory, 125-room structure made entirely of ice. Find the exit before you freeze!



Take control of your personal finances in less than one hour



The beautiful princess is held captive by deadly dragons. Only a knight in shining armor can



Cut your energy costs by monitoring your phone, electric and gas bills.



Computerize car maintenance to improve auto performance, economy and resale value.



Create multi-colored bar graphs with a surprisingly small amount of memory.



A time-saving organizer for coupons, receipts and more.



School-age and pre-school children are rewarded for right answers, corrected on their



A real brainflexer, Deflect random balls into targets on a constantly changing playfield.



A fun way to dramatically increase typing speed and

Get up to 30 new programs and games for less than 15 cents each every month in COMPUTE!

Every month, COMPUTE! readers enjoy up to 30 brand new, ready-to-run computer programs, even arcade quality games.

And when you subscribe to COMPUTE! at up to 40% off the newsstand price, you'll get them all for less than 15 cents each!

You'll find programs to help you conserve time, energy and money. Programs like Cash Flow Manager. Retirement Planner. Coupon Filer. Dynamic Bookkeeping.

You'll enjoy games like Air Defense, Boggler, Slalom and High Speed Mazer.

Your children will find learning fast and fun with First Math, Guess That Animal and Mystery Spell.

Looking for a challenge? You can write your own games. Customize BASIC programs. Even make beautiful computer music and pictures.

It's all in COMPUTE! All ready to type in and run on your Atari, Apple, Commodore, PET/CBM, TI 99/4A, Radio Shack Color Computer, IBM PC or IBM PCjr.

What's more, you get information-packed articles, product reviews, ideas and advice that add power and excitement to all your home computing.

> CALL TOLL-FREE 1-800-334-0868

And when it's time to shop for peripherals or hardware, check COMPUTE! first. Our product evaluations can save you money and costly mistakes. We'll even help you decide what to buy: Dot-matrix or daisy-wheel printer? Tape storage or disk drive? What about SUBSCRIBE modems? Memory expansion kits? What's new in joysticks, paddles

Name

and track balls?

Return the postpaid

card today!

NOW AND SAVE UP TO 40% ON COMPUTE!

Yes! Start my subscription to COMPUTE! for:

- □ 1 year \$24—32% off!
- □ 2 years \$45—36% off! □ 3 years \$65—40% off!
- ☐ Payment enclosed ☐ Bill me

Charge my □ Visa	\square MasterCard \square Am.Ex.
Account No.	are lemma O Jus
	EXP. DATE

Address State

COMPUTE! P.O. Box 914, Farmingdale, NY 11737

tial and so slow compared to a disk drive, filenames are not especially useful. You can instead use the tape counter to find and position programs. Be sure to leave plenty of space between programs, since the tape counter is not precise, and you could inadvertently write over a program.

Some programs require 48K, 8K of which is not available with a cartridge plugged in. These programs check for a cartridge and ask you to remove it before the program will run. The 600XL has only 16K, though, so this shouldn't be a problem. In any case, you can effectively remove (disable) the built-in BASIC by holding down the OPTION key while you turn on the computer.

6502/6510 Differences

I am a relatively new computer owner and I want to learn machine language programming. As far as I can tell, my Commodore 64 contains a 6510 chip rather than the more common 6502.

A phone call to Commodore's corporate offices revealed that the machine language for the two chips is not compatible. The *Programmer's Reference Guide* directs all its instructions to the 6502 processor.

I am unable to find anything in print on machine language programming using the 6510. I would appreciate it if you could help me out. Are the two chips incompatible? If so, can you tell me how and where I might learn machine language for the 6510?

Dean Lind

Unfortunately, the representative you talked to at Commodore was misinformed. The 6502 and the 6510 microprocessors are compatible. Both use the same instruction set (LDA, STA, etc.) and addressing format (low byte, high byte). Books on programming the 6502 also apply to the 6510.

The only major differences between the two processors are bytes one and two of the 6510. The

6510 allows you to bank switch memory.

The Commodore 64 has 20K of ROM, including the BASIC interpreter, Kernal, and Input/Output control programs. There is also 20K of usable RAM memory "underneath" this ROM memory. You can switch out the ROM and switch in the RAM memory by bank selecting blocks of memory. If you wished, you could turn your 64 into a computer with 64K of usable RAM memory by switching out all of the ROMs. However, you would have to supply your own BASIC interpreter, operating system, and I/O control programs. Without these, the computer would simply freeze, and you wouldn't be able to write or run BASIC or machine language programs. For more information on bank selection, refer to your Programmer's Reference Guide.

The VIC-20, which is equipped with the 6502 microprocessor, does not support bank selection of ROM/RAM memory.

A book on 6502 machine language programming will apply to the 6510. You might also want to take a look at the "Machine Language for Beginners" column in COMPUTE!'s GAZETTE, our sister publication.

Printer Device Number Changes

Is it possible to change the device numbers of a printer? I want to buy a second printer for my computer, but am unsure if I can use both printers at the same time.

Jacques Poulet

Usually the device number cannot be altered. It depends on the brand of printer, but most printers have no significant internal "intelligence" (no computer assistance inside). You could change the device number of a disk drive because it can be programmed from the computer; it is an intelligent device.

However, some models of printers do allow you to change device numbers via a switch on the printer itself. The new Commodore MPS 801, for example, has a three-position switch that allows you to choose between device numbers 4, 5, and 6. And some few printers can be software assigned.

DIM On Commodore

What happens to the data when it enters a DIM statement (array) from an INPUT statement or a sequential file?

I teach computer programming part-time at Tulsa Junior College. This is my first semester with micros. I have a Commodore 64 and a VIC 1541 disk drive. In advanced BASIC, sequential files are common, and are usually used for search and sort routines. When the data is read from DATA statements into the arrays, there is no problem. The sort or search never stops, but when that same data is brought into the arrays from a sequential file, the sort or processing stops many times, making a 16 to 30 minute program run for hours.

I have written my own sequential file program, and later discovered and used the one off the demonstration disk that came with the VIC 1541 disk drive. Both have these stops. I have tried about everything. If you could give me a clue, I would appreciate it.

Darrel Henry

The pauses you see in the program are the result of a process called "garbage collection." It's caused by moving strings around.

DRAGONRIDERS OF PERN. FLY THE UNFRIENDLY SKIES.





Shooting down the menacing and constantly multiplying Threads isn't easy, but it's only one of the challenges in this official computer game version of Anne McCaffrey's famous book series.

Your strategy will be put to the test as you try to negotiate alliances with Pern's Lord Holders in an attempt to form the most powerful Weyr on the planet. Should you take a firm stance or compromise? Will asking a Craftmaster for assistance increase your chances for success? Maybe you should invite prospective allies to a Wedding or even a Dragon Hatching. Remember to check the Lord Holders personality traits

first. It may be critical to your success.

Numerous screens combine to create truly unique and challenging game play. There's even a practice screen to sharpen your Thread Fighting skills.

If you liked the books, you'll love the game. After all, how often do you get the chance to actually fly a dragon?

One to four players, joystick and keyboard controlled.



Strategy Games for the Action-Game Player



Here's what happens: As new strings are created, the old ones are not thrown away; they lie dead in memory. Eventually, memory fills up and the computer has to stop and collect the strings that are still live. This takes time; the pauses are quite noticeable and can be time-consuming.

Strings that are completely defined within a program—from DATA statements or from an assignment statement such as X\$="HELLO"—are used straight out of the program where they lie. These strings don't need to be collected; as you have noted, there's no garbage collection delay when you use these.

For your type of program—sorting and searching—there are two rules that will be very helpful in eliminating delays:

1. Don't move strings. Instead of sorting by moving them around from one part of the array to another—which creates garbage—use an "index" to keep track of where a string belongs within a certain sequence. (More on this in a moment.)

2. When you have finished with a string, set it to a null string, for example, A\$(21)="". When you have disposed of almost all strings this way, and are ready to read in another set of strings from disk or tape, force a collection by using the FRE function, for example, code X=FRE(0). Garbage collection will run quickly if you have very few strings left. When you read in the next group of strings, they will come into the newly liberated memory space.

To illustrate point 1: Here's a program to sort an array of strings. It's a bubble sort, which is not very efficient. The point is this: After the strings are created, they are never moved. Only the index (A%) values move, and they are numbers, not strings, so there won't be any garbage.

90 REM BUBBLE SORT - INDEX DEMO 100 N=30:DIM A\$(100) 200 REM CREATE RANDOM STRINGS 210 FOR J=1 TO N 220 A\$(J) = CHR\$(RND(1)*26+65) + CHR\$(RND(1)*26+65) 230 NEXT 300 REM: CREATE INDEX 310 DIM A%(N) 320 FOR J=1 TO N 330 A%(J) = J340 NEXT J **400 REM: SORT INDEX** 410 FOR J=N-1 TO 1 STEP -1420 FOR K=1 TO J 430 REM: GET INDEX FOR K, K+1 440 X = A%(K) : Y = A%(K+1)450 REM: FLIP IF OUT OF ORDER 460 IF A\$(X)>A\$(Y) THEN A%(K+1)=X:A%(K)=Y470 NEXT K,J 500 REM: PRINT RESULTS 510 FOR J=1 TO N 520 PRINT A\$(A%(J))

Study this program to see how the strings are sorted, but not moved.

There are other rules on how to handle garbage collection; the ones above will do the job for your application.

TI CALL KEY

I recently acquired a TI-99/4A and wondered if you would explain the use of the CALL KEY command?

David Stinchcomb

The CALL KEY statement has caused confusion for many TI users. The KEY subprogram, designed to return a single keystroke value, requires three parameters: a key unit, a return variable, and a status variable. The statement takes the format:

CALL KEY (n,K,ST)

where n is the key unit, K is the return variable, and ST is the status variable.

The key unit used in the CALL KEY statement determines the keyboard configuration assumed by the computer. Six key unit values (0–5), or keyboard configurations, are available on the TI-99/4A. The three key units generally used are 0, 1, and 2. A key unit of 0 refers to the console keyboard. Key units 1 and 2 map the console keyboard as split keyboards (a value of 1 to read the left side of the keyboard, a value of 2 to read the right), or read the fire buttons on joystick 1 and 2, respectively.

When a CALL KEY statement is executed with a key pressed, some value will be assigned to K (in our example above). The value given to K will depend on the key pressed and the key unit used in the CALL KEY statement. If you use a key unit of zero, K will correspond to the ASCII value of the key being pressed. For other keyboard configurations, the value of K will vary as noted in the TI User's Reference Guide (pp. II-87 to II-89). Eighteen in K signifies that the fire button was pressed.

The final parameter used in the CALL KEY statement is the status variable (ST). A nonzero value returned for ST indicates that a key was being pressed when the CALL KEY statement was executed.

CALL KEY can be used to get a desired response from the program user. If you want to test for any keystroke (with key unit 0), you would use the following two lines:

10 CALL KEY(0,K,ST) 20 IF ST=0 THEN 10

The program repeatedly loops back to line 10 until some key is pressed.

If you want the program to accept only a specific response from the user, such as Y for "yes," you could add these lines:

5 PRINT "TYPE THE Y KEY" 30 IF K<>89 THEN 10

Until the Y key is pressed, the program will loop back to 10.

530 NEXT J



THANKS TO COMPUSERVE'S CB SIMULATOR, "DIGITAL FOX" ACCESSED "DATA HARI" AND PROCEEDED TO AN "ALTARED" STATE.

The CB Simulator, where CompuServe Subscribers can Access Friends and Influence People on 72 Different Channels.

Just pick your handle and get on line. From math to matrimony, there's always someone out there who speaks your language. Friends from all over the U.S. and Canada are at it 24 hours a day. Talking tech or just having fun. And if you've got a secret, just use the CB Scrambler.

That'll fool the "lurkers," those CB "see it alls" who get their kicks by watching. Or you can always use the private talk mode for guaranteed one-to-one conversation.

The CB Simulator is just one of CompuServe's many electronic communications options that include a National Bulletin Board, Professional Forums and Electronic Mail. Plus, there's a world of on-line information and entertainment all for the price of a local phone call plus connect time.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to the CompuServe Information Service and learn how to subscribe, call or contact:

CompuServe

Consumer Information Service, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199

An H&R Block Company

Commodore Machine Language Clear

I have been trying to develop a monitor program for the VIC-20 and am having a difficult time creating a routine to clear the screen. Is there any way to clear the screen without getting the READY prompt?

Stan Payne

There are several ways to clear the screen from machine language. The easiest way is to assemble the following:

LDA #\$93 ;the equivalent of CHR\$(147) JSR \$FFD2 ;print it

This routine will work on both the VIC and 64. Incidentally, you can also use it to home the cursor. Just replace the \$93 with \$13. The hex number 93 is the same as the character that clears the screen in BASIC and \$13 is the same as CHR\$(19) which homes the cursor.

Another way to accomplish the same result is to assemble the following:

JSR \$E55F; clear the screen and home the cursor On the 64 the routine is located at a different location, thus the coding is different:

ISR \$E544; clear and home

If you just wanted to home the cursor on either machine you could JSR to \$E581 on the VIC or \$E566 on the 64. Although these are two quick, easy ways

to clear the screen, there is yet another. You could write your own routine to clear the screen. The routine would need to store a \$20 at every screen location. \$20 is the number for a blank character.

Commodore 1541 Drive Grounding Error

In your May issue you printed a letter from Jay Elmore regarding read errors on the 1541 disk drive. After buying a drive for my Commodore 64, I discovered that it was giving me error 23 and 27. Both are read errors. I returned the drive to the dealer and he tested it on a 64 and discovered no problems with it. I took the drive back home and carefully read the manual that comes with it and discovered that errors 23 and 27 can be caused by grounding problems. I checked the electrical outlet where the drive was plugged in and discovered that the ground plug was not properly connected. After fixing this, I haven't had any problems with my drive.

Ron Restivo

COMPUTE! welcomes questions, comments, or solutions to issues raised in this column. Write to: Readers' Feedback, COMPUTE! Magazine, P.O. Box 5406, Greensboro, NC 27403. COMPUTE! reserves the right to edit or abridge published letters.

Predict the Weather

On Your Vic 20™ or Commodore 64™ Computer

This exciting, new weather package allows you to learn, monitor, and predict the weather using the same equipment as the pros.

Be Your Own Weatherman The new HAWS (Home Auto-

The new HAWS (Home Automatic Weather Station) combines a quality weather sensor with software to let you track weather conditions inside or outside your home. HAWS monitors weather data including dew point, temperature, humidity, and atmospheric pressure; plots historical data and graphically displays weather trends; determines the comfort and chill factors to help you dress; HAWS even forecasts the weather and compares your predictions to the local weatherman's.

HAWS uses the same sensor employed by weather services in 60 countries worldwide. The HAWS package costs only \$199.95 and includes the sensor, cassette or floppy disc program, 15-foot cable with connector for the computer, and a complete user's manual.

Send today or call toll free to order your HAWS package.



Ordering Information

Send \$199.95 in check or money order payable to Vaisala, Inc. Include name, address, telephone number, your computer model (VIC 20 or Commodore 64), and program preference (tape cassette or floppy disc).

Or call toll free to place your order.

Major credit cards accepted.

Dealer inquiries invited.

1-800-227-3800 ext, H-A-W-S

VIC 20 and Commodore 64 are trademarks of Commodore Electronics Ltd.

Learn/Teach Meteorology

More than a toy or game, HAWS provides the first opportunity to use your computer as a data sampler and data analysis system for meteorology, allowing the user to interact with incoming data to monitor and forecast weather conditions. HAWS includes an instructive software program and a complete user's manual that teaches meteorological terms and equations to allow anyone to quickly grasp weather concepts either at home or in the classroom. Simple plug-in components and easy hookup also means you can free up your computer at any time for other duties. HAWS is a great educational tool for anyone. Order today.



Dual Personality.

Meet the Axiom GP-550. The First Real Personal Printer for Home and Business — Just \$299!



Imagine doing all your word processing, data processing, graphics and documentation on a printer that sells for only \$299. You can stop imagining! The Axiom GP-550 — which offers both draft mode and Near-Letter-Quality printing — is here.

IBM-PC Compatible:

The GP-550 is available with control codes and character set that match with IBM-PC and all of its "Look Alikes." This means that your software, including Lotus 1-2-3,

will work with our GP-550 PC model.

Direct-Connect to Atari, Apple, Commodore and T.I.:

More good news. Axiom has additional models of the GP-550 which include built-in interfaces for the most popular personal computers. These "Direct-Connect"™ versions of the GP-550 will work with your computer without additional interface or cable. Just plug our printer into your computer and start printing. Priced from \$319, including interface.



GP-550CD for VIC-20/C64



GP-550AT for All Atari



GP-550AP for Apple II/IIe



GP-550TI for 99/4A



1014 Griswold Avenue • San Fernando, CA 91340 • Telephone: (818) 365-9521 • TWX: 910-496-1746

GP-Series Printers Built for Lasting Quality by SEIKOSHA.

Computers And Society

David D. Thornburg, Associate Editor

Discovery-Based Learning And Teenagers

On the Saturday before the Summer Consumer Electronics Show in Chicago, I was speaking at a Logo workshop in northern California. Much of the emphasis in one of my talks was on the importance of discovery-based learning for all ages, not just for the child in elementary school. While I have been emphasizing this topic in my talks for several months, most people seem content to let Logo be a tool for the younger computer user.

Educational Software

As I drove to the airport to catch my plane to Chicago, I wondered if this reluctance to bring the power of educational environments like Logo to older students was also evident in other educational software. After all, the mention of educational software usually conjures up visions of activities for the younger child. Whether these activities are drills associated with a specific subject or are open-ended activities designed to teach problem-solving skills, the fact remains that only 2 percent of the current educational software appears to be directed to teenagers. Some people might argue that, once a child has entered the teenage years, educational software isn't needed. If a teenager wants to use a computer, why not just let him or her write programs.

In fact, there are several reasons why teenagers should have access to good educational

David Thornburg is an author and speaker who has been heavily involved with the personal computer field since 1978. His main interest is in making computers responsive to people's needs. He is the inventor of the KoalaPad graphics tablet and is the author of nine books about programming including Computer Art and Animation: A User's Guide to Atari Logo, The KoalaPad Book, and Exploring Logo Without a Computer (Addison-Wesley). His 101 Ways to Use a Macintosh will appear soon from Random House. He has been called "an enthusiastic advocate for a humanistic computer revolution," and his editorial opinions have appeared in COMPUTE! since its inception.

software:

- 1. Teenagers are in the process of forming career decisions. Controlled exposure to computer environments can demonstrate the richness of this field in a way that transcends purely recreational applications of computers.
- 2. For those students who are already interested in computers, computer-based instruction in problem-solving methods and the development of programming style can help these students use computers more effectively in their jobs.
- **3.** Students of all ages benefit from becoming better problem solvers. So much of our focus has been on problem-solving software for the young (including such excellent programs as *The Factory* by Sunburst) that we can easily lose sight of the fact that the acquisition of problem-solving skills is important for learners of all ages.

To see what *can* happen to educational software for teenagers, we should first look at the other two areas where these children use computers—at home and at the arcade.

Interactive TV

As I look at popular computer activities in homes and arcades, there seems to be a major distinction emerging between the two. Arcade software has continued its focus on coordination and skill games. As the technology has advanced, these games have become more sophisticated. For example, several popular games use computer-controlled video disks. Except for advances in technology, however, these games seem to be stuck in a niche that one might characterize as interactive television.

Popular home software has taken a different approach. The home user is not able to run out and buy new technology every three months or so, and the challenge has thus been to make the existing technology become ever more useful

WHO'S GOT 7 NEW BUSINESS SYSTEMS FOR ME? TIMEWORKS.

Here's a series of seven easy-to-use Management Information Reports flexibly designed to accommodate all small and medium size business accounting requirements for Commodore 64* computers.

Inventory Management /
Sales Analysis Management /
Accounts Receivable Management and Invoicing / Accounts Payable
Management and Checkwriting / Payroll
Management / Cash Flow Management /
General Ledger

INVENTORY ACTIVITY REPORT

JUNE 16, 1988

PART NUMBER LAST ACT CUM RCVD CUM SOLD CUM ABJ ON HAND COST INV ***

1000-172 Db/14/88 16000 14850 CM -50 1100 0.08 88.00

ACCOUNTS RECEIVABLE AGING REPORT

JUNE 16, 1988

CUST-INVC* CUSTOMER NAME INVC DATE CURRENT THIRTY SIXTY NINETY*

ACCOUNTS PAYABLE AGING REPORT

JUNE 16, 1988

VEND-INVC* VENDOR NAME DISC DATE CURRENT THIRTY SIXTY NINETY*

GROSS PAYROLL FOR PAY PERIOD ENDING 6/15/88

JUNE 16, 1988

EMP* EMPLOYEE NAME REG-PAY OVI-PAY HOL-PAY SIC-PAY OTH-PAY GR EARN YID GR

General Overview

Each system includes:

A Menu-driven program, sophisticated enough to provide complete Management and Product information, yet requires no prior computer or accounting knowledge to operate.

A unique method of creating your own, unlimited array of reports — easily and quickly. YOU select the information you want, and YOU determine the sequence of the report column headings.

A program which can be used by itself (standalone), or can be interfaced, one at a time, with

other TIMEWORKS MANAGE-MENT INFORMATION programs into a fully integrated accounting system.

A Manual written in easy-tounderstand, people-friendly English, abundantly illustrated

to provide further clarity and eliminate guesswork. Password Protection, to

prevent unauthorized access to confidential data.

Suggested Retail List at \$59.95 each.

Customer Support Plan

Timeworks Telephone Consulting Service is available to

all users at no charge to support your installation and ongoing operations.

For further details, contact your local Dealer or Timeworks, Inc. Choose from a host of Commodore 64 programs. Now at your favorite dealer. Or, contact Timeworks, P.O. Box 321, Deerfield, IL 60015. 312-948-9200.





SOFTWARE WITH SUBSTANCE - FOR EVERYONE.

THE FIRST FAMILY

Introducing *the* home productivity software Commodore,™ IBM™ and Apple™ owners have been waiting for. Three easy to use, powerful programs



from Creative Software.

Now you can run low cost, full-featured software that performs the most sought after functions.

Creative Writer.™ Creative Filer.™ And Creative Calc.™ Each developed by Creative Software and designed to give you the most for your software dollar.

HASSLE-FREE WORD PROCESSING.

Finally there's Creative Writer. A simple word processing program anyone can start using in just fifteen minutes. With Creative Writer, editing functions similar to the ones found in more expensive programs are at your fingertips.

And best of all, you won't have to relearn your computer's keyboard because all cursor control keys work similar to your computer's standard editing mode. You'll even be able to use the function keys to perform more advanced



ing tasks—move blocks of type, search forward, even search and replace—all with just a few key strokes. Plus "help" screens are always ready to prompt a





C R E A T I V E

OF PRODUCTIVITY.

PUT YOUR FILING CABINET ON DISK.

Store your collection of index cards and faded notes in the attic where they belong. Now there's Creative Filer—the simplest way to organize and access all vour files.

Imagine, names and addresses, home and auto



records, club memberships and inventories, all on a computer disk and automatically filed in alphabetical order for instant access.

Isn't that one of the reasons you bought your computer?

CREAT WRI

- Preview entire document
- Help screens
- Search and replace
- Headers and footers
- Move text
- REAT E ER
- Unrestricted format Change format after creation
- Report writer included Automatic alphabetizing

- Adjustable column width
- Mix text and numeric data
- 12 digit accuracy Menu of commands
- · Within cell editing Flexibility of design

EACH PROGRAM IS FULL-FEATURED WITH INTEGRATED CAPABILITIES. COMMODORE 64, IBM PC, PCjr, AND APPLE VERSIONS AVAILABLE.

A SPREADSHEET PROGRAM THAT REALLY ADDS UP.

Analyze your household expenditures. Plan investments. Even keep track of business and taxable expenses, all on Creative Calc.

Just enter your numbers and totals are automatically calculated and transposed onto a spreadsheet format. Review your document and print out any or all of your financial statement.

But the real number crunching power is demonstrated when you update figures. Enter changes and Creative Calc will recalculate all related numbers.

re-entering them into your spreadsheet format.

VERBATIM MINIDISK TEN-PACK OFFER IN EVERY BOX.

Keep your financial matters in the black with Creative Calc.

ALL THREE PROGRAMS **ARE INTEGRATED** FOR MORE COMPUTING POWER.

Creative Filer and Creative Calc work together with Creative Writer allowing you to customize documents combining text, data, and numeric tables.

Ask for the first family of productivity software for your writing, filing and calculating.

New from Creative Software.

· Limited time only.



COMMODORE 64, IBM, IBM PC, PCJr, AND APPLE ARE TRADEMARKS OF COMMODORE ELECTRONICS, LTD., IBM AND APPLE COMPUTER RESPECTIVELY.

9

reati

with each new wave of products. While it is true that popular home titles continue to stress entertainment value, the most popular computer games appear to be those that let the player create his or her own levels or game fields. Anyone who doubts this need only look at the overwhelming popularity of Brøderbund's Lode Runner. Every Lode Runner enthusiast I know spends most of the game time creating new levels to play.

The Fourth Generation

The popularity of construction set software is not new, as readers of this column know. Programs like *Pinball Construction Set* (Electronic Arts), *Rocky's Boots* (The Learning Company [TLC]), and *Dancing Bear* (Koala Technologies) have been popular largely because they allow the user to make unique creations within the context of a predefined activity. The task of creating new games in *Lode Runner* or *Pinball Construction Set* is, quite simply, the task of creating a computer program. Construction sets are examples of fourth generation programming languages, and the fact that these programs are so popular in the home market is quite heartening.

These programs are helping their users develop problem-solving strategies and other higher-order thinking skills. Since they can (and are) developing these skills at home, they should probably also be able to develop them at school as well. Unfortunately, some teachers can't see past the game aspects of these programs, and have thus banned them from the classroom. This makes as much sense as banning humorous literature from the English classroom. Teachers should look for the deeper significance in the

newer computer games.

With this background in mind, I walked through the massive computer exhibits at the CES looking for some sign of educational software that would appeal to the entertainment and cognitive skill levels of the teenage user. Not surprisingly, I found the answer at the home of Rocky's Boots—TLC. Long known for their support of the young computer user, TLC decided to create a product for the older child. The result of their effort is Robot Odyssey I, an entertaining adventure game that is also a sophisticated programming language. As the first product in TLC's "DigiWorld" series, it represents a significant contribution to open-ended educational software geared to the teenage (and older) market.

Players begin by falling into Robotropolis, a futuristic underground city inhabited by robots. The object is to escape this world and return to civilization. This is accomplished by constructing robots that help the players work their way upward through several layers of this underground

city. Each layer has new obstacles and antagonists that require robots with different skills to help in the escape. As players get closer to the top, the challenge becomes more difficult.

Complex Circuitry

What distinguishes Robot Odyssey I from other multilevel adventure games is that the player must construct robots that are programmed to display certain behaviors needed to avoid or neutralize obstacles. The task of creating these robots involves learning how to "wire" the robots to perform certain tasks. A special environment called the Innovation Lab lets the player work on robot design. There are three robots at the player's disposal. Each robot resembles a spaceship and has four thrusters to move it in four directions. The robot also has a claw that can be used to pick up things, and bumpers to tell when the robot has bounced against a wall or other obstacle. By interconnecting the bumpers with the appropriate thrusters, the player can create a robot that solves simple mazes.

More elaborate programs can be created with the aid of integrated circuit chips built from standard logic elements (AND, OR, XOR, etc.). Once an array of these elements has been interconnected and brought to the desired pins on the chip, the resultant circuit is burned into a final chip that can be carried inside a robot to be connected with the rest of the circuitry. Amazingly, a finished chip can be carried inside another chip, and this recursive nesting can take place up to 40 times. This allows the creation of quite


complex circuits.

Intelligent Robots

Each of the three robots becomes, in effect, a fully programmed entity. All three robots can carry out their tasks simultaneously. This is like having a word processor, a spreadsheet program, and a videogame running on your computer at the same time. But one of the neatest aspects of these robots is that they can send messages to one another using their antennae. For example, each robot could be programmed to look for fuel crystals. As soon as one robot finds a crystal, it can send a message to the other robots to stop looking for fuel and to find the first robot instead. This type of programming in which computational objects send messages to each other is reminiscent of the sorts of things one expects from Smalltalk, LISP, or Logo—not the sort of thing one expects from a videogame.

To properly explore *Robot Odyssey I* would take far more space than I have. Suffice it to say that if teenagers have only 2 percent of the educational software, this program shows that

they won't need much more.



IT'LL INTERFACE WITH YOUR COMPUTER AND YOUR BUDGET

SWINTEC'S Compumate 2100 letter-quality copy printer has built-in parallel and serial interfaces that make it compatible with your computer . . . no matter whose computer you use. What's more, its very modest price tag of \$649 is no more than you'd pay for an inexpensive dot matrix printer.

It adds instant letter-quality word processing to your computer capabilities. It handles correspondence . . . prints out charts and financial projections...in fact, gives you a sharp, clear hard copy of anything in the computer.

Microprocessor-controlled Compumate has a logicseeking algorithm that skips over white space to print up to 20 characters a second. The 100-character daisy wheel print element is available in any one of the 10 most wanted type faces. More features: 10, 12 and 15 pitch selections and a 256-character buffer, plus LED

displays tell you when your Compumate is at the ready. The Compumate 2100 requires no special training to operate. It has its own simple self-testing procedures and is backed by the renowned SWINTEC network of dealer service professionals.

Why pay more for a printer and get much less? Join the switch to SWINTEC. At your dealer's now, or return the coupon.

Dealers, too, are invited to contact us about carrying the

Compumate and the full SWINTEC line of quality office equipment including electronic typewriters and calculators.

☐ Send me more information about the Compumate 2	2100.
☐ Have a dealer contact me for a demonstration.	

☐ Contact me about becoming a SWINTEC dealer.

COMPANY/DEALERSHIP ADDRESS STATE

CITY TELEPHONE 4-3 C-8-84



23 Poplar Street East Rutherford, New Jersey 201/935-0115 Outside New Jersey, call toll-free 800/225-0867

Questions Beginners Ask

Tom R. Halfhill, Staff Editor

Are you thinking about buying a computer for the first time, but you don't know much about computers? Or maybe you just purchased a computer and are still a bit baffled. Each month in this column, COMPUTE! will answer some questions often asked by beginners.

How long does a floppy disk last? If I have some disks that are more than a year old, should I copy them onto new disks? How can you tell if a disk is wearing out?

The lifetime of a floppy disk largely depends on how heavily it is used and how carefully it is handled.

It's doubtful that you would actually wear out a disk with normal home use. One wellknown manufacturer of floppy disks (3M-Scotch) guarantees its products for 3.5 million passes per track. 3M calculates that if you updated the disk (rewrote every track) once every hour, it would take more than 200 years to exceed 3.5 million passes. Not many home computer owners would use a disk that heavily. Some disk-intensive business programs which run 40 hours a week might approach that many passes in much less time than 200 years, in which case an alternative should be considered—perhaps a hard disk or a RAM disk. But the casual or moderate user has little to worry about. At COMPUTE! we have some disks that get fairly heavy use for storing word processing files, and after two years they're still going strong.

A floppy disk's lifetime can be drastically shortened, however, if it isn't handled and stored correctly. In careless hands a disk might not even last ten minutes. Disks are particularly vulnerable to magnetic fields from monitors and TV sets, spilled drinks, cigarette ashes, extremes of heat and cold, heavy weights, ballpoint pens used to mark on labels, and even chemical fumes.

Unfortunately, the first clue which indicates a disk is going bad probably will be a lost program or a lost file. One day you'll confidently slip the disk into the drive and discover that a certain file won't load. That's why you should always keep at least one backup copy of important

files on another disk or tape.

There is one clue you can watch for, though—
if you regularly clean your disk drive's read/
write head and notice one day that it's much
dirtier than usual, it could mean that the magnetic coating on one of your disks is starting to
flake off. It could also mean that you bought
some poor quality disks.

On my Commodore 64, when using the command PRINT 7², the computer will come up with the answer 49.0000001. Is this a bug in the computer?

Not really. It's a rounding error caused by the way the Commodore 64 calculates exponentiation. When you ask the computer to figure 7², it doesn't actually multiply 7*7. Instead, it uses logarithmic tables. Rather than engaging in a long discussion of higher mathematics, let's just say that these tables sometimes lead the computer to an answer which is slightly off. If 49.0000001 isn't accurate enough for your purposes, you can either PRINT 7*7 or PRINT INT(7↑2), which extracts the integer from the result.

The Commodore 64 isn't the only microcomputer which suffers from this problem by any means. Certain math operations will result in very small rounding errors on anything from an Atari to an IBM PC. On an Atari with the BASIC cartridge, for example, PRINT 2^2 (equivalent to PRINT 2^2 on a Commodore) comes out to 3.99999996, while PRINT 2*2 yields the correct 4. The problem was fixed with the BASIC built into the Atari 600XL and 800XL.

The quirk which leads to this kind of problem is that computers perform all of their math in binary. When floating-point (moving decimal point) numbers are converted to binary and then back to decimal, small errors can accumulate.

I recently found several old 60-minute cassette tapes. Are the 60- and 30-minute cassette tapes acceptable for program recording? Is there any command or program which can be used to erase these tapes? They contain music and talk.

ATARISOFT. All the hits your computer is missing.

It's showtime.

Time for ATARISOFT™ to show you six exciting, brand new games that are destined for stardom.

Games that can be played on your Commodore 64, IBM PC and Apple II. (Some titles available on IBM PC jr. and VIC 20.*)

First, there's *Gremlins*, based on the characters from the original film presented by Steven Spielberg.

Then there's Crystal Castles' where Bentley Bear' journeys through all sorts of tantalizingly difficult paths and ramps in his endless quest for gems.

In *Donkey Kong Jr.*² by Nintendo? Junior tries to rescue his father against immense odds. And speaking of Donkey Kong, there's also *Mario Brothers*² by Nintendo? This time, Mario and his brother Luigi battle creatures on four levels of floors, encountering all sorts of treacherous enemies.

In Track And Field³ you can compete by yourself or

head-to-head with another player. But each player must beat qualifying times, heights and distances before they can compete in each of the gruelling six events.

Typo Attack is the much-acclaimed,

fun-filled program that



MARIO BROS.

ATARISOFT APPLE II

DONKEY KONG JR.

ATARISOFT

TRACK & FIELD

ATARISOFT COMMODORE 64

CRYSTAL CASTLES

ATARISOFT APPLE II

TYPO ATTACK

ATARISOFT

allows you to enjoy developing your typing skills at any level.

And still playing to the delight of audiences everywhere are Pac-Man; Ms. Pac-Man; Jungle Hunt; Battlezone; Donkey Kong; by Nintendo; Centipede and Pole Position;

So, if you've been searching for ways to entertain your Commodore, Apple or IBM, treat it to one of the best shows in town, one of the hits from ATARISOFT.

And don't forget the popcom.

ATARISOFT products are manufactured by Atari, Inc. for use with various computers and video game consoles. ATARISOFT products are not made, licensed or approved by the manufacturer(s) of those computers and video game consoles.

*Titles available on IBM PC jr. are Ms. Pac-Man, Centipede, Donkey Kong, Moon Patrol⁷ and Typo Attack. Available on the VIC 20 is Typo Attack.

1. © 1984 Warner Brothers, Inc.; 2.

/IC 20 is Typo Attack.

1. © 1984 Warner Brothers, Inc.; 2.

Trademarks and © Nintendo, 1982, 1983; 3.

Trademark of Konami Industry Co., Ltd.,
© 1983 of Konami; 4. Trademarks of Bally
Mfg. Co. Sublicensed to Atari, Inc. by
Namco-America, Inc.; 5. Trademark and ©
of Taito America Corporation 1982; 6.

Engineered and designed by Namco
Ltd., manufactured under
license by Atari, Inc. Trademark and © Namco 1982; 7.

Trademark and © Williams
1982, manufactured under
license from Williams
Electropies Inc.

ATARISOFT

SIX REW HITS ARE COMMING SOON TO A SCREEN NEAR YOU.

Theoretically, longer tapes are thinner and thus more susceptible to stretching and print-through (signals leaking through the tape and imprinting on adjacent layers of tape). But we've never had any problems saving programs on 30- or 60-minute cassettes. If they are goodquality tapes, they should work as well as the 10- or 20-minute cassettes generally sold for data recording. However, the longer tapes could be slightly less convenient if you store many programs on the same cassette. You'd have to wind the tape further to locate the program you want to load. But even this is a negligible problem if you jot down the tape counter numbers.

It isn't really necessary to erase the old material on the tape before recording your programs. The recorder's erase head will wipe it out as you record. However, your letter indicates you have an Atari 400 computer. The Atari Program Recorder has a stereo read/write head because the Atari can accommodate an audio track that plays through the TV speaker. When you load your program, you'll hear the old audio material along with the bleeps of the data. By typing POKE 65,0 before loading the tape, the bleeps will be silenced and you'll hear the audio only.

However, if you do want to erase a tape before using it, the best method is to use a bulk tape eraser (available at electronic supply stores). Another way is to insert the tape into an audio cassette recorder, press the record button, and disable the microphone by switching it off or sticking a null plug into the microphone jack. If the recorder has level controls, turn them all the way down.

With an Atari Program Recorder, you can erase tapes by pressing the record and play buttons and typing POKE 54018,52. This switches on the cassette motor from the computer. You can turn off the motor by typing POKE 54018,60.





COMMODORE OWNERS:

"Finally, A Universal Graphics Interface!"

The ALL NEW "MICROGRAFIX" parallel interface by Micro World Electronix Inc., is a complete switch selectable interface with full graphic capabilities for the VIC 20TM and Commodore 64TM. It's truly the most universal of Interfaces with the capacity to print the Commodore® graphics set, since it is switch selectable for virtually all centronics compatible parallel printers including Daisy wheel printers.

1) Fully intelligent Interface that plugs into the Standard Commodore® printer socket.

Complete graphics capability that will allow popular matrix printers to fully pass the Commodore® Printer test (including Inverse text, tabbing, cursor up/down, etc.). Works with virtually all software, since it provides emula-

tion of the Standard Commodore® Printer.

Optional user installed 4K buffer to speed up graphics and text printing.

Complete built-in status and self-test report.
Switch Selectable Commodore® graphics mode for most popular printers (Epson, Star Micronics, C. Itoh, Prowriter, Okidata, Seikosha, NEC, Riteman, Banana, BMC, Panasonic, Mannesman Talley and others) plus a Universal Switch mode for letter quality printers.

Complete with emulate mode, transparent mode, total text mode, ASCII conversion modes that will insure virtually total

compatibility with popular Software.

No more ROM changes or extra shelf space taken up. The Micrografix Interface is easier to stock since one interface will support virtually all printers.

> Order From: DISTRIBUTING, INC.

1342B Route 23 Butler, New Jersey 07405 (201) 838-9027

TM Trademarks of Commodore Business Machines, Inc. *Call for details on our super \$50.00 trade-in offer.

THE BEGINNER'S PAGE

Robert Alonso, Assistant Editor

ROM And RAM

Every group has its lingo. When you first start to get used to computers, there are a few words to learn, a bit of *computerese*. Two of the simplest, yet most misunderstood, of these terms are ROM (Read Only Memory) and RAM (Random Access Memory).

Absent-Minded Computer

Read only memory is called that way because it is a kind of memory in each computer which can only be read. No matter how many times you try, you may never write in ROM. Computers come equipped with ROM because they need to have instructions that tell them how to perform certain functions such as adding or subtracting or even how to send things to disk drives or printers. The ROM memory stores these vital instructions in chips that can't be erased by writing to them or by turning off the computer. Without ROM your computer would be useful only as a doorstop. Just imagine turning your computer off and having it forget how to work the next time you turned it on.

BASIC is usually a set of machine language routines stored in several ROM chips in each computer. Another set of important ROM routines are the input and output routines. These routines instruct your computer on how to communicate with external devices such as disk drives, cassette recorders, and printers. ROMs obviously contain important routines that are needed for doing any kind of work with your computer.

Extra ROM

Another useful and popular form of ROM is the game cartridge. Yes, those small black boxes that provide you with so many hours of fun are just preprogrammed read only memories. These ROMs in cartridge form are perhaps the fastest way to load a program into your computer. The reason they are so fast is that usually there is no


loading taking place. You plug in the cartridge, and it immediately becomes a part of the computer. The computer has immediate access to the programs and data stored on the cartridge.

RAM memory, although not as intrinsically important to the computer as ROM, serves important functions in the computer. It is the area of memory where user programs are typed in and run. RAM is also used by all the commercial software that comes on disk or cassette. The routines that are located in ROM often have to rely on pointers in RAM to function correctly. Without RAM memory, the computer might not have a screen display, and it would have no such thing as a keyboard buffer to hold extra keypresses. Graphics would not be available either.

Empty Boxes

All memory in the computer can be described as a series of boxes that can hold something. Let's say that you have 1024 different boxes in which to put things. You could choose to place objects in these boxes sequentially from box 0 on up to box 1023, or you could just decide to place objects into boxes in any haphazard way that you yourself could understand. RAM memory is just like a series of empty boxes that allow you to place numbers into them. The only restriction that these boxes impose on you is that you must never place a number over 256 into any one box. If you have a section of memory that has 1024 spaces, you can claim to have 1K of RAM memory. The difference between RAM and ROM when compared to boxes is that ROM memory is like a series of boxes that already have objects in them. Even more important, the boxes can't be emptied or altered by the user. The user can only look into the box to see what's in it. ROM could thus be compared to glass boxes. You can see in but can't remove anything without breaking something.

Any programs that run in RAM memory can



ENTER THE EXCITING HAYDEN NATIONAL WORD CHALLENGE™ CONTEST.

IF YOU'VE GOT A WINNING WAY WITH WORDS, THIS IS YOUR GAME.

Word Challenge. The mindboggling game in which you compete head to head against LEX, the mighty Wizard of Words.

Select the size of your playing square, pick from 26 skill levels, set a time limit, and choose from 5 scoring methods. Then see how you stack up against the Wizard and his 90,000 word lexicon. It's a race against the clock.

You and LEX compete to form words by connecting randomly generated letters. Words are legal if their letters touch in sequence on any side or corner. The more words you find, the better your chances of beating LEX.

When your time's up, LEX displays the words you found and the words he found. You score points for every word you made that he didn't. Word Challenge keeps the score.

Word Challenge is based on Proximity linguistic technology. It operates on Apple™ II +, IIe, IIc, IBM PC™ PC jr™ and popular compatibles. Available soon for Macintosh™ and Commodore 64™.

Play Word Challenge alone or with a group. See if your family or friends together are wordy enough to bring LEX to his knees.

TO WIN OUR CONTEST, GIVE US THE GOOD WORD.

It's easy to play. First buy Word Challenge. Then follow the rules as described on the official Entry Form available only inside specially marked Word Challenge packages. Fill in the letters on the official contest grid to construct the longest possible word. Show your word to LEX. If he has it in his vocabulary, send it in.



First prize for the longest word is \$10,000 cash.



Second prize is \$3,000 cash.



The top 200 finishers will receive Word Challenge polo shirts.



Be one of the first 5,000 to buy Word Challenge and enter the contest, and we'll send you a free Word Challenge T-shirt.


Enter now. The contest expires October 31, 1984. Purchase of Word Challenge is required. Contest void where prohibited.

JOIN OUR WORD ASSOCIATION. THE RIGHT WORD COULD BE WORTH \$10,000.

To purchase your copy of Word Challenge, see your local software dealer, or contact Hayden Software, 600 Suffolk Street, Lowell, MA 01854, or phone toll-free 800-343-1218.

Word Challenge is a registered trademark of Hayden Software Company, Inc.
Apple and Macintosh are registered trademarks of Apple Computer Inc. IBM PC and PC Jr., are registered trademarks of International Business Machines, Inc. Commodore 64 is a registered trademark of Commodore Business Machines.

HAYDEN. AMERICA'S FIRST FAMILY OF SOFTWARE.





be modified. For example, if you wrote a program in BASIC and then decided that you wanted to modify something in it, you could easily do so. One peculiarity of BASIC programs is that the RAM in which they are located must be continuous. If there were a gap of any sort, like a missing box, the program would not work properly.

Screen RAM

Perhaps one of the most interesting sections of RAM memory is the screen. It is one of the few RAM locations that are shared by both the central processing unit and the video chip in all computers. What this means is that there is a section of RAM-let's say a 1024 box sectionthat both the computer's main processing chip and the chip that produces the colorful TV image can look at. The reason it is shared is that you must be able to change the screen either by POKEing values into the screen RAM or by PRINTing values onto it. For you to be able to do this, the central processing unit must have access to it. The video chip needs to have access to the RAM because it needs to know what to display on the TV set. The video chip essentially scans screen RAM and evaluates what is stored there. Once it knows what is in the screen memory, it can reproduce an image of it on your TV.

One useful feature that many home computers come equipped with is that more RAM and ROM can usually be added by just plugging a cartridge into the side or back of the computer. In some computers you have to plug the RAM into the inside expansion areas, but this is usually an easy procedure. The reason expandability is such a desirable feature is that it enables the user to program or use larger programs with more functions and commands and that it facilitates the use of alternate computer languages or BASIC enhancements.

Memory Limitations

There is one limitation to the use of both RAM and ROM. Each microprocessor, the brain chip of each computer, can access only a predetermined amount of memory at any one time. For example, the popular 6502 processor found in the Apple, Atari, and Commodore computers can directly access only 64K of memory. The 8088 microprocessor found in the IBM PC and PCjr can access a little over one million bytes. There are other limitations that manufacturers either impose on their machines or are forced to adhere to. For example, Microsoft BASIC will only accept a program up to 64K long. An example of a self-imposed limitation is that IBM restricted the memory limits of the PCjr to 128K.





The Educational Software Explosion

Kathy Yakal, Editorial Assistant

Even if you didn't buy your home computer as an educational tool, you've probably learned a lot from your interaction with it. Games, home productivity packages, and other computer programs can teach, but recently there's been a proliferation of dedicated educational software. Software developers and publishers are vying for top positions in educational software, potentially a billion-dollar business.

Experts have said that it was pretty easy to predict who the first 6 percent of computer owners would be, says Marilyn Rosenblum, vice president for product development at CBS Software. They're the same people who have expensive hi-fi systems and Sony Walkmans, people who like new technology.

"The important issue for us and for the future of this industry is who the next 6 percent will be," she says. "The thing that's going to determine that is how truly useful we can make computers."

Software publishing firms have been scrambling over the last few years to figure out how they can influence the next 6 percent to buy. The bets right now are on education. "There's been a tremendous proliferation of manufacturers into the educa-

tional software market," says Jordan Levy, vice president of marketing at Software Distribution Services.

Levy and many others in the industry who attended last summer's Consumer Electronics Show are overwhelmed by the number of publishers who have either entered the market or added educational software to their already existing line. Future Computing predicts that consumers and schools will purchase 6,787,000 units of educational software this year.

Bringing School Home

"I think you can trace the recent popularity of educational software to penetration of the home computer," says Richard Khaleel, president of Scholastic, Inc.'s Software Group. Game software was popular initially, he says, due to the popularity of the VCS. "And with the penetration of the personal computer into the business market, we saw the explosion of business software."

Further, home computer sales took off partly because children were using them in schools. "The use of computers in schools is probably one of the main reasons for the popularity of home computers," says Khaleel. Market analysts at the Minnesota Educational Computing Consortium (MECC) agree.


And as more school districts make computer literacy an important part of the daily curriculum, children are exposed in ever-increasing numbers.

Not Just A Shooting Star

In the rush to find uses for this newly installed base of home computers, a lot of potential applications and inappropriate game ideas have come and gone. With them have gone a lot of software companies. But the concept of education is no fad. "Everyone latched onto education because education doesn't change that much," says Marilyn Rosenblum. "The need to teach children to read and write well will always exist."



Marilyn Rosenblum, vice president for product development at CBS Software.



Today's most innovative educational software began here 60 years ago.

At Scholastic, we have something no other educational software company has: 60 years' experience making learning fun for kids.

We began in the schoolrooms of the 20's with the first national news magazine written especially for young people, The Scholastic. Since then, our one magazine has grown into 37, and we've become the largest educational publisher of books and magazines in the English-speaking world.

Now we've put everything we've learned from five generations of school children into the most innovative family of educational software available today. Scholastic Wizware.

Our experience makes Wizware different from all other educational software. It turns learning subjects like geography, writing and spelling into exciting adventures for your children. And because every Wizware game is *interactive*, kids become deeply involved in what they're learning.

What's more, our experience has taught us the importance of teaching things most other educational software leaves out. Like teamwork, imagination, critical thinking and problem solving. You'll find them all in Wizware.

But by far the most important result of our experience is that your children will thoroughly enjoy learning with Wizware. There are now Wizware programs for teaching everything from creative writing to computer programming. Here are a few of the ways we bring learning into the Computer Age.

Spelldiver.™

It's the most ingenious way ever devised for teaching spelling and improving reading skills. Deep beneath the sea lie giant words covered by a strange seaweed called lettermoss. Kids must face ferocious sharks and pesky flippernippers to remove the lettermoss and decipher the words.

Agent U.S.A.TM

Agent U.S.A. turns geography into an exciting race to save the nation from the ruthless Fuzzbomb. Along with learning geography, children hone their problem-solving and reasoning abilities.

Story Tree.TM

Story Tree can bring out the Mark Twain in every child. Budding authors create their own mystery and adventure stories. A remarkable feature lets them weave alternate choices into every turn of the plot, and challenges their imaginations to the maximum.

Bannercatch™

Based on the classic game of Capture-the-Flag, this is the most sophisticated and fun strategy game for kids available today. Not only do players learn how to devise complex strategies, they also learn how to work together to solve difficult problems.

Scholastic Wizware. Our experience makes all the difference.

Look for Wizware at your local computer store. Or contact Scholastic Inc., 730 Broadway, New York, NY 10003, 212-505-3000.



The most trusted name in learning.









Spelldiver, Agent U.S.A. and Bannercatch designed and developed by Tom Snyder Productions, Inc. Story Tree designed and developed by George Brackett. • Agent U.S.A. and Bannercatch available in Atari, Commodore, Apple and IBM versions. • Spelldiver available in Atari, Commodore and Apple versions. • Story Tree available for Apple.

Having worked in educational publishing for a number of years before coming to CBS, Rosenblum's perspective of this "explosion" is different. In educational book publishing, it wasn't so much an explosion as an ongoing event. Educational publishers began to add microcomputer software to their existing lines of books and audiovisual materials.

"What we're seeing here is that a lot of the stuff that's been used in the schools is perfectly appropriate for the home," she says. "A lot of the explosion is just recognizing a new market."

Pulling Away From The Pack

Jordan Levy thinks that many software companies sang a swan song at last summer's Consumer Electronics Show. "There will be a lot of people who won't be at the next CES," he says. "A lot of people are going to fall by the wayside, mostly entertainment."

The same thing is bound to happen with educational software over the next few years, say software publishers. But in 1989, consumers will buy about five times as much educational software as they're buying this year, says Future Computing. They predict that 35,072,000 units will be sold in that year.

Whose name is going to be on those packages? Those companies that have experience working with children, says Scholastic's Richard Khaleel. "People who have experience knowing how people learn have the best chance of creating software that is not really state of the art, but state of the mind," he says. "No new software publisher that does not have a consumer franchise in another market has been able to spend the kind of money yet to be able to establish a basis for consumer trust."

"It's very important for

people who know children, who have traditionally been selling educational materials to children, to get into the business," says Weekly Reader Software Manager Fritz Luecke. "You're going to find fewer unknowns entering the market," he says.

Though parents may feel comforted by familiar names, market analysts at MECC predict that the competitive situation in the educational software market will eliminate those without educational strength and technical skill, as well as adequate marketing ability. "The next 18 months will hold some very hard lessons for those publishers who think the educational buyer is an easy sell," says MECC's Ron Barnes.

No Fun

In all of the brouhaha over which educational software publishers will emerge as leaders, there's a basic problem that everyone's trying to solve: Who deems a program educational? How do you decide when the educational benefits balance the enjoyment?

The argument seems to focus on just how much emphasis there should be on the entertainment aspects of an educational program, if any. There aren't any real rules yet, though educators try to quantify and set standards, and software designers and publishers try to develop formats that they hope will please parents, teachers, and students.

Those formats vary tremendously. "My belief is that educational software should manifest itself in some kind of discernible change in behavior, like grades," says Thomas Garsh, president of American Educational Computer, Inc. "You don't get through high school by being a good games player or having superior cognitive skills. You get through high school by having good grades. And you do not get accepted



Thomas Garsh, president of American Educational Computer, Inc.

into college with superior kinds of thinking skills. You get into college by passing the SAT and having good high school grades.

"So what we've done is almost totally related our software to curriculum, by grade and subject," he says. "We've given up a few whistles and bangs, which may initially be a disadvantage because it doesn't look as flashy, but the subject is there. I'm not defending that. I'm just saying that is reality. That's our position. In this rush to the market, I don't see many companies taking that position."

Pupils Of Pac-Man?


Software developer Tom Snyder says it's too early to judge, that it's dangerous to impose restrictions or define too concretely right now. "Even Pac-Man would be educational if you could freeze the action," he says.

"If you freeze Pac-Man or any other game, a couple of things happen," he says. "You get to use your head instead of just knee-jerk reactions. You start verbalizing to yourself what the alternatives are and formalizing them a bit instead of having them remain in sort of an intuitive, physical reaction.

"Beyond that, it really opens the experience up to more

Flight Simulator II

Alari & Cornoble Commodore 64



Put yourself in the pilot's seat of a Piper 181 Cherokee Archer for an awe-inspiring flight over realistic scenery from New York to Los Angeles. High speed color-filled 3D graphics will give you a beautiful panoramic view as you practice takeoffs, landings, and aerobatics. Complete documentation will get you airborne quickly even if you've never flown before. When you think you're ready, you can play the World War I Ace aerial battle game. Flight Simulator II features include animated color 3D graphics day, dusk, and night flying modes over 80 airports in four scenery areas: New York, Chicago, Los Angeles, Seattle, with additional scenery areas available user-variable weather, from clear blue skies to grey cloudy conditions complete flight instrumentation VOR, ILS, ADF, and DME radio equipped navigation facilities and course plotting World War I Ace aerial battle game complete information manual and flight handbook.

See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983

SubLOGIC

Corporation 713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995





Software developer Tom Snyder.

than one person. If you slow it down, everyone gathers around and you get five people talking to each other about what a decent strategy might be, and introducing the whole social element into it. That kind of interaction multiplies the learning instantly."

Keeping The Scales Steady

Somewhere between those two opposing viewpoints lie hundreds of software styles, with varying degrees of entertainment and learning. MECC Deputy Executive Director Ron Barnes contends that the learning objective of any piece of software should come first, with the game aspects then designed to increase the child's motivation to learn. Often, he says, educational software is developed the other way around.

DLM Teaching Resources publishes software which is designed to supplement curriculum as first priority. But, they say, what makes their software sell to both schools and homes is that it does not ignore the element of fun. "I think that what software producers are looking for is a correct combination of ingredients to combine into their instructional courses, to keep the interest and focus," says Jim

Hafer, product evaluation supervisor for MicroD.

"There seems to be a bit of a gray line there," he says. "Some have a theory that seems to be working, and that is to make education fun. But there's only so much that can be learned from a simple game as opposed to an in-depth program.

Richard Khaleel believes that we will see more segmentation between software that makes learning fun and software that is just drill and practice. "It all depends on the age," he says. "In grade school, homework is fun. It's only when things outside of school get more important that schoolwork competes with other interests. There's always room for both."


Pinning Down The Beast

In the meantime, educators and parents puzzle over how to decide. Not just on what kind of software or computer, but something more basic: whether or not the microcomputer can be used effectively as a teaching tool.

And they can be fooled, says Tom Snyder. "There is an erroneous promise, an implication that you're going to be able to do quantifiable things with it, testing how the education is," he says. "Therefore, it's excited educators and educational consultants who say finally, we can start pinning down this educational beast in general."

To receive additional information from advertisers in this issue. use the handy reader service cards in the back of the magazine.

"Hey, Commodore and Atari,"



"Let's Party!"

P.Q. The Party Quiz Game™ includes the following features:

- A TRIVIA PLAYER'S GAME not a computer game that plays trivia.
- No keyboard input all players responses are generated from the unique Quick Response[™] controllers.
- General Edition I has over 2700 questions for the Commodore 64 and over 1400 questions for the Atari.

\$59.95

Special Introductory Offer:

- Competition or team play.
- Random questions.
- Lightning bonus rounds.

Additional Modules from the P.Q. Question Library include:

Sport Edition I
Education Edition I

Entertainment I
General Edition II

General Edition III

\$1995 each

To Order Call Toll Free 800-558-0003

For WI Orders 414-351-2007



Comput Ability ...


P.O. Box 17882 Milwaukee, WI 53217

Atari and Commodore are registered trademarks of Atari, Inc. and Commodore Business Machines respectively.

Dealer inquiries invited.

The Latest In Learning:

New Trends In Educational Computing




The House That Jill Built lets youngsters design, build, and animate a variety of houses. Developed by Joyce Hakansson Associates for CBS Software.

Selby Bateman, Features Editor

Construction sets, interactivity, networking—these are some of the trends in the quickly evolving educational software market. A swarm of new companies have entered the competition, and a variety of different educational approaches are being tried.

Few subjects will generate arguments faster in the microcomputer industry than what makes good educational software.

Interest in computer-based learning programs has never been greater, nor the debate over future directions more vocal. Parents and teachers are requesting more and better packages. Computer companies are courting software firms that specialize in educational products.



You imagine
and a cast appears on the screen
You compose
and music and sound are heard
You direct
and an original story unfolds
You are a MovieMaker.™

Creative Pastimes: Software as unique as you are.

Look for Creative Pastimes Software in your favorite book or computer store. You'll find it's suitable for all ages, and compatible with most popular home computers. For more information call us at (800) 336-0338.

Or write Reston Computer Group, A Prentice-Hall Company, 11480 Sunset Hills Road, Reston, Virginia 22090.

MovieMaker is a registered trademark of Interactive Picture Systems, Inc.



The Dolphin's Pearl



MovieMaker



Day



Middle of the Road Lizard

Now your teenagers can learn from teachers who teach teachers how to teach.

Introducing The Series by Master Teachers from Thoroughbred.

This unique series offers your teenagers the rare opportunity to learn-to reinforce and integrate concepts studied in school-through software developed by Master Teachers.

Teachers who have been recognized by other teachers as being truly outstanding for their knowledge. And for their ability to inspire people to learn-not by rote, but through active participation. So that learning is quick, thorough, and fun.

Master Teachers are so good at teaching, in fact, they teach teachers how to teach.

The first 11 titles are available now

Biology

- Exploring that amazing food factory, the leaf
- □ Photosynthesis: unlocking the power of the sun
- ☐ The fascinating story of cell growth ☐ How plants grow: the inside story

Math

- □ Decimals made simple
- ☐ Mastering units of measurement
- ☐ Taking the mystery out of metrics

Social Science

- ☐ The U.S. Constitution: our guarantee of liberty
- ☐ The Constitutional amendments: what they mean to you

Chemistry

- ☐ Molecules and atoms: exploring the essence of matter
- ☐ The how's and why's of migrating molecules

And more to come—in these subjects, as well as English, physics... All, with advanced color graphics.

Level of knowledge covered: from junior high to adult (except "Decimals," elementary to senior high).

For use with: IBM PC, PCir. Available soon for Apple IIe, IIc.**

Visit your dealer today. Or call us at 800-526-3968 (or 201-685-9000). Or write to SMC Software Systems, 1011 Route 22, Bridgewater, NJ 08807.


^{*}IBM is a registered trademark of International Business Machines Corporation.

*Apple is a registered trademark of Apple Computer, Inc.

© Copyright 1984 Science Management Corporation. All Rights Reserved.

The Series by Master Teachers

The U.S. Constitution: our guarantee of liberty



Social Science

Thoroughbred.

Educational Software



And greater numbers of educators are getting involved in the production and distribution of these programs.

Increased competition in this growing field is creating several important trends that will directly affect both the quality and the kind of future computer learning programs.

Challenging The Technology

Even staunch supporters admit that educational computer programs generally have a long way to go to reach their potential, but the software is evolving

rapidly.

There's now "some clarity about what educational software is," says Marilyn Rosenblum, vice president of product development for CBS Software, a company that produces several lines of educational programs with such developers as Joyce Hakansson Associates and the CTW Software Group from Children's Television Workshop.

"I also think the technology is being challenged much more than it was a year ago. Things that would have been acceptable then are no longer accept-

able," she says.

"We're getting away from a lot of drill and practice," adds Marge Kosel, director of microcomputer courseware for Sunburst Communications, a company that produces educational software. "Designwise, drill and practice is the easiest [to produce]. Now, there are a lot more simulations and problem-solving. The technical quality of software has really improved."


Design Your Own Robots

Greater emphasis is being placed on the amount of interaction that occurs between the student and the computer in several of the newer educational packages. And a higher level of sophistication has been built

into other programs, as some software developers reach for an older, teen-oriented educational market.

Take, for example, The Learning Company's new Robot Odyssey I (Apple II family, \$49.95). Inspired by the company's earlier, Rocky's Boots, the new package is both a game and an educational tool. It's one of a growing number of products called construction sets, or builders—a programming style made popular by Bill Budge's Pinball Construction Set.

Programs written in this style are highly interactive and allow the player to control



In Robot Odyssey I, players must build robots to escape from Robotropolis, a futuristic underground city inhabited by robots. Marketed by The Learning Company, Robot Odyssey I is the first program in their new DigiWorld series, which is aimed at the teenage market.

many aspects of the game environment. In *Robot Odyssey I*, for instance, the player actually designs robots and builds computer chips, which are later used to help the player escape from a futuristic robot-run city, Robotropolis. The program features built-in tutorials to teach the basics of digital logic and an Innovation Lab in which players design and test chips and robots.

Atari's Futuremakers And Milestone

New programs from Atari, Inc., also reflect the trend toward

greater sophistication. The company's Milestone Series from Atari Learning Systems and its Futuremakers simulation programs are quite interactive and feature a hands-on approach to learning. The AtariLab science packages, part of the Milestone Series, let youngsters simulate more than 100 different experiments using the computer and a laboratory kit.

Socrates On A Chip

The freedom to move almost anywhere within an educational program is an important aspect of the Arrakis Advantage, a family of educational software marketed by Prentice-Hall for Apple, Atari, Commodore, and IBM PC and PCjr computers.

Directed at students in grades 7 through 12, the Arrakis Advantage series is based on the Socrates Learning Environment—a dialectical teaching technique borrowed from the Greek philosopher, notes Charles de Martigny, managing director of Arrakis Systems.


"Where other programs operate in only one direction, Socrates [the system] can move in any direction the user wishes," he says. "Students can interrupt, ask questions, test themselves, review and explore other subjects and, in effect, talk directly to Socrates as naturally as they would converse with a teacher."

Learning Is Parallel, Not Serial

Students need that kind of flexibility since learning is not strictly linear, with one event following another in a predictable chain. Instead, information arrives in a parallel fashion, with information coming from a variety of complementary sources, points out Emiliano De Laurentiis, director of advanced research and development for Arrakis.

"People should start looking for software that's more intelligent; software that allows

JUKI 6100. HARDWARE WITH NO SOFT SPOTS.



Note: Above chart is an art treatment and was not printed by the IUKI 6100.

daisywheel 6100

THE IUKI 6100: Feature for feature, the best allround printer. We challenge our competition to beat our overall record. Dollar for dollar, JUKI gives you more of what you want in a daisywheel printer. And no wonder: we've been building quality precision machinery for over 45 years. So for a printer that works

. . . and works . . . and works, choose JUKI. Ask to see the JUKI 6100 at your local JUKI dealer.



The worker.

JUKI INDUSTRIES OF AMERICA, INC.

ACORN DATA PRODUCTS 7042 S. Revere Pkwy, Ste 50 Englewood, CO 80112 (303) 799-8900 Serving: MT, WY, CO, UT, NM

OSSMANN COMPUTER TECHNOLOGIES 6666 Old Collamer Rd. East Syracuse. NY 13057 (315) 437-6666

Serving: UPSTATE NY

BUTLER ASSOCIATES, INC. Newton, MA 02161 (617) 964-5270

Serving: ME, NH, VT, MA, CT, RI SOUTHERN MICRO

DISTRIBUTORS 8708 Royal Lane Irving, TX 75063 (214) 258-6636 Serving: TX, OK, AR, LA

CM DISTRIBUTION 7023 Little River Tnpk Annandale, VA 22003 (703) 750-3885 Serving: MD, DE, DC, VA

23976 Freeway Park Dr. Farmington Hills, MI 48024 (313) 477-7586

Serving: MI, IN, OH, KY, W. PA, WV

STAR-TRONIC DISTRIBUTING CO.

COMPUTER SERVICES INTL 560 Sylvan Ave. Englewood Cliffs, NJ 07632 (201) 569-6300 Serving: METRO NY, E. PA, NJ

TECHNOLOGY MARKETING CORP.

Serving: TX, OK, AR, LA

CYPRESS DISTRIBUTING CO. 1266 Lincoln Ave., Ste 109 San Jose, CA 95125 (408) 297-9800 Serving: N. CA, NV, AZ

GENTRY ASSOCIATES INC. 7665 Currency Dr. Orlando, FL 32809 (305) 859-7450

Serving: TN, NC, SC, MS, LA, AL, FL, GA VITEK 930G Boardwalk Ave. San Marcos, CA 92069 (619) 744-8305

WESTERN MICRO TECHNOLOGY 10040 Bubb Road Cupertino, CA 95104 (408) 725-1660

Serving: N. CA, NV, AZ

Arlington Heights, IL 60005 (312) 228-5480 Serving: WI, IL, MN, IA, MO, NE, ND, SD, KS NATIONAL HEADQUARTERS

INFORMATION SYSTEMS INC.

2420 F. Oakton St., Unit I

670 International Pkwy Richardson, TX 75081 (214) 690-5111 TX, OK, AR, LA

JUKI INDUSTRIES OF AMERICA, INC. DA DIVISION 299 Market St. Saddle Brook, NJ 07662 (201) 368-3666

WEST COAST: WEST COAST: JUKI INDUSTRIES OF AMERICA. INC. CALIFORNIA DIVISION 3555 Lomita Blvd. Torrance, CA 90505 (213) 325-3093 you to interact on a normal level, to type in a sentence, to ask questions," he says. "The technology exists now. There's no reason why it shouldn't be implemented."

The Arrakis Advantage series, available this fall, will initially include home programs that complement school curricula in algebra, geometry, biology, chemistry, physics, and statistics.

The Hakansson Touch

Another proponent of the construction set approach is Joyce Hakansson, whose independent software development firm has already produced 19 "playful educational" packages for CBS Software, Simon & Schuster, Spinnaker Software, and Milton Bradley.

"We like to build exploratory worlds for children to investigate—worlds full of sparkling graphics and music and a good measure of giggles," she says. "I want every aspect of a program, even the most subtle, to serve an educational purpose. If a child builds words, then building words should be a powerful tool to make something happen so that the reward is inherent in the activity. We feel a program should validate and support a child's natural intuition and enthusiasm for discovery."

Among the newer programs developed by Joyce Hakansson Associates is *The House That Jill Built* (CBS Software), available now on disk for the Commodore 64 and this fall for the Apple II family.


Build It Your Way

Created for children five years of age and older, the program lets the player design and build a house from the ground up. Youngsters furnish, decorate, and animate the environments simply and easily, but the program also can be used by older children and even adults in

more complex ways.

Working from electronic blueprints, you choose one of a variety of four-story houses to build. Doors, windows, and stairways must be placed throughout the house. Exterior styles must be selected (Victorian, modern, or colonial). And once the outside of the house is complete, you then design, decorate, and furnish the interior. Tips on design and notes on architecture are included in the manual.

As the installed base of computers has increased, some software producers who previously concentrated their attentions on a school-based market



Youngsters count as many crops as they can before the sun sets in DLM's Number Farm.

are coming into the home with programs to supplement their curricular packages.

It's "Arcademic"

DLM Teaching Resources of Allen, Texas, currently offers hundreds of educational materials for schools. DLM has made the transition into the home software market as well with its Arcademic Skill Builders series in math, language arts, and other areas.

Educational software companies with strength both in the school and in the home will have the best chance of survival, says DLM's Karen McGraw, project editor for microcomputer software and a

former teacher. DLM emphasizes content in its packages, she adds, but with a presentation that is also fun for the user and with programs that fully use the capabilities of the computer.

"But we don't want a product just because it is an innovative use of technology, if it's not married to educational validity. We don't build software and then make it fit the child."

Sunup, Sundown

In one of DLM's preschool educational games, for example, a timer is included to let the child know how much time is left in the program. Rather than using a clock, which might have no relevance to a four-year-old who can't yet tell time, the program employs a day-to-night cycle to accomplish the same thing.


At the start of the game, the sun comes up. As the game progresses, the sun crosses the sky and then starts to come down as the game draws to a close. When the sun sets and night comes onto the screen, the game is over.

"We use real-world things that are important to a child, that a child can understand," says McGraw. "Unless you really know about education, unless you really understand the mind of a child, you would never think of it." Drawing on its experiences as a curriculumbased, educational-software producer, American Educational Computer (AEC) is also among those school-oriented software companies which have entered the home market.

"Tested And Tried"

An educational program in the home can be much more effective if it's first been shown to be successful in the schools, argues AEC president, Thomas B. Garsh. "It's been tested and tried and is based on sound educational pedagogy," he says.

ONLY NRI GIVES YOU TOTAL COMPUTER SYSTEM TRAINING



Electronics Design Technology

Digital Electronics

Name (Please Print)

Street

City/State/Zip

You start with the basics, rapidly build

training with the flexible Gemini 10X printer

as part of your hands-on learning. Working

with it, you'll get practical experience in adding peripherals, learn maintenance and servicing operations. And you'll use it for

business records, and word processing.

hard copies of important programs,

Understanding Built On Experience

Basic Electronics

Small Engine Servicing

Building Construction

198-094

"We know that if a parent buys it for a fifth-grade student and he or she gets better grades, then the parent comes back, says it worked, and buys it for the sixth-grade child."

The movement of software from the school to the home is accelerating. Control Data Corporation, developers of the widely used Plato system of educational software, now has more than 12,000 hours of courses that include everything from instruction in basic skills and computer literacy to educational games and advanced calculus. And the company is in the process of converting many of its packages for use on personal computers like the Apple II family, Atari, IBM, and Texas Instruments.

The More The Merrier

A related trend over the last year or so is the entry of large corporations, especially established educational publishers, into the home software field. Companies like Random House, Prentice-Hall (Arrakis Systems), SFN Companies (Mindscape), Xerox (Weekly Reader Software), Scholastic, Simon & Schuster, and Fisher-Price are bringing their talent, marketing muscle, and reputations into the computer learning field.

"And that's very good," says Fritz Luecke, manager of computer software for Weekly Reader Software. "Most of them bring something to the business that other traditional software companies might not bring, and that is a different kind of marketing expertise.

"They also bring, in many cases, a new way of packaging, a new way of adding things to a program to make it a total program, which is what we feel we have done with our products,"

he adds.

What Children And Parents Want

Giving children items with

Choosing The Best Educational Software

Selby Bateman, Features Editor Sharon Darling, Research Assistant

Of the thousands of educational software programs available, which ones are worth your time and money? Here's a short lesson from the experts.

"One recommendation I always make to parents—one that not enough people are making—is that you should really begin to look for educational software for your three- or four-year old child," says William Bowman, chairman of Spinnaker Software.

"That's the time to begin thinking about buying a home computer and getting educational software. It's going to be easier for you to find things that are generally applicable to the learning skill areas of young children than it will be to find the more specific software for older kids," he adds.

Getting Involved


Spinnaker's educational software lines include the new Fisher-Price Learning Software for children from three to twelve years of age, as well as such best-selling programs as Kindercomp, Alphabet Zoo, In Search of the Most Amazing Thing, and Kids On Keys.

"The next real criterion is that the software's got to be fun," says Bowman. "If it's not fun to use, kids won't use it no matter what their ages are—and that's where an awful lot of educational software falls down. The next thing for a parent to do is to consider how much he or she is going to be involved with the child. A little involvement is always required. But some software, like Spinnaker's, really expects the parent to be more involved," he adds. "The software is a little bit deeper, it's a little more advanced in terms of what you can do with it."

Trying It On For Size

Getting educators and software developers to agree on a set of specific guidelines would be almost impossible, given the many conflicting views which abound in the computer-based learning field. But there are a few fundamental pieces of advice for anyone buying educational software. The following tips from educators, software houses, and leading independent program developers may be of help as you wade through the flood of educational software packages:

• Shop at a software store that allows you to run some programs prior to purchase, or that lets you buy packages on approval. Such stores may not be easy to find right now, but retailers are discovering that an increasing number of customers are demanding more than just the promises on the outside of a package to buy an educational software product.



you're not alone.

Now, you can introduce your Commodore 64™ to the Work Force: affordable, easy-touse software and hardware that will unleash the power you always expected from your Commodore 64[™], but thought you might never see.

PaperClip™

is simply the best word processing program of its kind-loaded with advanced features, yet so easy to use even a novice can get professional results. With SpellPack™, it even corrects your spelling! Once you've tried it, you'll never use a typewriter again.

The Consultant"

(formerly Delphi's Oracle) is like a computerized filing cabinet with a brain. Organize files for recipes, albums, or the membership of your service club. Then search, sort, arrange and analyze your information with speed and flexibility that's simply astounding.

SpellPack"

teaches your 64 to spell. It checks an entire document in 2 to 4 minutes against a dictionary of over 20,000 words. And you can add up to 5,000 of your own specialized terms. Type letter perfect every time!

BusCard II™

is a magic box that lets you transform your humble home computer into a powerful business machine. It gives you the added power of BASIC 4.0, and lets you add IEEE disk drives, hard disk, virtually any parallel printer, and other peripherals without extra interfaces. Completely software invisible.

B.I.-80 ™ Column Adaptor

gives you crystal clear 80 column display. Using the highest quality hardware, we've eliminated the problems of snow, fuzziness and interference. Basic 4.0 commands greatly simplify disk drive access. Switches easily from 40 to 80 column display.

Discover the true power of your Commodore 64™. Ask your dealer about the Commodore 64™ Work Force, from Batteries Included—the company that doesn't leave anything out when it comes to making things simple for you.



"Excellence in Software"

These products have been developed specifically for Commodore computers by Batteries Included and are totally compatible with each other. For a full color brochure write to: 186 Queen Street West, Toronto, Canada M5V 1Z1 (416) 596-1405 / 3303 Harbor Blvd., Costa Mesa, CA. 92626 (714) 979-0920

which they are familiar—books, stickers, posters—in addition to the software package makes it easier for the youngsters to relate to the product, Luecke says.

While numerous educational software companies are expanding their operations from school orientation to include the home market, the growth is very much a two-way street. Other companies, which have previously sold software strictly to the home, are approaching schools with their products. And the success which some microcomputer hardware manufacturers especially Apple Computer have had in donating products to school systems, is now spurring more software companies to try similar tactics.

Using the slogan, "Be a hero, software your school," Scarborough Systems of Tarrytown, New York, is embarking on a major schooldonation project this fall.

Those who purchase Scarborough educational programs between September 15 and December 15 will find a coupon in each package enabling them to donate a piece of educational software to the school and teacher of their choice. The donated program does not have to be the same one purchased.

The purchaser sends the coupon and \$3.50 for postage and handling to Scarborough. The company will then donate the software to the school. A gift card telling the name of the donor and the name of the dealer where the software was purchased will be included in the donation.

"We think it's a unique program, and it may provide up to \$4 million in the value of computer software—that's 125,000 programs," says Sanford K. Bain, vice president of marketing for Scarborough Systems. The company has computer software for four machines—the Apple II family, Commodore 64, IBM PC/XT/jr, and the Atari

"Buying blind" is the way Dr. Sam Barkliss, chief executive officer of Computerose, Inc., an educational software firm, describes the predicament most parents and some teachers find themselves in when purchasing educational packages. They should be offered the opportunity to test the educational value of software before a purchase.

But What Does It Really Do?

• Determine what age and learning levels the software is designed for. Once that is established, find out exactly what the program intends to teach, says Leigh Mosley, an educational consultant at Peachtree Software. "A parent should ask, 'Is my son or daughter going to learn from it?"

Some companies are better than others at telling you who the target audience is, what level of learning is required, and what the goals of the packages are. Always keep in mind the software user—the child's age, learning level, interests, and dislikes.

• Be aware that the nature of "educational content" is often difficult to assess—and usually the subject of much debate among educators and software houses. Many educators and software producers believe that specific learning objectives are crucial in producing good computer-based educational products. Others stress the validity of programs which invite youngsters to explore and "play" in a less structured learning environment.

The General And The Specific

For example, software that stimulates a student's creativity might be more useful than a program that deals with a specific learning problem in school, notes Kent Kehrberg, director of software for the Minnesota Educational Computing Consortium.

"It may be difficult for a parent to match up a very specific program with a problem a child is having in, say, algebra," he says. "In a case like that, it's very difficult for someone besides the teacher to pinpoint [the problem]."

• Read published reviews and other articles about software packages and the goals of various software companies. The more knowledgeable you are about manufacturers and their products, the easier your task when picking out new software.


Tutorials, Simulations, And Drill-And-Practice

For example, when shopping for software, parents should know the three basic types of educational programs—tutorials, drill-and-practice, and simulations, notes Sherwin A. Steffin, vice president for research and development at Eduware Services, Inc.

"Tutorials help you attain a new skill or understanding," he says. "They generally ask the question, 'How to?' With drill-and-practice, you already know how, but want to know better, so you need repetitive exercises." Simulations can offer examples of the way things work in just about any field.

• Consider how much replay value, or depth, a product has. Will the child use the package a few times and tire of it, or is there enough variety and challenge to offer a stimulating environment?

The Making Of A Legend.



Centronics parallel interface standard; RS232C optional. Serial impact dot matrix in two models: 80 & 100 cps. New square dot technology for higher resolution & near letter-quality print (Model 800). Up to 142 columns in compressed printing mode.

Bi-directional logic seeking for fast output.

Features like these make our new dot matrix impact printer a Legend. While a low price makes it a near miracle! Imagine, all this and more for less than \$350. That puts you into our 80-cps Legend 800 model. And if you're looking for something even faster, look into our 100-cps Legend 1000.

See them both at a dealer near you. Or drop us a line for facts by mail: CAL-ABCO/PERIPHERALS DIVISION, 14722 Oxnard Street, Van Nuys, CA 91401. Telephone (818) 994-0909. Toll free

1-800-321-4484. Telex 662436. Dealer inquiries invited.

PERIPHERAL PRODUCTS

PERIPHERAL PRODUCTS
Toll Free 1-800-321-4484

family.

"Obviously, we're doing it because we think it reflects a favorable image for the company," Bain says. "We strongly believe the validity for these programs has to come from the schools. And our donation program allows schools to sample software without great expense on their part."

To Network Or Not To Network?

One school-based trend that disturbs DLM President Andrew W. Bingham is the tendency for schools to network their computers, which Bingham says can work against innovative use of the computers.

"It almost scares me, because I think the evolution may ultimately lead us to miss the revolutionary potential of software," he says. "When there are just two or three computers in a school, teachers will use them flexibly and individually.

"When the school gets more computers, they bring them all together into one room, because it's easier to control, easier to administer. Then they want a networking system," says Bingham. "What you get is students being marched to the computer for their 20 minutes of instruction and marched back to their seats."

Bingham urges parents and teachers to explore innovative uses of the computer rather than trying to emphasize convenience of management.

No matter what the area of computer-based educational programs, software companies and educators all agree that the field is still in its infancy in many ways. And expectations for the future are bright. "I think we're going to see an explosion in the next couple of years," says Sam Barkliss, chairman of Computerose, Inc., an educational software company. "I think we're going to see some astonishing things."

As William Bowman puts it, "Does the software provide multiple paths to creativity, and does it accept multiple paces from different children?"

The Price Tag For Learning

• Price and future availability of software from the same company can be important factors. Depending on the needs of the student and the goals of a company's software line, you may wish to purchase an entire series of complementary programs over time. How much this will cost you and its effects on the student's learning goals then become very important.

"A lot of people out there are getting too great a price for what they're selling, and for what the market will support," says George Esbensen, national sales coordinator for MicroEd, a Minnesota-based company which produces educational software. "A lot of what's being passed off as educa-

tional software is not."

• Take your child to the store when selecting software. This can be especially helpful—and save you later disappointments—if the child can actually see the program working in the store. If that's not possible, at least you can get a better idea of some of the likes and dislikes of the youngster for whom you're purchasing the program.

Sophistication, Power, And Interaction

• How flexible is the software program? Are there built-in options which allow a variety of challenges and motivational changes as the user works with the program? As computers become more powerful and software becomes more sophisticated, the level of interactivity between user and program is increasing dramatically. The best educational software takes advantage of that power and sophistication.

• Is the software both easy to use and error-free? Educational programs which freeze up or frustrate a user can immediately discourage users, especially younger children. Be aware of both potential problems as you evaluate software

you see or that you've purchased.

Fritz Luecke, manager of computer software for Weekly Reader Software, suggests that you determine how easy and helpful the program guide booklet is that comes with the package. Many parents, teachers, and students want to be able to insert a program into the computer and use it without having to use a guide, particularly if that guide is confusing or incomplete.

NEA Teacher Certified

Finally, you might want to look at the NEA catalog of educational software. With the proliferation of educational software packages, the job of separating the good from the mediocre gets tougher every day. For more than a year now, the National Education Association (NEA) has been trying to give some guidance in this area. Approximately 50 NEA reviewers have been testing educational programs submitted by software authors and publishers. Those which meet the NEA's stiff requirements are given an "NEA Teacher Certified" stamp of approval, and are included in a catalog of approved software.

The genius in your Commodore depends on you...

Let it out with Wiley Computer Books.

MASTERING THE COMMODORE 64

A.J. Jones and G.H. Carpenter

Get the maximum performance from your Commodore for everything from games to educational, business, and home management applications. You'll learn simple BASIC commands and programming concepts, then progress to more advanced topics such as print formatting, string handling, and simple data structures. This easy-to-follow guide also gives shortcuts for writing faster, more powerful programs and shows you how to exploit the full sound, graphics, and moving graphics capabilities of your machine.

Book/Disk Set: \$39.90

BASIC SUBROUTINES FOR COMMODORE COMPUTERS

Eddie Adamis \$12.95

WINNING GAMES ON THE COMMODORE 64

Terry Barrett and Stephen Colwill

\$12.95

Coming in November!

COMMODORE 64 DATA FILE PROGRAMMING

Grandville MI 49418

MasterCard & Visa Accepted

Mich. Order must include 4%

Street.

(616) 530-0269

Sales Tax.

LeRoy Finkel, Jerald R. Brown and Glenn Fisher \$14.95 Book/Disk Set: \$39.90 More than three million people have learned to program, use, and enjoy microcomputers with Wiley Press microcomputer paperbacks. Look for them at your local bookshop or computer store! For more information, write to Gwenyth Jones, Dept. 5-1299

WILEY PRESS

a division of John Wiley & Sons, Inc. 605 Third Avenue, New York, NY. 10158 Prices subject to change and higher in Canada.

_ Phone

State ____Zip

5-1299

WILEY PRESS

Software That Works For Generations

6 Types of Charts and Sheets
Indices
User Fields
Notes, Footnotes and Sources
No Limits
Adapts to Your Hardware
Comprehensive
Easy to Use

And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC, Commodore 64 and CP/M.*

Other genealogy software also available

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

 Trademarks for Apple Computer, Inc., International



Business Machines, CBM, Inc., & Digital Research.

QUINSEPT, INC. P.O. Box 216, Lexington, MA 02173 (617) 641-2930



Circle color desired: Biege, Black, Gray, Brown

The Tester

Joseph Kattan

Multiple-choice tests have been standard for years. Now anyone who wants to create a multiple-choice test on his home computer can easily do so. Tests can be devised to teach youngsters anything from history to sports trivia. Just fill in the DATA statements with the questions and answers and the program will do the rest. Versions that work on the Commodore 64, VIC-20, PETs, Apples, Radio Shack Color Computer, Coleco Adam, IBMs and TI-99/4A are included.

One of the most frequently cited reasons for purchasing a personal computer is its great potential as an educational tool. The home computer is widely used to teach children to spell or perform simple arithmetic calculations and to drill adults on anything from foreign languages to organic chemistry. A well-designed instructional program can produce spectacular results in improving a student's command of a subject. A poorly designed program, on the other hand, will frustrate, rather than teach.

Computers, for better or worse, cannot yet think. If the programmer tells the computer that Washington is the capital of the United States, the program will be less than kind to the hapless user who responds that Washington, D.C., is the capital. If the programmer tells the computer that avoir means "to have," pity the French student who answers "to possess." These are, of course, soluble problems, but they illustrate one weakness in computerized instruction. No matter how well designed the program, there will always exist a correct answer to some question that the program will not recognize. You can instruct a program to accept Washington, Washington, D.C., and Washington, DC, as the answer to the capital question, but how do you cover all of the synonyms of a word like fantastic in a foreign language translation program?

No Ambiguity

There is one kind of testing that a computer handles exceptionally well, because it is not required to reason: multiple-choice. It takes little effort to insure that the answers to a multiplechoice test are free of ambiguity, which is why all of the standardized testing in our schools tends to be multiple-choice. These tests, moreover, require less effort on the part of the user than answer-oriented tests, and can be used together with the more rigorous answer-oriented tests to form a very effective instructional package.

Remembering To Answer

Designing an effective program for a multiplechoice test is no easy matter, however. A simple and commonly used algorithm selects a question from DATA statements at random and then reads four or five different answers from the DATA statement, together with a code that identifies the correct answer.

There are several deficiencies to this solution. For one, it consumes tremendous amounts of memory, as it gobbles up bytes both for the correct answer and for the dummy answers that have no use other than to serve as the incorrect choices. In addition, the program user is always presented with the same set of choices, and in the same order, for each question. The user may well get into the habit of remembering that the answer to a question is C without learning the answer itself.

A more elegant solution should present truly random choices for each question. The user should rarely, if ever, encounter the same choices for a given question. The program, moreover, will be more compact because every answer in its DATA statements will be a correct answer to some question. With this method, the program will select a question from a DATA statement at random, will read the answer to that question from the same DATA statement, and then read four more answers at random to present as false choices. This method insures that the same answer is not presented as two separate choices (since random selection could cause that result) and arranges the order of the answers at random. The U.S. capital may be C on one run of the test, but A or B or D on another.

LOOKING FOR STRATEGY GAMES FOR YOUR ATARI®?



YOU'VE JUST FOUND SIX OF THE BEST.

OBJECTIVE: KURSK™ is the grand-tactical simulation of the southern half of the Battle of Kursk — the largest tank battle of World War II. Consider its scope: 12 German divisions and 9 Soviet corps — a sum total of more than 4000 tanks! It is the first computer game ever to resolve such a massive battle down to every tank, every gun, every infantry squad! \$39.95.

REFORGER '88". Once every year, NATO embarks on "Reforger," a military exercise that tests its ability to transport American reinforcements from the U.S. to Frankfurt during a simulated Soviet strike of West Germany. Now, REFORGER '88 makes the simulation available to every ardent wargamer. The Fulda Gap is chosen as the focal point of the Russian attack in this grand-tactical wargame. \$59.95.

All games are on 48K disk except for 50 MISSION CRUSH (40K disk).

ATARI® is a registered trademark of Atari, Inc.

COMPUTER AMBUSH™ is a gut-wrenching simulation of man-to-man combat in the middle of a half-ruined French town during World War II. You play a squad sergeant (U.S. or German) in command of nine other infantrymen. Each man has a name, individual combat skills, even a personal background! The fighting is so fast, so real and intense, you'll experience the sweat and death of war! \$59.95.

COMPUTER BASEBALL". Voted "1982 BEST COMPUTER SPORTS GAME" by Electronic Games Magazine, Computer Baseball" lets you manage any NL or AL team of past and present. All the options of a real manager are at your disposal. You can even make up your own imaginary teams! \$39.95.

50 MISSION CRUSH". As the pilot of a World War II B-17 bomber in this role-playing game, can you survive 50 dangerous but exciting raids over France and Germany to earn the crushed cap of a true veteran? Find out as you travel back to 1942 as part of the 8th Air Force Bomber Group. \$39.95.

GALACTIC ADVENTURES", a science-fiction role-playing, tactical combat, adventure game, will transport you literally out of this world — to a spaceport of a strange planet. You must acquire combat experience and advanced skills before you can fly off to different worlds in search of treasures and to do battle against alien monsters. You can even create your very own adventures. \$59.95.

Look for these games at your local computer/software or game store today!




STRATEGIC SIMULATIONS INC

If there are no convenient stores near you, VISA & M/C holders can order direct by calling 800-227-1617, ext. 335 toll free. (800-772-3545, ext. 335 in California.) To order by mail, send your check to: Strategic Simulations Inc., 883

Stierlin Road, Bldg. A-200, Mountain View, CA 94043. Please include \$2.00 for shipping & handling. (California residents, add 6.5% sales tax.) All SSI games carry a 14-day "satisfaction or your money back" guarantee.

FOR ALL SSI GAMES, WRITE FOR YOUR FREE COPY OF OUR COLOR CATALOG.

COMPUTEL BOOKS




COMPUTE's Second Book of Commodore 64 Games

Sixteen outstanding games, from detailed simulations to fast-paced machine language arcade games. Run for president in "Campaign Manager," defend yourself against sharks and acid rain in "The Frantic Fisherman," or defend a world in "Astro-PANIC!" Photograph the Loch Ness monster, battle in an arena, or establish trade routes to India. The best games from COMPUTEI and COMPUTEI's Gazette, and some appearing here for the first time anywhere. Articles show you how to design a videogame and explain the intricacles of writing your own text adventure.

\$12.95

ISBN 0-942386-64-7




COMPUTEI's Beginner's Guide To Commodore 64 Sound

Clear descriptions and numerous examples show how to program sound and music on the 64. Well-known Commodore author John Heilborn teaches both beginning and advanced programmers the ins and outs of the SID chip, explaining how to create simple sounds, how to utilize the computer's advanced sound features, and even how to combine sound and graphics in an arcade-style game. Also included are two sound editors, which make composing easy, and dozens of sample sound effects you can type in and hear.

\$10.05

ISBN 0-942386-54-X




COMPUTE!'s Machine Language Routines For The Commodore 64

Sometimes BASIC is just not tast enough, or versatile enough, for programming on the Commodore 64. Machine language (ML) is. But creating ML routines can be difficult for the beginning or intermediate programmer. This collection offers ready-to-use ML routines that can be easily inserted into BASIC programs, as well as stand-alone routines that make the 64 even more powerful. Valuable programming aids such as one-key commands, automatic line numbering, and program searches are here. Routines useful in games and graphic design are also included. There are even complete machine language programs to help in the creation of custom characters and sprites.

\$14.95

ISBN 0-942386-48-5




COMPUTEL'S Guide to Ti Sound & Graphics

Using dozens of examples and clear, nontechnical explanations, COMPUTEI's Guide to TI Sound and Graphics introduces you to the tremendous sound and graphics capabilities of your TI home computer. This book includes exciting arcadestyle games, challenging educational programs, a versatile sprite editor and many more useful ready-to-type-in programs. Whether you're a beginning TI user or an experienced programmer, this is a book you'll refer to again and again.

1-1-1-

ISBN 0-942386-46-9



COMPUTEI's Second Book of VIC Games

There's an exciting mix of chases, challenges, and puzziers in this collection of games for the VIC. It includes many of the most popular games from recent Issues of COMPUTE! and COMPUTE!'s Gazette, as well as several that have never before been published. Whether you want to explore misty dungeons, take on hostille aliens, unravel stimulating brain-teasers, or even learn how to create games of your own, COMPUTE!'s Second Book of VIC Games is for you.

\$12.95

ISBN 0-942386-57-4




COMPUTEI'S PC & PCjr Games For Kids

A complete library of educational games ready to type in and run on the PC and Pjr for children from preschool to high school. "Notecrafter" matches wits against the computer's perfect pitch. "Diamond Miner" explores a subterranean maze in search of treasure. "Movers and Shakers" tests knowledge of historical figures. There are also 26 other games which teach children skills from spelling to world geography. Create a quiz on any subject, or make it even easier to use the computer with the two utility programs included.

\$14.95

ISBN 0-942386-49-3



COMPUTEI'S Commodore Collection: Volume I

28 Original Programs For The VIC And 64

The Commodore Collection, an anthology of 28 previously unpublished programs for the VIC-20 and Commodore 64, continues the COMPUTEI tradition of practical programs in easy-to-use form. Includes exciting games, stimulating educational programs, valuable utilities, and useful applications to make your Commodore computer an exciting part of every day.

\$ 2.95

ISBN 0-942386-55-8



COMPUTEI'S Guide To Extended BASIC Home Applications On The TI-99/4A

TI owners who want to put their computers to work will appreciate the many useful programs: sorling routine, checkbook adder, data manager, spreadsheet program, electronic card file, appointment calendar, and more. The home applications are supplemented by a clearly written introductory chapter that explains the many features of TI Extended BASIC.

\$12.95

ISBN 0-942386-41-8

To order your copy, call toll-free 1-800-334-0868 or write: COMPUTE! Books, P. O. Box 5406, Greensboro, NC 27403

Segregated Data

Even this method, however, has a potential pitfall, and the solution discussed here resolves it. Let's take a U.S. history test as an example. The answers to such a test may be George Washington, or Philadelphia, or 1776. Obviously, it would be quite absurd to present Philadelphia or 1776 as possible answers to a question calling for the name of the first president. The solution to this problem is to segregate the DATA statements containing the questions and answers into different areas of the program and to select answers to each question only from a valid area. For example, DATA statements between 1000 and 1999 could contain questions concerning names of persons; DATA statements between 2000 and 2999 could contain questions concerning places; and so forth. The program chooses an area at random and then stays in that area to present the incorrect answers. If the answer to the question selected is George Washington, the four incorrect answers will always be names of persons.

This solution has an added advantage. It allows for the inclusion of diverse subjects on a single test, with the testing either confined to a subject chosen by the user or mixed at random by the computer. This program is intended primarily for single-subject tests that require the segregation of answers by types, as in the U.S. history example above.

How It Works

The program relies on two arrays—Q, which stores the number of questions in each category, and T, which selects the answers at random. The variable N is used to store the group of questions and answers to be called. The question and answer are selected by the computer at line 300. Since answer groups are stored in DATA statements beginning with 1001, 2001, and so forth, the program adds that number to a random number from 1 to the number of questions for the appropriate group, as indicated in the Q array. For example, if the question and answer are to come from group 1, for which questions and answers are stored in lines 1001 through 1011, the program looks to the variable Q(1) to ascertain the range of random numbers to generate.

Once a question and answer have been read, the program uses the same random number formula to look up the incorrect answers. It stores the random numbers (data line numbers) in a T array (line 330) and makes sure that none of the numbers in that array is equal to the line number of the correct answer or to the number of another element in the array (line 335). At line 340, the program chooses where to place the correct answer, which can be any choice from one to

five, and then proceeds to place all of the choices on the monitor or television screen. Once an answer is entered, the program indicates whether or not it was correct. In the case of a correct answer, the program waits for two seconds (lines 400 and 410) and then constructs a new screen. If the answer entered is incorrect, the program waits for the RETURN key to be pressed before moving on to the next screen.

Screening Keys

One other matter is the little subroutine beginning at line 800. The entire subroutine could be replaced with a single INPUT statement. The advantage of the subroutine is that it screens out unwanted keys (in this case, anything but a number) and maintains the integrity of the screen display. In addition, the subroutine does not attach a question mark to a prompt, allowing you to insert it where it is appropriate and omit it where it is not. Study the DATA statements beginning at line 1001 and you can see the flexibility afforded by the subroutine.

This program is obviously meant to be modified. When modifying it for your own use, pay special attention to the Q array. The array should be DIMensioned to the number of answer categories in the program. The same number should be placed in the variable SUBJ. The elements of the Q array should be equated to one more than the number of questions in the appropriate category. Finally, the questions and answers should be placed on the same DATA statement, and the DATA statements should be arranged in increments of one beginning with a line number of N*1000+1, N being the number of the group. Make sure that neither the questions nor the answers contain any commas, since the BASIC interpreter will take the commas to indicate the end of a string.

Program 1: The Tester, Atari Version

Refer to the "Automatic Proofreader" article before typing this program in.

PN 10 REM THE TESTER

DK 20 REM MULTIPLE-CHOICE TEST MAKER

BL 40 REM THIS PROGRAM WILL GENERATE

W 50 REM MULTIPLE-CHOICE TESTS FOR ONE


18 60 REM OR MORE SUBJECTS

CI 100 POKE 710,78:POKE 712,78:POKE 709,4:POKE 752,1:REM SET SCRE EN COLORS, TURN CURSOR OFF

MJ 110 OPEN #1,4,0,"K:"

JF 12Ø DIM TITLE\$ (38), QUES\$ (38), ANS\$ (30), TEMP\$ (30), NUM\$ (3), BL\$ (30), Q(4), T(3)

N 130 TITLE\$=" ":TITLE\$(38)=TITLE\$: TITLE\$(2)=TITLE\$:QUES\$=TITLE\$:ANS\$=TITLE\$(1,30):TEMP\$=ANS\$:BL\$=ANS\$



Simply Incredible. Incredibly Simple. CodePro-64 For Your Commodore. Instructional Software That Will Amaze You With What You Learn.

CodePro-64 is the easy way to learn.

CodePro-64 astonishes you with how much you can learn. And how easy learning can be. With CodePro-64, you'll learn to write your own programs. You'll develop advanced programming skills with graphics, sprites and music. And best of all, you'll learn visually.

CodePro-64 is a complete package.

First and foremost, it's a comprehensive BASIC language tutorial. With it, you learn by seeing as well as by doing. You watch variables change

value. You see statement branching occur. You can even see "For-Next" statements executed.

There's graphics instruction, too.

CodePro-64 also has a SPRITE Demonstrator and Generator. With it, you'll master the concepts and techniques of graphics programming with sprites. And you'll be able to create and save your own sprites for use in your programs.

And we don't forget the music.

You'll use the MUSIC Demonstrator and Generator to learn how to get the musical effect you want. Exactly. And in seconds. You'll use it to compose simple tunes on the screen and then save the tune to a diskette file.

Discover how good CodePro-64 really is.

We ship CodePro-64 as a package of 16 integrated programs, distributed on two diskettes, and containing sample programs for unlimited use. It is supported by a 140-page manual and is packaged in an attractive three-ring binder.

CodePro-64. Incredible. And simple.

HOW TO ORDER

Send personal check, money order or MasterCard/VISA credit card information. Please add \$3.00 for shipping and handling per order; foreign orders must add \$15.00 per unit (except Canada). US funds only. Sorry, but no COD's. NC

residents add 41/2% sales tax. Corporate quantity discounts available. Dealer inquiries invited.

And for faster service on credit card orders call Toll Free 1-800-762-7874. In North Carolina call 919-787-7703.



SYSTEMS MANAGEMENT ASSOCIATES

3700 Computer Drive, Dept. CPC Raleigh, North Carolina 27609

CodePro-64 is a trademark of Systems Management Associates. @SMA 1984

Our Guarantee, Use CodePro-64 for 10 days. If you are not completely satisfied return it to us (undamaged) for a full refund.

OL 140 Q(1)=11:Q(2)=11:Q(3)=11:Q(4)= 11:REM INSERT HERE ONE LESS T HAN NUMBER OF QUESTIONS FOR E ACH CATEGORY

N 200 ? "(CLEAR) (4 SPACES) PLEASE CH OOSE ONE SUBJECT: "

MC 205 SUBJ=4:REM SUBJ IS NUMBER OF SUBJECTS IN TEST

PK 210 ? :RESTORE 900:FOR I=1 TO SUB J:READ TITLE\$:? I;") ";TITLE\$:NEXT I:?

FP 22Ø GOSUB 8ØØ: IF N1<1 OR N1>4 THE N POSITION C,R:GOTO 22Ø

DN 23Ø N=N1:? :? "HOW MANY QUESTIONS ? ":

NB 240 GOSUB 800: IF N1<1 THEN POSITI ON C,R:GOTO 240

HJ 250 TOTAL=N1:RESTORE 900:FOR I=1 TO N:READ TITLE\$:NEXT I:TITLE \$(LEN(TITLE\$)+1)=" TEST"

N6 31Ø ANS=N*1ØØØ+1+INT(RND(Ø)*Q(N))
:RESTORE ANS:READ QUES\$:? QUE
S\$:? :READ ANS\$

Al 320 FOR I = 0 TO 3

NH 33Ø T(I)=N*1ØØØ+1+INT(RND(Ø)*Q(N)
): IF T(I)=ANS THEN 33Ø

PJ 335 FOR J=Ø TO 3:IF I<>J AND T(I) =T(J) THEN POP :GOTO 33Ø

DM 34Ø NEXT J:NEXT I:J=1+INT(RND(Ø)*
5):A=Ø:FOR I=1 TO 5:? I;") ";

AK 35Ø IF I<>J THEN RESTORE T(A):REA D QUES\$:READ TEMP\$:? TEMP\$:A= A+1:GOTO 37Ø

NO 360 ? ANS\$

JL 37Ø NEXT I:?

0380 GOSUB 800:IF N1<1 OR N1>5 THE N POSITION C,R:GOTO 380

DE 39Ø IF N1<>J THEN 43Ø

DH 400 SCORE=SCORE+1:? :POKE 85,18:? "GOOD !":POKE 20,0

6F 41Ø IF PEEK (2Ø) < 9Ø THEN 41Ø

6J 42Ø GOTO 46Ø

PK 430 ? :? "SORRY, THE ANSWER IS "; :IF LEN(ANS\$)>18 THEN ?

II 440 ? ANS\$:? :? "(6 SPACES)PRESS

PD 450 POKE 764,255:GET #1,A:IF A<>1 55 THEN 450

6C 46Ø NEXT COUNT

EI 500 ? "{CLEAR}":POKE 85, (40-LEN(T ITLE\$))/2:? TITLE\$:?

CM 510 ? "OUT OF ";TOTAL;" QUESTIONS , YOU ANSWERED":? SCORE;" COR RECTLY. YOUR SCORE IS ";

NN 520 ? INT((SCORE/TOTAL) *100+0.5);
"%."

HM 53Ø ? : ? "REMIDEL FOR ANOTHER TEST , * TO END"

0H 54Ø POKE 764,255:GET #1,A:IF A<>1 55 AND A<>42 THEN 54Ø

AD 550 IF A=155 THEN 200

KM 560 ? "(CLEAR)": END

KG 800 C=PEEK (85): R=PEEK (84)

NG 805 POSITION C,R:? BL\$:TRAP 805:Y =1:S=0:NUM\$=""

KH 81Ø POSITION C+Y-1,R:? "(T)";:POK E 764,255:GET #1,A:POSITION C +Y-1,R:IF A<>126 THEN 825

Microsoft And TI-99/4A Version Notes

Jeff Hamdani, Editorial Programmer

The Microsoft version of "The Tester" (Program 2) runs on the Commodore 64, the VIC-20, all PETs, the Apple II+, IIc, and IIe, the Radio Shack Color Computer, the Coleco Adam, and the IBM PC and PCjr. If you have a VIC without memory expansion, remove all REMs and spaces when typing in the program. With an IBM PC or PCjr, make the following minor changes:

Add line 100:

100 RANDOMIZE(0)

Change line 220 to:

220 PRINT:PRINT "YOUR CHOICE:";

Add line 225:

225 Z\$=INKEY\$:RD=RND:N=VAL(Z\$):IF Z\$=''' OR (N<1 AND N>4) THEN 225 ELSE PRINT N

Last, in Program 2, line 930 contains a statement to clear the screen. Replace this with the appropriate statement for your computer. For instance, on the Apple, line 930 would read:

930 HOME:RETURN

The TI-99/4A version of The Tester (Program 3) will run in either Console or Extended BASIC.

AP815 IF Y>1 THEN Y=Y-1:? " ";:NUM\$ =NUM\$(1,Y)

6M 82Ø GOTO 81Ø

AI 825 IF A=155 THEN ? " ":GOTO 840

M 83Ø NUM\$(Y,Y)=CHR\$(A): IF Y=1 THEN S=A

M 835 ? CHR\$(A);:Y=Y+1:GOTO 81Ø

NO 84Ø POKE ADR(NUM\$), S: N1=VAL(NUM\$)
:RETURN

EJ 900 DATA HISTORICAL FIGURES, WORLD CITIES, NEWSMAKERS, COMPUTERS

KM 1000 REM HISTORICAL FIGURES

NK 1001 DATA THE FIRST PRESIDENT, GEO RGE WASHINGTON

BK 1002 DATA FIRST CHIEF JUSTICE, JOH N JAY

EL 1003 DATA WHO INVENTED COTTON GIN ? ELI WHITNEY

6L 1004 DATA PRESIDENT OF THE CONFED ERACY, JEFFERSON DAVIS

FH 1005 DATA WHO DEBATED LINCOLN?, ST EPHEN DOUGLAS

FK 1006 DATA FAMOUS ABOLITIONIST, FRE DERICK DOUGLASS

N 1007 DATA BRITISH NAVIGATOR, FRANC IS DRAKE

IH 1008 DATA THE THIRD PRESIDENT, THO MAS JEFFERSON

NF 1009	DATA HE PRESIDED OVER THE NE	KE PLACE HERE, PAGE ZERO
m IDD.	W DEAL, FRANKLIN DELAND ROOSE	00 4011 DATA A NUMBERING SYSTEM, HEXA
	VELT	DECIMAL
JM 1010	DATA WHO WAS ASSASSINATED IN	Program 2: The Tester, Microsoft Version
00 4 67 4 4	DALLAS?, JOHN F. KENNEDY DATA RAILROAD MAGNATE, CORNEL	Refer to the "Automatic Proofreader" article before typing this
PU 1 10 1 1	IUS VANDERBILT	program in.
HP 2000	REM WORLD CAPITALS	
IM 2001	DATA WHAT IS THE CAPITAL OF	20 REM *** MULTIPLE CHOICE TEST MAKER *** :rem 9
	JAPAN?, TOKYO	110 DIM QA\$(44), AN\$(44):GOSUB 930:FOR I=1
IP 2002	DATA WHERE IS TRAFALGAR SQUA	TO 44 :rem 172
	RE?, LONDON	120 READ QA\$(I), AN\$(I): NEXT I: FORJ=1 TO 4
EC 2003	DATA WHERE IS THE WESTERN WA	:O(J)=10:READ TL\$(J):NEXT J :rem 38
S ANTE	LL?, JERUSALEM	200 GOSUB 930:PRINT "PLEASE CHOOSE ONE SU
NH 2004	DATA WHERE IS THE COLISEUM?,	BJECT:" :rem 96
กมวสสร	DATA WHERE IS RED SQUARE?, MO	210 PRINT: FOR I=1 TO 4: PRINT I;") "; TL\$(I
UN 2223	SCOW):NEXT I :rem 226
KC 2006	DATA WHERE IS THE TAJ MAHAL?	220 PRINT:PRINT "YOUR CHOICE";:INPUT Z\$:N =VAL(Z\$):IFN<1 OR N>4 THEN 200
	, AGRA	=VAL(2\$):1FN\1 OR N/4 THEN 200 :rem 198
CF 2007	DATA WHAT IS THE CAPITAL OF	230 PRINT:PRINT:PRINT "HOW MANY QUESTIONS
	AFGHANISTAN?, KABUL	"::INPUT ZS:N1=VAL(Z\$) :rem 13
AH 2008	DATA THE PARTHENON IS IN THI	";:INPUT Z\$:N1=VAL(Z\$) :rem 13 240 IF N1=0 THEN 230 :rem 213
W D G G G	S CITY, ATHENS DATA CITY LEASED BY ENGLAND	300 TL=N1:SC=0:FOR CT=1 TO TL:GOSUB 930:P
HU 2009	FROM CHINA, HONG KONG	RINT TL\$(N); "TEST" :rem 212
VH 2010	DATA WHERE IS THE LINCOLN ME	310 ANS=INT(RND(1)*Q(N))+(N*11)-10:PRINT: PRINT OAS(ANS) :rem 202
1.11 2.22	MORIAL?, WASHINGTON	PRINT QA\$(ANS) :rem 202 320 FOR I=0 TO 3:GOSUB 800:J=0 :rem 75
CF 2Ø11	DATA THIS CITY IS FAMOUS FOR	330 IF I<>J AND T(I)=T(J) THEN GOSUB 800:
	ITS CANALS, VENICE	
KH 3000	REM NEWSMAKERS	J=0:GOTO 330 :rem 96 335 J=J+1:IF J<=3 THEN 330 :rem 76
KE 3001	DATA PRESIDENT OF FRANCE, MIT	34Ø NEXT I:J=1+INT(RND(1)*5):A=0:PRINT:PR
00 3003	TERAND 2 DATA FORMER SECRETARY OF STA	<pre>INT:FOR I=1 TO 5:PRINT I;") ";:rem 86</pre>
00 39 22	TE UNDER REAGAN, HAIG	350 IF I <> J THEN PRINT AN\$(T(A)):A=A+1:GO
10 3003	DATA SOVIET FOREIGN MINISTER	TO 370 :rem 60 360 PRINT AN\$(ANS) :rem 12 370 NEXT I:PRINT :rem 233
	.GROMYKO	360 PRINT ANS (ANS) : rem 233
NA 3004	DATA GERMAN CHANCELLOR, KOHL	380 PRINT:PRINT "ENTER YOUR ANSWER";:INPU
EB 3005	DATA SECRETARY OF TREASURY, R	m 75.N1-VAI (75) • rem 251
W Zaa	EGAN DATA CHAIRMAN OF SOVIET COMM	390 IF N1<1 OR N1>5 THEN 380 : rem 116
IN Spac	UNIST PARTY, CHERNENKO	395 IF N1<>J THEN 430 :rem 57
EB 3007	DATA CANADIAN PRIME MINISTER	400 SC=SC+1:PRINT:PRINTTAB(9) "GOOD !":FO
	, TRUDEAU	R I=1 TO 1000:NEXT I:GOTO 460:rem 225 430 PRINT:PRINT "SORRY, THE ANSWER IS:":P
JA ZØØE	DATA JAPANESE PRIME MINISTER	RINT ANS(ANS) :rem 46
	, NAKASONE	440 PRINT: PRINT " < RETURN > TO CONTINUE"
ME 3009	DATA SECRETARY OF STATE, SHUL	:rem 146
HI 3010	TZ DATA MAYOR OF NEW YORK,KOCH	450 INPUT Z\$:rem 167 460 NEXT CT :rem 112
FL 3011	DATA BRITISH PRIME MINISTER,	460 NEXT CT : rem 112
1 110 100	THATCHER	500 GOSUB 930:PRINT TL\$(N); " TEST"
	REM COMPUTERS	:rem 154
ME 4001	DATA THE BRAIN OF THE COMPUT	510 PRINT:PRINT:PRINT "TOTAL QUESTIONS "; TL:PRINT "CORRECT ANSWERS "; SC:rem 48
	ER IS CALLED, CENTRAL PROCESS	520 PRINT "YOUR SCORE IS "; INT((SC/TL)*10
AN 4 3 3 5	ING UNIT	0+.5);"%" :rem 233
HN 4002	2 DATA THE FASTEST WAY TO PROC ESS DATA, MACHINE LANGUAGE	530 PRINT: PRINT "WANT ANOTHER TEST(Y/N)"
CN 400	DATA A SIMPLE COMPUTER LANGU	:rem 226
, E. E.	AGE, BASIC	540 Z\$="":INPUT Z\$:IF Z\$<>"Y" AND Z\$<>"N"
CI 4004	DATA USES REVERSE POLISH NOT	THEN 530 :rem 98
	ATION, FORTH AND THE STATE OF T	550 IF Z\$="Y" THEN 200 :rem 66 560 GOSUB 930:END :rem 200
	DATA 8 BITS ON THE 6502, BYTE	800 T(I)=INT(RND(1)*Q(N))+(N*11)-10:IF T(
PM 4008	DATA A 16-BIT MICROPROCESSOR	I)=ANS THEN 800 :rem 0
CE A G G	,68000	I)=ANS THEN 800 :rem 0 810 RETURN :rem 121
OF 4212)	7 DATA TRANSFERS DATA FROM MEM ORY TO CPU, BUS	900 REM THIS SUBROUTINE CLEARS THE SCREEN
AA 4008	B DATA DATA ARE PUSHED AND PUL	. FOR APPLE COMPUTERS USE "HOME"
	LED HERE, STACK	216 PPV 700 TPV 700 TPV 700 PPV 700 PP
00 4000	DATA USED FOR INDEXING, X REG	910 REM FOR IBM PC AND PCJR., :rem 44
	ISTER MEETING CONTRACTOR OF THE PROPERTY OF TH	920 REM AND TRS-80 COLOR COMPUTERS USE "C
NG 4Ø19	DATA FASTEST COMPUTATIONS TA	LS" STATEMENT. :rem 23

	The second secon		
930	PRINT"{CLR}":RETURN :rem 26 REM HISTORICAL FIGURES :rem 172	LLED, CENTRAL PROCESSING UNIT: re	m 196
1000	REM HISTORICAL FIGURES : rem 172	4002 DATA THE FASTEST WAY TO PROCESS	DAMA
1001	DATA THE FIRST PRESIDENT, GEORGE WASH	MAGUITUE LANGUAGE	
1001		, MACHINE LANGUAGE :r	em 13
	INGTON :rem 218	4003 DATA A SIMPLE COMPUTER LANGUAGE	BASI
1002	DATA FIRST CHIEF JUSTICE, JOHN JAY		em 45
	:rem 26	4004 DATA USES REVERSE POLISH NOTATION	
1003	DATA WHO INVENTED COTTON GIN, ELI WHI		The state of the s
1003		RTH :r	em 40
	TNEY :rem 12	4005 DATA 8 BITS ON THE 6502, BYTE: re	m 248
1004	DATA PRESIDENT OF CONFEDERACY, JEFFER	4006 DATA A 16-BIT MICROPROCESSOR, 68	aga
. ~~-	SON DAVIS :rem 138		m 252
1005	DATA WHO DEBATED LINCOLN?, STEPHEN DO	4007 DATA TRANSFER DATA FROM MEMORY	TO CP
	UGLAS :rem 87		em 18
1006	DATA FAMOUS ABOLITIONIST, FREDERICK D		EIII 10
1000	ONG AGODITIONIST, FREDERICK D	4008 DATA DATA ARE PUSHED AND PULLED	HERE
	OUGLASS :rem 90	,STACK	rem Ø
1007	DATA BRITISH NAVIGATOR, FRANCIS DRAKE	4009 DATA USED FOR INDEXING, X REGIST	d d
	:rem 59		
1000			em 62
TONO	DATA THE THIRD PRESIDENT, THOMAS JEFF	4010 DATA FASTEST COMPUTATIONS TAKE	PLACE
	ERSON :rem 135		n 214
1009	DATA HE PRESIDED OVER THE NEW DEAL, F	AGII DAMA A MUNDEDING GUGMBU WEWARD	
		4011 DATA A NUMBERING SYSTEM, HEXADEC	LMAL
	RANKLIN DELANO ROOSEVELT :rem 213	:rei	n 238
1010	DATA WHO WAS ASSASSINATED IN DALLAS?	5000 DATA HISTORICAL FIGURES, WORLD C	TTES
	,JOHN F. KENNEDY : rem 156	NEWCHAVEDS COMPLIEDS	117
1011	DAMA DATI DOAD MACNAME CODES THE WAYS	, NEWSMAKERS, COMPUTERS : ren	n 11/
	DATA RAILROAD MAGNATE, CORNELIUS VAND	Drograma 21 The Table Ti cold to	
	ERBILT :rem 243	Program 3: The Tester, TI-99/4A Version	
2000	ERBILT :rem 243 REM WORLD CITIES :rem 239	CHARLES YET TERM OF WITH A STATE OF	
2001	DATA WHAT IS THE CAPITAL OF JAPAN?, T	100 REM EXTENDED BASIC NOT REQU	ITPE
2001			TIVE
1000	OKYO :rem 140	DISSIPLE THE SPENM ATTO	
2002	DATA WHERE IS TRAFALGAR SQUARE?, LOND	110 DIM QA\$(44), AN\$(44)	
		112 CALL CLEAR	
2003	DATA WHERE IS THE WESTERN WALL?, JERU	114 FOR I=1 TO 44	
	SALEM :rem 66	120 READ QA\$(I), AN\$(I)	
2004	DATA WHERE IS THE COLISEUM?, ROME	122 NEXT I	
2004			
	:rem 215		
2005	DATA WHERE IS RED SQUARE?, MOSCOW	124 REM SET SUBJ TO # OF CATEGO	BRIE
	:rem 231	S OF QUESTIONS	
2006	DATA WHERE IS THE TAJ MAHAL?, AGRA	125 FOR J=1 TO SUBJ	
	:rem 162	126 Q(J)=1Ø	
2007	DATA WHAT IS THE CAPITAL OF AFGHANIS	128 READ TL\$(J)	
2001		129 NEXT J	
	TAN?, KABUL :rem 37		
2008	DATA THE PARTHENON IS IN THIS CITY, A	200 CALL CLEAR	
	THENS :rem 7	202 PRINT "PLEASE CHOOSE ONE SUI	BJEC
		T: ": Turanaman ayyaa ah ah ah	
2009	DATA CITY LEASED BY ENGLAND FROM CHI		
	NA, HONG KONG :rem 126	21Ø FOR I=1 TO 4	
		212 PRINT I;") ";TL\$(I)	
2010	DATA WHERE IS THE LINCOLN MEMORIAL?,	214 NEXT I	
	WASHINGTON :rem 167		
	DATA THIS CITY IS FAMOUS FOR ITS CAN		
	DATA THIS CITT IS TAMOUS FOR ITS CAN		
		222 PRINT "YOUR CHOICE";	
3000		222 PRINT "YOUR CHOICE"; 224 INPUT N	
3000	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224	
3000 3001	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND	222 PRINT "YOUR CHOICE"; 224 INPUT N	
3001	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 23Ø PRINT ::::	
3001	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 23Ø PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?	':N1
3001	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT ::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232	':N1
3001	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 23Ø PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=Ø THEN 232 3ØØ TL=N1	':N1
3001	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 23Ø PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=Ø THEN 232 3ØØ TL=N1	':N1
3001 3002 3003	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0	':N1
3001 3002 3003	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL	':N1
3001 3002 3003 3004	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR	':N1
3001 3002 3003 3004	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR	':N1
3001 3002 3003 3004	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N);" TEST"	':N1
3001 3002 3003 3004 3005	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N);" TEST" 310 RANDOMIZE	':N1
3001 3002 3003 3004 3005	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10	':N1
3001 3002 3003 3004 3005 3006	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10	':N1
3001 3002 3003 3004 3005 3006	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT ::	':N1
3001 3002 3003 3004 3005 3006	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO : rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS)	':N1
3001 3002 3003 3004 3005 3006 3007	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO : rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU : rem 65	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT ::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3	':N1
3001 3002 3003 3004 3005 3006 3007	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO : rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU : rem 65 DATA JAPANESE PRIME MINISTER, NAKASON	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT ::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800	':N1
3001 3002 3003 3004 3005 3006 3007	ALS, VENICE : rem 37 REM NEWSMAKERS : rem 167 DATA PRESIDENT OF FRANCE, MITTERAND : rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG : rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO : rem 131 DATA GERMAN CHANCELLOR, KOHL : rem 208 DATA SECRETARY OF TREASURY, REGAN : rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO : rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU : rem 65	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT ::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800	':N1
3001 3002 3003 3004 3005 3006 3007 3008	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0	':N1
3001 3002 3003 3004 3005 3006 3007 3008	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT ::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3009	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 332 GOSUB 800	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3009	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 332 GOSUB 800	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3009 3010	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196 DATA MAYOR OF NEW YORK, KOCH :rem 123	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 332 GOSUB 800 333 J=0	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3009 3010	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196 DATA MAYOR OF NEW YORK, KOCH :rem 123 DATA BRITISH PRIME MINISTER, THATCHER	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 331 J=0 334 GOTO 330	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3010 3011	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196 DATA MAYOR OF NEW YORK, KOCH :rem 123 DATA BRITISH PRIME MINISTER, THATCHER :rem 91	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 332 GOSUB 800 333 J=0	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3010 3011	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196 DATA MAYOR OF NEW YORK, KOCH :rem 123 DATA BRITISH PRIME MINISTER, THATCHER :rem 91	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 332 GOSUB 800 333 J=0 334 GOTO 330 335 J=J+1	':N1
3001 3002 3003 3004 3005 3006 3007 3008 3010 3011 4000	ALS, VENICE :rem 37 REM NEWSMAKERS :rem 167 DATA PRESIDENT OF FRANCE, MITTERAND :rem 164 DATA FORMER SECRETARY OF STATE UNDER REAGAN, HAIG :rem 227 DATA SOVIET FOREIGN MINISTER, GROMYKO :rem 131 DATA GERMAN CHANCELLOR, KOHL :rem 208 DATA SECRETARY OF TREASURY, REGAN :rem 65 DATA CHAIRMAN OF SOVIET COMMUNIST PA RTY, CHERNENKO :rem 173 DATA CANADIAN PRIME MINISTER, TRUDEAU :rem 65 DATA JAPANESE PRIME MINISTER, NAKASON E :rem 144 DATA SECRETARY OF STATE, SHULTZ :rem 196 DATA MAYOR OF NEW YORK, KOCH :rem 123 DATA BRITISH PRIME MINISTER, THATCHER	222 PRINT "YOUR CHOICE"; 224 INPUT N 226 IF (N<1)+(N>4)THEN 224 230 PRINT :::: 232 INPUT "HOW MANY QUESTIONS ?' 234 IF N1=0 THEN 232 300 TL=N1 302 SC=0 304 FOR CT=1 TO TL 306 CALL CLEAR 308 PRINT TL\$(N); "TEST" 310 RANDOMIZE 312 ANS=INT(RND*Q(N))+(N*11)-10 314 PRINT :: 316 PRINT QA\$(ANS) 320 FOR I=0 TO 3 322 GOSUB 800 324 J=0 330 IF (I=J)+(T(I)<>T(J))THEN 33 330 J=0 334 GOTO 330 335 J=J+1 337 IF J<=3 THEN 330	':N1

66 COMPUTE September 1984

```
1011 DATA RAILROAD MAGNATE, CORNELIU
341 RANDOMIZE
                                            S VANDERBILT
342 J=1+INT(RND*5)
                                       2000 REM WORLD CITIES
344 A=Ø
                                       2001 DATA WHAT IS THE CAPITAL OF JA
346 PRINT ::
                                            PAN?, TOKYO
348 FOR I=1 TO 5
                                       2002 DATA WHERE IS TRAFALGAR SQUARE
349 PRINT I;") ";
                                            ?, LONDON
350 IF I=J THEN 360
                                       2003 DATA WHERE IS THE WESTERN WALL
352 PRINT ANS(T(A))
                                            ?, JERUSALEM
354 A=A+1
                                       2004 DATA WHERE IS THE COLISEUM?, RO
356 GOTO 37Ø
                                            ME
360 PRINT ANS (ANS)
                                       2005 DATA WHERE IS THE RED SQUARE?,
37Ø NEXT I
                                            MOSCOW
372 PRINT
                                       2006 DATA WHERE IS THE TAJ MAHAL?, A
38Ø PRINT
382 INPUT "ENTER YOUR ANSWER: ":N1
                                            GRA
                                       2007 DATA WHERE IS THE CAPITAL OF A
39Ø IF (N1<1)+(N1>5)THEN 38Ø
                                            FGHANISTAN?, KABUL
395 IF N1<>J THEN 43Ø
                                       2008 DATA THE PARTHENON IS IN THIS
400 SC=SC+1
                                            CITY, ATHENS
402 PRINT
                                       2009 DATA CITY LEASED BY ENGLAND FR
4Ø4 PRINT TAB(9); "GOOD !"
                                            OM CHINA, HONG KONG
406 FOR I=1 TO 500
                                       2010 DATA WHERE IS THE LINCOLN MEMO
4ØB NEXT I
                                            RIAL?, WASHINGTON
41Ø GOTO 46Ø
                                       2011 DATA THIS CITY IS FAMOUS FOR I
43Ø PRINT
                                            TS CANALS, VENICE
432 PRINT "SORRY, THE ANSWER IS:"
                                       3000 REM NEWSMAKERS
434 PRINT ANS (ANS)
                                       3001 DATA PRESIDENT OF FRANCE, MITTE
44Ø PRINT
                                            RAND
442 PRINT "HIT (ENTER) TO CONTINUE"
                                       3002 DATA FORMER SECRETARY OF STATE
45Ø INPUT Z$
                                             UNDER REAGAN, HAIG
46Ø NEXT CT
                                       3003 DATA SOVIET FOREIGN MINISTER, G
500 CALL CLEAR
                                            ROMYKO
5Ø2 PRINT TL$(N)
                                       3004 DATA GERMAN CHANCELLOR, KOHL
51Ø PRINT ::::
                                       3005 DATA SECRETARY OF TREASURY, REG
512 PRINT "TOTAL QUESTIONS ";TL
514 PRINT "CORRECT ANSWERS "; SC
                                       3006 DATA CHAIRMAN OF SOVIET COMMUN
520 PRINT "YOUR SCORE IS ON THE ";T
    L$(N); " TEST IS"; INT ((SC/TL) $10
                                            IST PARTY, CHERNENKO
                                       3007 DATA CANADIAN PRIME MINISTER, T
    Ø+.5); "%."
                                            RUDEAU
53Ø PRINT
                                       3008 DATA JAPANESE PRIME MINISTER, N
532 INPUT "WANT ANOTHER TEST (Y/N)?
                                            AKASONE
534 IF (Z$<>"Y") * (Z$<>"N") THEN 530
                                       3009 DATA SECRETARY OF STATE, SHULTZ
                                       3010 DATA MAYOR OF NEW YORK, KOCH
55Ø IF Z$="Y" THEN 2ØØ
                                       3011 DATA BRITISH PRIME MINISTER, TH
560 CALL CLEAR
562 STOP
                                            ATCHER
BØØ RANDOMIZE
                                       4000 REM
                                                COMPUTERS
8Ø1 T(I)=INT(RND*Q(N))+(N*11)-1Ø
                                       4001 DATA THE BRAIN OF THE COMPUTER
802 IF T(I) = ANS THEN 800
                                             IS CALLED, CENTRAL PROCESSING
81Ø RETURN
                                            UNIT
                                       4002 DATA THE FASTEST WAY TO PROCES
         HISTORICAL FIGURES
1000 REM
                                            S DATA, MACHINE LANGUAGE
1001 DATA THE FIRST PRESIDENT, GEORG
                                       4003 DATA A SIMPLE COMPUTER LANGUAG
     E WASHINGTON
1002 DATA FIRST CHIEF JUSTICE, JOHN
                                            E, BASIC
                                       4004 DATA USES REVERSE POLISH NOTAT
     JAY
                                            ION, FORTH
1003 DATA INVENTED THE COTTON GIN, E
                                       4005 DATA 8 BITS ON THE 6502, BYTE
     LI WHITNEY
1004 DATA PRESIDENT OF CONFEDERACY,
                                       4006 DATA A 16-BIT MICROPROCESSOR, 6
     JEFFERSON DAVIS
                                            8000
                                       4007 DATA TRANSFER DATA FROM MEMORY
1005 DATA WHO DEBATED LINCOLN?, STEP
                                             TO CPU, BUS
     HEN DOUGLAS
1006 DATA FAMOUS ABOLITIONIST, FREDE
                                       4008 DATA DATA ARE PUSHED AND PULLE
     RICK DOUGLASS
                                            D HERE, STACK
                                       4009 DATA USED FOR INDEXING, X REGIS
1007 DATA BRITISH NAVIGATOR, FRANCIS
      DRAKE
                                            TER
                                       4010 DATA FASTEST COMPUTATIONS TAKE
1008 DATA THE THIRD PRESIDENT, THOMA
                                             PLACE HERE, PAGE ZERO
     S JEFFERSON
     DATA HE PRESIDED OVER THE NEW
                                       4011 DATA A NUMBERING SYSTEM, HEXADE
```

CIMAL

5000 DATA HISTORICAL FIGURES, WORLD

CITIES, NEWSMAKERS, COMPUTERS (

DEAL, F. D. ROOSEVELT

ALLAS?, JOHN F. KENNEDY

1010

DATA WHO WAS ASSASSINATED IN D

A Beginner's Guide To Typing In Programs

What Is A Program?

A computer cannot perform any task by itself. Like a car without gas, a computer has potential, but without a program, it isn't going anywhere. Most of the programs published in COMPUTE! are written in a computer language called BASIC. BASIC is easy to learn and is built into most computers (on some computers, you have to purchase an optional BASIC cartridge).

BASIC Programs

Each month, COMPUTE! publishes programs for many machines. To start out, type in only programs written for your machine, e.g., "TI Version" if you have a TI-99/4. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from one computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as O for the numeral 0, a lowercase I for the numeral 1, or an uppercase B for the numeral 8. Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings *exactly* as they appear.

Braces And Special Characters

The exception to this typing rule is when you see the braces, such as {DOWN}. Anything within a set of braces is a special character or characters that cannot easily be listed in a printer. When you come across such a special statement, refer to the appropriate key for your computer. For example, if you have an Atari, refer to the "Atari" section in "How To Type COMPUTE!'s Programs."

About DATA Statements

Some programs contain a section or sections of DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard, break key, and RESET (or STOP) keys may all seem "dead," and the screen

may go blank. Don't panic – no damage is done. To regain control, you have to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. The error is still in the DATA statements, though.

Get To Know Your Machine

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

A Quick Review

- 1. Type in the program a line at a time, in order. Press RETURN or ENTER at the end of each line. Use backspace or the back arrow to correct mistakes.
- 2. Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.
- 3. Make sure you've entered statements in braces as the appropriate control key (see "How To Type COMPUTE!'s Programs" elsewhere in the magazine).

We regret that we are no longer able to respond to individual inquiries about programs, products, or services appearing in COMPUTE! due to increasing publication activity. On those infrequent occasions when a published program contains a typo, the correction will appear on the CAPUTE! page, usually within eight weeks. If you have specific questions about items or programs which you've seen in COMPUTE!, please send them to Readers' Feedback, P.O. Box 5406, Greensboro, NC 27403.

How To Type COMPUTE!'s Programs

Many of the programs which are listed in COMPUTE! contain special control characters (cursor control, color keys, inverse video, etc.). To make it easy to tell exactly what to type when entering one of these programs into your computer, we have established the following listing conventions. There is a separate key for each computer. Refer to the appropriate tables when you come across an unusual symbol in a program listing. If you are unsure how to actually enter a control character, consult your computer's manuals.

Atari 400/800

Enter these characters with the Atari logo key, (A).

When you see	Туре	See	
(CLEAR)	ESC SHIFT <	-	Clear Screen
(UP)	ESC CTRL -	+	Cursor Up
(DOWN)	ESC CTRL =	+	Cursor Down
(LEFT)	ESC CTRL +	+	Cursor Left
(RIGHT)	ESC CTRL #	+	Cursor Right
(BACK S)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	-	Delete character
(INSERT)	ESC CTRL INSERT	IJ	Insert character
(DEL LINE)	ESC SHIFT DELETE		Delete line
(INS LINE)	ESC SHIFT INSERT		Insert line
(TAB)	ESC TAB		TAB key
(CLR TAB)	ESC CTRL TAB	G	Clear tab
(SET TAB)	ESC SHIFT TAB	D	Set tab stop
(BELL)	ESC CTRL 2	G G	Ring buzzer
(ESC)	ESC ESC	•	ESCape key

Graphics characters, such as CTRL-T, the ball character • will appear as the "normal" letter enclosed in braces, e.g. (T).

A series of identical control characters, such as 10 spaces, three cursor-lefts, or 20 CTRL-R's, will appear as {10 SPACES), {3 LEFT}, {20 R}, etc. If the character in braces is in inverse video, that character or characters should be entered with the Atari logo key. For example, (') means to enter a reverse-field heart with CTRL-comma, { 5ml) means to enter five inverse-video CTRL-U's.

Commodore PET/CBM/VIC/64

Generally, any PET/CBM/VIC/64 program listings will contain words within braces which spell out any special characters: (DOWN) would mean to press the cursor down key. (5 SPACES) would mean to press the space bar five times.

To indicate that a key should be shifted (hold down the SHIFT key while pressing the other key), the key would be underlined in our listings. For example, S would mean to type the S key while holding the shift key. If you find an underlined key enclosed in braces (e.g., $\{10\ \underline{N}\}\)$, you should type the key as many times as indicated (in our example, vou would enter ten shifted N's). Some graphics characters are inaccessible from the keyboard on CBM Business models

For the VIC and 64, if a key is enclosed in special brackets, k >, you should hold down the Commodore key while pressing the key inside the special brackets. (The Commodore key is the key in the lower left corner of the keyboard.) Again, if the key is preceded by a number, you should press the key as many times as indicated.

Rarely, you'll see in a Commodore 64 program a solitary letter of the alphabet enclosed in braces. These characters can be entered by holding down the CTRL key while typing the letter in the braces. For example, {A} would indicate that you should press CTRL-A.

About the quote mode: you know that you can move the cursor around the screen with the CRSR keys. Sometimes a programmer will want to move the cursor under program control. That's why you see all the {LEFT}'s, {HOME}'s, and {BLU}'s in our programs. The only way the computer

can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote (the double quote, SHIFT-2), you are in the quote mode. If you type something and then try to change it by moving the cursor left, you'll only get a bunch of reverse-video lines. These are the symbols for cursor left. The only editing key that isn't programmable is the DEL key; you can still use DEL to back up and edit the line. Once you type another quote, you are out of quote mode.

You also go into quote mode when you INSerT spaces into a line. In any case, the easiest way to get out of quote mode is to just press RETURN. You'll then be out of quote mode and you can cursor up to the mistyped line and fix it.

Use the following tables when entering special characters:

VIC And 64

When You Read: Press: See:			When You Read: Press: See				
(CLR)	SHIFT	CLR/HOME		[GRN]	CTRL	6	
[HOME]		CLR/HOME		{BLU}	CTRL	7	
{UP}	SHIFT	CRSR		{YEL}	CTRL	8	T
(DOWN)		CRSR •		{F1}	f1		
{LEFT}	SHIFT	CRSR -		[F2]	f2		M
(RIGHT)		CRSR -		{F3}	f3		
[RVS]	CTRL	9		{F4}	f4		
{OFF}	CTRL	0		{F5}	f5		
[BLK]	CTRL	1		[F6]	f6		
{WHT}	CTRL	2	E	{F7}	f7		
{RED}	CTRL	3		[F8]	f8]	
[CYN]	CTRL	4	K	4	-		*
[PUR]	CTRL	5		1	SHIFT	4	11

All Commodore Machines

Clear Screen {CLR}	Cursor Left {LEFT}
Home Cursor [HOME]	Insert Character [INST]
Cursor Up {UP}	Delete Character [DEL]
Cursor Down [DOWN]	Reverse Field On {RVS}
Cursor Right [RIGHT]	Reverse Field Off [OFF]

Apple II / Apple II Plus

All programs are in Applesoft BASIC, unless otherwise stated. Control characters are printed as the "normal" character enclosed in braces, such as (D) for CTRL-D. Hold down CTRL while pressing the control key. You will not see the special character on the screen.

Texas Instruments 99/4

The only special characters used are in PRINT statements to indicate where two or more spaces should be left between words. For example, ENERGY [10 SPACES] MANAGE-MENT means that ten spaces should be left between the words ENERGY and MANAGEMENT. Do not type in the braces or the words 10 SPACES. Enter all programs with the ALPHA LOCK on (in the down position). Release the ALPHA LOCK to enter lowercase text.

The Automatic Proofreader For VIC, 64, And Atari

Charles Brannon, Program Editor

At last there's a way for your computer to help you check your typing. "The Automatic Proofreader" will make entering programs faster, easier, and more accurate.

The strong point of computers is that they excel at tedious, exacting tasks. So why not get your computer

to check your typing for you?

With "The Automatic Proofreader" nestled in your VIC-20, Commodore 64, or Atari computer, every line you type in will be verified. It displays a special code, called a *checksum*, at the top of the screen. The checksum, either a number (VIC/64) or a pair of letters (Atari), corresponds to the line you've just typed. It represents every character in the line summed together. A matching code in the program listing lets you compare it to the checksum which the Proofreader displays. A glance is all it takes to confirm that you've typed the line correctly.

Entering The Automatic Proofreader

Commodore (VIC/64) owners should type in Program 1. Program 2 is for Atari users. Since the Proofreader is a machine language program, be especially diligent. Watch out for typing extra commas, or a letter O for a zero, and check every number carefully. If you make a mistake when typing in the DATA statements, you'll get the message "Error in DATA statements" when you RUN the program. Check your typing and try again.

When you've typed in The Automatic Proofreader, SAVE it to tape or disk at least twice before running it for the first time. If you mistype the Proofreader, it may cause a system crash when you first run it. By SAVEing a copy beforehand, you can reLOAD it and hunt for your error. Also, you'll want a backup copy of the Proofreader because you'll use it again and again—every time you enter a program from COMPUTE!.

When you RUN the Proofreader, the program will be POKEd safely into memory, then it will activate itself. If you ever need to reactivate it (RUN/STOP—RESTORE or SYSTEM RESET will disable it), just enter the command SYS 886 (VIC/64) or PRINT USR(1536) for the Atari.

Using The Proofreader

Now, let's see how it works. LIST the Proofreader program, move the cursor up to one of the lines, and press RETURN. If you've entered the Proofreader correctly, a checksum will appear in the top-left corner of your screen.

Try making a change in the line and hit RETURN. Notice that the checksum has changed. All VIC and 64 listings in COMPUTE! now have a number appended to the end of each line, for example, :rem 123. Don't

enter this statement. It is just for your information. The rem is used to make the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will cause the checksum displayed at the top of the screen to be different, even if you entered the rest of the line correctly.

The Atari checksum is found immediately to the left of each line number. This makes it impossible to type in the checksum accidentally, since a program

line must start with a number.

Just type in each line (without the printed checksum), and check the checksum displayed at the top of the screen against the checksum in the listing. If they match, go on to the next line. If they don't, there's a mistake. You can correct the line immediately, instead of waiting to find the error when you RUN the program.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. Occasionally proper spacing is important, but the article describing the program will warn you to be careful in these cases.

Nobody's Perfect

Although the Proofreader is an important aid, there are a few things to watch out for. If you enter a line by using abbreviations for commands, the checksum will not match up. This is because the Proofreader is very literal: It looks at the individual letters in a line, not at tokens such as PRINT. There is a way to make the Proofreader check such a line. After entering the line, LIST it. This makes the computer spell out the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this way. Atari users should beware of using? as an abbreviation for PRINT—they're not the same thing in the Proofreader's eyes.

The checksum is a sum of the ASCII values of the characters in a line. VIC and 64 owners may wonder why the numbers are so small, never exceeding 255. This is because the addition is done only in eight bits. A result over 255 will roll over past zero, like an odometer past 99999. On the Atari, the number is turned into two letters, both for increased convenience and to make the Proofreader shorter. For the curious, the letters correspond to the values of the left and right nybbles added to 33 (to offset them into the alphabet). This number is then stored directly into screen memory.

Due to the nature of a checksum, the Proofreader will not catch all errors. Since 1+3+5=3+1+5, the Proofreader cannot catch errors of transposition. In fact, you could type in the line in any order, and the Proofreader wouldn't notice. Anytime the Proofreader

seems to act strange, keep this in mind. Since the ASCII values of the number 18 (49 + 56) and 63 (54 + 51) both equal 105, these numbers are equal according to the Proofreader. There really is no simple way to catch these kinds of errors. Fortunately, the Proofreader will catch the majority of the typing mistakes most people make.

If you want the Proofreader out of your way, just press SYSTEM RESET or RUN/STOP—RESTORE. If you need it again, enter SYS 828 (VIC/64) or PRINT USR(1536) (Atari). You must disable the Proofreader before doing any tape operations on the VIC or 64.

Hidden Perils

The Proofreader's home in the VIC and 64 is not a very safe haven. Since the cassette buffer is wiped out during tape operations, you need to disable the Proofreader with RUN/STOP—RESTORE before you SAVE your program. This applies only to tape use. Disk users or Atari owners have nothing to worry about.

Not so for VIC and 64 owners with tape drives. What if you type in a program in several sittings? The next day, you come to your computer, LOAD and RUN the Proofreader, then try to LOAD the partially completed program so you can add to it. But since the Proofreader is trying to hide in the cassette buffer, it is wiped out!

What you need is a way to LOAD the Proofreader after you've LOADed the partial program. The problem is, a tape load to the buffer destroys what it's supposed to load.

After you've typed in and RUN the Proofreader, enter the following lines in direct mode (without line numbers) exactly as shown:

```
A$="PROOFREADER.T": B$="{10 SPACES}": FOR
   X = 1 TO 4: A$=A$+B$: NEXTX
```

FOR X = 886 TO 1018: A\$=A\$+CHR\$(PEEK(X)): NEXTX

OPEN 1,1,1,A\$:CLOSE1

After you enter the last line, you will be asked to press record and play on your cassette recorder. Put this program at the beginning of a new tape. This gives you a new way to load the Proofreader. Anytime you want to bring the Proofreader into memory without disturbing anything else, put the cassette in the tape drive, rewind, and enter:

OPEN1:CLOSE1

You can now start the Proofreader by typing SYS 886. To test this, PRINT PEEK(886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ ("PROOFREADER.T") contains 13 characters and that B\$ contains 10 spaces.

You can now reload the Proofreader into memory whenever LOAD or SAVE destroys it, restoring your

personal typing helper.

Incidentally, you can protect the cassette buffer on the Commodore 64 with POKE 178, 251. This POKE should work on the VIC, but it has caused numerous problems, probably due to a bug in the VIC operating system. With this POKE, the 64 will not wipe out the cassette buffer during tape LOADs and SAVEs.

Program 1: VIC/64 Proofreader

- 100 PRINT"{CLR}PLEASE WAIT...":FORI=886TO 1018: READA: CK=CK+A: POKEI, A: NEXT
- IF CK<>17539 THEN PRINT"{DOWN}YOU MAD E AN ERROR": PRINT"IN DATA STATEMENTS. ": END
- 120 SYS886:PRINT"{CLR}{2 DOWN}PROOFREADER ACTIVATED.":NEW
- 886 DATA 173,036,003,201,150,208
- 892 DATA ØØ1, Ø96, 141, 151, ØØ3, 173
- 898 DATA Ø37, ØØ3, 141, 152, ØØ3, 169
- 904 DATA 150,141,036,003,169,003
- 910 DATA 141,037,003,169,000,133
- 916 DATA 254,096,032,087,241,133
- 922 DATA 251,134,252,132,253,008
- 928 DATA 201,013,240,017,201,032
- 934 DATA 240,005,024,101,254,133
- 940 DATA 254,165,251,166,252,164
- 946 DATA 253,040,096,169,013,032
- 952 DATA 210,255,165,214,141,251
- 958 DATA 003,206,251,003,169,000
- 964 DATA 133,216,169,019,032,210
- 970 DATA 255,169,018,032,210,255
- 976 DATA 169,058,032,210,255,166
- 982 DATA 254,169,000,133,254,172
- 988 DATA 151,003,192,087,208,006
- 994 DATA Ø32,2Ø5,189,Ø76,235,ØØ3
- 1000 DATA 032,205,221,169,032,032
- 1006 DATA 210,255,032,210,255,173
- 1012 DATA 251,003,133,214,076,173
- 1018 DATA 003

Program 2: Atari Proofreader

- GRAPHICS Ø 100
- FOR I=1536 TO 1700: READ A: POKE I A: CK=CK+A: NEXT
- IF CK<>19072 THEN ? "Error in DA TA statements. Check typing": END
- 13Ø A=USR (1536)
- ? :? "Automatic Proofreader now activated."
- 15Ø END
- 1536 DATA 104,160,0,185,26,3
- 1542 DATA 201,69,240,7,200,200
- 1548 DATA 192,34,208,243,96,200
- 1554 DATA 169,74,153,26,3,200 1560 DATA 169,6,153,26,3,162
- DATA Ø, 189, Ø, 228, 157, 74 1566
- DATA 6,232,224,16,208,245 1572
- 1578 DATA 169,93,141,78,6,169
- 1584 DATA 6,141,79,6,24,173
- 1590 DATA 4,228,105,1,141,95
- 1596 DATA 6, 173, 5, 228, 105, Ø
- DATA 141,96,6,169,0,133 1602 1608 DATA 203,96,247,238,125,241
- DATA 93,6,244,241,115,241 1614
- 1620 DATA 124,241,76,205,238,0
- 1626 DATA 0,0,0,0,32,62
- 1632 DATA 246,8,201,155,240,13
- 1638 DATA 201,32,240,7,72,24
- 1644 DATA 101, 203, 133, 203, 104, 40
- 1650 DATA 96,72,152,72,138,72
- 1656 DATA 160,0,169,128,145,88
- 1662 DATA 200,192,40,208,249,165 1668 DATA 203,74,74,74,74,24
- DATA 105,161,160,3,145,88 1674
- 1680 DATA 165,203,41,15,24,105
- 1686 DATA 161,200,145,88,169,0
- 1692 DATA 133,203,104,170,104,168
 - 1698 DATA 104,40,96

Missile Math

Garry S. Wick

Educational programs are usually designed to reward correct answers. "Missile Math" does this, but also gives extra points for speed. Here's an entertaining way for young students to learn their math. Versions for the Atari, Commodore VIC-20 and 64, the TI-99/4A, Apple, and IBM PC/PCjr.

"Missile Math" starts with an animated introduction screen, then a joystick-controlled menu appears on the screen. You have a choice of addition and subtraction or multiplication and division at a slow or fast speed. Using the joystick to select the menu item eliminates possible errors from incorrect typing. The joystick does not give any unacceptable entries when the fire button is pressed to start the game.

Different Difficulty Levels

After a short pause for the initialization of the player/missile figures, the player sees a screen that displays ENTERING LEVEL 1. As you advance from one level to the next, the math problems become increasingly difficult.

The problem appears at the top of the screen. On the bottom there are five possible answers, together with a missile gun which you control with the joystick. The object is to position the gun over the correct answer and launch a missile so that it destroys an enemy spaceship as it traverses the screen. On the upper left corner of the screen are spades representing the number of remaining guns. You begin with three guns. The score is displayed in the upper right corner of the screen.

A special kind of problem appears in random locations. For example, you could see 3+4=? or 3+?=7 or ?+4=7. Addition and subtraction are combined. It is similar for multiplication and division. The correct answer randomly appears in one of five possible locations, so the player never knows in advance where to position the gun. The values of the incorrect answers are chosen so that the correct answer is not obvious. This discourages guessing.

A Feisty UFO

The UFO moves across the screen at three different heights. The first height is near the top of the screen, and on the two successive flights, the UFO moves closer to the position of the gun. Of course, if the player destroys the UFO on the first pass, it does not appear at the lower altitudes. Instead a new problem appears, and the UFO starts again at the highest position.


It is most difficult to destroy the UFO at the highest altitude because there is less time to calculate the correct answer and to fire the missile at the right time to hit the UFO. Destroying the UFO at the middle altitude is easier, and at the lowest altitude, it is easiest. Thus the player gets 25 points for a correct hit on the first pass, 10 points for the second pass, and 5 points for the third pass. When the gun is positioned over the correct answer and scores a hit, the UFO explodes with sound effects, disappears, and the number of points earned appears in its place. Then a new problem appears on the screen.

If you score a direct hit on the UFO, but have the gun over an incorrect answer, the UFO briefly changes colors, makes a funny sound and continues on its way. You must then try again on the next pass of the UFO. Three consecutive misses or incorrect answers and the UFO destroys the gun and one of the spades disappears. Sound effects accompany the disappearance of the spade and the correct answer blinks on and off as an encouraging message flies onto the screen. The game ends when all three guns have been destroyed.

To advance to the next level, you must score 50 points. If the present level is too easy, you can enter the next level by solving as few as two problems, receiving 25 points for each correct answer. If you only succeed in destroying the UFO on its third pass each time, then you will have to solve ten problems before moving to the next level. Thus you get more practice on problems that stretch your abilities. You can quickly pass by the problems that you find easy.

Bonus Points

You can earn the 50 points necessary to advance to higher levels with any combination of 5, 10, or 25 points, but you can earn bonus points for speed and accuracy. If the average score for the problems solved in a level is 25, the player receives 50 bonus points. The only way to get 50 bonus points is to score correct hits on the first two problems in a level during the first pass of



the UFO. If you average ten points or better per problem (but less than 25), you will earn 25 bonus points. There are no bonus points if you average less than ten points per problem. Bonus points are displayed with suitable fanfare.

There are a few features of Program 1 that require special mention. The joystick-controlled menu appears in Program 1 at lines 5000 through 5230. It uses screen memory locations to identify the choices available so that it is impossible to make an incorrect entry and cause an error.

Player/Missile Machine Language

The UFO is Atari Player 1 and the explosion character is Player 3. In order to rapidly exchange them when a correct hit has occurred, it is necessary that the two players always be at the same vertical position. (Then it is easy to POKE the UFO horizontally off the screen and to POKE the explosion at the former position of the UFO.)

BASIC was too slow to move both players vertically. A machine language program to move two players vertically lower on the screen is in lines 4000–4060. The parameters for the current location and length of the players are set by the subroutine at line 3500.

It is a little tricky and not at all obvious how to determine when the gun is over the correct answer. The playfield characters (the answers) and the players use different coordinate systems. It is necessary to establish an equation that maps one coordinate system to the other. The appropriate equations are:

$$X(P/M) = 4*X(Playfield) + 45$$

 $Y(P/M) = 4*Y(Playfield) + 17$

where X and Y are the horizontal and vertical coordinates respectively. The X equation is used in line 2510 to determine whether the gun is over the correct answer, and the Y equation is used in line 3025 to position the number of points earned at the same height as the explosion of the UFO.

Program 1: Atari Missile Math

Refer to the "Automatic Proofreader" article before typing this program in.

```
JB 10 DIM M$(20), MIS$(13), BL$(40), A$
(6), B$(6), C$(6), CH(5), KEEP$(21)

HL 15 GRAPHICS 2+16

BD 20 BL$=" ":BL$(20)=" ":BL$(2)=BL$

BB 30 MIS$="MISSILE MATH "

AN 60 FOR I=1 TO 15

BK 70 BL$(20-I, 20)=MIS$
AI 80 SOUND 0,75-I,8,I

PA 90 POSITION 0,5:? #6;BL$:NEXT I

HM 100 RESTORE 110:FOR I=1 TO 35:REA
D A:SOUND 0,A,10,8:FOR J=1 TO
45:NEXT J:NEXT I
```

COMMODORE 64

188 00*

80 COLUMN

- TRACTION FRICTION PRINTER \$179.00 *
- 14" HI-RES COLOR MONITOR \$239.00 🛊

less coupon discounts

WE HAVE THE BEST SERVICE WE HAVE THE LOWEST PRICES

COMMODORE

the new learning computer

- COM-64 POWER FOR VIC-20 \$79.00
- NEW VOICE SYNTHESIZER \$59.00 (Com-64 or VIC-20)

★ COMMODORE 64 COMPUTER \$188.00)

You pay only \$188.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer

80 COLUMN

* TRACTION FRICTION PRINTER \$179.00

You pay only \$179.00 when you order the Comstar T/F deluxe line printer that prints 81/2 x 11 full size, single sheet, roll or fan fold paper, labels etc. 40, 66, 80, 132 columns. Impact dot matrix, bidirectional, 80 CPS. LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of saving applied your net printer cost is only \$79.00.

★14" HI-RES COLOR MONITOR \$239.00

You pay only \$239.00 when you order this 14" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS the value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500.00 off software sale prices!! with only \$100.00 of savings applied your net color monitor cost is only \$139.00

★12" HI-RES AMBER MONITOR \$119.00

This is a 1000 LINE, 80 COLUMN, HIGH RESOLUTION. MONITOR with crisp clear amber text that is easy to read. a must for word processing! Includes SPECIAL SOFTWARE DISCOUNT COUPON!!

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS—you can get an 80 COLUMN BOARD WORD PROCESSOR with mail merge, terminal emulator, ELECTRONIC SPREAD SHEET, List \$59.00 SALE \$24.95 if pur-ELECTRONIC chased with 80 COLUMN BOARD!! (Tape or Disk)

80 COLUMNS IN COLOR **EXECUTIVE WORD PROCESSOR \$59.00**

This EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE for PROFESSIONAL Word-processing application! DISPLAYS 40 OR 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with a 250 WORD DICTIONARY, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge. 20,000 WORD DIC-TIONARY - List \$24.95 SALE \$19.95. EXECUTIVE DATA BASE - List \$99.00 SALE \$59.C

SPECIAL SOFTWARE COUPON

COMPUTER AND SOFTWARE

SALF

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)

PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Executive Word		250.00	****
Processor	\$99.00	\$59.00	\$49.00
Executive Data Base	\$69 00	\$39.00	\$29.00
20.000 Word Dictionary	\$24 95	\$19.95	\$12.50
Electronic Spreadsheet	\$59.95	\$49.00	\$39.00
Accounting Pack	\$49.00	\$39.00	\$29.00
Total 5.2			
Word Processor	***		
Tape	\$69 00	\$49 00	\$34.00
Disk	\$79 95	\$59 00	\$39.00
Total Text 2.6			
Word Processor			
Disk	\$49.00	\$39.00	\$27.00
Total Label 2.6			
Tape Disk	\$24.95	\$18 00	\$12.00
	\$29 95	\$23.00	\$15.00
Programmers Helper (Disk)	****	***	
80 Column Screen	\$59.00	\$39.95	\$29.95
(Disk)	****	***	****
Crush-Crumble-Chomp	\$59 95	\$39.95	\$29.95
(Tape/Disk)	\$29.95	****	
Pitstop (Cartridge)	\$39.95	\$24.95	\$19.95
Typing Teacher	223.32	\$29.95	\$24.95
(Tape/Disk)	\$29 95	****	****
Sprite Designer ((Tupe/	\$16.95	\$24.95	\$15.00
		\$14.95	\$10.00
Fireball Joy Stick Disk)		*****	
Light Pen	\$24.95 \$39.95	\$15.95	\$10.00
Dust Cover	\$ 8.95	\$16.95	\$14.95
		\$ 6.95	\$ 4.60
(See 100 coupo			
Writ	e or call	tor	

Sample SPECIAL SOFTWARE COUPON!

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of business programs for Commodore 64 Computers

Item	List	'SALE	Coupon
Inventory Management	\$99.00	\$59.00	\$49.00
Accounts Receivable	\$99.00	\$59.00	\$49.00
Accounts Payable	\$99.00	\$59.00	\$49.00
Payroll	\$99.00	\$59.00	\$49.00
General Ledger	\$99.00	\$59.00	\$49.00

COMMODORE 16 COMPUTER \$99.00

This new LEARNING COMPUTER has 48K total memory (32K ROM and 16K RAM) 40 columns, 25 lines, 128 colors, 8 sound levels, upper-lower case. High resolution graphics, 66 typewriter keys, extended 3.5 MICROSOFT BASIC with over 75 commands, machine language monitor, 12K useable RAM, FANTISTIC FOR PROGRAMMERS AND STUDENTS!!!

COM-64 POWER FOR VIC-20 \$79.00

Just plug in our 32K RAM MEMORY EXPANDER and you get as much usable programming power as the Commodore-64 computer!! Master control switches on cover, Gold Edge connectors, five year warranty (FREE \$29.95; CARTRIDGE GAME)

NEW VOICE SYNTHESIZER \$59.00

For Com-64 or VIC-20 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk—ADD SOUND TO "ZORK," SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape).

16K RAM CARTRIDGE \$49.00

Increases VIC-20 programming power 4 times. Expands total memory to 41K (41,000 bytes). Memory block switches are an outside cover! CARDCO Includes FREE \$29.95 game!!

8K RAM CARTRIDGE \$34.95

Increases VIC-20 programming power 2 1/2 times. Expands total memory to 33K (33,000 bytes). Includes FREE \$16.95 game.

3 SLOT SWITCHABLE EXPANDER \$24.95

Allows you to add 3 cartridges at one time—switch select to turn slots on or off—PLUS reset button. A must for your VIC-20 computer!!

9" GREEN SCREEN MONITOR \$69.00

Excellent quality SANYO, easy to read, 80 columns x 24 lines, Green Phosphorous screen with anti-glare, metal cabinet! Saves your T.V. PLUS \$9.95 for connecting cable. Com-64 or VIC-20

12" GREEN OR AMBER MONITOR \$99.00

Your choice of green or amber screen monitor top quality, SANYO, 80 columns x 24 lines, easy to ready, anti-glare, faster scanning! PLUS \$9.95 for connecting cable. Com-64 or VIC-20

 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY BEST SERVICE IN U.S.A.
 ONE DAY EXPRESS MAIL
 OVER 500 PROGRAMS
 FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

BIG FOUR

NEW 128K — MEGA BYTE DUAL DISK DRIVE—80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



LOOK AT ALL YOU GET FOR ONLY \$895.

		LIST PRICE	
•	B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00	M
	8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00	In.
	4023 100 CPS 80 COLUMN BIDIRECTIONAL PRINTER	499.00	\$895
	12" HI RESOLUTION 80 COLUMN GREEN OR AMBER MON	TOR 249.00	SALE P
•	BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95	SALE
	1100 SHEETS FANFOLD PAPER	19.95	LA
•	ALL CABLES NEEDED FOR INTERFACING	102.05	
	TOTAL LIST PRICE	\$ 3717.95	

Printer replacement options (replace the 4023 with the following at these sale prices)

	LIST	SALE
* Olympia Executive Letter Quality Serial Printer	\$ 699.00	\$ 399.00
* Comstar Hi-Speed 160 CPS 151." Serial-Business Printer	\$779.00	\$ 499.00
* Telecommunications Deluxe Modern Package	\$ 199.00	\$ 139.00

Plus You Can Order These Business Programs At Sale Prices

	LIST	SALE		LIST	SALE
Professional 80 Column	\$149 95	\$99.00	Payroll	\$149 95	\$99.00
Word Processor			Inventory	149 95	99.00
Professional Data Base	149 95	99.00	General Ledger	149 95	99.00
Accounts Receivable	149 95	99.00	Financial Spread Sheet	149 95	99.00
Accounts Payable	149 95	99.00	Program Generator	149 95	99.00

15 DAY FREE TRIAL We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!


Add \$50.00 for shipping and handling!!

\$100.00 for Canada, Puerto Rico, Hawaii orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. We accept Visa and MasterCard. We ship C.O.D. to U.S. addresses only.



80 COLUMN PRINTER SALE-\$149.00*



COM-STAR T/F

Tractor Friction Printer

only \$ 179**

•15 Day Free Trial -180 Day Immediate Replacement Warranty

- Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second
 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
- Print Out Data from Modem Services
 "The Most Important Accessory for Your Computer"

*STX-80 COLUMN PRINTER—\$149.00

Prints full 80 columns. Super silent operation, 60 CPS, prints Hi-resolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal paper! Best thermal printer in the U.S.A.! (Centronics Parallel Interface).

**DELUXE COMSTAR T/F 80 CPS PRINTER—\$179.00

The COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8%" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix, 80 CPS, 224 characters. (Centronics Parallel Interface).

Premium Quality—120 CPS COMSTAR T/F SUPER-10X PRINTER—\$289.00

COMSTAR T/F (Tractor Friction) SUPER-10X PRINTER gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts, prints standard, italic, block graphics and special characters, plus 2K of user definable characters! The COMSTAR T/F SUPER-10X PRINTER was Rated No. 1 by "Popular Science Magazine." It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX 80).

Premium Quality—120 CPS COMSTAR T/F SUPER-15%" PRINTER—\$379.00

COMSTAR T/F SUPER 15%" PRINTER has all the features of the COMSTAR T/F SUPER-10X PRINTER plus a 15%" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100).

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 10" PRINTER—\$399.00

SUPER HIGH SPEED COMSTAR T/F (Tractor Friction) PRINTER has all the features of the COMSTAR SUPER-10X PRINTER plus SUPER HIGH SPEED PRINTING—160 CPS, 100% duty cycle, 8K buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs. RED HOT BUSINESS PRINTER at an unbelievable low price!! (Serial or Centronics Parallel Interface)

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 15½" PRINTER—\$529.00

SUPER HIGH SPEED COMSTAR T/F 15%" PRINTER has all the features of the SUPER HIGH SPEED COMSTAR T/F 10" PRINTER plus a 15%" carriage and more powerful electronics to handle larger ledger business forms! Exclusive bottom paper feed!!

PARALLEL INTERFACES

For VIC-20 and COM-64—\$69.00
For Apple Computers—\$79.00
NOTE: Other printer interfaces are

available at computer stores!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

Add \$17.50 for shipping, handling and insurance. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA — MASTER CARD ACCEPTED. We ship C.O.D.

PROTECTO


ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

SUPER-10"

ABCDEFGHIJKLMNOPGRSTUVWXYZ ABCDEFGHIJKLMNOPGRSTUVWXYZ 1234567870

TOINDIA EXECUTIVE LETTER QUALITY "DAISY WHEEL PRINTERS"



World's Finest Computer Printer

List Price \$699

SALE \$399

- Daisywheel printer, bidirectional with special print enhancements.
- Print speed up to 20 characters per second.
- 10, 12, and 15 characters per inch.
- 256 character print buffer.
- 14.4" forms width.
- Print line width: 115, 138, and 172 characters.
- Serial RS-232-C and parallel Centronics interface ports built-in.
- Built-in bidirectional forms tractor.
- Operating status control panel.

World's Finest

"Combination" Printer/Typewriter

List Price \$799

SALE \$489

- · Superb computer printer combined with world's finest electronic typewriter!
- Better than IBM selectric used by world's largest corporations!
- Two machines in one just a flick of the switch!
- Superb letter quality correspondence home, office, word processing!
- Extra large carriage allows 14-1/8" paper usage!
- Drop in cassette ribbon express lift off correction or eraser up to 46 characters!
- Precision daisy wheel printing many type styles!
- Pitch selector 10, 12, 15 CPS, Automatic relocate key!
- · Automatic margin control and setting! Key in buffer!
- Electronic reliability, built in diagnostic test!
- · Centronics parallel interface built-in

15 Day Free Trial - 90 Day Immediate Replacement Warranty

Add \$17.50 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$35.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APA-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Executive Letter Quality Printer/Typewriter

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA - MASTERCARD - C.O.D.

No C.O.D. to Canada, APO-FPO

COM64 - VIC-20 INTERFACE APPLE INTERFACE

\$59.00 \$79.00



BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

```
PE 110 DATA 81,81,81,60,60,60,60,60,
                                              X1 < 21\emptyset): X1 = X1 - 4*((ST=11) + (X1)
      60,60,60,60,81,81,81,60,68,72
                                              >4Ø)):POKE 53249,X1
                                        BN 410 IF STRIG(0) = 0 AND SHT=0 THEN
      ,81,81,81,81,81,81,81
CP 111 DATA Ø,81,81,81,81,60,60,60,6
                                              GUN=1:POKE PMBASE+384+Y1,Ø:Y1
      0,60,60,60
                                              =102:XM1=X1+7:POKE 53253,XM1:
N 12Ø FOR I=Ø TO 15
                                              SHT=1
                                        PC 415 IF GUN=1 THEN GOSUB 2000
J6 13Ø BL$=BL$(2,2Ø-I):SOUND Ø,75-I,
                                        AE 420
                                              IF HIT=1 THEN HIT=0:GOTO 440
      8, I
                                        CE 43Ø NEXT XØ: POKE 53253, 25Ø: SOUND
CD 140 POSITION 0.5:? #6; BL$: NEXT I:
      SOUND Ø, Ø, Ø, Ø
                                              Ø, Ø, Ø, Ø: GUN=Ø
                                        60 435 GOTO 45Ø
DA 150
      FOR I=1 TO 250: NEXT I
                                        MH 440 IF SCL>=50 THEN LVL=LVL+1:POK
NL 160 GOSUB 4000
                                              E 53249,250:GOTO 220
      GOSUB 5000
NN 170
                                        JO 445 POKE 53249,250:GOTO 230
NI 175
      ? CHR$(125):? :? :? "TO PLAY:
                                        00 45Ø GOSUB 37ØØ
      ":? "POSITION GUN OVER CORREC
                                        IC 460 IF YØ<100 THEN GOTO 380
      T ANSWER": ? "AND SHOOT THE UF
                                        AM 470 FOR X0=205 TO 30 STEP -DX:POK
      0. "
      ? :? :? "BE CAREFUL NOT TO WA
                                              E 53248, XØ
60 180
                                        ED 48Ø IF PEEK (5326Ø) <>2 THEN NEXT X
      STE SHOTS."
                                              Ø
     ? :? :? :? "PLEASE WAIT A
OL 185
                                        OE 490 POKE 53248,250:POKE 53249,250
      MOMENT...."
                                              : POKE 53250, XØ
NH 200 GOSUB 5500
                                        NP 500 GOSUB 2800
CN 210 LVL=1:SC=0:NP=3:HIT=0:GUN=0:X
                                        EM 53Ø POSITION 2*NP, 2:? "*"
      1=165
                                        IB 540 FOR I=1 TO 30: SOUND 0, 250-4*I
MM 220 ? CHR$(125):POKE 752,1:POSITI
                                              , 10,8:NEXT I:SOUND 0,0,0,0
      ON 12,10:SETCOLOR 2,2,10:SETC
      OLOR 1,2,0:? "ENTERING LEVEL
                                        08 550 POSITION 2*NP, 2:? " ":FOR I=
      "; LVL
                                              15 TO Ø STEP -1: SOUND Ø, 100, Ø
CB 225 PB=Ø:SCL=Ø
                                              , I: NEXT I
                                        HC 56Ø NP=NP-1
IF 226 RESTORE 110: FOR I=1 TO 35: REA
      D A: SOUND Ø, A, 1Ø, B: FOR J=1 TO
                                        EC 565 FOR I=1 TO 10
       20: NEXT J: NEXT I: SOUND 0,0,0
                                        FF 57Ø POSITION 6*DT, 21:? "
      . 0
                                              {4 SPACES}"
JE 23Ø A=INT(RND(Ø) *4+1) +4*(LVL-1)
                                        FK 575 K=INT (RND (Ø) *15)
                                        KI 580 FOR J=40 TO 25 STEP -1: SOUND
IM 235 B=INT(RND(Ø) *4*LVL+1)
DE 24Ø IF MENU=1 THEN C=A+B:GOTO 255
                                              Ø, J-K, 1Ø, 8: NEXT J
                                        PF 59Ø POSITION 6*DT, 21:? ANS
ME 250 C=AXB
AJ 255 A$=STR$(A):B$=STR$(B):C$=STR$
                                        FN 600 K=INT (RND (0) *15): FOR J=40 TO
      (C)
                                              25 STEP -1: SOUND Ø, J-K, 10,8:N
NC 26Ø RP=INT(RND(Ø) *4)+1
                                              EXT J:NEXT I:SOUND Ø,Ø,Ø,Ø
FO 27Ø IF RP=1 THEN ANS=A: A$=CHR$(63
                                        FB 61Ø BL$=" ":BL$(38)=" ":BL$(2)=BL$
                                        6E 62Ø KEEP$="KEEP TRYING "
6C 28Ø IF RP=2 THEN ANS=B:B$=CHR$(63
                                        HK 63Ø FOR I=1 TO 23:BL$(38-I,38)=KE
                                              EP$
BK 29Ø IF RP=3 OR RP=4 THEN ANS=C:C$
                                        60 64Ø SOUND Ø, 9Ø-I, 8, INT (1/2)+3:POS
      =CHR$ (63)
                                              ITION Ø,9:? BL$: NEXT I
60 295 FOR I=1 TO 500:NEXT I:? CHR$(
                                        FF 65Ø BL$=" ":BL$(38)=" ":BL$(2)=BL
      125): POSITION 13,5: SETCOLOR 1
      ,Ø,14:SETCOLOR 2,Ø,2
                                        ON 660 KEEP$="I KNOW YOU CAN DO IT "
                                        10 670 FOR I=1 TO 28:BL$(38-I,38)=KE
EJ 300 IF MENU=1 THEN ? A$;"
      " = ";C$:GOTO 320
                                              EP$
A0 31Ø ? A$; " X "; B$; " = "; C$
                                        FK 68Ø SOUND Ø, 1ØØ-I, 8, INT(I/2): POSI
EJ 32Ø FOR I=1 TO NP: POSITION 2*I, 2:
                                              TION Ø, 11:? BL$: NEXT I
      ? CHR$ (123): NEXT I
                                        IJ 690 RESTORE 110: FOR I=1 TO 35: REA
NC 34Ø POSITION 25,2:? "SCORE ";SC:P
                                              D A: SOUND Ø, A, 10, 8: FOR J=1 TO
                                              10:NEXT J:NEXT I:SOUND Ø,Ø,Ø
      B=PB+1
                                              , Ø
60 345 IF ANS>9Ø THEN DEL=10:GOTO 36
                                              IF NP=Ø THEN GOTO 715
                                        D6 700
DA 346 IF ANS>20 THEN DEL=5:GOTO 360
                                        GN 710 SOUND 0,0,0,0:GOTO 230
AF 35Ø DEL=INT((ANS/1Ø)+1)
                                        DH 715 GRAPHICS 18: POSITION 5,2:? #6
                                              ; "SCORE "; SC
MK 36Ø DT=INT(RND(Ø) *5)+1
                                        PI 720 POSITION 4,6:? #6; "PUSH TRACE
F0 37Ø FOR I=1 TO 5:CH(I)=ANS+(I-DT)
      *DEL:POSITION 6#1,21:? CH(I):
                                              EE": POSITION 3,7:? #6; "TO PLE
      NEXT I
                                              Y REFER
OH 375 GOSUB 3500
                                        KI 740 IF STRIG(0) = 0 THEN SOUND 0.0.
M6 38Ø POKE 53278,1:SHT=Ø
                                              Ø,Ø:GOTO 17Ø
AM 390 FOR X0=200 TO 25 STEP -DX:POK
                                        II 750 RESTORE 110: FOR I=1 TO 35: REA
      E 53248, XØ
                                              D A: SOUND Ø, A, 10, 8: FOR J=1 TO
OC 400 ST=STICK(0): X1=X1+4*((ST=7)+(
                                              12: NEXT J: NEXT I: SOUND Ø, Ø, Ø, Ø
```

78 COMPUTE! September 1984

Wico Joystic Wico Trackt Compuserve Covers 800XL CALL © 1984 Atari, Inc. All rights reserved. **DISK DRIVES** INTERFACES Axiom 846 Ape Face Atari 850 (In Stock) Indus GT ... Trak AT-D2 Trak AT-1 . Trak AT-D4 Interfast 1 ... Microbits 1150 Axiom Buffer . \$150 Astra 1620 (Dual) Percom Atari 1050 \$499 Call \$349 DIRECT PRINTERS Axiom AT-100 \$219 Atari 1027 \$285 Axiom 550 AT \$319 Axiom 700 AT \$469 Rana 1000 MEMORIES Microbits 64K (XL) ... \$126 Mosaic 48K (400) \$98 \$98 Mosaic 64K (400/800) Call Mosaic 32K \$68 Atari 1025 \$395 DIRECT MODEMS Atari 64K (600XL) Microbits 1000C ... \$128 Atari 1030 \$114 OTHER ATARI ATR-8000 (64K) ATR-8000 (16K) Alien Voice Box 1010 Recorder 400 Keyboard Call Koala Pad \$67 Chalkboard Pad \$75

Bit-3 80 Column

ATARI SOFTWARE							
ADVENTURE INT'L	OPTIMIZED SYSTEMS						
Ultra Disassembler (D) \$33		65					
Ultra Disassembler (D) \$33 Diskey (D) \$33 Adv. 1-12 (each) (C) \$18	Basic XL (R) \$ Mac 65 (D) \$	65 58					
Diskey (D) \$33 Adv. 1-12 (each) (C) \$18 Saga 1-12 (each) (D) \$27	C-65 (D)	58					
ATARI	Bug 65 (D)\$	23					
Atari Writer (R) \$68	PARKER BROS						
Paint (D) \$30	Astrochase (R) \$	33					
Microsoft Basic II (R) . \$64	Death Star (R) \$	33					
Visicalc (D) \$139 Home File Mgr (D) \$36	Q-Bert (R)	33					
Assembler Editor (R) \$44	PENGUIN						
Qix (R) \$32 Dig Dug (R) \$32	Graphics Magician (D) \$	39					
Qix (R) \$32 Dig Dug (R) \$32	Spy's Demise (D) \$	21					
Atari Logo (R) \$72 Robotron (R) \$35	QUALITY SW Return of Hercules (D)						
AVALON HILL	Ali Baba (D)	22					
Telengard . (C) \$16 (D) \$19	RESTON	,,,,					
Close Assault (C) 20 (D) 23		45					
	SCARBOROUGH SYS.						
BRODERBUND	Mastertype (D/R) \$ Songwriter (D) \$	27					
Arcade Machine (D) \$39							
Bank St. Writer (D) \$46 Oper. Whirlwind (D) \$27 Choplifter . (D) \$23 (R) \$29		al					
Choplifter . (D) \$23 (R) \$29	SEGA Star Trek (R) \$	27					
David's Midnight (D) \$23	Buck Rogers (R)\$	27					
CBS SOFTWARE Call	Congo Bongo (R) \$	27					
Home Accountant (D) \$48	SIERRA ON-LINE						
Home Accountant (D) \$48 Tax Advantage (D) \$45		46					
COUNTERPOINT SW Call	Ultima II (D)	39					
DATASOFT	Wiz. & Princess (D) \$	22					
DATASOFT Pooyan (C/D) \$20	SPINNAKER	Til					
Teletalk (D) \$33	Snooper Troop 1,2(D) . \$	30					
Basic Compiler (D) \$55 Graphic Gen (D) \$17	Most Amazing (D) 3						
Graphic Gen (D) \$17 Graphic Master (D) \$23	Kids on Keys (D)	20					
Micropainter (D) \$23	Trains (D)	27					
Zaxxon (C/D) \$27	Aerobics (D)	34					
Text Wizard/Spell (D) . \$55	STRATEGIC SIM.						
Monkey Wrench II \$51	Broadsides (D) \$	27					
EDUCATIONAL SW	Carrier Force (D) \$ Combat Leader (D) \$	39					
Tricky 1,2,3 or 4 \$15	Halls West (D)	21					
Tricky 5-13 \$22		23					
EPYX	Eagles (D)	27					
Dragon Riders (C/D) . \$27 Temple APS (C/D) . \$27 Jumpman (C/D) . \$27	SUBLOGIC						
Jumpman (C/D) \$27	Flight Simulator II (D) . \$	36					
Pit Stop (H)\$27	Pinball (C/D) \$	20					
FIRST STAR	SYNAPSE						
Boulder Dsh (C/D) 20 (R) 27 Bristles (C/D) \$20	Syn File + (D)	65					
Flip Flop (C/D) \$20	File Manager (R)	65					
GAMESTAR	Fort Apocalypse (C/D)	\$23					
Football (C/D) \$21	Dimension X (C/D)	23					
Baseball (C/D) \$21	Blue Max (C/D)	23					
Zork I, II or III (D) \$27	Encounter (D/R)	\$23					
Zork I, II or III (D) \$27 Deadline (D) \$34 Starcross (D) \$27	Pharoah's Curse (C/D)	23					
Starcross (D) \$27	TRONIX						
Suspended (D) \$34 Witness (D) \$34 Planetfall (D) \$34	S.A.M. (D)	\$39 \$29 \$20					
Witness (D) \$34 Planetfall (D) \$34	Juice (C/D)	520					
Enchanter (D) \$34	Chatterbee (D)	\$27					
Infidel (D) \$34	MISCELLANEOUS						
KRELL SAT Call	Miner 2049 (R)	\$34					
INTELL. STATEMENTS	Zombies (C/D)	22					
Prof. Blackjack (D) \$46	Millionaire (C/D) Zombies (C/D) Prisoner 2 (D)	34 54 52 52 52 52					
LJK Letter Perfect (D) \$74	Sargon II (D)	\$23					
Letter Perfect (D)	Gridrunner (R)	\$21					
Data Perfect (D) \$74 Spell Perfect (D) \$56	B-Graph (D)	\$6					
Letter Perfect (R) \$74	Castle Wolfenstein (D)	\$20					
MICROPROSE Solo Flight (D) \$26	Odesta Chess (D) S	\$46					
Solo Flight (D) \$26 Hellcat Ace (C/D) \$23		\$4					
MONARCH	Ultima III (D)	33					
ABC Compiler (D) \$55							
	NAME AND ADDRESS OF THE OWNER, WHEN PERSON ADDRESS OF THE OWNER, WHEN PERSON AND ADDRESS OF THE OWNER, WHEN	-					

SPE	CIALS	
ck \$21	Maxells	 \$2
ball \$36	Memorex	
e \$26	Elephants	
57	Flin 'N File	\$2

CBM 64												CALL
SX64												
1701 MO	N	ľ	T	0	Ė	2						. \$249

*ASTRA 1620 DISK DRIVE SYSTEM

MORE FOR YOUR MONEY




DOUBLE OR SINGLE DENSITY FOR ARM

SPECIAL

Printers/Etc.

STAR Gemini 10X Gemini 15X Delta 10 Star Letter Qual. EPSON FX80 MX100 MX100 RX 80 F/T SMITH CORONA TP II	. \$378 . \$378 . Call . Call . Call . Call	CITOH
JUKI	Call	Spirit Call
AMDEK	INON	TORS
Color I V300 V300A Color II	\$139	GRN (JB1260) \$115 GRN (JB1201) \$149 Color Composite \$298 RGB Color \$598

PANASONIC Call SAKATA Call MODEMS NOVATION HAYES Smartmodem \$99 \$259 \$149 J-Cat Apple Cat II D-Cat \$209 \$498 Smartmodem 1200 . Micromodem II



COSMIC **COMPUTERS**

727 BREA CANYON RD., SUITE 16 **WALNUT, CA 91789**

ORDER LINES OPEN MON-SAT 8 am - 8 pm

(800) 626-7642

PLEASÉ FOR ORDERS ONLY SORRY, NO COD'S

CALIF. (714) 594-5204 FOR TECHNICAL INFO, ORDER INQUIRIES, OR FOR CALIFORNIA ORDERS

Add \$2.50 shipping per software order in continental U.S. Add \$5.00 shipping per software order for AK, HI, FPO-APO, Add \$10.00 or 15% shipping per software order for AK, HI, FPO-APO. Add \$10.00 or 15% (whichever is greater) per software order for non-U.S. Call for cost of hardware shipping. Callf. residents add 6½% sales tax. Cashiers checks or money orders filled within 24 hours for items in stock. Personal checks require 4 weeks to clear. MasterCard and Visa OK for software only within continental U.S., add 3% surcharge. Include card no., expiration date and signature. Due to our low prices, all sales are filling. All defective returns must have a return authorization number. Please call to obtain one hefore returning goods for replacement or Please call to obtain one before returning goods for replacement or repair. Prices & availability subject to change.

DISK DRIVES	The Connection
MSD (170K) \$349	Bus Card
MSD (Dual) (170Kx2) . \$539	Cardco G +
Laser (170K) \$325	Cardco B
Commodore 1541 \$239	MSD (IEEE)
Concord (170K) Call	Cardeo 5 Slot
80 COLUMN BDS	RS-232
Batteries 80 Col \$149	DIRECT PRI
Video Pak 80 \$129	MPS 801
Z80 Video Pak \$209	Commodore 1526

DIRECT MODEMS

Hesmodem 1650 Automodem 1600 Modem

BPCB8PSOBCC

Cardco B	. Call
MSD (IEEE)	\$98
Cardeo 5 Slot	\$48
RS-232	. Call
DIRECT PRINT	ERS
MPS 801	\$219
Commodore 1526	. \$288
Cardco LQ/I	\$498
1520 Color Printer	\$129

RECORDERS Cardco Recorder 1530 Commodore Cassette Interface \$29

SOFTWARE

04	SOFT	WARE	04
ACCESS SOFTWA		MICROSPEC	
Beached (D)	\$24	Database (D)	\$44
Neutral Zone (C/D) Spritemaster (D)	\$25	Checkbook Mar (D) \$47
AVALON HILL		Database (D) Mailing List (D) Checkbook Mgr (I G/L (D)	\$44
Nuke War (C)	\$12	A/P(D)	\$47
Androm, Conquest Midway Campaign	101 640		
Computer Football	(C) \$13	Q-Bert (R)	\$33
Telengard . (C) \$1	6 (D) \$19	Popeye (R) Frogger (R)	\$33
Flying Ace (C) Moon Patrol (C)	\$15		\$33
BATTERIES INCLU	DED	PROFESSIONAL	
Paper Clip (D)	\$69	Wordpro W/Spell Spellright (D)	\$45
Consultant (D)	\$138	QUIKTEX	
Bus Card 80 Column BD Paper Clip w/Spell	\$138	Quick Br. Fox (R)	\$49
		RAINBOW	***
Spell Pack (D) Organizer Series (E	a) \$22	File Assistant (D) Writers Assistant	(D) \$46
BLUE SKY		Spreadsht Assist	(D) . \$56
Calc Result Adv	\$99	SCARBOROUGH	
Calc Result Easy	\$57	Mastertype (D/R) Song Writer (D)	\$27
BRODERBUND Bank St. Writer (D)	\$46	SEGA	
Bank St. Writer (D) Operat. Whrlwnd (D	0) \$27	Star Trek (R) Buck Rogers (R) Congo Bongo (R)	\$27
Choplifter (R) Lode Runner . (D)	22 (P) 27	Buck Rogers (R)	\$27
CBS SOFTWARE	23 (h) 21	SOFTSMITH	921
Success with Math	(D) \$17	Touch Typing (C/	D) \$21
Wbstr Word Game	(D) \$20	SOUTHERN SOL	UTIONS
Learning Bridge (D) COMMODORE	\$55	Businessman (D)	\$48
Simon's Basic (R)	. CALL	Bill Payer (D) Bill Collector (D) Paymaster (D)	\$48
Simon's Basic (R) Magic Desk (R) Logo (D)	\$48	Paymaster(D)	\$48
Assembler 64 (D)	\$15	SPINNAKER	\$27
Assembler 64 (D) Easy Script 64 (D)	\$32	Aerobics (D)	\$34
Accounting Pkgs (8	a) \$32	Kids on Keys (D)	\$20
Game Show (D)	\$27	Most Amazing (D)	\$20
Win W/Words I or II	(D) \$15	Alphabet Zoo (D)	20
Sports Facts (D)	\$15	Trains (D)	\$27
CONTINENTAL S. Home Accountant	W. (D) \$48	SPINNAKEH Snooper 1 or 2 (D Aerobics (D) Kids on Keys (D) Most Amazing (D Kindercomp (D) Alphabet Zoo (D) Trains (D) Delta Drawing (R) Delta Music (R) SUBI OGIC	\$27
Tax Advantage (D)	\$45		
		Flight Simulator	II (D) . \$36
COUNTER POINT Early Games (Ea)	\$W \$20	Pinball (C/D)	\$22
CREATIVE SOFTW	ARE	Ft. Apocalypse (C	C/D) . \$23
Moondust (R)	\$23	Necromancer (C/	D) \$23
Save New York (R) Pipes (R)	\$23	Zaxxon (D)	\$23
Househld Finance		Pharoan's Curse	(6/0) \$23
DATASOFT		Zepplin (D)	\$23
Pooyan (C/D) Moon Shuttle (D) .	\$20	SSI	
ENTECH		Combat Leader	
Studio 64 (C/D)	\$28	Computer Baseb Eagles (D)	all (D) \$27
Database 64 (D) . EPYX	\$45		
Temple of APS (C/I	0) \$27	Tigers In Snow (C	(C/D) \$27
Jumpman (C/D) Dragonriders (C/D)	\$27	Battle Normandy TIMEWORKS	(010) \$21
Pitstop (R)	\$27	Dungeons of Ale	(C/D) \$17
Gateway to APS (R		Robbers Lost (C/ Money Mgr. (C/D) Wall Street (C/D)	D) \$17
FIRST STAR		Wall Street (C/D)	\$17
Astrochase (C/D)	\$20	Data Manager (C	(U) \$17
Astrochase (C/D) Bristle (C/D) Flip Flop (C/D)	\$20	Elec. Checkbook	(C/D) \$17
FUTURE HOUSE		TOTL Totl Text (C)	\$32 (D) \$34
Comp. Pers. Accountes	int. \$56	Totl Text (C) Label (C) Time Mgr (C) Rsrch Asst. (C)	\$15 (D) \$17
Synthesound 64 (D	\$23	Rerch Asst (C)	\$24 (D) \$27 \$24 (D) \$27
Omnicalc (D)	\$34	TRONIX	
Hesmon (D)	\$27	S.A.M. (D)	\$39
Synthesound 64 (D) Omnicalc (D) Omniwriter (D) Hesmon (D) 64 Forth (R) Multiplan (D) Turtle Graphics (R)	\$39	Juice (D) Chatterbee (D)	\$27
Multiplan (D)	\$65	MISCELLANEOU	JS
	\$35	Diskey (D)	\$33
Planet Fall (D)	\$34	Millionaire (D)	\$39
Planet Fall (D) Enchanter (D) Infidel (D)	\$34	Sargon II (D)	\$23
JINSAM	\$34	B-Graph (D)	sin (D) \$59
Mini Jini (R)	\$75	Odesta Chess (D	\$46
MICROSOFTWAR	E INT'L	Ultima III (D)	\$39
Spreadsheet (C)	49 (D) 52	Homeword (D)	D) \$46
Practicalc 64 . (C) Spreadsheet . (C) Practifile 64 (D)	\$36	Pers. Accountan	t(D) . \$23
MIRAGE CONCEP Data Base (D) Word Processor (D	TS	Barrons Sat (D) Millionaire (D) Sargon II (D) B-Graph (D) Castle Wolfenst Odesta Chess (D Ultima III (D) Prof. Blackjack (Homeword (D) Pers. Accountan Karate Devils (D) Final Flight (D) MAE Assembler	\$27
Word Processor (D) . \$68	MAE Assembler	(D) . \$47

IK 3120 POSITION 30,2:? " ";SC HB 760 GOTO 740 KH 313Ø RETURN HF 77Ø END EB 1999 REM MISSILE MOVEMENT AG 3499 REM CHANGE UFO HEIGHT FL 2000 YH1=Y1 PB 3500 FOR I=PMBASE+512+Y01 TO PMBA HG 2010 Y1=Y1-5 SE+518+YØ1:GOSUB 36ØØ:POKE I PF 2020 IF Y1<5 THEN GUN=0:SOUND 0,0 .Ø: NEXT .Ø.Ø:RETURN AF 351Ø FOR I=PMBASE+768+YØ1 TO PMBA 61 2030 POKE PMBASE+384+YH1, Ø: POKE P SE+776+YØ1:GOSUB 3600:POKE I MBASE+384+Y1,4:SOUND Ø,Y1,8, .Ø: NEXT I PE 3520 $Y\emptyset = 4\emptyset$ JB 2035 IF PEEK (53257) <>3 THEN RETURN 61 353Ø RESTORE 3535: FOR I=PMBASE+51 AN 2040 GOSUB 2500 2+YØ TO PMBASE+518+YØ:GOSUB MA 2050 POKE 77.0 3600: READ A: POKE I, A: NEXT A6 2100 POKE PMBASE+384+Y1, 0:GUN=0:P FO 3535 DATA 24,60,255,255,255,60,24 HN 354Ø RESTORE 3545: FOR I=PMBASE+76 OKE 53278,1:SOUND Ø,Ø,Ø,Ø:RE 8+YØ TO PMBASE+776+YØ:GOSUB TURN MG 2499 3600: READ A: POKE I, A: NEXT I REM CHECK COLLISION KL 2500 REM GF 3545 DATA 16,68,82,137,66,161,34, CL 251Ø XCOR=4*6*DT+45 68,16 PH 252Ø IF XM1<XCOR+15 AND XM1>XCOR-FC 3546 YØ1=YØ 3 THEN GOSUB 3000: HIT=1:GOTO IJ 355Ø PM1=PMBASE+512+YØ:PM2=PMBASE 2540 +768+YØ BD 253Ø GOSUB 27ØØ JK 3560 POKE 204, INT (PM1/256): POKE 2 Ø7, INT (PM2/256) DM 254Ø GUN=Ø: RETURN HI 2699 REM UFO CLUNKS OK 357Ø POKE 203, PM1-(PEEK (204) *256) CE 2700 POKE 704,14 -1:POKE 206,PM2-(PEEK(207) *2 E0 2710 FOR I=1 TO 25: SOUND 0.150+I. 56)-1 68 358Ø POKE 2Ø5,7:POKE 2Ø8,9 10.8: NEXT I PN 272Ø SOUND Ø, Ø, Ø, Ø: POKE 7Ø4, 24: PO LB 359Ø RETURN KE 53278,1 BH 3600 ST=STICK(0): X1=X1+4*((ST=7)+ KM 273Ø RETURN $(X1<21\emptyset)): X1=X1-4*((ST=11)+($ AJ 2799 REM EXPLOSION SOUND X1>4Ø)):POKE 53249,X1 BF 2800 FOR I=1 TO 2:N=INT(10*RND(0) KK 3610 RETURN 08 3699 REM UFO DOWN +1) *10 KG 37ØØ YØ=YØ+2Ø M 2810 FOR L=15 TO Ø STEP -1:SOUND 60 371Ø FOR I=1 TO 2Ø Ø, N, Ø, L: SOUND 1, N+1, Ø, L: SOUN PM 372Ø AB=USR (1536): BA=USR (1551): GO D 2, N+2, Ø, L: SOUND 3, N/2, Ø, L SUB 3600: NEXT I PH 2820 FOR J=1 TO 10:NEXT J:NEXT L FB 3725 YØ1=YØ CE 283Ø POKE 53258, 3: NEXT I KN 373Ø RETURN IM 2840 POKE 53258, 1: POKE 53250, 250 LP 3999 REM VERTICAL MOVEMENT DOWN KP 285Ø RETURN GB 2999 REM DIRECT HIT LB 4000 RESTORE 4050 HF 4010 FOR I=1536 TO 1565 AF 3000 POKE 53248, 250: POKE 53250, X0 :POKE 53253,25Ø AE 4020 READ A: POKE I, A: NEXT I 60 3Ø25 POSITION 6*DT, INT((YØ-14)/4) KH 4030 RETURN JK 3030 IF Y0=40 THEN SC=SC+25:SCL=S NI 4050 DATA 104,164,205,177,203,200 CL+25:? "25" ,145,203,136,136,16,247,230, IL 3040 IF Y0=60 THEN SC=SC+10:SCL=S 203,96 CL+10:? "10" OF 4060 DATA 104, 164, 208, 177, 206, 200 AK 3050 IF Y0=80 THEN SC=SC+5:SCL=SC ,145,206,136,136,16,247,230, L+5:? "5" 206,96 BH 3Ø55 GOSUB 28ØØ PI 4999 REM MENU 68 3060 POSITION 30,2:? " ";SC:FOR I AN 5000 GRAPHICS 0:? CHR\$ (125):POKE 752,1 =1 TO 250: NEXT I AJ 3070 IF SCL>=50 AND SCL/PB>20 THE POSITION 11,2:? "MISSILE MAT 00 5020 N POSITION 13,12:HU=5:? "5Ø H MENU" BONUS POINTS": SC=SC+5Ø: GOTO MM 5030 ? :? "MOVE JOYSTICK AND PUSH 3090 TRIGGER": ? "TO SELECT GAME" EJ 3Ø8Ø IF SCL>=5Ø AND SCL/PB>=1Ø TH BC 5060 Ms="(Q)(W)(E)(DOWN)(3 LEFT) EN POSITION 13,12:HU=4:? "25 (A) (D) (DOWN) (3 LEFT) (Z) (X) (C)" BONUS POINTS": SC=SC+25: GOTO 3090 SE 5070 POSITION 8, 11:? "ADDITION & NA 3Ø85 GOTO 313Ø (4 SPACES) MULTIPLICATION" EA 3090 FOR I=1 TO 3 KD 5075 POSITION 8,12:? "SUBTRACTION KF 3100 SETCOLOR 2, HU, 4: SOUND 0, 25, 1 (3 SPACES) & DIVISION" Ø,8:FOR J=1 TO 50:NEXT J ? :? :? "SLOW(4 SPACES)(UP)" EP 5080 AN 3110 SETCOLOR 2,0,2:SOUND 0,75,10 ,8:FOR J=1 TO 50:NEXT J:NEXT ? :? :? "FAST(4 SPACES)(UP)" DN 5Ø85 I:SOUND Ø,Ø,Ø,Ø:SOUND 1,Ø,Ø,Ø : M\$

LK 5090 POSITION 25,14:? M\$:POSITION 25,18:? M\$ HF 5100 SCR=PEEK(88)+256*PEEK(89):XC =611:MENU=1:DX=1 BN 5110 POKE SCR+XC, 83: FOR DLY=1 TO 50: NEXT DLY 00 512Ø POKE SCR+XC, Ø: FOR DLY=1 TO 5 Ø: NEXT DLY IF STRIG(Ø) = Ø THEN GOTO 523Ø AB 5130 LB 5135 ST=STICK(Ø) DK 514Ø IF ST=7 AND XC=611 THEN XC=6 26: MENU=2 NB 515Ø IF ST=13 AND XC=611 THEN XC= 771:DX=3 NO 516Ø IF ST=13 AND XC=626 THEN XC= 786: DX=3 GH 517Ø IF ST=11 AND XC=626 THEN XC= 611: MENU=1 ND 518Ø IF ST=14 AND XC=771 THEN XC= 611:DX=1 EN 519Ø IF ST=7 AND XC=771 THEN XC=7 86: MENU=2 GP 5200 IF ST=11 AND XC=786 THEN XC= 771: MENU=1 NJ 521Ø IF ST=14 AND XC=786 THEN XC= 626: DX=1 MJ 522Ø GOTO 511Ø KK 523Ø RETURN JP 5499 REM INITIALIZE PM GRAPHICS JA 5500 X1=250: Y1=95: X0=250: Y0=40 00 551Ø J=PEEK(1Ø6)-8:POKE 54279, J:P MBASE=256*J AE 552Ø POKE 559,46:POKE 53277,3 LN 553Ø POKE 53256, 1: POKE 53257, 1: PO KE 53258,1:POKE 53260,1 LK 554Ø FOR I=PMBASE+384 TO PMBASE+8 96: POKE I, Ø: NEXT I PG 557Ø RESTORE 558Ø: FOR I=PMBASE+64 Ø+Y1 TO PMBASE+649+Y1:READ A :POKE I, A: NEXT I AA 5580 DATA 8,8,8,8,8,28,127,127,54 , 54 IC 561Ø POKE 7Ø4, 24: POKE 7Ø5, 2ØØ: POK E 706,14 PH 5620 POKE 53248, X0: POKE 53249, X1: POKE 53250, XØ KO 563Ø RETURN

Program 2:

VIC Missile Math, Machine Language

Refer to the "Automatic Proofreader" article before typing this program in.

12288 :160,000,141,106,003,152,050 12294 :153,064,003,200,192,120,226 12300 :208,248,169,001,141,068,079 12306 :003,032,102,048,096,032,075 12312 :001,049,173,062,003,072,128 12318 :168,169,035,153,206,017,010 12324 : 200, 169, 036, 153, 206, 017, 049 12330 :200,169,037,153,206,017,056 12336 :104,168,162,000,173,068,211 12342 :003,153,206,149,200,232,229 12348 : 224,003,208,244,172,062,205 12354 :003,096,172,062,003,162,052 12360 :000,169,032,153,206,017,137 12366 : 200, 232, 224, 003, 208, 245, 166 12372 :172,062,003,200,169,032,210 12378 :153,184,017,169,007,153,005

12384 :184,149,172,062,003,096,250 12390 :169,207,141,019,145,173,188 12396 :017,145,141,070,003,169,141 12402 :127,141,034,145,173,032,254 12408 :145,073,255,041,128,013,007 12414 :070,003,041,176,141,074,119 12420 :003,169,255,141,034,145,111 12426 :173,074,003,201,048,240,109 12432 :054,201,016,208,019,173,047 12438 :112,003,205,100,003,240,045 12444 :005,169,001,141,092,003,055 12450 :173,100,003,141,112,003,182 12456 :173,074,003,201,032,208,091 12462 :010,172,078,003,192,000,117 12468 : 240,003,206,078,003,201,143 12474 :176,208,010,172,078,003,065 12480 :192,003,176,003,238,078,114 12486 :003,172,078,003,185,252,123 12492 :048,141,062,003,072,152,170 12498 : 072, 032, 023, 048, 104, 168, 145 12504 : 104, 172, 078, 003, 204, 066, 075 12510 :003,240,012,172,066,003,206 12516 :185,252,048,141,062,003,151 12522 :032,068,048,172,078,003,123 12528 :140,066,003,173,092,003,205 12534 :240,003,032,065,049,096,219 12540 :003,007,011,015,019,024,075 12546 :173,062,003,105,206,133,172 12552 :253,169,017,105,000,133,173 12558 : 254,056,165,253,233,021,228 12564 :133,253,165,254,233,000,034 12570 :133,254,024,165,253,105,192 12576 :000,133,253,165,254,105,174 12582 :132,133,254,169,002,160,120 12588 :000,145,253,056,165,253,148 12594 : 233,000,133,253,165,254,064 12600 :233,132,133,254,169,038,247 12606 :145,253,096,169,022,141,120 12612 :104,003,162,005,160,021,011 12618 :189,021,050,133,163,189,051 12624 :253,049,133,164,202,189,046 12630 :021,050,133,168,189,253,132 12636 :049,133,169,032,212,050,225 12642 :177,163,201,038,144,061,114 12648 :201,040,176,057,072,177,059 12654 :168,201,057,144,013,104,029 12660 :140,110,003,032,203,049,141 12666 :172,110,003,076,129,049,149 12672 :104,145,168,024,165,168,134 12678 :105,000,133,168,165,169,106 12684 :105,132,133,169,169,002,082 12690 :145,168,056,165,168,233,057 12696 :000,133,168,165,169,233,252 12702 :132,133,169,169,032,145,170 12708 :163,136,016,183,232,232,102 12714 : 224,023,208,154,206,104,065 12720 :003,173,104,003,016,144,107 12726 :169,032,141,092,016,141,005 12732 :096,016,141,100,016,141,186 12738 : 104,016,136,169,000,141,248 12744 :092,003,096,072,173,133,001 12750 :003,205,078,003,208,015,206 12756 :032,228,050,104,169,000,027 12762 :072,169,003,141,132,003,226 12768 :076,231,049,104,177,168,005 12774 : 072, 104, 096, 024, 169, 206, 133 12780 :109,062,003,133,253,169,197 12786 :017,105,000,133,254,169,152 12792 :000,141,065,049,096,016,103

12798	:016,016,016,016,016,016,094	13212 :007,
12804	:016,016,016,016,016,017,101	13218 :021,
12810	:017,017,017,017,017,017,112	13224 :141,
12816	:017,017,017,017,017,000,101	13230 :164,
12822	:022,044,066,088,110,132,228	13236 :000,
12828		
	:154,176,198,220,242,008,002	13242 :112,
12834	:030,052,074,096,118,140,032	13248 :255,
12840	:162,184,206,228,250,173,219	13254 :128,
12846	:106,003,208,029,169,110,159	13260 :000,
12852	:133,251,169,016,133,252,238	13266 :000,
12858	:160,019,140,096,003,169,133	13272 :031,
12864	:005,141,098,003,169,001,225	13278 :000,
12870	:141,106,003,169,000,141,118	13284 :001,
12876	:100,003,096,173,100,003,039	13290 :255,
12882	:201,003,144,013,169,000,100	2000年3月, 全国 科学
12888	:141,106,003,169,002,141,138	Program 3
12894	:132,003,076,211,050,172,226	
12900	:096,003,169,058,145,251,054	Refer to the "Auto
12906	:200,169,060,145,251,200,107	program in.
12912	:169,062,145,251,172,096,239	5 POKE 3687
12918	:003,200,200,200,169,032,154	1.0 DDTNm#10
12924	:145,251,200,145,251,200,036	10 PRINT"{C
12930	:145,251,172,096,003,024,053	{SPACE}M
12936	:165,251,105,000,133,251,017	15 POKE3686
12942	:165,252,105,132,133,252,157	20 PRINT" {3
12948	:173,098,003,145,251,200,250	T TO:"
12954	:145,251,200,145,251,056,178	3Ø PRINT" {2
12960	:165,251,233,000,133,251,169	{7 SPACE
12966	:165,252,233,132,133,252,053	40 PRINT"{C
12972	:206,096,003,173,096,003,237	[3 SPACE
12978	:208,031,169,032,145,251,246	50 PRINT"{2
12984	:136,145,251,136,145,251,224	{2 DOWN}
12990	:024,165,251,105,132,133,232	FF 11 F 6 1
12996	:251,165,252,105,000,133,078	55 H=5 :G=1
13002	:252,160,019,140,096,003,104	6Ø V1=37139
13008	:238,100,003,096,072,152,101	E 61 P1 -2712
13014	:072,138,072,160,050,136,074	61 R1 =3713
13020	:208,253,104,170,104,168,203	B5=FIRE 62 V2=37154
13026	:104,096,169,015,141,014,253	63 R2= 3715
13032	:144,169,128,141,013,144,203	64 POKE3713
13032	:162,255,032,212,050,202,127	,128
13044	:208,250,169,000,141,014,002	65 POKE3715
		E37154,2
13050	:144,169,032,145,168,172,056	66 B=J10RJ2
13056	:096,003,200,169,000,145,101	7Ø IF B= 15
13062	:251,200,169,000,145,251,254 :200,169,000,145,251,024,033	8Ø IFB=172T
13068		81 IFB=6ØTH
13074	:165,251,105,000,133,251,155	82 IFB=184T
13080	:165,252,105,132,133,252,039	83 IFB=18ØT
13086	:172,096,003,200,145,251,129	84 POKE781,
13092	:200,145,251,200,145,251,204	:PRINT"Q
13098	:056,165,251,233,000,133,112	85 IF OG<>G
13104	:251,165,252,233,132,133,190	82, OH: PO
13110	:252,162,255,032,212,050,249	
13116	:202,208,250,202,208,253,103	86 OG=G:OH=
13122	:096,160,000,185,000,128,123	9Ø L=1:SC=Ø
13128	:153,000,020,200,208,247,132	100 PRINT" {
13134	:160,000,185,000,129,153,193	TION GUI
13140	:000,021,200,208,247,160,152	
13146	:000,185,000,130,153,000,046	105 BN=0:BO:
13152	:022,200,208,247,160,000,165	110 PRINT" [
13158	:185,000,131,153,000,023,082	
13164	:200,208,247,160,007,185,091	12Ø PRINT" {
13170	:172,051,153,000,020,136,134	L NOT[8
13176	:016,247,160,031,185,180,171	130 PRINT" (
13182	:051,153,024,021,136,016,015	{SPACE}
13188	:247,160,007,185,212,051,226	135 GOSUB 10
13194	:153,208,021,136,016,247,151	140 FORI=1TO
13200	:160,007,185,220,051,153,152	141 PRINT" (
13206	:224,021,136,016,247,160,186	"SC" {HO!

```
,185,228,051,153,240,252
,136,016,247,169,205,188
,005,144,096,146,073,005
,073,018,164,146,000,227
,000,001,003,031,063,022
,240,024,255,255,255,047
,255,000,000,000,000,190
,192,248,252,014,015,023
033,030,030,030,033,104
000,000,000,000,007,217
063,127,127,000,000,052
255, 255, 255, 255, 255, 217
007,031,255,255,255,008
255,013,013,013,013,028
```

3: VIC Missile Math, BASIC

tomatic Proofreader" article before typing this

```
79,8:POKE56,48:CLR:SYS65017
                          :rem 156
CLR \ { 2 DOWN \ { WHT \} ": A \= "MISSILE
MATH":GOSUB900
                          :rem 159
69,192
                          :rem 109
3 DOWN \ {5 RIGHT \ {RED } DO YOU WAN
                          :rem 186
DOWN | {RIGHT | {CYN } ADD&
ES ] [WHT] MULTIPLY"
                         :rem 134
CYN } { DOWN } { RIGHT } SUBTRACT
ES } { WHT } & DIVIDE"
                           :rem 74
DOWN | GRN | SLOW" : PRINT"
{CYN}FAST{YEL}":G=15:H=5
                         :rem 107
5 : GF=20
                         :rem 174
:REM DDR FOR SWITCH UPDNLFTFIR
                           :rem 37
7:REM PORTAB2=UP; B3=DN; B4=LFT:
                         :rem 141
REM DDR FOR RIGHT
                         :rem 142
2:REM PORTB; B7= RIGHT :rem 64
19,195:J1=PEEK(37137):POKE37139
                          :rem 15
4,127:J2=PEEK(37152)AND128:POK
255
                       :rem 114
                         :rem 131
6THEN 90
                       :rem 169
HENH=5
                       :rem 249
IENH=14
                      :rem 246
HENG=15:GF=20
                         :rem 148
HENG=18:GF=10
                         :rem 147
G:POKE782, H:POKE783, Ø:SYS65520
                         :rem 170
 OR OH <> H THENPOKE 781, OG: POKE 7
KE783,0:SYS65520:PRINT"
                         :rem 135
H: GOTO6Ø
                         :rem 183
:S=3
                          :rem 93
CLR | {3 DOWN } {2 RIGHT } { WHT } POSI
N OVER [7 SPACES] CORRECT ANSWER
                         :rem 228
=Ø:B=Ø:SH=Ø:SYS13123
                          :rem 41
4 DOWN \ { 4 RIGHT | AND SHOOT UFO"
                         :rem 101
3 DOWN \ { 4 RIGHT \ { WHT \ } BE CAREFU
SPACES TO WASTE SHOTS": rem 66
2 DOWN \{ 3 RIGHT \} {CYN \} ENTERING
LEVEL";L
                         :rem 216
ØØØ
                         :rem 218
05000:NEXT
                          :rem 20
CLR \{ 11 SPACES \} { WHT \} SCORE { RED }
ME } { BLU } ";
                         :rem 222
```

142	FORI=1TOS:PRINT" {RIGHT}A";:NE	EXT
		:rem 200
150	$A = INT(RND(\emptyset)*4+1)+4*(L-1)$:rem 243
160		:rem 231
	IFH=5THENC=A+B:GOTO18Ø	:rem 74
175	C=A*B A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$:rem 202
180	A5=STK5(A):B5=STK5(B):C5=STK5	:rem 6
190	$RP=INT(RND(\emptyset)*4)+1$:rem 212
200	IFRP=1THENANS=A:A\$=" ?"	:rem 31
210	IFRP=2THENANS=B:B\$=" ?"	:rem 35
220	IFRP>2THENANS=C:C\$=" ?"	:rem 39
23Ø	PRINT" [HOME] {2 DOWN} {4 RIGHT}	";:IFH=5
	THENPRINTAS" +"B\$" ="C\$:GOTO2	
210	PRINTAS" X"B\$" ="C\$:rem 181
24Ø 25Ø	IFANS>9ØTHENDEL=1Ø:GOTO27Ø	:rem 93
260	IFANS>20THENDEL=5:GOTO270	:rem 43
265	DEL=INT((ANS/10)+1)	:rem 10
270	$DT = INT(RND(\emptyset)*4)+1$:rem 201
275	PRINT" [HOME] [21 DOWN]"	:rem 231
277	SYS12288	:rem 164
280	FORI=1TO4:CH(I)=ANS+(I-DT)*DE	
	AB((I*4)-2)STR\$(CH(I));"{2 LE	
285	<pre>FORI=1TO4:IFCH(I)=ANSTHENPOKE</pre>	:rem 92
285	FORT=1104:1FCH(1)=ANSTHENFORE	:rem 236
286	NEXT: POKE880, 255	:rem 176
290	W=PEEK(868):SYS 12307:FORQ=17	
	EXT:IF PEEK(900)THEN300	:rem 47
293	SYS12845	:rem 161
295	GOTO 290	:rem 116
300	X=PEEK(900):SH=SH+1	:rem 64
310	IFX=3THEN500	:rem 175
320	IFX=2THEN600 IFW=0THENB=25	
5ØØ 51Ø	IFW=DTHENB=25 IFW=1THENB=10	:rem 253
520	IFW=2THENB=5	:rem 207
525	BN=BN+B	:rem 102
526	SC=SC+B:PRINT" [HOME] [8 DOWN]	
	{10 RIGHT}"B	:rem 125
530	IFBN>=5ØTHENL=L+1:GOTO7ØØ	:rem 1
55Ø 6ØØ	GOTO 140 S=S-1:IFS=ØTHEN8ØØ	:rem 104 :rem 39
601	PRINT" (HOME) {BLU} {8 DOWN}":A	
ODI		:rem 151
602	PRINT" {2 DOWN}": A\$="I KNOW YO	OU CAN DO
	IT":GOSUB 900	:rem 133
603	PRINT" {2 DOWN}": A\$="THE ANSWE	ER WAS":G
	OSUB900: PRINT" { PUR } { DOWN } ": AS	S=STR\$(AN
	s):GOSUB900	:rem 210
610	FORI=1T01000:NEXT:GOT0140	:rem 26
700		:rem 137
	IFBO>=25THENBO=50:GOTO750 IFBO>=10THENBO=25:GOTO750	:rem 11 :rem 8
	GOTO 76Ø	:rem 112
750	PRINT" [HOME] [14 DOWN] [5 RIGHT	B CYN O
	{GRN}N{YEL}U{BLU}S"BO:SC=SC+H	30
		:rem 240
760	FORI=1T05000:NEXT:GOTO 100	:rem 32
800	PRINT" {CLR} {3 DOWN} {6 RIGHT}	:rem 201
8Ø5	E ";SC PRINT" {3 DOWN } {6 RIGHT } {BLU } {0}	
202	LYINI (2 DOMN) (6 KIGHI) (BDO)	:rem 196
820	PRINT" {5 DOWN } {4 RIGHT } {CYN }	
· PL	KEY [DOWN] [8 SPACES] TO PLAY	
	AND THE RESERVE OF THE PARTY OF	:rem 123
830	POKE198,Ø	:rem 200
835	WAIT 198,1	:rem 212
840	GOTO5	:rem 10

900 X=LEN(A\$):A\$=A\$+"{2 SPACES}"	:rem	
910 FORI=1TOX+10-INT(X/2+.5):POKE	2211,2	1-I
:PRINTMID\$(A\$,1,I);	:rem	249
915 FOR T=1TO60:NEXTT:NEXTI	:rem	224
920 RETURN	:rem	123
999 END	:rem	130
1000 POKE36878,15:S2=36876:POKE36	5877,1	.27
	:rem	218
1005 RESTORE	:rem	234
1010 READ P, LE	:rem	235
1020 IF P=-5THENPOKES2, 0: RETURN	:rem	154
1025 POKES2, P	:rem	248
1030 FOR T= 1 TO LE*2:NEXT	:rem	118
1040 GOTO1010	:rem	192
1050 DATA 173,50,127,50,173,50,19	2,200	1,12
7,100,192,200,127,100	:rem	205
1060 DATA 192,200,192,50,189,50,1	181,50	1,17
3,100,173,50,192,300,-5,-5		

Programmer's Notes: VIC Version

The VIC-20 version of "Missile Math" requires at least an 8K expander. To make it easier to enter this version, the machine language portion of the program has been listed in MLX format. To enter Missile Math, you must enter Program 2 using the VIC MLX Program elsewhere in this issue. The starting address is 12288 and the ending address is 13295. After you have entered and saved Program 2, enter Program 3 as you would a normal BASIC program and save it to tape or disk.

To run Missile Math, you must first enter these POKEs.

POKE 43,1:POKE 44,24:POKE 641,0:POKE 642,24:POKE 6144,0

Type NEW and load Program 2, bypassing the normal relocator by adding ,1 to the LOAD command. Here's how your LOAD command should look:

From tape:

LOAD "filename",1,1

From disk:

LOAD "filename", 8,1

Now type NEW, then load and run Program 3

Program 4: 64 Missile Math

Refer to the "Automatic Proofreader" article before typing this program in.

Ø GOSUB 1000 :rem 1	13
1 V=54272:FORI=ØTO24:POKEV+I,Ø:NEXT	
:rem l	
5 POKE 53280,0:POKE 53281,0 :rem 1	
10 PRINT" [CLR] [4 DOWN] [BLU]": A\$="MISSIL	
{SPACE}MATH":GOSUB900:GOSUB 950:rem	51
15 PRINT" [DOWN] [9 RIGHT] USE JOYSTICK IN	P
ORT #2" :rem 2	
20 PRINT"{3 DOWN}{13 RIGHT}{RED}PLEASE	SE

LECT:" :rem 17	
	601 PRINT"{HOME} [7] [9 DOWN]": A\$="KEEP TRY
30 PRINT"{2 DOWN}{5 RIGHT}{CYN}ADDITION	ing":GOSUB 900 :rem 35
	The state of the s
40 PRINT" (5 RIGHT) (CYN) SUBTRACTION	IT":GOSUB 900 :rem 150
[9 SPACES] [7]& DIVISION" :rem 21	
	obo Inthi (2 bonk) . Ay- Int Anduck MAD: :
50 PRINT"{2 DOWN}{GRN}SLOW":PRINT"	GOSUB900:PRINT"{PUR}":A\$=STR\$(ANS):GO
<pre>{2 DOWN} [6] FAST {YEL}":G=18:H=9:POKE83</pre>	1
,H:POKE831,G :rem 9	SUB900 :rem 251
60 X=PEEK(56320):J=XAND15:B=XAND16:rem 1	1 620 GOTO140 • rem 102
70 IFB=0THEN90 :rem 6	700 BO=INT(BN/SH+.5) :rem 137
	/80 BO=INT(BN/SH+.5) : rem 13/
80 IFJ=11THENH=9 :rem 20	710 IFBO>=25THENBO=50:GOTO750 :rem 11
81 IFJ=7THENH=29 :rem 21	3 720 IFBO>=10THENBO=25:GOTO750 :rem 8
82 IFJ=14THENG=18 :rem	120 221 23 10 10 10 10 10 10 10 10 10 10 10 10 10
	100 0010 100 112
83 IFJ=13THENG=21 :rem 25	750 PRINT" [HOME] [14 DOWN] [14 RIGHT] [3]B
84 POKE828, H: POKE829, G: SYS49152 : rem 11	CYN O GRN N YEL U BLU S RED : WHT B
	0:SC=SC+BO :rem 230
9Ø L=1:SC=0:S=3 :rem 9	76Ø FORI=1T05ØØØ:NEXT:GOTO 1ØØ :rem 32
100 POKE 53269,0:PRINT"{CLR}{8 DOWN}	800 POKE53269, 0:PRINT" [CLR] [3 DOWN]
{4 RIGHT} [8] POSITION GUN OVER CORRECT	(10 Million) (Claritocomb (Lon) , DC
ANSWER" :rem 21	:rem 114
105 BN=0:BO=0:B=0:SH=0 :rem 24	
110 PRINT"{2 DOWN}{14 RIGHT}AND SHOOT UF	:rem 40
" :rem 10	810 PRINT" [3 DOWN] [18 RIGHT] OVER": rem 227
	OID FRINI (5 DOWN) (10 RIGHT) OVER : I em 22/
120 PRINT" [3 DOWN] [5 RIGHT] [3] BE CAREFUL	820 PRINT" [5 DOWN] [6 RIGHT] [GRN] PRESS
{SPACE}NOT TO WASTE SHOTS" : rem 24	YEL ANY KEY [GRN] TO PLAY AGAIN"
130 PRINT"{2 DOWN}{12 RIGHT}{PUR}ENTERING	
	.zem zzo
LEVEL";L :rem 21	830 POKE198,0 :rem 200
135 GOSUB 950 :rem 18	835 WAIT 198,1 :rem 212
140 FORI=1TO3000:NEXT :rem 1	Odd and I
141 PRINT" {CLR} {30 SPACES} {GRN} SCORE { RED	900 X=LEN(A\$):A\$=A\$+"{24 SPACES}":rem 115
"SC"{HOME}{BLU}"; :rem 24	
	그는 그는 이 경영에는 그 이렇게 어떻게 되었다면 하면 있는데 이렇게 되었다면 하면 되었다면 그 사람들이 되었다면 그 그 그 그는데 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
142 FORI=1TOS:PRINT"{RIGHT}A";:NEXT	:PRINTMID\$(A\$,1,I);:NEXT I :rem 205
:rem 200	
15Ø A=INT(RND(Ø)*4+1)+4*(L-1) :rem 24	
	JJD V-JTZ / Z . FOREV / Z T , IJ . FOREV / J , D . FOREV / O
160 B=INT(RND(0)*4*L+1) :rem 23	,240 :rem 116
170 IFH=9THENC=A+B:GOTO180 :rem 7	
175 C=A*B :rem 20	333 TOREVIT, 23. FOREV, 30. FOREVIT, 33. FORI-1
	10300: NEX1: FOREV+4, 32 : 1em /3
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C)	10300: NEX1: FOREV+4, 32 : 1em /3
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C)	960 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21	96Ø POKEV+1,33:POKEV+4,32:FORI= 1T09ØØ:NEXT:POKEV+4,32:rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem	96Ø POKEV+1,33:POKEV+4,33:FORI= 1T09ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 190 RP=INT(RND(0)*4)+1 :rem 21: 200 IFRP=1THENANS=A:A\$=" ?" :rem 3:	96Ø POKEV+1,33:POKEV+4,32:rem 13Ø 1709ØØ:NEXT:POKEV+4,32:rem 13Ø 1709ØØ:NEXT:POKEV+4,32:rem 73
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3:	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1T09ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T04ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}"	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4 33:FORI=
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}"	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 190 RP=INT(RND(0)*4)+1 :rem 21: 200 IFRP=1THENANS=A:A\$=" ?" :rem 3: 210 IFRP=2THENANS=B:B\$=" ?" :rem 3: 220 IFRP>2THENANS=C:C\$=" ?" :rem 3: 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 190 RP=INT(RND(0)*4)+1 :rem 21: 200 IFRP=1THENANS=A:A\$=" ?" :rem 3: 210 IFRP=2THENANS=B:B\$=" ?" :rem 3: 220 IFRP>2THENANS=C:C\$=" ?" :rem 3: 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256:	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 128 990 POKEV+1,29:POKEV+4,32 :rem 128 990 POKEV+1,28:POKEV+4,32 :rem 87 990 POKEV+1,28:POKEV+4,32 :rem 87
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 1709ØØ:NEXT:POKEV+4,32 :rem 13Ø 1709ØØ:NEXT:POKEV+4,32 :rem 13Ø 1709ØØ:NEXT:POKEV+4,32 :rem 73 1709ØØ:NEXT:POKEV+4,32 :rem 73 1709ØØ:NEXT:POKEV+4,32 :rem 124 1701ØØ:NEXT:POKEV+4,32 :rem 124 1701ØØ:NEXT:POKEV+4,32 :rem 124 1701ØØ:NEXT:POKEV+4,32 :rem 128 1701ØØ:NEXT:POKEV+4,32 :rem 87 1701ØØ:NEXT:POKEV+4,32 :rem 87 1701ØØ:NEXT:POKEV+4,32 :rem 87 1701ØØ:NEXT:POKEV+4,32 :rem 87
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18: 24Ø PRINTA\$" X"B\$" ="C\$:rem 11: 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9: 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4: 265 DEL=INT((ANS/1Ø)+1) :rem 16:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18: 24Ø PRINTA\$" X"B\$" ="C\$:rem 11: 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9: 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4: 265 DEL=INT((ANS/1Ø)+1) :rem 16:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87 995 POKEV+1,25:POKEV+4,32 :rem 87 996 FORI=1TO1ØØ:NEXT:POKEV+4,32 :rem 82 997 POKEV+1,25:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV+4,32 :rem 82
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 82 999 POKEV+1,33:POKEV+4,32 :rem 88
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 999 POKEV+1,33:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32:RETURN:rem 165 1000 PRINT"{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=0
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32:RETURN:rem 165 1000 PRINT"{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=0 :rem 232
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32:RETURN:rem 165 1000 PRINT"{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=Ø :rem 232
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22 286 NEXT :rem 16	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT CLR 100 DOWN 100 RIGHT 100 DOWN 100 PRINT CLR 100 P
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22 290 SYS49195 :rem 16 300 X=PEEK(9ØØ):SH=SH+1 :rem 6	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,23:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT*{CLR}{1000000000000000000000000000000000000
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22 286 NEXT :rem 26 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6 31Ø IFX=2THEN5ØØ :rem 17	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1 1000 PRINT CLR 10 DOWN 18 RIGHT LOADING MACHINE LANGUAGE :I=49152:CK=Ø
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256 :rem 18 24Ø PRINTA\$" X"B\$" ="C\$:rem 11 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4 265 DEL=INT((ANS/1Ø)+1) :rem 16 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22 290 SYS49195 :rem 16 300 X=PEEK(9ØØ):SH=SH+1 :rem 6	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1 1000 PRINT CLR 10 DOWN 18 RIGHT LOADING MACHINE LANGUAGE :I=49152:CK=Ø
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256* :rem 18: 24Ø PRINTA\$" X"B\$" ="C\$:rem 11: 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9: 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4: 265 DEL=INT((ANS/1Ø)+1) :rem 16: 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø: 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT* AB(I*5)CH(I);:NEXT :rem 13: 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 286 NEXT :rem 23: 286 NEXT :rem 23: 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6: 31Ø IFX=2THEN5ØØ :rem 17: 32Ø IFX=1THEN6ØØ :rem 17:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,23:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 T01ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1T01ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T036Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT*{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:1=49152:CK=Ø :rem 232 1010 READ A:IF A=256 THEN 103Ø :rem 246 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 :rem 65 1030 IFCK<>80338THENPRINT*ERROR IN DATA*:
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO6ØØ:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32:RETURN:rem 165 1ØØØ PRINT"{CLR}{1Ø DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=Ø :rem 232 1Ø1Ø READ A:IF A=256 THEN 1Ø3Ø :rem 246 1Ø2Ø POKE I,A:CK=CK+A:I=I+1:GOTO 1Ø1Ø :rem 65 1Ø3Ø IFCK<>8Ø338THENPRINT"ERROR IN DATA": STOP :rem 28
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) :rem 19Ø RP=INT(RND(Ø)*4)+1 :rem 21: 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3: 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3: 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3: 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256* :rem 18: 24Ø PRINTA\$" X"B\$" ="C\$:rem 11: 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9: 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4: 265 DEL=INT((ANS/1Ø)+1) :rem 16: 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø: 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT* AB(I*5)CH(I);:NEXT :rem 13: 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 286 NEXT :rem 23: 286 NEXT :rem 23: 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6: 31Ø IFX=2THEN5ØØ :rem 17: 32Ø IFX=1THEN6ØØ :rem 17:	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,23:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1706Ø PRINT (CLR) (10 DOWN) (8 RIGHT) LOADING MACHINE LANGUAGE":I=49152:CK=Ø
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,29:POKEV,49:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,49:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1T01ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T036Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT*{CLR}{1000000000000000000000000000000000000
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 190 RP=INT(RND(0)*4)+1 200 IFRP=1THENANS=A:A\$=" ?" :rem 3! 210 IFRP=2THENANS=B:B\$=" ?" :rem 3! 220 IFRP>2THENANS=C:C\$=" ?" :rem 3! 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250*	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,29:POKEV,49:POKEV+4,33:FORI=1 1TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1TO6ØØ:NEXT:POKEV+4,32 :rem 88 100Ø PRINT"{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=0 :rem 232 1010 READ A:IF A=256 THEN 103Ø :rem 246 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 :rem 65 1030 IFCK<>80338THENPRINT"ERROR IN DATA": STOP :rem 28 1040 RETURN :rem 165 1050 DATA 174,63,3,172,62,3 :rem 41
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 190 RP=INT(RND(0)*4)+1 200 IFRP=1THENANS=A:A\$=" ?" :rem 3! 210 IFRP=2THENANS=B:B\$=" ?" :rem 3! 220 IFRP>2THENANS=C:C\$=" ?" :rem 3! 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250*	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,29:POKEV,49:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1T01ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT*{CLR}{1000000000000000000000000000000000000
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 190 RP=INT(RND(0)*4)+1 200 IFRP=1THENANS=A:A\$=" ?" :rem 3! 210 IFRP=2THENANS=B:B\$=" ?" :rem 3! 220 IFRP>2THENANS=C:C\$=" ?" :rem 3! 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250*	960 POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1T0900:NEXT:POKEV+4,32 :rem 130 970 POKEV+1,25:POKEV,30:POKEV+4,33:FORI= 1T0400:NEXT:POKEV+4,32 :rem 73 980 POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1T0100:NEXT:POKEV+4,32 :rem 124 990 POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1T0100:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI= 1T0100:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0700:NEXT:POKEV+4,32 :rem 82 996 FORI=1T0100:NEXT :rem 243 998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0360:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0360:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,3:POKEV+4,32 :rem 88 17060:NEXT:POKEV+4,32 :rem 88 1800 PRINT*{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:I=49152:CK=0 1800 PRINT*{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:I=49152:CK=0 1800 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 1800 POKE I,
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 190 RP=INT(RND(0)*4)+1 200 IFRP=1THENANS=A:A\$=" ?" :rem 3! 210 IFRP=2THENANS=B:B\$=" ?" :rem 3! 220 IFRP>2THENANS=C:C\$=" ?" :rem 3! 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250*	960 POKEV+1,33:POKEV+4,32 :rem 130 970 POKEV+1,25:POKEV+4,32 :rem 130 970 POKEV+1,25:POKEV+4,32 :rem 73 980 POKEV+1,33:POKEV+4,32 :rem 73 980 POKEV+1,33:POKEV+4,32 :rem 124 990 POKEV+1,33:POKEV+4,32 :rem 124 990 POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1T0100:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI= 1T0100:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0700:NEXT:POKEV+4,32 :rem 82 996 FORI=1T0100:NEXT :rem 243 998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0706:NEXT:POKEV+4,32 :rem 82 998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 T0360:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT*{CLR}{10 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:I=49152:CK=0 1010 READ A:IF A=256 THEN 1030 :rem 246 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 1030 IFCK<>80338THENPRINT*ERROR IN DATA*: 1040 RETURN :rem 165 1050 DATA 174,63,3,172,62,3 :rem 41 1060 DATA 24,32,240,255,169,32 :rem 191 1070 DATA 32,210,255,174,61,3 :rem 136
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256*	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1T09ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T04ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 T01ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1T01ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T036Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 100Ø PRINT*{CLR}{1Ø DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:I=49152:CK=Ø
180 A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 190 RP=INT(RND(0)*4)+1 200 IFRP=1THENANS=A:A\$=" ?" :rem 3! 210 IFRP=2THENANS=B:B\$=" ?" :rem 3! 220 IFRP>2THENANS=C:C\$=" ?" :rem 3! 230 PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250*	96Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI= 1T09ØØ:NEXT:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T04ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV,135:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI=1 1T01ØØ:NEXT:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 T01ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T07ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1T01ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,3Ø:POKEV+4,33:FORI=1 T036Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 100Ø PRINT*{CLR}{1Ø DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE*:I=49152:CK=Ø
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256* :rem 18! 24Ø PRINTA\$" X"B\$" ="C\$:rem 11. 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9. 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4. 265 DEL=INT((ANS/1Ø)+1) :rem 10. 27Ø DT=INT(RND(Ø)*5)+1 :rem 20. 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT* AB(I*5)CH(I);:NEXT :rem 13. 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 29Ø SYS49195 :rem 22. 286 NEXT :rem 23. 286 NEXT :rem 23. 286 NEXT :rem 24. 29Ø SYS49195 :rem 16. 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6. 31Ø IFX=2THEN5ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THENB=1Ø :rem 24. 32Ø IFW=2THENB=5 :rem 22. 32Ø IFW=2THENB=5 :rem 24. 32Ø IFW=2THENB=5 :rem 26. 32Ø IFW=2THENB=10 :rem 26. 32	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 128 99Ø POKEV+1,29:POKEV+4,32 :rem 128 992 POKEV+1,28:POKEV+4,32 :rem 87 994 POKEV+1,28:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV+4,32 :rem 87 996 FORI=1TO1ØØ:NEXT :rem 243 997 POKEV+1,25:POKEV+4,32 :rem 88 998 POKEV+1,25:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT"{CLR}{100 DOWN}{8 RIGHT}LOADING MACHINE LANGUAGE":1=49152:CK=0 :rem 232 1010 READ A:IF A=256 THEN 1030 :rem 246 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 1010 :rem 65 1030 IFCK<>80338THENPRINT"ERROR IN DATA": STOP :rem 28 1040 RETURN :rem 165 1050 DATA 174,63,3,172,62,3 :rem 191 1070 DATA 32,210,255,169,32 :rem 191 1070 DATA 32,210,255,174,61,3 :rem 136 1080 DATA 172,60,3,24,32,240 :rem 83 1090 DATA 255,169,209,32,210,255 :rem 43
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO250" :rem 18. 24Ø PRINTA\$" X"B\$" ="C\$:rem 11. 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9! 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4! 265 DEL=INT((ANS/1Ø)+1) :rem 10. 27Ø DT=INT(RND(Ø)*5)+1 :rem 2Ø! 275 PRINT"{HOME}{21 DOWN}{YEL}" :rem 13. 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT" AB(I*5)CH(I);:NEXT :rem 13. 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 :rem 23 286 NEXT :rem 22 29Ø SYS49195 :rem 26 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6. 31Ø IFX=2THEN5ØØ :rem 17. 50Ø W=PEEK(833):IFW=ØTHENB=25 :rem 26. 50Ø W=PEEK(833):IFW=ØTHENB=25 :rem 26. 51Ø IFW=1THENB=1Ø :rem 17. 52Ø IFW=2THENB=5 :rem 26. 52Ø IFW=2THENB=10 :rem 16. 52Ø IFW=2THENB=10 :rem 16. 52Ø IFW=2THENB=10 :rem 16.	96Ø POKEV+1,33:POKEV+1,35:POKEV+4,33:FORI= 1TO9ØØ:NEXT:POKEV+32 :rem 13Ø 97Ø POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,223:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV,49:POKEV+4,33:FORI= 1TO1ØØ:NEXT:POKEV+4,32 :rem 87 992 POKEV+1,28:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 100Ø PRINT** CLR}**{10 DOWN}**{10 RIGHT}*** LOGØO:NEXT:POKEV+4,32:RETURN:rem 165 100Ø PRINT** CLR}**{10 DOWN}**{10 DOWN}*** 100 PRINT** CLR}**{10 DOWN}*** 100 DATA 174,63,3,172,62,3 :rem 246 100 DATA 174,63,3,172,62,3 :rem 191 100 DATA 172,60,3,24,32,240 :rem 83 100 DATA 173,61,3,141,63,3 :rem 31
18Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 19Ø RP=INT(RND(Ø)*4)+1 20Ø IFRP=1THENANS=A:A\$=" ?" :rem 3! 21Ø IFRP=2THENANS=B:B\$=" ?" :rem 3! 22Ø IFRP>2THENANS=C:C\$=" ?" :rem 3! 23Ø PRINT"{HOME}{4 DOWN}{15 RIGHT}{PUR}" :IFH=9THENPRINTA\$" +"B\$" ="C\$:GOTO256* :rem 18! 24Ø PRINTA\$" X"B\$" ="C\$:rem 11. 25Ø IFANS>9ØTHENDEL=1Ø:GOTO27Ø :rem 9. 26Ø IFANS>2ØTHENDEL=5:GOTO27Ø :rem 4. 265 DEL=INT((ANS/1Ø)+1) :rem 10. 27Ø DT=INT(RND(Ø)*5)+1 :rem 20. 28Ø FORI=1TO5:CH(I)=ANS+(I-DT)*DEL:PRINT* AB(I*5)CH(I);:NEXT :rem 13. 285 FORI=1TO5:IFCH(I)=ANSTHENPOKE9Ø1,I-1 29Ø SYS49195 :rem 22. 286 NEXT :rem 23. 286 NEXT :rem 23. 286 NEXT :rem 24. 29Ø SYS49195 :rem 16. 30Ø X=PEEK(9ØØ):SH=SH+1 :rem 6. 31Ø IFX=2THEN5ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THEN6ØØ :rem 17. 32Ø IFX=1THENB=1Ø :rem 24. 32Ø IFW=2THENB=5 :rem 22. 32Ø IFW=2THENB=5 :rem 24. 32Ø IFW=2THENB=5 :rem 26. 32Ø IFW=2THENB=10 :rem 26. 32	96Ø POKEV+1,33:POKEV+4,32 :rem 13Ø 97Ø POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO4ØØ:NEXT:POKEV+4,32 :rem 73 98Ø POKEV+1,25:POKEV+4,32 :rem 73 98Ø POKEV+1,33:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,29:POKEV+4,32 :rem 124 99Ø POKEV+1,28:POKEV+4,32 :rem 124 99Ø POKEV+1,28:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,49:POKEV+4,33:FORI=1 TO1ØØ:NEXT:POKEV+4,32 :rem 87 994 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO7ØØ:NEXT:POKEV+4,32 :rem 82 996 FORI=1TO1ØØ:NEXT :rem 243 998 POKEV+1,25:POKEV,30:POKEV+4,33:FORI=1 TO36Ø:NEXT:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 999 POKEV+1,33:POKEV+4,32 :rem 88 1000 PRINT"{CLR}{IØ DOWN}{R RIGHT}LOADING MACHINE LANGUAGE":I=49152:CK=Ø 1010 READ A:IF A=256 THEN 103Ø :rem 246 1020 POKE I,A:CK=CK+A:I=I+1:GOTO 101Ø :rem 65 1030 IFCK<>80338THENPRINT"ERROR IN DATA": STOP :rem 28 1040 RETURN :rem 165 1050 DATA 174,63,3,172,62,3 :rem 191 1060 DATA 24,32,240,255,169,32 :rem 191 1070 DATA 32,210,255,174,61,3 :rem 36 1080 DATA 172,60,3,24,32,240 :rem 83 1090 DATA 255,169,209,32,210,255 :rem 43 1090 DATA 173,61,3,141,63,3 :rem 31

Notes On The Commodore 64, TI, Apple, And IBM PC/PCjr Versions

Instructions for all these versions are included within the programs themselves. The 64 version (Program 4) requires a joystick in port 2. The TI-99/4A version (Program 5) requires Extended BASIC and may be played with either a joystick or the keyboard. The Apple version (Program 6) requires a paddle controller. The IBM PC/PCjr version (Program 7) is controlled from the keyboard.

```
:rem 239
                                              1800 DATA 212,169,129,141,4,212
                                              1810 DATA 169,10,141,76,3,173
                                                                                :rem 146
                                              1820 DATA 70,3,201,1,240,5
                                                                                :rem 234
                                   :rem 149
1120 DATA 96,32,106,194,169,2
                                                                                 :rem 55
                                              1830 DATA 169,5,141,71,3,96
1130 DATA 141,64,3,169,0,141
                                    :rem 84
                                              1840 DATA 174,77,3,160,0,136
                                                                                 :rem 97
                                    :rem 45
1140 DATA 65,3,169,1,141,66
                                              1850 DATA 208,253,202,208,250,96
                                                                                  :rem 44
                                    :rem 87
1150 DATA 3,169,100,141,67,3
                                                                                :rem 143
                                              1860 DATA 173,30,208,141,72,3
                                     :rem Ø
1160 DATA 169,250,141,248,7,169
                                                                                 :rem 42
                                              1870 DATA 41,1,141,73,3,173
                                   :rem 252
1170 DATA 251,141,249,7,169,252
                                              1880 DATA 72,3,41,2,74,141
                                                                                :rem 251
1180 DATA 141,250,7,169,7,141
                                   :rem 145
                                              1890 DATA 74,3,173,72,3,41
                                                                                  :rem 2
                                   :rem 150
 1190 DATA 21,208,169,6,141,39
                                              1900 DATA 4,74,74,141,75,3
                                                                                :rem 255
                                   :rem 191
 1200 DATA 208,169,8,141,40,208
                                              1910 DATA 173,73,3,45,74,3
                                                                                  :rem Ø
 1210 DATA 169,15,141,41,208,169
                                   :rem 245
                                                                                  :rem 36
                                              1920 DATA 201,1,208,3,76,31
                                    :rem 82
1220 DATA 0,141,23,208,169,2
                                                                                :rem 111
                                              1930 DATA 194,173,74,3,45,75
                                    :rem 41
1230 DATA 141,29,208,169,255,141
                                              1940 DATA 3,201,1,208,3,76
                                                                                :rem 245
1240 DATA 27,208,141,68,3,169
                                   :rem 151
                                                                                   :rem 9
                                              1950 DATA 52,194,96,169,253,141
1250 DATA 0,141,70,3,173,30
                                    :rem 28
                                              1960 DATA 248,7,169,1,141,21
                                                                                :rem 101
1260 DATA 208, 169, 0, 162, 24, 157
                                   :rem 197
                                              1970 DATA 208,169,1,141,132,3
                                                                                :rem 145
1270 DATA 0,212,202,224,255,208
                                   :rem 231
                                              1980 DATA 169,0,141,68,3,96
                                                                                  :rem 62
 1280 DATA 248, 169, 15, 141, 24, 212
                                   :rem 246
                                              1990 DATA 173,133,3,205,71,3
                                                                                  :rem 96
1290 DATA 173,61,3,201,21,208
                                   :rem 135
                                                                                  :rem 40
                                              2000 DATA 208,16,169,253,141,249
 1300 DATA 8,169,15,141,77,3
                                    :rem 47
                                              2010 DATA 7,169,2,141,132,3
                                                                                  :rem 33
1310 DATA 76,164,192,169,22,141
                                   :rem 249
                                              2020 DATA 169,0,141,68,3,96
                                                                                  :rem 48
1320 DATA 77,3,32,227,192,32
                                    :rem 94
                                              2030 DATA 169,1,141,40,208,96
                                                                                :rem 143
1330 DATA 54,193,32,160,193,32
                                   :rem 193
                                              2040 DATA 70,70,70,70,110,110
                                                                                :rem 124
 1340 DATA 230,193,32,218,193,173
                                    :rem 40
                                              2050 DATA 110,110,150,150,150,150 :rem 57
1350 DATA 68,3,208,236,169,17
                                   :rem 157
                                              2060 DATA 190,190,190,190,230,230
                                                                                 :rem 80
1360 DATA 141,5,212,141,6,212
                                   :rem 129
                                              2070 DATA 230,230,100,133,167,200
                                                                                 :rem 65
1370 DATA 169,129,141,4,212,169
                                   :rem 252
                                              2080 DATA 162,0,189,118,194,157
                                                                                   :rem Ø
 1380 DATA 1,141,1,212,169,30
                                    :rem 82
                                              2090 DATA 128,62,232,208,247,96
                                                                                   :rem 1
1390 DATA 141,76,3,32,218,193
                                   :rem 150
                                              2100 DATA 0,0,0,0,0,0
                                                                                 :rem 217
 1400 DATA 206,76,3,208,248,169
                                   :rem 203
                                              2110 DATA 0,24,0,0,24,0
                                                                                  :rem 70
1410 DATA 0,170,157,0,212,232
                                   :rem 125
                                              2120 DATA 0,24,0,0,24,0
                                                                                  :rem 71
                                   :rem 255
1420 DATA 224,25,208,248,96,174
                                              2130 DATA 0,24,0,0,24,0
                                                                                  :rem 72
1430 DATA 64,3,189,82,194,141
                                   :rem 155
                                              2140 DATA 0,24,0,0,24,0
                                                                                  :rem 73
1440 DATA 0,208,169,200,141,1
                                   :rem 130
                                              2150 DATA 0,60,0,0,60,0
                                                                                  :rem 74
                                    :rem 93
1450 DATA 208,173,67,3,141,2
                                                                                  :rem 75
                                              2160 DATA 0,60,0,0,60,0
 1460 DATA 208,173,66,3,10,141
                                   :rem 140
                                              2170 DATA 1,255,128,15,255,240
                                                                                 :rem 192
.1470 DATA 16,208,174,65,3,189
                                   :rem 159
                                              2180 DATA 127,255,254,127,0,254
                                                                                :rem 247
1480 DATA 102,194,141,3,208,173
                                   :rem 242
                                              2190 DATA 112,0,14,96,0,6
                                                                                :rem 192
 1490 DATA 70,3,201,1,240,14
                                    :rem 29
                                              2200 DATA 96,0,6,192,0,0
                                                                                :rem 139
 1500 DATA 174,64,3,189,82,194
                                   :rem 159
                                              2210 DATA 0,0,0,0,0,0
                                                                                :rem 219
1510 DATA 141,4,208,169,200,141
                                   :rem 233
                                              2220 DATA 0,0,0,0,0,0
                                                                                :rem 220
 1520 DATA 5,208,173,76,3,240
                                    :rem 94
                                              2230 DATA 0,0,255,0,1,255
                                                                                :rem 182
1530 DATA 20,206,76,3,173,76
                                    :rem 97
                                              2240 DATA 128,7,255,224,31,255
                                                                                :rem 196
1540 DATA 3,10,10,141,1,212
                                    :rem 17
                                              2250 DATA 248,255,255,255,255;rem 105
1550 DATA 201,0,208,5,169,128
                                   :rem 142
                                              2260 DATA 255,255,255,255,255;rem 104
 1560 DATA 141,4,212,96,173,67
                                   :rem 152
                                              2270 DATA 255,31,255,248,7,255
                                                                                :rem 206
1570 DATA 3,208,3,206,66,3
                                   :rem 250
                                              2280 DATA 224,1,255,128,0,255
                                                                                :rem 142
 1580 DATA 206,67,3,173,66,3
                                    :rem 54
                                              2290 DATA 0,0,0,0,0,0
                                                                                :rem 227
 1590 DATA 24,109,67,3,201,0
                                    :rem 40
                                              2300 DATA 0,0,0,0,0
                                                                                :rem 219
1600 DATA 208,23,238,65,3,169
                                   :rem 151
                                              2310 DATA 0,164,0,24,0,0
                                                                                :rem 125
```

1610 DATA 1,141,66,3,169,80

1630 DATA 70,3,169,8,141,40

1650 DATA 3,41,8,240,18,173

1660 DATA 69,3,41,4,208,21

1620 DATA 141,67,3,169,0,141

1640 DATA 208, 173, 0, 220, 141, 69

1670 DATA 173,64,3,240,16,206

168Ø DATA 64,3,76,137,193,173

1690 DATA 64,3,201,16,240,3

1700 DATA 238,64,3,173,70,3

1710 DATA 201,1,208,15,206,5

1730 DATA 208,5,169,2,141,70

1750 DATA 16,201,0,208,36,173

1760 DATA 70,3,208,31,169,1

1770 DATA 141,70,3,173,64,3 1780 DATA 74,74,141,71,3,169

1790 DATA 17,141,5,212,141,6

1740 DATA 3,96,173,69,3,41

1720 DATA 208,173,5,208,201,30

:rem 44

:rem 91

:rem 44

:rem 44

:rem 191

:rem 251

:rem 145

:rem 162

:rem 38

:rem 45 :rem 80

:rem 186

:rem 139

:rem 45

:rem 45

:rem 109

:rem 91

:rem 95

:rem 6

2320 DATA 24,0,0,0,0,0 :rem 19	290	RANDOMIZE :: YØ=4 :: PF=5 :: A=
2330 DATA 0,0,0,0,0,0 :rem 222		INT(RND*4+1)+4*(LEVEL-1):: B=IN
2340 DATA 0,0,0,0,0,0 :rem 223		
2250 Dama d d d d d d	and the same of th	T(RND*4*LEVEL+ 1)
2350 DATA 0,0,0,0,0,0 :rem 224	300	IF MENU=1 THEN C=A+B ELSE C=A*B
2360 DATA 0,0,0,0,0,0 :rem 225	310	A\$=STR\$(A):: B\$=STR\$(B):: C\$=ST
2370 DATA 0,0,0,0,0,0 :rem 226		R\$(C)
2380 DATA 0,0,0,0,0,0 :rem 227	700	
2200 DATA 0,0,0,0,0		RANDOMIZE :: RP=INT(RND*4)+1
2390 DATA 0,0,0,0,0,0 :rem 228	330	IF RP=1 THEN ANS=A :: A\$=CHR\$(6
2400 DATA 0,0,0,0,0,0 :rem 220		3)
2410 DATA 0,0,0,0,0,247 :rem 74	310	
2420 DATA 0,0,0,0,32,0 :rem 19	340	IF RP=2 THEN ANS=B :: B\$=CHR\$(6
		3)
2430 DATA 40,128,64,0,136,0 :rem 34	350	IF (RP=3)+(RP=4) THEN ANS=C :: C
2440 DATA 2,2,0,130,33,128 :rem 233		\$=CHR\$(63)
2450 DATA 2,18,196,16,168,0 :rem 50	710	
0460 0101 10 11 0 1 160 0	200	CALL CLEAR :: CALL SCREEN(15)
2460 DATA 1/,11,0,1,169,0 :rem 189	370	D\$=" + " :: IF MENU=2 THEN D\$="
2470 DATA 1,45,72,17,146,8 :rem 1		z "
2480 DATA 0,136,144,0,8,8 :rem 199	300	
2490 DATA 8,120,0,2,24,128 :rem 243	309	DISPLAY AT (4, 10): A\$; D\$; B\$; " = "
2500 DATA 16,8,16,0,0,32 :rem 136		;C\$
2510 DATA 10,0,10,0,0,52 : 10m 136	390	FOR I=1 TO NP :: CALL HCHAR(1, I
2510 DATA 2,3,0,1,32,0 :rem 25		*2+1,112):: NEXT I
2520 DATA 0,0,0,193,256 :rem 93	100	
The second secon	400	DISPLAY AT(1,17): "SCORE: "; SC ::
Program 5: TI-99/4A Missile Math		PB=PB+1
	410	IF ANS>9Ø THEN DEL=1Ø :: GOTO 4
90 REM EXTENDED BASIC REQUIRED		40
100 DIM NOTE(14), DUR(14):: GOSUB 99		
Ø :: GOTO 15Ø	420	IF ANS>2Ø THEN DEL=5 :: GOTO 44
		Ø
110 CALL KEY(Ø,K,ST):: CALL KEY(1,K	430	DEL=INT((ANS/1Ø)+1)
K,S):: IF ST=Ø THEN CALL JOYST (AAG	
1, X, Y) ELSE X=(K=83) - (K=68):: Y=		RANDOMIZE :: DT=INT(RND*5)+1
(K=69)-(K=88)	450	X1=256 :: X2=1
	460	FOR I=1 TO 5 :: CH(I)=ANS+(I-DT
12Ø RETURN) *DEL :: LOK(I) = 5 * I - 1 :: DISPLA
130 FOR I=1 TO L :: B\$=SEG\$(E\$,1,I)		
:: DISPLAY AT(Y, X-I):B\$:: CALL		Y AT(24,LOK(I)):STR\$(CH(I));::
		NEXT I
SOUND (-10, -6, 4):: NEXT I :: RETURN	470	CALL SPRITE(#2,96,6,150,LOK(PF)
140 FOR I=1 TO 14 :: CALL SOUND (DUR		*8+4)
(I),NOTE(I),3):: NEXT I :: RETU	100	
RN	489	SHT=Ø :: SP=14 :: FOR XØ=X1 TO
AEG EL BUSEAU DE CONTRACTOR DE		
15Ø E\$="MISSILE MATH"		X2 STEP -DX :: CALL SPRITE(#1,1
150 E\$="MISSILE MATH" 160 CALL CLEAR	100	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP
160 CALL CLEAR	490	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB
160 CALL CLEAR 170 CALL SCREEN(5)	490	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1	490	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF
160 CALL CLEAR 170 CALL SCREEN(5)	490	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(#
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T		X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 ::		X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ):: SP=24-SP CALL SOUND(-10, 2000, 3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T		X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12		X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T		X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-1Ø,2ØØØ,3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø,LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=1B)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2	500	X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ):: SP=24-SP CALL SOUND(-1Ø, 2ØØØ, 3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø, LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=1B)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ, -6,3):: GUN=1 :: SHT=1
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DIS	500	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I	500	X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ):: SP=24-SP CALL SOUND(-1Ø, 2ØØØ, 3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø, LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=1B)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ, -6,3):: GUN=1 :: SHT=1
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I	500	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3)::	500 510	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3)
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3)::	500 510	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF CT
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "P	500 510	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3)
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": ::	500 510 520	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF CT
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UF	500 510 520 530	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-1Ø,2ØØØ,3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø,LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 73Ø IF HIT=1 THEN XØ=X2
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": ::	500 510 520 530	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-1Ø,2ØØØ,3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø,LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 73Ø IF HIT=1 THEN XØ=X2 NEXT XØ :: IF HIT=1 THEN HIT=Ø
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": :	500 510 520 530	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACE	500 510 520 530	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-1Ø,2ØØØ,3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø,LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 73Ø IF HIT=1 THEN XØ=X2 NEXT XØ :: IF HIT=1 THEN HIT=Ø
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREF	500 510 520 530 540	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "S	500 510 520 530 540	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$, I, 12):: DISPLAY AT(12, 1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREF	500 510 520 530 540	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": ::	500 510 520 530 540	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": ::	500 510 520 530 540	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(PF)*8+4,-20,0):: CALL SOUND(200,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<10)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE(#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: :: 240 PRINT "FIRE OR <enter> TO START.": :: ::</enter>	500 510 520 530 540 550	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL)=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 70 CALL DELSPRITE(#1,#3):: GOTO 29
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: :: :: :: :: :: :: :: :: :: :: :	500 510 520 530 540 550	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL)=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 70 CALL DELSPRITE(#1,#3):: GOTO 29 0
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: :: 240 PRINT "FIRE OR <enter> TO START.": :: ::</enter>	500 510 520 530 540 550 560 570	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 0 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250	500 510 520 530 540 550 560 570	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL)=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 70 CALL DELSPRITE(#1,#3):: GOTO 29 0
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250 260 LEVEL=1 :: SC, HIT, GUN=0 :: NP=3	500 510 520 530 540 550 560 570	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 70 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250 260 LEVEL=1 :: SC, HIT, GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(500 510 520 530 540 550 560 570 580	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1):: GOTO 480
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250 260 LEVEL=1 :: SC, HIT, GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(3)=5 :: SPR=136	500 510 520 530 540 550 560 570 580	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 0 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1):: GOTO 480 FOR X0=X1 TO X2 STEP -DX :: CAL
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO":: 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250 260 LEVEL=1 :: SC, HIT, GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(500 510 520 530 540 550 560 570 580 590	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 0 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1):: GOTO 480 FOR X0=X1 TO X2 STEP -DX :: CALL LOCATE(#1,150,X0)
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12, 25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK(>18)*(K(>13)) THEN 250 260 LEVEL=1 :: SC,HIT,GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(3)=5 :: SPR=136 270 CALL CLEAR :: CALL SCREEN(11)::	500 510 520 530 540 550 560 570 580 590	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 0 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1):: GOTO 480 FOR X0=X1 TO X2 STEP -DX :: CALL LOCATE(#1,150,X0)
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "BE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR <enter> TO START.": :: :: 250 GOSUB 110 :: IF (KK<>18) * (K<>13) THEN 250 260 LEVEL=1 :: SC,HIT,GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(3)=5 :: SPR=136 270 CALL CLEAR :: CALL SCREEN(11):: DISPLAY AT(12,7): "ENTERING LEV</enter>	500 510 520 530 540 550 560 570 580 590	X2 STEP -DX :: CALL SPRITE(#1,1 28,SP,YØ*8,XØ):: SP=24-SP CALL SOUND(-10,2000,3):: GOSUB 110 :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=0)*5 :: CALL LOCATE(# 2,150,LOK(PF)*8+4):: GOSUB 110 IF ((KK=18)+(K=32))*(SHT=0)THEN CALL SPRITE(#3,124,2,150,LOK(P F)*8+4,-20,0):: CALL SOUND(200, -6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (D R<10)+(DR>192)THEN CALL DELSPRI TE(#3) CALL COINC(#1,#3,15,C):: IF C T HEN GOSUB 730 IF HIT=1 THEN X0=X2 NEXT X0 :: IF HIT=1 THEN HIT=0 :: GOTO 550 ELSE CALL DELSPRITE (#3):: GUN=0 :: GOTO 570 IF (SCL>=50)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 70 CALL DELSPRITE(#1,#3):: GOTO 29 0 Y0=Y0+4 IF Y0<13 THEN CALL DELSPRITE(#1) :: GOTO 480 FOR X0=X1 TO X2 STEP -DX :: CAL L LOCATE(#1,150,X0) CALL COINC(#1,#2,10,C):: IF C T
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": PRINT "SECAREFUL NOT TO WASTE":	500 510 520 530 540 550 560 570 580 590 600	X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ):: SP=24-SP CALL SOUND(-1Ø, 2ØØØ, 3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø, LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 73Ø IF HIT=1 THEN XØ=X2 NEXT XØ :: IF HIT=1 THEN HIT=Ø :: GOTO 55Ø ELSE CALL DELSPRITE(#3):: GUN=Ø :: GOTO 57Ø IF (SCL>=5Ø)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 7Ø CALL DELSPRITE(#1,#3):: GOTO 29 Ø YØ=YØ+4 IF YØ<13 THEN CALL DELSPRITE(#1):: GOTO 48Ø FOR XØ=X1 TO X2 STEP -DX :: CALL LOCATE(#1,15Ø,XØ) CALL COINC(#1,#2,1Ø,C):: IF C THEN CALL DELSPRITE(#2):: XØ=X2
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12 ,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": 230 PRINT "WITH FIREBUTTON OR SPACE BAR.": :: :: PRINT "SE CAREFUL NOT TO WASTE": :: PRINT "SHOTS.": :: 240 PRINT "FIRE OR (ENTER) TO START.": :: :: 250 GOSUB 110 :: IF (KK<>18) *(K<>13) THEN 250 260 LEVEL=1 :: SC, HIT, GUN=0 :: NP=3 :: PT(1)=25 :: PT(2)=10 :: PT(3)=5 :: SPR=136 270 CALL CLEAR :: CALL SCREEN(11):: DISPLAY AT(12,7): "ENTERING LEVEL"; LEVEL :: GOSUB 140 :: FOR TET TO 1000 :: NEXT T	500 510 520 530 540 550 560 570 580 590 600 610	X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ):: SP=24-SP CALL SOUND(-1Ø, 2ØØØ, 3):: GOSUB 11Ø :: PF=PF+SGN(X):: PF=PF+(PF =6)*5-(PF=Ø)*5 :: CALL LOCATE(# 2,15Ø, LOK(PF)*8+4):: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø,LOK(PF)*8+4,-2Ø,Ø):: CALL SOUND(2ØØ,-6,3):: GUN=1 :: SHT=1 CALL POSITION(#3,DR,DC):: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1,#3,15,C):: IF C THEN GOSUB 73Ø IF HIT=1 THEN XØ=X2 NEXT XØ :: IF HIT=1 THEN HIT=Ø :: GOTO 55Ø ELSE CALL DELSPRITE(#3):: GUN=Ø :: GOTO 57Ø IF (SCL>=5Ø)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL):: GOTO 2 7Ø CALL DELSPRITE(#1,#3):: GOTO 29 Ø YØ=YØ+4 IF YØ<13 THEN CALL DELSPRITE(#1) :: GOTO 48Ø FOR XØ=X1 TO X2 STEP -DX :: CALL LOCATE(#1,15Ø,XØ) CALL COINC(#1,#2,1Ø,C):: IF C THEN CALL DELSPRITE(#2)
160 CALL CLEAR 170 CALL SCREEN(5) 180 Y=12 :: X=25 :: L=16 :: GOSUB 1 30 :: FOR T=1 TO 100 :: NEXT T 190 GOSUB 140 :: FOR T=1 TO 300 :: NEXT T 200 FOR I=16 TO 24 :: DISPLAY AT(12,25-I):B\$:: NEXT I :: FOR I=2 TO 13 :: B\$=SEG\$(E\$,I,12):: DISPLAY AT(12,1):B\$:: NEXT I 210 GOSUB 840 220 CALL CLEAR :: CALL SCREEN(3):: PRINT "TO PLAY:": :: PRINT "POSITION GUN OVER CORRECT": :: PRINT "ANSWER AND SHOOT THE UFO": 230 PRINT "WITH FIREBUTTON OR SPACEBAR.": :: :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": :: PRINT "SECAREFUL NOT TO WASTE": PRINT "SECAREFUL NOT TO WASTE":	500 510 520 530 540 550 560 570 580 590 600 610	X2 STEP -DX :: CALL SPRITE(#1,1 28, SP, YØ*8, XØ) :: SP=24-SP CALL SOUND(-1Ø, 2ØØØ, 3) :: GOSUB 11Ø :: PF=PF+SGN(X) :: PF=PF+(PF =6) *5-(PF=Ø) *5 :: CALL LOCATE(# 2,15Ø, LOK(PF) *8+4) :: GOSUB 11Ø IF ((KK=18)+(K=32))*(SHT=Ø)THEN CALL SPRITE(#3,124,2,15Ø, LOK(PF) *8+4,-2Ø,Ø) :: CALL SOUND(2ØØ,-6,3) :: GUN=1 :: SHT=1 CALL POSITION(#3, DR, DC) :: IF (DR<1Ø)+(DR>192)THEN CALL DELSPRITE(#3) CALL COINC(#1, #3,15,C) :: IF C THEN GOSUB 73Ø IF HIT=1 THEN XØ=X2 NEXT XØ :: IF HIT=1 THEN HIT=Ø :: GOTO 55Ø ELSE CALL DELSPRITE(#3) :: GUN=Ø :: GOTO 57Ø IF (SCL>=5Ø)THEN LEVEL=LEVEL+1 :: CALL DELSPRITE(ALL) :: GOTO 27Ø CALL DELSPRITE(#1, #3) :: GOTO 29 Ø YØ=YØ+4 IF YØ<13 THEN CALL DELSPRITE(#1):: GOTO 48Ø FOR XØ=X1 TO X2 STEP -DX :: CALL LOCATE(#1,15Ø,XØ) CALL COINC(#1,#2,1Ø,C) :: IF C THEN CALL DELSPRITE(#2):: XØ=X2

- -SPR :: CALL SPRITE(#1, SPR, I+1, 15Ø.LOK(PF) *8+4):: CALL SCREEN (I):: CALL SOUND (-1 Ø+I*10, -5,3) :: NEXT I
- 63Ø CALL DELSPRITE(#1)
- 64Ø CALL HCHAR(1, NP*2+1, 42):: FOR I =1 TO 3Ø STEP 3 :: FOR T=1 TO 3 Ø :: NEXT T :: CALL SOUND(10,22 Ø, I):: NEXT I :: CALL HCHAR(1, N P*2+1,32)
- 65Ø NP=NP-1 :: FOR T=1 TO 5 :: DISP LAY AT (24, LOK (DT)): "(3 SPACES)" ;:: CALL SOUND (30, 220, 3):: CALL SOUND (40,440,3):: DISPLAY AT (2 4, LOK (DT) -1): ANS;
- 66Ø CALL SOUND (3Ø, 22Ø, 3):: NEXT T 67Ø E\$="KEEP TRYING !" :: X=25 :: Y =12 :: L=16 :: GOSUB 13Ø
- 68Ø E\$="I KNOW YOU CAN DO IT !" X=26 :: L=22 :: Y=14 :: GOSUB 1 30
- 69Ø GOSUB 14Ø :: IF NP=Ø THEN 7ØØ E LSE 29Ø
- 700 DISPLAY AT(16,6): "FINAL SCORE " ;SC :: DISPLAY AT(18,9): "PLAY A GAIN?" :: DISPLAY AT (20,4):"(<F IRE> OR PRESS 'Y')"
- 71Ø GOSUB 11Ø :: IF (KK<>18) * (K<>89) THEN 7,10 ELSE 210
- 72Ø REM CHECK COLLISION
- 73Ø IF ANS=CH(PF) THEN CALL DELSPRIT E(#3):: GOSUB 770 :: HIT=1 :: G OTO 75Ø
- 74Ø CALL COLOR(#1,2):: CALL SOUND(1 ØØ,147,4,587,4,294,4,-1,3):: CA LL COLOR(#1,14)
- 75Ø GUN=Ø :: RETURN
- 76Ø REM DIRECT HIT
- 77Ø FOR I=1Ø TO 3Ø STEP 5 :: SPR=27 6-SPR :: CALL SCREEN(I/10+8):: CALL SOUND (-100, -6, I):: CALL SPRITE(#1, SPR, 2+1/4, YØ*8, XØ):: NEXT I
- 780 CALL SCREEN(15):: I=Y0/4 :: SC= SC+PT(I):: SCL=SCL+PT(I):: DISP LAY AT(14,9):PT(I); "POINTS"
- 79Ø IF (SCL>=5Ø) * (SCL/PB>2Ø) THEN DI SPLAY AT(16,7): "50 BONUS POINTS :: SC=SC+5Ø :: GOTO 82Ø
- 800 IF (SCL>=50) * (SCL/PB>=10) THEN D ISPLAY AT(16,7): "25 BONUS POINT S" :: SC=SC+25 :: GOTO 820
- 81Ø GOTO 83Ø
- 820 FOR I=15 TO 3 STEP -1 :: CALL S 1090 RETURN CREEN(I):: NEXT I :: FOR I=3 TO 15 :: CALL SCREEN(I):: NEXT I
- 83Ø DISPLAY AT(1,23):SC;:: FOR I=1 TO 350 :: NEXT I :: CALL DELSPR 0 ITE(ALL):: RETURN
- 840 CALL CLEAR :: CALL SCREEN(14):: PRINT TAB(6); "MISSILE MATH MEN 5 U": : : :
- 850 PRINT "POSITION BALL WITH JOYST ICK/": :
- 86Ø PRINT "ARROW KEYS AND FIRE/ENTE 15 R TO": :
- 870 PRINT "SELECT GAME.": :
- 880 PRINT "TO:": ::: PRINT TAB(7); 25 "ADD &"; TAB(18); "MULTIPLY &"

- 89Ø PRINT TAB(7); "SUBTRACT"; TAB(18) ; "DIVIDE": : : :
- 900 PRINT "SLOW": : : :: PRINT "F AST": :
- 91Ø FOR J=17 TO 21 STEP 4 :: FOR CO L=11 TO 13 :: CALL VCHAR(J, COL, 120,3):: CALL VCHAR(J,COL+11,12 Ø,3):: NEXT COL :: NEXT J
- 72Ø FOR J=18 TO 22 STEP 4 :: CALL H CHAR(J, 12, 32):: CALL HCHAR(J, 23 ,32):: NEXT J
- 93Ø KHAR=122 :: PX=12 :: PY=18 :: M ENU=1 :: DX=9
- 94Ø CALL HCHAR(PY, PX, KHAR):: GOSUB 11Ø :: KHAR=154-KHAR
- 95Ø IF ((SGN(X)=Ø)*(SGN(Y)=Ø))THEN 970
- 960 CALL HCHAR(PY, PX, 32):: IF (SGN(X)<>Ø)THEN MENU=3-MENU :: PX=35 -PX ELSE PY=4Ø-PY :: DX=27-DX
- 97Ø IF (KK=18)+(K=13)THEN RETURN EL SE 940
- 980 REM DEFINE CHARS, COLORS, & MUS ICAL SCORE
- 990 CALL CHAR(120, RPT\$("F", 16), 112, "ØØØØ183C7E7E183C",122,"8142241 818244281")
- 1000 CALL CHAR(96, "00000000003030303 Ø3Ø3Ø3ØF3F3F1818"&RPT\$("Ø",22) &"CØFØFØ6Ø6Ø"):: REM BASE
- 1010 CALL CHAR (124, RPT\$ ("0", 11) & RPT \$("10",6)&RPT\$("0",51)):: REM MISSILE
- 1020 CALL CHAR(136, "0000201000000002 80051030008"&RPT\$("0",14)&"C4C ØØØACØ88"&RPT\$("Ø",12)):: REM EXPLOSION 1
- 1030 CALL CHAR(140, "00100100000000000 ØØ1ØØØØ2"&RPT\$("Ø",18)&"8ØØ4ØØ @@@@@@@2@@@@@@@@@"):: REM EXPLOSION 2
- 1040 CALL CHAR(128, "000000000000001F7 FFFE6E67F1F"&RPT\$("Ø",18)&"F8F EFF6767FEF8ØØØØØØ"):: REM UFO
- 1050 CALL MAGNIFY(4):: CALL COLOR(1 1,13,1)
- 1060 FOR I=1 TO 14 :: READ NOTE(I), DUR(I):: NEXT I :: RETURN
- 1070 DATA 392,100,392,100,392,100,5 23,900,392,100,392,100,392,100
- DATA 523, 100, 466, 100, 440, 100, 3 92,700,40000,100,392,360,523,6 ØØ

Program 6: Apple Missile Math

- HOME : VTAB 10: HTAB 14: PRINT "LOAD ING DATA"
- **GOSUB 1000**
- HOME
- VTAB 4: A\$ = "MISSILE MATH": GOSUB 9 10 00
- 11 PRINT
- VTAB 6: PRINT " USE PAD DLE O"
- 20 VTAB 8
- PRINT : PRINT " PRESS SPACE TO SELECT"

```
PRINT : PRINT "
                         PRESS RETURN
                                            500
                                                 IF X = 25 THEN B = 5
      TO START"
                                            510
                                                 IF X = 15 THEN B = 10
    VTAB 15: PRINT "
30
                        ADDITION &
                                            520
                                                 IF X = 5 THEN B = 25
        MULTIPLICATION"
                                            521
                                                 HOME
    PRINT "
40
               SUBTRACTION
                                  & DIVI
                                            525 BN = BN + B
     SION"
                                            526 SC = SC + B: VTAB 23:A$ = STR$ (B)
45 G = 0
                                                  + " POINTS": GOSUB 900
49
    VTAB 18
                                                 IF BN > = 50 THEN L = L + 1: GOTO
                                            530
50
    PRINT : PRINT "SLOW
                                                 700
                                            550
                                                 BOTO 260
60
    PRINT : PRINT "FAST
                                            600 B = B - 1
                                            601
                                                 HTAB 1: VTAB 21: PRINT "
70
    IF G = O THEN
                   VTAB 19: HTAB 9
                                                                               "::A$ =
71
    IF G = 1 THEN
                   VTAB 21: HTAB 9
                                                 "KEEP TRYING": GOSUB 900
72
    IF G = 2 THEN
                   VTAB 19: HTAB 29
                                            602
                                                 PRINT : A$ = "I KNOW YOU CAN DO IT"
73
   IF G = 3 THEN
                   VTAB 21: HTAB 29
                                                 I GOSUB 900
                                                 PRINT : A$ = "THE ANSWER WAS: ": GOSUB
74
    PRINT "#"
                                            603
    POKE - 16368,0
80
                                                 900: PRINT :A$ = STR$ (ANS): GOSUB
90 IF PEEK ( - 16384) < 128 THEN 90
                                                 900
     GET A$: IF A$ = CHR$ (13) THEN 20
                                                 FOR I = 1 TO 1000; NEXT
                                            610
                                                 IF S = 0 THEN BOO
                                            620
     IF A$ < > " " THEN BO
110
                                            630
                                                 GOTO 260
                                            700 BD = INT (BN / SH + .5)
120 G = G + 1: IF G = 4 THEN G = 0
                                            710
                                                 IF BO > = 25 THEN BO = 50: GOTO 7
130
     GOTO 49
                                                 50
200 L = 1:SC = 0:S = 3
                                            720
                                                 IF BO > = 10 THEN BO = 25: GOTO 7
    IF G = 0 OR G = 2 THEN POKE 768,1
                                                 50
     40: GOTO 210
206
                                            730
                                                 GOTO 760
     POKE 768,80
     TEXT : HOME : VTAB 7: PRINT "
                                                 VTAB 21
                                            750
210
                                            755 A$ = "BONUS: " + STR$ (BO): GOSUB
     OSITION GUN OVER CORRECT ANSWER"
220 BN = 0:B0 = 0:B = 0:SH = 0
                                                 900:SC = SC + BO
     PRINT : PRINT : PRINT
                                            760
                                                 FOR I = 1 TO 5000: NEXT : GOTO 210
       AND SHOOT UFO"
                                            800
                                                 TEXT : HOME : VTAB 5: PRINT "
     PRINT : PRINT : PRINT "
                                 BE CAR
                                                           SCORE: "SC
240
     EFUL NOT TO WASTE SHOTS"
                                                 PRINT : PRINT : HTAB 18: PRINT "GA
                                            810
250
     PRINT : PRINT : PRINT "
                                                 ME": PRINT : PRINT : HTAB 18: PRINT
      ENTERING LEVEL ":L
                                                 "OVER"
260
     FOR I = 1 TO 5000: NEXT
                                            820
                                                 VTAB 20: HTAB 5: PRINT "PRESS ANY
270
     GR : HOME : VTAB 23: HTAB 25: PRINT
                                                 KEY TO PLAY AGAIN"
     "SHIPS: ":S
                                            830
                                                 POKE - 16368,0
     HTAB 25: PRINT "SCORE: "; SC
280
                                            840
                                                IF PEEK ( - 16384) < 128 THEN 840
290 A = INT ( RND (1) * 4 + 1) + 4 * (
                                            850 GET AS: GOTO 5
     L-1)
                                            900 X = LEN (A$):A$ = A$ + " "
291 B = INT ( RND (1) * 4 * L + 1)
                                                 FOR I = 1 TO X + 19 - INT (X / 2 +
     IF G < 2 THEN C = A + B: GOTO 294
                                                 .5)
293 C = A * B
                                            920
                                                 HTAB 39 - I: PRINT MID$ (A$,1,I);
294 A$ = STR$ (A) | B$ = STR$ (B) | C$ =
                                            930
                                                 NEXT I
      STR$ (C)
                                            940 RETURN
295 RP = INT ( RND (1) * 4) + 1
                                            1000 CK = 0
     IF RP = 1 THEN ANS = A: A$ = "?"
300
                                            1010 FOR I = 24576 TO 25329; READ A:CK
     IF RP = 2 THEN ANS = B:B$ = "?"
310
                                                  = CK + A: POKE I, A: NEXT
     IF RP > 2 THEN ANS = C:C$ = "?"
320
                                                 IF CK < > 73926 THEN PRINT "ERR
                                            1020
     VTAB 23: IF G < 2 THEN PRINT A$"+
330
                                                 OR IN DATA": END
     "B$"="C$: GOTO 340
                                            1030
                                                 RETURN
     PRINT A$"X"B$"="C$
                                            1100
335
                                                DATA 76,22,96,255,160,160,232,16
340
     IF ANS > 90 THEN DL = 10: GOTO 370
     IF ANS > 20 THEN DL = 5: GOTO 370
                                            1110 DATA 201, 197, 160, 160, 176, 165, 162
350
                                                 ,160
360 DL = INT ((ANS / 10) + 1)
370 DT = INT ( RND (1) * 5) + 1
                                            1120
                                                  DATA
                                                        128, 6, 10, 14, 18, 22, 32, 46
375
     VTAB 21
                                            1130
                                                  DATA
                                                        96, 32, 86, 96, 32, 216, 97, 32
     FOR I = 1 TO 5:CH(I) = ANS + (I -
                                                        111,98,32,175,98,173,16,96
380
                                            1140
                                                  DATA
     DT) * DL: HTAB I * 4 + 4: PRINT CH
                                                        208, 239, 32, 212, 98, 96, 169, 1
                                            1150
                                                  DATA
                                                        141, 16, 96, 141, 4, 96, 169, 2
     (I); NEXT
                                            1160
                                                  DATA
385
     FOR I = 1 TO 5: IF CH(I) = ANS THEN
                                            1170
                                                  DATA
                                                        141, 5, 96, 169, 33, 141, 7, 96
                                            1180
                                                  DATA
                                                        141,8,96,169,5,141,12,96
      POKE 800, I - 1
     NEXT
                                            1190
                                                  DATA
                                                        141, 1, 3, 169, 0, 141, 13, 96
386
     CALL 24576
                                            1200
                                                  DATA
                                                        169, 9, 141, 14, 96, 96, 173, 4
390
                                            1210
                                                        96, 205, 5, 96, 240, 34, 169, 0
395 \text{ SH} = \text{SH} + 1
                                                  DATA
400 X = PEEK (769): IF X = 35 THEN 600
                                            1220
                                                  DATA
                                                        32,100,248,173,4,96,141,3
```

```
1230
       DATA
              96, 32, 43, 97, 169, 6, 32, 100
1240
       DATA
              248, 173, 5, 96, 141, 3, 96, 32
1250
       DATA
              43, 97, 173, 5, 96, 141, 4, 96
1260
       DATA
              169,0,32,100,248,173,7,96
1270
       DATA
              141, 6, 96, 173, 12, 96, 141, 9
1280
       DATA
              96, 32, 126, 97, 173, 14, 96, 32
1290
       DATA
              100, 248, 173, 8, 96, 141, 6, 96
1300
       DATA
              173, 1, 3, 141, 9, 96, 32, 126
1310
       DATA
              97, 173, 8, 96, 141, 7, 96, 173
1320
       DATA
              1,3,141,12,96,173,13,96
1330
       DATA
              201,1,208,68,169,0,32,100
1340
       DATA
              248, 172, 2, 3, 185, 17, 96, 24
1350
       DATA
              105, 2, 168, 173, 10, 96, 32, 0
1360
       DATA
              248, 172, 2, 3, 185, 17, 96, 24
1370
              105, 2, 168, 173, 11, 96, 32, 113
       DATA
       DATA
              248, 201, 0, 208, 28, 169, 15, 32
1380
1390
       DATA
              100, 248, 172, 2, 3, 185, 17, 96
1400
       DATA
              24, 105, 2, 168, 173, 11, 96, 32
              0,248,173,11,96,141,10,96
1410
       DATA
              96, 173, 32, 3, 205, 2, 3, 240
1420
       DATA
              6, 169, 15, 141, 14, 96, 96, 169
1430
       DATA
1440
              0, 141, 16, 96, 169, 15, 141, 14
       DATA
1450
              96, 173, 14, 96, 32, 100, 248, 32
       DATA
              126, 97, 32, 187, 98, 206, 14, 96
1460
       DATA
              208, 239, 96, 174, 3, 96, 189, 17
1470
       DATA
1480
       DATA
              96, 24, 105, 2, 168, 169, 36, 133
              45, 169, 34, 32, 40, 248, 174, 3
1490
       DATA
1500
       DATA
              96, 189, 17, 96, 168, 200, 24, 105
1510
       DATA
              3, 133, 44, 169, 37, 32, 25, 248
1520
       DATA
               174, 3, 96, 189, 17, 96, 168, 24
1530
       DATA
               105, 4, 133, 44, 169, 38, 32, 25
1540
       DATA
               248, 174, 3, 96, 189, 17, 96, 168
1550
       DATA
              200, 169, 39, 32, 0, 248, 174, 3
1560
       DATA
               96, 189, 17, 96, 168, 200, 200, 20
1570
       DATA
               169, 39, 32, 0, 248, 96, 173, 6
1580
       DATA
               96, 168, 24, 105, 5, 133, 44, 173
1590
               9,96,200,32,25,248,173,6
       DATA
1600
       DATA
               96, 168, 24, 105, 6, 133, 44, 173
1610
               9,96,24,105,1,32,25,248
       DATA
1620
       DATA
               173, 6, 96, 168, 24, 105, 6, 133
1630
       DATA
               44, 173, 9, 96, 24, 105, 2, 32
1640
       DATA
               25, 248, 173, 6, 96, 168, 24, 105
1650
               6, 133, 44, 173, 9, 96, 24, 105
       DATA
1660
       DATA
               3, 32, 25, 248, 173, 6, 96, 168
1670
       DATA
               24, 105, 5, 133, 44, 200, 173, 9
1680
       DATA
               96, 24, 105, 4, 32, 25, 248, 96
1690
       DATA
               162,0,32,30,251,152,201,50
       DATA
1700
               144, 17, 201, 100, 144, 18, 201, 1
      50
1710
       DATA
               144, 19, 201, 200, 144, 20, 169, 4
1720
       DATA
               76, 7, 98, 169, 0, 76, 7, 98
1730
               169, 1, 76, 7, 98, 169, 2, 76
       DATA
1740
       DATA
               7,98,169,3,76,7,98,141
1750
       DATA
               5, 96, 173, 8, 96, 240, 6, 206
1760
       DATA
               8, 96, 76, 55, 98, 169, 33, 141
1770
       DATA
               8, 96, 32, 84, 98, 169, 9, 141
               14, 96, 169, 0, 141, 13, 96, 173
1780
       DATA
1790
       DATA
               1,3,24,105,10,141,1,3
1800
               201, 35, 208, 3, 76, 147, 98, 173
       DATA
1810
               13, 96, 201, 1, 208, 48, 173, 11
       DATA
               96, 201, 2, 144, 15, 206, 11, 96
1820
       DATA
               206, 11, 96, 206, 11, 96, 206, 11
1830
       DATA
       DATA
1840
               96, 76, 110, 98, 169, 2, 141, 13
1850
       DATA
               96, 169, 0, 32, 100, 248, 172, 2
1860
       DATA
               3, 185, 17, 96, 24, 105, 2, 168
1870
       DATA
               173, 10, 96, 32, 0, 248, 96, 173
1880
       DATA
               97, 192, 48, 1, 96, 173, 13, 96
1890
       DATA
               201,0,208,22,169,33,141,10
```

1900 DATA 96, 141, 11, 96, 169, 1, 141, 13 1910 DATA 96, 173, 4, 96, 141, 2, 3, 32 1920 DATA 198, 98, 96, 169, 0, 141, 16, 96 1930 DATA 169, 15, 141, 14, 96, 173, 14, 96 1940 DATA 32, 100, 248, 32, 43, 97, 32, 187 1950 DATA 98, 206, 14, 96, 208, 239, 96, 174 1960 DATA 0,3,160,0,200,208,253,202 1970 DATA 208, 250, 96, 162, 10, 160, 0, 200 1980 DATA 208, 253, 202, 208, 250, 96, 162, 15 1990 DATA 173, 48, 192, 169, 4, 32, 168, 252 DATA 202, 208, 245, 96, 169, 16, 141, 1 2000 5 2010 DATA 96, 160, 1, 162, 1, 169, 80, 32 2020 DATA 168, 252, 173, 48, 192, 232, 208, 253 2030 DATA 136, 208, 240, 206, 15, 96, 208, 2 33 2040 DATA 96, 255, 0, 0, 255, 255, 0, 0

Program 7: PC/PCjr Missile Math

10 WIDTH 40:KEY OFF:SCREEN 0,1:DEF SEG=0 : POKE 1047, 64: DEFINT A-Z 20 GOSUB 610:GOSUB 450:GOSUB 480:GOSUB 5 1Ø:GOTO 11Ø 3Ø IF Y2=N21 THEN RETURN ELSE C\$=INKEY\$: IF C\$="." AND H<N28 THEN LOCATE N21,H:PR INT " ": H=H+N5 4Ø IF C\$="," AND H>N9 THEN LOCATE N21,H: PRINT " ":H=H-N5: Z=RND(1) 5Ø IF C\$=CHR\$(N32) AND FIRE =NØ AND FI=N Ø THEN FIRE=N1:FI=N1:Y=N2Ø:X=H+N1:PANS=C H((H-N3)/N5):NS=NS+N1:Z=RND(1):RETURN 60 LOCATE N21, H: COLOR N3: PRINT BASE\$: RET URN 7Ø X2=X2-N1:IF X2=N1 THEN LOCATE Y2, X2+N ":Y2=Y2+N5:X2=N35:FI=NØ:R=N 1:PRINT " 4 8Ø SP=SCREEN(Y2, X2):IF SP=21 THEN FL=2:K =S:RETURN:ELSE IF SP=202 THEN FL=3:K=S:R ETURN 90 LOCATE Y2, X2: COLOR R: PRINT SPCE\$: RET URN 100 COL=COL+1: IF COL=8 THEN COL =2 110 COLOR COL:CLS:W\$="ENTERING LEVEL"+ST R\$(LVL):YY=12:GOSUB 590:GOSUB 630 120 IF NS THEN IF NS<3 THEN W\$="50 POINT BONUS": YY=14: GOSUB 600: ELSE IF NS<6 THE N W\$="25 POINT BONUS": YY=14:GOSUB 600 13Ø FOR TD=1 TO 1000:NEXT:SCL=0:NS=0 14Ø CLS:LOCATE 2,1:FOR J=1 TO NM:COLOR 1 3:PRINT CHR\$(6)" ";:NEXT 150 LOCATE 2,29: PRINT"SCORE "SC 16Ø X2=36:Y2=6:T=INT(RND(1)*2Ø)+4Ø:FL=1: FI=Ø:FIRE=Ø:R=4 17Ø A=INT(RND(1)*4+1)+4*(LVL-1) 18Ø B=INT(RND(1)*4*LVL+1) 19Ø IF P\$="A" THEN C=A+B:GOTO 21Ø 200 C=A*B 21Ø A\$=STR\$(A):B\$=STR\$(B):C\$=STR\$(C) 22Ø RP=INT(RND(1)*4)+1 23Ø IF RP=1 THEN ANS=A: A\$=CHR\$ (63) 24Ø IF RP=2 THEN ANS=B:B\$=CHR\$(32)+CHR\$(63) 25Ø IF RP=3 OR RP=4 THEN ANS=C:C\$=CHR\$(3 2) +CHR\$ (63) 260 IF P\$="A" THEN LOCATE 4,14:COLOR 7:P RINT A\$" +"B\$" ="C\$:GOTO 28Ø

27Ø COLOR 7:LOCATE 4,14:PRINT A\$" X"B\$" ="C\$ 28Ø IF ANS>9Ø THEN DEL=10:GOTO 32Ø 29Ø IF ANS>2Ø THEN DEL=5:GOTO 32Ø 300 DEL=INT((ANS/10)+1) 31Ø DT=INT(RND(Ø) *5)+1 32Ø FOR I=1 TO 5:CH(I)=ANS+(I-DT)*DEL:LO CATE 22,5*I+3:PRINT CH(I):NEXT I 33Ø GOSUB 3Ø:GOSUB 41Ø:T=T-N1:IF T<NØ TH EN FOR K=N1 TO S:GOSUB 410:GOSUB 70:NEXT : GOSUB 410 34Ø ON FL GOTO 33Ø,35Ø,37Ø

350 R=N7:FL=N1:IF ANS<>PANS THEN 330 ELS E FOR TI=N1 TO N3:COLOR TI:LOCATE Y2-N1, X2:PRINT E1\$:LOCATE Y2, X2:PRINT E2\$:LOCA TE Y2+N1, X2:PRINT E3\$:LOCATE Y2+N2, X2:PR INT P(Y2) " POINTS": FOR TD=37 TO 45: SOUND TD,.5:NEXT TD,TI:FIRE=0:FOR TD=1 TO 900 : NEXT

36Ø SC=SC+P(Y2):SCL=SCL+P(Y2):IF SCL>=5Ø THEN LVL=LVL+1:SCL=Ø:GOTO 1ØØ:ELSE 14Ø 370 NM=NM-1:SOUND 100,20:FOR TD=1 TO 600 :NEXT:SOUND 37,20:FOR TI=1 TO 5:FOR TD=1 TO 600:NEXT:LOCATE 22,5*DT+3:PRINT

":FOR TD=1 TO 60:NEXT:LOCATE 22,5*DT+3: COLOR 4: PRINT CH(DT): FOR TD=1 TO 60: NEXT : NEXT

38Ø IF NM>Ø THEN W\$="KEEP TRYING": YY=1Ø: GOSUB 590:GOSUB 630:GOTO 140

390 LOCATE 2,1:PRINT " ":W\$="PLAY AGAIN ?(Y/N)":YY=1Ø:GOSUB 59Ø

400 Is=INKEYs: IF Is="Y" THEN RUN ELSE IF I\$="N" THEN CLS: END: ELSE 400

410 IF FIRE=NØ THEN FOR TD=1 TO 10:NEXT : RETURN STOP PLAYING GAMES Calculate odds on HORSE RACES with ANY COMPUTER using BASIC.

SCIENTIFICALLY DERIVED SYSTEM really works. TV Station WLKY of Louisville, Kentucky used this system to predict the odds of the 1980 Kentucky Derby. See Popular Computing (February, 1984) for a review of this program. This system was written and used by computer experts and is now being made available to home computer owners. This method is based on storing data from a large number of races on a high speed, large scale computer. 23 factors taken from the "Daily Racing Form" were then analyzed by the computer to see how they influenced race results. From these 23 facts, ten were found to be the most vital in determining winners. NUMERICAL PROBABILITIES of each of these 10 factors were then computed and this forms the basis of this REVOLUTIONARY NEW PROGRAM. ■ SIMPLE TO USE: Obtain "Daily Racing Form" the day before the races and answer the 10 questions about each horse. Run the program and your computer will print out the odds for all horses in each race. COMPUTER POWER gives you the advantage! YOU GET: Program on cassette or disk.
 Listing of BASIC programs for use with any computer.
 Instructions on how to get the needed data from the "Daily Racing Form." Tips on using the odds generated by the program.
 Sample form to simplify entering data for each race. -MAIL COUPON OR CALL TODAY 3G COMPANY, INC. DEPT. CO (503) 357-5607 RT. 3, BOX 28A, GASTON, OR 97119 Yes, I want to use my computer for FUN and PROFIT. Please send me "Play the Color Computer. Horses" for \$29.95. Circle the cassette you need: VIC-20 Sinclair Timex 1000, Commodore 64 (disk or cassette), TRS-80. Atari. Apple (disk). IBM (disk). Enclosed is: Check or money order MasterCard Visa Card No. Exp. date NAME ADDRESS STATE START USING YOUR COMPUTER FOR

FUN and PROFIT!

420 Y=Y-1: IF Y=5 THEN FIRE=0:LOCATE Y+1, X:PRINT" ":RETURN

430 SP=SCREEN(Y,X):IF SP <>32 THEN FL=2 44Ø SOUND 200-Y*3,.1:LOCATE Y, X:COLOR 14 :PRINT MISS\$:RETURN

450 CLS: W\$="MISSILE MATH !": YY=10: COLOR 2:GOSUB 590:FOR TD=1 TO 800:NEXT

46Ø COLOR 3:W\$="< MOVES YOU LEFT":YY=12: GOSUB 590: COLOR 4: W\$="> MOVES YOU RIGHT" :YY=14:GOSUB 600:LOCATE 16,11:COLOR 7:PR INT "SPACE BAR TO FIRE": GOSUB 630: RETURN 47Ø FOR TD=1 TO 2ØØØ:NEXT:CLS:RETURN

48Ø SPCE\$=CHR\$(17)+STRING\$(2,219)+CHR\$(1 74) +CHR\$ (32) +CHR\$ (32) : BASE\$=CHR\$ (32) +CHR \$(202)+CHR\$(32):MISS\$=CHR\$(21)+CHR\$(31)+ CHR\$(29)+CHR\$(32):E1\$=CHR\$(92)+STRING\$(2 .179)+CHR\$(47):E2\$=CHR\$(196)+STRING\$(2,3 2) +CHR\$ (196) +CHR\$ (32)

49Ø E3\$=CHR\$(47)+STRING\$(2,179)+CHR\$(92) 5ØØ H=28:LVL=1:NM=3:N1=1:N21=21:N32=32:N 28=28: NØ=Ø: N2=2: N3=3: N2Ø2=2Ø2: N5=5: N9=9: N32=32:N2Ø=2Ø:N35=35:N4=4:N7=7:DIM P(16) :P(6)=25:P(11)=10:P(16)=5:COL=2:RETURN 510 CLS:LOCATE 8,8,0:COLOR 7:PRINT "(A)D DITION AND SUBTRACTION":LOCATE 10,19:PRI NT"OR"

520 LOCATE 12,7 :PRINT" (M) ULTIPLICATION AND DIVISION"

53Ø P\$=INKEY\$: IF P\$<>"A"AND P\$<>"M" THEN 530

540 LOCATE 15,12:PRINT "(F)AST OR (S)LOW

550 S\$=INKEY\$: IF S\$="S" THEN S=1 ELSE IF S\$="F" THEN S=2 ELSE 55Ø

560 LOCATE 21,11:PRINT "HIT ANY KEY TO S TART"

57Ø Z=RND(1): I\$=INKEY\$: IF I\$=""THEN 57Ø 58Ø RETURN

590 W=LEN(W\$):NW\$=W\$+STRING\$(20-W/2,32): FOR K=1 TO LEN(NW\$):LOCATE YY, 39-K, Ø:PRI NT LEFT\$ (NW\$, K) : NEXT: RETURN

600 W=LEN(W\$): NW\$=STRING\$(18-W/2,32)+W\$: FOR K=1 TO LEN(NW\$):LOCATE YY, 1:PRINT RI GHT\$ (NW\$, K): NEXT: RETURN

610 DIM NO(14,2):FOR A=1 TO 14:FOR B=1 T 2: READ NO(A, B): NEXT B, A: RETURN

620 DATA 196,1,196,1,196,1,261,9,196,1,1 96, 1, 196, 1, 261, 1, 232, 1, 220, 1, 196, 7, 32000 , 1, 196, 3, 261, 6

63Ø FOR R1=1 TO 14:SOUND NO(R1,1),NO(R1, 2) *1.5: FOR TD=1 TO NO(R1, 2) *90 : NEXT: NEX T: RETURN

Maxell Floppy Disks

The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D's accepted. Call FREE (800) 235-4137.







Lightsaver

Jon Rhees

The world is depending on you to save its supply of light bulbs. A quick eye and an even faster hand are the only two things that will help you. This arcadestyle action game uses machine language for fast action. Versions are included for the Commodore 64 and VIC-20, the Atari home computers, and the IBM PC/PCjr.

Technology has backfired again! A dangerous power surge has transformed the light fixture in your room into a devilish lamp, which is trying to rid the world of light bulbs by tossing them to the ground. Only you can stop the lamp from carrying out its horrid plan. You must catch the bulbs in your baskets before they hit the ground and break. The more bulbs you save, the more angry the lamp will become, and the faster it will drop bulbs. How long can you survive the wrath of the lamp?

"Lightsaver" is a fast-action, arcade-style game which utilizes many of the capabilities of the Commodore 64. Most of the action in this game is written in machine language for speed, while the scoring and setup routines are written in BASIC. The game requires a set of paddle controllers, which should be plugged into port 1.

The object of the game is simple: catch as many light bulbs as you can without missing or dropping any. You must catch each bulb in your baskets. At the beginning of a game you start out with three baskets, stacked atop each other. You position the baskets by turning the paddle controller. Each time you miss a bulb, you lose a basket, and are set back one level. Each consecutive level has more bulbs to catch and faster action. Bonus baskets are awarded every 2000 points, but you can have only three baskets at a time. Also, the higher the level you are on, the more points each bulb you catch is worth.

There are 16 skill levels in Lightsaver and two basket sizes. The higher the skill level you choose, the faster the game. Bulbs are easier to catch with a large basket than with a small one. A large basket is twice as wide as a small one. You can change the basket size during the game by pressing the f1 key. Press the paddle fire button to start a new round.

Lightsaver takes advantage of the sprite, redefined character, color, and sound capabilities of the 64. It contains two separate machine language routines—one for the game action, and another to quickly copy the character ROM into RAM for programmable characters. A demo mode is also included. The computer plays a game against itself if left alone. All eight sprites are used, as well as a redefined character set. The first two voices of the SID (Sound Interface Device) chip are used for sound effects, and the third voice is used as a random number generator for the machine language routine.

If you'd rather not type in the program, you can obtain tape or disk copies (64 version only). Send an SASE, a disk or tape, and \$3 to:

Jon Rhees 1660 S. Duneville Las Vegas, NV 89102

Program 1: 64 Lightsaver

Refer to the "Automatic Proofreader" article before typing this program in.

- 1 GOSUB550 :rem 75 2 Z=646:POKE53280,0:POKE53281,0:POKEZ,1:X =58692:SYSX:V=53248 :rem 89
- 3 G=54272:POKEG+6,0:POKEG+5,0:POKEG+4,0:P OKEG+6,240:POKEG+4,17:POKEG+24,143 :rem 122
- 4 POKEG+6,240:NS\$="000000":GOSUB400
- :rem 187

 10 T=49152:H=54273:B=832:C=1022:E=49550:F

 ORA=BTOC:READM:POKEA,M:POKEH,M:NEXT
- :rem 131
 20 B=V+39:FORA=TTOE:READM:POKEA,M:POKEH,M
 :POKEB,M:NEXT:POKEG+5,186:POKEG+6,.
- :rem 124 26 POKE252,208:POKE251,.:POKE253,.:BL=872
- :POKE254,48 :rem 240 28 POKE56334,.:POKE1,51:SYS49490:POKE4951 3,56:POKE49500,145:POKE49501,253
- :rem 208 29 POKE49502,200:POKE49503,234:SYS49490:P
- OKE1,55:POKE56334,1:GOTO600 :rem 214 60 POKE53280,3:SYSX:PRINT" [5 DOWN] [7 SPACES] SELECT SKILL LEVEL (A-P) ";
- :rem 232 61 GETA\$:SL=ASC(A\$+" ")-59:IFSL<6 OR SL>2 1 THEN 61 :rem 170
- 62 PRINTAS:POKE5328Ø,14:PRINT:PRINT"
 {3 DOWN}{7 SPACES}SELECT BASKET SIZE (
 S/L) "::P=. :rem 95

Notes For VIC-20, Atari, And IBM PC/PCjr Versions

In "Lightsaver," you must catch light bulbs that fall from a lamp at the top of the screen.

The VIC Version

Program 2, for the unexpanded VIC-20, is written entirely in machine language and offers five levels of play. The level selected affects the speed of the falling bulbs at the beginning of play. The speed increases when a light bulb is caught in your basket and decreases when light bulbs crash to the bottom of the screen. The game ends when three bulbs have been

You move your baskets under the falling bulbs by using a paddle plugged into the con-

Since the VIC version is written in machine language, you must use a special technique to enter the program. You must first type in the "Tiny MLX" program found elsewhere in this issue, and then use this program to type VIC Lightsaver. Be sure you read and understand the Tiny MLX article before you begin typing Lightsaver. Also, remove or disable any memory expanders. Once you have typed in Lightsaver, and saved it to tape or disk using MLX, you can load and run the program just as you would a BASIC program.

The Atari Version

To catch bulbs in the Atari version of Lightsaver, you must move your basket with the paddle controller and touch the bulbs before they hit the bottom of the screen. If a light bulb reaches the bottom of the screen, it will break and you will lose one of your three baskets. The number of points awarded for catching a bulb is equal to the current level. For instance, on the fourth level, every bulb that you catch is worth four points. You are given an additional basket every 2000 points. Each time you complete five levels, the speed of the light bulbs increases.

Atari Lightsaver has been split into two programs so it will work on 16K computers with DOS. Load and run Program 3. This program loads two machine language subroutines and the redefined character set. When finished, this program will load and run Program 4. Program 4 (the main program) contains the player missile graphics and the main game loop. Since Program 3 loads and runs Program 4, disk users must save both programs on the

same disk. Program 4 must be saved with filename LIGHTSAVER.

Cassette users must change line 1046 in Program 3 to:

1046 READ A: IF A = -1 THEN PRINT "HIT RETURN TO LOAD LIGHTSAVER": RUN "C:"

Next, rewind a tape to a blank section, press the PLAY and RECORD buttons, and enter SAVE "C:" to store Program 3. When the cassette is finished, type in Program 4. Save Program 4 immediately following Program 3 by once again entering SAVE "C:". To load and run the two programs, rewind the tape to the start of Program 3 and type RUN "C:".

The IBM Version

In the IBM version of Lightsaver (Program 5), you must catch bulbs before they fall below basket level. The IBM version has only one difficulty level and a constant basket size. Game play consists of several rounds, each consisting of a barrage of dropping bulbs. Between 10 and 20 bulbs are dropped before the round ends. Each additional round increases the motion of the lamp which drops the bulbs and increases the number of points awarded. The formula is simple: The number of points awarded equals the number of bulbs caught, multiplied by the difficulty level.

You can catch a bulb only if it drops into the basket from above. It is possible to break a bulb by hitting it with the rim of your basket. If you let a bulb break, the round ends and the difficulty level decreases by one.

IBM Lightsaver will run on PCs with Advanced BASIC (BASICA) and PCjrs with DOS and Cartridge BASIC. A Color/Graphics Mon-

itor Adapter card is needed on PCs. A joystick is required to control the left-right movement of the baskets.

Since the video display processor of the IBM PC may refresh the screen while we are using the PUT statement to place graphics on the screen, a short machine language routine has been included to synchronize PUT with the vertical retrace interval.

MOV DX,3DAh CHECKPORT IN AX,DX AND AX,8


JZ CHECKPORT

This machine language routine reduces flicker when the baskets are moved around the screen.

SPECIALS on INTEGRATED CIRCUITS

6502 @ 4.90 6520 @ 4.00 6522 @ 5.00 4116 @ 1.85 2532 @ 5.90 2716 @ 4.45 6116 @ 6.45 4164 @ 5.50

Anchor Automation Signalman MODEMS



FREE SOURCE MEMBERSHIP WITH SIGNALMAN All Signalman Modems are Direct Connect, and provide the

best price-performance values. Dealer and OEM inquiries

Volksmodem with computer cable	68
Mark X Auto Dial/Auto Answer	129
Mark XII Smart Modern 1200/300	265
DC HAYES Smartmodem	219
DC Hayes Smartmodem 1200/300	519



WC 6420 AutoModem (like 1650)	65
Tech Sketch Light Pen + Micro Illustrator	44
PROM QUEEN for C64 or VIC	130
STAT Statistics Package for C64	95
Solid Oak 2 Level Stand for C64 or VIC	29
C64/VIC Switch (networking)	125
BACKUP V1.0 tape copier for C64 or VIC	20
CARDBOARD/5 Motherboard - C64	56
CARD PRINT G Printer Int. with Graphics	72
CARDCO C64/VIC Calculator Keypad	32
Complete CARDCO Line in stock	
CIE and VIE IEEE Interfaces in stock	85
MSD Dual SuperDrive for C64 + IEEE	570
MSD SuperDrive for C64 + IEEE	345
MAE Assembler for C64	50
Koala Pad Touch Tablet—C64 or VIC	75
CBC 4/12 Analog to Digital 4 chan/12 bit	179
MULTIPLAN for C64	79
Dust Cover for C64 or VIC	6
SAT Courses (Hayden) for C64 each	24
Grand Master Chess for C64	24
Musicalc Software for C64 in stock	
SM Software for C64 in stock	
BusCard II from Batteries Included	149
ULTRA BASIC – 64 with Turtle Graphics	37
COMAL Language for C64	15
Super Disk Utility – C64 – includes backup	19
Typing Tutor III with Letter Invaders	35
Trackball (Electra Concepts) C64	29
HES MODEM with software for C64	45
Commodore 64 Programmers Reference Guide	16
WordPro 3+/64 with Spellright	85
VIController (also C64) – BSR Controller	50
COM VOICE Synthesizer for C64 or VIC	139
VIC products in stock – call for extra discounts.	
Victory Software for VIC and C64 in stock.	
C-Scan Networking for C64	119
Share up to 8 computers; device transparent, with i	eset and

APPIE-FRANKLIN ITEMS

automatic power-on.

VIIPE INVANCEDA HE	1110
FRANKLIN-complete line in stock	
Swapper Stopper	26
automatic switch between paddles and joystick	
KRAFT Apple Joystick	32
Kraft Apple Paddle Pair	32
Koala Pad Touch Tablet-Apple/Franklin	90
SPINNAKER Software in stock	
Broderbund Software in stock	
16K RAM Card for Apple	59
Multiplan-Microsoft	129
Solid Oak 2 Level Stand for Apple	29
Serial Card for Apple	89
MPC RAM/80 column card for He (AP/TXT)	139
Z80 Softcard and CP/M (Microsoft)	235
Parallel Printer Interface/Cable	69
Microtek and MPC Interfaces in stock	
Grappler + Interface	135
DC Hayes Micromodem II, Ile with Smartcom	245
PFS: File or PFS: Report or PFS: Graph	95
Videx 80 Column Card	209
Apple Blue Book	19

Gcommodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I \$245 base price Allows you to connect up to 30 CBM/PET Computers to

shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

COMPACK/STCP \$115

Intelligent Terminal Package for PET, CBM, C64 Includes ACIA Hardware / STCP Software

SCREENMAKER 80 Column Adapter for C64 1	39
Provide big screen capability for business applications.	1
Copy-Writer Word Processor for C64	49
Full-featured package with 800 lines of text in mem	ory.
Includes double column printing, graphic capability, full p	rin-

Special Screenmaker/Copy-Writer Combo	179
PAPER CLIP Word Processor - CBM/C64	60
ORACLE (Consultant) Data Base by Batteries Included	89
SPINNAKER Software C64, Apple, IBM, Atari	
VICTORY Software for C64 in stock	
Compute! Books in Stock	
POWER ROM Utilities for PET/CBM	78
WordPro 4+ - 8032, disk, printer	285
VISICALC for PET, ATARI, or Apple	189
SM-KIT enhanced PET/CBM ROM Utilities	40
PET Spacemaker II ROM Switch	36
Dust Cover for PET CRM 4040 or 8050	8

UMI Products in stock \$59 FlexFile for PET/CBM/C64

DataBase, Report Writer with calculations, Mailing Lists. Easy to use, and can be modified.

CmC Interfaces (ADA1800, ADA1450, SADI in stock)

HES Software and Hardware in stock

FORTH for PET/C64 full FIG model - Cargile/Riley 50 includes all FORTH 79 Standard extensions, structured 6502 assembler with nested decision macros, standard 16x64 screens, ability to read/write BASIC sequential files, sample programs, introductory + reference manual.

Metacompliler for FORTH for independent object code 30 Floating Point for FORTH BRIDGE 2.2 for C64

Excellent Bridge program. Computer bids and plays against you. Hands are computer generated, but you may set up hands and modify contract. Allows you to claim balance of tricks, replay hand, and review previous trick.

KMMM PASCAL IV for PET/CBM/C64 Virtually full Jensen-Wirth implementation is now suitable for advanced placement courses.

EARL for PET/CBM/C64 Disk-based ASSEMBLER DISK I.C.U. (Intensive Care Unit) \$40 COMPLETE DISK RECOVERY SYSTEM FOR 4040/1541

Edit disk blocks; duplicate disks, skipping over bad blocks; unscratch scratched files, check and correct scrambled files, recover improperly closed files. Includes complete diagnostic facilities, extensive treatment of relative files, optional output to printer, and comprehesive user manual (an excellent tutorial on disk operation and theory). Furnished on copy-protected disk Backup available \$10

Smart Terminal Software for C64/VIC	10
CBM Public Domain Software—C64/PET 27 disks	75
DITTO DISK 64	36
Disk copy utility for C64. Make your own disk copies,	even i

the original is copy protected. 95 STAT for PET/CBM/C64 and Apple Comprehensive Statistical Analysis Routines

Includes complete file handling capabilities, summary statistics, confidence intervals, hypothesis tests, exponential mean tests, multiple and power series regression, analysis of variance histograms and non-narametric tests

20	Processor	Word) Commar	PageMate 60
Full				Full-featured
				Full-featured

DISK SPECIALS



O			Part Control of the last	and the second second
Scotch (3M) 5" s	ss/dd	10/ 1.85	50/ 1.75	100/ 1.70
Scotch (3M) 5" of	ds/dd	10/ 2.50	50/ 2.35	100/ 2.30
Scotch (3M) 8" s	ss/sd	10/ 2.20	50/ 2.00	100/ 1.98
Scotch (3M) 8" s	ss/dd	10/ 2.80	50/ 2.50	100/ 2.47

We stock VERBATIM DISKS Write for Dealer and OEM prices.

		mark to your day	1000
Sentinal 5" ss/dd	10/ 1.80	50/ 1.75	100/ 1.65
Sentinal 5" ds/dd	10/ 2.40	50/ 2.35	100/ 2.25

We stock Dysan disks

Wabash 5" ss/sd	10/ 1.25	50/ 1.22	100/1.18
Wabash 5" ss/dd	10/ 1.40	50/ 1.37	100/1.32
Wabash 5" ds/dd	10/ 1.75	50/ 1.72	100/ 1.65

We stock MAXELL DISKS Write for dealer and OEM prices.

Disk Storage Pages	10 for \$4	Hub Rings 50 for \$6
Disk Library Cases	8"-3.00	5"-2.25
Head Disk Cleaning H	Kits 12	
AMARAY Disk Storag	ge Systems	+ new MediaMate 5
Innovative Concents	FIIP 'N' FIL	FS in stock

CASSETTE TAPES_AGEA PE-611 PREMIUM

CHOOLITE INT	CO-MOLY LE	OII LUCI	HIUIII
C-10		50/.58	100/ 50
C-10 C-30	10/.85	50/.82	100/.70



Pi-2 (1200G) 12" 20 MHz Green

systems

ZVM-122A	99	ZVM-123G	89
ZVM-131	300	ZVM-135	490
Z100 16-bit/8-b	it System		CALL
Z29 Terminal (DE	C and ADM	compatible)	680

Z-150 IBM PC COMPATIBLE CALL Z-160 PORTABLE PC CALL USI Video Monitors - Green or AMBER 20 MHz hi-res

11 2 (12004) 12 20 11112 410011	Tendor
Pi-3 (1200A) "MHz Amber	89
WRITE FOR IBM PC COMPATIBLE PRICES	100
MultiPlan-IBM or Apple	129
Quadboard for IBM available	
KOALA PAD Touch Tablets-Apple, Atari, IBM, CBM	. 5
Peachtext 5000 Software Package	209
PFS Software for IBM and Apple in stock	
SPINNAKER Software C64/VIC, Apple, IBM, Atari	2 1
VOTRAX Personal Speech System	269
BMC 9191+ Color Monitor	235
BMC 1201G 12" Green Monitor	379
Dynax (Brother) DX-15 Daisy Wheel Printer	399
Brother HR-25 Daisy Wheel Printer (25 cps)	675
Brother HR-35 Daisy Wheel Printer (25 cps)	915
Itoh Prowriter Parallel Printer	359
Panasonic 1090 Printer with Correspondence Mode	279
Gemini 10X	285
EPSON, Okidata, Star Micronics printers in stock	

Panasonic 1090 Printer with Correspondence Mode	219
Gemini 10X	285
EPSON, Okidata, Star Micronics printers in stock	
We Stock AMDEK Monitors	
A P Products 15%	OFF

MC DIOCK AMDER MOUNTOIS	
A P Products	15%
COMPUTER COVERUPS IN STOCK	
BROOKS 6 Outlet Surge Suppressor/Noise Filter	
Surge Suppressor-6 outlet	
Electrohome 1302-2 13" Hi-res RGB Monitor	
Panasonic 12" Monitor (20 MHz) with audio	
Company of the CVIII 1 Minnessen with a	100

Hewlett Packard Write or call for prices.



54 29 335

DATASHIELD	BACKUP PUWER SOURCE	
Model PC-200	200 watt unit	265
Model XT-300	300 watt unit	370

ALL BOOK and SOFTWARE PRICES DISCOUNTED

ATARI - WE STOCK ENTIRE LINE SPINNAKER and Broderbund Software in stock.

215-822-7727 252 Bethlehem Pike Colmar, PA 18915

A B Computers

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.

63	GETS\$:IFS\$<>"S"ANDS\$<>"L"THEN63	112	DATA	21,85,84,170,170,170,0,0,0,0,0
64	:rem 253 PRINTS\$"[5 DOWN]":POKE53280,6:LV=.:POK E209,88:POKE210,6:IFBW=141THENGOSUB500	113	DATA	:rem 90 Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,24,Ø,Ø,6Ø,Ø :rem 247
65	PRINT"PRESS <f1> TO CHANGE BASKET SIZE</f1>	114	DATA	Ø,6Ø,Ø,Ø,36,Ø,Ø,126,Ø,Ø,126,Ø :rem 21
67	IN PLAY":GOSUB700 :rem 22 POKE63,.:POKE65,.:POKE67,.:SYSX:NS\$="0	115	DATA	Ø,255,Ø,1,255,128,1,255,128,3 :rem 6Ø
68	ØØØØØ":GOSUB2Ø2 :rem 6Ø POKEV+29,-(S\$="L"):GOSUB34Ø:GOTO71	116	DATA	253,192,1,253,128,1,251,128,0
70	:rem 163 GOSUB200 :rem 121	117	DATA	255,Ø,Ø,6Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
71	PRINT" [HOME] [17 DOWN] [2 SPACES] [GRN] PR ESS FIRE BUTTON WHEN READY!" : rem 226	118	DATA	:rem 49 120,173,2,220,72,169,192,141,2
72	N=244-PEEK(54297):N=N*-(N>=24)-24*(N<2 4):POKEV,N :rem 93	119	DATA	:rem 117 220,169,64,141,0,220,160,128
73	POKEV+29, (PEEK(V+29)-(PEEK(197)=4))AND 1:IF(PEEK(56321)AND4)THEN72 :rem 158	120	DATA	234,136,16,252,56,169,220,237
74	PRINT"{UP}{31 SPACES}":POKE254,.:SYST: IFPEEK(68)THEN8Ø :rem 252	121	DATA	25,212,176,2,169,0,24,105 :rem 79
76	M=54273:POKEF+11,.:N=5:I=125:J=53280:F ORA=NTOISTEP3:POKEJ,A :rem 15	122	DATA	:rem 122 24,141,0,208,104,141,2,220,88
77	POKEM, AAND (LV+5)*2:NEXT:POKEF+5,186:PO KEF+6,.:POKEF+12,186:POKEF+13,.:rem 54	123	DATA	:rem 54 172,30,208,169,8,133,253,162,2
	POKEJ,.:GOTO7Ø :rem 29 POKEF+11,.:POKEF+4,.:POKEF+1,186:POKEF	124	DATA	:rem 123 254,5,208,189,4,208,240,33,169
	+4,129:POKEF+5,188:POKEF+6,. :rem 3Ø POKEV+4,PEEK((PEEK(781)+4)+V):POKEV+5,			:rem 135 188,56,253,5,208,176,13,152,37
	232:B=50:D=9:E=V+3:F=10264 :rem 175			:rem 139 253,240,8,169,0,157,4,208,76
82	FORA=BTO.STEPD:POKEE,A:N=RND(.)*21:M=N *1.4:POKEN+BL,PEEK(N+BL)ANDRND(.)*256		4-1107	:rem 35 14,193,189,5,208,201,232,208,5
83	:rem 23 POKEM+F, PEEK(M+F)ORRND(.)*256:POKE78Ø, M:SYS4954Ø:NEXT:POKEV+41,Ø:POKE53281,Ø			:rem 128 169,1,133,68,96,232,232,6,253
04	:rem 47			:rem 88 224,12,240,3,76,51,192,234,164
	LV=LV-2:P=P+1:POKEV+2,.:LV=LV*-(LV>-1) :FORA=BLTOBL+2Ø:POKEA, :rem 197			:rem 125 197,192,4,208,17,165,255,201
	NEXT:BL=BL-20:IFBW=141THENGOTO600 :rem 1			:rem 32 64,208,11,169,1,24,109,29,208
	GOSUB200:IFP<3THENGOSUB340:GOTO71 :rem 41			:rem 75 41,1,141,29,208,132,255,164,64
	IFVAL(NS\$)=VAL(HS\$)ANDVAL(NS\$)>ØTHENGO TO9ØØ :rem 99			:rem 120
90	POKEV+21, .: PRINT" {HOME } {7 DOWN } {CYN } "S PC(9)" ** GAME OVER **": BL=872: P=.			240,99,132,64,173,2,208,24,101 :rem 120
96	:rem 87 GOSUB800:GOTO600 :rem 144			254,141,2,208,198,2,16,84,169 :rem 86
	DATA 255,255,255,109,182,218,27 :rem 192	135	DATA	31,160,0,133,2,173,27,212,133 :rem 55
	DATA 109,180,13,182,216,11,109,176 :rem 69			254,56,237,2,208,176,8,173,2 :rem 37
	2 DATA 7,255,224,0,0,0,255,255,255 :rem 220	137	DATA	208,56,229,254,160,1,74,74,74 :rem 91
103	B DATA 91,109,182,45,182,216,27,109 :rem 33	138	DATA	74,74,133,254,56,233,4,176,225 :rem 140
104	A DATA 176,13,182,208,7,255,224,0,0,0 :rem 109	139	DATA	192,1,208,9,165,254,169,0,56 :rem 41
105	5 DATA 255,255,255,109,182,218,27,109 :rem 139	140	DATA	229,254,133,254,230,66,230,66 :rem 79
106	5 DATA 180,13,182,216,11,109,176,7 :rem 231	141	DATA	166,66,224,10,208,4,162,0,134 :rem 65
107	7 DATA 255,224,0,0,0,0,0,60,0,0,60,0 :rem 22	142	DATA	66,169,80,157,7,208,173,2,208 :rem 90
108	B DATA Ø,60,0,0,60,0,0,60,0,0,60,0,0 :rem 11	143	DATA	157,6,208,234,234,206,64,0 :rem 183
109	DATA 60,0,0,60,0,0,60,0,0,60,0,0,60 :rem 66	144	DATA	169,146,133,150,198,150,165 :rem 247
110	DATA Ø,0,60,0,0,60,0,0,60,0,0,60,0 :rem 4	145	DATA	150,141,1,212,230,9,165,9,141 :rem 63
111	DATA Ø,20,0,0,85,0,1,85,64,5,85,80 :rem 50	146	DATA	8,212,201,30,208,3,141,11,212 :rem 50
				• I Cill JD

94 COMPUTEI September 1984

```
210 PRINTCHR$(5)NS$:POKEZ,8:PRINTSPC(76)"
147 DATA 172,52,3,32,204,255,32,204,255
                                                  HI"SPC(76)"SCORE: "SPC(74)CHR$(5)HS$
                                   :rem 120
                                                                                  :rem 89
148 DATA 136,192,0,208,248,76,0,192,165
                                              211 PRINTSPC(34);:POKEZ,6:PRINT"*";:POKEZ
                                   :rem 138
                                                  ,10:PRINTHUS;:POKEZ,6:PRINT"*"
149 DATA 251,248,24,101,67,133,67,169,0
                                                                                  :rem 252
                                   :rem 135
                                              212 POKEZ, 14: PRINTSPC(74) "LEVEL: "SPC(75)C
15Ø DATA 101,65,133,65,169,0,101,63,133
                                                  HR$(5)LV$:F=54272:POKEF+20,128
                                   :rem 113
                                                                                  :rem 194
151 DATA 63,216,162,4,181,63,72,41,15
                                              216 POKE2040, 13: POKE2041, 14: POKEF+19, .
                                    :rem 23
                                                                                  :rem 125
152 DATA 24,105,48,157,19,5,104,74,74
                                              220 POKEV+1, 205: POKEV+3, 50: POKEV+23, 3: POK
                                    :rem 33
                                                  EV+28,2:POKEV+39,7:POKEF+18,.:rem 156
153 DATA 74,74,24,105,48,157,18,5,202
                                              222 FORA=4TO14STEP2:POKEV+A, .: POKEV+A+1, A
                                    :rem 32
                                                  *8+140:POKE2040+A/2,15:NEXT
154 DATA 202,16,230,169,129,141,11,212
                                    :rem 65
                                              223 FORA=10240T010303:POKEA, .: NEXT:POKE20
155 DATA 169,0,133,9,198,252,208,3,133
                                                   42,160:POKE66,.:POKE2,.
                                    :rem 84
                                              226 POKEV+37,12:POKEV+38,14:FORA=41TO46:P
156 DATA 68,96,76,92,192,160
                                   :rem 122
                                                  OKEV+A,1:NEXT:POKEV+21,255:POKEF+19,.
157 DATA Ø,177,251,17,253,145,253,177,251
                                                                                  :rem 238
    ,74,200,145,253,208,242
                                    :rem 86
                                              228 POKEF+11, Ø: POKEF+7, Ø: POKEF+13, 128: POK
158 DATA 230,252,230,254,165,254,201,52
                                                  EF+12, .: K=260-SL*LV: POKEF+20,128
                                   :rem 123
                                                                                  :rem 248
159 DATA 208,230,96,234,238,0,201,174,0
                                              23Ø POKE64, LV*2+9: POKE252, LV*2+9: LN=LV: PO
                                   :rem 124
                                                  KEF+15,255:IFLN>100THENLN=100:rem 208
160 DATA 201,189,0,200,168,138,105,109
                                              232 POKE251, INT(LN/10)*16+LN-INT(LN/10)*1
                                     :rem 71
                                                  Ø:POKEF+14,.:POKEF+18,129:IFK<1THENK=
161 DATA 170,173,2,208,157,0,200,234,140,
                                                                                  :rem 113
    141,41,208,141,32,208,141,33,208,96,3
                                              233 POKEF+1, .: POKEF+4, .: POKEF+5, .: POKEF+6
                                    :rem 22
                                                   ,128:POKEF,.:POKEF+24,143:POKEF+4,33
162 DATA 48,126,103,103,103,103,103,127
                                                                                   :rem 24
                                   :rem 106
                                              234 POKE820, K: POKEV+41, .: RETURN
                                                                                  :rem 156
163 DATA 63,49,28,60,124,28,28,28,127
                                              300 F=54272:POKEF+4,.:POKEF+5,128:POKEF+6
                                    :rem 41
                                                   ,128:POKEF+4,17:REM EXTRA BASKET
164 DATA 63,50,126,103,7,127,112,115,127
                                                                                   :rem 45
                                   :rem 166
                                              3Ø1 FORA=1TO4:ST(A)=PEEK(62+A):NEXT:BL=BL
165 DATA 63,51,126,103,7,63,7,103 :rem 81
                                                                                  :rem 17
                                                   +20*AA:IFBL>872THENBL=872
166 DATA 127,63,52,6,15,27,51,127,127
                                                                                  :rem 251
                                              3Ø3 P=P-AA:P=P*-(P>.):RESTORE
                                    :rem 32
                                              310 RESTORE: FORA=832T0832+20*(3-P): READM:
167 DATA 7,15,53,126,96,126,103,7,103
                                                   POKEA+1,.:POKEA,M
                                                                                   :rem 18
                                     :rem 29
                                              33Ø POKEF+1, INT(RND(.)*256):NEXT:FORA=1TO
168 DATA 127,63,54,126,103,96,126,103
                                                   4:POKE62+A,ST(A):NEXT:POKEF+1,.:RETUR
                                     :rem 34
                                                                                  :rem 179
169 DATA 103,127,63,55,126,103,7,14,28
                                              34Ø POKEF+4, .: POKEF+5, 128: POKEF+6, 128: POK
                                     :rem 78
                                                   EF+4,33:B=28+INT(RND(.)*8)*32:C=.
170 DATA 28,28,28,56,126,103,103,127
                                                                                  :rem 216
                                    :rem 234
                                               345 FORA=CTOB:POKEV+2,A:POKEF+1,AAND10:NE
171 DATA 103,103,127,63,57,126,103,103
                                                  XT: POKEF+4,.
                                                                                   :rem 63
                                     :rem 63
172 DATA 127,7,103,127,63,104,0,0,0,0
                                              350 POKEF+6,128:POKEF+5,.:POKEF+4,33:POKE
                                                  F+1, .: RETURN
                                                                                  :rem 189
                                   :rem 253
                                              400 PRINT" [CLR] [6 DOWN] [2] [RVS] [*]
173 DATA 239,239,85,254
                                   :rem 125
200 NS$="":FORA=1298T01303:NS$=NS$+CHR$(P
                                                   [8 RIGHT] [CYN] ": PRINT" [2] [RVS]
                                                   {8 RIGHT}{CYN} {4 RIGHT} [6] ":POKE204
                                    :rem 99
    EEK(A)):NEXT
201 AA=INT(VAL(NS$)/2000)-INT(Q/2000):IFA
                                                                                  :rem 114
                                                  Ø,15
    ATHENGOSUB300
                                              410 PRINT"[2] [RVS] [8 RIGHT] [CYN]
                                   :rem 176
202 Q=VAL(NS$):IFQ>=VAL(HS$)THENHS$=NS$
                                                   {4 RIGHT} [6] ":POKEV+1,101:POKEV+39,1
                                   :rem 147
                                                   :POKEV, 32:POKEV+21,1
                                                                                   :rem 39
204 POKE53280, .: LV=LV+1: LV$=STR$(LV)+"
                                              420 PRINT" [2] {RVS} {RIGHT} {YEL} {RIGHT}
                                                   E53£[3 SPACES] [RIGHT] [CYN] £
    {2 SPACES}":IFLV>1THEN2Ø8
                                   :rem 151
                                                                                  E*3863
    FORA=1024T01057STEP2:POKEA,95:POKEA+1
                                                   {OFF}[*]{RVS}{2 SPACES}{RIGHT}{PUR}£
                                                    2 SPACES | (OFF | £ (RVS) { RIGHT } { RED } £
    ,105:POKE54272+A,4:POKE54273+A,10:NEX
                                                   {2 SPACES} [*] {RIGHT} {BLU} {2 RIGHT}
                                   :rem 199
                                                   {RIGHT} {GRN} £ [*] {RIGHT} [3] £[*]":P
207 FORA=1984TO2023:POKEA, 104:POKEA+54272
                                                  OKEV+29
                                                                                   :rem 26
     ,12:NEXT
                                   :rem 138
                                              430 PRINT"[2][RVS] [RIGHT][YEL] [RIGHT]
    PRINTCHR$(19)CHR$(159)CHR$(18)SPC(34)
208
    CHR$(169)"LIGHT"CHR$(146);:POKEZ,13
                                                   [5] {2 RIGHT} {RIGHT}{CYN} {OFF}£
                                                   {RVS}{RIGHT} {RIGHT}E63 {2 RIGHT}
                                    :rem 86
209 PRINTSPC(34)CHR$(127)CHR$(18)"SAVER":
                                                   {PUR}{OFF} [ * ] [ @ ] {2 RIGHT } { RVS } { RIGHT }
    POKEZ, 7: PRINTSPC (74) "SCORE: "SPC (74);
                                                   {RED} {2 RIGHT} {RIGHT}{BLU}
                                   :rem 152
                                                   {2 RIGHT} {RIGHT} {GRN} {OFF} EP3 {RVS}
```

September 1984 COMPUTE 95

	{SPACE}{RIGHT}[3] {OFF} E* ":POKEV+2
440	3,. :rem 185
440	PRINT" [2] [RVS] [RIGHT] [YEL] [RIGHT] [5] [2 RIGHT] [RIGHT] [CYN] [2 RIGHT]
	{SPACE}{RIGHT} {RIGHT}{CIN} {2 RIGHT}
	[PUR] (OFF) ET RVS ET RIGHT) (RED)
	[2 RIGHT] [RIGHT][BLU][OFF][*][RVS]
	[*]£{OFF}£{RVS}{RIGHT}{GRN}
	{3 RIGHT}[3] " :rem 87
450	PRINT" [2] [RVS] [RIGHT] [YEL] [OFF] [*]
	{RIGHT} [5][*] {RVS} {3 SPACES} {RIGHT}
	[CYN] [2 RIGHT] [RIGHT] [6] [OFF] [*]
	<pre>[RVS] {OFF}£{RVS}{PUR}£{2 SPACES} {OFF}£{RIGHT}{RED}[**]{RVS} {OFF}£</pre>
	[RVS] {2 RIGHT}{BLU}{OFF}E*3£
	[2 RIGHT][GRN][*][RVS] [OFF] [RIGHT]
	{RVS}[3] " :rem 18
460	PRINT" [2] [RVS] [6 RIGHT] [5] ":PRINT"
	<pre>[23(RVS) [3 RIGHT][53[OFF][*3[RVS]</pre>
	[2 SPACES] [OFF] £":PRINT" [2] [RVS]
	{4 SPACES} [*] {3 DOWN}" :rem 123
47Ø	PRINT" [WHT] {4 SPACES}USE PADDLES IN P
Faa	ORT ONE TO PLAY.": RETURN : rem 58
5ØØ 51Ø	QW=49164:RW=49517 :rem 172 FORAW=.TO22:BW=PEEK(AW+QW):POKEAW+QW,
216	PEEK(AW+RW):POKEAW+RW,BW:NEXT:rem 109
52Ø	IFBW=141THENPOKE49262,96:POKE49230,63
	:POKE49378,52:POKE49379,3:GOTO540
200	:rem 129
53Ø	POKE49262,165:POKE49230,14:POKE49378,
	64:POKE49379,Ø:POKE49481,252:RETURN
540	POKE49481,255:RETURN :rem 180
55Ø	IFPEEK(51457)=114THENGOTO560 :rem 123
552	HS\$="ØØØØØØ":HU\$="C-64":GOSUB59Ø
	:rem 170
56Ø	HT\$="":FORA=51458T051467:HT\$=HT\$+CHR\$
	(PEEK(A)):NEXT : rem 208
562	HS\$=LEFT\$(HT\$,6):HU\$=RIGHT\$(HT\$,4)
564	rem 166 RETURN :rem 127
590	HT\$=HS\$+HU\$+" ":FORA=1TOLEN(HT\$):POKE
330	51457+A, ASC(MID\$(HT\$, A, 1)):NEXT:RETUR
	N :rem 179
600	POKE53269, .: IFPEEK (49164)=141THENGOSU
	B500:IFSL=0THENSYSX:NS\$="000000"
car	rem 129
6Ø5	POKE53272,28:PRINT"{HOME}{12 DOWN} {YEL}{6 SPACES}PRESS <f1> TO START</f1>
	" :rem 36
6Ø7	IFSL=ØTHENSL=6:GOSUB7ØØ :rem 2Ø2
610	GOSUB202:GOSUB340:POKE254,0:POKE820,2
	55:POKE68,Ø:SYST :rem 231
	IFP=2THENP=1:BL=BL+20 :rem 243
	IFPEEK(68)=1THENGOTO8Ø :rem 74
640	BL=872:SYSX:POKE54296,Ø:POKE53269,Ø:P OKE5328Ø,Ø:GOSUB8ØØ:GOTO6Ø :rem 38
700	RESTORE: B=589: FORA=. TOB: READM: NEXT: FO
, ,,,	RA=.TO10:READM:J=M*8+12288 :rem 252
71Ø	FORB=.TO7:READM:POKEB+J,M:NEXTB,A:RET
	URN :rem 132
800	RESTORE: FORA=832T0895: READM: POKEA, M:N
000	EXT:POKE54273,.:RETURN :rem 98
900	F=54272:FORA=ØTO24:POKEF+A,::NEXT:A\$= "* HIGH SCORER *":POKE646,6:GOSUB99Ø
	:rem 15
910	POKE646,7:POKEF+6,240:POKEF+4,17:POKE
	F+24,143 :rem 68
920	FORA=1TOLEN(A\$):FORB=.TO200STEP10:POK
	EF+1,B:NEXT:PRINTMID\$(A\$,A,1)"{RIGHT}

		";:NEXT	:rem 85
	930		:rem 239
	940		ADDLE TO
		{SPACE}CHOOSE LETTERS { DOWN]"
		LOSE TATES TO CONTRACT SECTION AND CONTRACT	:rem 253
	941	PRINT" PUSH BUTTON TO MOVE C	URSOR"
		ELLINORS CALLES SET OF THE	:rem 67
	942	PRINT" {HOME } {9 DOWN } £63 {15 S	PACESIREN
		E03 E03":HU\$=""	:rem 29
	943	POKEA+40, 30: POKEA+F+40, 10: PO	KEF+A.1
		AN EVILLENT CONTRACTOR OF THE RE	:rem 221
	945	B=29-PEEK(54297)/9:POKEA, B:PO	
			:rem 125
	95Ø		
		OTO945	:rem 33
	955	POKEF+4,129:FORC=ØTO9ØSTEP1.	
		,C:NEXT:POKEF+4,17:POKEA+40,	
	960	A=A+2:HU\$=HU\$+CHR\$(B+64):IFA	
		943	:rem 231
	962	PRINT" {4 DOWN } ": POKEF+4, Ø: POI	KE51457.1
		14	:rem 81
	965	GOSUB590: PRINT" [HOME] ": FORA=	
			:rem 183
	970	PRINT" [32 SPACES] ": NEXT: GOTO	
	AC.	THE COLUMN THE PROPERTY OF THE	:rem 198
	990	PRINT" [HOME] [2 DOWN] [RIGHT]U	
		**************************************	"B"SPC (29
*)"B"	:rem 65
	995	PRINT" { RIGHT } J***********	******
		******K{HOME}[3 DOWN]{2 RIGHT	
		RN ROLL (S DOWN) (2 RIGHT	:rem 191
			. Lem 191



The player just missed a light bulb in the 64 version of "Lightsaver."

Program 2: VIC Lightsaver/MLX

Be sure to read the "Tiny MLX" article before typing. Version by Gregg Peele, Assistant Programming Supervisor

Refer to the "Automatic Proofreader" article before typing this program in.

6430 :011,016,000,000,158,052,011 6436 :049,048,057,000,000,000,190 6442 :169,000,141,092,003,141,076 6448 :093,003,169,024,141,015,237 6454 :144,032,078,020,032,100,204 6460 :016,032,236,017,032,042,179 6466 :017,169,007,141,074,003,221 6472 :169,003,141,064,003,173,113

```
6904:142,105,003,133,142,074,079
6478 :076,003,016,024,032,203,176
6484 :017,172,074,003,196,251,029
                                             6910 :074,056,233,012,176,252,033
6490 :208,003,076,077,016,032,246
                                             6916 :105,015,133,251,096,169,005
                                             6922 :128,141,019,145,169,255,099
6496 :015,019,032,246,018,169,083
                                             6928 :141,034,145,169,147,032,172
    :010,141,076,003,206,076,102
65Ø2
                                                  :210,255,162,011,160,005,057
     :003,032,108,017,032,125,169
65Ø8
                                             6940 :024,032,240,255,160,000,227
6514
     :016,032,038,019,032,179,174
                                             6946 :185,193,019,032,210,255,160
     :019,173,072,003,208,207,034
652Ø
                                             6952 : 200, 192, 012, 208, 245, 169, 042
6526 :076,205,018,169,000,141,223
                                             6958 :014,032,210,255,162,013,220
     :060,003,141,061,003,141,029
                                             6964 :160,005,024,032,240,255,000
6538 :074,003,032,042,017,169,219
                                             6970 :160,000,185,205,019,032,147
6544 :003,141,072,003,169,010,030
6550 :141,076,003,096,169,000,123
                                             6976 :210,255,200,192,012,208,117
    :141,019,145,169,127,141,130
                                                  :245,032,228,255,240,251,041
6556
                                             6982
6562 :034,145,173,008,144,074,228
                                             6988 : 201, 049, 144, 247, 201, 054, 204
6568 :074,074,074,073,015,056,022
                                             6994 :176,243,056,233,048,073,143
6574 :233,003,016,002,169,000,085
                                             7000 :255,141,063,003,169,147,098
6580 :141,064,003,168,162,002,208
                                             7006 :032,210,255,174,063,003,063
6586 :185,162,031,208,008,169,181
                                             7012 :024,169,000,105,048,202,136
6592 :032,153,162,031,032,023,113
                                             7018 :208,251,141,082,003,162,185
7024 :003,160,016,024,032,240,075
6598 :017,185,184,031,208,008,063
6604 :169,032,153,184,031,032,037
                                                  :255,160,000,185,010,020,236
                                             7030
6610 :023,017,185,206,031,208,112
                                             7036 :032,210,255,200,192,007,252
6616 :008,169,032,153,206,031,047
                                             7042 :208,245,162,006,160,016,159
6622 :032,023,017,200,202,016,200
                                             7048 :024,032,240,255,160,000,079
6628 :213,172,064,003,196,252,104
                                             7054 :185,017,020,032,210,255,093
6634 :240,071,164,252,169,032,138
                                             7060 :200,192,012,208,245,162,143
6640 :162,003,153,184,031,153,158
                                             7066 :010,160,016,024,032,240,124
6646 :206,031,200,202,016,246,123
                                             7072 :255,160,000,185,029,020,041
6652 :172,064,003,169,027,153,072
                                             7078 :032,210,255,200,192,007,038
6658
     :184,031,153,206,031,132,227
                                             7084 : 208, 245, 162, 013, 160, 016, 208
     :252,169,000,153,184,151,149
6664
                                             7090 :024,032,240,255,160,000,121
667Ø
     :153,206,151,200,169,028,153
                                             7096 :185,036,020,032,210,255,154
6676
     :153,184,031,153,206,031,010
                                             7102 :200,192,015,208,245,162,188
     :169,000,153,184,151,153,068
6682
                                             7108 :022,160,001,024,032,240,163
     :206,151,200,169,029,153,172
6688
                                             7114 :255,160,000,185,059,020,113
6694
     :184,031,153,206,031,169,044
                                             7120 :032,210,255,200,192,019,092
     :000,153,184,151,153,206,123
6700
                                             7126 :208,245,173,017,145,041,019
67Ø6
     :151,096,173,082,003,240,027
                                             7132 :016,208,249,160,021,169,019
6712
     :003,206,082,003,238,060,136
                                             7138 :032,153,228,031,136,208,246
6718
     :003,173,060,003,208,003,000
                                             7144 : 248,096,160,002,162,022,154
6724
     :238,061,003,162,004,160,184
                                             7150 :024,032,240,255,160,000,181
673Ø
     :016,024,032,240,255,174,047
                                             7156 :185,217,019,032,210,255,138
     :060,003,173,061,003,032,156
6736
                                             7162 :200,192,018,208,245,032,121
     :205,221,056,173,060,003,036
6742
                                             7168 :228,255,240,251,201,089,240
6748
     :237,092,003,133,170,173,132
6754
     :061,003,237,093,003,005,244
                                             7174 :240,007,201,078,240,006,010
     :170,144,012,173,060,003,154
                                             7180 :076,226,018,076,029,016,197
676Ø
                                             7186 :000,164,251,140,074,003,138
7192 :162,001,024,032,240,255,226
6766
     :141,092,003,173,061,003,071
6772
     :141,093,003,162,008,160,171
                                             7198 :160,000,185,235,019,032,149
     :016,024,032,240,255,174,095
                                             7204 :210,255,200,192,016,208,093
6784 :092,003,173,093,003,032,012
                                             7210 :245,096,172,074,003,162,026
679Ø
     :205,221,096,169,206,133,140
                                             7216 :001,024,032,240,255,160,248
     :167,169,031,133,168,173,213
6796
                                             7222 :000,185,251,019,032,210,239
     :141,002,208,251,169,228,121
6802
                                             7228 : 255, 200, 192, 014, 208, 245, 150
6808 :133,170,169,031,133,171,191
                                             7234 :096,160,021,185,228,031,019
6814 :169,228,133,180,169,151,164
6820 :133,181,162,021,160,021,074
                                             7240 :208,028,169,036,153,228,126
                                             7246 :031,169,000,153,228,151,042
6826 :177,167,208,012,072,169,207
                                             7252 :072,152,072,032,142,019,061
6832 :032,145,167,104,145,170,171
                                             7258 :032,179,019,104,168,104,184
6838 :169,000,145,180,136,016,060
                                             7264 : 206,072,003,076,076,019,036
6844 :237,056,165,167,233,022,044
                                             7270 :136,208,220,169,032,153,252
6850 :133,167,165,168,233,000,036
6856 :133,168,056,165,170,233,101
                                             7276 :228,031,162,011,160,016,204
                                              7282 :024,032,240,255,173,082,152
6862
     :022,133,170,165,171,233,076
     :000,133,171,056,165,180,149
                                              7288
                                                   :003,205,084,003,240,013,156
6868
6874
     :233,022,133,180,165,181,108
                                             7294
                                                   :160,000,185,051,020,032,062
                                             7300 :210,255,200,192,008,208,181
688Ø
     :233,000,133,181,202,016,221
6886 :193,096,032,148,224,165,064
                                             7306 :245,173,082,003,141,084,098
                                                  :003,056,073,255,170,169,102
6892 :142,162,003,010,202,208,195
6898 :252,024,101,142,010,101,104
                                             7318 :000,032,205,221,162,015,017
```

7324 :160,016,024,032,240,255,115 7330 :174,072,003,169,000,032,100 7336 : 205, 221, 096, 169, 015, 141, 247 7342 :014,144,169,129,141,013,016 7348 :144,162,010,138,072,032,226 7354 :179,019,104,170,202,208,044 7360 :246,169,000,141,014,144,138 7366 :024,173,082,003,105,016,089 7372 :141,082,003,096,172,082,012 7378 :003,162,080,202,208,253,094 7384 :136,192,255,208,246,096,069 7390 :144,076,073,071,072,084,230 7396 :083,065,086,069,082,032,133 7402 :076,069,086,069,076,032,130 7408 :040,049,045,053,041,063,019 7414 :080,076,065,089,032,065,141 7420 :071,065,073,078,032,089,148 7426 :032,079,082,032,078,063,112 7432 :031,094,157,017,094,157,046 7438 :157,017,095,033,035,017,112 7444 :157,157,144,064,144,032,206 7450 :157,017,032,157,157,017,051 7456 :032,032,032,017,157,157,203 7462 :017,028,083,067,079,082,138 7468 : 069,144,030,072,073,017,193 7474 :157,157,083,067,079,082,163 7480 :069,144,156,083,080,069,145 7486 :069,068,144,066,085,076,058 7492 :066,083,017,157,157,157,193 7498 :157,157,076,069,070,084,175 7504 :032,032,032,032,157,157,010 7510 :157,157,080,082,069,083,202 7516 :083,032,070,073,082,069,245 7522 :032,084,079,032,083,084,236 7528 :065,082,084,160,000,185,168 7534 :000,128,153,000,028,200,107 7540 :208,247,160,000,185,000,148 7546 :129,153,000,029,200,208,073 7552 : 247, 160, 007, 185, 150, 020, 129 7558 :153,000,028,136,016,247,202 7564 :160,039,185,158,020,153,087 7570 :216,028,136,016,247,160,181 7576 :007,185,198,020,153,008,211 :029,136,016,247,160,015,249 7588 :185,206,020,153,024,029,013 7594 :136,016,247,169,255,141,110 7600 :005,144,096,024,024,024,237 7606 :036,066,066,102,060,000,000 7612 :000,234,117,058,029,014,128 7618 :007,000,000,170,085,170,114 7624 :085,170,255,000,000,175,117 7630 :094,188,120,240,224,024,072 7636 : 024, 024, 024, 024, 024, 024, 100 7642 :024,000,001,003,007,015,012 7648 :031,063,127,255,255,255,186 7654 :255,255,255,255,255,000,225 7660 :128,192,224,240,248,252,240 7666 :254,000,024,024,060,086,178 7672 :203,000,000,000,000,000,195

Program 3: Atari Data Loader

Refer to the "Automatic Proofreader" article before typing this program in.

DH 1000 X=0:Y=0:? "(CLEAR)LOADING CH ARACTER SET" OM 1010 POKE 752,1 LM 1020 CHSET=14336:FOR I=0 TO 511:P OKE CHSET+I,PEEK(57344+I):NE XT I

MH 1025 RESTORE 1045:? "REDEFINING C HARACTER SET" 60 1030 READ A: IF A=-1 THEN POKE 756 .CHSET/256:GOTO 1041 CN 1035 FOR J=0 TO 7: READ B: POKE CHS ET+A*8+J, B: NEXT J MC 1949 GOTO 1030 ? "LOADING ML PROGRAM 1" CJ 1041 MC 1042 READ A: IF A=-1 THEN 1045 DJ 1043 POKE 1536+X, A: X=X+1 NJ 1044 GOTO 1942 CO 1Ø45 ? "LOADING ML PROGRAM 2" 10 1046 READ A: IF A=-1 THEN ? "RUNNI NG LIGHTSAVER": RUN "D: LIGHTS AVER" POKE 13470+Y, A: Y=Y+1 HA 1047 NB 1048 GOTO 1046 CH 1050 DATA 16,126,103,103,103,103, 103,127,63 IC 1060 DATA 17,28,60,124,28,28,28,1 27,127 AF 1070 DATA 18,126,103,7,127,112,11 5,115,127 EI 1080 DATA 19,126,103,7,63,7,103,1 27,63 OC 1090 DATA 20,6,15,27,51,127,127,7 , 15 KC 1100 DATA 21,126,96,126,103,7,103 ,127,63 AB 1110 DATA 22,126,103,96,126,103,1 03,127,63 BF 1130 DATA 23,126,103,7,14,28,28,2 8,28 CM 1140 DATA 24, 126, 103, 103, 127, 103, 103,127,63 NB 115Ø DATA 25,126,103,103,127,7,10 3,127,63 AB 1190 DATA 1,2,11,14,10,11,14,5,5 NG 1191 DATA 2,128,224,160,240,160,1 60,80,80 IN 1192 DATA 3,21,85,85,85,85,21,21, OH 1193 DATA 4,84,85,117,245,117,84, 84,80,-1 CN 1536 DATA 173,36,2,141,51,6 CM 1542 DATA 173,37,2,141,52,6 JL 1548 DATA 169, Ø, 141, 205, 6, 169 7,162,6,160,28,32 DB 1554 DATA AA 1560 92, 228, 104, 96, 173, 152 DATA ML 1566 DATA 52,240,17,173,156,52 CM 1572 DATA 141,206,6,32,53,6 JK 1578 DATA 206,206,6,173,206,6 DK 1584 DATA 208,245,76,255,255,206 68 159Ø DATA 205,6,173,205,6,16 61 1596 DATA 12, 169, 7, 141, 205, 6 CC 1602 DATA 141,5,212,32,80,6 6H 16ØB DATA 96,173,2Ø5,6,141,5 MO 1614 DATA 212,96,165,88,24,105 JF 1620 DATA 72, 141, 121, 6, 165, 89 FF 1626 DATA 105,3,141,122,6,24 LH 1632 DATA 173, 121, 6, 105, 40, 141 JB 1638 DATA 124,6,133,5,173,122 CF 1644 DATA 6, 105, 0, 141, 125, 6 JB 1650 DATA 133,6,162,15,160,39 6P 1656 DATA 185, 255, 255, 153, 255, 255 PN 1662 DATA 136, 16, 247, 56, 173, 121 6A 166B DATA 6,141,124,6,233,40 10 1674 DATA 141, 121, 6, 173, 122, 6 IH 1680 DATA 141, 125, 6, 233, 0, 141 MG 1686 DATA 122,6,202,208,219,24

```
JH 1692 DATA 173, 124, 6, 141, 173, 6
JP 1698 DATA 173, 125, 6, 141, 174, 6
MK 17Ø4 DATA 169,Ø,16Ø,39,153,255
00 171Ø DATA 255, 136, 16, 25Ø, 16Ø, 4Ø
JO 1716 DATA 136, 177, 5, 208, 5, 192
6A 1722 DATA Ø, 2Ø8, 247, 96, 2Ø1, 5
PM 1728 DATA 176, 242, 169, Ø, 141, 152
JD 1734 DATA 52, 169, 1, 141, 153, 52
NP 1740 DATA 96,-1
PJ 1347Ø DATA 169,8Ø,141,3,21Ø,169
MG 13476 DATA 1,141,152,52,165,45
FE 13482 DATA 141, 143, 52, 169, 100, 141
PP 13488 DATA 144,52,169,0,141,146
C6 13494 DATA 52, 141, 151, 52, 141, 145
PI 13500 DATA 52,141,153,52,165,88
CE 13506 DATA 24, 105, 24, 133, 208, 165
PI 13512 DATA 89, 105, 1, 133, 209, 165
MC 13518 DATA 88,24,105,121,133,3
JF 13524 DATA 165,89,105,2,133,4
F6 1353Ø DATA 172, 154, 52, 162, 255, 202
CI 13536 DATA 224,0,208,251,136,192
WF 13542 DATA Ø, 208, 246, 173, 5, 208
16 13548 DATA 201,0,240,6,32,106
MM 13554 DATA 54,32,54,54,174,143
PC 13560 DATA 52, 236, 144, 52, 240, 14
BM 13566 DATA 144, 2, 202, 202, 232, 142
MF 13572 DATA 143,52,142,0,208,76
GH 13578 DATA 199,53,160,120,136,177
MF 13584 DATA 208,201,0,208,7,192
JK 1359Ø DATA Ø, 2Ø8, 245, 76, 35, 53
A6 13596 DATA 201,5,176,238,76,134
CH 13602 DATA 53, 172, 145, 52, 204, 147
PK 13608 DATA 52, 16, 222, 238, 145, 52
CF 13614 DATA 169, 172, 141, 1, 210, 165
MF 13620 DATA 67,141,3,210,169,55
BM 13626 DATA 141, 2, 210, 169, 120, 141
LN 13632 DATA Ø, 21Ø, 173, 143, 52, 56
BC 13638 DATA 233, 46, 74, 74, 168, 169
MB 13644 DATA 1,145,208,169,2,200
CJ 13650 DATA 145,208,152,24,105,39
DD 13656 DATA 168,169,3,145,208,200
NA 13662 DATA 169, 4, 145, 208, 173, 5
IN 13668 DATA 208, 201, 0, 240, 6, 32
MO 13674 DATA 106,54,32,54,54,165
LM 1368Ø DATA 20, 105, 2, 24, 141, 149
AE 13686 DATA 52,166,20,236,149,52
ML 13692 DATA 208,249,169,0,141,1
OM 13698 DATA 210,141,3,210,173,10
PM 137Ø4 DATA 21Ø, 1Ø9, 148, 52, 74, 74
El 1371Ø DATA 17Ø, 173, 1Ø, 21Ø, 2Ø5, 143
J6 13716 DATA 52,144,13,208,3,76
CK 13722 DATA 134,53,138,24,109,144
AG 13728 DATA 52,76,175,53,138,141
AD 13734 DATA 149,52,173,144,52,56
CL 1374Ø DATA 237, 149, 52, 201, 54, 144
JB 13746 DATA 211, 201, 198, 176, 207, 14
PF 13752 DATA 144,52,173,5,208,201
FP 13758 DATA Ø, 24Ø, 6, 32, 1Ø6, 54
JM 13764 DATA 32,54,54,173,5,208
ID 1377Ø DATA 201,0,240,6,32,106
HN 13776 DATA 54,32,54,54,173,112
# 13782 DATA 2,73,255,201,42,144
CO 13788 DATA 10,201,196,176,14,141
NI 13794 DATA 1,208,76,244,53,169
MF 13800 DATA 47, 141, 1, 208, 76, 244
PN 13806 DATA 53, 169, 192, 141, 1, 208
PC 13812 DATA 141,150,52,173,5,208
16 13818 DATA 201,0,240,6,32,106
ML 13824 DATA 54,32,54,54,173,152
```

LK 1383Ø DATA 52,2Ø1,Ø,24Ø,38,172 CP 13836 DATA 145,52,204,147,52,208 LK 13842 DATA 32, 173, 151, 52, 201, 1 CN 13848 DATA 240, 11, 238, 151, 52, 165 BP 13854 DATA 20,24,105,140,141,146 PG 13860 DATA 52, 165, 20, 205, 146, 52 DB 13866 DATA 208, 155, 169, 0, 141, 152 NF 13872 DATA 52, 104, 96, 76, 218, 52 61 13878 DATA 165,1,166,Ø,32,62 DA 13884 DATA 54,96,134,212,133,213 CF 1389Ø DATA 32,17Ø,217,32,23Ø,216 MI 13896 DATA 160,0,132,2,177,243 JH 139Ø2 DATA 72,41,127,32,93,54 JA 13908 DATA 104,48,5,164,2,200 DJ 13914 DATA 208,238,96,170,173,71 CP 1392Ø DATA 3,72,173,70,3,72 AI 13926 DATA 138, 160, 146, 96, 169, 0 CD 13932 DATA 141,30,208,141,155,52 KI 13938 DATA 169,6,133,85,169,Ø MK 13944 DATA 133,84,165,0,24,109 JA 1395Ø DATA 148,52,133,Ø,165,1 LN 13956 DATA 105,0,133,1,173,150 JE 13962 DATA 52, 162, Ø, 56, 233, 42 AJ 13968 DATA 74,74,24,105,160,168 AI 13974 DATA 169, Ø, 141, 149, 52, 177 IE 1398Ø DATA 3,201,1,240,45,201 IM 13986 DATA 2,240,61,201,3,240 NF 13992 DATA 77, 201, 4, 240, 93, 169 MC 13998 DATA Ø, 145, 3, 200, 232, 224 OP 14004 DATA 13,144,228,162,1,238 CE 14010 DATA 149,52,173,149,52,201 LJ 14016 DATA 5,240,10,152,56,233 MN 14022 DATA 52,168,169,0,76,155 GK 14Ø28 DATA 54,96,169,Ø,145,3 OF 14034 DATA 200,145,3,152,24,105 JA 14040 DATA 39, 152, 169, 0, 145, 3 JD 14Ø46 DATA 2ØØ, 145, 3, 96, 169, Ø LO 14Ø52 DATA 145, 3, 136, 145, 3, 152 MH 14Ø58 DATA 24,1Ø5,4Ø,168,169,Ø JA 14064 DATA 145, 3, 200, 145, 3, 96 LL 14070 DATA 169,0,145,3,200,145 MJ 14076 DATA 3,152,56,233,40,168 MG 14Ø82 DATA 169, Ø, 145, 3, 136, 145 DK 14Ø88 DATA 3,96,169,Ø,145,3 PK 14Ø94 DATA 136, 145, 3, 152, 56, 233 IN 14100 DATA 40,168,169,0,145,3 PC 14106 DATA 200, 145, 3, 96, -1

Program 4: Atari Lightsaver

Version by Chris Poer, Editorial Programmer

Refer to the "Automatic Proofreader" article before typing this program in.

- DL 2 POKE 13464, Ø: POKE 106, 64: GRAPHI CS Ø: OPEN #1, 4, 0, "K: ": HIGH=0: Q= USR(1536): DIM A\$(3), B\$(1)
- HK 5 GOSUB 700:GRAPHICS 0:GOSUB 800: B\$=" "
- K6 1Ø PUT #6,125:POKE 82,Ø
- KB 13 POKE 752,1:SETCOLOR 2,0,0:GOSU B 600:POKE 87,0
- PB 15 BULB=13459:MEN=3:LEV=13460:SC=
- DG 100 IF SC>HIGH THEN HIGH=SC
- KL 110 GOSUB 900
- GM 13Ø Q=USR(1347Ø)
- KL 135 SC=PEEK(Ø)+PEEK(1) *256

- DL 137 IF SC>EX THEN EX=EX+2000:MEN= MEN+1: FOR I=1 TO 100: SOUND 0. INT(RND(1) *255), 10, 14: NEXT I: SOUND Ø,Ø,Ø,Ø EP 14Ø IF PEEK (13465) = 1 THEN GOSUB 5 99 JH 145 IF XX=1 THEN XX=Ø:GOTO 1ØØ KC 15Ø SOUND Ø, 14Ø, 1Ø, 12: FOR I=1 TO 120:NEXT I:SOUND 0,90,10,14 AJ 160 FOR I=1 TO 80: NEXT I: SOUND 0, 0,0,0 JE 18Ø POKE LEV, PEEK (LEV) +1 PJ 19Ø AM=AM+4: POKE BULB, AM+4 KI 200 POKE 13468, INT (PEEK (LEV) /5) +1 :IF INT(PEEK(LEV)/5)+1=7 THEN POKE 13468,6 FN 210 GOTO 100 DA 500 SOUND 0,200,12,14:FOR I=1 TO 80:NEXT I:SOUND 0,0,0,0:XX=1 08 505 IF PEEK(LEV)>1 THEN POKE LEV. PEEK (LEV) -1 ND 51Ø MEN=MEN-1: IF MEN=Ø THEN 85Ø CH 515 POKE BULB, AM: IF INT (PEEK (LEV) /5)+1<7 THEN POKE 13468, INT (P EEK (LEV) /5) +1 HK 55Ø RETURN N 600 A=56:POKE 54279, A:PMBASE=256* A: POKE 756,56 N 615 POKE Ø, Ø: POKE 1, Ø: POKE 13468,
- Ø : GOTO 10 DI 900 POSITION 0,0:? #6; "SCORE ":SC ED 910 A\$=STR\$(PEEK(LEV)): IF PEEK(LE V) < 10 THEN A\$ (LEN(A\$)+1)=B\$ CN 920 POSITION 0,1:? #6; "HI SCORE " ;HIGH: POSITION 12, Ø:? #6; "LEV EL "; A\$ #P 930 POSITION 15,1:? #6; "MEN "; MEN :POKE 53248,220:POKE 53249,22 10 94Ø POKE 53277, Ø:FOR I=1 TO 200:P OKE 13464, 1: NEXT I: POKE 13464 EN 950 POSITION 0,2:? #6; " hit paddl e button(3 SPACES) to begin ro und" HB 96Ø IF PTRIG(Ø)=1 THEN 96Ø PE 97Ø POSITION Ø, 2:? #6;" (35 SPACES)" C6 98Ø POKE 559,46:POKE 53277,3:POKE 77, Ø: RETURN Program 5: IBM PC/PCjr Lightsaver Version by Tim Victor, Editorial Programmer 60 627 POKE 53249, 90: POKE 53248, 90 HM 63Ø FOR I=PMBASE+512 TO PMBASE+76 5 CLEAR , &HDØØØ 8: POKE I, Ø: NEXT I 10 ON ERROR GOTO 2000: GOSUB 8000 PE 640 POKE 704, 216: POKE 705, 118 65 NP=1ØØ:DF=15:LEVEL=1:MISSES=Ø CD 650 RESTORE 670: FOR I=PMBASE+550+ 68 SC=Ø: C=Ø Y TO PMBASE+562+Y: READ A: POKE 7Ø CLS: GOSUB 4ØØØ I, A: NEXT I 8Ø BP=JSF*(STICK(Ø)-3) DB 660 FOR I=PMBASE+739+Y TO PMBASE+ 100 CALL BLANK: PUT (BP, 183), C% 75Ø+Y:READ A:POKE I, A:NEXT I 110 LP=80:PUT (LP,0),L% 114 FOR X%=Ø TO 6:XP(X%)=Ø:NEXT F0 67Ø DATA 24,24,24,24,24,24,24,24, 24, 24, 60, 126, 255 115 GOSUB 5000 EB 68Ø DATA 255, 255, 255, 255, 255, 255, 120 X%=5:CF=1:Z=STRIG(Ø) 126, 126, 126, 60, 60, 60 13Ø BNUM=INT(1Ø*RND(1))+1Ø:BN=1 HH 69Ø POKE 53256,1:POKE 53257,1:POK 135 GOSUB 2000: IF CF=0 THEN 310 E 623, 1: RETURN 137 GOSUB 3000 HN 700 GRAPHICS 18: POSITION 4,3:? #6 ; "LiggTsetter" $(X,Y) = \emptyset : XX = FNDEC(XX)$ PI 71Ø FOR I=1 TO 12Ø: X=INT(RND(1) *2 55): SOUND Ø, X, 1Ø, 12: NEXT I %):GOTO 135 NC 72Ø SOUND Ø, 8Ø, 1Ø, 14: FOR I=1 TO 1 14Ø DF=DF*1.1:GOTO 114 ØØ: NEXT I 31Ø PUT (BB, 153), B%: PUT (BB, 185), B% LK 73Ø SOUND Ø, Ø, Ø, Ø: GRAPHICS 18: POK E 53248,220:POKE 53249,220 767, . 2: NEXT JD 740 POSITION 1,4:? #6: "enter leve 325 DF=DF/1.1:MISSES=MISSES+1 1 of play" PK 750 POSITION 3,6:? #6; "(41/9) 1=HE 34Ø GOSUB 7ØØØ:GOTO 7Ø 999 'move lamp and make new bulb RDE5T" PO 76Ø GET #1, DIF: IF DIF>57 OR DIF<4 1000 NP=NP+4*INT(DF*(RND(1)-.479)) 1Ø1Ø IF NP>2ØØ THEN NP=2ØØ 9 THEN 750 1020 IF NP<0 THEN NP=0 PB 77Ø DIF=(DIF-48):POKE 13466,DIF:R ETURN NJ 800 DL=PEEK (560) +4+PEEK (561) *256 .L%:LP=NP 1040 XP(X%)=NP+12:PUT (XP(X%),28),B% PA 8Ø1 FOR I=2 TO 6: POKE DL+I, 6: NEXT I:POKE DL-1,6+64 1Ø45 SOUND 37,.1 FJ 810 FOR I=7 TO 24: POKE DL+I, 36: NE 1050 X%=FNDEC(X%) XT I:POKE 87,1:RETURN 1060 RETURN 1999 'is bulb about to break? JE 85Ø IF PEEK(Ø)+PEEK(1) *256>HIGH T HEN HIGH=PEEK(Ø)+PEEK(1) *256 2000 BB=XP(X%) MH 855 POKE 53248,220:POKE 53249,220

6: "(E) TO END PROGRAM

JJ 890 GOSUB 700: GRAPHICS 0: GOSUB 80

GET #1, W: IF W=69 THEN Q=USR (5

PLAY AGAIN"

DG 88Ø IF W<>8Ø THEN 87Ø

8484)

DH 87Ø

(P) TO

MC 86Ø POKE 53277, Ø: POSITION 1,2:? #

2020 IF BB THEN PUT (BB, 178), B%: C=C+1:SO UND 2000, . 1 2025 IF STRIG(0) THEN GOSUB 7000:WHILE S TRIG(1): WEND: Z=STRIG(Ø) 2030 RETURN 2999 'drop all bulbs 3000 FOR I%=153 TO 23 STEP -25 3Ø1Ø XP=XP(X%) 3020 IF XP THEN PUT (XP, I%), B%: PUT (XP, I 7+25), B7 3Ø3Ø NBP=JSF*(STICK(Ø)-3) 3040 CALL BLANK: PUT (BP, 183), C%: PUT (NBP , 183) , C%: BP=NBP 3Ø5Ø X%=FNDEC(X%):NEXT 3060 RETURN 3999 'draw scoreboard 4000 LINE (0,0)-(240,199),3,B 4005 LINE (240,0)-(319,199),1,B 4006 LINE (242,2)-(317,45),1,B 4007 LINE (242, 47)-(317, 86), 1, B 4008 LINE (242,88)-(317,127),1,B 4009 LINE (242, 129)-(317, 168), 1, B 4010 LOCATE 3,33:PRINT "LEVEL:" 4020 LOCATE 8,33:PRINT "SCORE:" 4030 LOCATE 13,33:PRINT "HIGH:" 4040 LOCATE 18,33: PRINT "BROKEN: " 43ØØ RETURN 4999 'update score 5000 SC=SC+C*LEVEL: C=0 5005 IF CF=0 THEN LEVEL=LEVEL-1 ELSE LEV EL=LEVEL+1 5006 IF LEVEL=0 THEN LEVEL=1 5010 LOCATE 5,34: PRINT LEVEL 5020 LOCATE 10,34:PRINT FNFMT\$(STR\$(SC)) 5025 LOCATE 15,34:PRINT FNFMT\$(STR\$(HI)) 5030 LOCATE 20,34:PRINT MISSES 52ØØ RETURN 5999 'end of game 6000 LOCATE 20,12:PRINT "PRESS TRIGGER F OR ANOTHER GAME" 6005 GOSUB 5000 6010 WHILE STRIG(1)=0:WEND 6020 IF SC>HI THEN HI=SC 6030 RETURN 6999 'wait for button press 7000 LOCATE 23,33:PRINT "PRESS"; 7010 LOCATE 24,33:PRINT "BUTTON"; 7020 WHILE STRIG(1)=0:IF INKEY\$="e" OR I NKEY\$="E" THEN END 7Ø3Ø WEND 7Ø4Ø LINE (256, 176) - (318, 191), Ø, BF 7050 RETURN 7999 'initialize graphics 8000 SCREEN 1:COLOR 0,1:KEY OFF:CLS 8005 STRIG ON: RANDOMIZE TIMER 8Ø1Ø DIM B%(25),C%(47),L%(119) $8\emptyset2\emptyset$ DEF FNDEC(X%)=X%-1-7*(X%= \emptyset) 8030 DEF FNFMT\$(A\$)=LEFT\$("0000",5-LEN(A \$))+RIGHT\$(A\$, LEN(A\$)-1) 8Ø4Ø BLANK=&HDØØØ 8050 FOR I=BLANK TO BLANK+9: READ A 8060 POKE I, A: NEXT 8100 DRAW "bm117,10c2ta45d20ta0134" 8105 DRAW "ta-45u20bm117,15p2,2" 8110 LINE (116,0)-(118,11),3,BF 8115 LINE (100,24)-(134,25),3,BF 8120 GET (100,0)-(134,25),L% 8125 LOCATE 11,6:PRINT "THIS IS NO ORDIN

8130 PRINT "ANGERED BY ITS BORING AND ME

ARY LAMP. "

NIAL JOB, " 8135 FOR I=1 TO 600:NEXT 814Ø LINE (115,31)-(119,4Ø),3,BF 8145 LINE (112,36)-(122,38),3,BF 815Ø LINE (115,28)-(119,3Ø),1,BF 8155 LINE (114,34)-(120,34),3 816Ø LINE (113,35)-(121,35),3 8165 LINE (113,39)-(121,39),3 817Ø PRESET (115,28):PRESET (119,28) 8175 LINE (117,38)-(119,38),1 818Ø LINE (119,37)-(120,37),1 8185 PSET (120,36),1 8187 GET (112,28)-(122,40),B% 8190 LOCATE 14,4:PRINT "IT IS DROFFING F RAGILE, HELPLESS" 8195 PRINT "LIGHTBULBS TO THEIR CERTAIN DESTRUCTION. " 8200 DRAW "C3BM103,183TA30D10TA0L12" 8205 DRAW "TA-30U10BM103,187P3,3" 821Ø GET (97,183)-(1Ø9,192),C% 8215 PUT (97,183),C%,PRESET 822Ø GET (97,183)-(109,192),C% 8225 FOR J=3Ø TO 63 STEP 4 823Ø LINE (J,182)-(J+10,192) 8235 LINE (J, 182) - (J-10, 192) 824Ø NEXT 8245 LINE (3Ø, 182) - (63, 182), Ø 825Ø LINE (3Ø, 183) - (63, 183),3 8255 LINE (30,192)-(63,192),3 826Ø DRAW "BM3Ø,183TA3ØD1Ø" 8265 DRAW "BM63,183TA-3ØD1Ø" 827Ø PUT (23,183),C%,AND 8275 PUT (58,183),C%,AND 828Ø GET (3Ø,183)-(63,192),C% 8285 LINE (Ø, 182) - (120, 192), Ø, BF 829Ø LOCATE 17,1:PRINT "USING YOUR BASKE T, YOU MUST SAVE THE" 8295 PRINT "BULBS FROM THIS PSYCHOPATHIC APPLIANCE." 83ØØ BP=2*(STICK(Ø)-3) 83Ø5 IF BP>21Ø THEN BP=21Ø 831Ø CALL BLANK: PUT (BP, 183), C% 8400 LOCATE 20,1:PRINT "TO BEGIN, MOVE T HE BASKET ALL THE WAY" 8410 LOCATE 21,3:PRINT "TO THE RIGHT AND PRESS THE BUTTON. " 842Ø WHILE STRIG(1)=Ø 8425 NBP=2*(STICK(Ø)-3) 843Ø IF NBP>21Ø THEN NBP=21Ø 8432 CALL BLANK: PUT (BP, 183), C%: PUT (NBP , 183), C%: BP=NBP: WEND 8435 JSF=21Ø/(STICK(Ø)-3) 844Ø RETURN 10000 DATA 186,218,3,237,37 10010 DATA 8,0,116,250,203 20000 IF (ERR=5 OR ERR=6) AND (ERL=3040 OR ERL=100) THEN BP=210:PUT (BP, 183),C% ELSE ON ERROR GOTO Ø 0 20010 RESUME NEXT

COMPUTE! The Resource.

THE WORLD INSIDE THE COMPUTER

Build A Computer In Your Mind

Fred D'Ignazio, Associate Editor



In my recent column, "The Morning After," in the May and June 1984 issues of COM-PUTE!, I wrote about a new kind of programming that I believe people are beginning to do on their computer. I

called this "neoprogramming" to distinguish it from traditional programming in BASIC or Pascal and from "no programming" in which people treat the computer as a thinking machine and let it do their thinking for them.

In this month's column I'd like to explore neoprogramming and see how it can be related to computer activities that will help people develop thinking, learning, and communication skills that they can practice and refine using the computer, and that they can also take away from the computer and use, on their own, in all areas of their lives.

Neoprogramming

Neoprogramming can be defined as borrowing the most powerful ideas from programming languages and turning them into thinking skills that people can use, inside their head, in their daily life.

Another way to look at neoprogramming is as a toolbox that has three kinds of tools inside:

Fred D'Ignazio is a computer enthusiast and author of several books on computers for young people. His books include Katie and the Computer (Creative Computing), Chip Mitchell: The Case of the Stolen Computer Brains (Dutton/Lodestar), The Star Wars Question and Answer Book About Computers (Random House), and How To Get Intimate With Your Computer (A 10-Step Plan To Conquer Computer Anxiety) (McGraw-Hill).

As the father of two young children, Fred has become concerned with introducing the computer to children as a wonderful tool rather than as a forbidding electronic device. His column appears monthly in COMPUTE!.

- ☐ Tools to Help You Think
 ☐ Tools to Help You Learn
 ☐ Tools to Help You Communicate
- These are practical tools that will be valuable no matter what people's goals are. Mastering these tools is more worthwhile than simply learning how to operate a computer.

Thinking, learning, and communication tools can be found in many places—in textbooks, in courses, in jobs, etc. But they can also be found, in a concentrated form, in the computer. And through extensive use and familiarity with these tools on a computer, people can learn how to use the tools to think better without the computer.

How Not To Use A Computer

Learning how to operate a computer, on its own, will not automatically guarantee people a successful career, help them learn how to use more advanced computers of the future, or give them thinking skills they can apply to other areas of their lives.

Also, it is possible to have a relationship with computers that actually deadens or stifles the ability to think. Many people, for example, use computers mechanically and passively. They spend their time in front of a computer entering information, making trivial, routine queries, or typing other people's documents.

The Thinking Appliance

There is a strong assumption in many people's minds that computers are labor-saving appliances. People ask, "What can I do on a computer?" But what they mean is, "What can the computer do for me?" The labor that many people hope computers will save is not mechanical labor but thinking labor. For most of us, thinking is work—work that we would avoid if we had the chance.

Many people would be happy (though few would admit it) if computers would do their thinking for them. In the near future, with the

advent of expert systems and friendlier computers, there is a great risk that computers will take over more and more of the thinking that people do. As a result, people and organizations will become increasingly dependent on computers.

Dumbo's Feather

For adults at work and at home, and for children in school, there is the risk that computers will become super calculators. When they want to do real work or thinking, they will, by habit, turn to the computer. The computer will become an adjunct to the person's mind. The computer will be like Dumbo's feather. Dumbo the elephant could fly because of his big ears, but he thought it was because of his magic feather. If he didn't hold on tight to his feather, he was afraid he couldn't fly. People may come to feel incapable of thought unless they do it using their computer.

The Computer Crutch

There is a real risk that many people will use computers as a crutch. They will expect computers to do their thinking for them, or they will be afraid that they cannot think without the aid of the computer. Either way, they will be tied to computers to help them carry on their daily affairs.

Also, if people use computers (or anticipate using computers) as a crutch, they will not get the most out of them. They will be using computers' powerful computational, communications, and information handling functions sloppily, indiscriminately, and inefficiently.

The Computer Lever

In fact, the computer is not a thinking machine, a magic feather, or a crutch. It is a complex lever. It amplifies our abilities to move information around, but we must position and guide it to get what we want.

In addition, we don't need to tie ourselves to the computer to use its lever. We can build the lever inside our head. The lever is, in fact, just an assortment of thinking skills embedded in general-purpose (BASIC, Logo, Pascal, Assembler, etc.) procedural languages and special-purpose (word processing, spreadsheet, file handling) builder kit languages. Once we have acquired these skills, we can employ them on the computer, or we can use them inside our heads. If we recognize and master these skills, we can get more out of using the computer, and we can become less dependent on it and more skilled, on our own, to think, learn, and communicate.

Building A Computer Inside Your Head

Burrell Smith, Apple's hardware wizard who

helped create the Macintosh, has written that he never just goes into a workshop and builds a new computer. Instead he first spends considerable time building mental prototypes inside his head. Burrell's prototypes are like a writer's rough drafts. Using mental prototypes, he takes a rough, simple idea and turns it into a cluster of complex ideas, and eventually into an advanced concept or design. Then he begins building the computer.

Burrell can create mental prototypes because he has a computer inside his head. Burrell has built this computer from an array of thinking skills he has learned from programming real computers and from his other experiences in life. These skills aren't mysterious, nor are they Burrell's alone. They can be mastered by anyone.

Environments For Thinking

Programming languages offer an environment for thinking—a place in which these skills can be learned, practiced, mastered, and then used. Learning a programming language offers an opportunity to explore new avenues of thought.

For example, if taught properly, BASIC, Pascal, Logo, and other languages can help people learn algorithmic thinking, how to break complex problems into smaller, simpler problems, and how to organize large quantities of information.

A word processing program can give people a feeling for the fluidity and mobility of words, ideas, thoughts, and knowledge. It can help them learn how to create several rough drafts, in quick succession, that sharpen an image, refine a concept, or lead to new ideas.

A spreadsheet program can help break a complex situation down into lists and arrays of smaller parts. It can display the whole forest and the individual trees in the forest, all at the same time. It can also reveal the relationships between all the parts.

A file-handling (data base) program can teach how to organize thoughts, feelings, experiences, and information. It can show how to group facts according to categories of likeness, how to sort and prioritize, and how to cross-reference facts that have certain traits in common.

Graphing languages, word processing languages, and telecommunications languages, singly or together, can teach how to better communicate feelings, ideas, and desires. They can teach how to use visual images and symbols, page layout and design, and grammar and style to communicate more effectively.

Magnets For Thinking, Learning, And Communication

Computers, like other media, can have a pushpull effect, depending on how people use them. If computers are used inefficiently or inappropriately, they have to be pushed just to get

meager, mediocre results.

On the other hand, computers can also exert a powerful pulling effect. They can be so attractive, so elegant that they will pull at the mind, like a magnet. They can almost seduce a person into performing a task or solving a problem.

Magnets And Road Maps

Computer tools can pull you like a magnet to the computer, but they can also become magnets inside your head that draw related information and ideas toward them. They can help you make sense out of chaos. They can let you mentally map out individual facts in some kind of logical, coherent, and practical order.

For example, what happens if you think about two things: a paper route and a spread-sheet? What kind of associations can you make? How might you map the paper route onto a

spreadsheet?

You don't need to use a computer to do this exercise. Instead, you can perform what Albert Einstein called a thought experiment. You can build a mental prototype of a paper-route

spreadsheet inside your head.

Associating spreadsheets and paper routes is not a dull, artificial, or mechanical activity. If you have the proper image, appreciation, and passion for using spreadsheets as a thinking skill, you start mapping the paper route onto the spreadsheet even before you know it. The spreadsheet, as a thinking tool, or metaphor, will draw your thoughts playfully and automatically. When you begin thinking about the paper route, your mind will unconsciously make an association with spreadsheets and figure out how the two are related.

For example, you might start thinking of the different houses on the paper route as columns. You might think of the people's names, addresses, telephone numbers, amounts owed, and your last collection date as rows in the spreadsheet.

You might also think of mapping the spreadsheeted paper route into a data base in which you could quickly determine who owes you for the papers, who is the most overdue, and what might be the most effective collection route for you to follow on your bicycle or in your car.

In fact, you might never put all this information onto the computer. It might be too much trouble entering the information and keeping it up-to-date. But this doesn't matter as long as you have a model of the spreadsheet or the data base inside your head.

For many, many applications in life, building a mental prototype inside your head is enough.

It's not practical to go any further. The value of the computer skills is not that you use them on the computer, but that you can organize information, perform tasks, and solve problems better inside your head. This helps you become a better thinker, learner, and communicator on your own. You don't need a real computer around. You can carry one inside your head.

Learning Through Play

One of our greatest joys in life comes when we play—or when we feel we are playing. We might be working, but if it feels like play, we will be more motivated, more intense, and do a better job.

Passion and joy are not attributes of work but of love. And when we love what we are doing, it is never work. No matter how difficult the

activity is, it feels like play.

I think that people can use computers to think playfully, learn playfully, and communicate playfully. The real joy of computing doesn't come from getting a job done faster, easier, or cheaper; it comes from making the job more challenging and more fun while you're doing it.

Are You A Neoprogrammer?

How is your relationship with your computer? Does your computer challenge you to think, learn, and communicate better? Does it make work more fun and interesting? Have you been able to take your computer skills with you when you leave the computer? Can you think on your own when your computer is turned off?

If you can, congratulations. Maybe you are a neoprogrammer and you don't even know it.

Whether you think you are a neoprogrammer or not, I'd like to hear your thoughts. What do you think about building a computer inside your head? Please write to me:

Fred D'Ignazio 2117 Carter Road, SW Roanoke, VA 24015

0

C-64 DIGITAL WIZARDRY 3662A S. 15th St. Milwaukee, WI 53221 (414) 383-2503 HARDWARE and SOFTWARE (disk only) for COMMODORE 64 MASTER COPY Backup FULL disk in under 5 MINUTES with single 1541 19.95 MASTER LOCK Disk Security uses 6 different disk deception routines COMPUTER CUISINE Kitchen helper stores and prints up to 100 recipes 19.95 BASIC TRAINER 1 Lessons in BASIC using text and understandable 19.95 PROFESSIONAL TEACHER'S ASSISTANT GREAT student grading system COMPUTER COMEDIAN Joke after Joke HEARTY laughs guaranteed 19.95 19.95 MATHWORKS Practical mathematical answers to everyday problems 19.95 COM-DIALER 1000 + phone number storage with TV speaker tone dialer 19.95 RESET SWITCH no soldering inside computer (warranty remains valid) 19.95 MONITOR CABLE Best cable vet for all monitors (especially 1702-1701) 12.95 TEMPERATURE PROBE Build it yourswelf with simple soldering tools 49.95 A/D with over 14 BIT, 500mS conversion with LCD readout 179.95 CHEX CHECKER Super simple, no accounting necessary, checkbook keeper 19.95 LIBRARIAN Simple filing system for BOOKS, TAPES, RECORDS, VIDEO etc 19.95

WE TAKE THE BYTE OUT OF HIGH **COMPUTER SOFT & HARDWARES!**

CALL 1-800-372-0214 AND
















COLECO

MANY, MANY AND MORE!

MODEMS




Anchor	
Volksmodem	

Anchor Mark VI \$159.00 Anchor Mark XII \$289.00 Haves Smart Com 11 \$ 75.00 Haves 300 \$209.00 Anchor Mark VII \$119.00 Auto Modem (Commodore) \$ 69.95 MPP 1000C (Atari) \$109.95

COMPUTERS





CALL Commodore 64

Atari 800XL CALL CALL SANYO 550, 550-2 SANYO 555, 555-2 CALL

SOFTWARE

Zork I, II or III

Super Base 64 \$69 95 Paper Clip w/spell \$79.95 Home Accountant \$59.95 Bank Street Writer \$49.95

DISK DRIVES



Commodore 1541

New Commodore Drive CALL Atari 1050 \$329.00 Rana 1000 \$289.00 Trak At-D2 \$369.00 Indus GT \$369.00

DISKETTES



Computer Warehouse ss/dd

Elephant ss/sd \$16.95 Elephant ss/dd \$19.95 Maxell MDI \$24.95 Verbatim ds/dd \$24.95 Ultra Magnetics ss/sd \$15.95

PRINTERS



Commodore 801

Gemini 10X \$269.00 Gemini 15X \$395.00 Delta 10 \$489.00 Power Type \$399.00 AX10M AT 700 (color) \$499.00

AX10M AT 550 \$25900

Atari 1025 \$249.00 Atari 1027 \$289.00 Commodore 1526 \$279.00 Okidata 82, 83, 84, CALL 92.93

MONITORS



Commodore \$24900 Color

BMC 13" color \$229.00 Panasonic (composite \$329.00 & RGB) \$235.00 SAKATA 13 color BMC (green) \$ 69.00 \$ 99.00 BMC (yellow)

Computers and Software at warehouse prices.

Send for free monthly special sheet. \$3 for software, hardware & educational catalogs

8764 S.W. 133 STREET **MIAMI, FL 33156**





REVIEWS

Exodus: Ultima III For Commodore 64 David K, Peacock

Exodus: Ultima III ushers in an exciting new era of fantasy role playing. The combination of superb graphics, music, and excellent playability makes Exodus a modern-day masterpiece. The game presents challenges requiring clear, creative thinking plus the patience and determination to thwart hundreds of monsters during a quest to defeat the ultimate foe: Exodus.

An Adventure in The Box

Just opening the box is an adventure. Inside, you discover such magical items as a book of wizard spells, another full of incantations, a comprehensive playbook along with a quick reference guide, and a colorful cloth map of the realm to be explored. Also included is a key in the form of a black disk which, once booted, opens the way to the universe of Sosaria, where your dreams and fears materialize and your wits are your only hope.

After making a copy of the master side of the disk, you are ready to begin your journey. First you must create several characters to do your bidding. Up to 20 characters may reside per disk, and up to 4 may travel together at one time. Each character has a name, sex, race, profession, and the four attributes of strength, dexterity, intelligence, and wisdom. Take your time and choose wisely among the five possible races and eleven professions. Also, consider which attributes are important for different characters while using up as few points as possible. Because there are so many options and tradeoffs involved, don't be surprised if some of your characters just don't cut it and you have to create new ones. The opportunity for multiple characters, with varying personalities and abilities, enhances the playing environment over the single character allowed in *Ultima II*.

Sosaria Awaits You

Once your party is formed, the quest begins. The disk spins for a moment, and you find yourself in the magical realm of Sosaria where the waves lap the shores and banners atop towns flap in the breeze. Walking along, you notice open grassy plains, tall mountains, and dark forests. Your ears are treated to enchanting medieval tunes throughout. Suddenly, a band of nasty orcs appear heading straight for you. You duck behind a range of hills where the monsters can't find you.

Now is the time to seek a town and outfit your party with much-needed supplies such as weapons and armor. Even though all your characters begin with cloth armor and a dagger apiece, better equipment could be a lifesaver. Remember, at the beginning, your characters are weak in every respect and must be nurtured until they have grown strong in body and mind and have gained knowledge along with experience. Until then, on to the safety of a town.

Weapon Trading

When you enter a town you'll

find many citizens roaming the streets. These people are worth getting to know, for only by speaking to everyone will you learn secrets to help guide you along. Also, clues can be found only with extensive exploration.

One major improvement of Ultima III upon its precursor concerns the weapons and armor shops. In Ultima II, you were limited to buying; now, in this game, you can buy and sell. The variety of weapons and armor is better than ever. In fact, there's a rumor that some weapons are effective over a great distance—that might be worth even a steep price.

As in *Ultima II*, there are places to buy food and several pubs whose bartenders hear tales and could give you a tip or two. There are also stables with sturdy horses. Occasionally your party will come across an oracle, a man of wisdom and divine insight who might impart some of his knowledge for part of your gold. Two new and useful places to visit are the thieves' guild shops and the houses of healing. You'll find this and more in towns, not to mention a couple of castles and enough dungeons to make your head spin.

Dungeons. The word conjures up images of dark, twisting passages, sounds of funeral organ music, and thoughts of impending doom. This is the mood of the endless dungeons of Ultima III. These 3-D dungeons represent a significant improvement over the simple underground mazes in *Ultima II*. Exploring your first dungeon is thrilling as you attempt to overcome pesky gremlins, howling winds, foul traps, dozens of monster groups, and enough twists and turns to make getting lost no problem at all.

Reaching the lower depths where the goodies are—requires careful planning and a working knowledge of the layout of each level. Once the treasures are lo-



SAVE MORE THAN EVER 3M Scotch® DISKETTES

AND OTHER COMPUTER NEEDS!

LIFETIME WARRANTY!

3M BULK DISKETTES AT TREMENDOUS SAVINGS!

These are genuine 3M diskettes with a lifetime warranty. But they are bulk packed in cartons of 50 with separate white Tyvec envelopes. No identification labels, write protect tabs or cartons are provided! A great buy for volume users.

51/4" SSDD

51/4" DSDD

ea.

51/4" SSDD-96TPI

\$2.15 51/4" DSDD-96TPI \$2.70

All have reinforced hub SOFT SECTOR ONLY!

(for IBM, APPLE, KAYPRO, DEC and about 99% of all computers.) Must be ordered in multiples of 50!

BOXED 3M DISKETTES WITH ALL THE TRIMMINGS!

Factory-fresh 3M packaging with envelopes, 3M logo labels, ID labels and write-protect tabs.

51/4" SSDD 51/4" DSDD

8" SSSD 8" SSDD \$2.05 \$2.60 51/4" SSDD-96TPI \$2.50 51/4" DSDD-96TPI 8" DSDD

Minimum order of 20 diskettes. Additional diskettes in multiples of 10.

3M HEADCLEANING KITS

Stop swearing and start cleaning. This non-abrasive cleaning kit has everything you need for thirty applications.

\$23.00 + \$1.50 Shpng

SAVE MONEY WITH A CLEAN COMPUTER! INTRODUCING MINI-VAC



Most computer malfunctions are caused by dust. MINI-VAC is ideal for cleaning keyboards, screens, drives and printers. (Great for photo equipment, too!) Equipped with an easy-empty bag, two directional wands and two fine-brush nozzles. Don't compute without it. (Requires 9-volt battery which is not included.)

\$21.95 + \$3.00 Shpng

AT LAST: A DISK DRIVE DIAGNOSTICS SYSTEM THAT WORKS!

The Dymek Recording Interchange Diagnostic (RID) is a professional, but easy to use, drive diagnostic disk. It tests drive speed, radial position, hysteresis, write function, erase crosstalk, signal-to-noise and clamping. In short, it's a professional's system that will help you keep your machine in prime condition...and avoid the evils of data loss.

\$29.95 + \$1.50 Shong

MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE

Every once in a while, someone takes the simple...and makes it elegant. This unit holds 50 51/4" diskettes, has grooves for easy stacking, nipples to keep diskettes from slipping in the case and several other features. We like it. \$10.95 + \$2.00 Shpng.



DISKETTE 70 STORAGE: STILL A GREAT BUY

Dust-free storage for 70 51/4" diskettes. Six dividers included. An excellent value.

\$14.95 + \$3.00 Shong

PRINTER RIBBONS AT BARGAIN PRICES.

\$3.58 + .25 Shpng. \$6.99 + .25 Shpng. \$3.66 + .25 Shpng. **FPSON MX-70/80** EPSON MX-100 Okidata Micro 84 Diablo 630 Mylar Diablo 630 Nylon \$2.60 + .25 Shpng \$2.93 + .25 Shpng Okidata Micro 83 \$1.48 + .25 Shpng



DISK CADDIES

...the original flip-up disk holder for 10 diskettes.

\$165 ea. Beige or grey only.

+ .20 Shpng

Shipping: 5½" DISKETTES—Add \$3.00 per 100 or fewer diskettes. 8" DISKETTES—Add \$4.00 per 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to diskette shipping charges. Payment: VISA and Mastercard accepted. COD orders only, add \$3.00 handling charges. Taxes: Illinois residents, please add 8% sales tax.

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES! Nationwide: 1-800-621-6827

> Illinois: 1-312-944-2788 Hours: 9AM - 5PM Central Time Minimum Order: \$35.00

30 EAST HURON STREET CHICAGO, ILLINOIS 60611

Authorized Distributor Information Processing Products

cated, it will take cunning to get your party back out alive. If all the treasures had been packed into one or two dungeons, the game would have been almost perfect. Instead, vital things were spread out among many dungeons, decreasing the enjoyment of each one. After you've conquered one dungeon, the rest can become tedious. Of course, a true dungeon lover might see things differently.

A Four-Player Battlefield

A new combat routine has been implemented to accommodate up to four players. When a monster group is encountered, the scene shifts to a battlefield where all the monsters and all the players can be seen. Each player gets a turn in which he may reposition himself, attack an oncoming monster, or cast a spell. Then each of the monsters performs a similar act. The battle

rages on, turn by turn, round by round—gone are the days of instant destruction.

Though the combat sequence is well conceived, it is simply too slow considering the number of monster groups which must be dealt with. Granted, the pace does quicken once the characters' attributes have been raised, but most of the game is spent slugging it out. Then, for the effort, your party garners a single chest containing barely enough gold to sustain everyone. On rare occasions, a small weapon or cheap armor may be locked inside. If more items were found more of the time, agonizing money problems would diminish and the party could proceed with more interesting tasks.

Wizards And Clerics

One of the best aspects of Ultima III involves the extensive use of magic. Now wizards and clerics can demonstrate their true value as they cleverly choose just the right spell to save the party from a slew of poisonous balrons. At first, your spell casters will be limited and somewhat ineffective, but as time passes and they grow smarter and wiser, they will become indispensable. The wizards' spells mainly center on harming evil creatures, while the clerical spells are good for healing and resurrection. Both sets include very handy spells for maneuvering in dungeons. The two books of magic provide wonderful insights into the workings of each spell, making the game even more bewitching. Overall, the use of magic in Ultima III is well integrated with the obstacles to be overcome.

Moon Gates

Time affects many aspects of the game. If, for example, a member of the party is poisoned, the passage of time slowly brings about his death. Otherwise, wounds heal with time and spell points increase to their



Rabbit"
for your VIC 20
or CBM 64

If you own a VIC 20 or
CBM 64 and have been
concerned about he bigh control of about he bight he bigh control of about he bight he bight

If you own a VIC 20 or CBM 64 and have been concerned about the high cost of a disk to store your programs on ... worry yourself no longer. Now there's the RABBIT.

The RABBIT comes in a cartridge and at a much, much lower price than the average disk. And speed . . . this is one tast RABBIT. With the RABBIT you can load and store on your CBM datasette an 8K program in almost 30 seconds, compared to the current 3 minutes of a VIC 20 or CBM 64, almost as fast as the 1541 disk drive.

The RABBIT is easy to install, allows one to Append Basic Programs, works with or without Expansion Memory, and provides two data file modes. The RABBIT is not only fast but reliable.

(The Rabbit for the VIC 20 contains an expansion connector so you can simultaneously use your memory board, etc.)

MAE NOW THE BEST FOR LESS

Please for your own protection consider the MAE first before you buy that other assembler. We've had numerous customers who wasted their money on some cheaper off brand assembler tell us how much better the MAE is. The most powerful Macro Assembler/Editor available for the Commodore 64 and other CBM/PET computers, and also for the ATARI 800/XL and ADDIE IIIIE

MAE includes an Assembler, Editor, Word Processor, Relocating Loader, and more all for just \$59.95.

We could go on and describe the MAE but we thought you would like to read our customers' comments. The following are actual unedited comments from correspondence about the MAE:

"Excellent Development Package."
"Compares to DEC and INTEL."
"My Compliments to Carl Moser and EHS."
"It is a superb program."

\$59.95

Fastern

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 924-2889 (919) 748-8446 Send for free catalog!



maximum. Also, if your party has fought pirates and gained control of their ship, only time will allow the winds to shift in your favor so that you may explore new lands. Perhaps the most important effect of time concerns the ever-present moons, Trammel and Felucca. As they pass through their cycles, strange events take place. Warps in space, called moon gates, appear only at certain times. Somehow, the moons and gates are thought to be connected, hence the name. There is a rumor of a city hidden in a vast forest. Not only hidden, but also not always there. Time, moons, cities, gates—all interwoven to challenge the best adventurers. Such is the spell *Exodus* weaves about its players.

Game designer Lord British has outdone himself with his latest work of art. Ultima II was a fantastic game, but Exodus: Ultima III makes it seem like child's play in comparison. Exodus has achieved an unparalleled blend of setting, multicharacter development, magic, plus a strongly integrated plot. The animated graphics sparkle with speed and color, and the sound effects achieve nothing less than a complete, evocative sound track. Except for a few places that tend to drag, Exodus is a delight to play, and I eagerly await the perils and pleasures of the fourth installment in the ultimate series.

Exodus: Ultima III
Origin Systems
1545 Osgood St.
North Andover, MA 01845
(617) 681-0609
\$59.95
Apple II family, Atari 400, 800, Commodore 64, IBM PC & PCjr versions

The Seven Cities Of Gold

James V. Trunzo

There is nothing quite as frightening—or exciting—as the un-

*1.75 WITH LIBRARY CASEIIII DIGITAL CASSETTES C-10 for 35c (100 Lot)!!!! FOR YOUR COMPUTER

- CUSTOM LENGTHS AVAILABLE-

COMPUTER TAPE PRICES

	25 LOT	100 LOT	1000 LOT
C-10	.50/12.50	.35/35.00	.30/300.00
C-20	.50/13.75	.40/40.00	.35/350.00
C-30	.60/15.00	.45/45.00	.40/400.00
	BASF DPS	GRADE TAPE	S
C-10	.55/13.75	.40/40.00	.35/350.00
C-20	.60/15.00	.45/45.00	.40/400.00
C-30	.65/16.25	.50/50.00	.45/450.00
****	******		*****

QUALITY NORELCO CASSETTE CASE... AND LABEL PRICES

[WITH CASSETTE ORDERS ONLY]
25-249 Cases/.20 Ea. 250/.13 Ea. 1000/.11 Ea.
Labels - Sheet .20 12/.20 120/1.70 1200/14.50
Tractor Feed Cassette Labels (1 up) 1000/14.50

-INTRODUCTORY OFFER-

 BASF 5½ Single Side Double Density Diskettes

 with...Hub Ring, Label, Jacket, W/Protect Stickers

 Free Hard Library Case with Every 10 Disks—10 LOT
 20 LOT
 50 LOT
 100 LOT

 2.00/20.00
 1.95/39.00
 1.80/90.00
 1.75/175.00

All Prices Include U.S. Shipping & Handling

— Write For Volume Prices—

— Phone Orders Add \$2.50 C.O.D. Fee—
(Canadian Customers May Call or

Write for Shipping Costs)

Send Cashier's Checks, Money Orders, & Checks to:

CASS-A-TAPES

BOX 8123-C KANSAS CITY, MO. 64112 816-444-4651



ISOBAR...cleans up your line power! The most complete computer protection available

More features to prevent errors, false printout, disc skips! Only ISOBAR has 3-way spike protection, noise suppression for RFI PLUS isolated filter banks! Individual filter banks isolate each load from other loads minimizing data errors of any kind. MOV surge suppressors arrest both common mode and differential mode surges. L/C filter network rejects radio frequency noise at any amplitude. Toroidal coils!

Model IBAR 2-6 (2 outlets, 6 ft. cord) Only \$54.95 Model IBAR 4-6 (4 outlets, 6 ft. cord) Only \$79.95

Model IBAR 8-15 (8 outlets, 15 ft. cord) Only \$97.95

Order toll free 1-800-662-5021 IN ILLINOIS, CALL 1-312-642-6871 OR MAIL COUPON INDUS-TOOL, 325 W. Huron.

INDUS-TOOL, 325 W. Huron,
Dept. CPT, Chicago, IL 60610

Enclosed is \$ _____ or charge on

MasterCard or Visa Expires _____

Card no. ____ Send model # ______

Name ______
Company _____
Address

MONITORS **COMMODORE 64** Texan 12" Green Texan 12" Amber Texan #210 RGB & NTSC BMC 12AUW 12" Green BMC 1201Y 12" Amber NEW SX-64 Easy Calc Commodore 64 1541 Disk Drive 51/4" DISKETTES Manager Forth 64 BMC 1201 Y 12" Amber BMC 12E UH Res Green BMC 12 EUY HI-Rs AMber BMC 9191 U 13" Color w/sound BMC 9191 MU 13" Color for 18M Amdex 300A Amber Amdex 300A Amber Amdex 10A [18M Amber] Amdex Color I-Amdek Color I-Amdek Color III (RGB) Amdek Color III (RGB) 526 Printer ... MPS-801 Printer MAXELL MD-1 MD-1 DD (\$\$/QD) ... MD-2 MD-20D (D\$/QD) ... Calcresult . . Superbase 64 78.99 74.99 26.99 98.99 68.99 88.99 74.99 Call 43.99 64.99 34.99 1702 Monitor . . RS-232 Interface Superbase 64 Diary Musicalc 1.2.3 Paperclip w/Spellpak Mirage Propak Delphis Oracle Voicebox Samvoice Multiplan Lam 64 VERBATIM \$\$/00 0\$/00 21.99/10 31.99/10 VERBATIM (VEREX) 19.99/10 27.99/10 SS/DD DS/DD DYSAN (with FREE library case) \$\$/00 \$\$/00 . \$\$/00 . \$\$/00 . 349.99 499.99 34.99 Amoek Color 19 Leading Edge - Gorilla 12" Green Leading Edge - Gorilla 12" Amber Commodore 1702 MEC 201 12" Color w/Sound NEC 12" Green Princeton Graphics PGS HX-12 1 am 64 Alen available in DEC RY-50 Format Super Expander Z-80 Pack SKC 14.99/10 22.99/10 \$\$/DD D\$/DD 32 99/10 08/00 APPLE PRINTERS ULTRA-MAGNETICS (Bonus Package) COMPATIBLE ADD-ONS 22.99/12 188.99 38.99 78.99 88.99 44.99 78.99 68.99 78.99 949.99 1499.99 1769.99 FLEPHANT \$\$/\$D \$\$/DD 15.99/10 BMC . 249.99 18.99/10 25.99/10 Disk Controller RANA Disk Controller (Up to 4 Drives) BMC Disk Controller (w/40 Track Utilities) RS-232 [Printer] SILVER REED 400, 500, 550, 770 BONUS: Purchase 10 or more boxes of disks and earn a 5% discount ANADEX CALL FOR PRICES RS-232 Communications (Modem) ALS CP/M Card (with CP/M*) ALS Z Card II ALS S marttern II 51/4" BULK DISKETTES BROTHER STAR-MICRONICS \$70.00/50 \$130.00/100 OKIDATA Delta 10 TTX-1014 DS/DD \$95.00/50 \$180.00/100 38.99 114.99 128.99 12.99 DIABLO Disk File EPSON RX-80, RX-80F/T. RX-100 FX-80. FX-100, LQ-1500 ALL IN STOCK CALL FOR PRICES ATARI 500XL-800XL . 1050 Disk Dr . Rana Disk 1000 Olsk File for 50 5W Diskettes Disk File for 75 5W Diskettes Disk File for 75 5W Diskettes Filip & File 5W Diskettes Library Case for 5W Diskettes Available in Beige, Sray, Black, Red, or Blue Library Case for 5W Mac Diskettes Disketdey for 5% "Olskettes Disketdey for 5%" Olskettes Disketdey for 5% "Olskettes Disketdey for 5%" Olskettes 0001-0001 Call 1030 Modes 1050 Disk Dr. 298.99 Keypad Rana Disk 1000 Abari Writer v / Smart DOS 299.99 Touchad 1NDUS CT Disk w / Bonus Software, Word PreSpread Sheet Database, Scarrying case 1027 Printer 264.99 Type Tutor MP P1150 68.99 Graph It Apelace 75.99 644 RAM Apelace 75.99 644 RAM 12.99 15.99 27.99 1.65 Call for our Best Prices on Computers, Printers, Monitors, Softwars, and complete line of accessories for IBM, Apple Commodore, Attar, and others, Write for our FRE CATA Dis Please add 3% for shipping & handling filminimum '4,00). Write residents must add proper sales tax, Prices quodel includes discount for cash, Please add 3% for used MasterCard, Visia, American Exoras, Due to the fluctuations of the market, all

City

BROADWAY COMPUTER CORPORATION

423 Broadway, New York, NY 10013

CALL OUR ORDER DESK TOLL-FREE

1-800-255-5905

For information or to order from NY, Alaska, Hawaii call 212-219-2333 known. Imagine, then, what it must have felt like to be with Pizarro, Cortez, Ponce de León, or Columbus and to sail away from the familiarity of Spain in search of discovery, gold, and fame.

The ocean was wide and uncharted, and the lands were filled with strangely painted natives who were often hostile. The storms were fierce and could easily blow the ship far off course. Starvation and a slow and painful death would follow if land was not sighted. Yet even in the face of such obstacles, the conquistadors were lured by the promise of gold and treasure. The ship's captain just had to be brave, smart, and lucky enough to discover a new world.

Gold For Spain

One after one, the would-be explorers visited the court and on bended knees requested a grant to buy ships and hire men. In return they promised to establish missions for the church, forts to prove Spain's sovereignty, and gold to fill Spain's coffers.

Now you can experience the thrill of sighting land after a long, arduous sea voyage. You can also experience the pride in returning to Spain after having explored the Mayan Peninsula and discovered rich and fertile lands; or the shame of returning home after having lost most of your crew, several ships, and having no gold to show for your efforts.

Graphics And Strategy

Ozark Softscape, in conjunction with Electronic Arts, has produced a riveting new adventure game entitled *The Seven Cities of Gold* that places you at the helm of a fleet of ships and allows you to venture forth from Spain in search of a new world, wealth, and fame.

As in their award-winning game M.U.L.E., the Bunten brothers have designed a graph-

ically enhanced strategy game that challenges and educates as well as entertains. Upon booting *The Seven Cities of Gold*, the player finds himself in front of a palace in Spain. He has just been given a commission by the Spanish court; and as captain of a fleet of four newly outfitted ships, he is ready for his first voyage.

Leaving The Old World

After scrolling past a pub, his home, and an outfitters building (all important places when returning home from an expedition), the player leaves the Old World and ventures forth in search of the new. Sailing is controlled by the joystick, as are all actions and options. While at sea, the player may navigate the ship, view the map, and keep track of how many days have elapsed. The latter is especially important for several reasons. For one thing, your food supply isn't unlimited.

Eventually you will sight land. At this point, you will have to decide how much of the on-board supplies, goods, and men you want to take to explore the uncharted mass into which you have just bumped. Now the real fun begins. There will be lush jungles, fertile plains, intimidating mountain ranges, dangerous swamps, major rivers, and natives.

Jungles And Swamps

Accomplishing all your objectives is no easy task. Ambushes in the thick jungles will take their toll as will sickness in the swamps. Food is a constant source of worry; men won't travel on an empty stomach, let alone fight on one. And as the land grows cold with the approach of winter, food becomes scarcer.

Once you decide that it is time to return home (a decision often made easy by the loss of men, goods, etc.), you must navigate back to Spain. Assuming that you make it back,

thwarting the best efforts of nature's storms, a trip to your home will provide you with a tally of what areas you have discovered, what forts and missions have been established, and how much wealth has been obtained. A trip to the court will give you a rating based upon your successes or failures. More gold, a promotion, or chastisement awaits you in the court. Finally, a trip to the pub allows you to record (save to disk) maps for future voyages. The outfitter? Most assuredly, it will be your first stop before weighing anchor for the next excursion. There you will buy food and goods, hire more men, and perhaps even purchase more ships.

Historical Accuracy

The mechanics of *The Seven Cities of Gold* are easily implemented and well-done. All movement, both on land or at sea, is handled by use of the joystick, as are all option selections and even combat. The graphics are well-done, and *Cities* contains over 2800 screens that represent the lands you will explore. The computer literally draws the map as you move about North, South, and Central America, all accurately depicted.

Your expedition is represented by an arrow moving over a variety of easily identified terrain. Symbols are used in various places to represent hundreds of different types of settlements, ranging from farmers and hunters to wealthy Aztec strongholds. It is upon entering one of these settlements that another of *Seven Cities'* delights is discovered.

Once the player has moved the arrow onto a settlement symbol, the screen symbol begins to magnify, increasing in size until it is replaced by a detailed graphic screen. The arrow is replaced by a conquistador who represents the expedition, and you find yourself in the middle of the settlement, rapidly

110 COMPUTEI September 1984

surrounded by natives. Find their chief and begin trading, or draw your sword.

An Enchanting Challenge

There are many more surprises in The Seven Cities of Gold. The program both challenges and enchants. It forces you to consider various strategies: What is the best way to outfit an expedition? Do you have enough men to establish forts? When should you return home for more supplies? Even the time of year can be an important factor.

And what happens after the player discovers the Mississippi or the Amazon, gold mines, the Fountain of Youth, and all the mysteries of the Americas? Is the game over? Not a chance. Aside from the fact that the game could be played again using different strategies and achieving higher rankings, Seven Cities of Gold provides a utility that randomly generates entire continents; no two are ever the same. Furthermore, all games can be played at one of three levels: novice, journeyman, or master.

Seven Cities of Gold Electronic Arts 2755 Campus Drive San Mateo, CA 94403 (415) 571-7171 \$39.95 Available for Atari now and for Commodore 64 soon.

Word Flyer

Steve Hudson, Assistant Editor, **COMPUTE!** Books

Dozens of educational programs have been released—some good, some less than good-but one of the most interesting is Word Flyer.

Best known for dynamic and challenging games like Archon, Pinball Construction Set, and Worms?, Electronic Arts has developed a reputation for sophisticated programs. Word Flyer is no exception. Like most educational programs, it uses graph-



 Switch selectable Commodore graphics mode for Epson, StarMicronics, C.Itoh, Prowriter, Okidata, Seikosha, Banana, BMC, Panasonic, Mannesman Talley & others.

NEW! Universal Parallel Graphics Interface


- Built-in self-test with status report
- Optional RAM printer buffer
- · Provides virtually total emulation of Commodore printers for compatibility with popular software
- ASCII conversion, total test, Emulate & transparent mode
- · Fully intelligent interface that plugs into standard Commodore printer socket
- Exclusive graphic key-match function

Micrografix MW-350 \$129.00 MW-302C Printer Interface also available at \$79.95

Universal Input/Output Board for VIC-20/64

- 16 channel 8-bit A/D converter with 100 microsecond sampling time.
- 1 D/A output.
- 16 high voltage/high current discrete outputs.
- 1 EROM socket.
- Use multiple boards for additional channels up to 6 boards

VIC-20 uses MW-311V \$205.00 CBM-64 uses MW-611C \$225.00



Dealer Inquiries invited

VISA

MODEMS HAYES m 300... m 1200... m 1200B...

Micro World Electronix, Inc.

3333 S. Wadsworth Blvd., #C105, Lakewood, CO 80227

(303) 987-9532 or 987-2671

SAVE BIG ON COMPUTER PRODUCTS

.200 .489 .425 .240 Micromodem II E. Smartcom II Software (for IBM PC). Cebles to Hayes Modems. NOVATION CALL SmartCat Plus (NEW) J. Cat 3008 direct 103 8martCat 3008 Bmart 103/212 8mart 300/1200 8 AppleCat II 300 baud for Apple 212 AppleCat 300/12008 for Apple Access 1-2-3 12008 for IBM CALL MONITORS SUPER SPECIAL!! COMREX COMREX 12" Green H. Ros. AMDER V300G 12" green V310A 12" amber (for IBM) Color I+ 13" composite Color II+ 13" RGB Color II- 13" RGB Color CB 5692 for Ti-89/4A or Commodors QUADRAM MICROFAZER GRMP-8 Par/Par GRMSP-8 Ser/Par GRMMSS-8 Ser/Par GRMMSS-8 Ser/Ser GRMPS-8 Par/Ser GUADBOARD (for IBM PC) GR 5310 (no mem. installed) GR 5364 84K (mem. installed) GR 4064 84K (mem. installed) GR 8202 Guadcolor-1 GR 8202 Guadcolor-2 (upgrade kit) GR 8200 for IBM CR 3000 for IBM GR 30 QR 3000 for IBM.... QR 3010 for Compaq... QR 3020 for Columbia.


AST

Six Pak Plus . Mega Plus II . 1/0 Plus II . . .

SAVE 31%-43% OFF MFR. SUGG. RETAIL PRICES ON PRINTERS EPSON · OKIDATA · DIABLO SCM · DELTA · GEMINI · TTX RADIX · COMPUTE-MATE MANNESMANN TALLY



CALL FOR PRICES



DISKETTES

10 - 5½" Floppy Diskattes
85/8D 85/DD 08

Wabsah 813.00 816.00 81

Maxell NA 23.00 3

Dysan NA 23.00 3 abash 313.00 316.00 377.30
axell NA 20.00 28.00
yean NA 23.00 30.00
10 — B" floppy diskettes
yean NA 32.00 37.00
CALL FOR GUANTITY PRICING OIL
10 OR MORE BOXES OF DISKETTES

HUGE DISCOUNTS all RIBBONS • DUST COVERS PAPER • POST CARDS • LABELS for almost every make and model

HEWLETT-PACKARD

			C	A	LCU	LATORS							
HP-11C					.56	HP-15	C .						90
HP-12C					. 90	HP-18	C						90
HP-41C					145	HP-41	CX					2	45
HP-41C	V				168	HP-97						5	60
all	80	ft	w		-e &	accesso	rie	•	t	00	,		

PORTABLE COMPUTERS
-71B....399 HP-75D.....7
series 70 software & peripherals
discounted too HP-71B.

HP-22258 ThinkJet Printer (HPIL) . 375



COMMANDA

SHARP CALCULATORS

SHARP HAND HELD COMPUTERS

1250A..... ..BO pc 1500A PRINTERS DISCOUNTED TOO

CABLES — INTERFACES
accessories for Computer Printers
GRAPPLER PLUS . 105
16K BUFFERED GRAPPLER . 165
Apple Dumpling GX . 65
Cardco G . 65
CB5809 10 ft. 363.36 Perallel . 32
CB5629 10 ft. 25x25 RS-232 . 25
CB5828 10 ft. 71-89/A4 parallel cable25
CB5828 6 ft. par. TRB80 mod. 1-III-IV22
ALL OTHER CABLES . CALL

CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska, Hawaii

Corp. Accts. Invited, Min. Ord. \$15.00. Mastercard or Visa by mail or phone. Mail Cashier's Check, Mon. Ord., Pers. Check (2 wks. to clr.) Add \$4.00 1st item. (AK, HI, P.R., Canada add \$10.00 first item) \$1.00 ea. add 1sh, about 5, abndi. Shipments to IL address add 75 tax. Prices sub. to change. WRITE for free catalog. RETURN POLICY: Defectives Only: Most products replaced within 30 days of purchase with identical merchandise only. Computer and large peripherals replaced only when defective on arrival (within 3 work days of delivery). Other problems covered by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS SRAND NEW, FIRST dUALITY AND COMPLETS.

ELEK-TEK, inc. 6557 N. Lincoln Ave. Chicago, IL 60645 (312) 631 7800 (312) 677 7660

ics and sound to reinforce learning, but uses them in a way that's both new and

refreshing.

Word Flyer was developed by ChildWare, a programming group within Electronic Arts. Typically, ChildWare programs combine proven educational psychology with captivating programming, and Word Flyer is no exception.

The object of the game is straightforward: Use your joystick to maneuver word flyers and match zooming letters or words. It's a challenging and exciting game for young children. But there's learning amidst the laughter. Without realizing it, players are practicing valuable reading and vocabulary-building skills. On lower levels, the emphasis is on recognizing the letters of the alphabet; that makes the program valuable even for children who have not yet learned to read. Higher levels introduce words chosen from a built-in list of over 2000 entries. The approach is both original and nonviolent.

Booting The Birds

Two towers—built of the word towers—dominate the screen, one on the left and one on the right. Atop each tower sits a remarkably realistic-looking bird. A control panel runs across the bottom of the screen; it consists of flight level and speed indicators, a score bar, a timer, and a number-of-players indicator. On higher levels an alphabet bar appears too.

Play starts on flight 1, where emphasis is on the alphabet and on two-letter words. Flight 2 comes next, giving you the chance to match three-letter flyers. Subsequent flights introduce you to three- and four-letter flyers and faster speeds.

On flights 2 and above, you also gain access to the "alphabet bar." That allows you to select the first letter of your flyers. On levels 4 and 5 you can also change the color of your flyer to

match the color of various zooming words.

If you're playing a two-player game, the hourglass timer will clock each player's turn. Need to take a break? At any time, on any level, you can move your flyer to the "rest nest" (an unmistakable mass of sticks and twigs) and press the joystick button to stop the timer. Also, at the beginning of each game (and at any point during play), you have the option of entering the "control panel" and changing any of the game parameters.

Although it takes a few minutes to get the hang of it, game play is fundamentally simple. Use your joystick to select a word from either word tower-the chosen word will be highlighted for you—and then press the button to send the chosen word flyer soaring into the air. Move it into position to match one of the soaring words, and press the joystick button again. If the match is correct, one of the birds will nod approval. If your match is incorrect, the bird will pronounce the avian equivalent of "uh-oh!"

Cooperative Scoring

In either case, your score will change appropriately. The score is increased when a player matches the flyer with the correct letter or word. On higher levels, additional points are awarded if the words' colors match too. Incorrect matches lower the score slightly and return you to the word tower. In two-player games, an incorrect match ends that player's turn.

Many parents will be pleased with this departure from the winner/loser approach of other multiplayer games. Word Flyer emphasizes constructive cooperation instead of conflict and destruction. The total score increases whenever either player correctly matches a letter or word. By working together, two players can move through the different levels more quickly

than either could alone.

Parent and child can play together, working toward a common goal, and the child will learn to recognize letters, words, and colors. But he or she can learn the importance of cooperation too.

Where's The Word?

Word Flyer's graphics and sound are effective without being overpowering. Joystick control is responsive. The constantly changing list of letters or words holds interest, assuring many hours of satisfying and challenging play.

However, after several sessions, one odd quirk does become evident. In some cases, while exuberantly chasing down a zoomer, the flyer would fly off the top edge of the playing field. However, you can move the joystick to maneuver the flyer back onto the screen. Bothersome? A little, at first, and it might confuse very young children.

Also, at several points in the otherwise excellent manual, the reader is told that something will be described under a subsequent heading. It is mildly confusing (and occasionally annoying) to have to skip ahead to figure something out; in the case of instructions, at least, necessary redundancy is a feature that many software manuals still lack.

But once you figure it out—and it won't take long—control is simple and straightforward. Selecting flyers, colors, levels, and speeds quickly becomes second nature, allowing players to concentrate on the game itself. The educational goals underlying this game are pleasantly and effectively achieved. All in all, a deft piece of work.

Word Flyer
Electronic Arts
2755 Campus Drive
San Mateo, CA 94403
Atari 400/800/600XL/800XL/1200XL
\$35 (48K disk)

BIG NAME, NO NAM DISKETT THE BEST BUY /OU CAN FIND!

LIFETIME WARRANTY!

51/4" SS-DD 51/4" DS-DD

89^{ea.} 51/4 SS-DD-96TPI 5 1/4" DS-DD-96TPI Qty. 50 (These are bulk packed diskettes with

reinforced hubs and separate white Tyvec sleeves.) (Add \$3.00 shipping per 100 diskettes. For C.O.D. orders, add another \$3.00 handling charge.)



Act now and you can get a special bonus: an Amaray Media-Mate 50 disk storage unit. Ex-tremely well designed with grooves for stacking. Normally 514.95. When ordered with 50 BIG NAME. NO NAME diskettes, you can get one for \$9.99 (Shipping Included).

WELL, OUR SEARCH OF MORE THAN A YEAR HAS PAID OFF.

We found a diskette that you've used a hundred times...but have never heard of. It's the one used by a lot of major software houses for their copy-protected originals...the kind of diskettes that receive a lot of

originals...the hind of diskettes that receive a lot of heavy use.

These BIG NAME, NO NAME diskettes exceed all ANSI and IBM standards. They are individually tested track by track, sector by sector and certified 100% error-free

Moreover, the company that makes them has their woreover, the company that makes them has their own proprietary coating formulation which results in a super-smooth, anti-static surface. In short, these are good diskettes. If they weren't, we wouldn't be selling them.

LIFETIME WARRANTY!

As with every diskette we sell, BIG NAME, NO NAME diskettes are covered by a LIFETIME WAR-RANTY by us and the manufacturer.

If you have any problems with them at any time because of materials or workmanship, just call us to arrange a return.

DON'T SAY NO!

Sure, you've never heard of BIG NAME, NO NAME diskettes.

NAME diskettes.

But a lot of software manufacturers who use hundreds of thousands of diskettes for their copy-protected originals have...and a lot of them use BIG NAME, NO NAME diskettes.

DISKETTE HEAVEN GUARANTEED! Order your supply of BIG NAME, NO NAME disk-

ettes today

If you're not totally happy with them at the end of 30 days, we'll give you a refund, credit or exchange. That's confidence.

That's DISK WORLD!...the nice people who sell almost a million good diskettes a month

TO ORDER:
Call DISK WORLD between 9AM-5PM, Central Time, Monday through Friday at:

1-800-621-6827

or in Illinois, at

1-312-944-2788

Or write us:

DISK WORLD!. Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

DISK WORLD! Home of

BIG NAME, NO NAME DISKETTES

RATED #1 FOR SERVICE & RELIABILITY



CALL TOLL FREE 800-221-8180 **LERWOR**

23 PARK ROW NEW YORK CITY, NEW YORK



THIS MONTH'S SUPER SPECIALS



\$19995 COMMODORE 64 SOFTWARE

MMODORE Music Macrim TOMATED Summer Game TOMATED Temple of Aps TOMATED Pitstop TOMATED Pitstop MEMODORE Kickman AVEFORM MusicCalc ProPa MINOCOCE BUSINESS

MINOCOCE BUSINESS

BUSINESS

SECRET TO ILL

MINOCOCE THE MARRISE

MINOCOCE SECALC IO

MINOCOCE SECALC IO

MINOCOCE MARGO CORE

MINOCOCE M

MONITORS

FLOPPY DISKS CLE SDED / DOUBLE DENSITY 24.99/10
pose From: Verbatim MDS25. Elephant
d. BASF FD1D. TDK M1D5. Maxel MD1.
L SDED / DBL. DENSITY ... 22.95/10
pose From: Verbatim MDS50. Elephant
ringe. Scotch. Maxel MD2. TDK M205
We Also Stock 8" DHAS

APPLE COMPATIBLE DISK SOFTWARE

entrerannment | 14.95 |
2 Zone | 19.95 |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone |
2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone | 2 Zone

SCARBURDUCH MISTERTYPE SERRA HORNEWORD HAYDEN SARGON III. Chess HAYDEN SA.T. Samble Test BARRONS S.A.T. Study Course BROOEBSUND Bank Street Writer SIERRA Screenwriter ELECT. ARTS MUSIC CONSTRUCTION HAYDEN PIE Writer 2.2

IBM PC COMPATIBLE DISK SOFTWARE

ENTERTAINMENT HAYDEN Sargon III Chess INFOCOM Planetfall CYBERIA Murder by the Doi STRATECIC Tigers in the Six STRATECIC Calactic Gladiato STRATECIC Warp Factor ATARI SOFT Choose from: Pac-Man. Cent Kong. Stargate. Defender. Rot

ng Stargate, Defender Robot
EDUCATIONAL
ARRON'S S.A.T. Study Cours
CARBOROUCH Mastertype
EJ. S.A.T. Math Skills Pack
EJ. S.A.T verbal Skills Pack
EJ. Word Analogy
EJ. Sentence Completion
EJ. Foreign Language Skill
German Spanish French

124 95 BUSINESS late 3.2 llesEdge I Friday obli Manager I Supercalc 3 ARTS Cut & Paste I DATA Telegram Prog MODEMS

ANCHOR AUTOMATION: VOLKSMODEM Universal will Specify computer with SIGNALMAN MK-XII SICHALMAN MK-XII
PS-232 - Hayes Compatible 1329.95
ATARI 1030 Direct Connect 1119.95
VIC V1600 For Vic 20 154.95
WEV 1560 Auto Dai for C64 & Vic 20719.95
MPP 1000C Direct Con. for Atari 1129.95

FREE GIANT CATALOGS CALL TOLL FREE 800-426-6027

• 288 PAGE AUDIO / VIDEO / COMPUTER CATALOG • 64 PAGE RECORD AND CASSETTE CATALOG .80 PAGE VIDEO MOVIE CATALOG

23 PARK ROW, Dept. C9, NYC, NY 10038

ATARI 800XL AND 1050 DISK DRIVE SPECIAL!



Level Basic \$49995

ATARI SOFTWARE

SYNAPSE Dimension X III

AVAIR LABRESS FEDUCATIONAL

49.95
ATARI AUTHENTS

ATARI AUTHENTS

ATARI AUTHENTS

ATARI AUTHENTS

ATARI MISSISS

ATA

Kindercomp Machine (Cart) or (D) 19.95 124.95 124.95 124.95 124.95 124.95 124.95 124.95 129.95 Facemaker Kids on Keys Alphabet Zoo

DISK DRIVES

ATARI 1050 New with DOS III

ALL EPSON AND OKIDATA PRINTERS

WRITE OF CALL FOR FREE 288 PAGE AUDIO/VIDEO/COMPUTER CATALOG

VIDEO & COMPUTERS O ORDER CALL TOLL FREE 800-221-8927 OR 800-441-1144

Banana Prtr

TTX 1014

NEC 3550

Radix 10

129

409

1444

529



179

114

Hayes 300 Modern

Hayes 1200 Modern

IBM PC \$1549 **OKIDATA 92** \$374

Epson FX100 689

Brother HR15 369

Prowriter 8510 339

Brother HR25

624

Amdek Color 1	229	Okidata 92	374	Starwriter F10	929
Taxan Color Mnt	249	Okidata 93	584	Gemini 10X	249
Olympia Ro	379	Okidata 82	299	Gemini 15X	359
Juki 6100	364	Okidata 83	509	SilverReed	359
Pana KXP 1090	249	Epson RX80	279		
		ATARI		IBM	
		Atari 800XL	224	PC	1549
001111000	05	1025 Printer	264	PCXT	CALL
COMMODO	HE	1027 Printer	249	Mono Card	209
VIC 20	79	1050 Drive	299	Quadboard	209
Commodore 64	189	Indus Drive	CALL	Hercules	299
Disk Drive	209			SANYO)
MPS 801	189	APPLE		550 SD	729
1526 Printer	229	2E	699		1000000
1650 Modem	89	MAC	2099	555 SD	939
1702 Monitor	194	RGB Card	129	550 DD	849
1702 Monnor	194	Printer Card	89	555 DD	1209
KAYPRO)	EAGLE			
11	1139	PC2	1299	FRANKLI	N
IVe	1739	PCXLT	1899	1000 Pro	769
X	2419	File 10 Drive	999	1200 OMS	1289

For Info Dial (212) 627-1000 No dealers on advertised specials, please! To order simply dial toll free 800-221-8927 or 800-441-1144 with your MasterCard or VISA and your order will arrive via UPS or send certified check or money order only to: HARMONY VIDEO AND ELECTRONICS. 2357 Coney Island Ave.. Brooklyn. N.Y. 1123. and add approximate shipping, postage and insurance charges. Customer Service (212) 627-8888 Mon-Fir. 9-5. Credit cards for phone orders only. All prices and availability subject to change without notice. Deale inquiries invited!! MC, VISA.

FAMILY TRIVIA

NOW THE WHOLE FAMILY CAN PLAY TRIVIA AT THE SAME TIME! Adults, teenagers and children can all play - each one answering questions geared to their age level. No more parents getting bored with children's games, no more children getting frustrated at the difficulty of adult games.

BRING THE FAMILY TOGETHER TO PLAY - GET FAMILY TRIVIA TODAY!

SPANISH VERB TUTOR

 Helps Beginners or Advanced Students in conjugations and translations.

•Over 650 verbs (including those tricky irregular verbs).

If it isn't here, maybe you shouldn't say it. Fast dictionary listing, translation from English or Spanish. Conjugations in 8 tenses, includes examples. IDEAL FOR CLASSROOMS.

FILL OUT FORM BELOW TO ORDER OR FOR MORE INFORMATION

Comm. 64 □ Tape □ Disk TI 99/4 □ Tape □ Disk Family Trivia □ \$29.95 (Req. 32K and Ext. Basic) Sp. Verb Tutor

\$29.95 Family Trivia

\$29.95 Sp. Verb Tutor ☐ \$29.95 Name Address _ City_ State___Zip_ CT. RES. ADD 71/2 SALES TAX

Make Checks Payable to:



15 MEIKLEM ST., FORESTVILLE, CT 06010

Lightning Sort

Russ Gaspard

Last September COMPUTE! published "Ultrasort," and we called it the fastest sorting program ever published for any home computer. It would sort a 1000-element array in less than eight seconds.

It's been improved. Here's "Lightning Sort." It does the same thing in a breathtaking 2.1 seconds. Add this extraordinarily powerful subroutine to any of your BASIC programs where you need to alphabetize something. For the VIC, 64, and PC/PCjr. Atari users should refer to the accompanying sidebar and program "Bulldozer Sort."

The "Ultrasort" routine for Commodore computers (COMPUTE!, September 1983, p. 194) isn't as fast as it could be. After disassembling the code to study the algorithm, I found several opportunities to compact the code (mainly to reduce disk loading time) and to speed up the execution time. Using the "Sort Test" program from the original article as a benchmark, my "Lightning Sort" routine sorts a 1000-element array in an average of 2.1 seconds, versus 7.8 seconds for Ultrasort. That few seconds savings isn't much. But when I tried it on random 4000element arrays the routine took an average of 10 seconds, versus 40 seconds for Ultrasort. A 400 percent speedup in execution time can be significant in applications where the sort routine is called repeatedly, or in sorting very large arrays.

The time for this type of algorithm to sort an N-element array is T*N*Log₂N on the average, where T is about .21 milliseconds for the modified routine and .8 milliseconds for the original. Actual running time depends on the starting order of the array. Interestingly, whereas many sort algorithms run fastest when the original array is already in order, Hoare's Quicksort runs fastest on randomly ordered data. If you try it on an array which is already in correct order you'll find that it takes much longer (proportional to N²).

Besides speeding up the execution, I was also able to reduce the amount of RAM needed from 908 bytes to 418 bytes. By storing the variables in RAM space above the actual sorting routine rather than within the routine, the actual program storage needed on disk is only 338 bytes. This means the saved program uses only two disk blocks, rather than the four required for the original.

Program 1 is a BASIC program which loads the machine language Lightning Sort routine for the Commodore 64. The routine is loaded into RAM from \$C000 to \$C152 (decimal 49152 to 49490), and writes variable data up to \$C1A2 (decimal 49570). It is used in exactly the same way as Ultrasort. However, I prefer to define the call address 49152 as variable QS (either within the BASIC program or in direct mode) and then call the routine with:

SYS QS,N,AA\$(K)

where K and N are the first element and the number of elements to sort, and AA\$ is the array variable name, as in the Ultrasort article.

Program 2 is a BASIC loader for the VIC version of Lightning Sort. It automatically relocates the machine language to the top of available memory, regardless of the amount of expansion installed, and protects the sort routine from BASIC. The program also tells you the proper SYS to use to start the sorting.

Although Program 2 will run on an unexpanded VIC, we recommend that at least 8K expansion be used. With less than this, only a very few items can be sorted.

Program 3, the Sort Test program from the original Ultrasort article, can be used as a demonstration of Lightning Sort. The program creates an array, AA\$, of 1000 random elements, then sorts them into order. If you are using a VIC with limited memory, you'll need to reduce the number of elements.

Program 1: Lightning Sort Loader For The 64

Refer to the "Automatic Proofreader" article before typing this program in.

TO	I=4	19152:	SUM=Ø			:rem	136
20	REA	D A:I	F A=256	THEN	40	:re	m 54
3Ø	SUN	1=SUM+	A: POKE	I, A: I=	=I+1:GO	TO 20	
						:re	m 79
40	IFS	SUM <> 4	5295THE	NPRINT	"ERROR	IN DATE	A ST
	ATE	EMENTS	": END			:rem	191
50	PRI	NT"LI	GHTNING	SORT	READY.	":END	
						:rem	214
49	152	DATA	32,253,	174,32	2,158,1	73 :rei	m 52
			32,247,				m 52
491	164	DATA	253,165	,21,13	3,254,	32 :re	m 46
491	L7Ø	DATA	253,174	,32,15	8,173.	162:rem	104
				The state of the s	A CONTRACTOR OF THE PARTY OF TH		

49182 DATA 157,125,193,165,72,157:rem 114

49176 DATA 1,165,71,157,85,193

MICRO-SYS DISTRIBUTORS. THE COMMODORE CONNECTION.

Ccommodore

SOFTWARE FOR C-64

Business	
Multiplan (Spreadsheet) \$	63.00
Calc Result (Easy)\$	45.00
Calc Result (Advanced)	95.00
Superbase 64\$	95.00
Mirage Concepts (Data Base) \$	89.00
Mirage Concepts (Word Processor)	
(40/80 clm & 30K Dictionary) \$	89.00
Mirage Concepts	
(Report Generator)	49.00
Home Accountant (Continental) \$	49.00
Tax Advantage (Continental) \$	39.00
Southern Solutions Accounting	
G/L, A/R, A/P, P/R, I/M each \$	69.95
Utilities	
Disk Utility Program (Fast Copy,	
File Copy, Disassembler & more) \$	49.00
Smart + 64 Terminal \$	49.00
TOOL 64\$	39.95
Simon's Basic	39.95

80 Column Expander (Cartridge) \$ 60.00

ACCESSORIES	
Solo Flight (Simulator) \$	34.95
Hellcat Avenger \$	
Oscar by Databar (Bar Code Reader)	79.95

Helical Averiger	34.30
Oscar by Databar	
(Bar Code Reader)\$	79.95
CBM 1541 (new version) \$	269.00
Concord Parallel Disk Drive \$	345.00
Concord Slave Drive	Call
MSD Super Disk (Single)	395.00
MSD Super Disk (Dual)\$	695.00
1600 Modem	63.00
Vic 1650 Automatic Modem \$	109.95
Hayes Smart 300 Modem \$	
Hayes Smart 1200 Modem\$	629.00
Vic 1530 Datasette	65.00
Cardco Datasette \$	55.00
5 Slot Expander (64)	65.00
Printer Utility Program (Cardco) \$	19.95
64 Relay Cartridge	45.00
Numeric Key Pad	49.00
Alien Voice Box (Talks & Sings)\$	
When I'm 64 (Voice Box Sings) \$	35.00
Voice Box Dictionary	35.00
Texas Instruments LCD Programmer \$	
Verbatim Diskettes:	00.50
Single Sided/Single Density\$	26.00
Single Sided/Double Density \$	30.00
Double Sided/Double Density \$	42.00
Vic 20:	12.00

16K Memory	79.95
CBM 4023 Ribbons	9.95
CBM 8023 Ribbons \$	9.95
Flip N' File 10, 15, 25, 50	Call
Power Strips w/surge stopper	Call
Computer Care Kit\$	19.95
Disk Cleaning Kit	12.95

INTERFACES

Superbox (Transparent IEEE,	
3-Slot, Reset) \$	139.95
Interpod (Intelligent IEEE & RS-232) \$	
The Connection (By Tymac)	
(Commodore Graphics + 2K Buffer) \$	95.00
Cardco + G Parallel Interface \$	89.00
Vic Switch\$	149.95
IEEE to Centroonics \$	149.95
Pet-to-IEEE Cable	39.00
IEEE-to-IEEE Cable	49.00
4 Prong A/V Cable\$	15.00
Centronics Cable (male to male) \$	
RS232 Cable (male to male) \$	31.95
Networking for C-64 & CBM Equipment	Call

MONITORS

CBM 1702 Color Monitor					\$	269.00
Panasonic TR-120 (Green)					\$	142.00
Panasonic TR-120 (Amber)						
Panasonic DT-1300 Color					\$	425.00
Monitor Stand (Tilt & Swivel)			*		\$	29.95
RGB Monitor Cable:						
ET-100C (Apple)					S	33.80
ET-101C (IBM)						
Green & Amber Monitors						

LETTER QUALITY PRINTERS

CBM 6400 Printer									5	1425.00
Abati (20 CPS)									\$	475.00
Cardco LQ/1 Printer					,				\$	495.00
NEC Spinwriter		.,								Call

DOT MATRIX PRINTERS

CBM MPS-801 Printer	(50cps)	\$	245.00
---------------------	---------	----	--------

Call to Order 1-800-527-1738

All Others Call 1-214-231-2645

Micro-Sys

CBM 4023 (100 CPS)	339.00
CBM 8023 (160 CPS) \$	565.00
Panasonic KX-P1090 (100 CPS) \$	
Panasonic KX-P1091 (120 CPS) \$	
Panasonic KX-P1092 (180 CPS)	
Panasonic KX-P1093	

COMMODORE BUSINESS MACHINES

Land Control C
Executive 64 Portable \$ 795.00
B128-80 (128K 80 column) \$ 695.00
SuperPet (5 languages) \$1059.00
CBM 8032
CBM 8096
CBM 2031 single disk\$ 295.00
CBM 8050 Dual Disk 1 meg \$ 995.00
CBM 8250 Dual Disk 2 meg \$1295.00
CBM 9060 Hard Disk/5 Meg \$2195.00
64K Expansion Board \$ 275.00
SuperPet Upgrade Kit \$ 695.00

BUSINESS SOFTWARE — 8032/8096

Wordpro 4 + or 5 +	295.00
Calc Result	
The Manager\$	199.00
Superbase (8096 only) \$	225.00
BPI Accounting System	
6 Separate Modules each \$	325.00
Southern Solutions Accounting	
5 Separate Modules each \$	285.00
McTerm Communications Package \$	175.00

BUSINESS SOFTWARE — B128

Superscript II (40K Dictionary) \$	199.00
Superbase (Data Base)	
Complete Accounting System	
(G/L,A/R,A/P,O/E,P/R,I/M) \$	199.00
Calc Result	199.00

TERMS

Orders under 50.00 add 10.00 Handling fee MasterCard, VISA, Money Order, Bank Check COD (add 5.00) Add 3% For Credit Cards

All Products In Stock Shipped Within 24 Hours

F.O.B. Dallas, Texas All Products Shipped With Manufacturers 90 Day Warranty

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

DEALERS INQUIRIES WELCOME

DISTRIBUTORS

Atari Bubble And Bulldozer Sorting

Christine C. Genet

While machine language data sorting is extremely fast, there still may be times you will want to insert a simple BASIC sorting routine into a program. When the list to be sorted is small, bubble sorting is a good method to use. For larger lists, a technique called bulldozer sorting may be better.

Using The Bulldozer Sort Program

The program is a demonstration of the bull-dozer sort. It asks how many numbers you want to sort and the value of the highest number in the list. It then generates random numbers in the desired range. When finished sorting, it prints all nonzero values to the screen.

To use the bulldozer sort as a sub-routine, delete lines 70 through 85 and add a line to the beginning of the program defining the number of data elements (RN) and the maximum value of the data (MV). Also, change line 111 so that it will input the data in the way that is needed for your program. For example, to input data from the keyboard, change the line to read:

111 INPUT DT:IF DT>MV THEN 111

If you would like the sorted list printed to the screen as part of your subroutine, change line 550 to read:

550 RETURN

If you don't want a screen print, delete lines 500 through 550 and add the following line: 200 RETURN

How Bubble Sorting Works

The bubble sort is a commonly used method of sorting small lists of data into numerical or alphabetical order. While bubble sorts are easy to understand and use in programs, they are often too slow to use for large sorting tasks—bubble sorting requires many comparisons.

A bubble sort compares each item against the other unsorted items. If the item tested is larger than the one it is tested against, their positions are switched. This way, after all of the values have been tested once, the first position in the array contains the lowest number in the list.

Sorting A Stack Of Cards

Suppose we have a small stack of index

cards that are out of order. We have four cards (numbered 1 through 4) to sort, and they are in the following order: 3, 2, 4, 1. To begin, we compare the first card (3) with the second (2). Since 2 is less than 3, we swap the cards and the order becomes: 2, 3, 4, 1.

Next we compare the first and third cards in the deck, and since 2 is less than 4, no swap occurs. Comparing the first and fourth cards, we see that they should be swapped (since 2 is greater than 1) and our stack of cards reads 1, 3, 4, 2.

Now we have placed the lowest card in the first position, so we can start our second series of comparisons with the second card in the deck. We compare the second and third cards (3 and 4) and make no swap, then compare the second and fourth cards, swapping 3 with 2. At this point, the first two positions in the deck are set and the order is 1, 2, 4, 3. Testing the third card is easy, since there is only one comparison left, and we switch the positions of 4 and 3 to finish our bubble sort with the array filled as follows: 1, 2, 3, 4.

Our mental sort took only six comparisons, and was pretty quick. But with longer lists, bubble sorting slows down greatly. The reason for this is that in any array with N elements, the number of comparisons required will be N(N-1)/2. This means that while a bubble sort of 20 items will require 190 comparisons, a list only four times as long (80 items) will require over 16 times as many comparisons (3160). In order to speed things up, we need to reduce the number of comparisons as much as possible.

A Faster Sort

An alternative is bulldozer sorting, first described by Isaac and Singleton, in *JACM* 3 (1956): 169–174. Bulldozer sorting uses *address calculation* to roughly position items in the array before sorting them. We bulldozer sort every time we use an index card file—we look for the correct section of files first, then sort the card into the specific place it belongs. On a computer, this sort works well for up to around 500 items and is faster than bubble sorting, although it uses more memory for the array.

Another feature of the bulldozer sort that makes it faster than the bubble sort is

that the bulldozer sort arranges the items one by one as the data is input—there is no long wait for the sort to finish after all of the data has been entered.

Address Calculation

To successfully predict where the data should be placed in the array before sorting, keep two requirements in mind:

- 1. The array used for sorting and storage of the data should be about 1.4 times as large as the data list, and
- 2. The formula for calculating the estimated address should be chosen to allow empty array spaces above, below, and between the sorted data elements.

The first requirement is easy to handle; just DIMension the data storage array to a value 1.4 times greater than the size of the data list.

Borrowing An Equation

To satisfy the second requirement—leaving extra space in the array—we need an equation that predicts a position for the lowest data element about 10 percent of the way into the array, and estimates the highest data element's position to be about 10 percent from the end of the array. Since the accuracy of the predicting equation is not critical, we'll use a simple one borrowed from geometry—the equation for a line—to put the data in the correct general area of the array. Then we'll sort the data into the exact location.

For example, if we had 200 job numbers (or other data elements) ranging in value from 0 to 500, we would DIMension the array to 280. We would also want the lowest value to be placed by the equation in the 28th array position and the highest value to be sent to the 252nd position.

The general equation for a line is y=mx+b, where m is the slope and b is the place where the line crosses the y-axis. The slope of a line is the rise (change in the value of y) divided by the run (change in the value of x). We want predicted points to be in the middle 80 percent of the array, so we multiply m in the above equation by 0.8. For the value of b, simply use 10 percent of the array size (28). The estimated array position for x=250 would be:

y = mx + b = 0.8(280/500)x + 28 = 0.448(250) + 28 = 140Note that of the 281 array positions created by DIMensioning, position 140 is very near

the center. Using the same equation to predict a position for x=251, though, yields a value of 140.448, which rounds to 140.

Obviously one array element can hold only one data value, and this is where sorting becomes necessary. When an array location is already being used, the bulldozer sort compares the two values and rearranges the list. It is this readjusting feature of the bulldozer sort that requires the 40 percent extra array storage. The program slows down as it sorts near the end of the data list because more of the predicted locations are filled and more sorting is necessary.

Bulldozer Sort

```
EL 70 PRINT "(CLEAR) HOW MANY RANDOM
    DATA ELEMENTS":
JM 75 INPUT RN
PF 80 ? "WHAT MAXIMUM VALUE":
KA 85 INPUT MV
EL 90 AS=INT(0.5+RN*1.4):DIM JN(AS):
    DN=0: I=0
# 95 PRINT "CLEARING THE ARRAY ":
01 100 FOR A=0 TO AS: JN(A) =0: NEXT A
NG 105 PRINT "ARRAY CLEARED"
LN 1100 I = I + 1
6A 111 DT=(INT(100*MV*RND(0)+0.5)/10
FD 115 PRINT "DATA ELEMENT: ":I;"
     (4 SPACES) VALUE: ":DT
FN 130 APP=INT((0.8*AS*DT/MV)+0.1*AS
      +0.5)
EJ 135 C=Ø
FN 138 REM ***** Lines 140-160 dete
      rmine which subroutine to acc
      ess to sort data correctly **
     ***
F 140 IF JN(APP) = 0 THEN JN(APP) = DT:
     GOTO 180
10 150 IF JN(APP) >= DT THEN GOSUB 500
     Ø:GOTO 180
EF 160 IF JN(APP) (DT THEN GOSUB 6000
      :GOTO 180
AD 180 IF I CRN THEN 110
08 500 REM **** PRINTING SORTED NUMB
     ERS ****
80 505 PRINT "NUMBERS SORTED. NOW PR
     INTING."
JM 508 DN=0
60 510 FOR B=0 TO AS
83515 REM *** Array positions witho
      ut numbers are not printed ou
      t ***
GF 519 REM **** Zeros are not printe
      d ****
16 52Ø IF JN(B) = Ø THEN 54Ø
00 530 DN=DN+1:? "ARRAY ELEMENT: ";D
      N: "(4 SPACES) VALUE: ": JN(B)
BK 540 NEXT B
H8 55Ø END
GE 5000 REM **** Placing numbers les
       s than job presently at loca
       tion****
CD 5010 APP=APP-1
06 5020 C=C+1
```

```
HG 5030 IF JN(APP) = 0 THEN JN(APP) = DT
       : RETURN
IF 5040 IF JN(APP) >=DT THEN C=C-1
       APP=APP-1
CH 5050
DK 5060
       C = C + 1
11 5070 IF JN(APP) =0 THEN 5110
      IF JN(APP) >= DT THEN C=C-1:GO
       TO 5050
N 5090 GOTO 5050
CK 5100
       IF C<=1 THEN JN(APP)=DT:RETU
       RN
LR 5105 REM **** Shifting other numb
       ers to make room for new num
       ber ****
HJ 5110 D=1
#0 5120 IF D=C THEN JN(APP)=DT:RETUR
PG 5130 JN (APP) = JN (APP+1)
0L 514Ø D=D+1
06 515Ø APP=APP+1
MN 5160 GOTO 5120
18 6000 REM **** Placing numbers gre
       ater than # presently at loc
       ation***
CC 6010 APP=APP+1
0H 6020 C=C+1
# 6030 IF JN(APP)=0 THEN JN(APP)=DT
       : RETURN
EH 6040 IF JN (APP) OF THEN C=C-1
C6 6050 APP=APP+1
0L 6060 C=C+1
1 6070 IF JN (APP) = 0 THEN 6110
13 6080 IF JN(APP) OT THEN C=C-1:GOT
       0 6050
ND 6090
       GOTO 6050
CL6100 IF C(=1 THEN JN(AFP)=DT:RETU
       RN
LC 6105 REM **** Shifting other numb
       ers to make room for new num
       ber ****
HK 6110
       D=1
AE 6120
       IF D=C THEN JN(APP)=DT:RETUR
PJ 6130 JN(APP)=JN(APP-1)
0H 614Ø D=D+1
03 615Ø APP=APP-1
# 6160 GOTO 6120
```

```
49188 DATA 105,193,157,145,193,165
                                  :rem 167
49194 DATA 253,208,2,198,254,198
                                  :rem 70
49200 DATA 253,160,3,24,189,125
                                  :rem 249
49206 DATA 193,101,253,157,125,193
                                  :rem 150
49212 DATA 189,145,193,101,254,157
                                  :rem 155
49218 DATA 145,193,136,208,236,189
                                  :rem 166
49224 DATA 85,193,133,80,189,105
                                   :rem 60
49230 DATA 193,133,81,189,125,193:rem 108
49236 DATA 133,82,189,145,193,133:rem 111
                                  :rem 152
49242 DATA 83,32,21,193,144,4
49248 DATA 202,208,228,96,165,82
                                  :rem 64
49254 DATA 133,78,165,83,133,79
                                   :rem 18
49260 DATA 160,2,177,78,153,250
                                   :rem 2
49266 DATA Ø,136,16,248,48,11
                                  :rem 158
                                  :rem 200
49272 DATA 24,165,80,105,3,133
                                  :rem 204
49278 DATA 80,144,2,230,81,160
49284 DATA 2,177,80,153,247,0
                                  :rem 160
49290 DATA 136,16,248,32,32,193
                                    :rem 4
```

```
49296 DATA 144,230,56,165,82,233
                                  :rem 59
49302 DATA 3,133,82,176,2,198
                                  :rem 158
49308 DATA 83,32,21,193,176,31
                                  :rem 208
49314 DATA 160,2,177,82,153,247
                                    :rem 3
49320 DATA 0,136,16,248,32,32
                                  :rem 145
49326 DATA 193,176,225,160,2,177
                                  :rem 58
49332 DATA 80,145,82,185,247,0
                                  :rem 210
49338 DATA 145,80,136,16,244,48
                                   :rem 10
49344 DATA 183,160,2,177,80,145
                                    :rem 4
49350 DATA 78,185,250,0,145,80
                                  :rem 209
49356 DATA 136,16,244,24,189,85
                                   :rem 17
49362 DATA 193,125,125,193,133,82:rem 105
49368 DATA 189,105,193,125,145,193
                                  :rem 168
49374 DATA 133,83,102,83,102,82
                                  :rem 254
49380 DATA 32,21,193,176,22,189
                                    :rem 7
49386 DATA 85,193,157,86,193,189
                                   :rem 88
49392 DATA 105,193,157,106,193,32:rem 106
49398 DATA 53,193,232,32,69,193
                                   :rem 20
49404 DATA 76,71,192,189,125,193
                                   :rem 67
49410 DATA 157,126,193,189,145,193
                                  :rem 164
49416 DATA 157,146,193,32,69,193
                                   :rem -68
49422 DATA 232,32,53,193,76,71
                                  :rem 209
49428 DATA 192,165,81,197,83,208
                                  :rem 72
49434 DATA 4,165,80,197,82,96
                                  :rem 176
49440 DATA 160,255,200,196,247,176
                                  :rem 155
49446 DATA 11,196,250,176,6,177
                                   :rem 13
49452 DATA 248,209,251,240,241,96:rem 107
49458 DATA 196,250,96,24,165,80
                                   :rem 20
49464 DATA 105,3,157,85,193,165
                                   :rem 13
49470 DATA 81,105,0,157,105,193
                                  :rem 253
49476 DATA 96,56,165,80,233,3
                                  :rem 173
49482 DATA 157,125,193,165,81,233:rem 112
49488 DATA Ø,157,145,193,96,256
                                   :rem 23
```

Program 2: Lightning Sort Loader For VIC

Refer to the "Automatic Proofreader" article before typing this program in.

```
5 HI=PEEK(56)-2:S=HI*256:S1=S
                                  :rem 179
10 POKE 56, HI: POKE 55,0
                                  :rem 231
20 READ A: IF A=256 THEN PRINT"TO RUN SORT
    USE: {5 SPACES}SYS"S1:END
                                  :rem 106
  IF A<Ø THEN POKE S, ABS(A+2)+HI:S=S+1:G
   OTO 20
                                   :rem 79
30 POKE S, A:S=S+1:GOTO 20
                                  :rem 160
4608 DATA 32,253,206,32,158,205
                                  :rem 249
4614 DATA 32,247,215,165,20,133
                                  :rem 244
4620 DATA 253,165,21,133,254,32
                                  :rem 242
4626 DATA 253,206,32,158,205,162
                                  :rem 45
4632 DATA 1,165,71,157,85,-3
                                  :rem 100
4638 DATA 157,125,-3,165,72,157
                                    :rem 2
4644 DATA 105,-3,157,145,-3,165
                                  :rem 241
4650 DATA 253,208,2,198,254,198
                                   :rem 10
4656 DATA 253,160,3,24,189,125
                                  :rem 207
4662 DATA -3,101,253,157,125,-3
                                  :rem 233
4668 DATA 189,145,-3,101,254,157
                                   :rem 52
4674 DATA 145,-3,136,208,236,189
                                   :rem 54
4680 DATA 85,-3,133,80,189,105
                                  :rem 204
4686 DATA -3,133,81,189,125,-3
                                  :rem 200
4692 DATA 133,82,189,145,-3,133
                                  :rem 255
4698 DATA 83,32,21,-3,144,4
                                   :rem 49
4704 DATA 202,208,228,96,165,82
                                    :rem 4
4710 DATA 133,78,165,83,133,79
                                  :rem 214
4716 DATA 160,2,177,78,153,250
                                  :rem 207
4722 DATA Ø,136,16,248,48,11
                                   :rem 98
4728 DATA 24,165,80,105,3,133
                                  :rem 149
```

```
4734 DATA 80,144,2,230,81,160
                                  :rem 144
4740 DATA 2,177,80,153,247,0
                                  :rem 100
                                  :rem 148
4746 DATA 136,16,248,32,32,-3
4752 DATA 144,230,56,165,82,233
                                  :rem 255
                                  :rem 116
4758 DATA 3,133,82,176,2,198
4764 DATA 83,32,21,-3,176,31
                                  :rem 96
                                  :rem 208
4770 DATA 160,2,177,82,153,247
                                  :rem 103
4776 DATA Ø, 136, 16, 248, 32, 32
                                  :rem 202
4782 DATA -3,176,225,160,2,177
                                  :rem 168
4788 DATA 80,145,82,185,247,0
                                  :rem 215
4794 DATA 145,80,136,16,244,48
4800 DATA 183,160,2,177,80,145
                                  :rem 200
4806 DATA 78,185,250,0,145,80
                                  :rem 158
                                  :rem 213
4812 DATA 136,16,244,24,189,85
                                  :rem 188
4818 DATA -3,125,125,-3,133,82
4824 DATA 189,105,-3,125,145,-3
                                  :rem 242
                                  :rem 194
4830 DATA 133,83,102,83,102,82
                                  :rem 151
4836 DATA 32,21,-3,176,22,189
4842 DATA 85,-3,157,86,-3,189
                                  :rem 162
4848 DATA 105,-3,157,106,-3,32
                                  :rem 189
                                   :rem 94
4854 DATA 53,-3,232,32,69,-3
4860 DATA 76,71,-2,189,125,-3
                                  :rem 150
4866 DATA 157,126,-3,189,145,-3
                                    :rem Ø
                                  :rem 151
4872 DATA 157,146,-3,32,69,-3
                                  :rem 106
4878 DATA 232,32,53,-3,76,71
                                  :rem 216
4884 DATA -2,165,81,197,83,208
                                  :rem 125
4890 DATA 4,165,80,197,82,96
4896 DATA 160,255,200,196,247,176:rem 113
4902 DATA 11,196,250,176,6,177
                                  :rem 209
4908 DATA 248,209,251,240,241,96
                                   :rem 56
4914 DATA 196,250,96,24,165,80
                                  :rem 216
4920 DATA 105,3,157,85,-3,165
                                   :rem 148
                                   :rem 141
4926 DATA 81,105,0,157,105,-3
                                   :rem 113
4932 DATA 96,56,165,80,233,3
4938 DATA 157,125,-3,165,81,233
                                     :rem Ø
                                   :rem 158
4944 DATA Ø,157,145,-3,96,256
```

Program 3: Sort Test

100	PRINT"{CLR}" :rem 245
110	N=1000 :rem 222
120	DIM AA\$(N) :rem 178
130	PRINT"CREATING"N" RANDOM STRINGS"
	:rem 47
140	SD=-TI:A=RND(SD) :rem 183
150	
160	PRINTI"{UP}" :rem 66
170	
180	
190	
200	
210	
220	NEXT J :rem 29
230	
240	
250	
	:rem 151
260	
270	
280	
291	
292	
	ADER FOR VIC :rem 117
300	
310	
320	
330	THE THE PARTY OF T
	INGS" :rem 72
340	
35Ø	

Programmer's Notes: PC And PCjr Version

Tim Victor, Editorial Programmer

The PC and PCjr version of "Lightning Sort" (Program 4) is based on the same algorithm as the version for Commodore computers, but runs in about one-third the time, due to the greater speed and power of the 8088 microprocessor used in the IBM computers. There are a couple of differences in the way that this program is loaded and

The BASIC loader program calculates a checksum from the DATA statements to help identify typing errors, then creates a disk file named "LSORT.BAS", containing the ML routine in binary form. The demonstration (Program 5) loads this file into memory using BLOAD and sets LSORT to the address of the sort routine. This variable is needed because IBM BASIC's CALL statement will only accept a variable name for the address of an ML routine.

Lightning Sort uses the first parameter in the CALL statement to find the array that it will sort. This is actually the address of the first string in the array, AA\$(1) in the demonstration program, not the address of the array itself. The second parameter, N%, tells Lightning Sort how many strings are in the array. Variable names also have to be used for parameters, which is the reason for using N% instead of just plain 1000, and this version expects the length parameter to be an integer variable (a variable whose name ends with a percent sign).

Lightning Sort is loaded at address hex FF00 in BASIC's default segment. During a sort, the 256 bytes starting at hex FE00 are also used. To protect this memory, both programs start with the instruction CLEAR,&HFE00, which sets the top of BASIC's workspace to hex FE00.

360 PRINT: PRINT N" ELEMENTS SORTED IN" (T2 -T1)/60"SECONDS" :rem 181

Program 4: Lightning Sort Loader For PC/PCir

100 CLEAR, &HFE00 110 ON ERROR GOTO 10000 120 DEF SEG 130 CHECKSUM = 0140 ADDRESS = &HFF00 150 READ MLDATA 160 WHILE MLDATA <> -1 170 POKE ADDRESS, MLDATA

180 CHECKSUM = CHECKSUM + MLDATA 190 ADDRESS = ADDRESS + 1 200 READ MLDATA 210 WEND 220 IF CHECKSUM <> 22937 THEN ERROR 200 230 BSAVE "lsort", &HFF00, &HDC 240 END 1000 DATA 85, 137, 229, 139, 118, 6, 139, 4 1010 DATA 72,185,3,0,247,225,139,86 1020 DATA 8,1,208,189,252,254,137,86 1030 DATA 2,137,70,0,252,41,192,80 1040 DATA 139,94,0,139,86,2,57,211 1050 DATA 127,3,233,129,0,135,211,232 1060 DATA 139,0,118,5,131,195,3,235 1070 DATA 246,135,211,57,211,126,31,131 1080 DATA 235,3,232,120,0,114,244,138 1090 DATA 15, 139, 71, 1, 135, 211, 134, 15 1100 DATA 135,71,1,135,211,136,15,137 1110 DATA 71,1,135,211,235,214,139,118 1120 DATA 0,138,4,134,7,136,4,139 1130 DATA 68,1,135,71,1,137,68,1 1140 DATA 139,86,0,3,86,2,209,234 1150 DATA 57,218,114,23,139,70,2,131 1160 DATA 195,3,137,94,2,131,237,4 1170 DATA 131, 235, 6, 137, 94, 0, 137, 70 1180 DATA 2,235,21,139,70,0,131,235 1190 DATA 3,137,94,0,131,237,4,131 1200 DATA 195,6,137,94,2,137,70,0 1210 DATA 88,54,80,233,114,255,88,72 1220 DATA 124,7,80,131,197,4,233,103 1230 DATA 255,93,202,4,0,139,118,0 1240 DATA 181,0,138,12,139,116,1,58 1250 DATA 15,118,2,138,15,139,127,1 1260 DATA 243,166,116,1,195,139,126,0 1270 DATA 138, 13, 58, 15, 195, -1 10000 IF ERR <> 200 THEN ON ERROR GOTO O 10010 PRINT "Error in ML data: check for typo's" 10020 RESUME 240

Program 5: PC/PCjr Sorting Demonstration

```
10 CLEAR, &HFEOO : DEF SEG : CLS
20 BLOAD "1sort", &HFF00:LSDRT=&HFF00
30 N%=1000
40 DIM AA$ (N%)
50 LOCATE 2,16 : PRINT "Creating "; N%; "r
andom strings"
60 DEF SEG=&H40: RANDOMIZE PEEK (&H6C)
70 FOR I=1 TO N%:LOCATE 3,16:PRINT I
80 J%=RND(1) $10+1
90 A$="":FOR K=1 TO J%
100 A$=A$+CHR$(INT(RND(1) *26+65))
110 NEXT K
120 AA$(I)=A$
130 NEXT I
140 CLS:LOCATE 2,16:PRINT "Any key to st
art sort:"
150 A$="": WHILE A$="": A$= INKEY$: WEND
160 LOCATE 3, 16: PRINT "sorting-
170 SS=PEEK (&H6C) +256*PEEK (&H6D)
180 DEF SEG: CALL LSORT (AA$ (1), N%)
190 DEF SEG=&H40:FS=PEEK(&H6C)+256*PEEK(
&H6D)
200 PRINT "done"
210 LOCATE 5,16:PRINT "Any key to print
sorted strings"
215 A$="": WHILE A$="": A$=INKEY$: WEND
220 FOR I=1 TO N%:PRINT AA$(I):NEXT
230 PRINT N%; "elements sorted in"; (FS-SS
```

Notes For Apple Version Of Lightning Sort

Tim Victor, Editorial Programmer

The Apple version of "Lightning Sort," shown in Programs 6 and 7, requires an Apple II with at least 48K of random access memory and one disk drive. It has been tested on an Apple II Plus under DOS 3.3 and on an Apple IIc under ProDOS as well as DOS 3.3. The Applesoft demonstration program in Program 7 uses the BLOAD command to load the file LIGHTNING.SORT. This is a binary file containing the Lightning Sort program that is entered from Program 6 using the Apple II's built-in ML monitor.

Boot your computer, then type "CALL—151" to use the monitor. When you hit RETURN, the Applesoft input prompt will be replaced by an asterisk ("*"), the monitor's prompt. To enter a line from the listing, replace the hyphen after the first four-digit hexadecimal number with a colon. The first line in the listing would be entered as

9400: 20 B1 00 20 05 E1 A5 A0

Since no checksums are used in the listing, it's a good idea to make sure that the program in memory is correct. You can ask the monitor to display the contents of any memory location by typing its address as a hexadecimal number and hitting return. To examine a range of memory locations, type the address of the first location in the range, a period ("."), and then the address of the last location in the range. For example, Program 6 was made simply by entering "9400.9551" in response to the asterisk prompt.

When you're sure that the program is entered correctly, save it to disk using the BSAVE command. All DOS commands work in exactly the same way when entered from the monitor as when they are used in Applesoft. You can CATALOG, BLOAD, BSAVE, DELETE, and even LOAD and SAVE BASIC programs. To save the program you just entered, type "BSAVE LIGHTNING.SORT,A\$9400,L\$152" and hit RETURN. DOS will create a binary file named "LIGHTNING.SORT" and store in it \$152 (338 in decimal notation) bytes beginning at memory location \$9400 (decimal 37888).

Program 6: Lightning Sort For The Apple

9400- 20 B1 00 20 05 E1 A5 A0 9408- 85 FE A5 A1 85 FD 20 B1

)/18; "seconds"

```
9410- 00 20 E3 DF A2 01 A5 83
9418- 9D 52 95 9D 7A 95 A5
9420- 9D 66 95 9D 8E 95 A5
9428- DØ Ø2 C6 FE C6 FD AØ
9430- 18 BD 7A 95 65 FD 9D
                            7A
9438- 95 BD 8E 95 65 FE 9D
                            8E
9440- 95 88 DØ EC
                  BD 52
                         95
                            85
9448- 1C
        BD 66
               95
                  85
                     1 D
                         BD
                            7A
9450- 95
         85
            1E
               BD
                  8E
                     95
                         85
                            1F
         12 95 9Ø Ø4 CA DØ
                            E4
9458- 20
                        1F
9460- 60 A5 1E 85 1A A5
9468- 1B AØ Ø2 B1 1A 99 FA
947Ø- 88 1Ø F8 3Ø ØB 18 A5
                            1C
                  9Ø Ø2 E6
9478- 69 Ø3 85 1C
                            1 D
9480- AØ Ø2 B1 1C
                  99 ED
                         00
                            88
9488- 1Ø F8 2Ø
               1D 95 9Ø
                         E6
            E9
                            02
9490- A5 1E
               Ø3
                  85
                     1E
                         BØ
9498- C6 1F
            20
               12 95
                     BØ
                         1F
                            AG
94AØ- Ø2 B1 1E
               99 ED ØØ
                         88
94AB- FB 2Ø 1D 95 BØ E1
                         AØ
94BØ- B1 1C 91 1E B9 ED ØØ
94B8- 1C 88 10 F4 30 B7 A0 02
94CØ- B1 1C 91 1A B9 FA ØØ 91
94C8- 1C 88 1Ø F4 18 BD 52 95
94DØ- 7D 7A 95 85 1E BD 66
                            95
94D8- 7D 8E 95
               85
                  1F
                      66
                        1F
                            66
               95
                  BØ
                         BD
                            52
94EØ- 1E
         20
            12
                     16
94E8- 95
         9D
            53 95 BD
                     66
                         95
                            90
94FØ- 67 95 2Ø 32 95 E8 2Ø
                            47
94F8- 95 4C 44 94 BD 7A 95 9D
9500- 7B 95 BD 8E 95 9D
                         8F
95Ø8- 2Ø 42 95 E8 2Ø 32
9510- 44 94 A5 1D C5 1F
                         DØ
                            04
9518- A5 1C C5 1E 6Ø AØ FF
                            CB
9520- C4 ED BØ ØB C4 FA BØ
                            06
9528- B1 EE D1 FB FØ F1
                         60
                         Ø3
                            9D
9530- FA 60 18 A5 1C
                     69
9538- 52 95 A5
               1D 69
                      99
                         9D
9540- 95 60 38 A5 1C E9 03 9D
9548- 7A 95 A5 1D E9 ØØ 9D 8E
9550- 95 60
```

Program 7: Lightning Sort Loader For The Apple

```
HIMEM: 38400: HOME : HTAB 8: PRINT
10
     "APPLE LIGHTNING SORT DEMO"
    HTAB 10: PRINT "LOADING LIGHTNING.SORT"
    PRINT CHR$ (4) "BLOAD LIGHTNING. SORT"
30
   HIMEM: 37887
40
5Ø N = 1ØØØ
60
    DIM AA$(N)
70
    HOME : PRINT "CREATING "N" RANDO
     M STRINGS"
80
    FOR I = 1 TO N
    VTAB 2: PRINT I
100 N1 =
         INT ( RND (1) * 10 + 1)
11Ø A$ = ""
     FOR J = 1 TO N1
120
         CHR$ ( INT ( RND (1) * 26 + 65))
13Ø B$ =
14Ø A$ = A$ + B$
15Ø
     NEXT J
160 AA$(I) = A$
170
     NEXT I
     PRINT "HIT ANY KEY TO START SORT"
180
190
     GET A$: IF A$ = ""
                         THEN 190
     PRINT "SORTING..." CHR$ (7)
200
210
     CALL 37888, N, AA$(1)
22Ø
     PRINT "DONE" CHR$ (7)
     PRINT "HIT ANY KEY TO PRINT SOR
23Ø
     TED STRINGS"
     GET A$: IF A$ = "" THEN 240
     FOR I = 1 TO N: PRINT I, AA$(I): NEXT (
```



SuperTerm — the only software that communicates with them all! Information networks such as CompuServe; business and university mainframes; free hobby bulletin boards.

Professionals and students: SuperTerm's VT102 emulation gets you on-line in style. Advanced video features, graphics, full-screen editing, 80/132 column through sidescrolling, extended keyboard - perfect for EDT, DECMail, etc. Even download your workfiles and edit off-line! Full printer and editor support; other emulations available.

Researchers and writers: SuperTerm's built-in text editor helps you create, edit, print, save, send and receive text files - articles, stories, reports, inventories, bibliographies - in short, it's your information work station. Access CompuServe, Dow Jones Information Network, Dialog/Knowledge Index, Western Union's Easylink, The Source, and many more. Optional Sprinter accessory saves printing time and \$ (see below).

Computer hobbyists: Join in the fun of accessing hundreds of free bulletin board systems (BBS) for Commodore, Apple, TRS-80, etc. Text mode with all BBS systems; up/downloading with Commodore BBS systems (Punter protocol). Special protocol for up/downloading with other SuperTerm owners. Popular "redial-if-busy" feature for use with automodems.

Get the information you need, for business or for fun, with the software that communicates with them all!

Requires: Commodore 64, disk drive, and suitable manual- or auto-modem. Printer optional. Software on disk w/free backup copy. Extensive manual in deluxe binder.

SuperTerm's SPRINTER Accessory \$69°5

With the Sprinter accessory, SuperTerm can perform concurrent printing — as text appears on your screen, it's simultaneously printed on your printer. Includes all necessary hardware for connecting your parallel printer and computer via the cartridge port. Simply plug-in and go. Free utility software for printing and listing as a stand-alone interface.

Requires: parallel printer such as Epson, Gemini, Microline, C.Itoh. (Min. speed 35 cps.)

Commodore 64 is a trademark of Commodore Electronics, Ltd.

(816) 333-7200

Send for a free brochure.



MAIL ORDER: Add \$1.50 shipping and handling (\$3.50 for C.O.D.); VISA/Mastercard accepted (card# and exp. date). MO residents MICRO Inc. add 5.625% sales tax. Foreign orders payable U.S.\$. U.S. Bank ONLY; add \$5 shp/hndlg.

311 WEST 72nd ST. . KANSAS CITY . MO . 64114

Learning With Computers

Glenn M. Kleiman

Aids For The Blind

Computers provide new and powerful aids for blind people. With special input and output devices and programs, computers enable blind people to more effectively substitute hearing and touch for sight and to use books, magazines, and newspapers that would otherwise be inaccessible to them. Computers can help blind people enjoy new opportunities for education, employment, social interaction, and recreation.

Much of this information about aids for the blind has been provided by the staff of the Sensory Aids Foundation of Palo Alto, California. They train blind people in job skills and help them find suitable jobs. They receive support from some of the major computer and electronics companies in Silicon Valley, and have placed workers at these companies. Other information has been provided by Telesensory Systems, Inc., the developers of Optacon and VersaBraille.

Computer Speech Synthesis

Speech synthesizers and text-to-speech conversion programs make it possible for computers to pronounce any word. The speech is not perfect, but people understand it easily after they get accustomed to it. During a visit to the Sensory Aids Foundation, I watched a demonstration of a talking terminal—a computer terminal combined with a speech synthesizer.

The blind user of the talking terminal has a control that lets him move a pointer to any line on the display screen. He can have the computer

announce what line the pointer is on and speak the words on that line. He can have it repeat any words or read letter by letter. He can use the keyboard to edit the line.

Talking terminals make almost all the capabilities of a computer accessible to blind people. At Sensory Aids, blind people learn to use talking terminals for data entry, information retrieval, word processing, and programming.

Many educational programs could be used by blind people if the computer spoke what appears on the display screen. Staff members at Sensory Aids are revising some popular programs so that blind people can use them. During my visit, I saw a version of MasterType that was adapted for the blind. In the MasterType program, letters and words "attack" a central station. The user defends the station by typing the letters and words before they reach the station. In the adapted version of this program, the computer says the letters and words to be typed, and announces whether they have been typed correctly and quickly enough to defend the station.

Large Print Displays

Many people with impaired vision cannot read normal print, but can read large, high-contrast print. There are several ways to create large letters on the computer screen with standard equipment. One is to simply use a television or video monitor with a large display screen. Another is to use the computer's graphics capability to create large letters. In addition, many computer printers can produce large type on paper. With a suitable printer, any information stored in the computer can be printed in large letters.

A special large-print display processor, manufactured by Visualtek, magnifies letters on personal computer screens up to 16 times their

Dr. Glenn M. Kleiman is an educational psychologist and software developer. He is the author of Brave New Schools: How Computers Can Change Education (Reston/Prentice-Hall) and the designer of Square Pairs, an educational game program (Scholastic, Inc.).

usual size. A control panel lets the user set the scanning rate at which the letters move across the display screen.

Tactile Forms

Many people cannot see any letters, no matter how large. But these people can read when the letters are converted to a tactile form. One device which does that, Optacon, is already used by

many blind people.

Optacon consists of a small camera, an electronics unit, and a stimulator array. The array is composed of 144 miniature rods. The electronics unit interprets the light pattern received by the camera and sends signals that cause certain rods to vibrate, thereby producing a tactile analogue to the light pattern. Some training is necessary to learn to read the vibrating patterns, but once this is mastered the blind person has access to all printed materials. Special adapters are available so that Optacon can be used to read computer screens and calculator displays.

Other devices use Braille, a system of writing in which each letter is represented by a pattern of raised dots in a 2×3 grid. Blind people read

by feeling the dot patterns.

Although widely used, Braille has several disadvantages. Braille books are extremely bulky: A standard student dictionary fills a three-foot-square box. Braille typewriters are noisy and slow. Errors in Braille type cannot be corrected, since the raised dots cannot be erased. Braille books are therefore expensive, and most books, newspapers, and magazines are never made available in Braille.

Braille Word Processing

Special Braille printers can be interfaced to computers so that any information in the computer can be transformed to Braille. This provides a remedy for the problem of Braille not being correctable. A word processing program can be used to produce a Braille text after all corrections have been made on the computer screen.

Other Braille output devices can be interfaced to computers. One example is a device that contains sets of pins arranged in the 2 × 3 Braille grid. Each pin can be raised or lowered, thereby providing a mechanical Braille display. This device can be controlled by computer programs to produce instant Braille for a blind computer user.

A special device called VersaBraille incorporates recent advances in computer technology. VersaBraille is composed of a mechanical Braille display, a cassette information storage component, and a specially designed Braille keyboard, all under the control of a built-in computer. Information can be entered from the keyboard,

revised and corrected (editing capabilities are built-in), stored on cassette, and transformed to Braille whenever needed.

VersaBraille provides a solution to the bulkiness of Braille. It is a self-contained unit that is easy to carry and can store 400 pages of Braille on a standard cassette tape.

A major advantage of VersaBraille is that it can be linked to a computer via a standard serial interface. A blind person can connect VersaBraille to a computer and quickly transfer information from the computer to VersaBraille's cassette storage system. The VersaBraille can then be taken away from the computer and read where and when convenient. A VersaBraille user can also take notes during class lectures, write reports, or enter any other information. He or she can then connect VersaBraille to a computer, transfer the information to the computer's memory, and use the computer to print the information, store it, or send it to others via an electronic mail system.

Computerized Letter Recognition

Speech synthesizers and text-to-speech programs can convert any words stored in a computer to speech. Other devices can convert information stored in a computer to large letter displays or to Braille or other tactile signals. However, much of the information people need is in books, not computers. To fully use the capability of computers to convert text to speech, Braille, or large print, we need efficient ways of transferring text from books to computers.

Special cameras and pattern recognition programs have been used for some time to recognize specially designed letters and numbers, such as the account numbers on checks. The camera converts the pattern of each letter into a binary code. A computer is programmed to process the binary code and determine which letter it represents.

In the last few years, devices and programs have been developed which make it possible for computers to recognize most typewritten characters and to adjust automatically for different type styles and sizes. In the next few years, this technology is likely to be perfected and become more widely available. (Only very limited success can be expected with handwritten letters, due to the large variations found in even one person's handwriting.)

Letter-recognition devices can be combined with appropriate output devices to produce large size displays, speech or Braille. Letter-recognition devices can also be combined with Braille printers to expedite the production of Braille books.

Converting Print To Speech

One impressive example of technology which serves the visually handicapped is the Kurzweil

Reading Machine that converts print to speech. This machine combines sophisticated pattern recognition, speech synthesis, and text-to-speech conversion capabilities. It lets blind users control how the material is read. They can set the speed of reading and adjust the tonality of the voice. They can stop the reading at any time, have the last few words or lines repeated, request the machine to spell out words or announce punctuation and capitalization, and mark certain words or phrases for later reference. This reading machine is currently a very expensive device. But as the technology advances and prices decrease, machines with these capabilities should become available to all blind people.

Technology For The Blind

Of 51 blind people who were assisted by the Sensory Aids Foundation during a one-year period, fifteen are now programmers, computer operators, or systems analysts. Other occupations include design engineer, word processor, medical transcriber, account clerk, attorney, cashier, clerk-typist, physicist, and college professor. Their employers include Apple, Hewlett-Packard, Pacific Telephone, Stanford Linear Accelerator, Department of Immigration, Internal Revenue Service, and other businesses, educational institutions, and government agencies.

Current technological aids include Optacon, VersaBraille, talking terminals, talking calculators, and closed circuit television systems that produce enlarged images of print on a television screen. These devices, and others now in development, can dramatically increase the opportunities available to blind people.

Kurzweil Computer Products, Inc. 33 Cambridge Parkway Cambridge, MA 02142

Sensory Aids Foundation 399 Sherman Ave., Suite 12 Palo Alto, CA 94306


Telesensory Systems, Inc. 3408 Hillview Ave. P.O. Box 10099 Palo Alto, CA 94303

Visualtek 1610 26th Street Santa Monica, CA 90404

COMPUTE!

The Resource





promenade

JASON-RANHEIM

➤ VIC 20 ➤ C 64

0

0

101

\$99.50

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

 Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE—**EPROM FILES!**

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The promenade[™] C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade™

 2758 2532 462732P 27128 5133 X2816A*
 2516 2732 2564 27256 5143 52813*
 2716 27032 2764 68764 2815* 48016P*
 27016 2732A 27064 68766 2816*

Commodore Business Machines *Denotes electrically era

Call Toll Free: 800-421-7731 In California: 800-421-7748

JASON-RAN





INSIGHT: Atari

Bill Wilkinson

Last month we discussed how to make programs designed for the Atari 400 and 800 load and run automatically on the new XL series without having to hold the option key down. We also looked at a way to make patches into Atari DOS 2.0s to enable it to work with the new enhanced density 1050 disk drive. The procedure is easy, but requires two disk drives. Just type in the source code (the portion printed last month and the continuation found in this issue) using an assembler capable of placing its object code directly in memory. Assemble it after LISTing or SAVEing the source code to disk. After assembling it once, change line number 1000 to read:

1000 .OPT NOLIST,OBJ

and assemble the code once more.

DOS should now be patched. Hit the SYS-TEM RESET key and give the DOS command from your assembler. You should now be in the DOS menu (if you're not, something has gone wrong). Format a new disk using option I and then write the DOS files using option H. This will insure that everything is right and will give

you a safe copy of your newly patched DOS.

The Tricky Part

There's one more step necessary to finish the procedure. Turn off your computer, put your BASIC (or BASIC XL) cartridge into your machine, and turn the power back on, thus booting the disk that was just formatted. Place a blank diskette into the 1050 drive that you are using as drive 2 and, from BASIC, type the following command:

XIO 254,#1,0,34,"D2:"

Drive 2 should now contain an enhanced-density diskette. Now hit the SYSTEM RESET key so that DOS will recognize the new density. Finally, go into DOS and write the DOS files to the new diskette (D2), using option H from the menu.

If everything has been done properly, drive 2 should now have an enhanced-density diskette containing the patched DOS. Once you have this master completed, creating others is simple and can be done with the I and H options in the DOS menu.

Patches To Atari DOS 2.0s

```
1350 ;
               1360; BEGIN THE ACTUAL PATCHES
               1390 ;
               1400; This patch allows either $21 or $22 as
               1410; a format command.
               1420 ;
                        *=
                            $Ø7B5
ØØØØ
               1430
Ø7B5
               1440 PATCHFORMAT
                                    ; format cmds are $21 or $22
                        LDA #$20
Ø7B5 A92Ø
               1450
                                    ; is this a format cmd?
Ø7B7 2DØ2Ø3
               1460
                        AND DCBCMD
                                    ; bit $20 is set, so yes...read
                       BNE $Ø7BE
Ø7BA DØØ2
               1470
               1480 ;
               1490; This patch modifies the drive type
                        reported by DINIT for use in DRVTBL
               1500 ;
               151Ø ;
Ø7BC
                        *=
                            $Ø819
               152Ø
Ø819
               1530 PATCHINIT
                                    ; get drive status
Ø819 ADEAØ2
               1540
                        LDA $Ø2EA
                                    ; and this sequence ...
               155Ø
                        ASL A
Ø81C ØA
Ø81D Ø8
               1560
                        PHP
                                    ; ...will serve to
                                      ... convert the status
Ø81E ØA
               157Ø
                        ASL A
                                      ...$00, $20, and $80
Ø81F 2A
               158Ø
                        ROL A
Ø82Ø 2A
               159Ø
                        ROL A
                                    ; ... to the more usable
Ø821 2A
               1600
                        ROL A
                                    ; ...$00, $01, and $80
Ø822 28
               161Ø
                        PLP
                                    ; (more usable because what we
                                    ; want are $01,$02, and $81)
Ø823 6A
               1620
                        ROR A
```

```
1630 ;
                1640 ;
                1650; This patch allows SETUP to call the main
                         patch-it-all-up routine
                1670;
Ø824
                1680
                         *=
                             $1184
                1690; patch to SETUP code
                1700
1184 BE1113
                1710
                         LDX DRVTBL, Y
1187 200115
                1720
                         JSR PATCHSETUP ; the real work
118A A8
                173Ø
                         TAY
118B FØ4E
                1740
                         BEQ DERR1
                175Ø ;
                1770 ;
                1780; The major patch:
                179Ø ;
                         Here we determine the type of drive for
                1800 ;
                         the current operation and patch various
                1810 ;
                         locations (including LDA # instructions)
                1820 ;
118D
                         *=
                             $1501
                1830
1501
                1840 PATCHSETUP
15Ø1 8E7213
                         STX TRUETYPE ; save true drive type
                185Ø
15Ø4 E8
                1860
                         INX
                                      ; convert Ø or 1 to 1 or 2
15Ø5 8A
                187Ø
                         TXA
1506 2903
                188Ø
                         AND #$Ø3
                                      ; mask off 1050 bit
1508 8DFE12
                1890
                                      ; ...and save it
                         STA DRVTYP
15ØB 48
                1900
                         PHA
                                      ; and keep it for later return
                1910
                                     now we set up the tricky stuff
                1920 ;
                1930 ; we need different VTOC bases and sizes
                1940 ;
                         and different disk sizes
                195Ø ;
150C A00A
                1960
                         LDY #$ØA
                                      ; 810: start of vtoc
15ØE A964
                197Ø
                         LDA #90+$0A; 810: end of vtoc bytes
151Ø A221
                198Ø
                         LDX #DCBCFD; 810: format command
1512 2C7213
                         BIT TRUETYPE ; test drive type
                199Ø
1515 1005
                         BPL SGLDBLJOIN; 810, all ok
                2000
1517 AØØ6
                2010
                         LDY #$Ø6
                                    ; 1050: start of vtoc
1519 A98Ø
                         LDA #122+$06 ; 1050: end of vtoc bytes
                2020
                                      ; 1050: format command is '"'
151B E8
                2030
                         INX
                2040 ;
                2050; now store these values into code (shudder!)
                2060 ;
151C
                2070 SGLDBLJOIN
                2080 ;
151C 8E23ØD
                2090
                         STX $ØD23
                                      ; where format command is loaded
                2100;
                2110; the various uses of START-OF-VTOC
                2120 ;
                2130 ;
151F 8C8ØØD
                2140
                         STY $ØD8Ø
                                      ; in deallocation of boot
1522 8CEE1Ø
                         STY $10EE
                                      ; in FRESECT
                2150
1525 8C4211
                2160
                         STY $1142
                                      ; in GETSECTOR, displacement
1528 88
                2170
                         DEY
1529 8CØ711
                2180
                         STY $1107
                                      ; at start of GETSECTOR
                2190 ;
                2200; and the uses of END-OF-VTOC
                2210 ;
152C 8DØA11
                2220
                         STA $110A
                                      ; check end in GETSECTOR
152F 8D7AØD
                2230
                                      ; a CPY in format code
                         STA $ØD7A
1532 98
                224Ø
                         TYA
```

Atari 800XL Call 1010 Program Recorder 77.00 1027 Letter Quality Printer . . . Call 1050 Disk Drive Call Atari 850 Interface Call Atari Light Pen 82.95 Numerical Keypad 104.95

INTERFACES

Aid Interfast I... Call R-Verter Modem Adaptor.....39.95 Ape Face Call

DISK DRIVES

Indus GT Call Rana 1000 Call Call Trak Call Percom ..

MOSAIC

48K RAM 94 00 64K RAM/400 . 149.00 64K RAM/800 + Cable Kit #1 . 169.00 Handyman-D. 23.95 Cable Kit #2 . . . 14.95 Superdrive-D . . 23.95

MODEMS

Hayes Smart Modem 300 Call Mark II......79.00 Mark VII/Auto Ans/ Auto Dial Call Mark XII/1200 Baud Call MPP 1000 C Call Novation Call R-Verter Modem Adaptor.....39.95 MONITORS

AMDEK Color 1 + Call USI 12" Amber . 149.00 USI 12" Green . 139.00 USI 14" Color . . 269.00 BMC 12" Color, 229.00 BMC 12" Amber 99.00 BMC 12" Green . 95.00 Phillips 12" Green w/Sound 129.00 Phillips 12" Amber

w/Sound.....139.00 Triangle Replacement Keyboard for 400 54 95

Alien Voice Box II 99.95

Expansion Memory for 600XL Call COMMODORE 64

CBM 64..... SX-64 Portable......Call 1541 Disk Drive......Call 1526 Printer...........279.00 1530 Datasette..........66.00 1702 Monitor......Call 1650 AD/AA Modem.....89.00 RS 232 Interface......Call

TOUCH TABLETS

Koala Pad-D . . . 69.95 Koala Pad-Cart . 74.95

PRINTERS

. Call Alphacom 40C Epson. Gemini 10X...269.00 w/Interface....99.95 Okidata......Call Alphacom 80C w/Interface...189.95 Prowriter I..... Call Axiom AT-550 . . 329.00 Riteman Call

20.95 69.95 23.95

41.95

27.95

30.95

27.95 23.95

27.95

23 95

23

.95

27.95

23.95 23.95

20.95

20.95

27.95

30.95

30.95 27.95

27.95

27.95

23.95

23.95

23.95 23.95 23.95

23.95

64.95 23.95 23.95

23.95

SUPER PRINTER PACKAGES

Gemini 10X and Apeface.....339.00 Prowriter and Apeface.....409.00 Prowriter + Aid Interf. + Cable. . 485.00 Gemini 10X and Cardco + G....349.00 Prowriter and Cardco + G.....419.00 No additional ship, charges on printer packages in Continental USA

s, printer cables, blank floppy disks, books and other computer accessories.

COMMOD WARE WARE COMM. (cont'd.)
uilding Blks-D 54.95
Mass-D 27.95
Squad-D 20.95
ext Word Pro.-D 69.95

☆ Cal	I for pri	ces on i	oysticks	s, pr
AT	A R		0 F	
ATARI		DATASOF	(cont'd.)	ato/reime
Caverns of Mars Donkey Kong-Ca Donkey Kong Jr. Eastern Front-Ca	-Cart . 32.9	5 Nibbler - D/	1	20.95
Donkey Kong-Ca	rt 37.9	5 Spell Wiza	ra - D	34.93
Donkey Kong Jr.	-Cart . 39.9	5 Teletalk - D		34.95
Eastern Front - Ca	art 32.9	5 Zaxxon - D	T	27.95
Joust-Cart	39.9	5 EPYX		
Joust - Cart Jungle Hunt - Car Mario Bros - Carl	t 35.9	5 Dragons/P	Pern-D/T	27.95
Mario Bros Carl	t 35.9	5 Fun With A	Art - Cart	27.95
Ms. Pac-Man-C	art 39.9	5 Gateway to	Apshai - Cart	27.95
Pengo - Cart	35.9		Jr Cart	27.95
Pole Position - Car Qix - Cart	rt39.9	5 Jumpman	D/T	27.95
Qix-Cart	32.9	5 Pitstop - Ca	rt	27.95
Realsports Footbal	1-Can 35.9	5 Puzzleman	ia	Call
Robotron: 2084 -	Cart 35.9	5 Summer G	ames	Call
Star Raiders - Car	t32.9	5 Tample of	Apshai-D/T.	27.95
Tennis - Cart	35.9	2		
Atariwriter - Cart Family Finances	74.9	5 Deadline	D	34 95
Family Finances	-D37.9	5 Enchanter	- D	34 95
Home Filing Mana	iger-D . 37.9	J 1-11-1 D		34 95
Mailing List-T.	19.9		D	34 95
Syncalc - D	74.9	Sorrerer-I	D	34 95
Synfile-D	74.9	Starcross-	D	27.95
Syntrend - D	/4.9	Suspender	d - D	34.95
Logo - Cart	79.9	Witness-F)	34.95
My First Alphabe	et - D 26.9	Zork I. II.	or III-D	27.95
Atarimusic I or I Conversational L	1-U 29.9	Sea Stalke	or III-D er-D	34.95
Conversational L	ally1 44.9		ANEOUS A	TARI
Final Legacy - Ca Ballblazer - Cart	C.			
Plato - Cart	Ca		t	31 95
Paint - D	33.0	5 River Raid	- Cart	31 95
Microsoft Basic II	-Cart 67 9	5 Diskey-D	ourt	34.95
Atari Macro-Asser	mhler-	Illtra Disa	ssembler - D	34.95
Cart Macro Assor	67 0	5 Zombies -	D/T	23.95
Cart	41 9	5 Codewrite	r-D	69.95
Assembler Editor	r-Cart 46 9	15 Star Leagu	e Baseball-D/T	22.95
BRODERBUND		Star Bowl	Football-D/T . ne Caribbean-D	22.95
AE-D	22.0	5 Death in th	e Caribbean-D	. 27.95
Arcade Machine	-D 410		- D	. 27.95
Arcade Machine Bank Street Writ	er-D 40 0	The Heist	- D	23.95
Choplifter - D	23.0	5 Gyruss - Ca	art	34.95
Drol - D	23.0	5 James Bo	nd - Cart	34.95
Gumball - D	20.9		art	34.95
Loderunner - D	23 0	E U-DEIL-CO	art	34.95
Mask of the Sur	1-D 27 9	E SIGI WAIS	-Cart	.34.95
Operation Whirly	vind - D 27 9	e Return of	Heracles - D.	26.50
DATASOFT		master iv	pe-D/Cart	27.95
Basic Compiler-	D 55 0	Songwrite	r-D nulator II-D	27.95
Bruce Lee-D/T	23.0	Flight Sim	nulator II-D	37.95
Dallas - D	23.0	Chatterbe	e-D	27.95
Heathcliff - D/T.	23 0	5.A.ML	Manatain D	41.95
Letter Wizard			Ifenstein - D	20.95
Micropainter - D.	23 0	5 Home Ass	ve Starter Kit	54.95 E2.05
Money Wizard .			'o Placking' D	40.05
money wizard.		Ken Uston	's Blackjack-D	49.95

41.95 Pogo Joe-D Spelunker-D.
Ultima III-D.
Jupiter Mission-D 41 95 34.95 31.95 31.95 37.95 Jupiter Mission D
Dreadnaught Factor-Cart
Keystone Kapers-Cart
Antica 4-D
Boulder Dash-D/T
Scraper Caper-Cart
Miner 2049'er-Cart
Beachead-D/T 20.95 34 95 23.95 OPTIMIZED SYSTEMS 74.95 74.95 74.95 Action - Cart . . . Basic XL - Cart . MAC / 65 - Cart 27.95 27.95 DOS XL-D Action Aid - D SIERRA ON-LINE 20.95 Aquatron - D ... Dark Crystal - D 27.95 34.95 Homeword Speller - D Homeword - D 49.95 Oil's Well-D. 23 95 Prisoner - D 23.95 Quest for Tires-D Ultima II-D Illtima I-D Wiztype-D SSI Carrier Force - D 27.95 27.95 27.95 27.95 27.95 55.95 27.95 Combat Leader - D/T Cosmic Balance II - D Cosmic Balance - D Broadsides - D ... War in Russia - D 50 Mission Crush - D Questron - D . Rails West - D

ACCESS Neutral Zone-D/T Spritemaster-D/T Beachhead-D/T ... Master Composer-D 23.95 27.95 BATTERIES INCLUDED Consultant-D.
Paperclip w/Spellpak-D
Super Busscard II.
Home Inventory-D. 84.95 Recipe-D...... Audio/Video Cat-D 23 95 23.95 Mail List-D Stamps-D. 23.95 CARDCO Cardprint/B Cardon + G 69 95 Cardboard/5 59 95 47 95 Printer Utility-D/T Write Now-Cart 19.95 Mail Now-D 29.95 COMMODORE Program Ref. Guide Assembler-D 19.95 39.95 Easy Finance I,II, 19.95 Easy Calc-D Easy Mail-D 64.95 19.95 44.95 Easy Script-D 19.95 57.95 39.95 Easy Spell-D. Logo-D The Manager-D General Ledger-D.
Accts. Rec.-D.
Accts. Pay.-D. 39.95 39.95 Magic Desk-D... Zork I, II or III-D 52 95 32.95 Suspended-D Starcross-D Deadline-D 32 95 32.95 Soccer-Cart

To Order Call Toll Free 800-558-0003 For Technical Info, Order Inquiries, or for Wisc. Orders

	d other compl	iter a	ccessories.
)	ORE 64	S O	FTWARE
	HANDIC		MISC. COMM. (cont'
	64 Forth-Cart	29.95	Basic Building Blks-D
	64 Graf-Cart	23.95	Critical Mass-D
	Stat 64-Cart	23.95	Rescue Squad-D
	Calc Result Easy-Cart.	34 95	Super Text Word ProD.
	Calc Result Advanced-D	74.95	Beyond Wolfenstein-D
	Calc Result AdvCart	69.95	Sam-D
	The Diary-Cart	23.95	Chatterbee-D
	The Tool-Cart	29.95	SPINNAKER
	INSTA (CIMMARON)		Adventure Creator-Cart
	Insta-Writer-Cart	20.05	Aerobics-D
	Insta-Mail-D	24.05	Aerobics-D
	Insta File D	40 05	Alf in the Color Caves-C.
	Insta-File-D	64.05	Alphabet Zoo-Cart
	Management Combo	21.05	Bubble Burst-Cart
	Insta-Calc-Cart/D	31.95	Cosmic Life-Cart
	Insta-Graph-D	21.05	Delta Drawing-Cart
	Insta-Vestor-D	00.05	Facemaker-Cart
	Insta-Speed-D Insta-Sched-Cart/D	40.05	Fraction Fever-Cart
	Insta-Music-Cart/D	70.05	Grandma's House-D
	Insta-Music-Cart/D	74.05	Jukebox-Cart
	Invest Combo		Kids on Keys-Cart
	MISC. COMMODORE		Kidwriter-D
	Ken Uston's		Kindercomp-Cart
	Blackjack-D	49.95	Ranch-Cart
	Quick Brown Fox-D/Cart.	. 34.95	Rhymes / Riddles - D
	Ultima III-D	.41.95	Search/
	Flight Simulator II-D.	.37.95	Amazing Thing-D
	Night Mission/		Snooper #1-D
	Pinball-D/T Praticaic PS-D	20.95	Snooper #2-D
	Praticaic PS-D	59.95	Story Machine-Cart
	M-File-D	64.95	Trains-D
	Word Pro 3+/Spell-U	. (4.95	Up For Grabs-Cart
	Home Accountant-D	52.95	
	Step By Step-D/T	44.95	SYNAPSE Blue Max-D/T
	Barron's SatD	67.95	Die Max-D/T
	Bristles-D/T	. 20.95	Dreibs-D/TFort Apocalypse-D/T
	Telestar 64-Cart	. 37.95	Necromancer-D/T
	Star League	00.05	New York City D / T
	Baseball-D/T	20.95	New York City-D/T Pharoah's Curse-D/T.
	Castle Wolfenstein-D	20.95	
	Mastertype-D/Cart Vic Switch	. 27.95	Protector II-D/T
	Vic Switch	124.95	Quasimodo-D/T Rainbow Walker-D/T
	First Class Mail-D	34.95	
	Aztec-D	. 27.95	Relax Stress
	Miner 2049er-Cart		Reduction Sys Shamus Case II-D/T
	Sea Dragon-D/T	. 23.95	Shamus Case II-U/I
	Diskey-D	. 34.95	Shamus-D/T
	Hodge Podge-D/T	19.95	Slam-Ball-D/T
	Strip Poker-D	23.95	Survivor-D/T

D-Disk T-Cassette Cart · Cartridge

PRODUCTS

Computatility.

414-351-2007

no surcharge for mastercard or visa



Hodge Podge-D/T Strip Poker-D Mr. Robot-D

Paint Magic-D Pooyan-D/T Astro Chase-D/T

Flip Flop-D/T



19.95 23.95 23.95 34.95

20.95

ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$1.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.O. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN 11 AM - 7 PM CST 12 PM - 5 PM CST

```
1533 18
                 225Ø
                          CLC
1534 692E
                 2260
                          ADC #46
                                     ; adjust for ...
1536 8D84ØD
                2270
                          STA $ØD84
                                     ; the directory dealloc in fmt
1539 AEØ113
                         LDX CURFCB ; recover original value
                2280
153C 68
                2290
                          PLA
153D 6Ø
                2300
                          RTS
                 2310;
                2340 :
                2350; This is another major patch...
                2360;
                          instead of using set values for VTOC
                2370 ;
                          info, we pick from one of two tables
                2380 ;
                2390 ;
153E
                         *= $ØD37
                2400
ØD37
                2410 PATCHXFORMAT
ØD37 1Ø27
                2420
                         BPL XFØ
                                     ; same source, but XFØ has moved
                2430 ;
                2440 ;
ØD39
                          *=
                2450
                              $ØD52
ØD52
                2460 TBL810
ØD52 Ø2
                2470
                          .BYTE 2
ØD53 C3Ø2
                          .WORD 707,707
                2480
ØD55 C3Ø2
ØD57 ØØFF
                2490
                          .BYTE Ø, $FF
ØD59
                2500 TBL1050
ØD59 Ø2
                2510
                         .BYTE 2
ØD5A C5Ø3
                252Ø
                          .WORD 965,965
ØD5C C5Ø3
ØD5E ØØFF
                2530
                          .BYTE Ø, $FF
                2540 ;
                2550 ;
                2560; we have moved the label xf0
                2570; ... to make room for the tables
                2580 :
                259Ø XFØ
ØD6Ø
ØD6Ø AØØØ
                2600
                         LDY #Ø
ØD62 B952ØD
                2610 XF01 LDA TBL810, Y
ØD65 2C7213
                2620
                         BIT TRUETYPE
ØD68 1003
                2630
                         BPL TYPEOK
ØD6A B959ØD
                2640
                         LDA TBL1050, Y
ØD6D
                265Ø TYPEOK
ØD6D 9145
                266Ø
                         STA (ZDRVA), Y
ØD6F C8
                267Ø
                         INY
ØD7Ø CØØ7
                         CPY #7
                268Ø
ØD72 DØEE
                2690
                         BNE XFØ1
                2700 ;
ØD74
                271Ø XFØ2
ØD74 9145
                272Ø
                         STA (ZDRVA), Y
                2730
                         INY
ØD76 C8
                         BPL XFØ2
ØD77 1ØFB
                2740
                275Ø
                         NOP
ØD79 EA
                2760
                         NOP
ØD7A EA
                277Ø
                         NOP
ØD7B EA
                         NOP
ØD7C EA
                278Ø
                2790 ;
                2800; This patch allows the user to choose
                         diskette type for formatting via
                2810;
                         the 'XIO 254' command
                2820 ;
                2830 ;
                                    ; Where the format vector is
                         *= XFV
                2840
ØD7D
```

```
ØBD6 4C7313
               2850
                        JMP XFVPATCH
               2860 ;
               2870 : The label 'Z' designates some unused
               2880 ;
                        memory in the original DOS 2.0s
               2890 ;
ØBD9
               2900
1372 ØØ
               2910 TRUETYPE .BYTE 0; Where PATCHSETUP saves true disk type
               292Ø :
                      This code becomes the beginning of
               2930 :
               2940 ;
                        the FORMAT code
               295Ø :
1373
               296Ø XFVPATCH
1373 BD4BØ3
               2970
                        LDA ICAUX2,X ; Get AUX2 value
1376 FØØ3
               2980
                        BEQ XFVP2 ; zero...don't do anything
1378 8D23ØD
                                   ; non-zero...assume it is type of format
               2990
                        STA $ØD23
137B
               3000 XFVP2
137B 4C18ØD
                        JMP XFORMAT
               3010
               3020 ;
               3030 :
               3050 :
               3060; end of patches for 1050 drive
               3070 ;
               3080 ;
               3090; BEGIN patches for BURST I/O
               3100 ;
               3110; from COMPUTE!, July, 1982
               3120 ;
               137E
               3150
                        *= $ØA1F
               3160;
               3170 ; first, patch the code where WTBUR used to be
               3180 ;
ØAlF
               319Ø WTBUR
ØAlF
               3200 BURSTIO
ØA1F BD8213
               321Ø
                        LDA FCBOTC, X ; open type code
ØA22 49ØC
               3220
                        EOR #$ØC
                                   ; check for mode 12 (update)
ØA24 FØ24
               323Ø
                        BEO NOBURST
ØA26 6A
               3240
                        ROR A
                                    ; move carry to MSB of A-reg
ØA27 EA
               325Ø
                        NOP
                                    ; filler only
ØA28
               326Ø TBURST
               3270 ;
               3280 ; ... and STA BURTYP remains...but
               3290 ;
                          BURTYP is negative if BURSTIO was
                          called from GET-BYTE and positive
               3300;
               3310;
                          if it was called from PUT-BYTE
               3320 ;
ØA28
               3330
                        *=
                            $ØA41
               3340; so we must patch here to count for the sense
               3350 ;
                        of BURTYP being inverted from original
               3360;
ØA41 1009
               337Ø
                        BPL WRBUR
               3380 ;
ØA43
                        *=
               339Ø
                            $ØAD4
               3400 ;
               3410; finally, we must patch the GET-BYTE call
                        so that it JSR's to new location
               3420 ;
               3430 ;
ØAD4 201FØA
               3440
                        JSR BURSTIO
               345Ø ;
                                                                       0
ØAD7
               346Ø
                        . END
```

Commodore Autoboot

David W. Martin

This utility makes loading and running programs quick and easy, and can also be used as a form of copy protection. For the VIC-20 and Commodore 64 with a disk drive.

Have you ever wondered how some commercial programs run automatically after they're loaded? "Autoboot" enables you to add this convenient feature to your own programs.

Type in and SAVE Autoboot. VIC users should substitute the following for lines 481 and 491 before saving:

481 DATA 165,175,133,46,165,174,133,45,32 ,89,198,32 :rem 234 491 DATA 142,198,76,174,199 :rem 77

To use Autoboot, first load the BASIC program that you want to make bootable. Then enter POKE 43,0:POKE 44,1 and SAVE the program using a different filename. This version of the program will be used by Autoboot. Now load and run Autoboot and enter the name of the modified version when prompted. Autoboot will then turn it into an autoboot program by directly changing certain disk sectors. The sector numbers are displayed on the screen as Autoboot runs.

Since the VIC and 64 automatically relocate programs when loading, all autobooted programs must be loaded using a nonrelocatable load as follows:

LOAD "filename",8,1

Of course, any BASIC program can be made to load and run from disk just by typing:

LOAD "filename",8:

and pressing SHIFT-RUN/STOP instead of RETURN. But the power of Autoboot lies in the copy protection it provides. To copy protect your autorun programs, add POKE 808,100 (VIC), or

POKE 808,234 (64) as the first line in your program before saving the modified version to be used by Autoboot. This will disable the RUN/STOP key, the RESTORE key, and the LIST command as soon as the program runs. Since the autobooted program will run as soon as it's loaded, the user won't be able to break out of the program to SAVE it.

Autoboot

Refer to the "Automatic Proofreader" article before typing this program in.

prog	ram in.	
100	PRINT"{CLR} AUTOBOOT ":T=18:S=1:D\$="Ø	
	":OPEN15,8,15,"I"+D\$:rem 248	
110	OPEN2,8,2,"#"+"Ø" :rem 234	
120	REM **** LOCATE TARGET :rem 158	
130	INPUT"FILENAME"; NA\$:LN=LEN(NA\$)	
	:rem 139	
140	GOSUB210:GOSUB300 :rem 245	
150	IFT=ØTHENPRINTNA\$" NOT FOUND":GOTO540	
	:rem 18	
160	GOTO140 :rem 101	
170	GOTO540 :rem 106	
180	REM ***POINT TO BYTE AND GET IT INTO	
	{SPACE}X. :rem 108	
190	PRINT#15, "B-P: "2, L: GET#2, A\$: IFA\$=""TH	
	ENA\$=CHR\$(Ø) :rem 197	
200	X=ASC(A\$):RETURN :rem 206	
210	PRINT"TRACK"T" SECTOR"S :rem 148	
220	PRINT#15, "U1:"2; D\$; T; S : rem 204	
23Ø	L=0:GOSUB180:T=X:L=1:GOSUB180:S=X:RET	
	URN :rem 71	
240	REM *** CHECK FOR FULL MATCH : rem 221	
250	FORJ=ITOI+LN:L=J:GOSUB180:IFX=0ORX=16	
	ØTHEN27Ø :rem 13Ø	
260	X\$=X\$+CHR\$(X):NEXTJ :rem 101	
270	IFX\$<>NA\$THENX\$="":RETURN :rem 23	
280	L=I-2:GOSUB180:TT=X:L=I-1:GOSUB180:SS	
	=X:PRINT :rem 142	
290	GOTO340 :rem 107	
300	REM *** CHECK THROUGH ONE BLOCK FOR N	
	AME MATCH : rem 54	
310		
320	L=I:GOSUB180:IFCHR\$(X)=LEFT\$(NA\$,1)TH	

ENGOSUB240

:rem 95

330	NEXTI:RETURN :rem 56
340	REM *** ACCESS 1ST SECTOR OF TARGET P
	ROGRAM :rem 199
35Ø	T=TT:S=SS:GOSUB210 :rem 142
36Ø	L=2:GOSUB180:AL=X:L=3:GOSUB180:AH=X:S
	A=AL+AH*256 :rem 183
37Ø	The state of the s
	REPARED FOR AUTOBOOT":GOTO540:rem 142
380	REM *** ESTABLISH FALSE STACK:rem 125
400	PRINT#15, "U1: "2; DR; TT; SS: PRINT
	:rem 104
410	FORPB=173TO254STEP2:PRINT#15, "B-P:"2;
	PB : rem 74
420	PRINT#2, CHR\$(96); :rem 160
430	PRINT#15, "B-P: "2; PB+1 :rem 113
440	PRINT#2, CHR\$(3); :PRINT"*"; :NEXT:PRINT
	:rem 22
450	PRINT#15, "U2: "2; DR; TT; SS : rem 167
460	GOSUB210:PRINT :rem 116
470	REM ***PUT AUTOBOOT CODE ONTO PAGE 3
401	:rem 14
481	DATA165,175,133,46,165,174,133,45,32,
	89,166,32 :rem 229
491	DATA 142,166,76,174,167 :rem 67
500	PRINT#15, "U1:"2; DR; T; S :rem 251
510	FORPB=105TO121:READBY:PRINT#15, "B-P:"
FOR	2;PB :rem 194
520	PRINT#2, CHR\$(BY); :PRINT". "; :NEXT:PRI
	NT:PRINTNAS" CAN NOW BOOT ITSELF"
530	:rem Ø
THE REAL PROPERTY.	
540	CLOSE2:CLOSE15 :rem 87 ©

ATTENTION COMMODORE 64 OWNERS:

"Is THE CLONE MACHINE really dead?"

Yes, there comes a time when a product grows old and isn't the latest state of the art. Thank goodness we understand that here at Micro-W. Our all new version (known as SUPER CLONE) will surely prove that we are still number one in the back-up business.

You'll still get the old reliable Clone Machine but we've added the following:

1) A fast clone copy (approx. 14 minutes) that's simple to use 2) A Super Unguard utilility that quickly handles errors 20 thru 29 (and you don't even have to disassemble your drive like some of our competitors suggest)

3) A new unique way to back-up formerly uncopyable software.

Don't worry if you are a registered owner of our earlier version, we've got you on file and this upgrade will only cost you \$10 plus shipping and handling. Dealers, call us for stock balancing on old merchandise.

STILL ONLY \$49.95*



Should've made back-ups with Super Clone

Visa Available from: DISTRIBUTING, INC.

1342B Route 23 Butler, N.J. 07405 CALL: (201) 838-9027 To Order
Dealer and Distributor Inquiries Invited.

* We will allow \$15 trade credit for any other copy program that you have purchased toward the purchase of **SUPER CLONE** at \$49.95. You must provide your original purchased product and state why you want ours instead. This offer may be withdrawn at any time.

Atari Paddle Fixer

William Griner

Here's a quick fix for the Atari paddle jitters that still preserves the paddles' range.

The Atari paddles are so sensitive that the heat of a hand or any jarring can change their value. Some paddle-based games don't take the sensitivity into account, causing their characters to flicker annoyingly. Try this:

KN 1000 REM get the paddle value 16 1010 PV=PADDLE(PN): IF ABS(PV-OPV)>1 THEN OPV=PV: RETURN LF 1020 PV=OPV: RETURN

where:

PN is the paddle number (0-7)PV is the value read from the paddle OPV is the old paddle value (initialized to whatever value you wish)

Centered Values

The above subroutine keeps the paddle centered between the adjacent values. It takes a difference of two steps or more to change the paddle value. This is not to say that the paddle will use only all even or all odd values. For example, if the paddle is at value 77, it will not be allowed to move directly to 76 or 78. If you want to move from 77 to 78, you will have to move to 80 or 75, then to 78.

Better Than Brackets

This method is better than dividing the paddle range by a number since doing so creates fixed brackets of possible values and does nothing to keep the paddle value from straddling the bracket boundaries. This method could also be used to keep the paddle in a wide bracket, allowing only for coarse movement, yet giving access to the entire range of the paddle's values.

Apple Editing Hints

Patrick Moyer

Most computer owners develop a love-hate relationship with at least one feature of their machines. For Apple owners, this feature is often the editing functions. Here is a review of Apple editing controls and protocols and some tips on making the process easier and more effective.

The Apple uses a combination of screen editing and line editing. Changes are made by moving the cursor to a particular line which has been listed on the screen and retyping that line. This retyping is usually accomplished with the right arrow key. As the right arrow is pressed, the cursor moves to the right, reentering all it passes over. A change is made by typing over what is already there, or by inserting the correction through a combination of cursor moves.

Physical, Logical

Therefore, to make a change, we must specify the line to be changed. In this case, we are talking about a line of BASIC, not a line displayed on the screen. The BASIC line is called a *logical line*, as opposed to the *physical line* that is displayed on the screen. A logical line may contain multiple BASIC commands and may be up to 255 characters long. The physical display line is the 40-letter width of the screen.

Before a BASIC line can be changed, it must be listed. It is best to clear the screen with the HOME command initially. This eliminates confusion about what was changed and what wasn't.

When a line is listed, the computer puts one space between words or variables, two spaces after the line number, seven spaces at the end of the first physical line, and five spaces on the right and left sides of the remaining physical lines.

Most of the time, these extra spaces and lines are of little consequence. One can just merrily right-arrow over them with no harm. The one exception occurs in string information (characters in quotes). This causes a problem. If a string is broken between two or more physical lines during the listing process, and you right-arrow to retype, 12 additional spaces will be inserted between the last character on the first line and the first character on the next line. Certainly not what's wanted. The common solution is to

avoid the right arrow and use the cursor with the <ESC>K sequence instead.

Simplified Cursor Control

There's an even simpler solution. Let's edit a line step by step to demonstrate this technique (<ESC> is the ESC KEY, <RET> is the RETURN KEY):

Here's the line as originally typed:

10PRINT"THIS IS A LONG LINE OF STRING DATA"<RET>

List the line. It looks like this:

LIST10<RET>
10 PRINT "THIS IS A LONG LINE OF STR
ING DATA"

We then type <ESC>I, repeating the I key until the cursor is over the second digit of the line number; J is pressed to move the cursor one space to the left. (This J keypress is important. If you forget it and continue the editing process, you will gain a line in your program. Line 0 will be created, but more about that later.)

Once you've moved left, leave <ESC> mode. This is done by pressing any key not having meaning in <ESC> mode. Because some keys not normally used for cursor movement do have special meaning, it's best to press the space bar. Remember, this will not move the cursor.

We can now use the right arrow to "retype" the line to the place of the change. The repeat key can be used to speed this process. Let's say you've used the right arrow until it appears after the last quote. The line on the screen looks no different. However, if we LIST the line, we now see this:

10 PRINT "THIS IS A LONG LINE OF STR ING DATA"

If we type RUN we get:

RUN<RET>
THIS IS A LONG LINE OF STR ING DAT
A

Eliminating Problem Margins

The common solution, again, is to right-arrow to the R in STR, then type <ESC> and press K repeatedly to move the cursor until you reach the I in ING. Anyone who has done this often will know how easy it is to forget <ESC> K, and end up with a string of K's.

The solution is simply to eliminate those extra margins unless you need them. Let's start

with the same original line:

10PRINT"THIS IS A LONG LINE OF STRING DATA"<RET>

To edit the line we type:

HOME:POKE33,30:LIST10<RET>

The HOME gives us a clean screen to work with; the LIST puts the line to be edited on the screen. A POKE instruction places a single number into an "address" in the computer's memory. Address 33 controls the width of the screen display. Placing the number 30 in it reduces the size of the screen to 30 characters wide rather than

Caution: The POKE must be done before the LIST for this method to work. The HOME is optional, but prevents a very confusing screen. (Try it. You'll see what I mean.) The screen will erase and display:

10 PRINT"THIS IS A LONG LINE OF S TRING DATA"

As you can see, the line is 30 characters wide without the extra margin spaces. Move the cursor to the line number as usual. The right arrow may be used without ill effect. It will go directly from the S on the first display line to the T on the second line without inserting any blanks. This eliminates the need to use the <ESC> K sequence.

Once you have finished editing, you will need to type TEXT. This command will return you to normal 40-character screen mode.

Duplicating Lines

One strength of Apple II editing is the ability to duplicate lines. Let's try an example:

HOME: POKE33,30:LIST10<RET> 10 PRINT"THIS IS A LINE TO BE **DUPLICATED**"

Next move the cursor up to the line using the normal <ESC>I. When the cursor arrives over the number, move it left until it is over the first digit of the number. Then press the space bar as before; but prior to using the right arrow, retype the line number, say, 20. Then use the right arrow to "retype" the line as described above until you reach the end of the logical line. At this point, press RETURN. If you LIST the program, you'll see:

HOME:POKE33,30:LIST<ret> 10 PRINT"THIS IS A LINE TO BE **DUPLICATED**" 20 PRINT"THIS IS A LINE TO BE **DUPLICATED**"

Once you have moved your cursor up to the number and changed it, you do not have to reuse the entire line. You can treat it like any line to be edited further if necessary.

Easy Program Merge

This technique can also be used on a limited scale to merge two programs. Let's say you have a favorite subroutine of three or four lines which you wish to add to a program. You could use the merge function of the Renumber program on the Systems Master, or the program that is part of the Programmer's Toolkit. If you don't have these programs or you don't have them handy, here is a simple procedure:

- 1. Save the program you are working on.
- 2. Load the program which contains the lines to be copied to your new program.
- 3. Clear the screen, change width, and list lines (using HOME:POKE33,30:LIST statements).
- 4. Now, load the program the lines are to be added to.
- 5. Using the normal <ESC> and right-arrow commands, edit each line without changes. It's best to edit the last line first and work up the screen, entering each line one at a time. This is because when multiple lines are listed and edited, once <RET> is pressed, the line number below it is partially destroyed and has to be retyped by hand. There's nothing wrong with changing the line numbers to fit your new program if the current line numbers are a problem.
- 6. Once all lines are edited, save the program. If you list it, you'll find the lines are now part of your program.

Finally, if you want to cancel a particular change as long as you have not pressed <RET> yet, cancel the editing of the line by typing <CTL> X. Be sure that you press the <CTL> key first, then X. The machine will answer with a backward slash. If you list the line, it will be unchanged.



MACHINE LANGUAGE

Jim Butterfield, Associate Editor

Math And Tables

I'm frequently asked for addresses within ROM that do certain operations, usually mathematical functions. I do my best to talk programmers out of this approach if possible.

For one thing, the addresses of the ROM routines vary from machine to machine. I'd prefer to see a programmer borrow the code from the ROMs and include it in the program. At least that way, transportability is not a problem.

Using ROM math routines is often awkward. They often call for one or more values to be placed into floating point accumulators before calling, and return values in the same areas. A floating point number is often an inconvenient format and takes a fair-sized conversion routine to bring back to the more convenient "fixed point" notation used by most machine language programmers. The total effort can turn out to be greater than programming it yourself.

But the main reason that I try to discourage use of these routines is this: They are designed for a certain number of digits of accuracy, and your program usually wants either greater or less accuracy. If you need less, you're wasting processor time working out the extra places. If you need more, the built-in routine will not do the job for you.

A Question

I was recently asked by a user to supply the address of the logarithm routine within a certain computer. It would have been easy to just answer the question, but I balked. I asked the user to define his objective.

This makes an interesting case history, since the objectives were changed partway through the exercise. We have a chance to see a couple of approaches to avoiding the built-in routines.

My first thought was to replace the ROM log routine with a streamlined machine language version. There are several efficient ways of calculating a logarithm; any book on numerical analysis (or an encyclopedia) will supply information on this.

First Approach

After questioning the user closely, the objective appeared to be this: An eight-bit reading was being taken from a remote device. He desired to convert this reading to a base ten logarithm (with appropriate scaling) for display purposes, and the accuracy of the result was to be 16 bits.

My concept of the approach changed. The magic words, "eight bits," had been spoken. The objectives were still a bit fuzzy, since it's hard to get a full 16 bits of useful data when your original data was only 8 bits accurate; but not to worry on that score for the moment.

Here's the pitch: If you have an eight-bit value to work through any mathematical function, use a table. There are only 256 possible values to be worked out, 256 questions and 256 corresponding answers.

We'll need to have two tables—one for the low part of the answer and one for the high part—but that's no problem: 512 bytes of storage is usually not hard to come by.

Looking up things in a table of 256 values is the ultimate in simplicity. It's sometimes called a "list type lookup," and the principle is very simple. Put the original value into an index register, and read out the indexed answer. Our code might read something like the following:

LDX —input register— LDA LOWTABLE,X STA LOWRESULT LDA HIGHTABLE,X STA HIGHRESULT

No loops, no math, no complexity: Five instructions and it's done. We must be sure to prepare the table in advance, but that's a one-shot task. In fact, BASIC could do the job for us and POKE the values into the table.

Second Approach

When the requirement was examined more closely, the rules changed and the problem was inverted: Given a 16-bit reading, compute the base ten logarithm to 8 bits of accuracy. The eight bits, by the way, were to be used to draw a high-resolution graph; 256 points were quite sufficient for the resolution required.

This requirement makes a little more sense: Converting 16 bits into 8 involves a loss of accuracy, but that was compatible with the display objective.

We still have the magic words "eight bits" embedded in the problem, but this time they describe the result. We can still use our table approach if we invert the way we use the table.

Let's build our table this way: For each of the 256 entries, we'll put the corresponding "anti logarithm" in the table. When we search the table to find the closest match to our original value, the answer will turn out to be the number of the table entry.

An example might illustrate what I mean here. Suppose the 16-bit input number has a value of 2000. The desired result, allowing for the scale, will be 165. In slot 165 of the tables (high and low), I'll find a value that's quite close to 2000. My task: search the table to find the closest value.

Binary Splitting

This isn't hard to do. Most of us have learned to search a table by using a "binary split" method, splitting the table in half again and again until we find the value we want. And on a table of size 256, a computer can do a very efficient job of binary splitting. Eight comparisons and it's all over.

The code would follow these lines:

LDA #\$80 STA MASK This says, "we're going to split the table into chunks of 128 (hex 80) this time around."

> LDX #\$00 STX POINTER

We'll kick off starting at position zero in the table. Here comes the loop:

> LOOP LDA POINTER ORA MASK

We've added our offset of 128 to the starting position of zero, so our first comparison will be at the midpoint of the 256 table.

COMPARE

Let's fudge the COMPARE coding for the moment. We'll need to load our high and low bytes into A, compare to the table high and low (indexed, of course) and decide whether our value is higher or lower than the table entry. If our value is LOW, we'll branch ahead to LOW; otherwise, we continue with HIGH:

STX POINTER

If our value is high, we store the index. If not, we skip this instruction and continue with the old value in POINTER.

LSR MASK

Our mask contained 128, the size of the "split." Now we are dividing it by two so that it becomes 64, and 32 the next time, followed by 16, and so on. Eventually, we'll end up with zero as the bit rolls out of the end of the byte.

BNE LOOP

We go back to do another comparison. Let's see what has happened. POINTER started at zero. If our input value is lower than table item 128, POINTER will stay at zero and the next comparison will be with item 64. On the other hand, if our input value is higher than table entry 128, POINTER will be changed to 128, and the next comparison will be with item 192. In other words, we'll split the upper half or the lower half depending on how the previous comparison

It's not hard to see how the program zeros in on the answer after eight comparisons. Finally, MASK becomes zero, the program stops looping, and the answer may be found in POINTER.

The user started out looking for a logarithm routine in ROM, and ended up with something much better: faster, more compact, and wellsuited to the application.

And there was a free bonus. After looking at this approach, the user discovered that he could do something he had previously thought impractical: switch to a new display scale—linear, split scale, or whatever—with no difficulty. It was just a matter of turning the tables.

Commodore Disk Pattern Matching Part

Jim Butterfield, Associate Editor

The flexible Commodore DOS allows the user to LOAD, Scratch, and obtain a directory of files using the symbols * and ? as pattern matchers. The quirks of these two symbols can, however, cause problems. For one thing, you might accidentally erase an entire diskette.

Commodore disk drives are versatile; sometimes we don't realize how versatile they are. In this article, we'll discuss *pattern matching*: how it works, and how to use it to get rid of an annoying "comma" file that sometimes appears on your disk directory.

First, a recommendation: Unless you have 4.0 BASIC (in the PET/CBM series of computers), learn how to use the *Wedge* or *DOS Wedge* utility program. It's a great convenience. We'll refer to wedge commands within this article. The DOS Wedge has many handy features, but the two most important are these: You can find out about a disk error at any time by typing the @ key followed by a RETURN; and you can examine a disk directory without disturbing the program within your computer's memory by typing @\$ followed by RETURN.

Pattern Matching

It's possible to identify one or more programs on disk without specifying their full names. Match the missing part of the filename by using a pattern. The two characters used for this are:

- ? to match any single character;
- * to match any following characters.

If I have two files, one named DIG and the other, DOG, I can specify a name which matches both files with D?G—the question mark matches any character. If I have files named HOUSE, HO, HOTDOG, and HORRIBLE, I can match them all with HO*—the asterisk matches any group of characters, including no character.

This is good if you can't remember a filename exactly. If you have a file that might be called CATFOOD or might be called CAT FOOD, but you can't remember which, you can load it regardless of name with LOAD "CAT*",8. The first file whose name begins with CAT will be loaded. Unfortunately, you might discover that instead of the program you wanted, you have loaded something else, such as CATCH-MICE. The first name in the directory that matches will be the one loaded.

We can use pattern matching to get around this problem. If you load the directory using pattern matching, you'll see all programs that fit the pattern. To examine CAT programs, type:

LOAD "\$0:CAT*",8

or, with the wedge program:

@\$0:CAT*

You'll see a list of all programs (if any) whose names begin with the characters CAT, which allows you to select the one you want.

Command Variations

Note that LOAD picks the first program that matches, but the directory picks all programs that match.

It's probably obvious that SAVE must not al-

low pattern matching. You must save a real name, not an approximation. Thus, SAVE "CAT*",8 will produce a syntax error from the disk

The Scratch command does accept pattern matching; all files that match will be removed from the disk. Use pattern matching with great care when using Scratch; you could remove more files than you planned.

To scratch all files from a disk that begin with the letter M, you would type the following:

OPEN 15,8,15 PRINT#15,"S0:M*"

or, using the wedge:

@S0:M*

Be careful. There might be more files starting with M than you expected. Take a directory listing first (using pattern matching, of course).

Here's another example. Suppose you've been writing a BASIC program called DIS. As you write code, you save the program from time to time, creating DIS1 and DIS2. Then you start testing and correcting, saving new versions as you go, and create DIS3, DIS4, and DIS5. Finally, you're satisfied, and you save your final version as DISK/EDIT. How can you get rid of your five development programs, named DIS1 to DIS5? Easy. Scratch pattern DIS? and they will all go. DISK/EDIT will stay, since the ? character matches only a single character. Do not scratch pattern DIS* since that would definitely clobber DISK/EDIT.

But be careful. Just before you give the command to scratch pattern DIS?, take a directory with the same pattern. You might have other files called DISK or DISH that match the same pattern. So you might code:

LOAD "\$0:DIS?" LIST

or, with the wedge:

@\$0:DIS?

You'll see the programs that match the name pattern. If they are exactly the ones you want, type the Scratch command; or with the wedge, you can go back and type over the dollar sign with the letter S; pressing RETURN will scratch these files.

New Patterns

There are other patterns that are less well-known. For example, a filename is a pattern; it must be matched exactly. Thus, if I have a file named HOG and I want to see that it is in the directory, and perhaps check the number of blocks, I can type:

LOAD "\$0:HOG",8 LIST or,

@\$0:HOG

The only item in the directory will be file HOG (if it exists).

Let's take this a step further. Suppose I don't want to see any file details. All I need is the title of the disk, its ID, and the number of blocks free. That's easy: Just specify a file that does not exist on the disk. The directory will then consist of the title line and the blocks free information. I often ask for a directory using a filename such as 0:#\$&!%. This isn't an expletive; it's just a name that I know doesn't exist on the disk so that I'll get the blocks free count.

The Lone Asterisk

You would think that a pattern consisting of only a single asterisk would mean "any file." Thus, a command such as LOAD "*",8 would bring in the first file since anything will match. That's not quite correct: The asterisk often has a special meaning.

The single asterisk sometimes means "same name as last time." It may have been Commodore's intention to allow a user to load a program, and later save it with the same name with SAVE "*",8, the asterisk meaning "same name as before." This was never implemented fully, but you can see traces of this idea in the dual disk copy command. If you have a dual disk, type:

@C1:*=0:PROGNAME

We can see that this command asks to copy a file called PROGNAME to drive 1; but what name will the new file be given? The destination name is *—which in this case means "same name." Thus, the new file will be named PROGNAME, too. It seems that it was originally Commodore's intention to allow copying to take place with pattern matching, so that C1:*=0:RA* would copy all files whose names started with RA from drive 0 to drive 1 with the same name. If you have a dual drive, try it; it almost works correctly.

So it turns out that LOAD "*",8 does not always load the first file on the disk. Sometimes it loads the same file that was previously loaded.

Specifying Type

You may specify a file type by adding an equals sign to the pattern followed by the file designation: S for Sequential, P for Program, U for User, and R for Relative types. You may also type the three-letter designation such as SEQ or PRG if you wish. Thus, 0:*=S will reference all sequential files, 0:B*=P will reference all programs whose names start with B, and 0:?=P will reference all programs with one-letter names.

Next month we'll look at a common disk error and a way to fix it.

PROGRAMMING THE TI

C. Regena

Writing An Educational Program

I'm sure you already know or have read what a "good" educational program should contain. I'd like to discuss how you actually program an educational program. I decided that the best way I could describe the process was to write a program, then provide a step-by-step explanation of what I did.

The hardest part of writing any program is deciding the topic and the type of program—drill and practice, tutorial, simulation, game, etc. I picked a very popular topic for computer programs, the Morse code, and decided to do a drill-and-practice program. Quite a few readers have requested programs for secondary school students, so next month I'll present a tutorial on a high school subject.

Memorization Quiz

A drill-and-practice program is useful for any subject that requires memorization. The usual procedure is to ask a question, then have the student input an answer. If you can avoid INPUT and use CALL KEY instead, there will be much less chance for errors or "crashing" the program. In the "Morse Code" program, the quiz will be to press the letter or number after the computer displays a code.

I decided to use the numbers from 0 to 9 and the whole alphabet in the quiz. Since each number and letter corresponds to a code, I set up the array M\$ to contain the codes. M\$(0) through M\$(9) will hold the codes for the numbers in order from 0 through 9. The alphabet will be in M\$(10) through M\$(35). Since we need 36 elements for the array, line 160 dimensions M\$. Lines 170–190 READ the codes for M\$ from data in lines 200–250. The data items are in order—first the numbers then the alphabet—each item separated by a comma.

Dots And Dashes

I started out using periods for dots and minus

signs for dashes, but decided it was too difficult to type periods with commas—too much chance for typing errors in the DATA statements. Also, the minus sign requires the SHIFT key and the period doesn't, so the typing was a little more complex. I looked on the ASCII character code chart to see what symbols I wouldn't be using in regular printing and decided to use the ampersand (&) to represent a dash and the percent sign (%) to represent a dot.

I borrowed my son's Morse code chart and converted the dots and dashes into % and & signs. These codes are in the DATA statements of lines 200–250. You may use longer DATA statements if you like (the TI accepts up to four screen lines for each numbered line), but I kept the statements shorter to make it a little easier to type and debug.

The next step was to design the graphics—the dots and dashes. The % sign represents a dot in the DATA statement codes and is redefined in line 140 using a CALL CHAR statement so that it will draw a dot on the screen. The & sign is redefined as a bar-shaped figure in line 150. When a dash is printed on the screen, it will actually be three & signs placed together.

The subroutine in lines 360–470 is the main section of coding that translates a code in M\$ to the graphic representation on the screen. Looking at a code, if the symbol is % we need to draw a dot, and if the symbol is & we need to draw a dash. This process continues for the entire data, which can be from one to five dots and dashes. Line 360 instructs the computer to check from 1 to the length of the data (which will be from 1 to 5). Line 370 assigns a one-character value to A\$ for every increment of the FOR-NEXT loop in line 360. This one-character value is the symbol in the Jth place of the string in the DATA statements. Lines 380–430 instruct the computer to print a dot if the symbol is % and a dash (which

is &&&) if the symbol is &. I put a space after the dot or dash to separate them slightly on the screen. You could use CALL HCHAR instead if you wish, but I used PRINT. By printing with semicolons, everything will stay on the same line and be printed right after the previous printing.

Making Some Noise

Since the TI has sound, we can use sound in our Morse code program. Besides that, real Morse code transmission is by sounds. Line 390 plays a sound for a dash, and line 420 plays a different sound for a dot. I used a sound duration of 300 for the dash and 60 for the dot. As you learn the Morse code, you'll probably want to shorten those durations. You should also try different frequencies instead of the one I chose (131) or combinations of frequencies and noise numbers to get a sound you like. Line 440 stops the sound so that dots and dashes are distinct. If you don't have this statement, dashes would run together and you wouldn't be able to tell how many dashes there should be.

Line 450 forces the loop to go to the next symbol in the code. Line 460 PRINTs to get off the present line (colon means "go to the next line" in printing) and add an extra line between codes. Line 470 returns program execution from this subroutine.

Returning To The Menu

I thought it would be nice to review the numbers and letters before having to take the quiz, so there are three sections: Numbers, Alphabet, and Press a Key. Numbers will print each number and show the corresponding Morse code. Alphabet will go through the whole alphabet in order and print each letter with its code. In Press a Key the student can press any number or letter, and the computer will print the code. In any of these sections the student can at any time press ENTER, and the demonstration will stop and the program will return to the main menu screen.

The procedure to see the codes for the numbers is in lines 560–670. Line 570 begins the FOR-NEXT loop with the counter I varying from 0 to 9 for the numbers. The number is printed (by printing I), then the subroutine at 360 is called which deciphers the code M\$(I) into the dots and dashes and prints the code on the screen while playing the tones. Line 600 calls subroutine 480, which is simply a delay loop to create a slight pause between numbers. Lines 520–530 check to see if the student has pressed ENTER to return to the main menu screen and stop the numbers section.

The Alphabet section, lines 680–790 is similar to the Numbers section. This time the loop

counter I varies from 10 to 35, and the codes will go in order from M\$(10) to M\$(35), which are the letters from A to Z. To print the letters with the codes, line 700 uses the CHR\$ function. The ASCII codes of the letters are from 65 to 90. Since the loop counter I varies from 10 to 35, the ASCII codes for CHR\$ are 55+I.

In the Press a Key section, the student may press a letter or number and the computer will display the code. This section could be used as a quick review for students who want to study certain letters. The student may also spell words and phrases one letter at a time to see and hear the Morse code equivalent. Lines 840–920 detect which key is pressed. If the ENTER key (K=13) is pressed, the program branches back to the main menu screen. The IF-THEN statements make sure that only a number or a letter is pressed; all other keys are ignored. The variable K holds the ASCII value of the key pressed, and lines 900 and 930 relate K to the variable I which is used to print the code M\$(I).

The instructions are in lines 970–1040, and the quiz is contained in lines 1050–1490. The quiz consists of all ten numbers and 26 letters. An array N() is set up so each of the 36 elements from 0 to 35 is equal to 1. This is in lines 1050–1070. Later as one of the numbers or letters is answered correctly, N(I) will be set to zero so it cannot be chosen again. Line 1080 initializes the number of guesses G to zero for the scoring.

The quiz loop first chooses a random number (I) from 0 to 35 (line 1140). If the number has previously been answered correctly, N(I) will be zero and another number I is chosen. Lines 1160–1190 determine the correct answer L for the number I, which will be the ASCII code of the number or letter chosen. Line 1200 calls the subroutine to print and sound out the code chosen, and line 1210 increments the number of guesses.

Lines 1220–1290 detect the key the student presses; makes sure it is ENTER, a number, or a letter; and then prints the key pressed. If the key pressed is ENTER, the program branches back to the main menu and the quiz ends. Lines 1300–1390 determine if the key pressed is the correct answer. If the answer is incorrect, an "uhoh" sound is played and the program branches back to line 1200 to display and sound the code again and wait for another answer. If the answer is correct, an arpeggio is played. After the code is answered correctly, line 1400 sets N(I) to zero so that code cannot be chosen again, and line 1410 goes to the next problem. The student must get the right answer to continue the quiz.

Quiz Variations

You can change the program to give the right

answer if the student misses. Instead of lines 1330 and 1340, print CHR\$(L) or CALL HCHAR or CALL VCHAR and put L on the screen, then branch to line 1400. In this case you might want to keep a score of number correct and number incorrect. You might want to allow that missed letter or number to be shown again. Branch to line 1410 instead of 1400, and before you branch set Z=Z-1. Another way would be to GOTO 1140 instead of changing the loop counter Z and going to the NEXT Z.

If you prefer to let the student guess two or three times before the correct answer is given, set up a flag (FLAG=0) at line 1155 then at line 1340 increment the flag (FLAG=FLAG+1). You could then branch, depending on the value of FLAG, either back for another guess or to give the answer and branch to the next problem.

You might prefer to have a quiz of a certain number of codes, say 10, rather than all 10 numbers and 26 letters. Change line 1130 to FOR Z=1 TO 10. Using lines 1150 and 1400 will still prevent the quiz from choosing the same number or letter more than once.

Another idea would be to have an infinite quiz. Take off the FOR-NEXT loop, lines 1130 and 1410. Also, you won't need lines 1150 and 1400 (and 1050–1070) because the numbers and letters can keep being chosen. Now the quiz keeps going until the student presses ENTER to return to the main menu screen.

In this type of quiz you may want to make sure the code is not the same as the previous one. We can use a variable PI for previous I chosen, and add these two lines:

```
1150 IF PI=I THEN 1140
1155 PI=I
```

You can change the Numbers and Alphabet sections to fit your needs also. To change the delay time between codes, change the upper limit in line 480. Instead of 200, put your own number; a larger number will be a longer delay. Instead of using a delay between numbers and letters, you can have the student press any key to continue, or press the appropriate number or letter. You can change the following lines:

```
65Ø IF K<>I+48 THEN 61Ø
655 NEXT I
77Ø IF K<>I+55 THEN 73Ø
775 NEXT I
```

The program is flexible enough that you can change it to do exactly what you want it to do. You can even change the graphics and make it a quiz to learn Braille, or sign language, or some other type of code. You can use words instead of the alphabet and make a quiz for reviewing a foreign language, or perhaps vocabulary words.

Structuring Your Programs

A couple of readers have suggested that I include flowcharts with my programs. My secret is that I haven't touched a flowchart since it was required in my college FORTRAN class years ago. In answer to your questions of how I plan a program, I just sit down at the computer and start typing. With this program, I got to line 350 and typed

```
350 ON K-48 GOTO 1000,2000,3000,400
```

then worked on a section at a time, not necessarily in order. The Numbers section started with line 1000, Alphabet with line 2000, Press a Key with line 3000, the quiz with line 4000, and 5000 was END.

As I realized I needed subroutines, I numbered them 400, 600, and 700, making sure I didn't get to line 1000. On the TI it doesn't really matter where you put the subroutines; you can put them all at the end if you prefer. Anyway, after everything was running properly and each section was tested, I used the RES command to get all the line numbers to look nice. Each programmer has his or her own way of planning, and there's really no right way or wrong way. I say if it works, you're successful.

If you wish to save typing effort, you may obtain a copy of Morse Code by sending \$3, a blank cassette or disk, and a stamped, self-addressed mailer to:

```
C. Regena
P.O. Box 1502
Cedar City, UT 84720
```

Be sure to specify the title and that you need the TI version.

Morse Code

```
100 CALL CLEAR
110 PRINT TAB(7); "***********
120 PRINT TAB(7); "* MORSE CODE *"
130 PRINT TAB(7); "************
140 CALL CHAR (37, "3C7EFFFFFFFF7E3C"
150 CALL CHAR (38, "ØØFFFFFFFFFFF")
16Ø DIM M$ (35), N(35)
    FOR A=Ø TO 35
    READ M$ (A)
19Ø NEXT A
200 DATA &&&&&. %&&&&. %%&&. %%&&. %%&&. %%
    7.7.80
21Ø DATA XXXXX, &XXXXX, &&XXXX, &&&XXX, &&
    887
22Ø DATA %%, &%%%, &%%, &%%, %, %, %, %%%, &&
23Ø DATA %%%%, %%, %&&&, &%&, %%%, %&%, &
240 DATA &&&, %&&%, &&%%, %&%, %%%, %%%, %%%
25Ø DATA %%%, %&, &%%, &%%&, &%%%, &&%%
```

```
89Ø IF K>57 THEN 92Ø
260 PRINT "CHOOSE: "
                                     900 I=K-48
27Ø PRINT : TAB(5):"1
                      NUMBERS"
28Ø PRINT : TAB(5); "2
                     ALPHABET"
                                     91Ø GOTO 94Ø
29Ø PRINT : TAB(5); "3
                      PRESS A KEY"
                                     92Ø IF (K<65)+(K>9Ø)THEN 84Ø
300 PRINT : TAB(5); "4
                      QUIZ"
                                     93Ø I=K-55
31Ø PRINT : TAB(5): "5
                      END PROGRAM":
                                     94Ø PRINT CHR$(K):"
    ::::
                                     95Ø GOSUB 36Ø
320 CALL KEY (0.K.S)
                                     96Ø GOTO 84Ø
33Ø IF (K(49)+(K)53)THEN 32Ø
                                     97Ø PRINT "** MORSE CODE QUIZ **"
34Ø CALL CLEAR
                                     98Ø PRINT :: "YOU WILL HEAR AND SEE
350 ON K-48 GOTO 560,680,800,970,15
                                         A"
                                     99Ø PRINT : "MORSE CODE FOR ONE OF T
360 FOR J=1 TO LEN(M$(I))
                                         HE"
370 A$=SEG$(M$(I),J,1)
                                     1000 PRINT : "LETTERS OR NUMBERS."
38Ø IF A$="%" THEN 42Ø
                                     1010 PRINT : "TYPE THE TRANSLATION."
39Ø CALL SOUND(3ØØ,131,Ø)
                                     1020 PRINT : "PRESS (ENTER) TO END T
400 PRINT "&&& ";
                                          HE"
41Ø GOTO 44Ø
                                     1030 PRINT : "QUIZ AND RETURN TO THE
42Ø CALL SOUND (6Ø, 131, Ø)
43Ø PRINT "% ";
                                     1040 PRINT : "MAIN MENU SCREEN."
44Ø CALL SOUND(1,9999,3Ø)
                                     1050 FOR I=0 TO 35
45Ø NEXT J
                                     1060 N(I)=1
46Ø PRINT ::
                                     1070 NEXT I
47Ø RETURN
                                     1080 G=0
                                     1090 PRINT :: "PRESS (ENTER) TO STAR
48Ø FOR D=1 TO 2ØØ
                                          T.":::
49Ø NEXT D
                                     1100 CALL KEY (0, K, S)
500 RETURN
510 PRINT : "PRESS (ENTER)";
                                     1110 IF S<1 THEN 1100
                                     1120 RANDOMIZE
520 CALL KEY (0, K, S)
                                     1130 FOR Z=0 TO 35
53Ø IF K<>13 THEN 52Ø
540 CALL CLEAR
                                     114Ø I=INT(36*RND)
                                     115Ø IF N(I) =Ø THEN 114Ø
55Ø RETURN
                                     1160 IF I>9 THEN 1190
560 PRINT TAB(7): "** NUMBERS **"::
                                     117Ø L=I+48
57Ø FOR I=Ø TO 9
58Ø PRINT TAB(4): I:"
                                     118Ø GOTO 120Ø
                                     1190 L=I+55
590 GOSUB 360
                                 1200 GOSUB 360
600 GOSUB 480
                                     121Ø G=G+1
610 CALL KEY(Ø,K,S)
                                     1220 CALL KEY(0,K,S)
62Ø IF K<>13 THEN 65Ø
                                     123Ø IF K<>13 THEN 126Ø
63Ø CALL CLEAR
64Ø GOTO 26Ø
                                     1240 CALL CLEAR
                                     125Ø GOTO 26Ø
65Ø NEXT I
                                     126Ø IF K<48 THEN 122Ø
660
    GOSUB 510
                                     127Ø IF K<58 THEN 129Ø
670
    GOTO 260
                                     128Ø IF (K<65)+(K>9Ø)THEN 122Ø
68Ø PRINT TAB(6); "** ALPHABET **"::
                                     1290 CALL HCHAR (22, 28, K)
                                     1300 IF K=L THEN 1350
69Ø FOR I=1Ø TO 35
                                     1310 CALL SOUND (80,330,2)
700 PRINT TAB(4); CHR$(55+1); " ";
71Ø GOSUB 36Ø
                                     1320 CALL SOUND (80, 262, 2)
72Ø GOSUB 48Ø
                                     133Ø GOSUB 48Ø
730 CALL KEY (0, K, S)
                                    1340 GOTO 1200
740 IF K<>13 THEN 770 1350 CALL SOUND(100,262,2)
                                     1360 CALL SOUND (100,330,2)
75Ø CALL CLEAR
                                     1370 CALL SOUND (100,392,2)
76Ø GOTO 26Ø
                                     138Ø CALL SOUND (200,524,2)
77Ø NEXT I
                                     1390 CALL SOUND(1,9999,30)
78Ø GOSUB 51Ø
                                     1400 N(I)=0
79Ø GOTO 26Ø
                                     1410 NEXT Z
800 PRINT "PRESS A LETTER OR A NUMB
                                     1420 PRINT ::: "OUT OF 36 NUMBERS AN
    ER. "
                                          D "
810 PRINT : "ITS CODE WILL BE GIVEN.
                                     1430 PRINT "LETTERS, YOUR NUMBER OF
820 PRINT : "TO GET BACK TO THE MAIN
                                     1440 PRINT "GUESSES WAS";G:::
830 PRINT : "MENU SCREEN, PRESS (ENT
                                     145Ø FOR I=1 TO 25
                                     1460 CALL SOUND (-99, INT (400*RND) +50
    ER>.":::
840 CALL KEY (0, K, S)
                                          (0, 2)
                                     147Ø NEXT I
85Ø IF K<>13 THEN 88Ø
                                     148Ø GOSUB 51Ø
860 CALL CLEAR
87Ø GOTO 26Ø
                                     149Ø GOTO 26Ø
                                                                        0
88Ø IF K<48 THEN 84Ø
```

1500 END

64 EXPLORER

Larry Isaacs

This month let's discuss a few more things concerning the line-drawing and character-drawing routines presented in the last couple of columns. Some of you may have noted that the character-drawing routines did not support the multicolor mode. This could be done with some additional time and effort. However, because of the increased complexities of handling multicolor mode, there probably won't be room for the routines in the \$C000 to \$C7FF region of RAM where the other routines were located.

Multiuse Vector Bytes

There were some other things which were not implemented as well. First, vector byte strings were provided only for the uppercase character set. The remaining characters weren't implemented due to the space they would require. You could implement the remaining characters yourself, or even create an entire character set of your own design. Also, you are not restricted to drawing characters. The vector byte strings could be used to draw almost any design.

If you have studied the machine language listing for the character-drawing routines, you may have noticed there was some provision made for additional special function vector bytes. One I had in mind, but didn't get around to implementing, was a "clear character cell" special function code. This would clear a character cell of a specified size. The function would be useful if you wanted to draw characters on top of some other design. Another useful function would be contour fill function—that is, fill the area inside a boundary. With this, large solid characters could be made much more easily. Unfortunately, I doubt there is enough room in the code to have such a routine. Perhaps we can discuss contour filling in a future article.

As you might guess, there are lots of other things which could be implemented. Unfortunately, there isn't enough room to implement them all. This is where the machine language source code listing should come in handy. You can combine routines from various sources to construct the set of routines you require.

Easy To Understand

I hope the comments provided in the source code are sufficient to make most of the routines understandable. The thoroughness of the comments is not consistent throughout the source code. The variation is largely due to an effort to keep the source code from growing too large.

Having good comments in a program can be extremely useful. Unfortunately, there are a couple of factors which tend to discourage commenting. The first factor is that it makes the source code longer. With the speed of the 1541 disk drive, the extra size can noticeably affect the length of time it takes to edit or assemble the source file. The second factor is that it takes extra time to write the comments. Usually, writing the comments will be less interesting than writing the program.

However, if the machine language you plan to write will be of some importance, I highly recommend thoroughly commenting the program. You can use comments to understand how the program was intended to work after you've forgotten. You'd be surprised how fast you can forget.

Comment Fields

There are two basic places to put your comments. One is to the side of the machine language instructions, on the same line as the instructions. The other is between routines, where the comments would document the routine which follows. It is here that the extra effort commenting pays off the best. Ideally, the comments should include a description of what the routine is supposed to do, plus the entry and exit conditions that apply. This would allow you to use the routine, once it is written, without having to study the routine itself to determine what it does. In the long run, such comments can actually save a lot of time. Especially if someone else has to make use of your source code. In the source code I've provided so far, most of the time I've included the entry and exit conditions, but have omitted the description to conserve space.

Program 2 and Program 3 which follow are continuations of last month's column on drawing characters to the bitmap. They facilitate the drawing of letters to a hi-res screen.

Refer to the "Automatic Proofreader" article before typing these programs in.

Program 2: Data For Character Routines

```
READ LN, SA, EA: LN=LN+30
                                   :rem 146
10 FOR I=0 TO EA-SA
                                   :rem 232
20
   READ BY: POKE SA+I, BY: SUM=SUM+BY
                                   :rem 120
   IF INT((I+1)/8)*8<>(I+1) THEN 60
                                   :rem 242
40 READ CS: IF CS <> SUM THEN 90
                                   :rem 124
                                   :rem 254
50 SUM=0:LN=LN+10
60 NEXT
                                   :rem 165
70 IF INT(I/8)*8<>I THEN READ CS:IF CS<>S
   UM THEN 90
                                    :rem 78
  PRINT "SUCCESSFUL LOAD": END
80
                                   :rem 106
90 PRINT "ERROR IN LINE"; LN: END
                                   :rem 105
500 DATA 500
                                    :rem 68
510
   DATA 50176
                                   :rem 179
520
    DATA 51090
                                   :rem 176
   DATA 76,220,197,76,230,197,76,99,1171
                                     :rem Ø
540 DATA 199,76,109,199,76,138,199,76,107
    2
                                    :rem 67
550 DATA 24,196,76,24,196,76,24,196,812
                                   :rem 155
560 DATA 96,0,208,0,0,0,0,0,304
                                   :rem 213
570 DATA 0,0,0,0,0,0,0,0,0
                                   :rem 198
580 DATA 0,0,0,0,0,0,0,0,0
                                   :rem 199
590 DATA 0,0,0,0,0,0,0,32,32
                                    :rem 50
600 DATA 253,174,32,138,173,32,247,183,12
    32
                                    :rem 72
610
   DATA 165,101,164,100,96,32,253,174,10
    85
                                    :rem 67
    DATA 32,158,173,36,13,48,3,76,539
620
                                    :rem 42
63Ø DATA 24Ø,192,16Ø,Ø,177,10Ø,141,3Ø,1Ø4
                                   :rem 250
    DATA 196,200,177,100,133,20,200,177,1
    203
                                   :rem 102
65Ø
   DATA 100,133,21,76,163,182,72,162,909
                                   :rem 230
660 DATA 0,201,32,144,5,233,32,232,879
                                    :rem 72
670 DATA 208, 247, 104, 24, 125, 121, 196, 170, 1
    195
                                   :rem 125
680
    DATA 96,128,0,192,224,192,192,128,115
                                    :rem 34
    DATA 128,133,253,173,14,220,41,254,12
                                    :rem 67
700
   DATA 141,14,220,165,1,41,251,133,966
                                   :rem 166
710 DATA 1,169,0,6,253,42,6,253,730
                                   :rem 179
720 DATA 42,6,253,42,133,254,24,173,927
                                   :rem 132
730 DATA 25,196,101,253,133,253,173,26,11
                                    :rem 67
740 DATA 196,101,254,133,254,162,0,160,12
    6Ø
                                    :rem 61
750 DATA 7,177,253,153,32,196,138,153,110
    9
                                    :rem 36
```

```
760 DATA 41,196,136,16,244,165,1,9,808
770 DATA 4,133,1,173,14,220,9,1,555
                                   :rem 177
78Ø DATA 141,14,22Ø,96,16Ø,7,162,7,8Ø7
                                   :rem 84
790 DATA 30,41,196,106,202,16,249,153,993
                                   :rem 241
    DATA 32,196,136,16,241,96,169,7,893
                                   :rem 153
810
   DATA 133,251,162,0,160,7,30,41,784
                                   :rem 68
   DATA 196,106,136,16,249,164,251,153,1
820
    271
                                   :rem 130
830 DATA 32,196,232,198,251,16,237,96,125
                                   :rem 45
840 DATA 160,7,162,7,94,41,196,42,709
                                   :rem 44
    DATA 202,16,249,153,32,196,136,16,100
860 DATA 241,96,172,29,196,208,1,96,1039
                                   :rem 202
870 DATA 162,7,189,32,196,157,41,196,980
                                  :rem 211
880 DATA 202,16,247,136,208,3,76,204,1092
                                  :rem 232
890 DATA 196,136,208,3,76,222,196,76,1113
                                  :rem 248
900 DATA 248,196,160,8,169,0,153,41,975
                                  :rem 147
910 DATA 196,136,16,250,169,255,141,40,12
    03
                                   :rem 72
920 DATA 196,138,240,15,168,162,8,94,1021
                                  :rem 238
930 DATA 32,196,126,41,196,202,16,247,105
                                   :rem 29
   DATA 136,208,242,96,32,97,192,173,117
                                   :rem 45
950 DATA 32,192,41,7,133,253,162,0,820
                                   :rem 73
960 DATA 160,0,177,251,45,49,196,29,907
                                  :rem 152
970 DATA 32,196,145,251,160,8,177,251,122
                                   :rem 28
980 DATA 45,40,196,29,41,196,145,251,943
                                  :rem 202
990 DATA 232,224,8,240,31,198,253,48,1234
                                  :rem 239
1000 DATA 8,230,251,208,219,230,252,208,1
     606
                                  :rem 107
1010 DATA 215,169,7,133,253,24,165,251,12
                                   :rem 65
1020 DATA 105,57,133,251,165,252,105,1,10
                                   :rem 58
1030 DATA 133,252,208,196,76,114,192,140,
     1311
                                  :rem 162
1040 DATA 31,196,32,102,196,32,129,196,91
                                   :rem 26
1050 DATA 32,10,197,32,171,193,32,42,709
                                  :rem 173
1060 DATA 197,32,76,197,24,169,8,160,863
                                  :rem 203
1070 DATA 0,174,29,196,240,12,202,240,109
                                    :rem 9
1080 DATA 25,169,248,160,255,202,240,2,13
                                   :rem 60
1090 DATA 208,16,109,30,192,141,30,192,91
                                   :rem 21
1100 DATA 152,109,31,192,141,31,192,76,92
     4
                                   :rem 16
```

	111	216,197,109,32,192,141,32,192,1 :rem 109	1460 DATA 32,29,198,141,54,196,76,179,905 :rem 2
1120	DATA	172,31,196,96,32,55,196,141,919 :rem 243	1470 DATA 198,140,31,196,32,3,198,32,830 :rem 187
1130	DATA	25,196,140,26,196,96,32,69,780	1480 DATA 29,198,176,99,32,59,198,201,992 :rem 16
1140	DATA	:rem 197 196,36,13,48,3,76,151,197,720	1490 DATA 248,240,9,32,179,198,32,195,113 3 :rem 41
1150	DATA	:rem 138 173,30,196,240,13,160,0,177,989	1500 DATA 194,76,247,198,174,54,196,208,1 347 :rem 152
1160		:rem 233 20,32,151,197,200,204,30,196,10	1510 DATA 15,32,29,198,32,59,198,32,595 :rem 150
1170		:rem 48 144,245,96,41,127,10,168,173,10	1520 DATA 179,198,32,159,193,76,247,198,1 282 :rem 159
1180		:rem 69 27,196,133,251,173,28,196,133,1	1530 DATA 202,208,9,32,212,198,32,195,108 8 :rem 27
1190		:rem 132 252,177,251,141,50,196,200,177,	1540 DATA 194,76,247,198,202,208,9,32,116 6 :rem 40
1200		:rem 174 251,141,51,196,96,173,50,196,11	1550 DATA 212,198,32,159,193,76,247,198,1 315 :rem 147
1210		:rem 75 133,251,173,51,196,133,252,160,	1560 DATA 202,208,6,32,24,196,76,247,991 :rem 194
1220	1349 DATA	:rem 166 Ø,177,251,72,238,5Ø,196,2Ø8,119	1570 DATA 198,202,208,6,32,24,196,76,942 :rem 196
1230		:rem 24 3,238,51,196,104,201,143,240,11	1580 DATA 247,198,202,208,6,32,24,196,111 3 :rem 28
1240	76 DATA	:rem 59 1,24,96,72,41,15,201,8,458	1590 DATA 76,247,198,202,208,6,32,24,993 :rem 201
1250	DATA	:rem 231 144,2,9,240,141,54,196,169,955	1600 DATA 196,76,247,198,76,247,198,172,1 410 :rem 153
1260	DATA	### 190 0,141,53,196,104,74,74,74,716	1610 DATA 31,196,96,32,55,196,141,27,774 :rem 197
1270	DATA	:rem 133 74,201,8,144,7,9,240,162,845	1620 DATA 196,140,28,196,96,32,69,196,953 :rem 6
1280		:rem 83 255,142,53,196,141,52,196,96,11	1630 DATA 36,13,48,3,76,241,198,173,788 :rem 152
1290	31 DATA	:rem 82 56,169,0,237,52,196,141,52,903	1640 DATA 30,196,240,13,160,0,177,20,836 :rem 171
1300		:rem 189 196,169,0,237,53,196,141,53,104	1650 DATA 32,241,198,200,204,30,196,144,1 245 :rem 116
1310	5 DATA	:rem 26 196,96,56,169,0,237,54,196,1004	1660 DATA 245,96,32,234,192,41,3,141,984 :rem 190
1320	DATA	:rem 243 141,54,196,96,169,0,141,53,850	1670 DATA 29,196,96,321 :rem 124
1330		:rem 185 196,173,52,196,174,54,196,141,1	
1340	182 DATA	:rem 138 54,196,142,52,196,16,5,169,830	Program 3:
1350		:rem 192 255,141,53,196,96,174,29,196,11	Illustration Of Character Routines 10 REM DRAW CHARACTERS IN BIT-MAP: rem 212
1360	40 DATA	:rem 89 208,1,96,202,208,6,32,124,877	20 POKE 56,156:CLR :rem 223 30 CT=PEEK(56)*256+PEEK(55):REM CHAR DATA
1370	DATA	:rem 132 198,76,96,198,202,208,6,32,1016	PTR :rem 54 4Ø J1=49152:REM DRAWING JUMP TABLE
1380		:rem 246 96,198,76,114,198,32,124,198,10	:rem 239
1390		:rem 100 76,114,198,32,149,198,24,173,96	60 GOTO 1000 :rem 96
1400	DATA	:rem 53 32,192,109,54,196,141,36,192,95 :rem 30	1000 REM MAIN ROUTINE :rem 240 1010 GOSUB 10000:SYS J2+6,CT :rem 12 1020 SYS J1:SYS J1+6,0:SYS J1+9,6,14
1410		24,173,30,192,109,52,196,141,91	:rem 185 1030 SYS J1+12,10,180:REM MOVE :rem 115
1420		:rem 24 34,192,173,31,192,109,53,196,98	1040 SYS J2+3, "EXAMPLE USE OF PUT " :rem 149
1430	Ø DATA	:rem 34 141,35,192,96,169,0,141,53,827	1050 SYS J2+3, "CHARACTER ROUTINE."
1440	DATA 45	:rem 186 196,32,29,198,141,52,196,201,10	1060 SYS J1+12,10,160:REM MOVE :rem 116 1070 FOR CH=32 TO 63 :rem 232
1450		erem 79 Ø,16,5,169,255,141,53,196,835	1080 SYS J2+3,CH:NEXT :rem 210
		:rem 138	1090 SYS J1+12,257,140 :rem 93

1100 SYS J2+12,2:REM ROTATE 180 DEG. :rem 173 1110 FOR CH=64 TO 95 :rem 237 1120 SYS J2+3, CH: NEXT :rem 205 1130 SYS J2+12,0:REM NO ROTATION :rem 85 2000 SYS J1+12,10,80:REM MOVE :rem 64 2010 SYS J2+9, "EXAMPLE USE OF DRAW :rem 206 2020 SYS J2+9, "CHARACTER ROUTINE":rem 198 2030 SYS J1+12, 10, 60: REM MOVE :rem 65 2040 FOR CH=64 TO 90 :rem 235 2050 SYS J2+9, CH: NEXT :rem 214 2060 SYS J1+12,217,40: REM MOVE :rem 123 2070 SYS J2+12,2:REM ROTATE 180 :rem 180 2080 FOR CH=90 TO 64 STEP -1 :rem 137 2090 SYS J2+9, CH: NEXT :rem 218 2100 SYS J2+12,0: REM NO ROTATION :rem 83 9000 GET Z\$:IF Z\$="" THEN 9000 :rem 231 9020 END :rem 162 10000 REM LOAD CHAR. VB DATA :rem 243 10010 C=0:PT=CT+256:REM INIT POINTER :rem 143 10020 READ CH: IF CH<0 THEN RETURN: rem 105 10030 HB=INT(PT/256):LB=PT-HB*256:rem 142 10040 POKE CT+CH*2, LB: POKE CT+CH*2+1, HB :rem 171 10050 GOSUB 10100: REM LOAD VB DATA: rem 88 10060 GOTO 10020 :rem 35 10100 REM LOAD CHAR. DATA AT PT :rem 149 10110 READ VB :rem 167

Place Your CHECK OR MONEY ORDER NOW!

Here comes the new generation of SM's

GOLDEN TOOL

program series for the 64.



The famous programming tool with powerful basic extentions like merge, find, renumber, dump, trace, enhanced floppy-monitor (disc-doctor) and high efficient machine-language-monitor with built-in assembler, diassembler, trace and lots of more helpful features-really a golden tool!

PLACE YOUR CHECK OR MONEY ORDER NOW!



SM SOFTWARE INC. 252 Bethlehem Pike Colmar. PA 18915

10120 IF C>0 THEN C=C-1:GOTO 10180 :rem 241 10130 IF ABS(VB)>7 THEN 10160 :rem 223 10140 READ DY: VB=(VB*16+(DYAND15)) :rem 138 10150 GOTO 10180 :rem 42 10160 IF VB=143 THEN 10190 :rem 30 10170 IF VB<>128 THEN C=2 :rem 22 10180 POKE PT, VBAND255: PT=PT+1: GOTO 10110 :rem 129 10190 POKE PT, VBAND255: PT=PT+1: RETURN :rem 54 11100 REM ADD CHARACTER DATA FROM PROGRAM 1 IN LAST MONTH'S ISSUE :rem 24

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.


SYSound

Mike Steed

The Commodore 64 has an amazing sound chip, and anyone who has heard it knows this. However, anyone who has tried to program it may have been surprised or discouraged, because everything had to be done with POKEs. That is, until now. "SYSound" will make creating sounds much easier, using absolutely no POKEs at all. Also included is an example program to show how easy programming 64 music can be.

Type in Program 1 and be sure to save a copy before running it. Program 1 loads in SYSound, which is a machine language program, and one typing mistake can crash SYSound when you use it. You may wish to save a copy of just the machine language once it's loaded, if you have a machine language monitor. Program 1 will specify the start and end addresses.

To use SYSound, all you need to do is type SYS 49152 followed by any of several possible parameters, each separated by a comma. The



number 49152 could (and probably should) be put into a variable, such as S or SOUND.

A list of possible parameters for the SYS statement and their meanings follows:

- Vx, where x is the voice number used for the note (one, two, or three). More than one voice may be used at the same time.
- Ax, where x is the attack rate of the note. This is the time it takes the sound to reach its highest volume. The value of x must be between 0 and 15; the larger the number, the more time it takes. (See the figure for a further description of attack, decay, sustain, and release.)
- Dx, where x is the decay rate of the note (0–15). This is the time it takes the sound to soften to the sustain volume.
- Sx, where x is the sustain level of the note (0–15). The sound remains at this volume until the release starts.
- Rx, where x is the release rate of the note (0–15). The release rate is the time it takes the sound to drop from the sustain volume to silence.
- Wy[x], where y is a letter representing the waveform used for the sound. This can be N (noise), S (sawtooth), T (triangle), or P (pulse). If the pulse waveform is chosen, then a pulse rate x (0–4095) must be entered after the waveform letter, such as WP2048 for a square wave.
- Fx, where x is the frequency of the note (0–65535). Higher frequencies will produce higher notes.
- Lx, where x is the volume (loudness) of the note (0–15). Note that this is the overall volume, so all the voices will be affected by this setting.
- C clears the sound chip. This is equivalent to the following in BASIC:

10 S=54272:FOR I=0 TO 24:POKE S+I,0:NEXT

Once a parameter has been entered, it need

not be entered the next time the routine is used. For example, if all your sound effects are going to be done with voice 1, at volume 15, with the sawtooth waveform, attack 0, decay 9, and sustain and release 0, you could set all these at the beginning of your program:

10 S=49152:SYS S,C,V1,L15,WS,D9

(All parameters default to zero initially, so A, S, and R needn't be entered.) Then all that would need to be done to play a note would be:

20 SYS S,F5000

(Any valid numeric expression may be used after the parameter letter.) Also, if a parameter is entered more than once, only the last case will be considered. For example, SYS S,WS,WT,A0,A6 is effectively the same as SYS S,WT,A6.

Program 2 provides an example of SYSound in action, and shows how much simpler music programming can be accomplished.

If you would rather not type all those DATA statements, I will send you a copy of the program. Send a stamped, self-addressed mailer, a blank tape or disk (1540/1541), and \$3 to:

Mike Steed 712 W. 1280 S. Provo, UT 84601

Program 1: SYSound

Refer to the "Automatic Proofreader" article before typing this program in.

100	DATA	32,121,0,208,3,76	:rem 234
110	DATA	241,192,201,44,240,3	:rem 127
120	DATA	76,67,193,32,115,0	:rem 44
130	DATA	162,8,221,76,193,240	:rem 144
140	DATA	6,202,16,248,76,67	:rem 52
150	DATA	193,138,10,170,189,85	:rem 205
160	DATA	193,133,251,189,86,193	:rem 6
17Ø	DATA	133,252,32,50,192,76	:rem 145
18Ø	DATA	0,192,108,251,0,32	:rem 33
190	DATA	55,193,201,1,144,4	:rem 40
200	DATA	201,4,144,3,76,72	:rem 241
210	DATA	193,202,142,114,193,96	:rem 243
220	DATA	32,55,193,10,10,10	:rem 25
230	DATA	10,141,123,193,173,120	:rem 227
240	DATA	193,41,15,13,123,193	:rem 139
250	DATA	141,120,193,96,32,55	:rem 145
260	DATA	193,141,123,193,173,120	:rem 34
27Ø	DATA	193,41,240,13,123,193	:rem 190
280	DATA	141,120,193,96,32,55	:rem 148
290	DATA	193,10,10,10,10,141	:rem 72
300	DATA	123,193,173,121,193,41	:rem 237
31Ø	DATA	15,13,123,193,141,121	:rem 177
32Ø	DATA	193,96,32,55,193,141	:rem 153
330	DATA	123,193,173,121,193,41	:rem 240
34Ø	DATA	240,13,123,193,141,121	:rem 228
35Ø	DATA	193,96,32,115,0,162	:rem 95
360	DATA	3,221,103,193,240,6	:rem 84
37Ø	DATA	202,16,248,76,67,193	:rem 160
38Ø	DATA	224,1,240,6,32,115	:rem 34
390	DATA	0,76,196,192,32,44	:rem 56
400	DATA	193,192,16,144,3,76	:rem 99

410	DATA 72	,193,1	42,1	17,193	,140	:rem	243
420		8,193,				:rem	199
430	DATA 19	3,141,	119,	193,96	, 32	:rem	204
440		,193,1				:rem	243
450		6,193,				:rem	159
460	DATA 14	1,122,	193,	96,169	,Ø	:rem	151
470	DATA 16	2,24,1	57,Ø	,212,2	Ø2	:rem	134
480	DATA 16	,250,1	69,0	,141,1	15	:rem	141
490		3,141,				:rem	255
500		173,11				:rem	
510	DATA 17	3,116,	193,	240,37	,174	:rem	248
520	DATA 11	4,193,	189,	111,19	3,133	:rem	
530		1,169,				:rem	1 34
540		185,11				:rem	201
55Ø		6,16,2				:rem	149
560		9,193,				:rem	101
57Ø		3,122,				:rem	240
580		,165,1				:rem	161
590		3,198,				:rem	146
600		,166,1				:rem	199
610		6,20,1				:ren	
620		,193,1				:rem	191
630		,176,7				:rem	111
640		,76,58				:rem	101
650		18,249,			13	:rem	124
660		,87,70					n 20
670	DATA 19	2,72,1	92,9	4,192,	112	:rem	209
680		2,134,				:ren	
690		2,213,				:re	em 2
700		,83,84				:rer	
71Ø		,0,7,1		Ø		:ren	
720		0,0,0,	0,0			:rem	
730	DATA Ø,					100000000000000000000000000000000000000	n 64
740	FORI=49	152TO4	9531	: READJ	: POKEI		
750	:NEXT	C 0.1 mm	NIDD T		OD T11	:rem	
75Ø	IFK<>44			NT ERR	OR IN	DATA	
760	TEMENTS PRINT" {			ar l arra	GOTTED (:rem	
760	9 LEFT						
770	PRINT"I					:rem	1/8
110	{DOWN}.						x 01
	7C	3 43	313	BOOMD	על יאד	, COOK	n 85
78Ø	PRINTSE	C(15)"	† † " ·	DRIMMO	PC(15)		
100	1 FOR T	ADE ".	DDTM	TSDC (1	5)"00	FOR	TCK
	I FOR I	AFE, :	TIVIN	I SFC (I	3, 60		n 32
						. 1 61	52

Program 2: Sample Program Using SYSound

Refer to the "Automatic Proofreader" article before typing this program in.

program in.	ic typing this
120 S=49152:SYS S,C,L15:T=TIME	:rem 251
130 READ D:IF D=0 THEN SYS S.C:E	
	:rem 111
140 READ F1, F2, F3	:rem 113
	RØ:rem 79
	R2:rem 82
170 SYS S, V3, F(F3), WT, A1, D2, S10,	
1,0 010 0,10,1 (10,7,11,112,102,1020,1	:rem 177
18Ø T=T+1Ø*D	:rem 120
190 IF T>TIME GOTO 190	:rem 189
200 GOTO 130	:rem 95
300 DATA 1,13153,0,0	:rem 191
310 DATA 1,11060,0,0	:rem 187
	:rem 226
330 DATA 2,8779,6577,0	:rem 78
340 DATA 1,8779,4389,1644	:rem 236
350 DATA 1,9854,0,0	:rem 161
360 DATA 1,11060,6577,0	:rem 105
370 DATA 1,11718,0,0	:rem 203
400 DATA 2,13153,5530,2195	:rem 255
410 DATA 2,13153,6577,0	:rem 107

420		2,13153,4389,2463	:rem 10
430	DATA	2,11060,6577,2765	:rem 12
440	DATA	2,14764,5859,2930	:rem 23
450	DATA	2,14764,8779,0	:rem 126
460	DATA	2,14764,7382,2195	:rem 21
470	DATA	1,0,8779,0	:rem 169
480	DATA		:rem 200
500	DATA	2,14764,5859,2930	:rem 20
510	DATA	1,0,8779,0	:rem 164
520	DATA	1,13153,0,0	:rem 195
530	DATA	1,14764,7382,2765	:rem 21
540	DATA	1,16572,0,0	:rem 205
55Ø	DATA	1,17557,8779,2463	:rem 32
560	DATA	1,19708,0,0	:rem 211
600	DATA	2,22121,5530,2195	:rem 252
610	DATA	2,0,6577,0	:rem 160
620	DATA	2,0,4389,1644	:rem 63
630	DATA	1,17557,6577,0	:rem 122
640	DATA	1,13153,0,0	:rem 198
650	DATA	2,17557,5530,2195	:rem 18
660	DATA	2,0,6577,0	:rem 165
67Ø	DATA	2,0,4389,2071	:rem 63
680	DATA	1,13153,6577,1845	:rem 21
690	DATA	1,11060,0,0	:rem 198
700	DATA	2,13153,5859,1644	:rem 14
710	DATA	2,0,6577,0	:rem 161
720	DATA	2,0,4927,2463	:rem 62
730	DATA	1,9854,6577,0	:rem 76
740	DATA	1,11108,0,0	:rem 197
750	DATA	2,8779,5530,2195	:rem 233
760	DATA	2,0,6577,1644	:rem 69
77Ø	DATA	2,0,5530,1097	:rem 60
78Ø	DATA	2,0,0,0	:rem 255
79Ø	DATA	Ø	:rem 234 ©



Musical TI Keyboard

Randal J. Reifsnider


The TI music chip has long been regarded as an excellent sound chip, but few programs have yet demonstrated its capabilities. "Musical TI Keyboard" changes all that by turning your TI's keys into simulated piano keys.

In the book *Beginner's BASIC* that comes with the TI-99/4A computer, there is a short demonstration program illustrating how you can use the computer's keyboard to make musical tones. When you run this program and press the A key, the musical tone A will sound. The tone will continue as long as you hold down the key, with a slight gap of silence between repetitions of the tone. This sounds like a musical machine gun. It is an interesting program, but very limited. Since it uses only seven letters of the alphabet to represent musical notes, you could play only seven notes on the computer in this fashion (A

through G, with no sharps or flats).

Also, if you play the piano and are familiar with its keyboard arrangement, you'll find that looking for letters feels unnatural and difficult. Hence, "Musical TI Keyboard," which makes the computer's keyboard more closely resemble that of a piano.

This program first READs frequency values from DATA statements into an array, then mathematically converts the ASCII code returned by the CALL KEY statement, and uses that value in the CALL SOUND statement to locate the corresponding frequency value within the array. The figure shows the arrangement of the keyboard. Since not all the keys are used, the program includes a check to silence any unwanted keys. ASCII code numbers of silenced keys which fall within the array are assigned a DATA value of 1 as a filler. This allows the array to be easily filled and insures that the ASCII code for a given key corresponds to the proper frequency.



Program Variations

One variation of this program you may want to try would be:

90 CALL SOUND (100,NOTE(Q),1,1.26*NOTE(Q),5, 1.5*NOTE(Q),5)

This would produce a major chord for each key pressed. To create minor chords, try:

90 CALL SOUND (100, NOTE(Q),1,1.19*NOTE(Q),5, 1.5*NOTE(Q),5)

If you change the duration from 100 to -150, the computer will play continuous tones. A value for a noise (-1 through -8) could be added to the CALL SOUND statement for an interesting effect. The space bar could be assigned a noise value for use as percussion. Since this program requires that the ALPHA LOCK be on, additional tones or noises could be assigned to what would be the lowercase letters.

Even though we do have a piano, our fouryear-old daughter would rather play the computer. However, you can take the program further. You could include a routine within the program to print out the duration, frequency, and sequence of the notes you play on the computer's keyboard. This could be extremely helpful when tackling the laborious task of transposing sheet music so that it can be played by the computer. You could also try creating a routine that would play back any song played on the computer.

To make playing your computer/piano keyboard easier, you might want to buy two different colors of small gummed labels, like those sold in office supply stores. These may be placed on the computer keys to distinguish the white keys from the black keys. Novice musicians may also wish to write the name of the note on the label as an aid to playing. These labels can be easily removed when you are ready to let the computer go back to its regular keyboard functions.

Musical TI Keyboard

```
10 CALL CLEAR
20 DIM NOTE (47)
3Ø FOR C=1 TO 47
4Ø READ NOTE(C)
50 NEXT C
60 CALL KEY (Ø, N,S)
7Ø IF (N<44)+(N=45)+(N=49)+(N=52)+(
   N=56) + ((N)57) * (N(66)) + (N=68) + (N=68)
   72) + (N>9Ø) THEN 6Ø
8Ø Q=N-43
90 CALL SOUND (100, NOTE (Q), 1)
100 GOTO 60
110 DATA 220,1,247,698,622,1,277,31
    1,1,370,415,466,1,554,1,1,1,1,1
    ,1,1,1,165,131,1,330,139,156,1
120 DATA 523,185,208,233,196,175,58
    7,659,262,349,117,392,494,147,2
    94,123,444,110
```

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

CAPUTE!

Modifications Or Corrections To Previous Articles

64 Jackpot V

The 64 version of this game from the August issue (Program 3, p. 89) requires the following two lines, which were accidentally omitted from the original listing:

5 PRINT" {CLR}";:POKE51, Ø:POKE55, Ø:POKE52, 48:POKE56, 48:CLR:GOSUB 60 :rem 61 10 TT=50:S=54272:FORL=STOS+24:POKEL, Ø:NEX T :rem 135

IBM PC/PCjr Blueberries

The IBM version (Program 3, p. 88) of this game in the July issue should work as published, but reader Michael Saletnik points out that the programmer used the VARPTR statement incorrectly in line 5000. VARPTR returns the starting address for the descriptor of the specified string variable. The descriptor is three bytes of data; the first byte tells the length of the string, and the other two hold the starting address within the current segment of memory where the characters that make up the string are stored. Thus, if you use a statement like V = VARPTR(ML\$), then PRINT PEEK(V) will show the length of ML\$, and PRINT PEEK(V+1)+256*PEEK(V+2) will give the starting address of the characters in ML\$.

In line 5000, the calculated address ZZ does not point to the start of ML\$ as intended, but rather off into some other part of the variable area. "Blueberries" works as printed because the programmer uses the computed address to POKE the machine language directly into memory in line 5010. A more standard way of transferring the machine language from DATA statements into ML\$ would have been:

READ A: ML\$=ML\$+CHR\$(A)

If the technique used in line 5010 had not been used, then the program would not have performed correctly. To place the machine language data properly into ML\$, line 5000 should be changed to read:

5000 DEF SEG:ML\$=SPACE\$(48):V=VARPTR(ML\$) :ZZ=PEEK(V+1)+256*PEEK(V+2)

Bunny Hop For The 64 V

Characters were omitted in two lines of the Commodore 64 version (Program 1, p. 74) of this game from the July issue. The final number in line 35 should be 208 instead of just 2, and the final number in line 200 should be 33 instead of 3. The corrected lines should read as follows:


35 DATA40,169,32,145,253,96,160,41,177,25 3,136,145,253,200,200,192,81,208 200 POKEP,32:POKE37154,127:Y=PEEK(56320)A NDPEEK(QQ):IF(YAND8)=0THENP=P+1:D=33

VIC Olympiad V

There is an error in one of the PRINT statements which defines the arena in the VIC version (Program 2, p. 56) of this game from the June issue. Ed Eyerman notes that there should be two spaces following the five SHIFTed spaces in line 3080. The line should read as follows:

3080 PRINT"-{2 SHIFT-SPACE}{5 SPACES}UEW3
{2 SPACES}EQ3I{5 SHIFT-SPACE}
{2 SPACES}-";

Also, line 1045 in the VIC version is an unintentional carryover from the original Commodore 64 version, and can be deleted.





Tiny MLX Machine Language Entry Program

For Unexpanded VIC-20

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone. "Tiny MLX" is a special version for the unexpanded VIC.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

Using MLX

Type in and save "Tiny MLX" (you'll want to use it in the future). When you're ready to type in an ML program, run Tiny MLX. Unlike regular MLX, Tiny MLX does not ask for the starting and ending address of the program to be entered. Instead, this information must be included in line 210. The values currently shown in line 210 are for the "Lightsaver" program in this issue.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a *checksum number*. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the comma, space bar, or RETURN key to advance to the next number. The checksum automatically appears in reverse video for emphasis.

MLX Commands

When you finish typing an ML listing, you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you made a typo when entering the MLX program itself.

Since Tiny MLX has no provisions for reloading a partially completed program, you must enter the ML program all in one sitting.

Tiny	MLX	
100	POKE55,174:POKE56,23:CLR:POKE788,194	:rem 76
210	S=6063:E=7658	:rem 136
300	PRINT"[CLR]"; CHR\$(14):AD=S	:rem 56
310	PRINTRIGHT\$ ("0000"+MID\$ (STR\$ (AD), 2), 5)	
	RJ=1T06	:rem 234
	GOSUB570:IFN=-1THENJ=J+N:GOTO320	:rem 228
	IFN < ØTHENPRINT: GOTO31Ø	:rem 168
	A(J)=N:NEXTJ CKSUM=AD-INT(AD/256)*256:FORI=1T06:CKS	:rem 199
300	M+A(I))AND255:NEXT	:rem 200
510	PRINTCHR\$(18);:GOSUB57Ø:PRINTCHR\$(20)	:rem 234
515	IFN=CKSUMTHEN530	:rem 255
520	PRINT: PRINT"LINE ENTERED WRONG": PRINT"	
	":PRINT:GOSUB1000:GOTO310	Frem 129
530	GOSUB2000	:rem 218
	FORI=1T06:POKEAD+I-1,A(I):NEXT	:rem 80
	AD=AD+6:IFAD <ethen310< td=""><td>:rem 212</td></ethen310<>	:rem 212
	GOTO71Ø	:rem 108
		:rem 88
	PRINT" [+] ";	:rem 79
	GETA\$:IFA\$=""THEN581 PRINTCHR\$(20);:A=ASC(A\$):IFA=130RA=440	:rem 95
203		:rem 229
590	IFA>128THENN=-A:RETURN	:rem 137
	IFA<>20 THEN 630	:rem 10
	GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"[L	
	{LEFT}";:GOTO690	:rem 172
620	GOTO57Ø	:rem 109
630	IFA<480RA>57THEN580	:rem 105
	PRINTA\$;:N=N*1Ø+A-48	:rem 106
	IFN>255 THEN A=20:GOSUB1000:GOTO600	:rem 229
	Z=Z+1:IFZ<3THEN58Ø	:rem 71
670	IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø	:rem 114
	PRINT", ";:RETURN	:rem 240
	S%=PEEK(209)+256*PEEK(210)+PEEK(211) FORI=1TO3:T=PEEK(S%-I)	:rem 149
695	IFT<>44ANDT<>58THENPOKES%-I,32:NEXT	:rem 68
	PRINTLEFT\$("[3 LEFT]", I-1);:RETURN	:rem 7
	PRINT" (CLR) (RVS) *** SAVE *** (3 DOWN)"	:rem 236
720	INPUT"[DOWN] FILENAME":FS	:rem 228
730	PRINT: PRINT" [DOWN] [RVS] T [OFF] APE OR	[RVS]D
	{OFF}ISK: (T/D)"	:rem 228
	GETAS: IFAS <> "T" ANDAS <> "D" THEN 740	:rem 36
750	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$:rem 158
760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$)	
760	,ZK/256	:rem 3
762	POKE781, ZK-PEEK (782) * 256: POKE780, LEN (T	
763	POKE780,1:POKE781,DV:POKE782,1:SYS6546	:rem 109
	POKE254, S/256: POKE253, S-PEEK(254) *256:	
	253	:rem 12
766	POKE782, E/256: POKE781, E-PEEK (782) *256:	
		:rem 124
770	IF(PEEK(783)AND1)OR(ST AND191)THEN780	:rem 111
775	PRINT"{DOWN}DONE.":END	:rem 106
780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES] TR	Y AGAIN.
		:rem 171
781	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$;	
700	E15:GOTO720	:rem 103
		:rem 115
	POKE780,1:POKE781,DV:POKE782,1:SYS6546 FREM BELL TONE	
		:rem 250
	PORESGO76,15:PORESGO74,190	:rem 206
	POKE36878, Ø: POKE36874, Ø: RETURN	:rem 74
	REM BELL SOUND	:rem 78
	FORW=15TOØSTEP-1:POKE36878,W:POKE3687	
	XTW	:rem 22
2002	POKE36876,Ø:RETURN	:rem 119

Machine Language Entry Program For VIC-20 Charles Brannon, Program Ed

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file. You can then use the LOAD command to read the program into the computer:

LOAD "filename",1,1 (for tape) LOAD "filename", 8,1 (for disk)

To start the program, you enter a SYS command that transfers control from BASIC to machine language. The starting SYS number appears in the article.

Using MLX

Type in and save MLX for your 64 (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the SPACE bar, or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (lines 581-584):

MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later.

MLX recognizes these commands:

SHIFT-S: Save SHIFT-L: Load SHIFT-N: New Address SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing

by pressing any key.

What if you forgot where you stopped typing? Use the Display command to scan memory from the beginning to the end of the program. When you reach the end of your typing, the lines will contain a random pattern of numbers. When you see the end of your typing, press any key to stop the listing. Use the New Address command to continue typing from the proper location.

MLX: Machine Language Entry

100 PRINT"[CLR][PUR]"; CHR\$(142); CHR\$(8); :rem 181 101 POKE 788,194: REM DISABLE RUN/STOP :rem 174 £[RVS]£[RVS] " 130 PRINT"[RVS] (RIGHT) EGM (RIGHT) (2 RIGHT) {OFF}£[RVS]£E*3{OFF}E*3

	[RVS] "	:rem 232	650	IFN>255 THEN A=20:GOSUB1000:GOTO600
140	PRINT" (RVS) {14 SPACES}"	:rem 120		:rem 229
	PRINT" [2 DOWN] [PUR] [BLK] A FAI			Z=Z+1:IFZ<3THEN58Ø :rem 71
	CHINE": PRINT"LANGUAGE EDITOR	5 DOWN }"	67Ø	IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø :rem 114
	OHINE TIME EMOUNDS BELLOW	:rem 141	680	PRINT", "; : RETURN : rem 246
210	PRINT" {BLK} {3 UP} STARTING ADD			S%=PEEK(209)+256*PEEK(210)+PEEK(211)
210	PUTS:F=1-F:C\$=CHR\$(31+119*F)			:rem 149
224	IFS<256ORS>32767THENGOSUB3000		692	FORI=1TO3:T=PEEK(S%-I) :rem 68
220	1F5 2560R5 32 /6 / THENGOSUBSWER		695	IFT <> 44 ANDT <> 58 THENPOKES %-I, 32 : NEXT
005	DRIVE DRIVE DRIVE DRIVE	:rem 2	0,5	:rem 205
	PRINT: PRINT: PRINT		700	PRINTLEFT\$("{3 LEFT}",I-1);:RETURN
230	PRINT" [BLK] [3 UP] ENDING ADDRE		100	:rem
	TE:F=1-F:C\$=CHR\$(31+119*F)		710	
240	IFE<256ORE>32767THENGOSUB3000		110	PRINT"{CLR}{RVS}*** SAVE ***{3 DOWN}
		:rem 234		:rem 230
25Ø	IFE < STHENPRINTC\$; " { RVS } ENDING	S < START	720	INPUT" {DOWN} FILENAME"; F\$:rem 228
	{2 SPACES}":GOSUB1000:GOTO 23		73Ø	PRINT: PRINT" { DOWN } { RVS } T { OFF } APE OF
		:rem 176		{RVS}D{OFF}ISK: (<u>T</u> /D)" :rem 228
	PRINT: PRINT: PRINT	:rem 179	740	GETAS: IFAS<> "T"ANDAS<> "D"THEN740
300	PRINT" {CLR}"; CHR\$(14):AD=S	:rem 56		:rem 36
310	PRINTRIGHT\$ ("ØØØØ"+MID\$ (STR\$	(AD),2),5	75Ø	$DV=1-7*(A\$="D"):IFDV=8THENF\$="\emptyset:"+F\$$
);":";:FORJ=1T06			:rem 158
320	GOSUB570:IFN=-1THENJ=J+N:GOTO		760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T
320		:rem 228):POKE782,ZK/256 :rem :
200	IFN=-211THEN 710	.rom 62	762	POKE781, ZK-PEEK(782)*256: POKE780, LEN
	TRN= 264 MURN 706	:rem 64	102	T\$):SYS65469 :rem 109
			762	POKE78Ø,1:POKE781,DV:POKE782,1:SYS65
410	IFN=-206THENPRINT: INPUT" { DOWN		/63	
	EW ADDRESS"; ZZ			66 :rem 69
415	IFN=-206THENIFZZ <sorzz>ETHENI</sorzz>		765	POKE254, S/256: POKE253, S-PEEK(254)*25
	{RVS}OUT OF RANGE":GOSUB1000			:POKE78Ø,253 :rem 1
		:rem 225	766	POKE782, E/256: POKE781, E-PEEK(782)*25
417	IFN=-206THENAD=ZZ:PRINT:GOTO	310		:SYS65496 :rem 124
		:rem 238	77Ø	IF(PEEK(783)AND1)OR(ST AND191)THEN78
420	IF N<>-196 THEN 480	:rem 133		:rem 11:
130	PRINT: INPUT "DISPLAY: FROM"; F: 1		775	PRINT" {DOWN } DONE. ": END : rem 100
430	";:INPUTT	:rem 234	780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES]
440	IFF < SORF > EORT < SORT > ETHENPRING			RY AGAIN.":IFDV=1THEN720 :rem 17
440	TFF (SORF) EORT (SORT) ETHENPRINT	TAT LEAS	701	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1
	T";S;"{LEFT}, NOT MORE THAN";		101	
	0	:rem 159		
450	FORI=FTOTSTEP6:PRINT:PRINTRIC		782	GOTO720 :rem 11
	<pre>Ø"+MID\$(STR\$(I),2),5);":";</pre>		790	PRINT" [CLR] [RVS] *** LOAD *** [2 DOWN]
455	FORK=ØTO5:N=PEEK(I+K):IFK=3TH	HENPRINTS		:rem 21
	PC(10);	:rem 34		INPUT"{2 DOWN} FILENAME"; F\$:rem 24
457	PRINTRIGHT\$("ØØ"+MID\$(STR\$(N),2),3);"	810	PRINT:PRINT"{2 DOWN} (RVS)T(OFF)APE O
	,";	:rem 157		<pre>{RVS}D{OFF}ISK: (T/D)" :rem 22</pre>
460	GETAS: IFAS > " "THENPRINT: PRINT	:GOTO31Ø	820	GETA\$: IFA\$<> "T"ANDA\$<> "D"THEN820
		:rem 25		:rem 3
470	NEXTK: PRINTCHR\$ (20); : NEXTI: P	RINT: PRIN	830	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
	T:GOTO31Ø	:rem 50		:rem 15
480	IFN<Ø THEN PRINT: GOTO31Ø		840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T
	A(J)=N:NEXTJ	:rem 199	0):POKE782,ZK/256 :rem
	CKSUM=AD-INT(AD/256)*256:FOR:		941	POKE781, ZK-PEEK(782)*256:POKE780, LEN
300			041	mc).cvcce460
F3.7	SUM=(CKSUM+A(I))AND255:NEXT		DAE	T\$):SYS65469 :rem 10
210	PRINTCHR\$(18);:GOSUB570:PRINT		845	POKE78Ø,1:POKE781,DV:POKE782,1:SYS65
		:rem 234		66 :rem 7
	IFN=CKSUMTHEN53Ø	:rem 255		POKE780,0:SYS65493 :rem 1
52Ø	PRINT: PRINT"LINE ENTERED WRON		860	IF (PEEK (783) AND1) OR (ST AND191) THEN 87
	"RE-ENTER": PRINT: GOSUB1000: GO	OTO31Ø		:rem 11
		:rem 129	865	PRINT"{DOWN}DONE.":GOTO310 :rem 9
53Ø	GOSUB2ØØØ	:rem 218	87Ø	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES]
540	FORI=1TO6:POKEAD+I-1,A(I):NEX	XT:rem 80		RY AGAIN. [DOWN] ": IFDV=1THEN800
550	AD=AD+6:IF AD <e 310<="" td="" then=""><td>:rem 212</td><td></td><td>:rem 17</td></e>	:rem 212		:rem 17
560	GOTO 710	:rem 108	880	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1
570	N=Ø : 7.=Ø	trem 00	555	
590	GOTO 710 N=0:Z=0 PRINT"E+3"; GETA\$:IFA\$=""THEN581	. rem 70	100	;E2\$:CLOSE15:GOTO8ØØ :rem 1Ø Ø REM BUZZER :rem 13
501	CETAS . I FAS - " "TUFNEO!	Tem 05		POKE36878,15:POKE36874,190 :rem 200
505	DDINGCUDG(20) > 200(20)	-130DV-44	100.	PORT-1 MOSGG NEVERS
202	PRINTCHR\$(20);:A=ASC(A\$):IFA=	-13UKA=44	TOO	2 FORW=1TO300:NEXTW :rem 11
	ORA=32THEN67Ø IFA>128THENN=-A:RETURN	:rem 229		B POKE36878,Ø:POKE36874,Ø:RETURN
590			,	FREM BELL SOUND :rem 7
	IFA<>20 THEN 630	:rem 10		
61Ø	GOSUB690:IFI=1ANDT=44THENN=-1		2001	FORW=15TOØSTEP-1:POKE36878,W:POKE36
	{LEFT} {LEFT}";:GOTO690	:rem 172		
620	GOTO57Ø	:rem 109	200	76,240:NEXTW :rem 2: 2 POKE36876,0:RETURN :rem 11:
630	IFA<480RA>57THEN58Ø	:rem 105	3000	PRINTCS; "{RVS}NOT ZERO PAGE OR ROM"
640	GOTO57Ø IFA<480RA>57THEN58Ø PRINTA\$;:N=N*1Ø+A-48	:rem 106		GOT01000 :rem 8

It all adds up...

HOME COMPUTERS				PRINTERS			
HU	IMAE COR	MPUTERS		MOIXA		MANNISMAN TA	
	-	CONTRACTOR OF THE PARTY OF THE		AT-100 Atari Interface Print GP-100 Parallel Interface			
	SACTION THE	ត្តាស់ស្គាល់បាយ ខេត ្ត		GP-550 Atari Bidirectional.			
		000000000000000000000000000000000000000		GP-700 Atari Color Printer.	\$489.00	NEC	
		3000320000	三 6 第一英	GP-550 Parallel Printer	\$269.00		
dell	Sisterial Control	S. A. ASSESSMENT STREET, STREE		401 Letter Quality	\$589 OO	Pinwriter	
TOTAL STATE OF THE	ESSA SECRETAR	BENEFIT OF PARTITION	SPARSE DAY	BX-80 Dot Matrix			
				C.ITOH		7710/15/30	
	V	WHILE SUPPLY	LASTS	Gorilla Banana		OKIDATA	
	The second secon	300XL	THE RESERVE OF THE PARTY OF THE	Prowriter 8510P			2410CALI
ATAN		00XL		Prowriter 1550P		Compact 2	4470 D
ATAR		OUAD	ORLIL	Hot Dot Matrix		Compact 2	\$509.0
AIAIV	. C	all for new low	nricing	F10-40 Starwriter	\$999.00	ESW 3000	
			A State of the Sta	F10-55 Printmaster	\$1349.00	SMITH CORON	A
850 Interface	A100.00	200XL		COMREX ComWriter II Letter Quality	2449.00	TP-1000	\$449.00
1010 Recorder		450XL	CALL	DIABLO		SILVER REED	фПа.ос
1020 Color Printer		X30 Paddles		620 Letter Quality	\$949.00	500 Letter Quality	\$449.00
1025 Dot Matrix Printer	r\$299.00 CX	X40 Joystick	\$7.99	630 Letter Quality	\$1749.00	550 Letter Quality	\$549.00
1027 Letter Quality Prin	inter\$269.00 40	Oll Star Raiders	\$31.99	DAISYWRITER		770 Letter Quality	\$869.00
1030 Direct Connect Mod 1050 Disk Drive	odem\$99.99 40	022 Pac Man	\$31.99	2000 Tractor Feed (Uni)	\$999.00	Gemini 10Y	4000.0
1064 Memory Module		025 Defender 026 Dig Dug		EPSON	\$109.00	Gemini 10X	\$279.00
Touch Tablet/Software		031 Donkey Kong		RX-80, RX-80FT, RX-100	CALL	Serial Board	\$75.00
Light Pen/Software	\$72.99 80	034 Pole Position		FX-80, FX-100	CALL	Radix 10	\$599.00
CX22 Track Ball	\$39.99 80	040 Donkey Kong Jr	\$33.99	LQ 1500	CALL	Radix 15	\$699.00
7097 Atari Logo	\$74.99 80	043 Ms Pacman	\$37.99	IDS		TOSHIBA	
4018 Pilot (Home)		044 Joust		Prism 80For Configuration Prism 32For Configuration	CALL	1340	\$1400.00
8036 Atari Pilot	\$77.99 80	045 Pengo	\$33.00	JUKI		TRAWOTAD	
5049 VisiCalc	\$149.99 40	003 Assembles	\$44.00	6100	\$469.00	120P	\$469.00
488 Communicator II	\$119.99 81	126 Microsoft Basic I o	r II\$64.99	STATES OF STREET	1,000000	130P	\$649.00
						315 Cclor	\$459.00
DISK		FOR ATARI	eer ar		MODE		
AT 88-S1		OOO RANA	\$299.00	ANCHOR Volksmodem	esq 99	NOVATION	*00.0
AT 88-S1 PD	\$299.00	TRAK		Mark IL Serial		J-Cat	
INDUS	TA	AT-D2	\$389.00	Mark VII (Auto Ans/Auto Di	(al)\$99.99	Smart Cat 103	\$179.00
GT Drive	\$379.00 A7	Д-D4	\$589,00	Mark XII (1200 Baud)	\$269.99	Smart Cat 103/212	\$399.00
The same of the sa				Mark TRS-80		AutoCat	\$219.00
	MEMORY I			9 Volt Power Supply	\$9.99	Apple Cet II	
ATARI		APPLE/FRANK	KLIN	Smartmodem 300	e199 00	Apple Cat II	
Axlon 32K				Smartmodem 1200	\$499.00	Apple Cat 212 Upgrade	\$259.00
Axlon 48K Axlon 128K		xlon 320K	\$849.00	Smartmodem 1200B	\$449.00	Smart Cat Plus	\$369.00
		A PROPERTY OF THE PARTY OF THE		Micromodem IIe		ZENITH	
	ALIEN VOI		4110.00	Micromodem 100	\$299.00	ZT-1	\$339.00
Atari	\$П9.00 А	pple	\$149.00	Chronograph	\$199.00	ZT-11	\$369.0
The same of the sa	DISKETT	THE			IONIT		
MAXELL	DIDEELL	ELEPHANT	A STATE OF THE PARTY OF THE PAR	AMDEK		SAKATA	
514" MD-1	\$21.99 51/	1/4" SS/SD	\$17.99	300 Green	\$149.00		\$269.0
51/4" MD-2	\$29.99 54	1/4 " SS/DD	\$21.99	300 Amber	\$159.00	SG-1000 Green	\$129.0
8" FD-1	\$39.99 51/	1/4" DS/DD	\$26.99	310 Amber	\$169.00	SA-1000 Amber	
8" FD-2		DISK HOLDE		Color 1		TAXAN	*****
5 1/4" SS/DD		INNOVATIVE CON		Color 1 Plus		210 Color RGB	
514" DS/DD	\$34.99 FI	ip-n-File 50	\$17.99	New Color 300,400,500,600,			
AND ASSESSMENT OF THE PROPERTY	CONTRACTOR OF THE PROPERTY OF THE PARTY OF T		The second secon	Color 4T IBM	\$599.00	420 Hi-Res RGB (IBM)	\$469.0
514" Disk Head Cleaner.	\$14.99 FI	ip-n-File (400/800 RO)	M)\$17.99	BMC		100 12" Green	\$125.0
				1201 (12" Green)	\$88.99	105 12" Amber	\$135.0
CONTR	OLLERS	& JOYSTICK	S	1201 Plus (12" Green Hi-Re		Pi 1 9" Green	600 0
WICO	A STATE OF THE STA	KRAFT	Selection	9191 Plus	\$249.00	Pi 1, 9" Green	\$119.5
Joystick	\$21.99 Jo	oystick		12" Green	\$88.99	Pi 3, 12" Amber	
3-way Joystick	\$22.99 At	tari Single Fire		12" Amber		Pi 4, 9" Amber	\$119.9
Power Grip		tari Switch Hitter		NEC		1400 Color	
BOSS JoystickATARI/VIC Trak Ball		pple PaddlesBM Paddles		JB 1260 Green		QUADRAM	2100 (
ATARI/VIC Trak Ball Apple Trak Ball		BM Joystick		JB 1201 Green		Quadchrome 8400 Color	\$499.0
Apple Analog		CALLED THE STREET	egastic data) libera	JB 1215 Color		ZENITH	5
				JC 1216 RGB		ZVM122 Amber	\$99.
	Koala	a		JC 1460 Color	\$359.00	ZVM123 Green	
Atari (ROM)			\$99.99	PRINCETON GRAPHI		ZVM124 IBM-Amber ZVM131 Color	
C-64 (ROM)	\$79.99 A	Apple/Franklin	\$85.99	MAX-12 Amber		ZVM133 RGB	\$429.0
U-04 (NUM)				SRT-2 RGB		ZVM135 RGB/Composite	\$469.0
				manufacture of the Later of the		AND RESIDENCE OF THE PROPERTY OF THE PERSON	ACCOUNTS ON N
E	00	COOC	00	20 0:00	~ (000	
	JAN A	A DILLIA	1270	AV AND O	MIC	11017770	
		ARPOULL				KIDIK	
A STATE OF THE PARTY OF THE PAR							



In NV call (702)588-5654. Dept. 105 Order Status Number: 588-5654 P.O.Box 6689 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416)828-0866, Dept. 105 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B Mississauga, Ontario, Canada L5L1T1

east 800-233-8950 •

In PA call (717)327-9575, Dept. 105 Order Status Number: 327-9576 Customer Service Number: 327-1450 477 E. 3rd St., Williamsport, PA 17701

VISA

No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change Call today for our catalog.

the best prices

5MB remo

Mega Plus

APPLE/FRANKLIN DISK DRIVES

MICRO	-BCI
A2	\$199.00
A20	Call
A40	
A70	\$319.00
RAN	A
Elite 1	\$279.00
Elite 2	\$389.00
Elite 3	\$569.00



APPLI	E IIe	STA	RTER	PA	CK
K Apple	He, D	isk D	rive &	Con	trolle

64h Apple He, Disk Drive & Controller,
80 Column Card, Monitor II & DOS 3.3
COMPLETECALL
Call on all other Apple Models

ACE	1000	Color	Comput	er	CALL
ACE	PRO	PLUS	System		CALL
ACE	1200	Office	Mgmt.	System	CALL
ACE	POR'	TABLE	S		CALL


SANYO MBC 550......CALL MBC 550-2.....CALL



MBC 555......CALL

HEWLETT





SHOW THE REAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PART	
HP 71B	\$419.99
41CV	\$189.99
41CX	\$249.99

SHARP

111 110::::::::::::::::::::::::::::::::	
HP 12C	\$92.99
HP 15C	\$92.99
HP 16C	\$92.99
HP 75D	\$879.99
HPIL Module	\$98.99
HPIL Cassette or Printer	\$359.99
Card Reader	\$143.99
Extended Function Module	\$63.99
Time Module	\$63.99



\$	4	6	1

PC-15	A00	\$165.99
PC-12	50A	\$88.99
CE-125	Printer/Cassette	\$128.99
CE-150	Color Printer/Cass	ette\$171.99
CE-155	8K RAM	\$93.99
CE-161	16K RAM	\$134.99
CE-500	ROM Library	\$29.99

NEC
PC-8221A Thermal Printer \$149.99
PC-8281A Data Recorder \$99.99
PC-8201-06 8K RAM Chips \$105.00
PC-89064 39K RAM Contride \$329 00

Com

CBM 8	032			\$639
CBM 8	8096			\$869.00
CBM S	0000			\$999.00
B128-8	0			\$769.00
8032 t	0 9000	Upgrade.		\$499.00
2031 1	P Disk	Drive		\$299.00
8050 I	lisk Dri	ve		\$999.00
		ve		
4023 H	rinter.		100	\$399.00
6400 F	rinter		\$	1449.00
Z-RAM				\$369.00
The M	anager.			\$199.00
AND DESCRIPTION OF THE PERSON	THE REAL PROPERTY.	ALL COMPANY	CALLET !	THE RESERVE
STORY OF BUILDING	AND THE REAL PROPERTY.	STATE OF THE PARTY OF		

The Manager	\$199.00
SoftROM	\$125.00
VisiCalc	.\$159.00
PROPESSIONAL SOFTW	ARE
Word Pro 2 Plus	\$169.00
Word Pro 3 Plus	\$189.00
Word Pro 4 Plus/5 Pluseach.	.\$279.00
InfoPro	\$179.00
Administrator	.\$399.00
Power	\$79.99
The state of the s	Maria Maria

Ī	nodore	-
	SX-64Portable	\$839
	CBM 64	\$199
	C1541 Disk Drive	\$249 00
	C1530 Datasette	\$69.99
	C1520 Color Printer/Plotter	\$129.00
	M-801 Dot Matrix Printer	.\$219.00
	C1526 Dot Matrix/Serial	.\$299.00
	C1702 Color Monitor	\$259.00
	C1311 Joystick	\$4.99
	C1312 Paddles	\$11.99
	C1600 VIC Modem	\$59.99
	C1650 Auto Mdoem	\$89.99
	Logo 64	\$49.99
	Pilot 64	\$39.99
	Word Pro 64 Plus	\$59.99
	Calc Result 64	\$65.99
	Calc Result Easy	\$39.99
	MCS 801 Color Printer	.\$499.00
	DPS 1101 Daisy Printer	\$459.00
	Magic Voice Speech Module	\$54.99
	Desk Organizer Lock	\$49.99
	Vidtex Telecommunications.	\$34.95
	MSD	
	SD1 Disk Drive	\$349.00
	SD2 Disk Drive	\$599.00
	Control of the Contro	THE RESIDENCE PROPERTY AND ADDRESS.

NEC PRINTERS

NEC 0000	
PERCOM/TANDO	H
DISK DRIVES	
5 1/4" 320K Floppy	\$199.00
5 Meg Hard w/Controller	\$1049.00
10 Meg Hard w/Controller.	\$1349.00
20 Meg Hard w/Controller.	\$1899.00
VISICORP	
VisiCalc IV	\$159.00

Ter\$1099.00
?
\$159.00
\$249.00
CALL
\$189.99
ates

DM.	B to	45MB	Hard	drives	with
rem	novab	le Cart. 1	oackupa	as low as	\$1399
		AST B	ESEA	RCH	
Six	Pak	Plus		from\$	249.00
Con	nbo I	Plus II		rom \$	279.00
350	en Di	10200	STATE OF THE PARTY.	A	200 00

I/O Plusfrom	\$139.00
QUADRAM	
Quadlink	\$479.00
Quadboardas low as	\$309.00
Quad 512 Plus as low as	\$259.00
Quadcoloras low as	\$239.00
Chronograph	\$89.99
Parallel Interface Board	.\$89.99
64K RAM Chips Kit	.\$49.99

.00		
	MICROPRO	
	WordStar Professional Pack	\$369.00
.00	MICROMIM	
.00	R:Base 4000	CALL
.00	MULTIMATE INT.	
.00	Multi Mate	\$289.00
	MICROSTUF	
.00	Crosstalk	\$105.00
.00	MICROSOFT	
LLL	MultiPlan	\$159.00
.99	ASHTON-TATE	
	dbase II	\$299.00
ith	dBASE III	\$429.00
399	Friday!	\$179.00
000	IUS	
.00	EasyWriter II	\$249.00
.00	EasyWriter II	\$119.00
.00	EasyFiler	\$229.00
.00	CONTINUETAL SOFTW.	ARE
.00	1st Class Mail/Form Letter	\$79.99
.00	Home Accountant Plus	\$88.99
	LOTUS	
.00	Symphony	\$519.00
.00	1-2-3	\$339.00
00.	PROFESSIONAL SOFTW	
.99	DC Plan/The Pers	¢200 00



data systems

PC Flus/The Boss.

PC COMPATIBLE 16 BIT SYSTEMS


SYNAPSE

\$309.00

Call for price and configurations

SOFTWARE

The second secon	C-64	Atari	IBM	Apple
Electronic Arts				
One on One	\$29.99	\$29.99	\$29.99	\$29.99
Music Construction	\$29.99	\$29.99	\$29.99	\$29.99
Pinball Construction	\$29.99	\$29.99	\$29.99	\$29.99
Cut & Paste	\$39.99	\$39.99	\$39.99	\$39.99
Hard Hat Mack	\$27.99	\$27.99	\$27.99	\$27.99
InfoCom				
Witness	\$29.99	\$29.99	\$29.99	\$29.99
Infidel	\$29.99	\$29.99	\$29.99	\$29.99
Deadline	\$29.99	\$29.99	\$29.99	\$29.99
Planetfall	\$29.99	\$29.99	\$29.99	\$29.99
Enchanter	\$29.99	\$29.99	\$29.99	\$29.99
Zorkl,2,3 ea	\$27.99	\$27.99	\$27.99	\$27.99
Suspended	\$29.99	\$29.99	\$29.99	\$29.99
Sorcerer	\$29.99	\$29.99	\$29.99	\$29.99
AtariSoft	474.00	TI.	400.00	* 22.00
Joust	\$34.99	N/A N/A	\$26.99	\$28.99
Moon Patrol	\$34.99		\$28.99	\$28.99 \$28.99
Ms. PacMan PacMan	\$34.99 \$34.99	N/A N/A	\$28.99 \$28.99	\$28.99
	\$34.99	N/A	\$28.99	\$28.99
Donkey Kong	\$34.99	N/A	\$28.99	\$28.99
Pole Position	\$04.99	NA	\$20.99	\$40.99
Spinnaker	* 00.00	*******	*****	\$28.99
Aerobics Trans	\$28.99 \$24.99	\$28.99 \$24.99	\$28.99 \$24.99	\$24.99
Adventure Creature	\$24.99	\$24.99	\$24.99	\$24.99
Acgean Voyage	\$24.99	\$24.99	\$24.99	\$24.99
Snooper Troops 1,2 ea	\$28.99	\$28.99	\$28.99	\$28.99
Traction Fever	\$22.99	\$22.99	\$22 99	\$22.99
-Alphabet Zoo	\$22.99	\$22.99	\$22.99	\$22.99
In Search of	\$24.99	\$24.99	\$24.99	\$24.99
Facemaker	\$22.99	\$22.99	\$22.99	\$22.99
Kinder Comp	\$17.99	\$17.99	\$17.99	\$17.99
Dynatech				
Code Writer	\$75.99	\$79.99	\$175.99	\$155.99
VisiCorp				
VisiCalc	\$159.99	\$149.99	\$159.99	\$159.99
VisiCalc Advanced	N/A	N/A	N/A	\$269.99
pfs:				
Write	N/A	N/A	\$89.99	\$89.99
Graph	N/A	N/A	\$89.99	\$79.99
Report	N/A	N/A	\$79.99	\$79.99
File	N/A	N/A	\$89.99	\$79.99
Solutions: as low as	N/A	N/A	\$16.99	\$16.99
*Call on Titles				



In NV call (702)588-5654, Dept. 105 Order Status Number: 588-5654 P.O.Box 6689 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416)828-0866, Dept. 105 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B Mississauga, Ontario, Canada L5L1T1

east 800-233-8950

VISA

In PA call (717)327-9575, Dept. 105 Order Status Number: 327-9576 Customer Service Number: 327-1450 477 E. 3rd St., Williamsport, PA 17701

CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling.

Lyco Computer Marketing & Consultants

TO ORDER

CALL US

TOLL FREE 800-233-8760

In PA 1:717-327-1824





DISKETTES

ELEPHANT

51/4"	SSSD									\$16.75	
51/4"	SSDD									\$19.95	
514"	DSDD					. +				\$25.95	
	N	1/	V	X	E	Ε	L	L			

5¼" MD-1\$24.75 5¼" MD-2\$34.75

CERTRON CASSETTES

CC-10 (12)	 	. ,		. ,	8	 5	1	5.9	9
CC-20 (12)						 5	1	7.9	9

KOALA

CONTINENTAL

HOME ACCOUNT D\$44.75
TAX ADVANTAGE\$35.75
BOOK OF APPLE
SOFTWARE \$16.95
GENERAL LEDGER\$179.95
ACCOUNTS PAY\$179.95
ACCOUNTS REC\$179.95
PAYROLL\$179.95
PROPERTY MGMT \$329.95

BRODERBUND

BANK STREET D\$44.75
CHOPLIFTER D \$24.95
DAVID'D MAGIC\$24.95
DROL D\$24.95
LODE RUN D\$24.95
SEAFOX D\$22.95
SPARE CHANGE D \$24.95
AE D\$24.75

KNIGHTS OF DESERT \$26.75
EAGLES\$26.75
TIGERS IN SNOW \$26.75
GERMANY 1985 \$36.75
BATTLE FOR
NORMANDY\$26.75
SHATTERED ALLIANCE\$39.75

PRINTING PAPER

3000 SHEETS
FANFOLD\$42.75
1000 SHEETS
FANFOLD \$19.75
1000 SHEETS LETTER \$21.95
200 SHEETS LETTER \$8.99
150 RAG STATIONERY \$10.99
MAILING LABELS (1 in)\$9.75
14x11 1000 FANFOLD \$24.75

SPINIVANEN 04
KINDERCOMP D/R\$21.75
STORY MACH ROM\$24.75
FACE MAKER D/R\$24.75
SNOOPER TR D\$26.75
SNOOPER T2 D\$26.75
DELTA DRAW ROM\$26.75
FRACTION F ROM\$24.75
KIDS ON KEYS\$24.75

EPYX

JUMPMAN C/D \$27.75	
JUMPMAN JR R \$27.75	
PITSTOP R\$27.75	
TEMPLE ASPHAL \$27.75	
GATE T ASPHAI\$27.75	
CRUSH CAC C/D \$21 75	

HES 64

TURTLE TUTOR\$22.7	•
TURTLE TRAINER \$22.7	
TURTLE GRAPHICS \$37.7	•
SOUND BOX\$9.9	•
64 FORTH\$39.9	•
HESMON\$22.7	•
GRIDRUNNER\$19.7	
ATTACK OF M C \$22.7	•
HESWRITER \$28.7	•
OMNI WRITER \$45.7	•
TYPE N WRITER \$24.7	•
PAINT BRUSH\$22.7	•
BENJI\$25.7	
HOME MANAGER \$28.7	
TIME MONEY MGR. \$44.7	•
OMNI CALC \$33.7	•
SWORD POINT\$19.9	•
HES MODEM \$49.9	
M. MULTIPLAN \$65.7	

OVER 2000 SOFT-WARE TITLES IN STOCK

CATALOG AVAILABLE

HARD DISK DRIVES

IBM. APPLE. TRS80 JC1216\$399.00

10 MEG	\$975.00
20 MEG	\$1399.00
30 MEG	
* D.O.S	S. EXTRA

ATADI

AIANI	
800XL	ALI
1450XL	ALI
1050 DRIVE\$299	.00
1027 PRINTER	ALI
1025 PRINTER\$299	.00
1020 PRINTER\$219	.00
1010 RECORDER \$74	.00

ATARI

AIANI
PACMAN\$29.7
DONKEY KONG\$29.7
DIG DUG\$29.7
DEFENDER\$29.7
CENTIPEDE\$29.7
DEADLINE \$34.7
ENCHANTER \$34.7
INFIDEL\$34.7
PLANETFALL\$34.7
STAR CROSS \$34.7
SUSPENDED\$34.7
WITNESS\$34.7
ZORK I\$34.7
ZORK II\$34.7
700V III 624

BUSINESS

VISICALC	\$159.75
LETTER PERFECT	\$89.75
LETTER PERFECT R	\$89.75
DATA PERFECT	
FILE MANAGER	. \$69.75
HOME FILE MGR	. \$69.75
BOOKKEEPER	\$19.75
C.R.I.S	\$119.75
TEXT WIZZARD	. \$34.75
SPELL WIZZARD	. \$34.75

SPINNAKER

STORY MACHINE R	\$26.75
FACE MAKER R	\$24.75
KINDEROMP R	
FRACTION FEVER R	
DELTA DRAWING R	\$26.75

PARKER BROTHERS

TUTANKHAM R	\$33.75
SUPER COBRA R	\$33.75
ASTRO CHASE R	\$33.75
FROGGER R	\$33.75
Q BERT R	\$33.75
POPEYE R	\$33.75
RISK R	\$42.75
CHESS R	\$42.75

ATARI

40 40
INFOCOM
DEADLINE \$34.75
ZORK 1,2, or 3\$26.75
ENCHANTER \$34.75
EDUFUN

GULP ARROW GRAPHICS.....\$24.75 FACE FLASH\$24.75

ME ACCOUNT D				\$44	75
ADVANTAGE		. ,	,	\$35	75
OK OF ATARI					

ACCOUNT D	\$44.75
NAMITACE	22E 7E

AX ADVANTAGE		 	, ,	\$3	5.	7	5
OOK OF ATARI							
SOFTWARE		 		51	6.	9	5

SCARBOROUGH	198
SONG WRITER D	\$27.75
	*** TE

EASTERN HOUSE

MON	KE	YV	/R	EN	СН	11	 \$5	2.75	5
	Burg.	0.000	100	-01		12374			

DON I ASK SOFTWARE	
SAM\$31	9.75
ABUSE\$2:	2.75
WORD RACE\$24	1.75

PROGRAM DESIGN

ANALOGIES	\$14.50
PREP FOR SAT'S	\$79.75
PRESCHOOL IQ	
BUILDER	\$16.75
BEADING COMP	S16 75

VOCABULARY BUILDER...\$16.75 LET'S SPELL.....\$14.75

AMDEK

CONTINENTAL

VIDEO 300	\$139.00
VIDEO 300A	\$149.00
COLOR 1+	\$269.00
COLOR 11+	\$399.00

GORILLA

12 UNLLIA	JE. U
12" AMBER\$8	39.0
NEC	
JB1260 GREEN \$9	9.0
IDIOOL ODEEN CL	

JB1205 \$145.00 JC1215 COLOR \$269.00 CAKATA

SANATA
SC100 COLOR: \$229.00
SG1000 GREEN\$99.00
SA AMPED \$100 0

MONITORS

TAXAN

100 GREEN	\$115.00
105 AMBER	\$125.00
210 RGB COMPOSITE	\$269.00
400 RGB MEDRES	\$295.00
410 RGB HI RES	\$349.00
420 RGB HI RES (IBM).	\$475.00
121 GREEN	\$145.00
122 AMBER	\$149.00

ZENITH

ZVM	122A AMBER	\$95.00
ZVM	123G GREEN	\$85.00
ZUM	124IBM-PC	.\$129.00
ZUM	COLOR	. \$275.00
ZUM	133 RGB	. \$389.00
ZUM	135 RGB	. \$449.00
ZUM	136	\$589.00

Lyco Computer Marketing & Consultants

Lyco Computer Marketing & Consultants

TO ORDER

TOLL FREE 800-233-8760 In PA 1 717-327-1824

CALL US

MANNESMANN TALLY SPIRIT 80\$299.00

MTL-160L	\$559.00
MTL-180L .	\$775.00
	NEC
	IALC
NEC8023	\$369.00

PRINTER INTERFACING

NEC8025.....\$699.00

TRS 80, TI, AND OTHERS

BLUE CHIP

M12010		 	 		 \$2	79.00
M12010	C-64	 	 		 \$2	79.00
D4015		 	 		\$ 13	99.00

CARDCO

LQ1	\$449.00
LQ2	
LQ3	\$339.00
PRINTER INTERFACE	\$39.75
PRINTER INTERFACE	WITH
FULL GRAPHICS	\$65.75
LIGHT PEN	\$29.75
5 Slot Expansion 64	4 \$54.00
64 Write NOW	\$39.00
64 Mail NOW	\$29.00
2J Write NOW	\$29.00
64 Keypad	\$29.00
Universal Cass. Int.	\$29.75
Printer Utility	\$19.75
6 Slot Expansion	\$79.95
3 Slot Expansion	\$24.95

JUKI CALL

RITEMAN INFO RUNNER CALL

LETTER PERFECT. . \$69.75

DATA PERFECT \$69.75 SPELL PERFECT ... \$69.75

BAICDONICS

MICHOIAI	5
GEMINI 15X	\$379.00
DELTA 10	\$449.00
DELTA 15	\$525.00
RADIX 10	\$575.00
RADIX 15	\$675.00
POWERTYPE	SCALL
SWEETP(Model 100)	\$549.00
STX80	\$149.00

AVAILABLE FOR COMMODORE GEMINI 10X \$259.00

	GORILLA GX-100	\$169.00
	GORILLA SERIAL	\$199.00
-	PROWRITER 8510	\$335.00
	PROWRITER II	\$575.00
	8600	\$899.00
,	STARWRITER	. \$929.00
	PRINTMASTER	
ľ	SHEET FEEDER	
	620	\$929.00
	630	\$1699.00
	8510 SP	\$499.00
,	8510 SCP	\$559.00
	A10 LETTER QUAL	\$499.00

PANASONIC

1090	\$279.00
1091	.\$309.00
1092	\$459.00

E IN-STOCK PRINTERS

RX-80										\$269.00
RX-80FT										
FX-80										\$439.00
FX-100										\$639.00

OKIDATA

80 .													\$199.00
82A	10												\$299.00
83A													\$569.00
84 .													\$959.00
92 .													\$409.00

LEGEND

880												52	59.00
1000		• •										52	79.00
1200													CALL
1500													CALL
1018													CALL

INVENTORY\$39.75
ACCOUNTS REC \$39.75
ACCOUNTS PAY \$39.75
GENERAL LEDGER.\$39.75
PAYROLL\$39.75
INVENTORY MAN\$39.75
CASH FLOW\$39.75
SALES ANALYSIS\$39.75
DATA MANAGER\$19.75
MONEY MGR C/D\$19.95
CHECKBOOK C/D \$19.95
FORGET-ME-NOT \$19.95
STAR BATTLE\$19.95
ROBOT REVOLT \$19.95
SPELLBOUND C/D .\$19.95

KOALA TABLET	\$69.75
PROGRAMMERS GUIDE	\$12.75
GEOMETRIC DESIGNS	\$22.75
LOGO DESIGN	\$27.75
SPIDER EATER	\$22.75

TIMEWORKS

SPIDER EATER	\$22.75
LOGO DESIGN	\$27.75
PROGRAMMERS GUIDE GEOMETRIC DESIGNS	
KOALA TABLET	

INFOCOM

DEADLINE \$34.75
ZORK 1,2, or'3\$34.75
ENCHANTER \$34.75
PLANETFALL \$34.75

\$44.75
\$35.75
\$35.75
12.75

SCARBOROUGH 64

SONG WRITER D	\$27.75
PHI BETA FILER	\$32.75
MASTER TYPE	\$27.75

MODEMS

ANCHOR MARK I	\$45.75
ANCHOR MARK II	\$45.95
HAYES SMART	\$239.00
HAYES MICRO II	\$309.00
MICROBIT 1000C	\$129.00
CAT	\$144.00
D-CAT	\$155.00
J-CAT	\$115.00
APPLE CAT II	\$279.00
212 APPLE CAT	\$589.00

(z commodore

COMPUTER CARE BIB

DISK DRIVE CLEANER ... \$12.75 COMPUTER CARE KIT ...\$19.75

MODTDONICE

,
,
,
,

AT88S1 .		\$249.00
AT88S1 PD		\$299.00

DISK DRIVES

PEACHTREE SOFTWARE

LIST MANAGER	.\$199.00
BUSINESS GRAPHICS	\$225.00
GRAPHICS LANGUAGE	.\$299.00

REQUIRES COBAL RUNTIME

ACCTS PAYABLE I \$495.0
ACCTS PAYABLE II \$1695.0
PAYROLL I\$495.0
PAYROLL II\$1695.0
GENERAL LEDGER 1\$495.0
CENERAL LEDGER II #1805 O


CP/M VERSION

PEACHPACK 4\$295.00
ACCTS PAYABLE III\$549.00
ACCTS PAYABLE IV\$899.00
ACCTS REC III\$549.00
ACCTS REC IV\$899.00
GENERAL LEDGER III \$549.00
GENERAL LEDGER IV \$899.00
INVENTORY MGMT I\$549.00
INVENTORY MGMT II\$899.00
PAYROLL III\$549.00
PAYROLL IV\$899.00
SALES INVOICING I\$549.00

PEACHPACK 4	\$295.00
ACCTS PAYABLE III	\$549.00
ACCTS PAYABLE IV	\$899.00
ACCTS REC III	\$549.00
ACCTS REC IV	\$899.00
GENERAL LEDGERIII.	\$549.00
GENERAL LEDGERIV.	\$899.00
INVENTORY MGMT I	\$549.00
INVENTORY MGMT II.	\$899.00
PAYROLL III	\$549.00
PAYROLL IV	\$899.00
SALES INVOICING I	\$549.00
SALES INVOICING	\$899.00

PERCOM

ADD-ON DRIVES.....CALL AT 88 DOUBLER.....\$119.00



INNOVATIVE

CONCEPIS
FLIP-N-FILE 10\$3.75
FLIP-N-FILE 15\$8.95
FLIP-N-FILE 25\$18.95
FLIP-N-FILE 50 \$17.75
FUD N FU F/Dam Haldad 617.75

RANA 1000\$299

CONCORD

INDUS GT.....\$325

ATARI 176K MASTER ... \$289.00 ATARI 348K MASTER ... \$369.00 ATARI ADD-ON DRIVES ... SCALL

TRACK DRIVES

AT-D2	\$329.00
AT-D2 TURBO PAK	\$22.95
AT-DH	CALL
PRINTER CABLE	\$22.95



TO ORDER

VISA

CALL TOLL FREE

800-233-8760

or send order to Lyco Computer PO Box 5088

Customer Service 1-717-327-1825 Jersey Shore PA 17740

In stock items shipped within 24 hours of order Personal checks require four weeks clearance before shipping. No deposit on COD orders. Free shipping on prepaid cash orders within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4 - discount offered for cash add 4 - for Master Card or Visa DEALER INQUIRIES INVITED

Verbatim Datalife Diskettes

Box of ten 51/4" Datalife diskettes with envelopes, labels and reinforced hub-rings. FREE PLASTIC LIBRARY CASE.

51/4" SS/DD MD525-01 MD525-01 \$22.95 MD525-16

51/4" DS/DD MD550-01 MD550-10 MD550-16

51/4" SS/QD MD577-01 MD577-10 \$34.95 MD577-16

51/4" DS/QD MD557-01 MD557-10 MD557-16

Printers

Gorilla/Banana Parallel or serial Dot Matrix 120CPS

\$121.00 \$259.00

Gemini 10X-120CPS Bi-Directional Prowriter 8510AP 10"

\$348.00

Color printer/ploter, C. Itoh CX-4800. 4 colors, 10" Parallel or Serial

\$555.00

Powertype, Daisywheel Letter Quality

\$365.00


Shipping and Handling: \$3.00 for any order of diskettes. \$9.00 for printers. C.O.D. orders add \$1.65. We accept Visa, Mastercard and American Express credit cards at no extra charge. Illinois residents please add 7% tax.

Call us now toll free ANYWHERE in the U.S. Orders only: 1-800-227-3800 Ask for "Smart Data"

7 Days a Week, 24 Hours a Day Other information: (312) 256-4456 9am to 8pm (central), Mon. through Sat.

SMART DATA INC. Wimette, IL 60091 3121256-4456





COMMODORE 64 SOFTWARE

	COMMODOUR D
Access	Voice Synthesis(C)59.95
Beach-Head (D)23.95	Public Domain All Titles (D)8.95
Neutral Zone (D)23.95	Accounting Series (ea)(D)49.95
Raid over Moscow (D)26.95	Continental
Master Composer(D)26.95	Home accountant(D)50.75
Atari Soft All Titles	Fax Advantage(D)40.60
Logo(D)59.95	FCM(D)76.50
Pilot(d)42.95	Creative Software
Pet Emulator (D)18.95	Household Fin(D.T)19.95
Intro to Basic 1 (T)18.95	Home Inv(D,T)19.95
Screen Editor(D)18.95	Loan Analyzer (D.T)19.95
Super Expander VSP(D)37.95	Cymbal
The Manager(D)59.95	English/Spanish(D)34.95
Simons Basic (C)45.95	Science(D)34.95
Music Machine(C)15.95	History/Geography(D)34.95
Music Composer(D)18.95	Music Theory(D)34.95
Nevada Cobol(D)49.95	Mathematics(D)34.95
Nevada Fortran(D)49.95	
Commodore	Entertainment Tonight Trivia(D)25.95
Assembler (D)37.95	Epvx
Bonus Pack(D.T)16.95	Pitstop(C)27.00
CP M2.2 System(C,T)57.95	Temple of Apshai (D)27.00
Easy Script(D)44.95	Jumpman(D,T)27.00
Easy Mail 64(D)18.95	Gateway to Apshai(D)27.00
Easy Spell 64 (D)18.95	Jumpman Jr(C)27.00
Easy Calc 64(D)64.95	Oil Baron (D)39.95
Easy Lesson/Quiz(D)18.95	Impossible Mission(D)25.95
Easy Finance(1-5)(D)18.95	Greatest Baseball(D)25.95
Magic Desk(D)54.95	Summer Games (D)29.95
Zork (1-3)(D)30.95	
Suspended(D)37.95	Hes Software
Starcross(D)30.95	
Deadline(D)37.95	Turtle Graphics II (C)40.60

1	ime Money Mgr	(D)51.00
(Omniwriter	(D)24.20
٨	Aultiplan	(D)59.95
ŀ	les Writer 64	(C)30.45
	Fridrunner	
6	4 Forth	(C)49.95
F	IES Games '84	(D)27.95
	Ainnesota Fats Pool	
ŀ	IES Modem I	(D)46.95
	Alcroprose	
1	Hellcat Ace	(D)23.95
S	olo Flight	(D)26.95
-1	lato Commander	(D)26.95
F	-15 Eagle	(D)36.95
8	ubLogic	
F	light SimulatorII	(D)44.95
N	light Mission Pinball .	(D)26.95
	pinnaker	
1	Alf in the Color Caves	(C)27.95
E	Bubble Burst	(C)27.95
J	uke Box	(C)27.95
ŀ	Cidwriter	(D)23.95
F	ace Maker	(D,C)23.65
ŀ	ley Diddle Diddle	(D)20.30
ŀ	Cindercomp	(D,C)20.30
5	nooper Troops	(D)27.00
F	raction Fever	(C)23.65
1	Amazing Thing	(D)27.00
1	Alphabet Zoo	(D)23.65
1	(ids on Keys	(D,C)23.65
I	Delta Drawings	(C)27.25
ı	Jp for Grabs	(C)27.25

Story Machine	(C)27.25
Trains	
Aerobics	(D)30.95
Scarborough	
Songwriter	(D)35.95
Master Type	(D)31.95
Synapse	
Ft. Apocalypse	.(D,C)23.70
Shamus	.(D,C)23.70
Blue Max	.(D,C)23.70
Zaxxon	
SSI	
Combat Leader	(D)29.00
Knights of the Desert	
Computer Baseball	
Eagles	
Ring Side Seat	(D)29.00
RFD 1985	(D)29.95
Germany 1985	(D)34.95
Golf	
Broadsides	
Electronic Arts	
One on One	
Music Construction	
Sky Fox	(D)37.00
Miscellaneous	
Doodle	(D)31.95
Word Pro 3 +	(D)76.95
Trivia Mania	(D)33.95
Paper Clip /w Spell Pack	
Orical	
Musicalc	(D)41.95
Mr. Robot	(D)26.95

P.O. BOX 2511

000	Marie N

Hardware
Commodore 64
Executive 64
1541 Disk Drive
1530 Datasette
MPS 801 Printer
1650 Automodem
1702 Color Monitor
1600 Modem
64 Prog. Ref. Guide
BASF
Soft Box (10) 23.80
Joysticks
Wico
Command Ctrl 19.50
Wico "Boss" 13.50
Wico Red Ball 20.75
Wico Power Grip . 20.75
Cardo
Card+G68.25
Card B 37.85
Cass. Interface 33.25
5 Slot Expansion 60.25
Numeric Keypad . 30.25
GEMINI Printers
O'SULLIVAN
Furniture
MAXTRON
Datasettes

To order, call toll free or send by mail. We accept Visa, Master Card, American Express or Money Orders. Personal checks allow two weeks to clear. Add \$2.00 for shipping with an additional \$1.65 for C.O.D. orders. Other countries please call on shipping with a minimum of \$10.00. All prices are subject to change. Credit and exchange only please. For return authorization call [214] 759-8937.

ATARI, APPLE, IBM, SOFTWARE LISTS AVAILABLE For further information and inquires call 214-759-8937 FOR ORDERS ONLY CALL TOLL FREE

Outside Texas

Inside Texas



Cosmic Life (C)23.65







Only 10% of Software we carry is listed on this ad. Call if there is a title you need for all computers. We are here to serve you!



DISKETTES

DSDD

54" SSDD-96TPI \$2.49 ea 514" DSDD-96TPL \$3.25 ea Boxed in 10's with Tyvec sleeves, reinforced hubs a labels.

DISKETTES FOR MACINTOSH & HP-150 AT TERRIFIC SAVINGS!

See our big ad in this issue for other great values!

Shipping: 514" or 31½" DISKETTES—Add \$3.00 per 100 or fewer diskettes. Payment: VISA and Mastercard accepted. CCD orders only, add \$3.00 handling charge. Taxes: Illinois residents, please add 8% sales tax.

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE

ON THE SAME PRODUCTS AND QUANTITIES!

Nationwide: 1-800-621-6827 Illinois: 1-312-944-2788

Hours: 9AM - 5PM Central Time Minimum Order: \$35.00

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

MEMOREX

20 PROGRAMS on 2 cassette tapes

for 16K TS1000, TS1500. & ZX81 only



\$19.95 *for TS2068, C-64, VIC-20, ATARI, TI99/4A, CoCo & MC-10 only \$29.95

Save money, learn about the exciting world of home computing and have fun doing it with the new HOME-PACTM.

The HOME-PAC™ with 21 page user manual covers educational, graphics, recreational, home finance and utility applications.

Great tool for learning to program in BASIC. Programs are listable and manual includes section on modification tips

10 DAY MONEY BACK GUARANTEE Please add \$2.00 shipping and handling to order.

Simplex Software, Dept C2

62 Crestview Drive
Willingboro, NJ 08046
MC, VISA & Checks Accepted
Orders & Inquiries State Computer Type
Dealer Inquiries Invited



LIFETIME WARRANTY!

5¼° DSDD (745)→ Qty 20 Qtv. 20

51/4" SSQD—96TPI (746) 51/4" DSQD—96TPI (747) 8" SSSD (740) 8" SSDD (741) 8" DSDD (743)

\$2.60 ea \$3.25 ea \$2.05 ea \$2.50 ea \$3.10 ea

8 DSD0 (743)
Shipping: 514 DISKETTES—Add \$3.00 per 100 or fraction thereof. 8" DISKETTES—Add \$4.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges Payment: VISA or MasterCard. CDD orders only, add \$3.00. Taxes: Illinois customers, please add 8%. Hours: 9 AM-5 PM Central Time

For fast service call Nationwide: 1-800-621-6827 In Illinois: 312-944-2788

DISK WORLD! Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Authorized Distributor Information Processing Products





A compact and inexpensive Eprom eraser for the hacker. It erases two chips per exposure, so if you are one of those smart people who only makes little mistakes and only needs to erase two Eproms at a time, this eraser is for you.

4401 S. Juniper . Tempe, AZ 85282

(602) 838-1277

Arizona residents add 6% tax

This book "BLOWS THE LOCKS OFF" protected DISKS, CARTHIGGES, and TAPES! Protection "secrets" are clearly explained along with essential information and procedures to follow for breaking protected software. An arsenal of protection breaking software is included with all listings, providing you with the tools needed! Programs include high speed error check/logging disk duplicator... Disk pditor... Cartridge to speed error check/logging disk duplicator...
Disk picker... Disk editor... Cartridge to
disk/tape saver and several others for error
handling and advanced disk breaking. The
cartridge methods allow you to save and run
cartridges from disk or tape! The tape
duplicator has never been beaten! This
manual is an invaluable reference aid
including computer and disk maps, as well as
useful tables and charts. (212 PGS 11 PGMS)

DEPT. A . 7326 N. ATLANTIC, PORTLAND, OR 97217

FREE CATALOG!

Features Precision Tools and Equipment for Computers



Jensen's new catalog features hard-tofind precision tools, tool kits, tool cases, test equipment and computer accessories used by sophisticated hobbyists. scientists, engineers, laboratories and government agencies. Call or write for your free copy today.

TOOLS INC. (602) 968-6231

7815 S. 46th Street Phoenix, AZ 85040



GREAT DISKETTES Super low prices SYNCOM

The low priced, high quality diskette with a LIFETIME WAR-RANTY. Packed in polybags of 10 with Tyvek envelopes, labels and reinforced hubs.

One of the best buys we've seen

4 ea. 51/4"SSDD \$139 aty 20

51/4" DSDD ea. >

LIFETIME WARRANTYI 185 QTY. 20

OTHER CRISAL VALUES:
DISKETTE 70—Holds 70 51/4" diskettes in dust free safety \$14.95 ea. + \$3.00 Shpng.

DISK CADDIES—Flip up style holds 10 5¼" diskettes \$1.65 ea. + .20 Shpng.

Shipping: 5¼* DISKETTES—Add \$3.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges Payment: VISA or MC. COD orders only, add \$3.00. Taxes: Illinois customers, others and \$3.00. Taxes: Illinois customers. please add 8%.

Nationwide: 1-800-621-6827 In Illinois: 1-312-944-2788

Minimum Order \$35.00
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE!

DISK WORLD! Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Advertisers Index

R	ead	er Service Number/Advertiser	Page
		Abacus Software	42
		Abacus Software	
1	02	AB Computers	93
		Atari Inc	4
		Atarisoft	
1	03	The Avalon Hill Game Company	9
		Axiom Corporation	
1	04	Batteries Included	53
		Broadway Computer Corporation	
		Cal-Abco/Peripherals Division	
1	07	Cardco, Inc.	
		Cass-A-Tapes	
		Commodore Computers	
1	80	CompuServe	21
		ComputAbility	43
		ComputAbility	127
1	09	Computer Mail Order	
		Computer Warehouse	105
		Cosmic Computers	
		Creative Software	20,27
		Dennison	IFC
11/9		Digital Wizardry	107
•	11	Disk World!, Inc.	112
		Disk World!, Inc	150
		Disk World!, Inc.	
		Disk World!, Inc.	
1	12	Eastern House	
•		Elek-Tek, Inc.	
		E Mart, Inc.	
		Epyx	
		Frontrunner Computer Industries	150
		Harmony Video & Computers	
1	13	Hayden Software Company, Inc	
1	14	Indus-Tool	109
		Infocom	14,15
		J & R Music World	113
		Jason-Ranheim	124
1	15	Jensen Tools Inc.	159
	1020	Juki Industries of America, Inc	
1	16	Lyco Computer Marketing & Consultar	
		Missaleh las	150,157
1	1/	Microlab, Inc.	115
,	10	Micro-Sys Distributors	115
		Micro-W Distributing, Inc	
	19	Micro World Electronix, Inc.	111
		Midwest Micro Inc.	
1	20	Nibble Notch	
		NRI Schools	

Reader Service Number/Advertiser	Page
Pacific Exchanges	
Powersoft Incorporated	
122 Pronto Software	
123 Protecto Enterprizes	
124 Protecto Enterprizes	
Protecto Enterprizes	
Psidac	
125 Quinsept, Inc	
Reston Computer Group	
Scholastic Inc.	
126 Simplex Software	
Smart Data Inc.	
SMC Software Systems	
SM Software Inc.	
SM Software Inc.	
127 Software Warehouse Outlet	
Spinnaker	
Strategic Simulations Inc.	2,0
129 subLOGIC Corporation	
130 Swintec Corporation	29
131 Systems Management Associates	63
3G Company, Inc.	
132 Timeworks, Inc.	
21st Century Ind., Inc.	
133 Vaisala Inc	
134 John Wiley & Sons, inc.	57
Xerox Education Publications	11

COMPUTE! Books				60	,61
COMPUTEI's Subscription			 • •	 	17

The Editor's Feedback:

Comp	9/4A	□ PET □ □ Time	□ Apple □ Atari □ VIC ex/Sinclair □ Radio Sha □ □ Don't yet ha	ick Colo	r Com	odore 6 puter	54
Are yo	ou a cc	MPUTE! S	subscriber? Yes	□No	I wou	ld like t	o see:
More	Just Right	Fewer		More	Just Right	Fewer	
			Specific applications programs.				Games. Reviews of game
			BASIC programs. Machine language programs.				software. Reviews of business software.
			Tutorials. Educational articles.				Reviews of educational software.
			Detailed explanations of programs				Reviews of hardware.

What do you like best about COMPUTE!?

What do you like least?

Place Postage Here

COMPUTE! Magazine

P.O. Box 5406 Greensboro, NC 27435-0406

COMPUTE!'s FREE Reader Information Service

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTEI cannot be responsible if advertisers do not provide literature to readers.

Please use these cards *only* for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTE!'s Reader Information Service. Do not send with payment in any form.

COMPUTE!

~										
101	102	103	104	105	106	107	108	109	110	111
112	113	114	115	116	117	118	119	120	121	122
123	124	125	126	127	128	129	130	131	132	133
134	135	136	137	138	139	140	141	142	143	144
145	146	147	148	149	150	151	152	153	154	155
156	157	158	159	160	161	162	163	164	165	166
167	168	169	170	171	172	173	174	175	176	177
178	179	180	181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232
233	234	235	236	237	238	239	240	241	242	243
244	245	246	247	248	249	250	251	252	253	254
255	256	257	258	259	260	261	262	263	264	265
266	267	268	269	270	271	272	273	274	275	276
277	278	279	280	281	282	283	284	285	286	287
288	289	290	291	292	293	294	295	296	297	298
299	300	301	302	303	304	305	306	307	308	309
310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331
332	333	334	335	336	337	338	339	340	341	342
343	344	345	346	347	348	349	350			

Circle 101 for a one year new U.S. subscription to COMPUTE: you will be billed for \$24.

Please print or type your full name and address. Limit one card per person.

Name	ddress	
Address		
City		
State/Province	7in	

Country

Please include zip code. Expiration 11/30/84.

CO984

Place Postage Here

COMPUTE! Reader P.O. Box 2141 Radnor, PA 19089 Reader Service

Turn your CRT Monitor into a television set with Cardco's new monitor tuners.

With a flick of the switch you can turn your computer monitor to provide the most vivid television pictures available. Receive a sharper, clearer television picture on your CRT monitor than you ever thought possible. Model MT/1 includes a full wireless remote control sixty-channel cable ready tuner with separate video and audio output. Completely compatible with your composite input computer monitor. For composite color or monochrome.

CRT monitor into a television set is CARDCO

Also available to turn your

separate video and audio output matched to your composite input computer monitor. For composite color or monochrome monitors. Backed by a full 90 day guarantee.


Write for illustrated literature and prices or see CARDCO Computer Accessories and Software wherever computers are sold.



cardco, inc.

300 S. Topeka Wichita, Kansas 67202 (316) 267-6525

"The world's largest manufacturer of Commodore accessories."



FEATURES	COMMODORE 64™	APPLE IIe™	IBM PC jr™	ATARI 800XL™
Price*	\$219	\$699	\$669	\$299
Built-in Memory	64K	64K	64K	64K
Typewriter Keyboard	YES (66 Keys)	YES (62 Keys)	"CHICKLET" (62 Keys)	YES (61 Keys)
Upper/Lower Case	YES	YES	YES	YES
Programmable Function Keys	YES	NO	YES	NO
AUDIO		The state of the s	Obj.	
Polyphonic Tones	YES	NO	YES	YES
Music Synthesizer	YES	NO	NO	NO
Hi-Fi Output	YES	NO	YES	YES
VIDEO			The William	
TV Output	YES	EXTRA COST	EXTRA COST	YES
Video Monitor Output	YES	YES	EXTRA COST	YES
INPUT/OUTPUT	WW.	S. C. S. S.		FILE STATE
Intelligent I/O Bus	YES	NO	NO	YES
RS-232 Communications	YES**	EXTRA COST	YES**	EXTRA COST
"Smart" Peripherals	YES	NO	NO	YES

First you need the right input. Like \$219. That's what the Commodore 64™ costs. It's about one third the price of the Apple Ile™ or the IBM® PCir.™

And 64K. That's how much memory the Commodore 64 has. It's also how much memory Apple IIe and the IBM PCjr have.

This computer lesson is brought to you as a public service by Commodore (certainly not by Apple or IBM), the only computer company that can afford to show you a chart like the one above.

But what you can't see above are the



thousands of software programs that make the Commodore 64 fully capable of doing anything any "triple the price" computer can do; for fun or profit, for every member of the family; anything from soccer to spread sheets to space exploration.

Because the Commodore is so affordable, you can load up on Commodore peripherals. Like a disk drive, a printer or a telephone modem. All together they cost just a tad more than an IBM PCjr by itself. With no peripherals.

No wonder Commodore sells more computers than Apple and IBM combined.

IT'S NOT HOW LITTLE IT COSTS, IT'S HOW MUCH YOU GET.

^{**}Requires an adapter to operate