

**COORDINATION CHEMISTRY REVIEWS, VOL. 198 (2000)**

**SUBJECT INDEX**

- Alcohol oxidation  
Active site models for galactose oxidase and related enzymes 3
- Aliphatic C–H bond activation  
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands ( $\text{Tp}^{\text{R}}$ ): unique properties of  $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61
- Alkynyl complex  
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Antimicrobial activity  
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Aryl complex  
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Au complex  
P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes  $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$  ( $\text{M} = \text{K}, \text{Rb}, \text{Cs}; \text{X} = \text{Cl}, \text{Br}, \text{I}$ ) 251
- Bipolaron  
P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes  $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$  ( $\text{M} = \text{K}, \text{Rb}, \text{Cs}; \text{X} = \text{Cl}, \text{Br}, \text{I}$ ) 251
- Cationic amphiphiles  
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Cation- $\pi$  interaction  
A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Clusters  
Cluster synthesis by the reactions of  $[\text{Cp}'_2\text{M}_2\text{S}_4]$  with metal complexes ( $\text{Cp}' =$  Cp and substituted cyclopentadienyl ligands,  $\text{M} = \text{Fe}, \text{Ru}$ ) 367
- Cobalt  
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands ( $\text{Tp}^{\text{R}}$ ): unique properties of  $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61
- Cobalt complex  
Cobalt(III) complexes containing incomplete  $\text{C}_3\text{O}_4$  or complete  $\text{Co}_4\text{O}_4$  cubane core 101
- Complete cubane core  
Cobalt(III) complexes containing incomplete  $\text{C}_3\text{O}_4$  or complete  $\text{Co}_4\text{O}_4$  cubane core 101
- Compound I  
Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Copper  
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Coupling reaction  
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Crown ether  
 $[\text{Ni}(\text{dmit})_2]$  salts with supramolecular cation structure 297
- Crystal engineering  
Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205
- Crystal structure  
 $[\text{Ni}(\text{dmit})_2]$  salts with supramolecular cation structure 297
- Cu(II) complex  
Active site models for galactose oxidase and related enzymes 3
- Cyanide bridge  
Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313

- Detection method  
A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Dioxygen complex  
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands (Tp<sup>R</sup>): unique properties of Tp<sup>R</sup>Co-dioxygen complexes 61
- Dithiocarbamate  
A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Double-layer compounds  
A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Electrical conductivity  
[Ni(dmit)<sub>2</sub>] salts with supramolecular cation structure 297
- Electroorganic synthesis  
Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21
- Enantioselective reaction  
Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21
- Epoxidation  
Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Galactose oxidase  
Active site models for galactose oxidase and related enzymes 3
- Glyoxal oxidase  
Active site models for galactose oxidase and related enzymes 3
- Group 10 elements  
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Haldane gap  
Haldane gap systems 347
- Hydrogen bond  
Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205
- Hydrotris(pyrazolyl)borate  
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands (Tp<sup>R</sup>): unique properties of Tp<sup>R</sup>Co-dioxygen complexes 61
- Imino nitroxide  
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Inclusion compounds  
Novel layered structures constructed from iron–chloranilate compounds 157
- Incomplete cubane core  
Cobalt(III) complexes containing incomplete C<sub>3</sub>O<sub>4</sub> or complete Co<sub>4</sub>O<sub>4</sub> cubane core 101
- Iron  
Cluster synthesis by the reactions of [Cp'<sub>2</sub>M<sub>2</sub>S<sub>4</sub>] with metal complexes (Cp' = Cp and substituted cyclopentadienyl ligands, M = Fe, Ru) 367
- Iron complex  
A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Low dimensional magnet  
Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert-butyl-N-oxyamino*)benzene derivatives and Mn(II)(hfac)<sub>2</sub> 219
- Lyotropic liquid crystals  
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Macroscopic spin tunneling  
Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265
- Magnetism  
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Manganese complex  
Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert-butyl-N-oxyamino*)benzene derivatives and Mn(II)(hfac)<sub>2</sub> 219
- Metal assemblies  
Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313
- Metal complex  
Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205

- Metal complex assemblies  
 Novel layered structures constructed from iron–chloranilate compounds 157
- Metallophthalocyanine  
 The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231
- Metalloporphyrin  
 The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231
- 1,2-Migration  
 Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21
- Mixed-valence  
 P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes M<sub>2</sub>[Au<sup>I</sup>X<sub>2</sub>][Au<sup>III</sup>X<sub>4</sub>] (M = K, Rb, Cs; X = Cl, Br, I) 251
- Molecular based magnet  
 Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert-butyl-N-oxyamino*)benzene derivatives and Mn(II)(hfac)<sub>2</sub> 219
- Molecular-based magnets  
 Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313
- Multi-dimensional network  
 Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313
- Multilayer compounds  
 A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Myoglobin  
 Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Nanostructure  
 Hydrogen bonded 2,2'-biimidazole transition metal complexes as a tool of crystal engineering 205
- [Ni(dmit)<sub>2</sub>] complex  
 [Ni(dmit)<sub>2</sub>] salts with supramolecular cation structure 297
- Nitric oxide  
 A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Nitroxide radical  
 The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231
- Non-covalent synthesis  
 Self-assembly of metallopyridylporphyrin oligomers 133
- One-dimensional Heisenberg antiferromagnet  
 Haldane gap systems 347
- One-dimensional Mn<sup>3+</sup> compounds  
 Haldane gap systems 347
- One-dimensional Ni<sup>2+</sup> compounds  
 Haldane gap systems 347
- O–O bond activation  
 New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazoly)borate ligands (Tp<sup>R</sup>): unique properties of Tp<sup>R</sup>Co-dioxygen complexes 61
- Organic cofactor  
 Active site models for galactose oxidase and related enzymes 3
- Oxo-ferryl porphyrin radical cation  
 Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Perovskite structure  
 P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes M<sub>2</sub>[Au<sup>I</sup>X<sub>2</sub>][Au<sup>III</sup>X<sub>4</sub>] (M = K, Rb, Cs; X = Cl, Br, I) 251
- Peroxidase  
 Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Phenoxy radical  
 Active site models for galactose oxidase and related enzymes 3
- Phosphonium salts  
 Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Polycyclic aromatics  
 A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Polyoxo-carbons  
 Novel layered structures constructed from iron–chloranilate compounds 157
- Porphyrin array  
 Self-assembly of metallopyridylporphyrin oligomers 133

- Porphyrin network  
   Self-assembly of metallopyridylporphyrin oligomers 133
- Porphyrin oligomer  
   Self-assembly of metallopyridylporphyrin oligomers 133
- Prussian blue  
   Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313
- P–T phase diagram  
   P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes  $M_2[Au^I X_2][Au^{III} X_4]$  ( $M = K, Rb, Cs; X = Cl, Br, I$ ) 251
- Pyridyl porphyrin  
   Self-assembly of metallopyridylporphyrin oligomers 133
- Radical helix  
   Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Redox chemistry  
   Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21
- Reductive nitrosylation  
   A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Ring-expansion  
   Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21
- Ruthenium  
   Cluster synthesis by the reactions of  $[Cp'_2 M_2 S_4]$  with metal complexes ( $Cp' = Cp$  and substituted cyclopentadienyl ligands,  $M = Fe, Ru$ ) 367
- Self-organizing properties  
   Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Silver  
   Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Silver(I) compounds  
   A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Spin alignments  
   Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265
- Spin interactions  
   Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265
- Sulfido  
   Cluster synthesis by the reactions of  $[Cp'_2 M_2 S_4]$  with metal complexes ( $Cp' = Cp$  and substituted cyclopentadienyl ligands,  $M = Fe, Ru$ ) 367
- Sulfoxidation  
   Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Supramolecular cation  
    $[Ni(dmit)_2]$  salts with supramolecular cation structure 297
- Supramolecular chemistry  
   Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205
- Supramolecule  
   Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Tetrathiotungstate  
   Cluster synthesis by the reactions of  $[Cp'_2 M_2 S_4]$  with metal complexes ( $Cp' = Cp$  and substituted cyclopentadienyl ligands,  $M = Fe, Ru$ ) 367
- Thermotropic liquid crystals  
   Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Time-resolved EPR  
   The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231
- Transmetallation  
   Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Triple-layer compounds  
   A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Triplet organic radical  
   Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert-butyl-N-oxyamino*)benzene derivatives and  $Mn(II)(hfac)_2$  219

## Tungsten

Cluster synthesis by the reactions of  $[\text{Cp}'_2\text{M}_2\text{S}_4]$  with metal complexes ( $\text{Cp}' = \text{Cp}$  and substituted cyclopentadienyl ligands,  $\text{M} = \text{Fe}, \text{Ru}$ ) 367

## Valence transition

P–T phase diagram and Au valence state of

the perovskite-type Au mixed-valence complexes  $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$  ( $\text{M} = \text{K}, \text{Rb}, \text{Cs}$ ;  $\text{X} = \text{Cl}, \text{Br}, \text{I}$ ) 251

Vitamin B<sub>12</sub> derivative

Electrochemical reactions mediated by vitamin B<sub>12</sub> derivatives in organic solvents 21