

# Errata

The publishers regret that the following corrections should be made.

VERLOES R, ATASSI G. Superiority of *Micrococcus lysodeikticus* to BCG in chemotherapeutic of advanced L1210 leukaemia. *Eur J Cancer Clin Oncol* 1981, **17**, 849–856.

The second footnote on page 849 should read:

†Permanent address: Akademisch Ziekenhuis, Vrije Universiteit Brussel, 1080 Bruxelles, Belgium.

Page 849, column 2, line 4 should read:

the general use of BCG is made difficult

BLEIBERG H, ROZENCWEIG M, MICHEL J, CLAVEL M, LONGEVAL E, FEREMANS W, BONDUE H, LARDINOIS J, CRESPEIGNE N, KENIS Y. Phase II trial with chlorozotocin in advanced colorectal cancer. *Eur J Cancer Clin Oncol* 1981, **17**, 863–866.

The publishers and author wish to apologise for errors in this paper. The corrections are as follows.

Page 863, before the first footnote:

Accepted 18 March 1981.

Page 864, first column, line 8:

4000/mm<sup>3</sup>, platelet counts  $\geq 100,000/\text{mm}^3$ ,

Page 865, Table 2:

Table 2. Drug-induced myelosuppression					
	No. of patients	Nadir WBC $\times 10^3/\text{mm}^3$		Nadir platelets $\times 10^3/\text{mm}^3$	
		Median	Range	Median	Range
All patients	13	3.8	1.3–6.9	100	20–185
Karnofsky 80–100	7	4.7	2.0–6.9	105	20–185
Karnofsky 50–70	6	2.4	1.3–4.5	47	20–133

PORTON WM, POORTMAN J. Estrogen receptors in cystosarcoma phyllodes of the breast. *Eur J Cancer Clin Oncol* 1981, **17**, 1147–1149.

The captions for Figs. 1 and 2 should read:

Fig. 1. Histological appearance of cystosarcoma phyllodes-type tumor (B-cell type), in which the stromal components are more dominating and expressive ( $\times 12$ ).

Fig. 2. Histological appearance of cystosarcoma phyllodes-type tumor (A-cell type), in which the epithelial components are more striking ( $\times 12$ ).