

Author index

- Akehira, K., Nakane, Y., Hioki, K. and Taniyama, K.
Site of action of galanin in the cholinergic transmission of guinea pig small intestine (284) 149
- Anticevich, S.Z., Hughes, J.M., Black, J.L. and Armour, C.L.
Induction of human airway hyperresponsiveness by tumour necrosis factor- α (284) 221
- Anwyl, R., see Wu, J. (284) R1
- Aoyagi, T., see Majima, M. (284) 1
- Armour, C.L., see Anticevich, S.Z. (284) 221
- Ballejo, G., see Martins, S.L.R. (284) 265
- Baron, B.M., see Kehne, J.H. (284) 109
- Bartolome, J.V., Chang, K.-J. and Bartolome, M.B.
The inhibition of ornithine decarboxylase activity in developing rat tissues by central nervous system β -endorphin is mediated by μ -opioid receptors, but not by δ - or ϵ -opioid receptors (284) 43
- Bartolome, M.B., see Bartolome, J.V. (284) 43
- Beattie, D.T., see Escott, K.J. (284) 69
- Benazzouz, A., Boraud, T., Dubédát, P., Boireau, A., Stutzmann, J.-M. and Gross, C.
Riluzole prevents MPTP-induced parkinsonism in the rhesus monkey: a pilot study (284) 299
- Black, J.L., see Anticevich, S.Z. (284) 221
- Boireau, A., see Benazzouz, A. (284) 299
- Boraud, T., see Benazzouz, A. (284) 299
- Bos, E., see Du, X.Y. (284) 119
- Brain, S.D., see Escott, K.J. (284) 69
- Brixius, K., see Kojda, G. (284) 315
- Cazes, M., Provost, D., Versigny, A. and Cloarec, A.
In vivo pharmacological characterization of UP 269-6, a novel non-peptide angiotensin II receptor antagonist (284) 157
- Cervo, L. and Samanin, R.
Presynaptic 5-HT_{1A} receptors mediate the effect of ipsapirone on punished responding in rats (284) 249
- Chan, S.L.F., see Tsoli, E. (284) 199
- Chang, K.-J., see Bartolome, J.V. (284) 43
- Chang, K.C. and Hahn, K.H.
Is α -adrenoceptor blockade responsible for atropine flush? (284) 331
- Chen, K. and Zimmerman, B.G.
Angiotensin II-mediated renal vasoconstriction amenable to α_1 -adrenoceptor blockade (284) 281
- Church, J., see Sawyer, D.C. (284) 309
- Cloarec, A., see Cazes, M. (284) 157
- Connor, H.E., see Escott, K.J. (284) 69
- De Klippel, N., see Smolders, I. (284) 83
- De Oliveira, R.B., see Martins, S.L.R. (284) 265
- Du, X.Y., Schoemaker, R.G., Bos, E. and Saxena, P.R.
Characterization of the positive and negative inotropic effects of acetylcholine in the human myocardium (284) 119
- Du, X.Y., see Van Gelderen, E.M. (284) 51
- Dubédát, P., see Benazzouz, A. (284) 299
- Dusting, G.J., see Ralevic, V. (284) 231
- Ebinger, G., see Smolders, I. (284) 83
- Ehlen, F., see Löschnann, P.-A. (284) 129
- Emoto, M., see Inoue, Y. (284) 77
- Escott, K.J., Beattie, D.T., Connor, H.E. and Brain, S.D.
The modulation of the increase in rat facial skin blood flow observed after trigeminal ganglion stimulation (284) 69
- Feng, Y., see Tokuyama, S. (284) 101
- Gidener, S., LePard, K.J. and Stephens, Jr., R.L.
8-OH-DPAT stimulates gastric acid secretion through a vagal-independent, adrenal-mediated mechanism (284) 19
- Gommans, J., Hijzen, T.H., Maes, R.A., Mos, J. and Olivier, B.
Discriminative stimulus properties of flesinoxan: effects of enantiomers, (S)-UH301 and WAY-100635 (284) 135
- Graff, C.B., see Jackson, D.L. (284) 321
- Griffin, G., see Pertwee, R.G. (284) 241
- Gross, C., see Benazzouz, A. (284) 299
- Hahn, K.H., see Chang, K.C. (284) 331
- Hargreaves, K.M., see Jackson, D.L. (284) 321
- Harrison, B.L., see Kehne, J.H. (284) 109
- Hashitani, H. and Suzuki, H.
Electrical and mechanical responses produced by nerve stimulation in detrusor smooth muscle of the guinea-pig (284) 177
- Hatta, K., Wolterink, G. and Van Ree, J.M.
Prolyl-leucyl-glycinamide, thyrotropin-releasing hormone and β -endorphin-(10–16), like antidepressants, antagonize melatonin-induced behavioural changes in rats (284) 327
- Hehl, S., see Moser, C. (284) 35
- Helme, R.D., see Ralevic, V. (284) 231
- Hijzen, T.H., see Gommans, J. (284) 135
- Himes, C.S., see Tang, A.H. (284) 13
- Hioki, K., see Akehira, K. (284) 149
- Hirose, H., Ide, K., Sasaki, T., Takahashi, R., Kobayashi, M., Ikemoto, F., Yano, M. and Nishikibe, M.
Corrigendum to 'The role of endothelin and nitric oxide in modulation of normal and spastic cerebral vascular tone in the dog' [Eur. J. Pharmacol. 277 (1995) 77–87] (284) 335
- Ho, I.K., see Tokuyama, S. (284) 101
- Huffman, J.W., see Pertwee, R.G. (284) 241
- Hughes, J.M., see Anticevich, S.Z. (284) 221
- Idänpään-Heikkilä, J.J., Rauhala, P. and Männistö, P.T.
 μ - and δ -opioid receptor antisense oligodeoxynucleotides antagonize morphine-induced growth hormone secretion in rats (284) 227
- Ide, K., see Hirose, H. (284) 335
- Ikeda, Y., see Majima, M. (284) 1
- Ikemoto, F., see Hirose, H. (284) 335
- Inoue, H., see Inoue, Y. (284) 77
- Inoue, Y., Emoto, M., Inoue, H., Kaku, K. and Kaneko, T.
Characterization of the binding sites for [³H]glibenclamide in rat liver membranes (284) 77
- Isaka, N., see Miyahara, M. (284) 25

- Ito, M., see Miyahara, M. (284) 25
 Itoh, H., see Miyahara, M. (284) 25
- Jackson, D.L., Graff, C.B., Richardson, J.D. and Hargreaves, K.M.
 Glutamate participates in the peripheral modulation of thermal hyperalgesia in rats (284) 321
- Kaku, K., see Inoue, Y. (284) 77
 Kaneko, T., see Inoue, Y. (284) 77
 Katori, M., see Majima, M. (284) 1
 Kehne, J.H., Baron, B.M., Harrison, B.L., McCloskey, T.C., Palfreyman, M.G., Poirrot, M., Salituro, F.G., Siegel, B.W., Slone, A.L., Van Giersbergen, P.L.M. and White, H.S.
 MDL 100,458 and MDL 102,288: two potent and selective glycine receptor antagonists with different functional profiles (284) 109
 Khalil, Z., see Ralevic, V. (284) 231
 Klockgether, T., see Löschnann, P.-A. (284) 129
 Kobayashi, M., see Hirose, H. (284) 335
 Kojda, G., Brixius, K., Kottenberg, K., Nix, P., Schlüter, K.-D., Piper, H.M. and Noack, E.
 The new NO donor SPM3672 increases cGMP and improves contraction in rat cardiomyocytes and isolated heart (284) 315
 Konishi, T., see Miyahara, M. (284) 25
 Kottenberg, K., see Kojda, G. (284) 315
 Kuribayashi, Y., see Majima, M. (284) 1
- Lainton, J.A.H., see Pertwee, R.G. (284) 241
 La Riccia, M., see Pontieri, F.E. (284) 205
 LePard, K.J., see Gidener, S. (284) 19
 Löschnann, P.-A., Eblen, F., Wüllner, U., Wachtel, H. and Klockgether, T.
 Lamotrigine has no antiparkinsonian activity in rat models of Parkinson's disease (284) 129
- Ma, Z.-Q., Violani, E., Villa, F., Picotti, G.B. and Maggi, A.
 Estrogenic control of monoamine oxidase A activity in human neuroblastoma cells expressing physiological concentrations of estrogen receptor (284) 171
 Maes, R.A., see Gommans, J. (284) 135
 Maggi, A., see Ma, Z.-Q. (284) 171
 Mainero, C., see Pontieri, F.E. (284) 205
 Majima, M., Ikeda, Y., Kuribayashi, Y., Mizogami, S., Katori, M. and Aoyagi, T.
 Ebelactone B, an inhibitor of urinary carboxypeptidase Y-like kinase, prevents the development of deoxycorticosterone acetate-salt hypertension in rats (284) 1
 Männistö, P.T., see Idänpää-Heikkilä, J.J. (284) 227
 Martins, S.L.R., De Oliveira, R.B. and Ballejo, G.
 Rat duodenum nitric-induced relaxations are cGMP-independent and apamin-sensitive (284) 265
 McCloskey, T.C., see Kehne, J.H. (284) 109
 McLarnon, J.G., see Sawyer, D.C. (284) 309
 Meijer, F., Ruijter, J.M., Van Delft, J.L. and Van Haeringen, N.J.
 Nitric oxide induces vascular permeability changes in the guinea pig conjunctiva (284) 61
 Michotte, Y., see Smolders, I. (284) 83
 Misawa, M., see Suzuki, T. (284) 195
 Miyahara, M., Ito, M., Itoh, H., Shiraishi, T., Isaka, N., Konishi, T. and Nakano, T.
 Isoenzymes of cyclic nucleotide phosphodiesterase in the human aorta: characterization and the effects of E4021 (284) 25
 Mizogami, S., see Majima, M. (284) 1
 Morgan, N.G., see Tsoli, E. (284) 199
 Mori, T., see Suzuki, T. (284) 195
 Morishita, W., see Shew, T.R. (284) 93
 Mos, J., see Gommans, J. (284) 135
 Moser, C., Hehl, S. and Neumcke, B.
 Inhibition of ATP-sensitive K⁺ channels of mouse skeletal muscle by disopyramide (284) 35
 Mue, S., see Tanabe, J.-i. (284) 257
- Nagase, H., see Suzuki, T. (284) 195
 Nakane, Y., see Akehira, K. (284) 149
 Nakano, T., see Miyahara, M. (284) 25
 Naraba, H., see Ueno, A. (284) 211
 Narita, M. and Tseng, L.F.
 Stimulation of spinal δ -opioid receptors in mice selectively enhances the attenuation of δ -opioid receptor-mediated antinociception by antisense oligodeoxynucleotide (284) 185
 Neumcke, B., see Moser, C. (284) 35
 Nishikibe, M., see Hirose, H. (284) 335
 Nix, P., see Kojda, G. (284) 315
 Noack, E., see Kojda, G. (284) 315
- Oh-ishi, S., see Ueno, A. (284) 211
 Ohuchi, K., see Tanabe, J.-i. (284) 257
 Olivier, B., see Gommans, J. (284) 135
 Orzi, F., see Pontieri, F.E. (284) 205
- Palfreyman, M.G., see Kehne, J.H. (284) 109
 Passarelli, F., see Pontieri, F.E. (284) 205
 Penn, N.W.
 Potentiation of morphine analgesic action in mice by β -carotene (284) 191
 Pertwee, R.G., Griffin, G., Lainton, J.A.H. and Huffman, J.W.
 Pharmacological characterization of three novel cannabinoid receptor agonists in the mouse isolated vas deferens (284) 241
 Picotti, G.B., see Ma, Z.-Q. (284) 171
 Pidoplichko, V.I., see Wilsch, V.W. (284) 141
 Piper, H.M., see Kojda, G. (284) 315
 Poirrot, M., see Kehne, J.H. (284) 109
 Pontieri, F.E., Mainero, C., La Riccia, M., Passarelli, F. and Orzi, F.
 Functional correlates of repeated administration of cocaine and apomorphine in the rat (284) 205
 Provost, D., see Cazes, M. (284) 157
- Ralevic, V., Khalil, Z., Helme, R.D. and Dusing, G.J.
 Role of nitric oxide in the actions of substance P and other mediators of inflammation in rat skin microvasculature (284) 231
 Rashed, S.M.K. and Songu-Mize, E.
 Regulation of Na⁺-pump activity by dopamine in rat tail arteries (284) 289
 Rauhala, P., see Idänpää-Heikkilä, J.J. (284) 227
 Reymann, K.G., see Wilsch, V.W. (284) 141
 Richardson, J.D., see Jackson, D.L. (284) 321
 Rowan, M.J., see Wu, J. (284) R1
 Ruijter, J.M., see Meijer, F. (284) 61
- Salituro, F.G., see Kehne, J.H. (284) 109
 Samanin, R., see Cervo, L. (284) 249
 Sarre, S., see Smolders, I. (284) 83
 Sasaki, T., see Hirose, H. (284) 335
 Sastry, B.R., see Shew, T.R. (284) 93
 Sawyer, D.C., McLarnon, J.G. and Church, J.
 (–)- β -Cyclazocine is an antagonist of NMDA receptor-mediated responses and a potent neuroprotectant in rat cortical neurons (284) 309
 Saxena, P.R., see Du, X.Y. (284) 119
 Saxena, P.R., see Van Gelderen, E.M. (284) 51
 Schlüter, K.-D., see Kojda, G. (284) 315
 Schoemaker, R.G., see Du, X.Y. (284) 119
 Schoemaker, R.G., see Van Gelderen, E.M. (284) 51

- Shew, T.R., Morishita, W. and Sastry, B.R.
Presynaptic actions of glutamate receptor agonists in the CA1 region of rat hippocampus in vitro (284) 93
- Shiraishi, T., see Miyahara, M. (284) 25
- Siegel, B.W., see Kehne, J.H. (284) 109
- Sim, M.K. and Soh, K.S.
Effects of des-Asp-angiotensin I on the electrically stimulated contraction of the rabbit pulmonary artery (284) 215
- Slone, A.L., see Kehne, J.H. (284) 109
- Smolders, I., De Klippel, N., Sarre, S., Ebinger, G. and Michotte, Y.
Tonic GABA-ergic modulation of striatal dopamine release studied by in vivo microdialysis in the freely moving rat (284) 83
- Soh, K.S., see Sim, M.K. (284) 215
- Songu-Mize, E., see Rashed, S.M.K. (284) 289
- Stephens, Jr., R.L., see Gidener, S. (284) 19
- Stutzmann, J.-M., see Benazzouz, A. (284) 299
- Suzuki, H., see Hashitani, H. (284) 177
- Suzuki, T., Mori, T., Tsuji, M., Misawa, M. and Nagase, H.
Discriminative stimulus properties of morphine mediated by μ_1 -opioid receptors (284) 195
- Takahashi, R., see Hirose, H. (284) 335
- Tanabe, J.-i., Watanabe, M., Mue, S. and Ohuchi, K.
Dexamethasone inhibits the production of macrophage inflammatory protein 2 in the leukocytes in rat allergic inflammation (284) 257
- Tang, A.H. and Himes, C.S.
Apomorphine produced more yawning in Sprague-Dawley rats than in F344 rats: a pharmacological study (284) 13
- Taniyama, K., see Akehira, K. (284) 149
- Tokumasu, T., see Ueno, A. (284) 211
- Tokuyama, S., Feng, Y., Wakabayashi, H. and Ho, I.K.
Possible involvement of protein kinases in physical dependence on opioids: studies using protein kinase inhibitors, H-7 and H-8 (284) 101
- Tseng, L.F., see Narita, M. (284) 185
- Tsoli, E., Chan, S.L.F. and Morgan, N.G.
The imidazoline I_1 receptor agonist, moxonidine, inhibits insulin secretion from isolated rat islets of Langerhans (284) 199
- Tsuji, M., see Suzuki, T. (284) 195
- Ueno, A., Tokumasu, T., Naraba, H. and Oh-ishi, S.
Involvement of bradykinin in endotoxin-induced vascular permeability increase in the skin of rats (284) 211
- Uhlén, S., see Wikberg-Matsson, A. (284) 271
- Van Delft, J.L., see Meijer, F. (284) 61
- Van Gelderen, E.M., Du, X.Y., Schoemaker, R.G. and Saxena, P.R.
Carotid blood flow distribution, haemodynamics and inotropic responses following calcitonin gene-related peptide in the pig (284) 51
- Van Giersbergen, P.L.M., see Kehne, J.H. (284) 109
- Van Haeringen, N.J., see Meijer, F. (284) 61
- Van Ree, J.M., see Hatta, K. (284) 327
- Versigny, A., see Cazes, M. (284) 157
- Villa, F., see Ma, Z.-Q. (284) 171
- Violani, E., see Ma, Z.-Q. (284) 171
- Wachtel, H., see Löschmann, P.-A. (284) 129
- Wakabayashi, H., see Tokuyama, S. (284) 101
- Watanabe, M., see Tanabe, J.-i. (284) 257
- White, H.S., see Kehne, J.H. (284) 109
- Wikberg, J.E.S., see Wikberg-Matsson, A. (284) 271
- Wikberg-Matsson, A., Wikberg, J.E.S. and Uhlén, S.
Identification of drugs subtype-selective for α_{2A} -, α_{2B} -, and α_{2C} -adrenoceptors in the pig cerebellum and kidney cortex (284) 271
- Wilsch, V.W., Pidoplichko, V.I. and Reymann, K.G.
Preferential block of desensitizing AMPA receptor in hippocampal neurons by γ -D-glutamylaminomethylsulfonic acid (284) 141
- Wolterink, G., see Hatta, K. (284) 327
- Wu, J., Anwyl, R. and Rowan, M.J.
 β -amyloid-(1-40) increases long-term potentiation in rat hippocampus in vitro (284) R1
- Wüllner, U., see Löschmann, P.-A. (284) 129
- Yano, M., see Hirose, H. (284) 335
- Zimmerman, B.G., see Chen, K. (284) 281