

Author index

- Aker, R., see Onat, F. (362) 173
- Arakida, Y., Ohga, K., Kobayashi, S., Yokota, M., Miyata, K., Yamada, T. and Honda, K.
Binding of YM158, a new dual antagonist for leukotriene D₄ and thromboxane A₂ receptors, to guinea pig lung membranes (362) 229
- Balasubramaniam, A., see Goumain, M. (362) 245
- Barroso, M.I., see Figueira, M.E. (362) 261
- Barton, M., Cremer, J. and Mügge, A.
17 β -Estradiol acutely improves endothelium-dependent relaxation to bradykinin in isolated human coronary arteries (362) 73
- Bastide, B., see Catinot, M.-P. (362) 221
- Bauersachs, J., Bouloumié, A., Fraccarollo, D., Hu, K., Busse, R. and Ertl, G.
Hydralazine prevents endothelial dysfunction, but not the increase in superoxide production in nitric oxide-deficient hypertension (362) 77
- Baumann, P.A., see Ong, J. (362) 27
- Ben-Shabat, S., see Mechoulam, R. (362) R1
- Bertolini, A., see Vergoni, A.V. (362) 95
- Bespalov, A., see Sukhotina, I. (362) 103
- Bittiger, H., see Ong, J. (362) 27
- Blythin, D.J., see Ong, J. (362) 35
- Bodelsson, G., see Laursen, M. (362) 167
- Bonanno, G., Fassio, A., Sala, R., Schmid, G. and Raiteri, M.
GABA_B receptors as potential targets for drugs able to prevent excessive excitatory amino acid transmission in the spinal cord (362) 143
- Bouloumié, A., see Bauersachs, J. (362) 77
- Busse, R., see Bauersachs, J. (362) 77
- Cahill, P.A., see Hendrickson, R.J. (362) 251
- Canales, J.J. and Iversen, S.D.
Behavioural topography in the striatum: differential effects of quinpirole and D-amphetamine microinjections (362) 111
- Castro, M., see Figueira, M.E. (362) 261
- Catinot, M.-P., Bastide, B., Suarez-Kurtz, G. and Mounier, Y.
Uridine triphosphate-sensitive pathway of Ca²⁺ release from the sarcoplasmic reticulum of rat skeletal muscle fibers (362) 221
- Ceballos, G. and Rubio, R.
Endothelium-mediated negative dromotropic effects of intravascular acetylcholine (362) 157
- Centurión, D., see De Vries, P. (362) 69
- Ceserani, R., see Ishii, R. (362) 207
- Cheng, K.-F., see Wong, D.C.C. (362) 87
- Cho, T.-S., see Jung, Y.-S. (362) 193
- Chung, O., see Nurminen, M.-L. (362) 61
- Co, C., see Graziella De Montis, M. (362) 9
- Connick, J.H., see Gray, A.M. (362) 127
- Cooke, N.G., see Ong, J. (362) 27
- Coyle, T.S., see Kaplan, G.B. (362) 1
- Cremer, J., see Barton, M. (362) 73
- Culman, J., see Nurminen, M.-L. (362) 61
- Cumberbatch, M.J., Hill, R.G. and Hargreaves, R.J.
The effects of 5-HT_{1A}, 5-HT_{1B} and 5-HT_{1D} receptor agonists on trigeminal nociceptive neurotransmission in anaesthetized rats (362) 43
- De Vries, P., Sánchez-López, A., Centurión, D., Heiligers, J.P.C., Saxena, P.R. and Villalón, C.M.
The canine external carotid vasoconstrictor 5-HT₁ receptor: blockade by 5-HT_{1B} (SB224289), but not by 5-HT_{1D} (BRL15572) receptor antagonists (362) 69
- Diener, M., see Heinke, B. (362) 199
- Do Vale, F.M., see Figueira, M.E. (362) 261
- Dravolina, O., see Sukhotina, I. (362) 103
- Dworkin, S.I., see Graziella De Montis, M. (362) 9
- Ertl, G., see Bauersachs, J. (362) 77
- Fassio, A., see Bonanno, G. (362) 143
- Figueira, M.E., Do Vale, F.M., Barroso, M.I., Rico, J.M.G.-T. and Castro, M.
Dietary β -adrenoceptor agonists have a persistent effect on nitric oxide synthesis in rat cultured smooth muscle cells (362) 261
- Fong, W.-P., see Wong, D.C.C. (362) 87
- Fraccarollo, D., see Bauersachs, J. (362) 77
- Fride, E., see Mechoulam, R. (362) R1
- Froestl, W., see Ong, J. (362) 27
- Fujimura, H., see Yoneda, H. (362) 213
- Furuta, M., see Ishii, R. (362) 207
- Gallico, L., see Ishii, R. (362) 207
- García-Caballero, A., see García-Sáinz, J.A. (362) 235
- García-Sáinz, J.A., García-Caballero, A. and González-Espinosa, C.
Angiotensin AT₁ receptors in Clone 9 rat liver cells: Ca²⁺ signaling and c-fos expression (362) 235
- González-Espinosa, C., see García-Sáinz, J.A. (362) 235
- Gören, Z., see Onat, F. (362) 173
- Goumain, M., Voisin, T., Lorinet, A.-M., Balasubramaniam, A. and Laburthe, M.
Pharmacological profile of the rat intestinal crypt peptide YY receptor vs. the recombinant rat Y5 receptor (362) 245
- Gray, A.M. and Connick, J.H.
Clozapine-induced dopamine levels in the rat striatum and nucleus accumbens are not affected by muscarinic antagonism (362) 127
- Graziella De Montis, M., Co, C., Dworkin, S.I. and Smith, J.E.
Modifications of dopamine D₁ receptor complex in rats self-administering cocaine (362) 9
- Haass, M., see Nurminen, M.-L. (362) 61
- Hargreaves, R.J., see Cumberbatch, M.J. (362) 43
- Hashimoto, H., see Miyazawa, N. (362) 53
- Hashimoto, M., see Ishii, R. (362) 207
- Heiligers, J.P.C., see De Vries, P. (362) 69
- Heinke, B., Hörger, S. and Diener, M.
Mechanisms of carbachol-induced alterations in K⁺ transport across the rat colon (362) 199
- Hendrickson, R.J., Cahill, P.A., McKillop, I.H., Sitzmann, J.V. and Redmond, E.M.

- Ethanol inhibits mitogen activated protein kinase activity and growth of vascular smooth muscle cells in vitro (362) 251
- Hexum, T.D., see Zhang, P. (362) 121
- Hill, R.G., see Cumberbatch, M.J. (362) 43
- Honda, K., see Arakida, Y. (362) 229
- Hörger, S., see Heinke, B. (362) 199
- Horowitz, M., see Mechoulam, R. (362) R1
- Hu, K., see Bauersachs, J. (362) 77
- Ikeda, Y., see Takamatsu, H. (362) 137
- Ishii, R., Furuta, M., Hashimoto, M., Naruse, T., Gallico, L. and Cesserani, R.
Effects of moguisteine on the cough reflex induced by afferent electrical stimulation of the superior laryngeal nerve in guinea pigs (362) 207
- İskender, E., see Onat, F. (362) 173
- Iversen, S.D., see Canales, J.J. (362) 111
- Jansen, F.P., Mochizuki, T., Yamamoto, Y., Timmerman, H. and Yamatodani, A.
In vivo modulation of rat hypothalamic histamine release by the histamine H₃ receptor ligands, immepip and clobenpropit. Effects of intrahypothalamic and peripheral application (362) 149
- Jung, Y.-S., Cho, T.-S., Moon, C.-H. and Shin, H.-S.
Capsaicin-induced desensitization is prevented by capsazepine but not by ruthenium red in guinea pig bronchi (362) 193
- Kamei, J., see Ohsawa, M. (362) 47
- Kamikawa, Y., see Uchida, K. (362) 83
- Kaplan, G.B. and Coyle, T.S.
Adenosine kinase inhibitors attenuate opiate withdrawal via adenosine receptor activation (362) 1
- Kerr, D.I.B., see Ong, J. (362) 27
- Kerr, D.I.B., see Ong, J. (362) 35
- Kobayashi, S., see Arakida, Y. (362) 229
- Kondo, K., see Miyazawa, N. (362) 53
- Kondo, K., see Takamatsu, H. (362) 137
- Kong, Y.-C., see Wong, D.C.C. (362) 87
- Laburthe, M., see Goumain, M. (362) 245
- Laursen, M., Bodelsson, G. and Stjernquist, M.
Atypical receptors mediate the response to endothelin-1 and sarafotoxin S6b in the human umbilical artery (362) 167
- Lee, S.S.T., see Wong, D.C.C. (362) 87
- Lorinet, A.-M., see Goumain, M. (362) 245
- Marino, V., see Ong, J. (362) 35
- Matsuda, A., see Miyazawa, N. (362) 53
- McKillop, I.H., see Hendrickson, R.J. (362) 251
- Mechoulam, R., Frider, E., Ben-Shabat, S., Meiri, U. and Horowitz, M.
Carbachol, an acetylcholine receptor agonist, enhances production in rat aorta of 2-arachidonoyl glycerol, a hypotensive endocannabinoid (362) R1
- Meiri, U., see Mechoulam, R. (362) R1
- Mickel, S.J., see Ong, J. (362) 27
- Miyata, K., see Arakida, Y. (362) 229
- Miyazawa, N., Watanabe, S., Matsuda, A., Kondo, K., Hashimoto, H., Umemura, K. and Nakashima, M.
Role of histamine H₁ and H₂ receptor antagonists in the prevention of intimal thickening (362) 53
- Mochizuki, T., see Jansen, F.P. (362) 149
- Moon, C.-H., see Jung, Y.-S. (362) 193
- Mounier, Y., see Catinot, M.-P. (362) 221
- Mügge, A., see Barton, M. (362) 73
- Mutulis, F., see Vergoni, A.V. (362) 95
- Nakashima, M., see Miyazawa, N. (362) 53
- Naruse, T., see Ishii, R. (362) 207
- Nishiyama, S., see Yoneda, H. (362) 213
- Nurminen, M.-L., Culman, J., Haass, M., Chung, O. and Unger, T.
Effect of moxonidine on blood pressure and sympathetic tone in conscious spontaneously hypertensive rats (362) 61
- Ohga, K., see Arakida, Y. (362) 229
- Ohmachi, Y., see Yoneda, H. (362) 213
- Ohsawa, M. and Kamei, J.
Possible involvement of protein kinase C in the attenuation of the morphine-induced Straub tail reaction in diabetic mice (362) 47
- O'Kane, E.M. and Stone, T.W.
Interaction between adenosine A₁ and A₂ receptor-mediated responses in the rat hippocampus in vitro (362) 17
- Oktay, Ş., see Onat, F. (362) 173
- Okumura, F., see Yoneda, H. (362) 213
- Onat, F., Tellioglu, T., Aker, R., Gören, Z., İskender, E. and Oktay, Ş.
Effect of muscimol on cholinomimetic-induced cardiovascular responses in rats (362) 173
- Ong, J., Kerr, D.I.B., Bittiger, H., Waldmeier, P.C., Baumann, P.A., Cooke, N.G., Mickel, S.J. and Froestl, W.
Morpholin-2-yl-phosphinic acids are potent GABA_B receptor antagonists in rat brain (362) 27
- Ong, J., Marino, V., Parker, D.A.S., Kerr, D.I.B. and Blythin, D.J.
The morpholino-acetic acid analogue Sch 50911 is a selective GABA_B receptor antagonist in rat neocortical slices (362) 35
- Parker, D.A.S., see Ong, J. (362) 35
- Parkington, H.C., see Raymond, G.L. (362) 183
- Raiteri, M., see Bonanno, G. (362) 143
- Raymond, G.L., Tonta, M.A., Parkington, H.C. and Wendt, I.R.
Force, membrane potential and cytoplasmic Ca²⁺ responses to cyclic nucleotides in rat anococcygeus muscle (362) 183
- Redmond, E.M., see Hendrickson, R.J. (362) 251
- Rico, J.M.G.-T., see Figueira, M.E. (362) 261
- Rubio, R., see Ceballos, G. (362) 157
- Sala, R., see Bonanno, G. (362) 143
- Sánchez-López, A., see De Vries, P. (362) 69
- Saxena, P.R., see De Vries, P. (362) 69
- Schiöth, H.B., see Vergoni, A.V. (362) 95
- Schmid, G., see Bonanno, G. (362) 143
- Shin, H.-S., see Jung, Y.-S. (362) 193
- Sitzmann, J.V., see Hendrickson, R.J. (362) 251
- Smith, J.E., see Graziella De Montis, M. (362) 9
- Stjernquist, M., see Laursen, M. (362) 167
- Stone, G., see Wong, D.C.C. (362) 87
- Stone, T.W., see O'Kane, E.M. (362) 17
- Suarez-Kurtz, G., see Catinot, M.-P. (362) 221
- Sukhotina, I., Dravolina, O. and Besspalov, A.
Place conditioning of mice with the NMDA receptor antagonists, eliprodil and dizocilpine (362) 103
- Takamatsu, H., Kondo, K., Ikeda, Y. and Umemura, K.
Neuroprotective effects depend on the model of focal ischemia following middle cerebral artery occlusion (362) 137
- Tellioglu, T., see Onat, F. (362) 173
- Timmerman, H., see Jansen, F.P. (362) 149
- Tonta, M.A., see Raymond, G.L. (362) 183
- Toriumi, W., see Yoneda, H. (362) 213
- Uchida, K., Yuzuki, R. and Kamikawa, Y.
Ba²⁺ selectively inhibits receptor-mediated contraction of the esophageal muscularis mucosae (362) 83
- Umemura, K., see Miyazawa, N. (362) 53

- Umemura, K., see Takamatsu, H. (362) 137
- Unger, T., see Nurminen, M.-L. (362) 61
- Vergoni, A.V., Bertolini, A., Mutulis, F., Wikberg, J.E.S. and Schiöth, H.B.
Differential influence of a selective melanocortin MC₄ receptor antagonist (HS014) on melanocortin-induced behavioral effects in rats (362) 95
- Villalón, C.M., see De Vries, P. (362) 69
- Voisin, T., see Goumain, M. (362) 245
- Waldmeier, P.C., see Ong, J. (362) 27
- Watanabe, S., see Miyazawa, N. (362) 53
- Wendt, I.R., see Raymond, G.L. (362) 183
- Wikberg, J.E.S., see Vergoni, A.V. (362) 95
- Wong, D.C.C., Fong, W.-P., Lee, S.S.T., Kong, Y.-C., Cheng, K.-F. and Stone, G.
Induction of estradiol-2-hydroxylase and ethoxyresorufin-O-deethylase by 3-substituted indole compounds (362) 87
- Yamada, T., see Arakida, Y. (362) 229
- Yamamoto, Y., see Jansen, F.P. (362) 149
- Yamatodani, A., see Jansen, F.P. (362) 149
- Yokota, M., see Arakida, Y. (362) 229
- Yoneda, H., Toriumi, W., Ohmachi, Y., Okumura, F., Fujimura, H. and Nishiyama, S.
Involvement of angiotensin II in development of spontaneous nephrosis in Dahl salt-sensitive rats (362) 213
- Yuzuki, R., see Uchida, K. (362) 83
- Zhang, P., Zheng, J. and Hexum, T.D.
BIBP 3226 inhibition of nicotinic receptor mediated chromaffin cell secretion (362) 121
- Zheng, J., see Zhang, P. (362) 121