

Author index

- Adelman, J.P., see Namba, T. (395) 95
- Agrewala, J.N., see Raghavendra, V. (395) 15
- Aguirre-Bañuelos, P. and Granados-Soto, V.
Evidence for the participation of the nitric oxide–cyclic GMP pathway in the antinociceptive action of meloxicam in the formalin test (395) 9
- Aizawa, H., see Yoshida, M. (395) 77
- Akar, F.
Endothelial reactivity to the immediate hypersensitivity reaction of guinea pig pulmonary artery (395) 225
- Anwyl, R., see Breakwell, N.A. (395) 85
- Asaka, N., see Hayashi, Y. (395) 217
- Banchelli, G., see Raimondi, L. (395) 177
- Banuadha, K.K., see Singh, A.K. (395) 229
- Breakwell, N.A., Huang, L.Q., Rowan, M.J. and Anwyl, R.
Corrigendum to: “DCG-IV inhibits synaptic transmission by activation of NMDA receptors in area CA1 of rat hippocampus” [Eur. J. Pharmacol. 322 (1997) 173–178] (395) 85
- Brodie, J.D., see Gerasimov, M.R. (395) 129
- Cambon, C., see Raimondi, L. (395) 177
- Colleoni, M., see Costa, B. (395) 1
- Collu, M., see D’Aquila, P.S. (395) 157
- Cooper, J., see Mitchell, S.N. (395) 43
- Costa, B. and Colleoni, M.
Changes in rat brain energetic metabolism after exposure to anandamide or Δ^9 -tetrahydrocannabinol (395) 1
- D’Aquila, P.S., Collu, M., Devoto, P. and Serra, G.
Chronic lithium chloride fails to prevent imipramine-induced sensitization to the dopamine D_2 -like receptor agonist quinpirole (395) 157
- Devoto, P., see D’Aquila, P.S. (395) 157
- Dewey, S.L., see Gerasimov, M.R. (395) 129
- Diemer, N.H., see Torup, L. (395) 137
- Doi, T., Kamo, I., Imai, S., Okanishi, S., Ikeura, Y. and Natsugari, H.
Effects of TAK-637, a tachykinin receptor antagonist, on the micturition reflex in guinea pigs (395) 241
- Enokido, F., see Kubota, T. (395) 37
- Fukuda, K., see Namba, T. (395) 95
- Furuyama, S., see Nakao, S. (395) 247
- Gaddipati, J.P., see Singh, A.K. (395) 229
- Gerasimov, M.R., Schiffer, W.K., Brodie, J.D., Lennon, I.C., Taylor, S.J.C. and Dewey, S.L.
 γ -Aminobutyric acid mimetic drugs differentially inhibit the dopaminergic response to cocaine (395) 129
- Granados-Soto, V., see Aguirre-Bañuelos, P. (395) 9
- Greenslade, R.G., see Mitchell, S.N. (395) 43
- Guzzi, M., see Mullins, D.E. (395) 87
- Hara, N., see Yoshida, M. (395) 77
- Hashimoto, A., see Tsubouchi, Y. (395) 255
- Hatanaka, K.-i., Yatsugi, S.-i. and Yamaguchi, T.
Effect of acute treatment with YM992 on extracellular serotonin levels in the rat frontal cortex (395) 23
- Hatanaka, K.-i., Yatsugi, S.-i. and Yamaguchi, T.
Effect of acute treatment with YM992 on extracellular norepinephrine levels in the rat frontal cortex (395) 31
- Hayashi, T., see Sakurada, S. (395) 107
- Hayashi, Y., Kirimoto, T., Asaka, N., Nakano, M., Tajima, K., Miyake, H. and Matsuura, N.
Beneficial effects of MET-88, a γ -butyrobetaine hydroxylase inhibitor in rats with heart failure following myocardial infarction (395) 217
- Hermonen, P., see Lecklin, A. (395) 113
- Hiramatsu, M. and Inoue, K.
Improvement by low doses of nociceptin on scopolamine-induced impairment of learning and/or memory (395) 149
- Hirota, K., see Namba, T. (395) 95
- Hisano, T., see Namba, T. (395) 95
- Hollenbach, S.J., see Sinha, U. (395) 51
- Houshyar, H., Mc Fadyen, I.J., Woods, J.H. and Traynor, J.R.
Antinociceptive and other behavioral effects of the steroid SC17599 are mediated by the μ -opioid receptor (395) 121
- Huang, L.Q., see Breakwell, N.A. (395) 85
- Hussain, M.B. and Marshall, I.
 α_1 -Adrenoceptor subtypes mediating contractions of the rat mesenteric artery (395) 69
- Ikedo, M., see Namba, T. (395) 95
- Ikeura, Y., see Doi, T. (395) 241
- Imai, S., see Doi, T. (395) 241
- Inatomi, N., see Sako, F. (395) 165
- Inoue, K., see Hiramatsu, M. (395) 149
- Ishii, T.M., see Namba, T. (395) 95
- Itoh, T., see Namba, T. (395) 95
- Itoh, Z., see Sako, F. (395) 165
- Jibiki, I., see Kubota, T. (395) 37
- Kamei, J., see Morita, K. (395) 161
- Kameyama, T., see Ukai, M. (395) 211
- Kamo, I., see Doi, T. (395) 241
- Kirimoto, T., see Hayashi, Y. (395) 217
- Kisara, K., see Sakurada, S. (395) 107
- Kleven, M.S., see Prinssen, E.P.M. (395) 143
- Koek, W., see Prinssen, E.P.M. (395) 143
- Kohn, M., see Tsubouchi, Y. (395) 255
- Kondo, M., see Tsubouchi, Y. (395) 255
- Környei, J.L., see Oszter, A. (395) 103
- Kovács, K.A., see Oszter, A. (395) 103
- Ku, P., see Sinha, U. (395) 51
- Kubota, T., Jibiki, I., Enokido, F., Nakagawa, H. and Watanabe, K.-i.
Effects of MK-801 on clozapine-induced potentiation of excitatory synaptic responses in the perforant path–dentate gyrus pathway in chronically prepared rabbits (395) 37
- Kulkarni, S.K., see Raghavendra, V. (395) 15

- Kulshreshtha, D.K., see Singh, A.K. (395) 229
- Kumari, R., see Singh, A.K. (395) 229
- Kusaka, Y., see Tsubouchi, Y. (395) 255
- Kutsuwa, M., see Sakurada, S. (395) 107
- Lecklin, A., Hermonen, P., Tarhanen, J. and Männistö, P.T.
An acute i.c.v. infusion of leptin has no effect on hypothalamic histamine and *tele*-methylhistamine contents in Wistar rats (395) 113
- Lennon, I.C., see Gerasimov, M.R. (395) 129
- Lin, P.H., see Sinha, U. (395) 51
- Liu, X.J., see Sawynok, J. (395) 47
- Longmore, J., see Olivar, T. (395) 61
- Maheshwari, R.K., see Singh, A.K. (395) 229
- Malinowski, J., see Sinha, U. (395) 51
- Mani, H., see Singh, A.K. (395) 229
- Männistö, P.T., see Lecklin, A. (395) 113
- Marlowe, C.K., see Sinha, U. (395) 51
- Marshall, I., see Hussain, M.B. (395) 69
- Marui, S., see Sako, F. (395) 165
- Matsuo, H., see Mitsunaga, Y. (395) 193
- Matsuura, N., see Hayashi, Y. (395) 217
- Mc Fadyen, I.J., see Houshyar, H. (395) 121
- Mitchell, S.N., Sharrott, A., Cooper, J. and Greenslade, R.G.
Ventral subiculum administration of the somatostatin receptor agonist MK-678 increases dopamine levels in the nucleus accumbens (395) 43
- Mitsunaga, Y., Takanaga, H., Matsuo, H., Naito, M., Tsuruo, T., Ohtani, H. and Sawada, Y.
Effect of bioflavonoids on vincristine transport across blood-brain barrier (395) 193
- Miyake, H., see Hayashi, Y. (395) 217
- Mod  r, T., see Nakao, S. (395) 247
- M  ller, A., see Torup, L. (395) 137
- Morita, K. and Kamei, J.
Involvement of ATP-sensitive K⁺ channels in the anti-tussive effect of moguisteine (395) 161
- Mullins, D.E., Guzzi, M., Xia, L. and Parker, E.M.
Pharmacological characterization of the cloned neuropeptide Y y₆ receptor (395) 87
- Murayama, T., see Thang, S.H. (395) 183
- Naito, M., see Mitsunaga, Y. (395) 193
- Nakagawa, H., see Kubota, T. (395) 37
- Nakano, M., see Hayashi, Y. (395) 217
- Nakao, S., Ogata, Y., Mod  r, T., Furuyama, S. and Sugiyama, H.
Bradykinin potentiates prostaglandin E₂ release in the human gingival fibroblasts pretreated with interleukin-1   via Ca²⁺ mobilization (395) 247
- Namba, T., Ishii, T.M., Ikeda, M., Hisano, T., Itoh, T., Hirota, K., Adelman, J.P. and Fukuda, K.
Inhibition of the human intermediate conductance Ca²⁺-activated K⁺ channel, hIK1, by volatile anesthetics (395) 95
- Natsugari, H., see Doi, T. (395) 241
- Ner, M., see Raimondi, L. (395) 177
- Nishiyama, T.
Interaction between intrathecal morphine and glutamate receptor antagonists in formalin test (395) 203
- Nomura, Y., see Thang, S.H. (395) 183
- Nwagwu, M., see Olivar, T. (395) 61
- Ogata, Y., see Nakao, S. (395) 247
- Ohtani, H., see Mitsunaga, Y. (395) 193
- Okanishi, S., see Doi, T. (395) 241
- Olivar, T., Razzaque, Z., Nwagwu, M. and Longmore, J.
Neurogenic vasodilation in rabbit basilar isolated artery: involvement of calcitonin-gene related peptide (395) 61
-   mura, S., see Sako, F. (395) 165
- Osinski, M.T., Weber, A.-A. and Schr  r, K.
Complex actions of protein kinase A inhibitors on mitogenesis of bovine coronary artery smooth muscle cells (395) 173
- Oszter, A., T  r  csik, B., V  rtes, Z., K  rnyei, J.L., Kov  cs, K.A. and V  rtes, M.
Regulation of activator protein-1-DNA binding activity by opioid peptides in estrogen-sensitive cells of rat hypothalamus and uterus (395) 103
- Parini, A., see Raimondi, L. (395) 177
- Parker, E.M., see Mullins, D.E. (395) 87
- Piricino, R., see Raimondi, L. (395) 177
- Prinssen, E.P.M., Koek, W. and Kleven, M.S.
Effects of WAY 100635 on antipsychotic-induced catalepsy in 5-HT depleted animals: a role for tonic activation of 5-HT_{1A} receptors (395) 143
- Raghavendra, V., Agrewala, J.N. and Kulkarni, S.K.
Melatonin reversal of lipopolysaccharides-induced thermal and behavioral hyperalgesia in mice (395) 15
- Raimondi, L., Banchelli, G., Sgromo, L., Piricino, R., Ner, M., Parini, A. and Cambon, C.
Hydrogen peroxide generation by monoamine oxidases in rat white adipocytes: role on cAMP production (395) 177
- Razzaque, Z., see Olivar, T. (395) 61
- Reid, A., see Sawynok, J. (395) 47
- Rowan, M.J., see Breakwell, N.A. (395) 85
- Sager, T.N., see Torup, L. (395) 137
- Sako, F., Marui, S., Inatomi, N., Itoh, Z. and   mura, S.
EM574, an erythromycin derivative, improves delayed gastric emptying of semi-solid meals in conscious dogs (395) 165
- Sakurada, C., see Sakurada, S. (395) 107
- Sakurada, S., Takeda, S., Sato, T., Hayashi, T., Yuki, M., Kutsuwa, M., Tan-No, K., Sakurada, C., Kisara, K. and Sakurada, T.
Selective antagonism by naloxonazine of antinociception by Tyr-D-Arg-Phe-  -Ala, a novel dermorphin analogue with high affinity at   -opioid receptors (395) 107
- Sakurada, T., see Sakurada, S. (395) 107
- Sano, H., see Tsubouchi, Y. (395) 255
- Sato, T., see Sakurada, S. (395) 107
- Sawada, Y., see Mitsunaga, Y. (395) 193
- Sawynok, J., Reid, A. and Liu, X.J.
Involvement of mast cells, sensory afferents and sympathetic mechanisms in paw oedema induced by adenosine A₁ and A_{2B/3} receptor agonists (395) 47
- Scarborough, R.M., see Sinha, U. (395) 51
- Schiffer, W.K., see Gerasimov, M.R. (395) 129
- Schr  r, K., see Osinski, M.T. (395) 173
- Serra, G., see D'Aquila, P.S. (395) 157
- Seth, P., see Singh, A.K. (395) 229
- Sgromo, L., see Raimondi, L. (395) 177
- Sharma, S.C., see Singh, A.K. (395) 229
- Sharrott, A., see Mitchell, S.N. (395) 43
- Shigyo, M., see Yoshida, M. (395) 77
- Singh, A.K., Mani, H., Seth, P., Gaddipati, J.P., Kumari, R., Banuadha, K.K., Sharma, S.C., Kulshreshtha, D.K. and Maheshwari, R.K.
Picroliv preconditioning protects the rat liver against ischemia-reperfusion injury (395) 229
- Sinha, U., Ku, P., Malinowski, J., Zhu, B.Y., Scarborough, R.M., Marlowe, C.K., Wong, P.W., Lin, P.H. and Hollenbach, S.J.
Antithrombotic and hemostatic capacity of factor Xa versus thrombin inhibitors in models of venous and arteriovenous thrombosis (395) 51
- Sugiyama, H., see Nakao, S. (395) 247
- Tajima, K., see Hayashi, Y. (395) 217
- Takahashi, N., see Yoshida, M. (395) 77

- Takanaga, H., see Mitsunaga, Y. (395) 193
- Takeda, S., see Sakurada, S. (395) 107
- Tan-No, K., see Sakurada, S. (395) 107
- Tarhanen, J., see Lecklin, A. (395) 113
- Taylor, S.J.C., see Gerasimov, M.R. (395) 129
- Thang, S.H., Yasuda, Y., Umezawa, M., Murayama, T. and Nomura, Y.
Inhibition of phospholipase A₂ activity by S-nitroso-cysteine in a
cyclic GMP-independent manner in PC12 cells (395) 183
- Törőcsik, B., see Oszter, A. (395) 103
- Torup, L., Møller, A., Sager, T.N. and Diemer, N.H.
Neuroprotective effect of 8-OH-DPAT in global cerebral ischemia
assessed by stereological cell counting (395) 137
- Traynor, J.R., see Houshyar, H. (395) 121
- Tsubouchi, Y., Sano, H., Yamada, R., Hashiramoto, A., Kohno, M.,
Kusaka, Y. and Kondo, M.
Preferential inhibition of cyclooxygenase-2 by meloxicam in human
rheumatoid synoviocytes (395) 255
- Tsuruo, T., see Mitsunaga, Y. (395) 193
- Ukai, M., Watanabe, Y. and Kameyama, T.
Effects of endomorphins-1 and -2, endogenous μ -opioid receptor ago-
nists, on spontaneous alternation performance in mice (395) 211
- Umezawa, M., see Thang, S.H. (395) 183
- Vértes, M., see Oszter, A. (395) 103
- Vértes, Z., see Oszter, A. (395) 103
- Watanabe, K.-i., see Kubota, T. (395) 37
- Watanabe, Y., see Ukai, M. (395) 211
- Weber, A.-A., see Osinski, M.T. (395) 173
- Wong, P.W., see Sinha, U. (395) 51
- Woods, J.H., see Houshyar, H. (395) 121
- Xia, L., see Mullins, D.E. (395) 87
- Yamada, R., see Tsubouchi, Y. (395) 255
- Yamaguchi, T., see Hatanaka, K.-i. (395) 23
- Yamaguchi, T., see Hatanaka, K.-i. (395) 31
- Yasuda, Y., see Thang, S.H. (395) 183
- Yatsugi, S.-i., see Hatanaka, K.-i. (395) 23
- Yatsugi, S.-i., see Hatanaka, K.-i. (395) 31
- Yoshida, M., Aizawa, H., Takahashi, N., Shigyo, M. and Hara, N.
Pituitary adenylate cyclase activating peptide mediates inhibitory
nonadrenergic noncholinergic relaxation (395) 77
- Yuki, M., see Sakurada, S. (395) 107
- Zhu, B.Y., see Sinha, U. (395) 51