

Keyword index

Acetylcholine

Sephadex; Airway hyperreactivity; Neurokinin A; Substance P; Tachykinin receptor; Nepadutant; MEN 11467; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Airway hyperreactivity

Sephadex; Neurokinin A; Substance P; Tachykinin receptor; Nepadutant; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Allergic rhinitis

Interleukin-5; Eosinophil; TRFK5 (Yamasaki, M. (439) 159)

Amylase secretion

Nitric oxide (NO) synthase; Parotid gland; Nitric oxide (NO) signaling (Rosignoli, F. (439) 27)

Anandamide

Cannabinoid; Vanilloid; Vanilloid VR1 receptor; Arvanil (Brooks, J.W. (439) 83)

Angiotensin II

[Lys²]angiotensin II; Angiotensin II AT₁ receptor, recombinant; Tachyphylaxis; CHO cell line; Smooth muscle cell line (França, L.P. (439) 13)

Angiotensin II AT₁ receptor, recombinant

Angiotensin II; [Lys²]angiotensin II; Tachyphylaxis; CHO cell line; Smooth muscle cell line (França, L.P. (439) 13)

Anisodamine

Myocyte shortening; Ca²⁺ intracellular; Nitric oxide (NO); Cholinoceptor (Norby, F.L. (439) 21)

Antagonist

Platelet glycoprotein IIb/IIIa; Pro-aggregatory activity; Antithrombotic agent (Moritani, Y. (439) 43)

Antiepileptic drug

Anxiety; Benzodiazepine; Keppra™; Levetiracetam; Withdrawal (Lamberty, Y. (439) 101)

Antipsychotic

Neurotensin; Conditioned avoidance behaviour; Haloperidol; NT69L (Hertel, P. (439) 107)

Antithrombotic agent

Platelet glycoprotein IIb/IIIa; Antagonist; Pro-aggregatory activity (Moritani, Y. (439) 43)

Anxiety

Antiepileptic drug; Benzodiazepine; Keppra™; Levetiracetam; Withdrawal (Lamberty, Y. (439) 101)

Articular cartilage

Cholecystokinin-B/gastrin receptor antagonist; Chondrocyte; Repair; Osteochondral defect; (Rabbit) (Nakanishi, T. (439) 135)

Arvanil

Cannabinoid; Vanilloid; Vanilloid VR1 receptor; Anandamide (Brooks, J.W. (439) 83)

Benzodiazepine

Antiepileptic drug; Anxiety; Keppra™; Levetiracetam; Withdrawal (Lamberty, Y. (439) 101)

BIIE0246

Neuropeptide Y Y₂ receptor; Prejunctional; Sympathetic transmission (Malmström, R.E. (439) 113)

Bile acid

Cholesterol; Cholesterol 7 α -hydroxylase; Phloracetophenone; (*Curcuma comosa*) (Piyachaturawat, P. (439) 141)

Bis-cyclopentadienyldithiocyanatetitanium (IV)

Ehrlich ascites tumour; Metallocene; Titanocene Dichloride; Myelopoiesis (Valadares, M.C. (439) 35)

Ca²⁺ intracellular

Anisodamine; Myocyte shortening; Nitric oxide (NO); Cholinoceptor (Norby, F.L. (439) 21)

Cannabinoid

Vanilloid; Vanilloid VR1 receptor; Anandamide; Arvanil (Brooks, J.W. (439) 83)

Capsaicin

Nociception; Glutamate; Periaqueductal grey (Palazzo, E. (439) 69)

Captopril

Tolerance; Nitroglycerin; CGRP (calcitonin gene-related peptide); N-acetylcysteine (Zhou, Z.-H. (439) 129)

Cerebral cortex

Ethanol; MAP (mitogen-activated protein) kinase (Kalluri, H.S.G. (439) 53)

CGRP (calcitonin gene-related peptide)

Tolerance; Nitroglycerin; N-acetylcysteine; Captopril (Zhou, Z.-H. (439) 129)

CHO cell line

Angiotensin II; [Lys²]angiotensin II; Angiotensin II AT₁ receptor, recombinant; Tachyphylaxis; Smooth muscle cell line (França, L.P. (439) 13)

Cholecystokinin-B/gastrin receptor antagonist

Chondrocyte; Articular cartilage; Repair; Osteochondral defect; (Rabbit) (Nakanishi, T. (439) 135)

Cholesterol

Bile acid; Cholesterol 7 α -hydroxylase; Phloracetophenone; (*Curcuma comosa*) (Piyachaturawat, P. (439) 141)

Cholesterol 7 α -hydroxylase

Bile acid; Cholesterol; Phloracetophenone; (*Curcuma comosa*) (Piyachaturawat, P. (439) 141)

Cholinoceptor

Anisodamine; Myocyte shortening; Ca²⁺ intracellular; Nitric oxide (NO) (Norby, F.L. (439) 21)

Chondrocyte

Cholecystokinin-B/gastrin receptor antagonist; Articular cartilage; Repair; Osteochondral defect; (Rabbit) (Nakanishi, T. (439) 135)

Compound action potential

Lidocaine; Tramadol; Sucrose-gap; Sciatic nerve; (Frog) (Mert, T. (439) 77)

Conditioned avoidance behaviour

Neurotensin; Antipsychotic; Haloperidol; NT69L (Hertel, P. (439) 107)

Constitutive activity

Melatonin MT₁ receptor; 4P-PDOT (4-phenyl-2-propionamidotetraline) (Erşahin, Ç. (439) 171)

Cyclooxygenase

Endothelium; Diabetes; Nitric oxide (NO); 5-HT (5-hydroxytryptamine, serotonin); Renal artery, rabbit (Miranda, F.J. (439) 121)

Diabetes

Endothelium; Nitric oxide (NO); 5-HT (5-hydroxytryptamine, serotonin); Cyclooxygenase; Renal artery, rabbit (Miranda, F.J. (439) 121)

Dopamine

Methamphetamine; Drug self-administration; Neuroadaptation; (Rat) (Stefanski, R. (439) 59)

Drug self-administration

Methamphetamine; Neuroadaptation; Dopamine; (Rat) (Stefanski, R. (439) 59)

Ehrlich ascites tumour

Metalocene; Titanocene Dichloride; Myelopoiesis; Bis-cyclopentadienylditiocyanatetitanium (IV) (Valadares, M.C. (439) 35)

Endothelium

Diabetes; Nitric oxide (NO); 5-HT (5-hydroxytryptamine, serotonin); Cyclooxygenase; Renal artery, rabbit (Miranda, F.J. (439) 121)

Eosinophil

Allergic rhinitis; Interleukin-5; TRFK5 (Yamasaki, M. (439) 159)

Ethanol

MAP (mitogen-activated protein) kinase; Cerebral cortex (Kalluri, H.S.G. (439) 53)

Glutamate

Nociception; Capsaicin; Periaqueductal grey (Palazzo, E. (439) 69)

Haloperidol

Neurotensin; Antipsychotic; Conditioned avoidance behaviour; NT69L (Hertel, P. (439) 107)

Hippocampus

5-HT_{1B} autoreceptor; Microdialysis; Knockout mouse; 5-HT (5-hydroxytryptamine, serotonin) reuptake inhibitor, selective (De Groote, L. (439) 93)

5-HT_{1B} autoreceptor

Hippocampus; Microdialysis; Knockout mouse; 5-HT (5-hydroxytryptamine, serotonin) reuptake inhibitor, selective (De Groote, L. (439) 93)

5-HT (5-hydroxytryptamine, serotonin)

5-HT₇ receptor; Migraine pathogenesis; Prophylactic drug (Terrón, J.A. (439) 1)

5-HT (5-hydroxytryptamine, serotonin) reuptake inhibitor, selective

5-HT_{1B} autoreceptor; Hippocampus; Microdialysis; Knockout mouse (De Groote, L. (439) 93)

5-HT (5-hydroxytryptamine, serotonin)

Endothelium; Diabetes; Nitric oxide (NO); Cyclooxygenase; Renal artery, rabbit (Miranda, F.J. (439) 121)

5-HT₇ receptor

Migraine pathogenesis; Prophylactic drug; 5-HT (5-hydroxytryptamine, serotonin) (Terrón, J.A. (439) 1)

Inflammatory cell

Sephadex; Airway hyperreactivity; Neurokinin A; Substance P; Tachykinin receptor; Nepadutant; MEN 11467; Acetylcholine; (Guinea-pig) (Tramontana, M. (439) 149)

Interleukin-5

Allergic rhinitis; Eosinophil; TRFK5 (Yamasaki, M. (439) 159)

Keppra™

Antiepileptic drug; Anxiety; Benzodiazepine; Levetiracetam; Withdrawal (Lamberty, Y. (439) 101)

Knockout mouse

5-HT_{1B} autoreceptor; Hippocampus; Microdialysis; 5-HT (5-hydroxytryptamine, serotonin) reuptake inhibitor, selective (De Groote, L. (439) 93)

Levetiracetam

Antiepileptic drug; Anxiety; Benzodiazepine; Keppra™; Withdrawal (Lamberty, Y. (439) 101)

Lidocaine

Tramadol; Sucrose-gap; Compound action potential; Sciatic nerve; (Frog) (Mert, T. (439) 77)

[Lys²]angiotensin II

Angiotensin II; Angiotensin II AT₁ receptor, recombinant; Tachyphylaxis; CHO cell line; Smooth muscle cell line (França, L.P. (439) 13)

MAP (mitogen-activated protein) kinase

Ethanol; Cerebral cortex (Kalluri, H.S.G. (439) 53)

Melatonin MT₁ receptor

Constitutive activity; 4P-PDOT (4-phenyl-2-propionamidotetraline) (Erşahin, Ç. (439) 171)

MEN 11467

Sephadex; Airway hyperreactivity; Neurokinin A; Substance P; Tachykinin receptor; Nepadutant; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Metalocene

Ehrlich ascites tumour; Titanocene Dichloride; Myelopoiesis; Bis-cyclopentadienylditiocyanatetitanium (IV) (Valadares, M.C. (439) 35)

Methamphetamine

Drug self-administration; Neuroadaptation; Dopamine; (Rat) (Stefanski, R. (439) 59)

Microdialysis

5-HT_{1B} autoreceptor; Hippocampus; Knockout mouse; 5-HT (5-hydroxytryptamine, serotonin) reuptake inhibitor, selective (De Groote, L. (439) 93)

Migraine pathogenesis

5-HT₇ receptor; Prophylactic drug; 5-HT (5-hydroxytryptamine, serotonin) (Terrón, J.A. (439) 1)

Myelopoiesis

Ehrlich ascites tumour; Metalocene; Titanocene Dichloride; Bis-cyclopentadienyldithiocyanatetitanium (IV) (Valadares, M.C. (439) 35)

Myocyte shortening

Anisodamine; Ca²⁺ intracellular; Nitric oxide (NO); Cholinoceptor (Norby, F.L. (439) 21)

N-acetylcysteine

Tolerance; Nitroglycerin; CGRP (calcitonin gene-related peptide); Captopril (Zhou, Z.-H. (439) 129)

Nepadutant

Sephadex; Airway hyperreactivity; Neurokinin A; Substance P; Tachykinin receptor; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Neuroadaptation

Methamphetamine; Drug self-administration; Dopamine; (Rat) (Stefanski, R. (439) 59)

Neurokinin A

Sephadex; Airway hyperreactivity; Substance P; Tachykinin receptor; Nepadutant; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Neuropeptide Y Y₂ receptor

BIIE0246; Prejunctional; Sympathetic transmission (Malmström, R.E. (439) 113)

Neurotensin

Antipsychotic; Conditioned avoidance behaviour; Haloperidol; NT69L (Hertel, P. (439) 107)

Nitric oxide (NO)

Anisodamine; Myocyte shortening; Ca²⁺ intracellular; Cholinoceptor (Norby, F.L. (439) 21)

Endothelium; Diabetes; 5-HT (5-hydroxytryptamine, serotonin); Cyclooxygenase; Renal artery, rabbit (Miranda, F.J. (439) 121)

Penile erection; RhoA/Rho-kinase (Mills, T.M. (439) 173)

Nitric oxide (NO) signaling

Nitric oxide (NO) synthase; Parotid gland; Amylase secretion (Rosignoli, F. (439) 27)

Nitric oxide (NO) synthase

Parotid gland; Amylase secretion; Nitric oxide (NO) signaling (Rosignoli, F. (439) 27)

Nitroglycerin

Tolerance; CGRP (calcitonin gene-related peptide); N-acetylcysteine; Captopril (Zhou, Z.-H. (439) 129)

Nociception

Capsaicin; Glutamate; Periaqueductal grey (Palazzo, E. (439) 69)

NT69L

Neurotensin; Antipsychotic; Conditioned avoidance behaviour; Haloperidol (Hertel, P. (439) 107)

Osteochondral defect

Cholecystokinin-B/gastrin receptor antagonist; Chondrocyte; Articular cartilage; Repair; (Rabbit) (Nakanishi, T. (439) 135)

Parotid gland

Nitric oxide (NO) synthase; Amylase secretion; Nitric oxide (NO) signaling (Rosignoli, F. (439) 27)

4P-PDOT (4-phenyl-2-propionamidotetraline)

Constitutive activity; Melatonin MT₁ receptor (Erşahin, Ç. (439) 171)

Penile erection

Nitric oxide (NO); RhoA/Rho-kinase (Mills, T.M. (439) 173)

Periaqueductal grey

Nociception; Capsaicin; Glutamate (Palazzo, E. (439) 69)

Phloracetophenone

Bile acid; Cholesterol; Cholesterol 7 α -hydroxylase; (*Curcuma comosa*) (Piyachaturawat, P. (439) 141)

Platelet glycoprotein IIb/IIIa

Antagonist; Pro-aggregatory activity; Antithrombotic agent (Moritani, Y. (439) 43)

Prejunctional

BIIE0246; Neuropeptide Y Y₂ receptor; Sympathetic transmission (Malmström, R.E. (439) 113)

Pro-aggregatory activity

Platelet glycoprotein IIb/IIIa; Antagonist; Antithrombotic agent (Moritani, Y. (439) 43)

Prophylactic drug

5-HT₇ receptor; Migraine pathogenesis; 5-HT (5-hydroxytryptamine, serotonin) (Terrón, J.A. (439) 1)

Renal artery, rabbit

Endothelium; Diabetes; Nitric oxide (NO); 5-HT (5-hydroxytryptamine, serotonin); Cyclooxygenase (Miranda, F.J. (439) 121)

Repair

Cholecystokinin-B/gastrin receptor antagonist; Chondrocyte; Articular cartilage; Osteochondral defect; (Rabbit) (Nakanishi, T. (439) 135)

RhoA/Rho-kinase

Penile erection; Nitric oxide (NO) (Mills, T.M. (439) 173)

Sciatic nerve

Lidocaine; Tramadol; Sucrose-gap; Compound action potential; (Frog) (Mert, T. (439) 77)

Sephadex

Airway hyperreactivity; Neurokinin A; Substance P; Tachykinin receptor; Nepadutant; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Smooth muscle cell line

Angiotensin II; [Lys²]angiotensin II; Angiotensin II AT₁ receptor, recombinant; Tachyphylaxis; CHO cell line (França, L.P. (439) 13)

Substance P

Sephadex; Airway hyperreactivity; Neurokinin A; Tachykinin receptor; Nepadutant; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Sucrose-gap

Lidocaine; Tramadol; Compound action potential; Sciatic nerve; (Frog) (Mert, T. (439) 77)

Sympathetic transmission

BIIE0246; Neuropeptide Y Y₂ receptor; Prejunctional (Malmström, R.E. (439) 113)

Tachykinin receptor

Sephadex; Airway hyperreactivity; Neurokinin A; Substance P; Nepadutant; MEN 11467; Acetylcholine; Inflammatory cell; (Guinea-pig) (Tramontana, M. (439) 149)

Tachyphylaxis

Angiotensin II; [Lys²]angiotensin II; Angiotensin II AT₁ receptor, recombinant; CHO cell line; Smooth muscle cell line (França, L.P. (439) 13)

Titanocene Dichloride

Ehrlich ascites tumour; Metallocene; Myelopoiesis; Bis-cyclopentadienylditiocyanatetitanium (IV) (Valadares, M.C. (439) 35)

Tolerance

Nitroglycerin; CGRP (calcitonin gene-related peptide); *N*-acetylcysteine; Captopril (Zhou, Z.-H. (439) 129)

Tramadol

Lidocaine; Sucrose-gap; Compound action potential; Sciatic nerve; (Frog) (Mert, T. (439) 77)

TRFK5

Allergic rhinitis; Interleukin-5; Eosinophil (Yamasaki, M. (439) 159)

Vanilloid

Cannabinoid; Vanilloid VR1 receptor; Anandamide; Arvanil (Brooks, J.W. (439) 83)

Vanilloid VR1 receptor

Cannabinoid; Vanilloid; Anandamide; Arvanil (Brooks, J.W. (439) 83)

Withdrawal

Antiepileptic drug; Anxiety; Benzodiazepine; Keppra™; Levetiracetam (Lamberty, Y. (439) 101)