

Author index

- Abe, S., see Yasuda, N. (459) 159
- Aceto, M.D., see Breivogel, C.S. (459) 139
- Adinolfi, B., see Nieri, P. (459) 75
- Allan, A.M., see Carta, M. (459) 167
- Amano, Y., see Nakajima, M. (459) 113
- Andr n, P.E., see Klintenberg, R. (459) 231
- Aoki, K., Watanabe, K., Sato, M., Ikekita, M., Hakamatsuka, T. and Oikawa, T.
Effects of rhizoxin, a microbial angiogenesis inhibitor, on angiogenic endothelial cell functions (459) 131
- Arkan, O., see B y kaf ar, K. (459) 263
- Ark, M., see B y kaf ar, K. (459) 263
- Arts, J., see Klintenberg, R. (459) 231
- Asano, O., see Yasuda, N. (459) 159
- Astier, B., Lamb s Se as, L., Souli re, F., Schmitt, P., Urbain, N., Rentero, N., Bert, L., Denoroy, L., Renaud, B., Lesourd, M., Mu oz, C. and Chouvet, G.
In vivo comparison of two 5-HT_{1A} receptors agonists alnespirone (S-20499) and buspirone on locus coeruleus neuronal activity (459) 17
- Awabdy, D., Bryan-Lluka, L.J. and Wanstall, J.C.
5-Hydroxytryptamine and platelets: uptake and aggregation in hypoxic pulmonary hypertensive rats (459) 1
- Beletskaya, I.O., see Breivogel, C.S. (459) 139
- Bellintani, M.C., see Soares, M.B.P. (459) 107
- Bert, L., see Astier, B. (459) 17
- Breivogel, C.S., see Darmani, N.A. (459) 83
- Breivogel, C.S., Scates, S.M., Beletskaya, I.O., Lowery, O.B., Aceto, M.D. and Martin, B.R.
The effects of Δ^9 -tetrahydrocannabinol physical dependence on brain cannabinoid receptors (459) 139
- Breschi, M.C., see Nieri, P. (459) 75
- Bryan-Lluka, L.J., see Awabdy, D. (459) 1
- B rger, E., see Touret, N. (459) 151
- B y kaf ar, K., Levent, A.,  n,  ., Ark, M., Arkan, O. and  zveren, E.
Mediation of nitric oxide from photosensitive stores in the photo-relaxation of the rabbit corpus cavernosum (459) 263
- Calderone, V., see Nieri, P. (459) 75
- Carai, M.A.M., see Casu, M.A. (459) 97
- Carta, M., Allan, A.M., Partridge, L.D. and Valenzuela, C.F.
Cocaine inhibits 5-HT₃ receptor function in neurons from transgenic mice overexpressing the receptor (459) 167
- Casu, M.A., Porcella, A., Ruii, S., Saba, P., Marchese, G., Carai, M.A.M., Reali, R., Gessa, G.L. and Pani, L.
Differential distribution of functional cannabinoid CB₁ receptors in the mouse gastrointestinal tract (459) 97
- Chang, A.H., see King, M.A. (459) 203
- Chouvet, G., see Astier, B. (459) 17
- Climent, B., see Garc a-Villal n, A.L. (459) 247
- Counillon, L., see Touret, N. (459) 151
- Cowell, S.M., see Okura, T. (459) 9
- Crim, J.L., see Darmani, N.A. (459) 83
- Czepiel, K., see Filip, M. (459) 239
- Dahchour, A. and De Witte, P.
Excitatory and inhibitory amino acid changes during repeated episodes of ethanol withdrawal: an in vivo microdialysis study (459) 171
- D mmgen, J., see Touret, N. (459) 151
- Darmani, N.A., Sim-Selley, L.J., Martin, B.R., Janoyan, J.J., Crim, J.L., Parekh, B. and Breivogel, C.S.
Antiemetic and motor-depressive actions of CP55,940: cannabinoid CB₁ receptor characterization, distribution, and G-protein activation (459) 83
- DaSilva, J.N., see Schwartz, R.A. (459) 195
- De Witte, P., see Dahchour, A. (459) 171
- Denoroy, L., see Astier, B. (459) 17
- Di guez, G., see Garc a-Villal n, A.L. (459) 247
- Ding, J., see Tan, W.-f. (459) 255
- Egi, Y., see Nakajima, M. (459) 113
- Fern ndez, N., see Garc a-Villal n, A.L. (459) 247
- Filip, M., Papla, I., Nowak, E., Czepiel, K. and Przeglali ski, E.
Effects of 5-HT_{1B} receptor ligands microinjected into the ventral tegmental area on cocaine discrimination in rats (459) 239
- Fletcher, P.J., see Schwartz, R.A. (459) 195
- Fujimoto, S., Mori, M. and Tsushima, H.
Mechanisms underlying the hydrogen peroxide-induced, endothelium-independent relaxation of the norepinephrine-contraction in guinea-pig aorta (459) 65
- Gao, C., see Liu, S. (459) 27
- Gao, N., see Liu, S. (459) 27
- Gao, X., see Liu, S. (459) 27
- Garc a-Villal n, A.L., Sanz, E., Monge, L., Fern ndez, N., Mart nez, M.A., Climent, B. and Di guez, G.
Vascular reactivity to vasopressin during diabetes: gender and regional differences (459) 247
- Gessa, G.L., see Casu, M.A. (459) 97
- Godart, H., see Touret, N. (459) 151
- Goto, N., see Nakajima, M. (459) 113
- Greenwald, E.R., see Schwartz, R.A. (459) 195
- Gudka, B.D., see Vonhof, S. (459) 41
- Gunne, L., see Klintenberg, R. (459) 231
- Hakamatsuka, T., see Aoki, K. (459) 131
- Hama, A., Woon Lee, J. and Sagen, J.
Differential efficacy of intrathecal NMDA receptor antagonists on inflammatory mechanical and thermal hyperalgesia in rats (459) 49
- Harada, H., see Yasuda, N. (459) 159
- Hayashi, K., see Nakajima, M. (459) 113
- Hayashida, Y., see Miyamoto, O. (459) 179
- Hirakawa, H., see Miyamoto, O. (459) 179
- Holmes, A. and Rodgers, R.J.
Prior exposure to the elevated plus-maze sensitizes mice to the acute behavioral effects of fluoxetine and phenelzine (459) 221
- Horizoe, T., see Yasuda, N. (459) 159
- Hoshino, Y., see Yasuda, N. (459) 159
- Hosohata, Y., see Okura, T. (459) 9

- Houle, S., see Schwartz, R.A. (459) 195
 Hruby, V.J., see Okura, T. (459) 9
 Hu, H.-Z., see Liu, S. (459) 27
- Ikekita, M., see Aoki, K. (459) 131
 Inoue, T., see Yasuda, N. (459) 159
 Itano, T., see Miyamoto, O. (459) 179
- Janoyan, J.J., see Darmani, N.A. (459) 83
 Jansson, L., see Svensson, A.M. (459) 59
 Jongsma, M., see Klitenberg, R. (459) 231
- Kasai, H., see Miyamoto, O. (459) 179
 Katayama, K.-i., see Nakajima, M. (459) 113
 Kawata, T., see Yasuda, N. (459) 159
 King, M.A., Su, W., Nielan, C.L., Chang, A.H., Schütz, J., Schmidhammer, H. and Pasternak, G.W.
 14-Methoxymetopon, a very potent μ -opioid receptor-selective analgesic with an unusual pharmacological profile (459) 203
 Klitenberg, R., Arts, J., Jongsma, M., Wikström, H., Gunne, L. and Andén, P.E.
 Motor effects of a dopamine stabilizer (GMC1111) in primate models of Parkinson and hemiparkinsonism (459) 231
 Kobayashi, S., see Yasuda, N. (459) 159
 Kondo, T., see Nakajima, M. (459) 113
 Konishi, R., see Miyamoto, O. (459) 179
 Kurachi, M., see Uehara, T. (459) 211
 Kurata, K., see Uehara, T. (459) 211
- Lambás Señas, L., see Astier, B. (459) 17
 Lesourd, M., see Astier, B. (459) 17
 Levent, A., see Büyükaşar, K. (459) 263
 Li, M.-h., see Tan, W.-f. (459) 255
 Lin, L.-p., see Tan, W.-f. (459) 255
 Liu, Q., see Wang, Y. (459) 269
 Liu, S., Hu, H.-Z., Gao, C., Gao, N., Wang, G., Wang, X., Gao, X., Xia, Y. and Wood, J.D.
 Actions of cysteinyl leukotrienes in the enteric nervous system of guinea-pig stomach and small intestine (459) 27
 Lowery, O.B., see Breivogel, C.S. (459) 139
- Malizia, A.L., see Melichar, J.K. (459) 217
 Marchese, G., see Casu, M.A. (459) 97
 Martin, B.R., see Darmani, N.A. (459) 83
 Martin, B.R., see Breivogel, C.S. (459) 139
 Martínez, M.A., see García-Villalón, A.L. (459) 247
 Martinotti, E., see Nieri, P. (459) 75
 Melichar, J.K., Nutt, D.J. and Malizia, A.L.
 Naloxone displacement at opioid receptor sites measured in vivo in the human brain (459) 217
 Minami, H., see Yasuda, N. (459) 159
 Miyamoto, O., Tamae, K., Kasai, H., Hirakawa, H., Hayashida, Y., Konishi, R. and Itano, T.
 Suppression of hyperemia and DNA oxidation by indomethacin in cerebral ischemia (459) 179
 Monge, L., see García-Villalón, A.L. (459) 247
 Mori, M., see Fujimoto, S. (459) 65
 Mühlbauer, E. and Rommelspacher, H.
 Ethanol differently affects stress protein and HERG K^+ channel expression in SH-SY5Y cells (459) 121
 Muñoz, C., see Astier, B. (459) 17
 Murakami, M., see Yasuda, N. (459) 159
- Nagaoka, J., see Yasuda, N. (459) 159
 Nagase, H., see Okura, T. (459) 9
 Nagata, K., see Yasuda, N. (459) 159
- Nakajima, M., Hayashi, K., Katayama, K.-i., Amano, Y., Egi, Y., Uehata, M., Goto, N. and Kondo, T.
 Wf-536 prevents tumor metastasis by inhibiting both tumor motility and angiogenic actions (459) 113
 Nakamura, K., see Yokotani, K. (459) 187
 Navratilova, E., see Okura, T. (459) 9
 Nielan, C.L., see King, M.A. (459) 203
 Nieri, P., Martinotti, E., Testai, L., Adinolfi, B., Calderone, V. and Breschi, M.C.
 R(+)-methanandamide inhibits tracheal response to endogenously released acetylcholine via capsaizepine-sensitive receptors (459) 75
 Nowak, E., see Filip, M. (459) 239
 Nutt, D.J., see Melichar, J.K. (459) 217
- Oikawa, T., see Aoki, K. (459) 131
 Okada, S., see Yokotani, K. (459) 187
 Okura, T., Varga, E.V., Hosohata, Y., Navratilova, E., Cowell, S.M., Rice, K., Nagase, H., Hruby, V.J., Roeske, W.R. and Yamamura, H.I.
 Agonist-specific down-regulation of the human δ -opioid receptor (459) 9
 Özveren, E., see Büyükaşar, K. (459) 263
- Pani, L., see Casu, M.A. (459) 97
 Papla, I., see Filip, M. (459) 239
 Parekh, B., see Darmani, N.A. (459) 83
 Partridge, L.D., see Carta, M. (459) 167
 Pasternak, G.W., see King, M.A. (459) 203
 Porcella, A., see Casu, M.A. (459) 97
 Przeglasiński, E., see Filip, M. (459) 239
- Reali, R., see Casu, M.A. (459) 97
 Renaud, B., see Astier, B. (459) 17
 Rentero, N., see Astier, B. (459) 17
 Ribeiro dos Santos, R., see Soares, M.B.P. (459) 107
 Ribeiro, I.M., see Soares, M.B.P. (459) 107
 Rice, K., see Okura, T. (459) 9
 Rodgers, R.J., see Holmes, A. (459) 221
 Roeske, W.R., see Okura, T. (459) 9
 Rommelspacher, H., see Mühlbauer, E. (459) 121
 Ruii, S., see Casu, M.A. (459) 97
- Saba, P., see Casu, M.A. (459) 97
 Sagen, J., see Hama, A. (459) 49
 Sandler, S., see Svensson, A.M. (459) 59
 Sanz, E., see García-Villalón, A.L. (459) 247
 Sato, M., see Aoki, K. (459) 131
 Scates, S.M., see Breivogel, C.S. (459) 139
 Schmidhammer, H., see King, M.A. (459) 203
 Schmitt, P., see Astier, B. (459) 17
 Schütz, J., see King, M.A. (459) 203
 Schwartz, R.A., Greenwald, E.R., Fletcher, P.J., Houle, S. and DaSilva, J.N.
 Up-regulated dopamine D1 receptor binding can be detected in vivo following repeated SCH 23390, but not SKF 81297 or 6-hydroxydopamine, treatments (459) 195
 Seidler, R., see Touret, N. (459) 151
 Sim-Selley, L.J., see Darmani, N.A. (459) 83
 Sirén, A.-L., see Vonhof, S. (459) 41
 Soares, M.B.P., Bellintani, M.C., Ribeiro, I.M., Tomassini, T.C.B. and Ribeiro dos Santos, R.
 Inhibition of macrophage activation and lipopolysaccharide-induced death by seco-steroids purified from *Physalis angulata* L. (459) 107
 Soulière, F., see Astier, B. (459) 17
 Su, W., see King, M.A. (459) 203
 Sumiyoshi, T., see Uehara, T. (459) 211
 Svensson, A.M., Sandler, S. and Jansson, L.
 Role of superoxide anion in pancreatic islet blood flow regulation in anesthetized rats (459) 59

- Taki, N., see Touret, N. (459) 151
- Tamae, K., see Miyamoto, O. (459) 179
- Tan, W.-f., Lin, L.-p., Li, M.-h., Zhang, Y.-X., Tong, Y.-g., Xiao, D. and Ding, J.
Quercetin, a dietary-derived flavonoid, possesses antiangiogenic potential (459) 255
- Tanaka, I., see Yasuda, N. (459) 159
- Tanneur, V., see Touret, N. (459) 151
- Testai, L., see Nieri, P. (459) 75
- Thorlacius, H., see Wang, Y. (459) 269
- Tomassini, T.C.B., see Soares, M.B.P. (459) 107
- Tong, Y.-g., see Tan, W.-f. (459) 255
- Touret, N., Tanneur, V., Godart, H., Seidler, R., Taki, N., Bürger, E., Dämmgen, J. and Counillon, L.
Characterization of sabiporide, a new specific NHE-1 inhibitor exhibiting slow dissociation kinetics and cardioprotective effects (459) 151
- Tsushima, H., see Fujimoto, S. (459) 65
- Uehara, T., Kurata, K., Sumiyoshi, T. and Kurachi, M.
Immobilization stress-induced increment of lactate metabolism in the basolateral amygdaloid nucleus is attenuated by diazepam in the rat (459) 211
- Uehata, M., see Nakajima, M. (459) 113
- Ün, İ., see Büyükaşar, K. (459) 263
- Urbain, N., see Astier, B. (459) 17
- Valenzuela, C.F., see Carta, M. (459) 167
- Varga, E.V., see Okura, T. (459) 9
- Vonhof, S., Gudka, B.D. and Sirén, A.-L.
Tolerance and dependence following chronic intracerebroventricular infusions of Tyr-D-Arg²-Phe-Sar⁴ (TAPS) (459) 41
- Wang, G., see Liu, S. (459) 27
- Wang, X., see Liu, S. (459) 27
- Wang, Y., Liu, Q. and Thorlacius, H.
Docosahexaenoic acid inhibits cytokine-induced expression of P-selectin and neutrophil adhesion to endothelial cells (459) 269
- Wanstall, J.C., see Awabdy, D. (459) 1
- Watanabe, K., see Aoki, K. (459) 131
- Wikström, H., see Klintenberg, R. (459) 231
- Wood, J.D., see Liu, S. (459) 27
- Woon Lee, J., see Hama, A. (459) 49
- Xia, Y., see Liu, S. (459) 27
- Xiao, D., see Tan, W.-f. (459) 255
- Yamamura, H.I., see Okura, T. (459) 9
- Yasuda, N., Inoue, T., Horizoe, T., Nagata, K., Minami, H., Kawata, T., Hoshino, Y., Harada, H., Yoshikawa, S., Asano, O., Nagaoka, J., Murakami, M., Abe, S., Kobayashi, S. and Tanaka, I.
Functional characterization of the adenosine receptor contributing to glycogenolysis and gluconeogenesis in rat hepatocytes (459) 159
- Yokotani, K., Nakamura, K. and Okada, S.
Prostanoid EP₃ and TP receptors-mediated inhibition of noradrenaline release from the isolated rat stomach (459) 187
- Yoshikawa, S., see Yasuda, N. (459) 159
- Zhang, Y.-X., see Tan, W.-f. (459) 255