

Author index

- Aiyar, N.V., see Behm, D.J. (492) 113
 Ambrosio, S.R., see Tirapelli, C.R. (492) 233
 Araki, S., see Toyosawa, T. (492) 273
- Badier-Commander, C., see Simonet, S. (492) 211
 Bawankule, D.U., see Dudhgaonkar, S.P. (492) 117
 Behm, D.J., Herold, C.L., Camarda, V., Aiyar, N.V. and Douglas, S.A.
 Differential agonistic and antagonistic effects of the urotensin-II ligand
 SB-710411 at rodent and primate UT receptors (492) 113
 Behr-Roussel, D., see Simonet, S. (492) 211
 Bielawska, A., see Sienkiewicz, P. (492) 95
 Bielawski, K., see Sienkiewicz, P. (492) 95
 Boni, C., see David, D.J. (492) 41
 Böttiger, Y., see Bulka, A. (492) 27
 Bowen, W.D., see Matsumoto, R.R. (492) 21
 Brading, A.F., see Deka, D.K. (492) 13
 Brixius, K., see Hambarchian, N. (492) 225
 Bulka, A., Kouya, P.F., Böttiger, Y., Svensson, J.-O., Xu, X.-J. and
 Wiesenfeld-Hallin, Z.
 Comparison of the antinociceptive effect of morphine, methadone,
 buprenorphine and codeine in two substrains of Sprague–Dawley rats
 (492) 27
- Camarda, V., see Behm, D.J. (492) 113
 Caputi, A.P., see Di Paola, R. (492) 203
 Carai, M.A.M., see Colombo, G. (492) 189
 Celly, C., see House, A. (492) 251
 Chapman, R.W., see House, A. (492) 251
 Cho, J.Y., Kim, A.R., Jung, J.H., Chun, T., Rhee, M.H. and Yoo, E.S.
 Cytotoxic and pro-apoptotic activities of cynaropicrin, a sesquiterpene
 lactone, on the viability of leukocyte cancer cell lines (492) 85
 Chun, T., see Cho, J.Y. (492) 85
 Colombo, G., Serra, S., Vacca, G., Gessa, G.L. and Carai, M.A.M.
 Suppression by baclofen of the stimulation of alcohol intake induced by
 morphine and WIN 55,212-2 in alcohol-preferring rats (492) 189
 Contet, C., Matifas, A. and Kieffer, B.L.
 No evidence for G-protein-coupled epsilon receptor in the brain of triple
 opioid receptor knockout mouse (492) 131
 Coop, A., see Matsumoto, R.R. (492) 21
 Corll, C., see Zhang, Y. (492) 71
 Coumailleau, S., see Simonet, S. (492) 211
 Coutinho, S.T., see Tirapelli, C.R. (492) 233
 Cuzzocrea, S., see Di Paola, R. (492) 203
- Da Costa, F.B., see Tirapelli, C.R. (492) 233
 D'Aquila, P.S., Panin, F. and Serra, G.
 Long-term imipramine withdrawal induces a depressive-like behaviour
 in the forced swimming test (492) 61
 David, D.J., Froger, N., Guiard, B., Przybylski, C., Jego, G., Boni, C.,
 Hunt, S.P., De Felipe, C., Hamon, M., Jacquot, C., Gardier, A.M. and
 Lanfumey, L.
 Serotonin transporter in substance P (neurokinin 1) receptor knock-out
 mice (492) 41
 De Felipe, C., see David, D.J. (492) 41
 De Novellis, V., see Palazzo, E. (492) 169
- De Oliveira, A.M., see Tirapelli, C.R. (492) 233
 De Oliveira, D.C.R., see Tirapelli, C.R. (492) 233
 Deka, D.K. and Brading, A.F.
 Nitric oxide activates glibenclamide-sensitive K⁺ channels in urinary
 bladder myocytes through a c-GMP-dependent mechanism (492) 13
 Devi, A.R., see Dudhgaonkar, S.P. (492) 117
 Dewey, W.L., see Smith, F.L. (492) 137
 Dewey, W.L., see Javed, R.R. (492) 149
 Di Marzo, V., see Fowler, C.J. (492) 1
 Di Paola, R., Genovese, T., Caputi, A.P., Threadgill, M., Thiemermann, C.
 and Cuzzocrea, S.
 Beneficial effects of 5-aminoisoquinolinone, a novel, potent, water-
 soluble, inhibitor of poly (ADP-ribose) polymerase, in a rat model of
 splanchnic artery occlusion and reperfusion (492) 203
 Douglas, S.A., see Behm, D.J. (492) 113
 Dudhgaonkar, S.P., Kumar, D., Naik, A., Devi, A.R., Bawankule, D.U. and
 Tandan, S.K.
 Interaction of inducible nitric oxide synthase and cyclooxygenase-2
 inhibitors in formalin-induced nociception in mice (492) 117
- Egan, R.W., see House, A. (492) 251
 El Bardai, S., Hamaide, M.-C., Lyoussi, B., Quetin-Leclercq, J., Morel, N.
 and Wibo, M.
 Marrubenol interacts with the phenylalkylamine binding site of the
 L-type calcium channel (492) 269
 Endoh, M., see Yomogida, S.-i. (492) 217
- Fleck, M.W., see Pace, C.J. (492) 159
 Fleckenstein, A.E., see Truong, J.G. (492) 143
 Flores-Murrieta, F.J., see Granados-Soto, V. (492) 35
 Fowler, C.J., Tiger, G., Ligresti, A., López-Rodríguez, M.L. and
 Di Marzo, V.
 Selective inhibition of anandamide cellular uptake versus enzymatic
 hydrolysis—a difficult issue to handle (492) 1
 Froger, N., see David, D.J. (492) 41
 Fujimori, A., see Yuyama, H. (492) 177
 Fujiyasu, N., see Yuyama, H. (492) 177
- Gardier, A.M., see David, D.J. (492) 41
 Genovese, R., see Palazzo, E. (492) 169
 Genovese, T., see Di Paola, R. (492) 203
 Gessa, G.L., see Colombo, G. (492) 189
 Gilbert, A.-K., Hosztafi, S., Mahurter, L. and Pasternak, G.W.
 Pharmacological characterization of dihydromorphine, 6-acetyldihy-
 dromorphine and dihydroheroin analgesia and their differentiation from
 morphine (492) 123
 Gilmore, D.L., see Matsumoto, R.R. (492) 21
 Glick, S.D., see Pace, C.J. (492) 159
 Granados-Soto, V., Terán-Rosales, F., Rocha-González, H.I., Reyes-García,
 G., Medina-Santillán, R., Rodríguez-Silverio, J. and Flores-Murrieta,
 F.J.
 Riboflavin reduces hyperalgesia and inflammation but not tactile
 allodynia in the rat (492) 35
 Guiard, B., see David, D.J. (492) 41

- Hamaide, M.-C., see El Bardai, S. (492) 269
- Hambarchian, N., Brixius, K., Lu, R., Müller-Ehmsen, J. and Schwinger, R.H.G.
Ouabain increases myofibrillar Ca^{2+} sensitivity but does not influence the Ca^{2+} release in human skinned fibres (492) 225
- Hamon, M., see David, D.J. (492) 41
- Hanson, G.R., see Truong, J.G. (492) 143
- Hatanaka, T., see Ohtake, A. (492) 243
- He, L.-W., see Pace, C.J. (492) 159
- Herold, C.L., see Behm, D.J. (492) 113
- Hey, J.A., see House, A. (492) 251
- Ho, C.-M., see Peng, S.-C. (492) 49
- Ho, S.-T., see Peng, S.-C. (492) 49
- Hogg, S., see Overstreet, D.H. (492) 195
- Horinouchi, T., see Koike, K. (492) 65
- Hosztafi, S., see Gilbert, A.-K. (492) 123
- House, A., Celly, C., Skeans, S., Lamca, J., Egan, R.W., Hey, J.A. and Chapman, R.W.
Cough reflex in allergic dogs (492) 251
- Hunt, S.P., see David, D.J. (492) 41
- Ikeda, K., see Ohtake, A. (492) 243
- Ishibashi, T., see Yoshida, J. (492) 103
- Ishii, K., see Yomogida, S.-i. (492) 217
- Jacquot, C., see David, D.J. (492) 41
- Janssen, P., Tack, J., Sifrim, D., Meulemans, A.L. and Lefebvre, R.A.
Influence of 5-HT₁ receptor agonists on feline stomach relaxation (492) 259
- Javed, R.R., Dewey, W.L., Smith, P.A. and Smith, F.L.
PKC and PKA inhibitors reverse tolerance to morphine-induced hypothermia and supraspinal analgesia in mice (492) 149
- Javed, R.R., see Smith, F.L. (492) 137
- Jego, G., see David, D.J. (492) 41
- Jokiel, P.A., see Pace, C.J. (492) 159
- Jung, J.H., see Cho, J.Y. (492) 85
- Kausar, A., see Matsumoto, R.R. (492) 21
- Keeney, A., see Overstreet, D.H. (492) 195
- Kieffer, B.L., see Contet, C. (492) 131
- Kim, A.R., see Cho, J.Y. (492) 85
- Koakutsu, A., see Yuyama, H. (492) 177
- Kobayashi, S., see Ohtake, A. (492) 243
- Kodama, K., see Toyosawa, T. (492) 273
- Koike, K., Yamashita, Y., Horinouchi, T., Yamaki, F. and Tanaka, Y.
cAMP-independent mechanism is significantly involved in β_2 -adrenoceptor-mediated tracheal relaxation (492) 65
- Kouya, P.F., see Bulka, A. (492) 27
- Kuehne, M.E., see Pace, C.J. (492) 159
- Kumar, D., see Dudhgaonkar, S.P. (492) 117
- Lamca, J., see House, A. (492) 251
- Lanfume, L., see David, D.J. (492) 41
- Lefebvre, R.A., see Janssen, P. (492) 259
- Legutko, B., see Nowak, G. (492) 57
- Ligresti, A., see Fowler, C.J. (492) 1
- López-Rodríguez, M.L., see Fowler, C.J. (492) 1
- Lu, R., see Hambarchian, N. (492) 225
- Lyoussi, B., see El Bardai, S. (492) 269
- Mahurter, L., see Gilbert, A.-K. (492) 123
- Maione, S., see Palazzo, E. (492) 169
- Maisonnette, I.M., see Pace, C.J. (492) 159
- Mamiya, T., see Ukai, M. (492) 183
- Marabese, I., see Palazzo, E. (492) 169
- Mariani, L., see Palazzo, E. (492) 169
- Martin, R.J., see Zhang, Y. (492) 71
- Maruya, J., see Yomogida, S.-i. (492) 217
- Matifas, A., see Contet, C. (492) 131
- Matsumoto, R.R., Gilmore, D.L., Pouw, B., Bowen, W.D., Williams, W., Kausar, A. and Coop, A.
Novel analogs of the σ receptor ligand BD1008 attenuate cocaine-induced toxicity in mice (492) 21
- Medina-Santillán, R., see Granados-Soto, V. (492) 35
- Meulemans, A.L., see Janssen, P. (492) 259
- Miyata, K., see Yuyama, H. (492) 177
- Miyata, K., see Ohtake, A. (492) 243
- Morel, N., see El Bardai, S. (492) 269
- Müller-Ehmsen, J., see Hambarchian, N. (492) 225
- Naik, A., see Dudhgaonkar, S.P. (492) 117
- Nishio, M., see Yoshida, J. (492) 103
- Norota, I., see Yomogida, S.-i. (492) 217
- Nowak, G., Legutko, B., Szewczyk, B., Papp, M., Sanak, M. and Pilc, A.
Zinc treatment induces cortical brain-derived neurotrophic factor gene expression (492) 57
- Ohtake, A., Ukai, M., Hatanaka, T., Kobayashi, S., Ikeda, K., Sato, S., Miyata, K. and Sasamata, M.
In vitro and in vivo tissue selectivity profile of solifenacin succinate (YM905) for urinary bladder over salivary gland in rats (492) 243
- Okuda, A., see Ukai, M. (492) 183
- Overstreet, D.H., Keeney, A. and Hogg, S.
Antidepressant effects of citalopram and CRF receptor antagonist CP-154,526 in a rat model of depression (492) 195
- Pace, C.J., Glick, S.D., Maisonnette, I.M., He, L.-W., Jokiel, P.A., Kuehne, M.E. and Fleck, M.W.
Novel *iboga* alkaloid congeners block nicotinic receptors and reduce drug self-administration (492) 159
- Pałka, J., see Sienkiewicz, P. (492) 95
- Palazzo, E., Genovese, R., Mariani, L., Siniscalco, D., Marabese, I., de Novellis, V., Rossi, F. and Maione, S.
Metabotropic glutamate receptor 5 and dorsal raphe serotonin release in inflammatory pain in rat (492) 169
- Panin, F., see D'Aquila, P.S. (492) 61
- Papp, M., see Nowak, G. (492) 57
- Pasternak, G.W., see Gilbert, A.-K. (492) 123
- Peng, S.-C., Ho, C.-M., Ho, S.-T., Tsai, S.-K. and Su, C.-K.
The role of intraspinal adenosine A₁ receptors in sympathetic regulation (492) 49
- Pilc, A., see Nowak, G. (492) 57
- Porter, J.R., see Zhang, Y. (492) 71
- Pouw, B., see Matsumoto, R.R. (492) 21
- Przybylski, C., see David, D.J. (492) 41
- Quetin-Leclercq, J., see El Bardai, S. (492) 269
- Reyes-García, G., see Granados-Soto, V. (492) 35
- Rhee, M.H., see Cho, J.Y. (492) 85
- Roane, D.S., see Zhang, Y. (492) 71
- Rocha-González, H.I., see Granados-Soto, V. (492) 35
- Rodríguez-Silverio, J., see Granados-Soto, V. (492) 35
- Rossi, F., see Palazzo, E. (492) 169
- Rupin, A., see Simonet, S. (492) 211
- Sanak, M., see Nowak, G. (492) 57
- Sasamata, M., see Yuyama, H. (492) 177
- Sasamata, M., see Ohtake, A. (492) 243
- Sato, S., see Yuyama, H. (492) 177
- Sato, S., see Ohtake, A. (492) 243
- Schwinger, R.H.G., see Hambarchian, N. (492) 225
- Serra, G., see D'Aquila, P.S. (492) 61
- Serra, S., see Colombo, G. (492) 189

- Shibasaki, K., see Yuyama, H. (492) 177
- Sienkiewicz, P., Bielawski, K., Bielawska, A. and Pałka, J.
Amidine analogue of chlorambucil is a stronger inhibitor of protein and DNA synthesis in breast cancer MCF-7 cells than is the parent drug (492) 95
- Sifrim, D., see Janssen, P. (492) 259
- Simonet, S., Rupin, A., Badier-Commander, C., Coumaillieu, S., Behr-Roussel, D. and Verbeuren, T.J.
Evidence for superoxide anion generation in aortas of cholesterol-fed rabbits treated with L-arginine (492) 211
- Siniscalco, D., see Palazzo, E. (492) 169
- Skeans, S., see House, A. (492) 251
- Smith, F.L., Smith, P.A., Dewey, W.L. and Javed, R.R.
Effects of mGlu₁ and mGlu₅ metabotropic glutamate antagonists to reverse morphine tolerance in mice (492) 137
- Smith, F.L., see Javed, R.R. (492) 149
- Smith, P.A., see Smith, F.L. (492) 137
- Smith, P.A., see Javed, R.R. (492) 149
- Su, C.-K., see Peng, S.-C. (492) 49
- Sudoh, K., see Yuyama, H. (492) 177
- Suzuki, M., see Toyosawa, T. (492) 273
- Svensson, J.-O., see Bulka, A. (492) 27
- Szewczyk, B., see Nowak, G. (492) 57
- Tack, J., see Janssen, P. (492) 259
- Tanahashi, M., see Yuyama, H. (492) 177
- Tanaka, S., see Yuyama, H. (492) 177
- Tanaka, Y., see Koike, K. (492) 65
- Tandan, S.K., see Dudhgaonkar, S.P. (492) 117
- Terán-Rosales, F., see Granados-Soto, V. (492) 35
- Thiemermann, C., see Di Paola, R. (492) 203
- Threadgill, M., see Di Paola, R. (492) 203
- Tiger, G., see Fowler, C.J. (492) 1
- Tirapelli, C.R., Ambrosio, S.R., da Costa, F.B., Coutinho, S.T., de Oliveira, D.C.R. and de Oliveira, A.M.
Analysis of the mechanisms underlying the vasorelaxant action of kaurenoic acid in the isolated rat aorta (492) 233
- Toyosawa, T., Suzuki, M., Kodama, K. and Araki, S.
Effects of intravenous infusion of highly purified vitamin B₂ on lipopolysaccharide-induced shock and bacterial infection in mice (492) 273
- Truong, J.G., Hanson, G.R. and Fleckenstein, A.E.
Apomorphine increases vesicular monoamine transporter-2 function: implications for neurodegeneration (492) 143
- Tsai, S.-K., see Peng, S.-C. (492) 49
- Ukai, M., Okuda, A. and Mamiya, T.
Effects of anticholinergic drugs selective for muscarinic receptor subtypes on prepulse inhibition in mice (492) 183
- Ukai, M., see Ohtake, A. (492) 243
- Vacca, G., see Colombo, G. (492) 189
- Verbeuren, T.J., see Simonet, S. (492) 211
- Wibo, M., see El Bardai, S. (492) 269
- Wiesenfeld-Hallin, Z., see Bulka, A. (492) 27
- Williams, W., see Matsumoto, R.R. (492) 21
- Xu, X.-J., see Bulka, A. (492) 27
- Yamaki, F., see Koike, K. (492) 65
- Yamashita, Y., see Koike, K. (492) 65
- Yomogida, S.-i., Maruya, J., Norota, I., Ishii, K. and Endoh, M.
Differential inhibition by TAK-044 of the inotropic effects of endothelin-1 and endothelin-3 (492) 217
- Yoo, E.S., see Cho, J.Y. (492) 85
- Yoshida, J., Ishibashi, T. and Nishio, M.
Antitumor effects of amlodipine, a Ca²⁺ channel blocker, on human epidermoid carcinoma A431 cells in vitro and in vivo (492) 103
- Yuyama, H., Koakutsu, A., Fujiyasu, N., Tanahashi, M., Fujimori, A., Sato, S., Shibasaki, K., Tanaka, S., Sudoh, K., Sasamata, M. and Miyata, K.
Effects of selective endothelin ET_A receptor antagonists on endothelin-1-induced potentiation of cancer pain (492) 177
- Zhang, Y., Zhou, J., Corll, C., Porter, J.R., Martin, R.J. and Roane, D.S.
Evidence for hypothalamic K_{ATP}⁺ channels in the modulation of glucose homeostasis (492) 71
- Zhou, J., see Zhang, Y. (492) 71