

Author index

- Aas, P., see Øydvín, O.K. (516) 227
- Adachi, S., see Hamahata, K. (516) 187
- Adell, A., see Amargós-Bosch, M. (516) 235
- Aiyar, N.V., see Behm, D.J. (516) 276
- Akagi, M., see Zhai, H. (516) 112
- Akiba, S., see Hamahata, K. (516) 187
- Altamura, M., see Meini, S. (516) 104
- Amargós-Bosch, M., Artigas, F. and Adell, A.
Effects of acute olanzapine after sustained fluoxetine on extracellular monoamine levels in the rat medial prefrontal cortex (516) 235
- Amemiya, S., Kamiya, T., Nito, C., Inaba, T., Kato, K., Ueda, M., Shimazaki, K. and Katayama, Y.
Anti-apoptotic and neuroprotective effects of edaravone following transient focal ischemia in rats (516) 125
- Antkiewicz-Michaluk, L., see Tatarczyńska, E. (516) 46
- Ao, Z., see Behm, D.J. (516) 276
- Arai, I., see Takaoka, A. (516) 180
- Arras, M., see Lambert, S. (516) 23
- Artigas, F., see Amargós-Bosch, M. (516) 235
- Asproni, B., see Mascia, M.P. (516) 204
- Balásperi, L., see Molnár, A. (516) 174
- Barsante, M.M., Roffè, E., Yokoro, C.M., Tafuri, W.L., Souza, D.G., Pinho, V., Castro, M.S.D.A. and Teixeira, M.M.
Anti-inflammatory and analgesic effects of atorvastatin in a rat model of adjuvant-induced arthritis (516) 282
- Behm, D.J., Ao, Z., Camarda, V., Aiyar, N.V., Johns, D.G. and Douglas, S.A.
Inhibitory effects of putative peptidic urotensin-II receptor antagonists on urotensin-II-induced contraction of cat isolated respiratory smooth muscle (516) 276
- Bellucci, F., see Meini, S. (516) 104
- Beranova, P., Chalupsky, K., Kleschyov, A.L., Schott, C., Boucher, J.-L., Mansuy, D., Munzel, T., Muller, B. and Stoclet, J.-C.
N^ω-hydroxy-L-arginine homologues and hydroxylamine as nitric oxide-dependent vasorelaxant agents (516) 260
- Berges, A., Van Nassauw, L., Timmermans, J.-P. and Vrints, C.
Role of nitric oxide during coronary endothelial dysfunction after myocardial infarction (516) 60
- Berkó, A., see Molnár, A. (516) 174
- Berti, F., see De Gennaro Colonna, V. (516) 253
- Beskid, S., see Mrnka, L. (516) 268
- Bianchi, M., see De Gennaro Colonna, V. (516) 253
- Biggio, G., see Mascia, M.P. (516) 204
- Bjerrum, O.J., see Rode, F. (516) 131
- Blackburn-Munro, G., see Rode, F. (516) 131
- Bøkenes, J., see Qvigstad, E. (516) 51
- Bolego, C., see Pinna, C. (516) 71
- Bonomo, S., see De Gennaro Colonna, V. (516) 253
- Borowicz, K.K. and Czuczwar, S.J.
Influence of aminoglutethimide and spironolactone on the efficacy of carbamazepine and diphenylhydantoin against amygdala-kindled seizures in rats (516) 212
- Boterman, M., Elzinga, C.R.S., Wagemakers, D., Eppens, P.B., Zaagsma, J. and Meurs, H.
Potentiation of β -adrenoceptor function in bovine tracheal smooth muscle by inhibition of protein kinase C (516) 85
- Boucher, J.-L., see Beranova, P. (516) 260
- Britti, D., see Di Paola, R. (516) 151
- Bryndová, J., see Mrnka, L. (516) 268
- Bueno, C.H., Zangrossi Jr., H., Nogueira, R.L., Soares, V.P. and Viana, M.B.
Panicytic-like effect induced by the stimulation of GABA_A and GABA_B receptors in the dorsal periaqueductal grey of rats (516) 239
- Busonero, F., see Mascia, M.P. (516) 204
- Camarda, V., see Behm, D.J. (516) 276
- Cao, E.-H., see Zhang, Y. (516) 1
- Castro, M.S.D.A., see Barsante, M.M. (516) 282
- Catalani, C., see Meini, S. (516) 104
- Cerri, R., see Mascia, M.P. (516) 204
- Chalupsky, K., see Beranova, P. (516) 260
- Chen, P.-S., see Liu, C.-T. (516) 165
- Chojnacka-Wójcik, E., see Tatarczyńska, E. (516) 46
- Cignarella, A., see Pinna, C. (516) 71
- Cucchi, P., see Meini, S. (516) 104
- Cuthbert, A., see Murthy, M. (516) 118
- Cuzzocrea, S., see Di Paola, R. (516) 151
- Czuczwar, S.J., see Borowicz, K.K. (516) 212
- Dattola, F., see Di Paola, R. (516) 151
- De Gennaro Colonna, V., Rigamonti, A., Fioretti, S., Bonomo, S., Manfredi, B., Ferrario, P., Bianchi, M., Berti, F., Muller, E.E. and Rossoni, G.
Angiotensin-converting enzyme inhibition and angiotensin AT₁-receptor antagonism equally improve endothelial vasodilator function in L-NAME-induced hypertensive rats (516) 253
- De Majo, M., see Di Paola, R. (516) 151
- Di Paola, R., Mazzon, E., Rotondo, F., Dattola, F., Britti, D., De Majo, M., Genovese, T. and Cuzzocrea, S.
Reduced development of experimental periodontitis by treatment with M40403, a superoxide dismutase mimetic (516) 151
- Douglas, S.A., see Behm, D.J. (516) 276
- Elmedal, B., Mulvany, M.J. and Simonsen, U.
Dual impact of a nitric oxide donor, GEA 3175, in human pulmonary smooth muscle (516) 78
- Elzinga, C.R.S., see Boterman, M. (516) 85
- Eppens, P.B., see Boterman, M. (516) 85
- Ferrario, P., see De Gennaro Colonna, V. (516) 253
- Fioretti, S., see De Gennaro Colonna, V. (516) 253
- Fukuyama, Y., see Zhai, H. (516) 112
- Gálfi, M., see Molnár, A. (516) 174
- Galletta, L., see Murthy, M. (516) 118

- Genovese, T., see Di Paola, R. (516) 151
- Giolitti, A., see Meini, S. (516) 104
- Giuliani, S., see Meini, S. (516) 104
- Gonzalez de Aguilar, J.-L., see Jover, E. (516) 197
- Gorzalka, B.B., Hill, M.N. and Sun, J.C.
Functional role of the endocannabinoid system and AMPA/kainate receptors in 5-HT_{2A} receptor-mediated wet dog shakes (516) 28
- Guidi, A., see Meini, S. (516) 104
- Hamahata, K., Adachi, S., Matsubara, H., Okada, M., Imai, T., Watanabe, K.-i., Toyokuni, S.-y., Ueno, M., Wakabayashi, S., Katanosaka, Y., Akiba, S., Kubota, M. and Nakahata, T.
Mitochondrial dysfunction is related to necrosis-like programmed cell death induced by A23187 in CEM cells (516) 187
- Handley, S.L., see MacInnes, N. (516) 139
- Henry, B., see Jonkman, S. (516) 40
- Hill, M.N., see Gorzalka, B.B. (516) 28
- Hse, H., see Liu, C.-T. (516) 165
- Imai, T., see Hamahata, K. (516) 187
- Inaba, T., see Amemiya, S. (516) 125
- Inoue, T., see Kitaichi, Y. (516) 219
- Izumi, T., see Kitaichi, Y. (516) 219
- Jensen, D.G., see Rode, F. (516) 131
- Johns, D.G., see Behm, D.J. (516) 276
- Jonkman, S., Henry, B., Semenova, S. and Markou, A.
Mild anxiogenic effects of nicotine withdrawal in mice (516) 40
- Jover, E., Gonzalez de Aguilar, J.-L., Luu, B. and Lutz-Bucher, B.
Effect of a cyclohexenonic long-chain fatty alcohol on calcium mobilization (516) 197
- Kamiya, T., see Amemiya, S. (516) 125
- Katanosaka, Y., see Hamahata, K. (516) 187
- Katayama, Y., see Amemiya, S. (516) 125
- Kato, K., see Amemiya, S. (516) 125
- Katsuragi, T., see Morishita, H. (516) 145
- Kita, S., see Morishita, H. (516) 145
- Kitaichi, Y., Inoue, T., Nakagawa, S., Izumi, T. and Koyama, T.
Effect of milnacipran on extracellular monoamine concentrations in the medial prefrontal cortex of rats pre-treated with lithium (516) 219
- Kleschyov, A.L., see Beranova, P. (516) 260
- Kłodzińska, A., see Tatarczyńska, E. (516) 46
- Kogo, H., see Sakurai, T. (516) 158
- Kovar, K.-A., see Lebsanft, H.B. (516) 34
- Koyama, T., see Kitaichi, Y. (516) 219
- Kubota, M., see Hamahata, K. (516) 187
- Lambert, S., Arras, M., Vogt, K.E. and Rudolph, U.
Isoflurane-induced surgical tolerance mediated only in part by β 3-containing GABA_A receptors (516) 23
- László, F., see Molnár, A. (516) 174
- László, F.A., see Molnár, A. (516) 174
- Lau, A.H.Y., Ngan, M.-P., Rudd, J.A. and Yew, D.T.W.
Differential action of domperidone to modify emesis and behaviour induced by apomorphine in the ferret (516) 247
- Lebsanft, H.B., Kovar, K.-A. and Schmidt, W.J.
3,4-Methylenedioxymethamphetamine and naloxone in rat rotational behaviour and open field (516) 34
- Lii, C.-K., see Liu, C.-T. (516) 165
- Liu, C.-T., Hse, H., Lii, C.-K., Chen, P.-S. and Sheen, L.-Y.
Effects of garlic oil and diallyl trisulfide on glycemic control in diabetic rats (516) 165
- Lutz-Bucher, B., see Jover, E. (516) 197
- Luu, B., see Jover, E. (516) 197
- MacInnes, N. and Handley, S.L.
Autoradiographic localisation of [³H]2-BFI imidazoline I₂ binding sites in mouse brain (516) 139
- Maciocco, E., see Mascia, M.P. (516) 204
- MacVinish, L., see Murthy, M. (516) 118
- Maggi, C.A., see Meini, S. (516) 104
- Manfredi, B., see De Gennaro Colonna, V. (516) 253
- Mansuy, D., see Beranova, P. (516) 260
- Mareš, P., see Šlamberová, R. (516) 10
- Markou, A., see Jonkman, S. (516) 40
- Martínez-Poveda, B., Quesada, A.R. and Medina, M.Á.
Hypericin in the dark inhibits key steps of angiogenesis in vitro (516) 97
- Mascia, M.P., Asproni, B., Busonero, F., Talani, G., Maciocco, E., Pau, A., Cerri, R., Sanna, E. and Biggio, G.
Ethyl 2-(4-bromophenyl)-1-(2,4-dichlorophenyl)-1H-4-imidazolecarboxylate is a novel positive modulator of GABA_A receptors (516) 204
- Matsubara, H., see Hamahata, K. (516) 187
- Mazzon, E., see Di Paola, R. (516) 151
- Medina, M.Á., see Martínez-Poveda, B. (516) 97
- Meini, S., Catalani, C., Bellucci, F., Cucchi, P., Giuliani, S., Zappitelli, S., Rotondaro, L., Pasqui, F., Guidi, A., Altamura, M., Giolitti, A. and Maggi, C.A.
Pharmacology of an original and selective nonpeptide antagonist ligand for the human tachykinin NK₂ receptor (516) 104
- Meurs, H., see Boterman, M. (516) 85
- Mitsumoto, Y., see Zhai, H. (516) 112
- Molnár, A., Balásperi, L., Gálfi, M., László, F., Varga, C., Berkó, A. and László, F.A.
Inhibitory effects of different galanin compounds and fragments on osmotically and histamine-induced enhanced vasopressin secretion in rats (516) 174
- Morishita, H., Shibata, K., Sakata, N., Kita, S. and Katsuragi, T.
A new approach to finding specific dopamine D4 receptor agonists (516) 145
- Mrnka, L., Beskid, S., Sevastyanova, O., Bryndová, J. and Pácha, J.
Age-dependent effect of secretagogues during colonic maturation (516) 268
- Muller, B., see Beranova, P. (516) 260
- Muller, E.E., see De Gennaro Colonna, V. (516) 253
- Mulvany, M.J., see Elmedal, B. (516) 78
- Munzel, T., see Beranova, P. (516) 260
- Murthy, M., Pedemonte, N., MacVinish, L., Galletta, L. and Cuthbert, A.
4-Chlorobenzo[F]isoquinoline (CBIQ), a novel activator of CFTR and Δ F508 CFTR (516) 118
- Nakade, K., see Zhai, H. (516) 112
- Nakagawa, S., see Kitaichi, Y. (516) 219
- Nakahata, T., see Hamahata, K. (516) 187
- Nakaike, S., see Takaoka, A. (516) 180
- Ngan, M.-P., see Lau, A.H.Y. (516) 247
- Nishiyama, T.
Effects of a 5-HT_{2A} receptor antagonist, sarpogrelate on thermal or inflammatory pain (516) 18
- Nito, C., see Amemiya, S. (516) 125
- Nogueira, R.L., see Bueno, C.H. (516) 239
- Oda, M., see Zhai, H. (516) 112
- Okada, M., see Hamahata, K. (516) 187
- Osnes, J.-B., see Qvigstad, E. (516) 51
- Øydvin, O.K., Tansø, R. and Aas, P.
Pre-junctional effects of oximes on [³H]-acetylcholine release in rat hippocampal slices during soman intoxication (516) 227
- Pácha, J., see Mrnka, L. (516) 268
- Pasqui, F., see Meini, S. (516) 104
- Pau, A., see Mascia, M.P. (516) 204

- Pedemonte, N., see Murthy, M. (516) 118
 Pinho, V., see Barsante, M.M. (516) 282
 Pinna, C., Sanvito, P., Bolego, C., Cignarella, A. and Puglisi, L.
 Effect of the ATP-sensitive potassium channel opener ZM226600 on
 cystometric parameters in rats with ligature-intact, partial urethral
 obstruction (516) 71
 Puglisi, L., see Pinna, C. (516) 71
- Qin, J.-F., see Zhang, Y. (516) 1
 Quesada, A.R., see Martínez-Poveda, B. (516) 97
 Qvigstad, E., Sjaastad, I., Bokenes, J., Schiander, I., Solberg, L.,
 Sejersted, O.M., Osnes, J.-B. and Skomedal, T.
 Carvedilol blockade of α_1 - and β -adrenoceptor induced inotropic
 responses in rats with congestive heart failure (516) 51
- Rigamonti, A., see De Gennaro Colonna, V. (516) 253
 Rode, F., Jensen, D.G., Blackburn-Munro, G. and Bjerrum, O.J.
 Centrally-mediated antinociceptive actions of GABA_A receptor ago-
 nists in the rat spared nerve injury model of neuropathic pain (516)
 131
 Roffè, E., see Barsante, M.M. (516) 282
 Rossoni, G., see De Gennaro Colonna, V. (516) 253
 Rotondaro, L., see Meini, S. (516) 104
 Rotondo, F., see Di Paola, R. (516) 151
 Rudd, J.A., see Lau, A.H.Y. (516) 247
 Rudolph, U., see Lambert, S. (516) 23
- Sakata, N., see Morishita, H. (516) 145
 Sakurai, J., see Zhai, H. (516) 112
 Sakurai, T., Tamura, K. and Kogo, H.
 Stimulatory effects of eicosanoids on ovarian angiogenesis in
 early luteal phase in cyclooxygenase-2 inhibitor-treated rats (516)
 158
 Sanna, E., see Mascia, M.P. (516) 204
 Sanvito, P., see Pinna, C. (516) 71
 Schiander, I., see Qvigstad, E. (516) 51
 Schmidt, W.J., see Lebsanft, H.B. (516) 34
 Schott, C., see Beranova, P. (516) 260
 Sejersted, O.M., see Qvigstad, E. (516) 51
 Semenova, S., see Jonkman, S. (516) 40
 Sevastyanova, O., see Mrnka, L. (516) 268
 Sheen, L.-Y., see Liu, C.-T. (516) 165
 Shibata, K., see Morishita, H. (516) 145
 Shimazaki, K., see Amemiya, S. (516) 125
 Simonsen, U., see Elmedal, B. (516) 78
 Sjaastad, I., see Qvigstad, E. (516) 51
 Skomedal, T., see Qvigstad, E. (516) 51
 Šlamberová, R. and Mareš, P.
 Cortical epileptic afterdischarges in immature rats are differently
 influenced by NMDA receptor antagonists (516) 10
 Soares, V.P., see Bueno, C.H. (516) 239
- Solberg, L., see Qvigstad, E. (516) 51
 Souza, D.G., see Barsante, M.M. (516) 282
 Stachowicz, K., see Tatarczyńska, E. (516) 46
 Stoclet, J.-C., see Beranova, P. (516) 260
 Sugimoto, M., see Takaoka, A. (516) 180
 Sun, J.C., see Gorzalka, B.B. (516) 28
- Tafuri, W.L., see Barsante, M.M. (516) 282
 Takaoka, A., Arai, I., Sugimoto, M., Yamaguchi, A., Tanaka, M. and
 Nakaike, S.
 Expression of IL-31 gene transcripts in NC/Nga mice with atopic
 dermatitis (516) 180
 Talani, G., see Mascia, M.P. (516) 204
 Tamura, K., see Sakurai, T. (516) 158
 Tanaka, M., see Takaoka, A. (516) 180
 Tansø, R., see Øydvin, O.K. (516) 227
 Tatarczyńska, E., Antkiewicz-Michaluk, L., Kłodzińska, A., Stachowicz, K.
 and Chojnacka-Wójcik, E.
 Antidepressant-like effect of the selective 5-HT_{1B} receptor agonist CP
 94253: A possible mechanism of action (516) 46
 Teixeira, M.M., see Barsante, M.M. (516) 282
 Timmermans, J.-P., see Berges, A. (516) 60
 Toyokuni, S.-y., see Hamahata, K. (516) 187
- Ueda, M., see Amemiya, S. (516) 125
 Ueno, M., see Hamahata, K. (516) 187
- Van Nassauw, L., see Berges, A. (516) 60
 Varga, C., see Molnár, A. (516) 174
 Viana, M.B., see Bueno, C.H. (516) 239
 Vogt, K.E., see Lambert, S. (516) 23
 Vrints, C., see Berges, A. (516) 60
- Wagemakers, D., see Boterman, M. (516) 85
 Wakabayashi, S., see Hamahata, K. (516) 187
 Watanabe, K.-i., see Hamahata, K. (516) 187
- Yamaguchi, A., see Takaoka, A. (516) 180
 Yew, D.T.W., see Lau, A.H.Y. (516) 247
 Yokoro, C.M., see Barsante, M.M. (516) 282
- Zaagsma, J., see Boterman, M. (516) 85
 Zangrossi Jr., H., see Bueno, C.H. (516) 239
 Zappitelli, S., see Meini, S. (516) 104
 Zhai, H., Nakade, K., Oda, M., Mitsumoto, Y., Akagi, M., Sakurai, J. and
 Fukuyama, Y.
 Honokiol-induced neurite outgrowth promotion depends on activation
 of extracellular signal-regulated kinases (ERK1/2) (516) 112
 Zhang, Y., Cao, E.-H. and Qin, J.-F.
 Up-regulation of telomere-binding TRF1, TRF2 related to reactive
 oxygen species induced by As₂O₃ in MGC-803 cells (516) 1