

Author index

- Akiyama, N., see Nishikawa, T. (539) 151
 Ansell, J., see Malaviya, R. (539) 195
 Arenos, J.D., Musty, R.E. and Bucci, D.J.
 Blockade of cannabinoid CB₁ receptors alters contextual learning and memory (539) 177
 Argentieri, R.L., see Malaviya, R. (539) 195
 Asensio, V.J., Miralles, A. and García-Sevilla, J.A.
 Stimulation of mitogen-activated protein kinase kinases (MEK1/2) by μ -, δ - and κ -opioid receptor agonists in the rat brain: Regulation by chronic morphine and opioid withdrawal (539) 49
 Baldisserotto, A., see Gündüz, Ö. (539) 39
 Baucó, P., see Radja, F. (539) 158
 Benyhe, S., see Gündüz, Ö. (539) 39
 Bermudez, I., see Zwart, R. (539) 10
 Beyer, C.E., Lin, Q., Rosenzweig-Lipson, S. and Schechter, L.E.
 α_2 -adrenoceptors enhance the serotonergic effects of fluoxetine (539) 164
 Beyreuther, B., Callizot, N. and Stöhr, T.
 Antinociceptive efficacy of lacosamide in a rat model for painful diabetic neuropathy (539) 64
 Birdsall, N.J.M., see Jensen, A.A. (539) 27
 Borsodi, A., see Gündüz, Ö. (539) 39
 Bosnar, M., see Ivetić Tkalčević, V. (539) 131
 Bošnjak, B., see Ivetić Tkalčević, V. (539) 131
 Britti, D., see Muià, C. (539) 205
 Broad, L.M., see Zwart, R. (539) 10
 Brown, D.R., see Chen, C. (539) 116
 Bucci, D.J., see Arenos, J.D. (539) 177
 Callizot, N., see Beyreuther, B. (539) 64
 Calò, G., see Gündüz, Ö. (539) 39
 Cavender, D., see Malaviya, R. (539) 195
 Cha, Y.-S., see Yang, J.-Y. (539) 99
 Chan, S.K. and Rudd, J.A.
 Role of bradykinin B₂ receptors in the modulation of the peristaltic reflex of the guinea pig isolated ileum (539) 108
 Chang, J.K., see Wang, Z. (539) 145
 Chen, C., Lyte, M., Stevens, M.P., Vulchanova, L. and Brown, D.R.
 Mucosally-directed adrenergic nerves and sympathomimetic drugs enhance non-intimate adherence of *Escherichia coli* O157:H7 to porcine cecum and colon (539) 116
 Civelli, O., see Wang, Z. (539) 145
 Cohen, L.H., see Kitayama, K. (539) 89
 Crisafulli, C., see Muià, C. (539) 205
 Čulić, O., see Ivetić Tkalčević, V. (539) 131
 Cuzzocrea, S., see Muià, C. (539) 205
 Damla, H., see Weber, N.C. (539) 1
 De Wit, E.C., see Kitayama, K. (539) 89
 Di Paola, R., see Muià, C. (539) 205
 Domenico, S., see Muià, C. (539) 205
 Edvinsson, L., see Eskesen, K. (539) 192
 Edwards, S., see Williams, I.J. (539) 57
 Elekes, K., see Sándor, K. (539) 71
 Engström, M., see Sándor, K. (539) 71
 Eraković, V., see Ivetić Tkalčević, V. (539) 131
 Eskesen, K. and Edvinsson, L.
 Upregulation of endothelin ET_B receptor-mediated vasoconstriction in rat coronary artery after organ culture (539) 192
 Fahmy, M., see Malaviya, R. (539) 195
 Ferenčič, Ž., see Ivetić Tkalčević, V. (539) 131
 Fernández, S.P., Wasowski, C., Loscalzo, L.M., Granger, R.E., Johnston, G.A.R., Paladini, A.C. and Marder, M.
 Central nervous system depressant action of flavonoid glycosides (539) 168
 Fujii, Y., see Masuoka, T. (539) 76
 Fujioka, T., see Kitayama, K. (539) 81
 Fujita, I., see Okumura, T. (539) 125
 García-Sevilla, J.A., see Asensio, V.J. (539) 49
 Gavioli, E.C., see Gündüz, Ö. (539) 39
 Gharagozloo, P., see Jensen, A.A. (539) 27
 Gradin, K.A., Zhu, H., Jeansson, M. and Simonsen, U.
 Enhanced neuropeptide Y immunoreactivity and vasoconstriction in mesenteric small arteries from the early non-obese diabetic mouse (539) 184
 Granger, R.E., see Fernández, S.P. (539) 168
 Guerrini, R., see Gündüz, Ö. (539) 39
 Gündüz, Ö., Rizzi, A., Baldisserotto, A., Guerrini, R., Spagnolo, B., Gavioli, E.C., Kocsis, L., Magyar, A., Benyhe, S., Borsodi, A. and Calò, G.
 In vitro and in vivo pharmacological characterization of the nociceptin/orphanin FQ receptor ligand Ac-RYYRIK-ol (539) 39
 Hall, L., see Malaviya, R. (539) 195
 Haller, V.L., see Williams, I.J. (539) 57
 Helyes, Z., see Sándor, K. (539) 71
 Hizue, M., see Okumura, T. (539) 125
 Hrvačić, B., see Ivetić Tkalčević, V. (539) 131
 Inaba, T., see Kitayama, K. (539) 81
 Inaba, T., see Kitayama, K. (539) 89
 Ishizuka, M., see Nishikawa, T. (539) 151
 Ivetić Tkalčević, V., Bošnjak, B., Hrvačić, B., Bosnar, M., Marjanović, N., Ferenčič, Ž., Šitum, K., Čulić, O., Pamham, M.J. and Eraković, V.
 Anti-inflammatory activity of azithromycin attenuates the effects of lipopolysaccharide administration in mice (539) 131
 Jeansson, M., see Gradin, K.A. (539) 184
 Jensen, A.A., Gharagozloo, P., Birdsall, N.J.M. and Zlotos, D.P.
 Pharmacological characterisation of strychnine and brucine analogues at glycine and $\alpha 7$ nicotinic acetylcholine receptors (539) 27
 Johnston, G.A.R., see Fernández, S.P. (539) 168
 Kamei, C., see Masuoka, T. (539) 76
 Kanai, Y., see Okumura, T. (539) 125

- Kitayama, K., Koga, T., Maeda, N., Inaba, T. and Fujioka, T.
Pactimibe stabilizes atherosclerotic plaque through macrophage acyl-CoA:cholesterol acyltransferase inhibition in WHHL rabbits (539) 81
- Kitayama, K., Nakai, D., Kono, K., van der Hoop, A.G., Kurata, H., de Wit, E.C., Cohen, L.H., Inaba, T. and Kohama, T.
Novel non-systemic inhibitor of ileal apical Na⁺-dependent bile acid transporter reduces serum cholesterol levels in hamsters and monkeys (539) 89
- Kocsis, L., see Gündüz, Ö. (539) 39
- Koga, T., see Kitayama, K. (539) 81
- Kohama, T., see Kitayama, K. (539) 89
- Kono, K., see Kitayama, K. (539) 89
- Kunimasa, K., see Nishikawa, T. (539) 151
- Kurata, H., see Kitayama, K. (539) 89
- Lai, J.S., Zhao, C., Warsh, J.J. and Li, P.P.
Cytoprotection by lithium and valproate varies between cell types and cellular stresses (539) 18
- Lee, M., see Zwart, R. (539) 10
- Li, P.P., see Lai, J.S. (539) 18
- Lin, Q., see Beyer, C.E. (539) 164
- Loscalzo, L.M., see Fernández, S.P. (539) 168
- Ly, N.K., see Wang, Z. (539) 145
- Lyte, M., see Chen, C. (539) 116
- Maeda, N., see Kitayama, K. (539) 81
- Magyar, A., see Gündüz, Ö. (539) 39
- Maiere, D., see Muià, C. (539) 205
- Malaviya, R., Ansell, J., Hall, L., Fahmy, M., Argentieri, R.L., Olini Jr., G.C., Pereira, D.W., Sur, R. and Cavender, D.
Targeting cytosolic phospholipase A₂ by arachidonyl trifluoromethyl ketone prevents chronic inflammation in mice (539) 195
- Marder, M., see Fernández, S.P. (539) 168
- Marjanović, N., see Ivetić Tkalčević, V. (539) 131
- Masuoka, T., Fujii, Y. and Kamei, C.
Effect of scopolamine on the hippocampal theta rhythm during an eight-arm radial maze task in rats (539) 76
- Matsuura, T., see Okumura, T. (539) 125
- Mazzon, E., see Muià, C. (539) 205
- Miralles, A., see Asensio, V.J. (539) 49
- Moroni, M., see Zwart, R. (539) 10
- Muià, C., Mazzon, E., Maiere, D., Zito, D., Di Paola, R., Domenico, S., Crisafulli, C., Britti, D. and Cuzzocrea, S.
Pyrrolidine dithiocarbamate reduced experimental periodontitis (539) 205
- Murase, A., see Okumura, T. (539) 125
- Murata, Y., see Okumura, T. (539) 125
- Musty, R.E., see Arenos, J.D. (539) 177
- Naganeo, R., see Okumura, T. (539) 125
- Nagasaki, H., see Wang, Z. (539) 145
- Nakai, D., see Kitayama, K. (539) 89
- Nakao, K., see Okumura, T. (539) 125
- Nam, J.-H., see Yang, J.-Y. (539) 99
- Natori, S., see Nishikawa, T. (539) 151
- Nishikawa, T., Akiyama, N., Kunimasa, K., Oikawa, T., Ishizuka, M., Tsujimoto, M. and Natori, S.
Inhibition of in vivo angiogenesis by *N*-β-alanyl-5-*S*-glutathionyl-3,4-dihydroxyphenylalanine (539) 151
- Nothacker, H.-P., see Wang, Z. (539) 145
- Obata, T.
Effect of desferrioxamine, a strong iron (III) chelator, on 1-methyl-4-phenylpyridinium ion (MPP⁺)-induced hydroxyl radical generation in the rat striatum (539) 34
- Oikawa, T., see Nishikawa, T. (539) 151
- Okumura, T., Murata, Y., Hizue, M., Matsuura, T., Naganeo, R., Kanai, Y., Murase, A., Sakakibara, A., Fujita, I. and Nakao, K.
Pharmacological separation between peripheral and central functions of cyclooxygenase-2 with CIAA, a novel cyclooxygenase-2 inhibitor (539) 125
- Olini Jr., G.C., see Malaviya, R. (539) 195
- Paladini, A.C., see Fernández, S.P. (539) 168
- Park, H., see Yang, J.-Y. (539) 99
- Parnham, M.J., see Ivetić Tkalčević, V. (539) 131
- Pereira, D.W., see Malaviya, R. (539) 195
- Pintér, E., see Sándor, K. (539) 71
- Preckel, B., see Weber, N.C. (539) 1
- Radja, F., Bauco, P. and Rompré, P.-P.
Effects of excitotoxic lesions of the medial prefrontal cortex on density of high affinity [¹²⁵I-Tyr3]neurotensin binding sites within the ventral midbrain and striatum (539) 158
- Reinscheid, R.K., see Wang, Z. (539) 145
- Rizzi, A., see Gündüz, Ö. (539) 39
- Rompré, P.-P., see Radja, F. (539) 158
- Rosenzweig-Lipson, S., see Beyer, C.E. (539) 164
- Rubo, A., see Williams, I.J. (539) 57
- Rudd, J.A., see Chan, S.K. (539) 108
- Saito, Y., see Wang, Z. (539) 145
- Sakakibara, A., see Okumura, T. (539) 125
- Sándor, K., Elekes, K., Szabó, Á., Pintér, E., Engström, M., Wurster, S., Szolcsányi, J. and Helyes, Z.
Analgesic effects of the somatostatin sst₄ receptor selective agonist J-2156 in acute and chronic pain models (539) 71
- Schechter, L.E., see Beyer, C.E. (539) 164
- Schlack, W., see Weber, N.C. (539) 1
- Sher, E., see Zwart, R. (539) 10
- Shichiri, M., see Wang, Z. (539) 145
- Simonsen, U., see Gradin, K.A. (539) 184
- Šitum, K., see Ivetić Tkalčević, V. (539) 131
- Spagnolo, B., see Gündüz, Ö. (539) 39
- Stevens, D.L., see Williams, I.J. (539) 57
- Stevens, M.P., see Chen, C. (539) 116
- Stöhr, T., see Beyreuther, B. (539) 64
- Sur, R., see Malaviya, R. (539) 195
- Szabó, Á., see Sándor, K. (539) 71
- Szolcsányi, J., see Sándor, K. (539) 71
- Takahashi, T., see Wang, Z. (539) 145
- Toma, O., see Weber, N.C. (539) 1
- Tsujimoto, M., see Nishikawa, T. (539) 151
- Van der Hoop, A.G., see Kitayama, K. (539) 89
- Vulchanova, L., see Chen, C. (539) 116
- Wang, Z., Takahashi, T., Saito, Y., Nagasaki, H., Ly, N.K., Nothacker, H.-P., Reinscheid, R.K., Yang, J., Chang, J.K., Shichiri, M. and Civelli, O.
Salusin β is a surrogate ligand of the mas-like G protein-coupled receptor MrgA1 (539) 145
- Warsh, J.J., see Lai, J.S. (539) 18
- Wasowski, C., see Fernández, S.P. (539) 168
- Weber, N.C., Toma, O., Damla, H., Wolter, J.I., Schlack, W. and Preckel, B.
Upstream signaling of protein kinase C-ε in xenon-induced pharmacological preconditioning: Implication of mitochondrial adenosine triphosphate dependent potassium channels and phosphatidylinositol-dependent kinase-I (539) 1

- Welch, S.P., see Williams, I.J. (539) 57
- Williams, I.J., Edwards, S., Rubo, A., Haller, V.L., Stevens, D.L. and Welch, S.P.
Time course of the enhancement and restoration of the analgesic efficacy of codeine and morphine by Δ^9 -tetrahydrocannabinol (539) 57
- Wolter, J.I., see Weber, N.C. (539) 1
- Wurster, S., see Sándor, K. (539) 71
- Xi, Q., see Zwart, R. (539) 10
- Yang, J., see Wang, Z. (539) 145
- Yang, J.-Y., Nam, J.-H., Park, H. and Cha, Y.-S.
Effects of resistance exercise and growth hormone administration at low doses on lipid metabolism in middle-aged female rats (539) 99
- Zhao, C., see Lai, J.S. (539) 18
- Zhu, H., see Gradin, K.A. (539) 184
- Zito, D., see Muià, C. (539) 205
- Zlotos, D.P., see Jensen, A.A. (539) 27
- Zwart, R., Broad, L.M., Xi, Q., Lee, M., Moroni, M., Bermudez, I. and Sher, E.
5-I A-85380 and TC-2559 differentially activate heterologously expressed $\alpha 4\beta 2$ nicotinic receptors (539) 10