

Author index

- Abiko, Y., see Onose, A. (541) 198
- Abreu-González, P., González-Hernández, T., Afonso-Oramas, D., Cruz-Muros, I., Barroso-Chinea, P. and González, M.C.
Tetrahydrobiopterin stimulates L-DOPA release from striatal tissue (541) 33
- Adaikan, P.G., see Lau, L.-C. (541) 184
- Afonso-Oramas, D., see Abreu-González, P. (541) 33
- Aksu, F., see Büyükaşar, K. (541) 49
- Arimochi, H. and Morita, K.
Characterization of cytotoxic actions of tricyclic antidepressants on human HT29 colon carcinoma cells (541) 17
- Aydın, O.N., see Sen, S. (541) 191
- Barroso-Chinea, P., see Abreu-González, P. (541) 33
- Belardinelli, L., see Zhao, G. (541) 171
- Berg, K.M., see Ratz, P.H. (541) 177
- Blednov, Y.A., see Boehm II, S.L. (541) 158
- Boehm II, S.L., Homanics, G.E., Blednov, Y.A. and Harris, R.A.
δ-Subunit containing GABA_A receptor knockout mice are less sensitive to the actions of 4,5,6,7-tetrahydroisoxazolo-[5,4-c]pyridin-3-ol (541) 158
- Bose, R., see Goralski, K.B. (541) 87
- Brissot, P., see Chantrel-Groussard, K. (541) 129
- Burnham, W.M., see Chan, K.F.Y. (541) 64
- Buschmann, H., see Candenas, L. (541) 9
- Büyükaşar, K., Yalçın, İ., Kurt, A.H., Tiftik, R.N., Şahan-Fırat, S. and Aksu, F.
Rho-kinase inhibitor, Y-27632, has an antinociceptive effect in mice (541) 49
- Candenas, L., Seda, M., Noheda, P., Buschmann, H., Cintado, C.G., Martin, J.D. and Pinto, F.M.
Molecular diversity of voltage-gated sodium channel α and β subunit mRNAs in human tissues (541) 9
- Chae, H.-J., see Kim, D.-S. (541) 24
- Chae, S.-W., see Kim, D.-S. (541) 24
- Chan, K.F.Y., Burnham, W.M., Jia, Z., Cortez, M.A. and Snead III, O.C.
GABA_B receptor antagonism abolishes the learning impairments in rats with chronic atypical absence seizures (541) 64
- Chan, P., see Chen, T.-H. (541) 138
- Chantrel-Groussard, K., Gaboriau, F., Pasdeloup, N., Havouis, R., Nick, H., Pierre, J.-L., Brissot, P. and Lescoat, G.
The new orally active iron chelator ICL670A exhibits a higher antiproliferative effect in human hepatocyte cultures than O-trenox (541) 129
- Chen, B.-C., see Chen, T.-H. (541) 138
- Chen, C.-H., see Chen, T.-H. (541) 138
- Chen, Q., Liu, S.-Q., Du, Y.-M., Peng, H. and Sun, L.-P.
Carboxymethyl-chitosan protects rabbit chondrocytes from interleukin-1β-induced apoptosis (541) 1
- Chen, T.-H., Kao, Y.-C., Chen, B.-C., Chen, C.-H., Chan, P. and Lee, H.-M.
Dipyridamole activation of mitogen-activated protein kinase phosphatase-1 mediates inhibition of lipopolysaccharide-induced cyclooxygenase-2 expression in RAW 264.7 cells (541) 138
- Chen, Y.-J., Li, J. and Quilley, J.
Effect of inhibition of nitric oxide synthase on renal cyclooxygenase in the diabetic rat (541) 80
- Chojnacka-Wójcik, E., see Wesołowska, A. (541) 57
- Cintado, C.G., see Candenas, L. (541) 9
- Cortez, M.A., see Chan, K.F.Y. (541) 64
- Cruz-Muros, I., see Abreu-González, P. (541) 33
- Doger, F.K., see Sen, S. (541) 191
- Dost, T., see Sen, S. (541) 191
- Du, Y.-M., see Chen, Q. (541) 1
- Fernández, A., see Poveda, R. (541) 53
- Fernández-Dueñas, V., see Poveda, R. (541) 53
- Filip, M., Frankowska, M., Gólda, A., Zaniowska, M., Vetulani, J. and Przeglasiński, E.
Various GABA-mimetic drugs differently affect cocaine-evoked hyperlocomotion and sensitization (541) 163
- Frankowska, M., see Filip, M. (541) 163
- Gaboriau, F., see Chantrel-Groussard, K. (541) 129
- Gólda, A., see Filip, M. (541) 163
- Gon, Y., see Onose, A. (541) 198
- González, M.C., see Abreu-González, P. (541) 33
- González-Hernández, T., see Abreu-González, P. (541) 33
- Goralski, K.B., Bose, R. and Sitar, D.S.
NH₄⁺ modulates renal tubule amantadine transport independently of intracellular pH changes (541) 87
- Gutiérrez-Venegas, G., Kawasaki-Cárdenas, P., Rita Arroyo-Cruz, S. and Maldonado-Frías, S.
Luteolin inhibits lipopolysaccharide actions on human gingival fibroblasts (541) 95
- Gutkowska, J., see Mukaddam-Daher, S. (541) 73
- Harris, R.A., see Boehm II, S.L. (541) 158
- Hashimoto, S., see Onose, A. (541) 198
- Havouis, R., see Chantrel-Groussard, K. (541) 129
- Hayashi, S., see Onose, A. (541) 198
- Hintze, T.H., see Zhao, G. (541) 171
- Homanics, G.E., see Boehm II, S.L. (541) 158
- Horie, T., see Onose, A. (541) 198
- Ichikawa, A., see Yamamoto, S. (541) 106
- Ikeda, K., see Yamamoto, S. (541) 106
- Imai, M., see Kuzuhara, H. (541) 205
- Imoto, T., see Moriyama, N. (541) 38
- Jia, Z., see Chan, K.F.Y. (541) 64
- Jibiki, I., see Onose, A. (541) 198
- Kao, Y.-C., see Chen, T.-H. (541) 138
- Karul, A., see Sen, S. (541) 191
- Kawamura, Y., see Kuzuhara, H. (541) 205

- Kawasaki-Cárdenas, P., see Gutiérrez-Venegas, G. (541) 95
- Kim, D.-S., Kim, H.-R., Woo, E.-R., Kwon, D.-Y., Kim, M.-S., Chae, S.-W. and Chae, H.-J.
Protective effect of calceolarioside on adriamycin-induced cardiomyocyte toxicity (541) 24
- Kim, H.-R., see Kim, D.-S. (541) 24
- Kim, M.-S., see Kim, D.-S. (541) 24
- Kim, S.-P., see Yun, S.-Y. (541) 115
- Kobayashi, T., see Onose, A. (541) 198
- Kocki, T., Wielosz, M., Turski, W.A. and Urbanska, E.M.
Enhancement of brain kynurenic acid production by anticonvulsants—Novel mechanism of antiepileptic activity? (541) 147
- Kondo, D., Yabe, R., Kurihara, T., Saegusa, H., Zong, S. and Tanabe, T.
Progesterone receptor antagonist is effective in relieving neuropathic pain (541) 44
- Kwon, D.-Y., see Kim, D.-S. (541) 24
- Kumasawa, F., see Onose, A. (541) 198
- Kurihara, T., see Kondo, D. (541) 44
- Kurosawa, T., see Kuzuhara, H. (541) 205
- Kurt, A.H., see Büyükaşar, K. (541) 49
- Kuzuhara, H., Nakano, Y., Yamashita, N., Imai, M., Kawamura, Y., Kurosawa, T. and Nishiyama, S.
Protective effects of α 1-acid glycoprotein and serum amyloid A on concanavalin A-induced liver failure via interleukin-6 induction by ME3738 (541) 205
- Lau, L.-C. and Adaikan, P.G.
Mechanisms of direct relaxant effect of sildenafil, tadalafil and vardenafil on corpus cavernosum (541) 184
- Lee, H.-M., see Chen, T.-H. (541) 138
- Lescoat, G., see Chantrel-Groussard, K. (541) 129
- Li, J., see Chen, Y.-J. (541) 80
- Liu, S.-Q., see Chen, Q. (541) 1
- Lu, L., see Shimizu, T. (541) 152
- Maldonado-Frías, S., see Gutiérrez-Venegas, G. (541) 95
- Martin, J.D., see Candenas, L. (541) 9
- Maruoka, S., see Onose, A. (541) 198
- Maruyama, M., see Moriyama, N. (541) 38
- Matsumoto, K., see Onose, A. (541) 198
- Menaouar, A., see Mukaddam-Daher, S. (541) 73
- Messina, E., see Zhao, G. (541) 171
- Miyoshi, M., see Moriyama, N. (541) 38
- Mizumura, K., see Onose, A. (541) 198
- Morita, K., see Arimochi, H. (541) 17
- Moriyama, N., Miyoshi, M., Imoto, T., Maruyama, M., Shido, O. and Watanabe, T.
Systemic administration of polymyxin B induces hypothermia in rats via an inhibitory effect on metabolic rate (541) 38
- Mukaddam-Daher, S., Menaouar, A. and Gutkowska, J.
Receptors involved in moxonidine-stimulated atrial natriuretic peptide release from isolated normotensive rat hearts (541) 73
- Naito, R., see Yamamoto, S. (541) 106
- Nakano, Y., see Kuzuhara, H. (541) 205
- Nick, H., see Chantrel-Groussard, K. (541) 129
- Nikiforuk, A., see Wesołowska, A. (541) 57
- Nishiyama, S., see Kuzuhara, H. (541) 205
- Noheda, P., see Candenas, L. (541) 9
- Ochoa, M., see Zhao, G. (541) 171
- Okada, S., see Shimizu, T. (541) 152
- Onose, A., Hashimoto, S., Hayashi, S., Maruoka, S., Kumasawa, F., Mizumura, K., Jibiki, I., Matsumoto, K., Gon, Y., Kobayashi, T., Takahashi, N., Shibata, Y., Abiko, Y., Shibata, T., Shimizu, K. and Horie, T.
An inhibitory effect of A20 on NF- κ B activation in airway epithelium upon influenza virus infection (541) 198
- Pasdeloup, N., see Chantrel-Groussard, K. (541) 129
- Peng, H., see Chen, Q. (541) 1
- Pierre, J.-L., see Chantrel-Groussard, K. (541) 129
- Pinto, F.M., see Candenas, L. (541) 9
- Planas, E., see Poveda, R. (541) 53
- Poveda, R., Fernández-Dueñas, V., Fernández, A., Sánchez, S., Puig, M.M. and Planas, E.
Synergistic interaction between fentanyl and the histamine H₃ receptor agonist *R*-(α)-methylhistamine, on the inhibition of nociception and plasma extravasation in mice (541) 53
- Przegaliński, E., see Filip, M. (541) 163
- Puig, M.M., see Poveda, R. (541) 53
- Quilley, J., see Chen, Y.-J. (541) 80
- Ratz, P.H. and Berg, K.M.
2-Aminoethoxydiphenyl borate inhibits KCl-induced vascular smooth muscle contraction (541) 177
- Rita Arroyo-Cruz, S., see Gutiérrez-Venegas, G. (541) 95
- Saegusa, H., see Kondo, D. (541) 44
- Şahan-Fırat, S., see Büyükaşar, K. (541) 49
- Sánchez, S., see Poveda, R. (541) 53
- Sasaki, T., see Shimizu, T. (541) 152
- Seda, M., see Candenas, L. (541) 9
- Sen, S., Doger, F.K., Sen, S., Aydın, O.N., Karul, A. and Dost, T.
The protective effect of nitroglycerin on gastrointestinal and renal side effects of lornoxicam in rats (541) 191
- Sen, S., see Sen, S. (541) 191
- Serpillon, S., see Zhao, G. (541) 171
- Shibata, T., see Onose, A. (541) 198
- Shibata, Y., see Onose, A. (541) 198
- Shido, O., see Moriyama, N. (541) 38
- Shimizu, K., see Onose, A. (541) 198
- Shimizu, Y., see Yamamoto, S. (541) 106
- Shimizu, T., Okada, S., Yamaguchi, N., Sasaki, T., Lu, L. and Yokotani, K.
Centrally administered histamine evokes the adrenal secretion of noradrenaline and adrenaline by brain cyclooxygenase-1- and thromboxane A₂-mediated mechanisms in rats (541) 152
- Shryock, J., see Zhao, G. (541) 171
- Sitar, D.S., see Goralski, K.B. (541) 87
- Snead III, O.C., see Chan, K.F.Y. (541) 64
- Song, D.-K., see Yun, S.-Y. (541) 115
- Sugahara, S., see Yamamoto, S. (541) 106
- Sun, L.-P., see Chen, Q. (541) 1
- Takahashi, N., see Onose, A. (541) 198
- Tanabe, T., see Kondo, D. (541) 44
- Tiftik, R.N., see Büyükaşar, K. (541) 49
- Turski, W.A., see Kocki, T. (541) 147
- Urbanska, E.M., see Kocki, T. (541) 147
- Vetulani, J., see Filip, M. (541) 163
- Watanabe, T., see Moriyama, N. (541) 38
- Wesołowska, A., Nikiforuk, A. and Chojnacka-Wójcik, E.
Anticonvulsant effect of the selective 5-HT_{1B} receptor agonist CP 94253 in mice (541) 57
- Wielosz, M., see Kocki, T. (541) 147
- Woo, E.-R., see Kim, D.-S. (541) 24
- Xu, X., see Zhao, G. (541) 171
- Yabe, R., see Kondo, D. (541) 44
- Yalçın, İ., see Büyükaşar, K. (541) 49
- Yamada, T., see Yamamoto, S. (541) 106

- Yamaguchi, N., see Shimizu, T. (541) 152
- Yamamoto, S., Sugahara, S., Naito, R., Ichikawa, A., Ikeda, K., Yamada, T. and Shimizu, Y.
The effects of a novel phosphodiesterase 7A and -4 dual inhibitor, YM-393059, on T-cell-related cytokine production *in vitro* and *in vivo* (541) 106
- Yamashita, N., see Kuzuhara, H. (541) 205
- Yokotani, K., see Shimizu, T. (541) 152
- Yun, S.-Y., Kim, S.-P. and Song, D.-K.
Effects of (–)-epigallocatechin-3-gallate on pancreatic beta-cell damage in streptozotocin-induced diabetic rats (541) 115
- Zaniewska, M., see Filip, M. (541) 163
- Zhao, G., Messina, E., Xu, X., Ochoa, M., Serpillon, S., Shryock, J., Belardinelli, L. and Hintze, T.H.
Ranolazine, a novel anti-anginal agent, does not alter isosorbide dinitrate- or sildenafil-induced changes in blood pressure in conscious dogs (541) 171
- Zong, S., see Kondo, D. (541) 44