

## ERRATUM

Isao Yumoto · Teruo Kusano · Tomohiro Shingyo ·  
Yoshinobu Nodasaka · Hidetoshi Matsuyama  
Hidetoshi Okuyama

### **Assignment of *Pseudomonas* sp. strain E-3 to *Pseudomonas psychrophila* sp. nov., a new facultatively psychrophilic bacterium**

Published online: October 27, 2001

---

#### **Extremophiles (2001) 5:343–349**

An error appears on page 344 in “Materials and methods” in the first sentence of the section headed “Analysis of whole-cell fatty acids”. The SP-2560 column used for gas liquid chromatography was 100 m in length, not 100 mm as stated in the article.

---

The online version of the original article can be found at  
<http://dx.doi.org/10.1007/s007920100199>

---

I. Yumoto (✉) · T. Shingyo · H. Okuyama  
Research Institute of Biological Resources, National Institute of  
Advanced Industrial Science and Technology (AIST), Tsukisamu-  
Higashi, Toyohira-ku, Sapporo 062-8517, Japan  
Tel. +81-11-8578925; Fax +81-11-8578900  
e-mail: i.yumoto@aist.go.jp

T. Kusano · H. Okuyama  
Laboratory of Environmental Molecular Biology, Graduate School of  
Environmental Earth Science, Hokkaido University, Sapporo, Japan

T. Shingyo · H. Matsuyama  
Department of Bioscience and Technology, School of Engineering,  
Hokkaido Tokai University, Sapporo, Japan

Y. Nodasaka  
Laboratory of Electron Microscopy, School of Dentistry, Hokkaido  
University, Sapporo, Japan